Magnetotransport properties of a magnetically modulated two-dimensional electron gas with the spin-orbit interaction

SK Firoz Islam and Tarun Kanti Ghosh

Department of Physics, Indian Institute of Technology-Kanpur, Kanpur-208 016, India

(Dated: March 28, 2021)

We study the electrical transport properties of a two-dimensional electron gas with the Rashba spin-orbit interaction in presence of a constant perpendicular magnetic field $(B_0\hat{z})$ which is weakly modulated by $\mathbf{B_1} = B_1 \cos(qx)\hat{z}$, where $B_1 \ll B_0$ and $q = 2\pi/a$ with a is the modulation period. We obtain the analytical expressions of the diffusive conductivities for spin-up and spin-down electrons. The conductivities for spin-up and spin-down electrons oscillate with different frequencies and produce beating patterns in the amplitude of the Weiss and Shubnikov-de Haas oscillations. We show that the Rashba strength can be determined by analyzing the beating pattern in the Weiss oscillation. We find a simple equation which determines the Rashba spin-orbit interaction strength if the number of Weiss oscillations between any two successive nodes is known from the experiment. We compare our results with the electrically modulated 2DEG with the Rashba interaction. For completeness, we also study the beating pattern formation in the collisional and the Hall conductivities.

PACS numbers: 71.70.Ej,73.43.Qt,85.75.-d

I. INTRODUCTION

The magnetotransport properties of a two-dimensional electron gas (2DEG) in presence of a weakly modulated one-dimensional (1D) periodic electric potential has been studied in great details experimentally and theoretically for a long time $^{1-5}$. In the absence of the modulation and the spin-orbit interaction (SOI), the magnetoconductivity oscillations due to the charged impurities are commonly known as the Shubnikov-de Hass (SdH) oscillations. In the presence of the modulation and at low magnetic fields, it has been observed that the magnetoresistivity tensor oscillates with the inverse of the magnetic field. These oscillations are completely different in periodicity and temperature dependence from the SdH oscillations observed at higher magnetic field. These oscillations are commonly known as the Weiss oscillations. This is due to the effect of the commensurability between the two length scales in the system: the cyclotron diameter at the Fermi energy and the modulation period a. The similarity and differences between the Weiss and the SdH oscillations are as follows: i) both the oscillations are periodic in $1/B_0$ ii) the period of the Weiss oscillation varies with the electron density (n_e) as $\sqrt{n_e}$, whereas that of the SdH ones as n_e ; iii) the amplitude of the Weiss oscillations less dependent on temperature than that of the SdH oscillations; iv) the Weiss oscillations are visible at weak magnetic field $(B_0 < 0.6 \text{ T})$ and the SdH oscillations modulated by the Weiss oscillations are visible at higher fields.

In conventional 2DEG systems, magnetotransport properties in the presence of 1D electric and magnetic modulations are continuing to be an active research field. The magnetotransport properties of a 2DEG in presence of a weakly modulated magnetic field has been studied theoretically⁶⁻¹². It was theoretically observed that the magnetoconductivity oscillates with inverse of the magnetic field and amplitude of the oscillation is much higher compare to the case of electrical modulation. The magnetothermodynamical properties of electrically or magnetically modulated 2DEG has also been studied where the Weiss-type oscillation is also shown^{5,13,14}. Later, the magnetoresistance oscillation in a magnetically modulated 2DEG system was observed experimentally^{15–17}. In these experiments, a 1D spatially varying magnetic modulation was achieved by placing micro-patterned ferromagnet or superconductor on the surface of a 2DEG system.

An internally generated crystal field induces the SOI which is known as the Rashba SOI. The Rashba interaction strength can also be controlled by a strong external electric field acting normal to the 2DEG plane. Using the Rashba interaction it was possible to explain many experimentally observed features like the combined resonances^{18,19} and the beating patterns in the SdH oscillations²⁰. The Rashba interaction is responsible for many other novel effects like the spin-FET²¹, spin-galvanic effect²² and the spin Hall effect^{23,24}. The Rashba SOI in the 2DEG influences various properties such as transport^{25,26}, magnetotransport^{27–30}, magnetization³¹ etc. In Refs.^{32–34}, the effect of the Rashba interaction on magnetotransport properties of electrically modulated 2DEG have been studied theoretically.

Generally, beating pattern analysis in the SdH oscillation²⁰ and weak anti-localization method³⁵ are used to extract the strength of the Rashba SOI in the 2DEG system. However, in the presence of $B_0 \neq 0$, Zeeman splitting is also accompanied with the Rashba spin splitting. To avoid this problem optical measurement³⁶ has also been proposed. The Weiss oscillation is due to the modulation induced Landau levels broadening which oscillates with inverse magnetic field. Moreover, this oscillation appears at low magnetic field where the Rashba

SOI dominates over the Zeeman splitting. The Weiss oscillation is less influenced by the Zeeman term specially in the periodicity. To determine the Rashba strength, beating pattern analysis in the Weiss oscillation is more reliable than the SdH oscillation.

In this work, our primary goal is to study analytically the Weiss oscillations of the 2DEG with the Rashba interaction and to determine the strength of the Rashba SOI by analyzing the beating pattern of the Weiss oscillations. For completeness, we also study other transport coefficients such as the collisional and the Hall conductivities of the spin-up and spin-down electrons in details.

This paper is organized as follows. In section II, we summarize the energy eigenvalues, the corresponding eigenfunction and density of states of the 2DEG with the Rashba interaction in presence of a uniform magnetic field. Also, the first-order energy corrections due to the magnetic perturbations and group velocities for spin-up and spin-down electrons are evaluated. We calculate and discuss the diffusive, collisional and the Hall conductivities by using the semi-classical Kubo formula in section III. The summary of our work is presented in section IV.

II. ENERGY EIGENVALUE, EIGENFUNCTION AND DENSITY OF STATES IN PRESENCE OF THE RASHBA SOI

We consider a 2DEG in the x-y plane subjected to a magnetic field $\mathbf{B} = [B_0 + B_1 \cos(qx)]\hat{z}$, where $q = 2\pi/a$ and a is the modulation period. Also, we consider strength of the magnetic modulation is very weak i.e., $B_1 \ll B_0$. In the Landau gauge the corresponding vector potential \mathbf{A} is $\mathbf{A} = [B_0x + (B_1/q)\sin(qx)]\hat{y}$.

The Hamiltonian of an electron with charge -e in presence of the perpendicular magnetic field **B** is

$$H = \frac{(\mathbf{p} + e\mathbf{A})^2}{2m^*} \mathbb{1} + \frac{\alpha}{\hbar} \left[\boldsymbol{\sigma} \times (\mathbf{p} + e\mathbf{A}) \right]_z + \frac{g}{2} \mu_B \mathbf{B} \cdot \boldsymbol{\sigma}, \ (1)$$

where **p** is the 2D momentum operator, m^* is the effective mass of the electron, g is the Lande g-factor, μ_B is the Bohr magneton, $\mathbb{1}$ is the identity matrix, $\boldsymbol{\sigma} = (\sigma_x, \sigma_y, \sigma_z)$ are the Pauli spin matrices, and α is the strength of the Rashba interaction.

Expanding the above Hamiltonian and re-writing as a sum of the various Hamiltonians: $H = H_0 + H_1 + H_2 + H_3 + H_4$, where

$$H_{0} = \frac{1}{2m^{*}} [p_{x}^{2} + (p_{y} + eB_{0}x)^{2}] \mathbb{1} + \frac{\alpha}{\hbar} [\sigma_{x}(p_{y} + eB_{0}x) - \sigma_{y}p_{x}] + \frac{1}{2}g\mu_{B}B_{0}\sigma_{z}, \qquad (2)$$

$$H_1 = \frac{V_B}{\hbar q} (p_y + eB_1 x) \sin(qx) \mathbb{1}, \qquad (3)$$

$$H_2 = V_B \frac{p_\alpha}{2\pi} \sigma_x \sin(qx), \qquad (4)$$

$$H_3 = V_{\scriptscriptstyle B} g^* \cos(qx) \sigma_z, \tag{5}$$

$$H_4 = \frac{V_B^2}{(4\pi)^2 \epsilon_a} \{1 - \cos(2qx)\} \mathbb{1}.$$
 (6)

Here, $V_{\scriptscriptstyle B} = \hbar \omega_1 = \hbar e B_1 / m^*$ is the strength of the effective magnetic potential determined by the amplitude B_1 of the magnetic modulation and $\omega_1 \ll \omega_0$ with $\omega_0 = eB_0/m^*$ is the cyclotron frequency due to the constant magnetic field B_0 . The dimensionless parameter $p_{\alpha} = ak_{\alpha}$ with $k_{\alpha} = \alpha m^*/\hbar^2$ and $g^* = gm^*/(4m_0)$. Also, $\epsilon_a = \hbar^2/(m^*a^2)$ is a characteristic energy scale introduced by the modulation period a. Here, the term H_0 is the Hamiltonian for the electron with the Rashba interaction in presence of the constant magnetic field $B_0 \hat{z}$ including the Zeeman energy. The terms H_1 and H_4 are due to effect of the magnetic modulation on the kinetic energy term. The term H_2 is the interaction between the spin-orbit and the magnetic modulation whereas the term H_3 is the interaction between the Zeeman energy and the magnetic modulation.

The Hamiltonian H_0 can be solved analytically and can be treated as a unperturbed Hamiltonian. The other four Hamiltonians can be treated as a small perturbations since $V_B \ll \hbar \omega_0$. The eigenfunctions of the unperturbed Hamiltonian (H_0) can be used to find the energy correction due to the small perturbations H_1, H_2, H_3 and H_4 .

Here, we shall briefly summarize the results of the Ref.²⁷ where the analytical solutions of the Hamiltonian H_0 have been derived. Using the Landau wave functions without the Rashba interaction as the basis, one can write new wave function as

$$\Psi_{k_y}(\mathbf{r}) = \frac{e^{ik_y y}}{\sqrt{L_y}} \sum_{n=0}^{\infty} \phi_n(x+x_0) \begin{pmatrix} C_n^+ \\ C_n^- \end{pmatrix}.$$
 (7)

Here, $\phi_n(x) = (1/\sqrt{\sqrt{\pi}2^n n! l_0}) e^{-x^2/2l_0^2} H_n(x/l_0)$ is the normalized harmonic oscillator wave function with n is the Landau level index, L_y is the width of the sample in the y direction, $l_0 = \sqrt{\hbar/(eB_0)}$ is the magnetic length, and the cyclotron orbit is centered at $-x_0$ with $x_0 = k_y l_0^2$.

Using these wave functions and Eq.(1), the eigenvalue problem $H_0\Psi = E\Psi$ leads to an infinite number of equations that can be solved exactly after decomposing it into independent systems of one or two equations²⁷. The resulting eigenstates are labeled by a new quantum number *s* instead of *n*. For s = 0, there is only one level, the same as the lowest Landau level without SOI, with energy $E_0^+ = E_0 = (\hbar\omega_0 - g\mu_B B_0)/2$ and the corresponding wave function is

$$\Psi_{0,ky}^{+}(\mathbf{r}) = \frac{e^{ik_y y}}{\sqrt{L_y}} \phi_0(x+x_0) \begin{pmatrix} 0\\1 \end{pmatrix}.$$
 (8)

For s = 1, 2, 3... there are two branches of energy levels, denoted by + and - with energies

$$E_s^{\pm} = s\hbar\omega_0 \pm \sqrt{E_0^2 + sE_\alpha\hbar\omega_0},\tag{9}$$

where $E_{\alpha} = 2m^* \alpha^2 / \hbar^2$. These energy levels are degenerate in k_y . Therefore, the group velocities, v_x and v_y , are zero.

The corresponding wave function for + branch is

$$\Psi_{s,k_y}^+(\mathbf{r}) = \frac{e^{ik_y y}}{\sqrt{L_y A_s}} \begin{pmatrix} D_s \phi_{s-1}(x+x_0) \\ \phi_s(x+x_0) \end{pmatrix}, \qquad (10)$$

and for – branch is

$$\Psi_{s,k_y}^{-}(\mathbf{r}) = \frac{e^{ik_y y}}{\sqrt{L_y A_s}} \begin{pmatrix} \phi_{s-1}(x+x_0)\\ -D_s \phi_s(x+x_0) \end{pmatrix}, \qquad (11)$$

where $A_s = 1 + D_s^2$ and $D_s = \sqrt{sE_{\alpha}\hbar\omega_0}/[E_0 + \sqrt{E_0^2 + sE_{\alpha}\hbar\omega_0}].$

The Landau level quantum numbers s^{\pm} at the Fermi energy are determined from the equation $E_F = s\hbar\omega_0 \pm \sqrt{E_0^2 + sE_\alpha\hbar\omega_0}$. These quantum numbers s^{\pm} are given by $s^{\pm} \simeq k_F^2 l_0^2/2 \mp k_\alpha k_F l_0^2$, where $k_F = \sqrt{2\pi n_e}$ is the Fermi wave vector and n_e is the electron density.

The approximate density of states (DOS) of the 2DEG with the Rashba SOI in the presence of constant perpendicular magnetic field is given³⁰ by

$$D^{\pm}(E) \approx \frac{m^{*}}{2\pi\hbar^{2}} \Big[1 + 2\exp\left\{-2\left(\frac{\pi\Gamma_{0}}{\hbar\omega_{0}}\right)^{2}\right\} \\ \times \cos\left\{\frac{2\pi}{\hbar\omega_{0}}\left(E + \frac{E_{\alpha}}{2} \mp \sqrt{E_{0}^{2} + E_{\alpha}E}\right)\right\} \Big] (12)$$

where Γ_0 is the Landau level broadening. The detail derivation of the DOS is given in the Appendix A. We shall use the above DOS to obtain the analytic expressions of the magnetotransport coefficients in the presence of the modulations.

Using the perturbation theory, we calculate the firstorder energy correction for + branch as well as - branch. It is to be noted that the correction due to the Hamiltonian H_4 is of the order of ω_1^2 which is much smaller than ω_0 . Therefore, we neglect the contribution of H_4 to the total energy correction.

The total energy for + branch and - branch is given by

$$E_{s,k_y}^{\pm} = s\hbar\omega_0 \pm \sqrt{E_0^2 + sE_\alpha\hbar\omega_0} + \cos(qx_0)F_s^{\pm}(u)$$

where

$$F_{s}^{\pm}(u) = \frac{V_{B}}{A_{s}} \Big[e^{-u/2} g^{*} \Big\{ \pm D_{s}^{2} L_{s-1/2\mp 1/2}(u) \\ \mp L_{s-1/2\pm 1/2}(u) \Big\} + D_{s}^{2} G_{s-1/2\mp 1/2}(u) \\ + G_{s-1/2\pm 1/2}(u) \pm \frac{Z}{\sqrt{2s}} e^{-u/2} L_{s-1}^{1}(u) \Big]. (14)$$



FIG. 1: Plots of the bandwidth Δ^{\pm}/V_B at the Fermi energy versus dimensionless inverse magnetic field B_a/B_0 for two different values of α . Here, solid and dashed lines correspond to the upper branch and lower branch, respectively.

Here, $u = q^2 l_0^2/2$, s = 0, 1, 2... for + branch and s = 1, 2, 3... for - branch. Also, $G_s(u) = e^{-u/2}[L_s(u)/2 + L_{s-1}^1(u)]$ and $Z = 2k_\alpha D_s l_0$. The upper and lower signs correspond to the + and - branches, respectively. The width of the broadened levels of the two branches is $|\Delta_s^{\pm}|$ and it can be written as $\Delta_s^{\pm} = 2F_s^{\pm}(u)$. For various plots, we use the following parameters: α

For various plots, we use the following parameters: α in units of $\alpha_0 = 1.0 \times 10^{-11}$ eV-m, modulation strength $V_B = 0.05$ meV for $B_1 = 0.02$ T, electron density $n_e = 10^{16}/\text{m}^2$, electron effective mass $m^* = 0.05m_0$ with m_0 is the free electron mass, mobility $\mu = 100 \text{ m}^2/\text{V-s}$, g = 2, modulation period a = 800 Å and temperature T = 1.5 K. For these parameters, $p_{\alpha} = 1.05$ for $\alpha = 2\alpha_0$, $p_F = ak_F = 20$, $E_F = 47.5$ meV and $\epsilon_a = 0.236$ meV.

In Fig. 1, we plot the dimensionless bandwidth Δ^{\pm}/V_B at the Fermi energy as a function of the dimensionless inverse magnetic field $\lambda = B_a/B_0$ for two different values of α . Here, $B_a = \hbar/(ea^2) = 0.102$ T is the characteristic magnetic field introduced by the modulation period a. We plot Δ^{\pm} instead of $|\Delta^{\pm}|$ to show the oscillations more clearly.

The diagonal matrix elements of the velocity operator do not vanish due to the k_y dependence of the energy levels. It can be calculated by using $v_y^{\pm} = (1/\hbar)\partial E_{s,k_y}^{\pm}/\partial k_y$, and their values are given by

$$v_y^{\pm} = -\frac{ql_0^2}{\hbar}\sin(qx_0)F_s^{\pm}(u).$$
 (15)

These non-zero values give rise to the finite diffusive conductivity whereas in the absence of the magnetic modulation the diffusive conductivity vanishes whether the Rashba interaction is present or not. These velocities for spin up and spin down branches do oscillate with slightly different frequencies as a function of the magnetic field B_0 .

III. MAGNETOTRANSPORT COEFFICIENTS

In the presence of the weak modulation, there are two contributions to the transport properties: diffusive and collisional contributions. The former is due to finite drift velocity gained by the electrons in the presence of the modulation. The latter is the contribution from the hopping of the localized states due to scattering by impurities. The diffusive conductivity decreases with increasing impurity scattering whereas the collisional conductivity increases with the increase of the impurity scattering. The collisional scattering is dominant at low temperature.

We follow the formulation of Ref.³⁷ to calculate the magnetotransport coefficients in the presence of the modulation. In the linear response regime and weak scattering potentials, the conductivity tensor, in the one-electron approximation, is a sum of a diagonal and non-diagonal terms *i.e.* $\sigma_{\mu\nu} = \sigma_{\mu\nu}^{d} + \sigma_{\mu\nu}^{nd}$, where $\mu, \nu = x, y$. Generally, the diagonal conductivity contains both diffusion and collisional contributions: $\sigma_{\mu\nu}^{d} = \sigma_{\mu\nu}^{dif} + \sigma_{\mu\nu}^{col}$, whereas the Hall conductance is obtained from the non-diagonal conductivity $\sigma_{\mu\nu}^{nd}$. In our problem, $\sigma_{xx} = \sigma_{xx}^{col}$ because $\sigma_{xx}^{dif} = 0$ and $\sigma_{yy} = \sigma_{yy}^{col} + \sigma_{yy}^{dif}$. The Weiss oscillation is observed in the diagonal component of the magnetoresistance ρ_{xx} which is inverse of the conductivity ity tensor: $\rho_{xx} = \sigma_{yy}/(\sigma_{xx}\sigma_{yy} - \sigma_{xy}\sigma_{yx})$. The effect of the modulation in the transport coefficients, σ_{xx}^{col} and σ_{xy} , is very weak. Therefore, the change in the conductivities due to the modulation [$\Delta \sigma_{\mu\nu} = \sigma_{\mu\nu}(V_B) - \sigma_{\mu\nu}(0)$] as a function of the magnetic field will be shown.

A. Diffusive conductivity

The standard semi-classical expression for the diffusive conductivity is given as 37

$$\sigma_{yy}^{\text{dif}} = \frac{\beta e^2}{S_0} \sum_{\xi} f_{\xi} (1 - f_{\xi}) \tau(E_{\xi}) (v_y^{\xi})^2, \qquad (16)$$

where S_0 is the area of the system, τ is the electron relaxation time, f(E) is the Fermi-Dirac distribution function, and $\beta = (1/k_B T)$ is the inverse of the thermal energy. Also, ξ is the set of the quantum numbers: $\xi : \{s, \sigma, k_y\}$ with $\sigma = \pm$ and $v_y^{\xi} = \langle \xi | \hat{v}_y | \xi \rangle$ is the diagonal matrix elements of the velocity operator \hat{v}_y .

The non-zero expectation value of the *y*-component of the velocity operator is reflected in the finite value diffusive conductivity whether the SOI is considered or not. In the presence of the Rashba interaction, the two energy branches, + branch and - branch, contribute to the total conductivity. The diffusive conductivity for \pm branches is given as

$$\sigma_{yy}^{\text{dif}(\pm)} = \frac{\beta e^2 \tau}{S_0} \sum_s \int_0^{L_x/l_0^2} dk_y f(E_s^{\pm}) [1 - f(E_s^{\pm})] (v_y^{\pm})^2.$$
(17)

In the limit of weak magnetic field B_0 , many Landau levels are filled $(s \gg 1)$, we use the following approximations: $e^{-u/2}L_s(u) \simeq (\pi^2 s u)^{-1/4} \cos(2\sqrt{su} - \pi/4)$ and $\sum_s \to \int_0^\infty dE/(\hbar\omega_0)$. With the use of the above approximations and following Ref.⁵, Eq. (17) reduced to an analytical form which is purely Weiss contribution, as

$$\sigma_{\text{Weiss}}^{\pm} \simeq \frac{e^2}{h} A_{\scriptscriptstyle B} C_0^{\pm} \lambda \Big[1 + \Big(\frac{W_0^{\pm}}{C_0^{\pm}} \Big) H \Big(\frac{T}{T_a} \Big) \\ \times \sin \big(2\pi \Omega^{\pm} \lambda - \Phi_0^{\pm} \big) \Big], \qquad (18)$$

where $\Omega^{\pm} = 2(p_F \mp p_{\alpha})$ are the frequencies of the conductivity oscillations of spin-up and spin-down electrons, $A_B = V_B^2 \tau / (\hbar \varepsilon_a), T_a = E_F / (2\pi^2 k_B p_F \lambda)$ is the characteristic temperature. and $\Phi_0^{\pm} = \delta_0^{\pm} + 4\pi / (p_F \mp p_{\alpha})$ are the phase factors. Other parameters are $H(x) = x / \sinh(x)$,

$$C_{0}^{\pm} = \frac{1}{4(p_{F} \mp p_{\alpha})} + \frac{(p_{F} \mp p_{\alpha})^{3}}{16\pi^{4}} \sin^{2}\left(\frac{2\pi}{p_{F} \mp p_{\alpha}}\right),$$
$$C_{1}^{\pm} = \frac{1}{4(p_{F} \mp p_{\alpha})} - \frac{(p_{F} \mp p_{\alpha})^{3}}{16\pi^{4}} \sin^{2}\left(\frac{2\pi}{p_{F} \mp p_{\alpha}}\right),$$

and

$$C_2^{\pm} = \frac{(p_F \mp p_\alpha)}{4\pi^2} \sin\left(\frac{2\pi}{p_F \mp p_\alpha}\right),$$

with $W_0^{\pm} = \sqrt{(C_1^{\pm})^2 + (C_2^{\pm})^2}$. Also, $\delta_0^{\pm} = \tan^{-1}(C_2^{\pm}/C_1^{\pm}) + \pi$. The amplitudes, frequencies and phase factors are different for different branches. Also, the amplitudes, frequencies and phase factors depend on n_e , α and a. The diffusive conductivities for spin-up and spin-down electrons are oscillating with different frequencies Ω^{\pm} in units of λ . The total Weiss contribution to the diffusive conductivity is given by

$$\sigma_{\text{Weiss}}^{\text{dif}} \simeq \frac{e^2}{h} A_{\scriptscriptstyle B} \lambda \Big[C + H \Big(\frac{T}{T_a} \Big) \Big\{ W_0^+ \sin \left(2\pi \Omega^+ \lambda - \Phi_0^+ \right) + W_0^- \sin \left(2\pi \Omega^- \lambda - \Phi_0^- \right) \Big\} \Big], \tag{19}$$

where $C = C_0^+ + C_0^-$. It shows that the total diffusive conductivity exhibits beating patterns in the amplitude of the Weiss oscillations. In Fig. 2, we compare the analytical result of the Weiss contribution (19) to the total diffusive conductivity with the exact numerical results obtained from Eq. (17). The analytical result are in excellent agreement with the numerical result except at higher magnetic field ($\lambda \leq 0.15$) where the SdH oscillation dominates over the magnetic Weiss oscillation.

To obtain the analytical expressions of the locations of the beat nodes and the number of oscillations between any two successive nodes, we simplify Eq. (19) by considering $p_F \gg p_{\alpha}$ and $1/(p_F \mp p_{\alpha}) \simeq 0$. Equation (19) reduces to the following form:

$$\sigma_{\text{Weiss}}^{\text{dif}} \simeq \frac{e^2}{h} \frac{p_F}{2\pi^2} A_B \lambda \Big[1 + H\Big(\frac{T}{T_a}\Big) \sin\Big(2\pi\Omega_a \lambda + \pi\Big) \\ \times \cos\big(2\pi\Omega_d \lambda\Big) \Big], \tag{20}$$

where $\Omega_a = (\Omega_+ + \Omega_-)/2$ and $\Omega_d = (\Omega_+ - \Omega_-)/2$.

At the node positions $B_0 = B_j$, we have the following condition: $\cos(2\pi\lambda\Omega_d)|_{B_0=B_j} = 0$, which gives us

$$B_j \simeq \frac{8p_{\alpha}B_a}{(2j+1)},\tag{21}$$

where j = 0, 1, 2, 3, 4.. are the *j*-th beat node and the corresponding magnetic field is B_j . By using the above equation, the beating nodes appear at $B_a/B_j =$ 0.11, 0.35, 0.59, 0.83, 1.07... which are in excellent agreement with the exact numerical results. The above Eq. indicates that the magnetic field corresponding to the j = 0 node is the lower limit of the Weiss oscillation below which the SdH oscillation starts to dominate. In practical, the numbering of the beat nodes is difficult. To remove this problem, the above equation can be rewritten for any two successive beat nodes as

$$\frac{1}{p_{\alpha}} = 4B_a \left(\frac{1}{B_{j+1}} - \frac{1}{B_j}\right).$$
 (22)

So, the strength of the Rashba SOI can be determined from the above equation by knowing the locations of the two successive beating nodes. The number of oscillation between any two successive beat nodes can be obtained from the first sine term of Eq. (20), which is

$$N_{\rm osc} = 2p_F B_a \left(\frac{1}{B_{j+1}} - \frac{1}{B_j}\right).$$
 (23)

Using Eq.(22) in the above equation, we get

$$N_{\rm osc} = \frac{p_F}{2p_\alpha} = \frac{k_F}{2k_\alpha}.$$
 (24)

From the above equation, the following important conclusions can be drawn. i) The above equation can be rewritten as $\alpha = \hbar^2 k_F / (2m^* N_{\rm osc})$. Therefore, the Rashba SOI strength can be easily calculated by just counting the number of oscillation between any two successive nodes. ii) The number of oscillation between any two successive nodes is constant for given values of n_e and α , whereas it depends on the magnetic field in the SdH oscillation³⁰. iii) While the frequency of the Weiss oscillation depends on the modulation period but the number of oscillation between any two successive nodes does not depend on it.



FIG. 2: Plots of the exact (dashed) and asymptotic (solid) expressions of the diffusive conductivity versus dimensionless inverse magnetic field B_a/B_0 for electric and magnetic modulations. Here strength of the Rashba SOI $\alpha = 2\alpha_0$.

The analytical expression of the diffusive conductivity given in Eq. (19) is not able to explain the origin of the superposition of the SdH oscillation on the Weiss oscillation at higher magnetic field. This can be explained by using the asymptotic expression of the DOS given in Eq. (12) and replacing the summation⁵ over discrete states by integration as $\sum_s \rightarrow 2\pi l_0^2 \int_0^\infty D^{\pm}(E) dE$, then we get $\sigma_{yy}^{\text{dif}(\pm)} = \sigma_{\text{Weiss}}^{\pm} + \sigma_{\text{SdH}}^{\pm}$, where $\sigma_{\text{Weiss}}^{\pm}$ given in Eq. (18) and the Weiss oscillation modulated by the SdH oscillation ($\sigma_{\text{SdH}}^{\pm}$) is given by

$$\sigma_{\rm SdH}^{\pm} = \frac{e^2}{h} A_{\scriptscriptstyle B} \lambda C_0^{\pm} \exp\left\{-2\left(\frac{\pi\Gamma_0}{\hbar\omega_0}\right)^2\right\} H\left(\frac{T}{T_c}\right) \\ \times \left[1 + \left(\frac{W^{\pm}}{C_0^{\pm}}\right) \sin\left(2\pi\Omega^{\pm}\lambda - \Phi^{\pm}\right)\right] \\ \times \cos(2\pi f^{\pm}/B_0), \qquad (25)$$

where $W^{\pm} = \sqrt{(C_1^{\pm})^2 + (2C_2^{\pm})^2}$, $\Phi^{\pm} = \delta^{\pm} + 4\pi/(p_F \mp p_{\alpha})$ with $\delta^{\pm} = \tan^{-1}(2C_2^{\pm}/C_1^{\pm}) + \pi$. Also, $f^{\pm} = (m^*/(\hbar e)) \left[E_F + E_{\alpha}/2 \mp \sqrt{E_0^2 + E_{\alpha}E_F} \right]$ are the frequencies of the SdH oscillations for spin-up and spin-down electrons in absence of the modulation³⁰ and the characteristic temperature for the SdH oscillation is $T_c = \hbar\omega_0/(2\pi^2k_B)$. For $\alpha = 2\alpha_0$ and T = 1.5 K, the ratio $|\sigma_{\rm SdH}^{\rm dif}/\sigma_{\rm Weiss}^{\rm dif}|$ is 0.3, 0.025, 0.001 for $B_a/B_0 = 0.3, 0.5, 0.8$, respectively. Here, $\sigma_{\rm SdH}^{\rm dif} = \sigma_{\rm SdH}^+ + \sigma_{\rm SdH}^-$.

Note that the Weiss oscillation frequencies (Ω^{\pm}) for spinup and spin-down electrons are different from the SdH oscillation frequencies f^{\pm} .

To derive Eqs. (18) and (25), we have used the DOS for unmodulated 2DEG. In the presence of the modulation, the DOS can be written as³⁸ a sum of the unmodulated $(D^{\pm}(E))$ and modulated $(D_m^{\pm}(E))$ part as $D_{\text{total}}^{\pm}(E) =$ $D^{\pm}(E) + D_m^{\pm}(E)$. Here, $D^{\pm}(E)$ is given in Eq. (12) and $D_m^{\pm}(E)$ is of the order of V_B^2 , which is very small in comparison to $D^{\pm}(E)$. Moreover, the correction to the Weiss and the SdH oscillations due to the $D_m(E)$ will be of the order of V_B^4 . The effect of the DOS correction due to the modulation on the Weiss and the SdH oscillations is really small and we have neglected it.

Substituting $\alpha = 0$ in Eq. (18), we get the oscillation period $P = 1/\Omega = 1/(2p_F)$ which is same as obtained in Ref.⁶. We compare this theoretical result with the available experimental result¹⁷ for $\alpha = 0$. In this experiment¹⁷, magnetic modulation period $a = 1 \ \mu m$ and the electron density $n_e = 2.2 \times 10^{15} \ /m^2$. Using these parameters, we obtain P = 0.00425 which is very close to the experimental result $P \simeq 0.00465$.

Comparison with the electrical modulation case: Here, we would like to compare the above mentioned results for the magnetically modulated case with the electrically modulated system. The electrical modulation potential is described by $H' = V_E \cos(qx)$, where V_E is the amplitude of the electric modulation potential. We have used $V_E = 0.05$ meV in our numerical calculation. In the case of electrically modulated system, numerical results have been discussed in Ref.³². Here, we provide an analytical expression of the diffusive conductivity for the electric modulation case. We obtain the Weiss and the SdH contributions to the diffusive conductivity, which are given below:

$$\sigma_{\text{Weiss}}^{\pm} = \frac{e^2}{h} \frac{A_E \lambda}{(p_F \mp p_\alpha)} \cos^2\{\pi/(p_F \mp p_\alpha)\} \Big[1 + H\Big(\frac{T}{T_a}\Big) \\ \times \sin\Big\{2\pi\Omega^{\pm}\lambda - 2\pi/(p_F \mp p_\alpha)\Big\}\Big]$$
(26)

and

$$\sigma_{\rm SdH}^{\pm} = \frac{e^2}{h} \frac{A_E \lambda}{(p_F \mp p_\alpha)} \cos^2\{\pi/(p_F \mp p_\alpha)\} \\ \times \exp\left\{-2\left(\frac{\pi\Gamma_0}{\hbar\omega_0}\right)^2\right\} H\left(\frac{T}{T_c}\right) \\ \times \left[1 + \sin\{2\pi\Omega^{\pm}\lambda - 2\pi/(p_F \mp p_\alpha)\}\right] \\ \times \cos\left(2\pi f^{\pm}/B_0\right), \tag{27}$$

where $A_E = V_E^2 \tau / (\hbar \varepsilon_a)$. The lower panel of Fig. 2 shows the comparison between the analytical expression given in Eq. (26) and the numerical results reproduced from Eq. (20) of Ref.³². Our analytical expression matches very well with the numerical result. The Weiss and the SdH oscillation frequencies for spin-up and spin-down electrons are the same for both type of the modulations. Therefore, Eqs. (22), (23) and (24) for the magnetic modulation case remain also valid in the electric modulation case.

However, there are few important differences between the diffusive conductivities in the electric and magnetic modulation cases. There is a definite phase difference between the diffusive conductivities in electric and magnetic modulation cases. The amplitude of the diffusive conductivity in the presence of the magnetic modulation is found to be nearly $[p_F/(2\pi)]^2$ times higher in comparison to the electrical modulation case, which is the same as in absence of the Rashba SOI⁶. The role played by the Rashba SOI in the case of magnetic modulation is that, there is a difference between the amplitudes of conductivity for the spin-up and spin-down electrons by a factor $p_{\alpha}/(2\pi^2)$. In the electric modulation case, amplitudes of the conductivities of spin up and spin down branches are nearly the same.

B. Collisional Conductivity

In electron systems the charge impurities play an important role in magnetotransport properties. Collisional conductivity arises because of the migration of the cyclotron orbit due to scattering from charge impurities. At low temperature, we can assume that electrons are elastically scattered by the charged impurities distributed uniformly. The standard expression for collisional conductivity is given by³⁷

$$\sigma_{\mu\mu}^{\rm col} = \frac{\beta e^2}{2S_0} \sum_{\xi,\xi'} f_{\xi} (1 - f_{\xi'}) W_{\xi,\xi'} (\alpha_{\mu}^{\xi} - \alpha_{\mu}^{\xi'})^2.$$
(28)

Here, $f_{\xi} = f_{\xi'}$ for elastic scattering, $W_{\xi,\xi'}$ is the transition probability between one-electron states $|\xi\rangle$ and $|\xi'\rangle$. Also, $\alpha_{\mu}^{\xi} = \langle \xi | r_{\mu} | \xi \rangle$ is the expectation value of the μ component of the position operator for the electron in state $|\xi\rangle$. The scattering rate $W_{\xi,\xi'}$ is given by

$$W_{\xi,\xi'} = \sum_{\mathbf{q}_0} |U(\mathbf{q}_0)|^2 |\langle \xi | e^{i\mathbf{q}_0 \cdot (\mathbf{r} - \mathbf{R})} |\xi'\rangle|^2 \delta(E_{\xi} - E_{\xi'}), \quad (29)$$

where $\mathbf{q}_0 = q_{0x}\hat{x} + q_{0y}\hat{y}$ is a 2D wave-vector and $U(\mathbf{q}_0) = 2\pi e^2/(\epsilon \sqrt{q_{0x}^2 + q_{0y}^2 + k_s^2})$ is the Fourier transform of the screened impurity potential $U(\mathbf{r}) = (e^2/4\pi\epsilon)(e^{-k_s r}/r)$, where k_s is the inverse screening length and ϵ is the dielectric constant of the material. In the limit of small $|\mathbf{q}_0| \ll k_s, U(\mathbf{q}_0) \simeq 2\pi e^2/(\epsilon k_s) = U_0$. Here, \mathbf{r} and \mathbf{R} are the position vector of electron and impurity, respectively. In this limit, we can use $\tau^2 \approx \pi l_0^2 \hbar^2/N_I U_0^2$, where N_I is the 2D impurity number density.

We follow Refs.^{5,6} to calculate the collisional conductivity. We include the correction to the unperturbed eigenstate $|\Psi_{s,k_y}^{\pm}(r)\rangle$ due to the weak perturbative term $\Delta H = H_1 + H_2 + H_3 + H_3$. The first-order correction to the Landau state is obtained by

$$\begin{aligned} |\Psi_{s,k_{y}}^{\pm}(r)\rangle' &= |\Psi_{s,k_{y}}^{\pm}(r)\rangle \\ &+ \sum_{s'\neq s} \frac{\langle \Psi_{s,k_{y}}^{\pm}(r)|\Delta H|\Psi_{s',k_{y}}^{\pm}(r)\rangle}{E_{s}-E_{s'}} |\Psi_{s',k_{y}}^{\pm}(r)\rangle. \end{aligned}$$

Following Refs.^{5,6} and using the the perturbed Landau states $|\Psi_{s,k_y}^{\pm}(r)\rangle'$, we obtain the collisional conductivity as

$$\sigma_{xx}^{\pm} \approx \frac{e^2}{h} \frac{N_I U_0^2}{2\pi a \Gamma_0} \sum_s [I_s^{\pm} M_s^{\pm} + R_s^{\pm} J_s^{\pm}].$$
(30)

The exact expressions of I_s^{\pm} and M_s^{\pm} are given as

$$I_s^{\pm} = [(2s \mp 1)D_s^4 - 2sD_s^2 + 2s \pm 1]/A_s^2, \qquad (31)$$

$$M_s^{\pm} = \int_0^{a_f v_0} \left[-\frac{\partial f(E)}{\partial E} \right]_{E=E_{s,ky}^{\pm}} dk_y, \qquad (32)$$

$$J_{s}^{\pm} = \int_{0}^{a/l_{0}^{\pm}} \left[-\frac{\partial f(E)}{\partial E} \right]_{E=E_{s,ky}^{\pm}} \sin^{2}(qx_{0}) dk_{y}. (33)$$

The term R_s^{\pm} is appearing due to the first-order correction to the Landau wave function and it is of the order of V_B^2 . We neglect this term because of small contribution. The major contribution to the collisional conductivity is due to the first term proportional to M_s^{\pm} . The effect of the magnetic modulation mainly enters through the energy correction due to the modulation in the total energy in the Fermi-Dirac distribution function.

Similar to the diffusive conductivity, the collisional conductivity in the presence of the modulation will have two contributions, namely the SdH and the Weiss contributions: $\sigma_{xx}^{\pm} = \sigma_{\text{SdH}}^{\pm} + \sigma_{\text{Weiss}}^{\pm}$. It is difficult to get the analytical expression of the Weiss contribution ($\sigma_{\text{Weiss}}^{\pm}$) comes from the energy correction in Fermi-Dirac distribution function.

The numerical results of the change in the collisional conductivity $\Delta \sigma_{xx}$ versus magnetic field for $\alpha = 2\alpha_0$ are plotted in Fig. (3). To compare the results of the magnetic modulation case, we present $\Delta \sigma_{xx}$ for the electric modulation case in the lower panel of Fig. (3).

The oscillatory behavior with beating pattern appears in the changes in the conductivity due to the modulation at low magnetic field range where modulation strength is not much less than the energy scale of the Landau levels. The effect of the modulation diminishes with the increase of the strength of the perpendicular magnetic field. As the magnetic field increases, the SdH oscillation starts to dominate over the modulation induced Weiss oscillation.

The collisional conductivities for spin-up and spindown electrons oscillate with the same frequencies as the bandwidth $|\Delta_s^{\pm}|$. The frequencies of the oscillation of the bandwidths are the same as that of the diffusive conductivities, namely, Ω^{\pm} . Therefore, beating condition for the collisional conductivity is the same as given in Eq. (21) for the diffusive conductivity. Using the beating condition, we get the magnetic fields (in Tesla) corresponding



FIG. 3: Plots of the modulation induced change in the collisional conductivity versus magnetic field for $\alpha = 2\alpha_0$.

to the beating positions, obtained from the Eq. (21), are 0.0506, 0.0574, 0.0662, 0.0782, 0.0957.... These are in good agreement with the exact numerical results shown in Fig. 3. The phase difference between the oscillations in the diffusive and collisonal conductivities is nearly π .

The modulation gives very small effect on the SdH part $(\sigma_{\text{SdH}}^{\pm})$ of the collisional conductivity. It is also difficult to get an analytical expression of the SdH oscillations superposed on the Weiss oscillations. Ignoring the modulation effect and using the analytic form of the DOS, the asymptotic expression of the SdH oscillation has been studied in Ref.³⁰.

The beating pattern in the SdH oscillation is given by³⁰

$$\frac{\sigma_{_{SdH}}}{\sigma_0} \simeq \frac{\tilde{E}_F}{4(\omega_0\tau)^2} \Big[1 + 2\exp\Big\{-2\Big(\frac{\pi\Gamma_0}{\hbar\omega_0}\Big)^2\Big\} H\Big(\frac{T}{T_c}\Big) \\ \times \cos(2\pi f_a/B_0)\cos(2\pi f_d/B_0)\Big], \quad (34)$$

where $\sigma_0 = n_e e^2 \tau / m^*$ is the classical Drude conductivity, $\tilde{E}_F = [1 + E_\alpha / (2E_F) \mp (3/2) \sqrt{E_\alpha / E_F}]$ and $f_a = (f^+ + f^-)/2$ and $f_d = (f^+ - f^-)/2$.

C. The Hall conductivity

The off-diagonal elements in the conductivity tensor are termed as the Hall conductivity which is given by³⁷

$$\sigma_{yx} = \frac{ie^{2}\hbar}{S_{0}} \sum_{\xi} f_{\xi}(1 - f_{\xi'}) \langle \xi | v_{y} | \xi' \rangle \langle \xi' | v_{x} | \xi \rangle$$
$$\times \frac{1 - e^{\beta(E_{\xi} - E_{\xi'})}}{(E_{\xi} - E_{\xi'})^{2}}.$$
(35)

To simplify the above equation, we shall use the following relation

$$f_{\xi}(1 - f_{\xi'}) \Big[1 - e^{\beta(E_{\xi} - E_{\xi'})} \Big] = f_{\xi} - f_{\xi'}.$$
 (36)

The matrix elements of the velocity operators are zero except between the nearest Landau levels. Following Refs.^{5,6,27}, we calculate the velocity matrix elements and the energy difference between two nearest Landau levels (see Appendix B). Finally, we get the expressions of the Hall conductivity as

$$\sigma_{yx}^{\pm} = \frac{e^2}{h} \frac{l_0^2}{a} \sum_s \frac{1}{A_s A_{s+1}} \Big[D_{s+1} \Big(D_s \sqrt{s} \pm \sqrt{2} k_\alpha l_0 \Big) \\ + \sqrt{s+1} \Big]^2 \int_0^{a/l_0^2} \frac{f_{s,k_y} - f_{s+1,k_y}}{[1 + \Upsilon_s^{\pm} \cos qx_0]^2} dk_y.$$
(37)

In the large s limit, Υ_s^{\pm} reduces to

$$\Upsilon_{s}^{\pm} \simeq \frac{V_{B}\sqrt{\lambda}}{\pi\epsilon_{a}} \frac{(p_{F} \mp p_{\alpha})^{3/2}}{\pi^{2}} \sin^{2}\{\pi/(p_{F} \mp p_{\alpha})\}$$
$$\times \cos\left\{2\pi\lambda(p_{F} \mp p_{\alpha}) - \frac{\pi}{4} - \frac{\pi}{(p_{F} \mp p_{\alpha})}\right\}. (38)$$

When $T \to 0$ and $E_s < E_F < E_{s+1}$, Eqs. (37) and (38) give the asymptotic form of the Hall conductivity as

$$\sigma_{yx}^{\pm} \simeq \frac{\sigma_{{}_{\mathrm{H},\alpha}}}{2} [1 + \frac{3}{2} (\Upsilon_{s^{\pm}}^{\pm})^2], \qquad (39)$$

where

$$\sigma_{\mathrm{H},\alpha} = \sigma_{\mathrm{H}} \left[1 - \frac{1}{2} \left(\frac{k_{\alpha}}{k_F} \right)^2 \right]^2 \simeq \sigma_{\mathrm{H}} \left[1 - \left(\frac{k_{\alpha}}{k_F} \right)^2 \right] \qquad (40)$$

is the total Hall conductivity of the 2DEG with Rashba SOI but without modulation and $\sigma_{\rm H} = n_e e/B_0$ is the classical Hall conductivity. Note that n_e is the sum of the density of the spin-up and spin-down electrons. By taking the superposition of the analytical expression of the conductivity for the spin-up and spin-down electrons, we get the same beating condition as given in Eq. (21) for the diffusive conductivity. The numerical results of the change in the Hall conductivity versus magnetic field is shown in figure 4.

Similarly, we obtain the Hall conductivity for the electrical modulation case as $\sigma_{yx}^{\pm} \simeq \frac{\sigma_{\mathrm{H},\alpha}}{2} [1 + (3/2)(\Upsilon_{s,e}^{\pm})^2]$,



FIG. 4: Plots of the change in the Hall conductivity due to modulation versus magnetic field B_0 for $\alpha = 2\alpha_0$.



FIG. 5: Plots of the change of the Hall conductivity versus magnetic field B_0 for different values of α . We have scaled up the electrical modulation case by 10.

where

$$\Upsilon_{s(e)}^{\pm} \simeq \frac{V_E}{\pi \epsilon_a} \sqrt{\frac{\lambda}{p_F \mp p_\alpha}} \sin\{2\pi/(p_F \mp p_\alpha)\} \\ \times \sin\left\{2\pi\lambda(p_F \mp p_\alpha) - \pi/4\right\}.$$
(41)

In figure 5, we compare the change in the Hall con-

ductivity of the electric and magnetic modulation case. The beating condition remains the same in the electric modulation case also. The amplitude in the change in conductivity due to the magnetic modulation is nearly $[p_F/(2\pi)]^2$ times higher than the electrical modulation case. There is a π phase difference between the Hall conductivities of the electrical and magnetic modulation cases. In the above analytical expression modulation effect through the Fermi-Dirac distribution function has been ignored.

IV. CONCLUSION

We have studied magnetotransport properties of the 2DEG in the presence of the Rashba SOI when the perpendicular magnetic field is weakly modulated.

The diffusive conductivity shows beating pattern due to the interference between the conductivities for spinup and spin-down electrons. We calculate the asymptotic expression of the Weiss conductivity which matches very well with the exact numerical results. The number of Weiss oscillations between any two successive nodes is fixed for given values of n_e and α where as in the SdH it depends on the magnetic field. We have shown that the Rashba SOI strength can be determined by analyzing the beating pattern in the Weiss oscillation. The strength of the Rashba SOI can be determined by just counting the number of Weiss oscillations between any two successive beat nodes. There is a definite phase difference between the conductivities for magnetic and electric modulation cases. In magnetically modulated system, there is a difference in amplitudes by a factor $p_{\alpha}/(2\pi^2)$ between the conductivity due to the spin-up and spin-down electrons where as in the electrically modulated system, the amplitudes are the same for spin-up and spin-down electrons.

To observe the effect of the modulation, we plot the change in the collisional conductivity due to the modulation at the low range of the magnetic field. It is found that the effect of the magnetic modulation is much higher than the electrical modulation. The major effect of the modulation comes through the energy correction in the total energy in the Fermi-Dirac distribution function. The beating condition in the Weiss contribution to the collisional conductivity is same as that of the diffusive conductivity.

The modulation effect on the Hall conductivity is shown by plotting the change in the Hall conductivity due to the modulation. The beating pattern appears in the Hall conductivity and it increases with the increase of the Rashba strength. The oscillations are out of phase between the electric and magnetic modulation cases. The beating condition remains same as the diffusive conductivity. The amplitude of the fluctuation in the presence of the magnetic modulation is found to be much higher in comparison to the electric modulation case.

V. ACKNOWLEDGEMENT

This work is financially supported by the CSIR, Govt. of India under the grant CSIR-SRF-09/092(0687) 2009/EMR F-O746.

Appendix A

We derive the DOS by taking the imaginary part of the self-energy^{39,40} which is given as

$$\Sigma^{-}(E) = \Gamma_0^2 \sum_s \frac{1}{E - E_s - \Sigma^{-}(E)}.$$
 (A1)

The DOS is the imaginary part of the self-energy: $D(E) = Im \left[\frac{\Sigma^{-}(E)}{\pi^{2}l_{0}^{2}\Gamma_{0}^{2}}\right]$. First we consider the lower branch. To find the summation, we use the residue theorem and neglecting $(E_{\alpha}/\hbar\omega_{0})^{2}$ term, we obtain $\Sigma^{-}(E) = \frac{\pi\Gamma_{0}^{2}}{\hbar\omega_{0}}\cot(\pi s_{+})$, where $s_{+} \simeq \frac{1}{\hbar\omega_{0}}\{E - \Sigma^{-}(E) + E_{\alpha}/2 + \sqrt{E_{0}^{2} + E_{\alpha}E}\}$. We write $\Sigma^{-}(E) = \Delta + i\Gamma/2$, then the above equation can be re-written as

$$\Delta + i\Gamma/2 = \frac{\pi\Gamma_0^2}{\hbar\omega_0} \cot\left[\frac{(u-iv)}{2}\right] = \left(\frac{\pi\Gamma_0^2}{\hbar\omega_0}\right) \frac{\sin u + i \sinh v}{\cosh v - \cos u}.$$
(A2)
Here, $u = \frac{2\pi}{(\hbar\omega_0)} \{E - \Delta + E_{\alpha}/2 + \sqrt{E_0^2 + E_{\alpha}E}\}$ and $v = \pi\Gamma/(\hbar\omega_0)$. The imaginary part is $\frac{\Gamma}{2} = \left(\frac{\pi\Gamma_0^2}{\hbar\omega_0}\right) \frac{\sinh v}{\cosh v - \cos u}.$
We are using the following standard result to simplify it further:

$$\frac{\sinh v}{\cosh v - \cos u} = 1 + 2\sum_{k=1}^{\infty} e^{-kv} \cos(ku).$$
(A3)

We are considering the first term corresponding to k = 1only. Other terms are very small compared to the first one. We have $\frac{\Gamma}{2} = \left(\frac{\pi\Gamma_0^2}{\hbar\omega_0}\right) \left[1 + 2e^{-\pi\Gamma/(\hbar\omega_0)}\cos(u)\right]$. In the limit of $\pi\Gamma \gg \hbar\omega_0$, after first iteration, we have $\Gamma/2 = \pi\Gamma_0^2/(\hbar\omega_0)$. We are putting it back in the earlier expression, we get

$$\frac{\Gamma}{2} = \left(\frac{\pi\Gamma_0^2}{\hbar\omega_0}\right) \left[1 + 2\exp\left\{-2\left(\frac{\pi\Gamma_0}{\hbar\omega_0}\right)^2\right\}\right] \\ \cos\left\{\frac{2\pi}{\hbar\omega_0}(E + E_{\alpha}/2 + \sqrt{E_0^2 + E_{\alpha}E})\right\} \right]. (A4)$$

Similarly, one can do it for the upper branch. Finally, the DOS for lower and upper branches can be put together as

$$D^{\pm}(E) = \frac{m^*}{2\pi\hbar^2} \Big[1 + 2\exp\left\{-2\left(\frac{\pi\Gamma_0}{\hbar\omega_0}\right)^2\right\} \\ \times \cos\left\{\frac{2\pi}{\hbar\omega_0}\left(E + \frac{E_\alpha}{2} \mp \sqrt{E_0^2 + E_\alpha E}\right)\right\} \Big] A5)$$

In absence of the Rashba SOI and the Zeeman term, including the spin degeneracy the above expression can be reduced to the following standard result 39,40 as

$$D(E) = \frac{m^*}{\pi\hbar^2} \left[1 + 2\exp\left\{-2\left(\frac{\pi\Gamma_0}{\hbar\omega_0}\right)^2\right\} \cos\left(\frac{2\pi E}{\hbar\omega_0} - \pi\right) \right].$$
(A6)

Appendix B

The velocity operators are given by

$$v_x = \frac{\partial H_0}{\partial p_x} = \frac{p_x}{m^*} - \frac{\alpha}{\hbar} \sigma_y = \begin{bmatrix} \frac{p_x}{m^*} & i\frac{\alpha}{\hbar} \\ -i\frac{\alpha}{\hbar} & \frac{p_x}{m^*} \end{bmatrix}.$$
 (B1)

$$v_y = \frac{\partial H_0}{\partial p_y} = \frac{1}{m^*} (p_y + eB_0 x) + \frac{\alpha}{\hbar} \sigma_x$$
$$= \begin{bmatrix} \frac{p_y + eB_0 x}{m^*} & \frac{\alpha}{\hbar} \\ \frac{\alpha}{\hbar} & \frac{p_y + eB_0 x}{m^*} \end{bmatrix}.$$
(B2)

For ξ' : $\{s+1, \pm, k_y\}$, the velocity matrix elements (see Refs.^{5,6,27}) are

$$\langle \Psi_{s,k_y}^{\pm}(r) \mid v_x \mid \Psi_{s+1,k_y}^{\pm}(r) \rangle = \frac{1}{\sqrt{A_s A_{s+1}}} \Big[D_s D_{s+1} \\ \times \langle \phi_{s-1}^{\pm}(X) \mid \frac{p_x}{m^*} \mid \phi_s^{\pm}(X) \rangle \\ + \langle \phi_s^{\pm}(X) \mid \frac{p_x}{m^*} \mid \phi_{s+1}^{\pm}(X) \rangle \equiv i \frac{\alpha}{\hbar} D_{s+1} \Big] \\ = \frac{-i}{\sqrt{A_s A_{s+1}}} \sqrt{\frac{\hbar \omega_0}{2m^*}} \Big[D_{s+1} (D_s \sqrt{s} \pm \sqrt{2k_\alpha l_0}) \\ + \sqrt{s+1} \Big],$$
(B3)

- ¹ D. Weiss, K. von Klitzing, K. Ploog, and G. Weimann, Euro. Phys. Lett. 8, 179 (1989)
- ² R. R. Gerhardts, D. Weiss, and K. von Klitzing, Phy. Rev. Lett. **62**, 1173 (1989)
- ³ F. M. Peeters and P. Vasilopoulos, Phys. Rev. Lett. **63**, 2120 (1989)
- ⁴ R. W. Winkler, J. P. Kotthaus, and K. Ploog, Phys. Rev. Lett. **62**, 1177 (1989)
- ⁵ F. M. Peeters and P. Vasilopoulos, Phys. Rev. B 46, 4667 (1992)
- ⁶ F. M. Peeters and P. Vasilopoulos, Phys. Rev. B **47**, 1466 (1993)
- ⁷ P. Vasilopoulos and F. M. Peeters, Superlattices Microstructure 7, 393 (1990)
- ⁸ T. J. Li, Shi-Wei Gu, X. H. Wang, and Jian-Ping Peng, J. Phys.: Condens. Matter 8, 313 (1996)
- ⁹ A. Matulis and F. M. Peeters, Phys. Rev. B **62**, 91 (2000)
- ¹⁰ A. S. Melnikov, S. V. Mironov, and S. V. Sharov, Phys. Rev. B **81**, 115308 (2010)
- ¹¹ D. P. Xue and G. Xiao, Phys. Rev. B **45**, 5986 (1992)
- ¹² G. Papp and F. M. Peeters, J. Phys.: Condens. Matter 16, 8275 (2004)
- ¹³ S. M. Stewart and Chao Zhang, J. Phys.: Condens. Matter

where $X = x + x_0$. Similarly, for the velocity component v_y

$$\langle \Psi_{s+1,k_y}^{\pm}(r) \mid v_y \mid \Psi_{s,k_y}^{\pm}(r) \rangle = \frac{1}{\sqrt{A_s A_{s+1}}} \sqrt{\frac{\hbar \omega_0}{2m^*}}$$
$$\times \left[D_{s+1} (D_s \sqrt{s} \pm \sqrt{2} k_\alpha l_0) + \sqrt{s+1} \right]$$

The energy difference between the two successive Landau levels is

$$E_{s,k_y} - E_{s+1,k_y} \simeq -\hbar\omega_0 [1 - \Upsilon_s^{\pm} \cos(qx_0)], \qquad (B5)$$

where $\Upsilon_s^{\pm} = (F_{s+1}^{\pm} - F_s^{\pm})/(\hbar\omega_0)$. Substituting the above three equations (B3), (B4) and (B5) in the Hall conductivity expression, we get Eq. (37). A multiplication factor 2 need to be used for the contribution coming from $\xi' : \{s - 1, \pm, k_y\}$ states.

10, 5545 (1998)

- ¹⁴ T. J. Li, Ke-lin Wang, and Jin-long Wang, J. Phys.: Condens. Matter 9, 9299 (1997)
- ¹⁵ S. Izawa, S. Katsumoto, A. Endo, and Y. Iye, J. Phys. Soc. Jpn. **64**, 706 (1995)
- ¹⁶ H. A. Carmona, A. K. Geim, A. Nogaret, P. C. Main, T. J. Foster, M. Heini, S. P. Beaumont, and M. G. Blamire, Phys. Rev. Lett. **74**, 3009 (1995)
- ¹⁷ P. D. Ye, D. Weiss, R. R. Gerhardts, M. Seeger, K. von Klitzing, K. Eberl, and H. Nickel, Phys. Rev. Lett. **74**, 3013 (1995)
- ¹⁸ D. Stein, K. von Klitzing, and G. Weimann, Phys. Rev. Lett. **51** 130 (1983)
- ¹⁹ H. L. Stormer, Z. Schlesinger, A. Chang, D. C. Tsui, A. C. Gossard, and W. Weigmann, Phys. Rev. Lett. **51**, 126 (1993)
- ²⁰ B. Das, D. C. Miller, S. Datta, R. Reifenberger, W. P. Hong, P. K. Bhattachariya, J. Sing, and M. Jaffe, Phys. Rev. B **39**, 1411 (1989)
- ²¹ S. Datta and B. Das, Appl. Phys. Lett. **56**, 665 1990
- ²² S. D. Ganichev, E. L. Ivchenko, V. V. Bel'kov, S. A. Tarasenko, M. Sollinger, D. Weiss, W. Wegscheider, and W. Prett, Nature (London) **417**, 153 (2002)

- ²³ M. I. Dyakonov and V. I. Perel, JETP Lett. **13**, 467 (1971)
- ²⁴ S. Murakami, N. Nagaosa, and S. C. Zhang, Science **301**, 1348 (2003)
- ²⁵ P. M. Krstajic, M. Pagano, and P. Vasilopoulos, Physica E 43, 893 (2011)
- ²⁶ S. I. Erlingsson, J. C. Egues, and D. Loss, Phys. Rev. B 82, 155456 (2010)
- ²⁷ X. F. Wang and P. Vasilopoulos, Phys. Rev. B 67, 085313 (2003)
- ²⁸ W. Yang and K. Chang, Phys. Rev. B **73**, 045303 (2006)
- ²⁹ S. G. Novokshonov and A. G. Groshev, Phys. Rev. B 74, 245353 (2006)
- ³⁰ SK Firoz Islam and T. K. Ghosh, J. Phys.: Condens. Matter **24**, 035302 (2012)
- ³¹ Z. Wang, W. Zhang, and P. Zhang, Phys. Rev. B **79**, 235327 (2009)
- ³² X. F. Wang, P. Vasilopoulos, and F. M. Peeters, Phys. Rev. B **71**, 125301 (2005)

- ³³ X. F. Wang and P. Vasilopoulos, Phys. Rev. B **75**, 075331 (2007)
- ³⁴ V. Ya Demikhovskii and A. A. Perov, Phys. Rev. B 75, 205307 (2007)
- ³⁵ T. Koga, J. Nitta, T. Akazaki, and H. Takayanagi, Phys. Rev. Lett. 89, 046801 (2002)
- ³⁶ D. W. Yuan, W. Xu, Z. Zeng and F. Lu, Phys. Rev. B 72, 033320, (2005)
- ³⁷ M. Charbonneau, K. M. Van Vilet, and P. Vasilopoulos, J. Math. Phys. **23**, 318 (1982)
- ³⁸ F. M. Peeters, P. Vasilopoulos, and J. Shi, J. Phys. : Condens. Matter, **14**, 8803 (2002)
- ³⁹ T. Ando, A. B. Fowler, and F. Stern, Rev. Mod. Phys. 54, 437 (1982)
- ⁴⁰ C. Zhang and R. R. Gerhardts, Phys. Rev. B **41**, 12850 (1990)