Cavity quantum electrodynamics with charge-controlled quantum dots coupled to a fiber Fabry-Perot cavity

Javier Miguel-Sánchez¹, Andreas Reinhard¹, Emre Togan¹, Thomas Volz¹ and Atac Imamoglu¹ Benjamin Besga², Jakob Reichel² and Jérôme Estève²

¹ETH Zürich, Institute for Quantum Electronics, Wolfgang-Pauli-Strasse 16, HPT G5, 8093 Zürich, Switzerland

E-mail: sanchez@phys.ethz.ch

Abstract. We demonstrate non-perturbative coupling between a single self-assembled InGaAs quantum dot and an external fiber-mirror based microcavity. Our results extend the previous realizations of tunable microcavities while ensuring spatial and spectral overlap between the cavity-mode and the emitter by simultaneously allowing for deterministic charge control of the quantum dots. Using resonant spectroscopy, we show that the coupled quantum dot cavity system is at the onset of strong coupling, with a cooperativity parameter of 2. Our results constitute a milestone towards the realization of a high efficiency solid-state spin-photon interface.

1. Introduction

The interaction between a quantum emitter and a single optical cavity mode, termed cavity quantum electrodynamics (QED), has enabled a number of key experimental advances in quantum optics, including the observation of enhancement of spontaneous emission [1], demonstration of the photon blockade effect [2] and vacuum induced transparency [3]. The key requirement for the observation of the heretofore mentioned phenomena is a large cooperativity parameter $(C = 2g^2/\kappa\gamma)$, [4] which is attained if the square of the coupling strength (g) between the emitter and the mode exceeds the product of the emitter (γ) and the mode (κ) energy decay rates. Minimizing the ratio of the cavity mode volume (V) to its quality factor (Q) allows for maximizing C, provided that the emitter is located at a maximum of the cavity electric field (spatial overlap) and the resonance frequency of the emitter and the mode are identical (spectral overlap).

The condition $C \gg 1$ has been achieved for a number of different emitters and cavity designs, ranging from single atoms coupled to Fabry-Perot cavities [2, 5] or on-chip micro-toroids [6] to super-conducting qubits in coplanar waveguide resonators

 $^{^2}$ Laboratoire Kastler Brossel, ENS, UPMC-Paris 6, CNRS, 24 rue Lhomond, 75005 Paris, France

working in the microwave domain [7]. A technologically very relevant all-solid-state cavity QED platform in the optical domain consists of quantum dots (QD) coupled to nano-fabricated cavities. However, for these integrated devices achieving spectral and spatial overlap has been a major challenge. Even though techniques that overcome these limitations using state-of-the-art nanotechnology methods have been demonstrated, a flexible cavity design where large C can be achieved for every QD would greatly improve the prospects for novel solid-state cavity-QED experiments.

In this Article, we demonstrate C=2 by coupling excitonic transitions of single self-assembled QDs to a hybrid cavity structure which consists of a GaAs/AlAs-based distributed Bragg reflector (DBR) mirror below the QD layer, and a curved fiber-end mirror approached from the top. Spectral and spatial overlap in this structure is achieved by moving the sample with respect to the fixed top mirror. Previous attempts with QDs in similar hybrid structures realized C-values well below one [8, 9, 10]. Besides the significantly enhanced cooperativity value in the present setup, the main novel feature is the fact that our QDs are embedded in a p-i-n structure: by separately contacting the p and n layers electrically and applying a gate voltage, we achieve full charge control of the QDs. This in turn opens up the path to perform cavity-QED experiments where optical transitions address given QD spin states. We thus demonstrate a fully tunable spin-cavity-QED system requiring a minimum of technological steps, together with fiber-coupled optical output, that can in principle satisfy the high collection efficiency requirement of quantum information processing protocols.

2. Cavity QD coupling

The dynamics of a two-level emitter, e.g. an excitonic QD transition, coupled to a single cavity mode is accurately described by the so-called Jaynes-Cummings model [11]. The Hamiltonian includes a coupling term between the cavity and the emitter, which is characterized by a pulsation g, also called coupling strength. This coupling is proportional to the scalar product of emitter dipole and the intra-cavity electric field generated by a single photon [12]

$$g = \left(\frac{1}{4\pi\epsilon_0} \frac{\pi e^2 f}{m_0 V_m}\right)^{1/2} \tag{1}$$

Here, f is the oscillator strength of the emitter transition, m_0 the electron mass, and V_m the effective mode volume which is defined as

$$V_m = \frac{\int \epsilon_r(\mathbf{r}) |\mathbf{E}(\mathbf{r})|^2 d^3 r}{\max |\mathbf{E}(\mathbf{r})|^2}$$
 (2)

 $\epsilon_r(\mathbf{r})$ is the dielectric function, whereas $\mathbf{E}(\mathbf{r})$ denotes the intracavity electric field. Equation (1) gives the maximal value of the coupling parameter g assuming that the emitter is located at the maximum of the electric field. A small cavity volume enhances the coupling. For strong enough coupling, the transmission and reflection of the coupled system are significantly modified compared to the bare cavity at the condition that the

emitter and the cavity can be brought to resonance. [13, 14] The effects of the cavity-emitter coupling can be quantified by the cooperativity C. In the large cooperativity limit, a significant portion of the emitted light ends in the cavity mode which can be efficiently extracted, making $C \geq 1$ a desirable operating range for many applications including quantum information processing. It is also well known that $C \geq 1$ is required for obtaining strong photon-photon interactions. Last but not least, the fidelity of cavity mediated qubit-qubit interactions typically scale with C. To achieve $C \geq 1$ is challenging and generally requires careful engineering of the coupling. A common technique to increase g is by reducing the cavity volume and positioning the QD at the cavity field maximum.

Usually, epitaxial QDs are randomly distributed on the wafer surface. Experiments have tried to achieve spatial matching by defining a nano-fabricated array of cavities on top of the randomly distributed QDs. Even though strong coupling could be observed this way the chance for close-to-optimal coupling is rather low. More sophisticated methods for relative alignment of QD and cavity mode have been reported in literature. The first approach controls the position of the QDs on the wafer during growth by nucleation sites, [15, 16] but the QDs grown this way still lack the close-to-transform-limited linewidths of their randomly distributed counterparts by about one order of magnitude. In the second approach the cavity is written around single pre-selected (randomly distributed) QDs which are precisely located on the wafer by SEM metrology [17] or optical spectroscopy [18, 19, 20].

Even though these approaches enable excellent spatial overlap, the resonance frequencies of cavity and QD are generally different which implies the need of post-processing tuning mechanisms to bring the system into resonance. Besides irreversible fine-tuning by digital etching [21] an in-situ reversible tuning mechanism for photonic-crystal cavities by means of adsorbing/desorbing gas molecules was demonstrated [22] and is now widely used in many laboratories. The hybrid cavity-QED approach we detail here stands in stark contrast to these earlier approaches, since it allows for a much more straightforward spatial and spectral alignment with any of the QDs on a given device.

3. Experimental setup

Our semi-integrated hybrid cavity system consists of a sample-based DBR mirror below an active QD layer and a curved fiber-end mirror (Figure 1a) which is approached from the top. The sample is mounted on a stack of piezoelectric nanopositioners for precise positioning in all three spatial dimensions. The fiber in turn is fixed above the sample surface as illustrated in figure 1b). For performing photoluminescence spectroscopy, an intensity-stabilised pulsed Ti:Sapphire laser at 785nm is used. The system is excited through the DBR-coated fiber mirror close to a reflectivity minimum of the mirror. The photoluminescence is collected through the same fiber and sent to a high-resolution grating spectrometer with a nitrogen-cooled CCD camera for recording the spectrum.




Figure 1. Setup of the semi-integrated QD-cavity system. a) The top mirror of the Fabry-Perot type cavity consists of a highly-reflective dielectric DBR mirror at the tip of a standard single-mode optical fiber. The central Gaussian recess leads to a denser set of interference rings in the profilometer picture shown. b) The planar bottom DBR mirror is made of 28 GaAs/AlAs layers with the active QD layer on top. The relative distance between fiber end and sample controls the cavity length and thereby cavity resonance frequency. c) Experimental setup. Off-resonant and near-resonant lasers are used to excite and probe the QD-cavity system by photoluminescence and transmission spectroscopy, respectively. Luminescence is collected through the same fiber that is used to excite the sample in the liquid-helium bath cryostat and analyzed on a grating spectrometer with integrated CCD chip. Fiber paddles control the polarization of the resonant laser light before it enters the cryostat.

For resonant spectroscopy, a mode-hop free intensity-stabilized diode laser, tunable from 890 nm to 910 nm, is sent through the fiber, and the transmitted light is collected on a silicon detector mounted at the bottom of the sample (referred to as transmission detector henceforth). The transmission signal is expected to be orders of magnitude larger than the resonant reflection signal due to the considerably higher reflectivity of the top fiber mirror (Transmission and losses for this mirror are 26 ppm and 13.5 ppm, respectively). The transmission signal is directly amplified by a high-gain low-noise amplifier. Sample and fiber are part of a home-built cage system that is inserted into a buffer-gas filled dipstick which in turn sits in a liquid He dewar and is kept cold at 4K.

4. Fiber mirror cavity

4.1. Cavity modes

To a good approximation, the cavity can be considered as a planar-concave Fabry-Perot cavity whose properties are determined by the radius of curvature R of the concave mirror at the tip of the fiber and by the length L of the gap between the fiber and the substrate. A given cavity mode is characterized by its polarization and by three integers q and m, n, which label the longitudinal and the transverse mode structure, respectively. For a curved mirror with rotational symmetry, one would expect the transverse modes with equal values of m + n to be degenerate. As figure 2a illustrates, in our system modes with the identical values of m + n are non degenerate, because of the slight ellipticity of the fiber mirror. In addition, all the modes exhibit a polarization splitting as demonstrated for the TEM₀₀ mode in the inset of figure 2a. In the remainder of this paper, we label the two orthogonally polarized modes as TEM^A₀₀ and TEM^B₀₀.

These effects are summarized by the following equation which gives the resonance frequency of a mode

$$\nu_{qmn}^{A,B} = \frac{c}{4\pi L} \left[2\pi q + (2m+1)\arccos\sqrt{1 - \frac{L}{R_x}} + (2n+1)\arccos\sqrt{1 - \frac{L}{R_y}} + \phi(\nu_{qmn}^{A,B}) \pm \delta \right]$$
(3)

The A and B symbols distinguishes the two eigenpolarizations which correspond to two orthogonal linearly polarized modes. The associated phase $-(+)\delta$ for the A (B) mode is a consequence of the small birefringence present in both DBR mirrors and is on the order of 10 mrad. The two curvature radii R_x and R_y account for the ellipticity of the fiber mirror (the two values typically differ by a few percents), and the phase $\phi(\nu)$ is the sum of the phases acquired through the reflection on each DBR. This phase varies slowly around the common central wavelength of the DBRs and can be considered as constant to first approximation ($\phi \approx \pi$ for our sample), allowing a direct determination of the mode frequency. In order to calculate resonance frequencies beyond this approximation, equation 3 must be solved with the frequency dependence of the phase included explicitly which can be determined using numerical methods, such as the transfer matrix method.

We expect the transverse distribution of the electric field in one m, n mode to be given by the corresponding Hermite-Gauss function. This dependence can be observed by laterally scanning the fiber above the sample and monitoring the emitted fluorescence collected through the fiber on a spectrometer (see figure 2b). As the QD is much smaller in size compared to the wavelength of light, and the fiber only collects light in the cavity mode at the cavity resonance, scanning QDs in space while exciting with a non-resonant laser power above saturation gives a very accurate measurement of the cavity mode profile. Plotting the integrated fluorescence in a narrow frequency window versus the lateral fiber position consequently gives a cut of the intensity profile of this mode




Figure 2. a) Cavity transmission as a function of laser wavelength in the range between 890 and 907nm. The different groups of cavity resonances correspond to different transverse modes with the same number of transverse excitations n + m. The resonance with the lowest energy is the fundamental TEM_{00} mode which is split into two linearly polarized modes, TEM_{00}^A and TEM_{00}^B . The splitting between these modes amounts to 144 μ eV. b) Transverse mode profiles: By scanning the sample in the transverse direction, the mode profiles of the different transverse cavity modes are mapped out by recording the luminescence from the system as a function of position. Due to a slight wedge in the sample, the data were recorded using a slow modulation technique in the z-direction to always ensure coupling of the QDs to the cavity mode. This leads to "photoluminescence gaps" indicated by the tilted dashed white lines (see Appendix for details). c) Gaussian fit (black) to the fundamental TEM_{00} mode (red) measured in (b), with a ω_0 of 2.7 μ m. d) and e) show higher order transverse modes profiles (QD3 not shown in scan (b)). f) Luminescence from the cavity modes as a function of cavity length demonstrating the tunability of the cavity resonance frequency. Due to off-resonant cavity feeding, the cavity modes are visible over a large range of wavelengths.

assuming only one QD to be present in the narrow frequency window. Figure 2c-2e show three profiles obtained from such measurements. As expected for the fundamental mode, the profile fits quite accurately to a Gaussian (figure 2c).

The tunability of the cavity is assessed in figure 2f). By collecting photoluminescence while slowly decreasing the cavity length we observe how we can access smoothly many FSRs to couple the QDs to any cavity energy for many different lengths. Emission from cavity modes are observed in a wide range due to the fact that this particular scan was performed in a sample region with high QD density. The large variation of QD sizes is responsible for the broad band emission. Being able to choose the cavity length while working with the same QD also opens up the possibility to build cavities with very long lifetimes. For example, the value of the quality factor $Q \approx 30000$ reported in the inset of figure 2a can be significantly increased (we have been able to measure Q > 60000) if it is needed in a specific experiment.

4.2. Cavity mode volume

Considering a TEM₀₀ mode, the effective mode volume is given by $\pi w_0^2 L_{\text{eff}} \beta/4$ where w_0 is the mode waist on the substrate, L_{eff} is the effective length of the mode including the penetration depth of the cavity field into the DBRs, and $\beta = |\mathbf{E}_{\text{vac}}|^2/\max |\mathbf{E}(\mathbf{r})|^2$ is the ratio of the field maximum in the vacuum to the maximum in the whole cavity (for our sample $\beta = 0.98$). This length can be precisely estimated using a transfer matrix calculation. For our sample, we obtain $L_{\text{eff}} = L + 7.6 \ \mu\text{m}$. The waist w_0 can be estimated from Gaussian optics to be

$$w_0 = \left[\lambda^2 L(R - L)/\pi^2\right]^{1/4} \tag{4}$$

In order to minimize the mode volume and thus maximize the cavity/emitter coupling, both L and R should be minimized. Using the CO₂ laser ablation technique, radii down to 10 μ m have been reported. Here, we use a fiber mirror with a radius of curvature on the order of 75 μ m [23]. The smallest L that can be achieved is often limited by geometrical aspects such as the depth of the mirror structure at the fiber tip (on the order of a few μ m) and/or surface defects at the fiber tip. These are however not fundamental reasons and cavities with lengths L on the order of a few wavelengths could in principle be fabricated. This sets the minimal waist ω_0 for this type of cavity to lie between 1 and 1.5 μ m for a design wavelength close to 1 μ m. In the following, we minimize L by moving the fiber down until it touches the substrate and we step back by a few hundred nanometers. From the coupling strength to the quantum dot that we measured (see section 8), we can estimate the effective mode volume to be smaller than 150 λ^3 for our current setup (λ =900 nm).

5. The device: Charge controlled QDs

A schematic of the sample is shown in figure 3a). It was grown by molecular beam epitaxy (MBE) on a GaAs (100) substrate. The epitaxial structure growth starts with a 300 nm GaAs buffer, followed by 28 pairs of AlAs/GaAs that form the bottom mirror of the cavity, which sets the timescale for the photon lifetime in the cavity since it has lower reflectivity than the top fiber mirror. The reflectivity of the bottom mirror

was measured over the relevant wavelength range at room temperature and is plotted in figure 2c). The interference pattern below 860 nm is slightly smoothed out due to absorption by the GaAs layers as was also confirmed by a transfer matrix calculation.




Figure 3. a) Device structure. In order to control the charge of the QDs, an n-doped GaAs layer below, together with a p-doped GaAs layer above the actual QD layer form a p-i-n diode structure. An additional AlGaAs blocking barrier between QD layer and p-doped region prevents excessive current flow. b) I-V characteristic (black) for the pi-n diode and electroluminescence signal (blue) as a function of applied gate voltage at low temperature. c) Measured reflectivity of the semiconductor DBR mirror between 800 and 1050 nm. The vertical dashed red line indicates the GaAs bandgap energy. A minimum in reflectivity around 940 nm arises from a systematic measurement error. d) QD charging plateaus. Photoluminescence signal (logarithmic scale) as a function of gate voltage and wavelength. The different voltage regions corresponding to the different charging plateaus of the same QD are clearly visible. The inset shows a blowup of the X⁰plateau, with the quantum-confined Stark effect leading to a significant tilt in the plateau as a function of gate voltage. Note that for the measurement results shown here the sample was characterized in a flow cryostat leading to higher temperature, i.e. higher resistivity, and therefore to a higher voltage range than in part b)

A key feature of our system is the tunability of the exciton energy and the control of the QD charging state. This is achieved by a p-i-n structure on top of the AlAs/GaAs DBR. The n-layer consists of a 40nm Si-doped GaAs layer with a carrier concentration of $\approx 1 \times 10^{18}$ cm⁻³, while the top p-layer is a 35 nm wide GaAs layer doped with C atoms. The quantum dots are sandwiched between the two conductive layers and were grown without rotating the substrate to ensure a smooth gradient in QD density across the wafer. The QD layer is separated from the conductive n-layer through a 40 nm tunnel barrier of undoped GaAs. An additional AlGaAs blocking barrier was introduced between the QD and the p-doped region. In the experiments reported here, we used two different samples, with the QD emission wavelengths centered at 900 nm and 970

nm, respectively. The emission energy of the quantum dots was controlled by using the partially covered island method [24]. The overall thickness of all the layers on top of the DBR mirror amounts to λ/n , i.e. one optical wavelength. This ensures that the QD layer will be at an antinode of the cavity field along the growth direction. The p- and the n-layers result in an intrinsic electrical field that can be modulated by applying an additional external bias voltage. For contacting the sample, the processing procedure was as follows: In a small portion of the sample, the top ≈ 80 nm were removed by wet etching with H₂SO₄:H₂O₂:H₂O. In a second step, an Ohmic contact to the n-doped layer was formed by annealing some Indium on the sample surface for 360 s at an oven temperature of around 350°C. The highly doped p-layer was contacted using silver paint deposited on the sample surface. The I-V curve of the final device is displayed in figure 3b). The deviations from the ideal diode curve arise from the very simple processing protocol and unavoidable imperfections in the sample due to microscopic structural defects. Due to the p-i-n structure of the device, the application of a bias voltage induces current flow of both electrons and holes which - through relaxation into the QDs and the wetting layer - leads to spontaneous light emission. Part of this electroluminescence signal was recorded on our bottom detector when recording the I-V characteristics and is plotted in the same figure 3b) (blue circles).

Recently, experiments based on photonic-crystal and micropillar technology demonstrated charge control of QD excitons [25, 26, 27, 28], also in combination with resonant spectroscopy [29]. While all of these approaches require rather sophisticated fabrication procedures, it turns out that the simple processing steps listed above are sufficient to obtain charge control in our fiber-cavity setting. Charge control is demonstrated in figure 3d: Here, photoluminescence emission was recorded as a function of applied electric field. Different charging states can clearly be identified in the spectrum, with the emission lines originating from the neutral exciton (X^0) , biexciton (XX^{0}) , and the positively (X^{+}) and negatively (X^{-}) charged excitons (trions) indicated in the plot. In addition, emission involving other multiply-charged states are visible. The capability to deterministically charge the QD allows us to selectively address trionic QD states and therefore make use of the spin degrees of freedom. The spin properties of the present sample were investigated (without fiber mirror), and complete spin pumping in Faraday geometry [30] was found. The inset of figure 3d) displays the energy shift of the neutral exciton line X⁰ due to the quantum confined Stark effect as a function of applied electric field. The significant Stark shift opens up the possibility of electrically tuning excitonic states into resonance with the cavity mode as will be demonstrated later in the article.

6. Photoluminescence spectroscopy

To demonstrate coupling of the cavity mode to single QD transitions, we perform photoluminescence (PL) spectroscopy with an above-bandgap pulsed laser at 785 nm. The emitted photons from the coupled QD-cavity system are analyzed on a grating

spectrometer. In a first experiment, we fix the QD gate voltage such that the X^0 exciton is stable. We continuously collect PL spectra while tuning the cavity length and thereby scanning the cavity resonance across the X^0 transition. The result of this measurement is shown in Figure 4a. The cavity resonance is detectable for all cavity lengths within the scanning range even at very low powers due to off-resonant cavity feeding [31, 32]. When the cavity resonance wavelengths for the two non-degenerate orthogonally linearly polarized modes TEM_{00}^A and TEM_{00}^B match the X^0 emission wavelengths around 977.3 nm, there is a clear increase in the detected intensity. A careful analysis, shown in Figure 4c, indicates that the detected intensity follows a Lorentzian line shape as a function of cavity length which is to be expected for an emitter weakly coupled to a cavity.

As Figure 4b illustrates, for other QD exciton emission line, the wavelength at which the maximum intensity is detected differs for the TEM_{00}^A and TEM_{00}^B mode. We attribute this difference to the X-Y splitting [33] of the transitions of the X^0 charge state. For a single QD, the coupling strength of a particular transition to a given cavity mode depends on the relative angle between the QD axis and the direction of linear polarization of the mode. Thus a rotator in the system would allow for maximizing the QD-cavity coupling by aligning the QD dipole emission along the cavity polarization axis.

A complementary PL spectrum can be obtained by fixing the cavity length and tuning the QD bias voltage, which in turn tunes the QD transition wavelengths via the quantum confined Stark effect. Such a spectrum is shown in figure 4d). In this case, two spectrally close excitonic emissions, which we tentatively attribute to X^- and X^{2-} are tuned in resonance with one of the cavity modes. Again, the detected intensity increases by an order of magnitude when the QD transitions are tuned to the cavity resonances.

We also performed PL saturation measurements (pulsed excitation) with fixed cavity length and bias voltage, with the cavity wavelength tuned to a single QD excitonic transition. The intensity of the emitted light from the QD-cavity system as a function of excitation power is displayed in the inset of figure 4a). The clear saturation behaviour above a certain excitation power provides evidence that one and only one QD is coupled to the cavity mode for the particular wavelength detected here.

A real door-opener for a multitude of future experiments with our new system is its flexibility, reversibility and speed of tuning by changing either the cavity length or controlling the gate voltage, in particular when compared to more established techniques in other systems such as gas deposition or temperature tuning [22, 34]. Another advantage of the present system is the built-in fiber coupling which allows for straightforward efficient probing using more sophisticated techniques such as high-resolution resonant spectroscopy.

7. Resonant spectroscopy

We performed resonant laser spectroscopy by measuring the transmission of a tunable diode laser through the coupled QD-cavity system using the transmission detector. Since




Figure 4. a) Tuning the cavity resonance wavelength through single quantum dot transitions. The data clearly show enhanced emission from the cavity-QD system when the cavity is resonant with single quantum dot transitions (vertical PL lines). The inset shows the saturation behaviour of the detected emission from the cavity-QD system as a function of off-resonant excitation power. b) XY-splitting of a neutral exciton. The two different polarization modes of the cavity (TEM^A₀₀ and TEM^B₀₀) couple preferentially to one of the neutral exciton transitions. The coupling strength depends on the relative angle between quantum dot axis and cavity polarization.c) Vertical cut of figure a) showing PL as a function of cavity detuning (length). The data (black dots) is fitted by a Lorentzian (red line) showing the characteristics of a weak coupling of the QD to the cavity mode. d) Voltage tuning of single quantum dot transitions via the quantum-confined Stark effect into resonance with the fundamental modes of the cavity. On resonance, the QD emission is clearly enhanced.

the top fiber mirror has a higher reflectivity than the one grown on the sample, most of the intra-cavity photons escape through that bottom mirror onto the photodiode. The transmission signal can be directly detected with a low-noise amplifier without the need for a lock-in technique.

Figure 5a) shows the transmission (normalized to the maximum transmission) spectra as a function of resonant laser wavelength (horizontal axis) and cavity length (vertical axis). The QD modifies the Lorentzian transmission of the unperturbed cavity (top and bottom of the scan) by introducing a dispersive response fixed at the QD




Figure 5. a) and b) 2-dimensional color plots of the system transmission normalized to maximal transmission while scanning the resonant laser (horizontal axis) as a function of a) cavity length and b) gate voltage. In a) the wavelength of the quantum dot transition stays constant whereas in b) the cavity resonance frequency is fixed. In both cases the dip due to the coupling of the QD to the cavity mode is clearly visible where one expects the QD resonance in the spectra. The two insets display corresponding calculated transmission spectra based on model, and parameters, used in text. c) Single transmission spectrum from b) at a bias voltage of 1.458 V. The contrast of the transmission dip is about 22%. d) Keeping the laser wavelength fixed the system can be brought into resonance by a clever choice of both the cavity length and gate voltage. The sweet spot of maximum coupling is marked by the black circle.

resonance. As we performed all the experiments well below saturation, we are able to extract the coupling parameters directly from a fit to the data using [35]

$$T = T_0 \left| \frac{\kappa/2}{\omega - \omega_{\text{cav}} + i\kappa/2 - \frac{g^2}{\omega - \omega_{\text{OD}} + i\gamma/2}} \right|^2$$
 (5)

where ω_{cav} is the cavity angular frequency, ω_{QD} is the QD transition angular frequency and T_0 is the bare cavity transmission. From the experimental data we extract $\hbar g$ =11.7 μ eV, $\hbar \gamma$ =11.4 μ eV, and $\hbar \kappa$ =78 μ eV. The inset in figure 5a & 5b shows a calculated spectral map using these parameters and the above expression 5.

In figure 5b, the cavity length is kept constant while the bias voltage tunes the QD resonance through the cavity resonance. Note that for each spectrum the background electroluminescence (fig 2b) seen by the transmission detector was subtracted and finally normalized to the peak transmission. Again as in figure 5a, the QD significantly modifies

the transmission spectrum through the cavity.

We plot the equation 5 using the the previously extracted parameters in the inset of figure 5b). Figure 5c shows a horizontal line cut taken from data presented in Figure 5b at a bias voltage of 1.458 V (blue line), and its corresponding fit (red line). The dip appearing in transmission in Figures 5a-c when the laser is on resonance with the exciton is a spectacular signature of quantum interference effect. [36]

The great flexibility of our system is best illustrated by the fact that one can demonstrate the QD-cavity coupling with an almost randomly chosen laser wavelength by adjusting cavity length and QD bias voltage simultaneously. We demonstrate this by parking the laser at a wavelength of 903.865 nm and scanning both cavity length and gate voltage. The resulting 2D map is displayed in figure 5d) with the resonance condition indicated by the black circle.

8. Onset of unity cooperativity and strong coupling

A particularly interesting regime for experiments in cavity quantum electrodynamics is the regime of strong coupling where the photon exchange between emitter and cavity mode is as fast or faster than the photon decay from the system. In this regime, new eigenstates, so-called polaritons, form. In general, the eigenenergies of the coupled QDcavity system can be determined from [37]

$$\omega_{\pm} = \frac{\omega_{\text{cav}} + \omega_{\text{QD}}}{2} - i\frac{\kappa + \gamma}{4} \pm \sqrt{g^2 - \left(\frac{\kappa - \gamma}{4} - i\frac{\omega_{\text{QD}} - \omega_{\text{cav}}}{2}\right)^2}$$
 (6)




Figure 6. Onset of strong coupling a) Transmission as a function of cavity length and laser frequency. Panels b) and c) display cuts off and on resonance. d) Using formula 5, the position of the two polariton modes was extracted as a function of cavity detuning. The dashed lines are the theoretical expectation for the g value extracted from the data in a).

By carefully positioning QD and cavity relative to each other, the coupling strength can be optimized by reading out the PL counts. Once an optimally coupled QD was found, we recorded resonant transmission spectra as a function of cavity length as displayed in figure 6a). Clearly, when crossing the QD resonance, the cavity mode splits into two distinct peaks which form an avoided level crossing. Fits to the spectra (see e.g. figures 6 b) and c)) yield $\hbar g = 12.3 \pm 2.5 \mu \text{eV}$, $\hbar \kappa = 50.0 \pm 2.7 \mu \text{eV}$, and $\hbar \gamma = 3.1 \pm 0.7 \mu \text{eV}$ which implies that for this particular QD with a narrow linewidth the system is at the onset of strong coupling with $2g \approx (\kappa + \gamma)/2$. [38] We fit the peak positions for each spectrum in figure 6a) and plot the results in figure 6d) which clearly yields an avoided level crossing that is well described by equation 6 and the given value for g.

The present QD-cavity system has a cooperativity of $C\approx 2$. In order to enlarge this number significantly, different strategies can be adopted: increasing the number of layers of the DBR semiconductor stack while simultaneously reducing the doping density in the p and n layers should decrease κ significantly. In addition, a smaller radius of curvature of the fiber mirror would reduce the effective mode volume of the cavity and hence increase g. On the emitter side, other QD systems such as quantum-well monolayer fluctuations with oscillator strengths up to one order of magnitude larger [39], could push the system much deeper into the strong coupling regime, thereby increasing the cooperativity up to an order of magnitude.

9. Conclusions and outlook

In this article, we have presented a very versatile QD-microcavity platform for performing state-of-the-art cavity QED experiments. The system is fully tunable, i.e. both cavity length and QD energy can be controlled at will. The high Q of our system together with the moderate mode volume brings us into the high-cooperativity regime where the coherent interaction starts to dominate the system dynamics. The onset of strong coupling was demonstrated through the observation of an avoided level crossing in resonant transmission spectroscopy. We anticipate that with some simple improvements on both the cavity and emitter side, the system can enter deeply into the strong coupling regime. The ability to control the charge state of the QD by means of the p-i-n structure will allow us to perform experiments on quantum information processing with a first step being the demonstration of an efficient fiber-coupled spin-photon interface [40]. Our QD-fiber-cavity system might then serve as a node in a future solid-state based quantum network similar to what has been demonstrated with atom-cavity interfaces [41].

Acknowledgments

The authors wish to thank F. Kaeding, S. Smolka and W. Wuester for help in processing of the samples, M. Kroner for helpful discussions and the Ohmic annealing oven, W. Gao and P. Fallahi for spin pumping measurements and the ETHZ D-PHYS workshop for the fabrication of the dip stick. We acknowledge support through NCCR quantum photonics, an instrument of the Swiss National Science Foundation.

Appendix A. Cavity modulation for QD spectroscopy




Figure A1. The principle of the modulated cavity is shown in (a): For a given cavity length we impose a triangle modulation (b) to create broader spectral windows through the cavity modes. Figure (c) shows the PL spectrum for a cavity length of $\approx 43 \mu m$ integrated over 1s. The same spectrum broadened by the modulation (4 Hz, $\approx 58 mm$ amplitude) is shown in (d). (e) shows the spectrum for a shorter cavity ($\approx 24.6 \mu m$) and the same modulation (5s integration time) when the cavity mode is spatially and spectrally aligned to a QD: The QD lines over the TEM₀₀ are clearly visible.

Sample is not always perfectly mounted flat due to fixing imperfections, and it can have a slight angle with respect to the fiber. Hence when performing horizontal scans with the fiber cavity, the resonance of the cavity changes with horizontal position (for a fixed vertical piezo position) due to the change in length of the cavity. This makes some of the experiments requiring horizontal scanning (determination of the mode profiles for example) more involved, since the resonance of the cavity easily shifts away from QD resonance. Here, we overcome this difficulty by modulating the cavity length, $L_{eff}(t) = L_{eff}^0 + f(t)$, with a triangular waveform at a frequency ω_{osc} . The amplitude f(t) thereby varies between f_{max} and f_{min} . This way, small perturbations in cavity length do not matter anymore, provided the the optical signal is aquired with a time constant $t \gg 2\pi/\omega_{osc}$. On the spectrometer, the narrow cavity modes are transformed into broad rectangular resonances with a width given by

$$\Delta \nu_{window} = (c/2n_{eff})(1/(L_{eff}^0 + f_{min}) - 1/(L_{eff}^0 + f_{max}))$$
(A.1)

An example of such a spectrum is shown in figure A1 c). There we can see the PL of a spectrum of the static cavity. As schematically shown in figures A1 a) and A1 b), by applying a zigzag (triangular) modulation of 4 Hz in frequency and amplitude of only ≈ 58 nm, we obtain the spectra seen in figure A1 d). There we can observe the broad window through which we can detect the luminescence. As seen in figure 3b) still

by scanning horizontally the cavity the central frequency of the cavity will shift with position (dashed lines in figure 3b), but any QD measured within the modulated cavity window can be analyzed (QD1 in figure 3b). An example spectrum of QDs through the TEM_{00} is shown in figure A e). Additionally, from the slope of the dashed lines in figure 3b we could extract the sample-fiber tip tilt of 0.15° .

References

- [1] EM Purcell. Spontaneous emission probabilities at radio frequencies. *Physical Review*, 69:681, 1946.
- [2] K. M. Birnbaum, A. Boca, R. Miller, A. D. Boozer, T. E. Northup, and H. J. Kimble. Photon blockade in an optical cavity with one trapped atom. *Nature*, 436:87–90, 2005.
- [3] H. Tanji-Suzuki, W. Chen, R. Landig, J. Simon, and V. Vuletić. Vacuum-induced transparency. Science, 333(6047):1266-1269, 2011.
- [4] Luigi A Lugiato. Progress in Optics, volume 21. Elsevier, 1984.
- [5] M. Koch, C. Sames, M. Balbach, H. Chibani, A. Kubanek, K. Murr, T. Wilk, and G. Rempe. Three-photon correlations in a strongly driven atom-cavity system. *Physical Review Letters*, 107:023601, 2011.
- [6] Barak Dayan, A. S. Parkins, Takao Aoki, E. P. Ostby, K. J. Vahala, and H. J. Kimble. A photon turnstile dynamically regulated by one atom. *Science*, 319:1062–1065, 2008.
- [7] A Wallraff, DI Schuster, A Blais, and L Frunzio. Strong coupling of a single photon to a superconducting qubit using circuit quantum electrodynamics. *Nature*, 431(September):162, 2004.
- [8] G. Cui, JM Hannigan, R. Loeckenhoff, FM Matinaga, MG Raymer, S. Bhongale, M. Holland, S. Mosor, S. Chatterjee, HM Gibbs, et al. A hemispherical, high-solid-angle optical microcavity for cavity-qed studies. arXiv preprint quant-ph/0601046, 2006.
- [9] A. Muller, E.B. Flagg, M. Metcalfe, J. Lawall, and G.S. Solomon. Coupling an epitaxial quantum dot to a fiber-based external-mirror microcavity. *Applied Physics Letters*, 95(17):173101–173101, 2009
- [10] R.J. Barbour, P.A. Dalgarno, A. Curran, K.M. Nowak, H.J. Baker, D.R. Hall, N.G. Stoltz, P.M. Petroff, and R.J. Warburton. A tunable microcavity. *Journal of Applied Physics*, 110(5):053107–053107, 2011.
- [11] E.T. Jaynes and F.W. Cummings. Comparison of quantum and semiclassical radiation theories with application to the beam maser. *Proceedings of the IEEE*, 51(1):89–109, 1963.
- [12] L.C. Andreani, G. Panzarini, and J.M. Gérard. Strong-coupling regime for quantum boxes in pillar microcavities: Theory. *Physical Review B*, 60(19):13276, 1999.
- [13] D. Englund, A. Faraon, I. Fushman, N. Stoltz, and J.V. Pierre Petroff. Controlling cavity reflectivity with a single quantum dot. *Nature*, 450(7171):857–861, 2007.
- [14] K. Srinivasan and O. Painter. Linear and nonlinear optical spectroscopy of a strongly coupled microdisk-quantum dot system. *Nature*, 450(7171):862–865, 2007.
- [15] C. Schneider, A. Huggenberger, M. Gschrey, P. Gold, S. Rodt, A. Forchel, S. Reitzenstein, S. Höfling, and M. Kamp. In (ga) as/gaas site-controlled quantum dots with tailored morphology and high optical quality. *physica status solidi* (a), 2012.
- [16] A. Mohan, M. Felici, P. Gallo, B. Dwir, A. Rudra, J. Faist, and E. Kapon. Polarization-entangled photons produced with high-symmetry site-controlled quantum dots. *Nature Photonics*, 4(5):302–306, 2010.
- [17] K. Hennessy, A. Badolato, PM Petroff, and E. Hu. Positioning photonic crystal cavities to single inas quantum dots. *Photonics and Nanostructures-Fundamentals and Applications*, 2(2):65–72, 2004.
- [18] A. Dousse, L. Lanco, J. Suffczyński, E. Semenova, A. Miard, A. Lemaître, I. Sagnes, C. Roblin,

- J. Bloch, and P. Senellart. Controlled light-matter coupling for a single quantum dot embedded in a pillar microcavity using far-field optical lithography. *Physical review letters*, 101(26):267404, 2008.
- [19] S.M. Thon, M.T. Rakher, H. Kim, J. Gudat, W. Irvine, P.M. Petroff, and D. Bouwmeester. Strong coupling through optical positioning of a quantum dot in a photonic crystal cavity. *Applied Physics Letters*, 94(11):111115-1111115, 2009.
- [20] A. Dousse, J. Suffczynski, R. Braive, A. Miard, A. Lemaître, I. Sagnes, L. Lanco, J. Bloch, P. Voisin, and P. Senellart. Scalable implementation of strongly coupled cavity-quantum dot devices. Applied Physics Letters, 94(12):121102-121102, 2009.
- [21] K. Hennessy, A. Badolato, A. Tamboli, PM Petroff, E. Hu, M. Atature, J. Dreiser, and A. Imamoglu. Tuning photonic crystal nanocavity modes by wet chemical digital etching. Applied Physics Letters, 87(2):021108-021108, 2005.
- [22] S. Mosor, J. Hendrickson, BC Richards, J. Sweet, G. Khitrova, HM Gibbs, T. Yoshie, A. Scherer, OB Shchekin, and DG Deppe. Scanning a photonic crystal slab nanocavity by condensation of xenon. Applied Physics Letters, 87(14):141105-141105, 2005.
- [23] D. Hunger, T. Steinmetz, Y. Colombe, C. Deutsch, T.W. Hänsch, and J. Reichel. A fiber fabry–perot cavity with high finesse. *New Journal of Physics*, 12(6):065038, 2010.
- [24] J. Garcia, G. Medeiros-Ribeiro, K. Schmidt, T. Ngo, JL Feng, A. Lorke, J. Kotthaus, PM Petroff, et al. Intermixing and shape changes during the formation of inas self-assembled quantum dots. Applied physics letters, 71(14):2014–2016, 1997.
- [25] A. Laucht, F. Hofbauer, N. Hauke, J. Angele, S. Stobbe, M. Kaniber, G. Böhm, P. Lodahl, MC Amann, and JJ Finley. Electrical control of spontaneous emission and strong coupling for a single quantum dot. New Journal of Physics, 11(2):023034, 2009.
- [26] MT Rakher, NG Stoltz, LA Coldren, PM Petroff, and D. Bouwmeester. Externally mode-matched cavity quantum electrodynamics with charge-tunable quantum dots. *Physical review letters*, 102(9):97403, 2009.
- [27] S. Reitzenstein, T. Heindel, C. Kistner, F. Albert, T. Braun, C. Hopfmann, P. Mrowinski, M. Lermer, C. Schneider, S. Hfling, et al. Electrically driven quantum dot micropillar light sources. Selected Topics in Quantum Electronics, IEEE Journal of, 17(6):1670–1680, 2011.
- [28] D. Pinotsi, J. Miguel-Sanchez, P. Fallahi, A. Badolato, and A. Imamoglu. Charge controlled self-assembled quantum dots coupled to photonic crystal nanocavities. *Photonics and Nanostructures-Fundamentals and Applications*, 2011.
- [29] D. Pinotsi, P. Fallahi, J. Miguel-Sanchez, and A. Imamoglu. Resonant spectroscopy on charge tunable quantum dots in photonic crystal structures. Quantum Electronics, IEEE Journal of, 47(11):1371–1374, 2011.
- [30] Mete Atature, Jan Dreiser, Antonio Badolato, Alexander Hogele, Khaled Karrai, and Atac Imamoglu. Quantum-dot spin-state preparation with near-unity fidelity. *Science*, 312(5773):551–553, 2006.
- [31] M. Winger, T. Volz, G. Tarel, S. Portolan, A. Badolato, K.J. Hennessy, E.L. Hu, A. Beveratos, J. Finley, V. Savona, et al. Explanation of photon correlations in the far-off-resonance optical emission from a quantum-dot-cavity system. *Physical review letters*, 103(20):207403, 2009.
- [32] M. Yamaguchi, T. Asano, and S. Noda. Third emission mechanism in solid-state nanocavity quantum electrodynamics. *Reports on Progress in Physics*, 75(9):096401, 2012.
- [33] D. Gammon, ES Snow, BV Shanabrook, DS Katzer, and D. Park. Fine structure splitting in the optical spectra of single gaas quantum dots. *Physical review letters*, 76(16):3005–3008, 1996.
- [34] M. Winger, A. Badolato, K.J. Hennessy, E.L. Hu, and A. Imamoğlu. Quantum dot spectroscopy using cavity quantum electrodynamics. *Physical review letters*, 101(22):226808, 2008.
- [35] Alexia Auffèves-Garnier, Christoph Simon, Jean-Michel Gérard, and Jean-Philippe Poizat. Giant optical nonlinearity induced by a single two-level system interacting with a cavity in the Purcell regime. *Phys. Rev. A*, 75(5):053823, May 2007.
- [36] Haruka Tanji-Suzuki, Ian D Leroux, Monika H Schleier-Smith, Marko Cetina, Andrew T Grier,

- Jonathan Simon, and Vladan Vuletić. Advances In Atomic, Molecular, and Optical Physics, volume 60 of Advances In Atomic, Molecular, and Optical Physics 1049250X. Elsevier, 2011.
- [37] S. Reitzenstein. Semiconductor quantum dot-microcavities for quantum optics in solid state. Selected Topics in Quantum Electronics, IEEE Journal of, 2011.
- [38] G Khitrova, H M Gibbs, M Kira, S W Koch, and A Scherer. Vacuum Rabi splitting in semiconductors. *Nature Physics*, 2(2):81–90, February 2006.
- [39] E. Peter, P. Senellart, D. Martrou, A. Lemaître, J. Hours, JM Gérard, and J. Bloch. Exciton-photon strong-coupling regime for a single quantum dot embedded in a microcavity. *Physical Review Letters*, 95(6):67401, 2005.
- [40] ST Yılmaz, P. Fallahi, and A. Imamoğlu. Quantum-dot-spin single-photon interface. *Physical review letters*, 105(3):33601, 2010.
- [41] Stephan Ritter, Chritian Nolleke, Caroline Hahn, Andreas Reiserer, Andreas Neuzner, Manuel Uphoff, Martin Mucke, Jorg Bochmann, and Gerhard Rempe. An elementary quantum network of single atoms in optical cavities. *Nature*, 484:195–200, 2012.