

# Modification of the Nuclear Landscape in the Inverse Problem Framework using the Generalized Bethe-Weizsäcker Mass Formula

S. Cht. Mavrodiev<sup>a</sup> and M.A. Deliyergiyev<sup>b</sup>

<sup>a</sup>The Institute for Nuclear Research and Nuclear Energy, BAS, Sofia, Bulgaria

<sup>b</sup>Department of High Energy Nuclear Physics, Institute of Modern Physics, CAS, Lanzhou, China

## Abstract

We formalized the nuclear mass problem in the inverse problem framework. This approach allows us to infer the underlying model parameters from experimental observation, rather than to predict the observations from the model parameters. The inverse problem was formulated for the numerically generalized semi-empirical mass formula of Bethe and von Weizsäcker. It was solved in step-by-step way based on the AME2012 nuclear database. The established parameterization describes the measured nuclear masses of 2564 isotopes with a maximum deviation less than 2.6 MeV, starting from the number of protons and number of neutrons equal to 1.

The explicit form of unknown functions in the generalized mass formula was discovered in a step-by-step way using the modified least  $\chi^2$  procedure, that realized in the algorithms which were developed by Lubomir Aleksandrov to solve nonlinear systems of equations via the Gauss-Newton method, lets us to choose between two functions with same  $\chi^2$  the better one. In the obtained generalized model the corrections to the binding energy depend on nine proton (2, 8, 14, 20, 28, 50, 82, 108, 124) and ten neutron (2, 8, 14, 20, 28, 50, 82, 124, 152, 202) magic numbers as well on the asymptotic boundaries of their influence. The obtained results were compared with the predictions of other models.

**Keywords:** Bethe-Weizsäcker mass formula, magic numbers, binding energy, Wigner term, inverse problem

**PACS:** 27.30+t, 21.10.Dr, 32.10.Bi, 21.60.Ev, 21.60.Cs

## 1. Introduction

Semi-empirical mass formulas have been a staple of nuclear physics since shortly after the identification of the neutron as a constituent of the nucleus, done by Chadwick [1], which was followed by the proposal of the composed atomic model given by D. Ivanenko [2], in 1932, and the first nuclear shell model [3]. The venerable formula of Bethe and von Weizsäcker, which was described in detail in [4, 5], has been extended and modified frequently over the years.

The principal domain of low-energy nuclear physics is the table of the nuclides. There are several hundred stable nuclei, 288, of the several thousand nuclides, or isotopes, that inhabit the nuclear landscape are either stable or practically stable (that is, have half-lives longer than the expected life of the Solar System) [6]. Exactly these 288 nuclei form the so-called valley of stability. However, the total number of nuclides is unknown, one may note the white gap between known nuclei and the two-neutron drip line, see Fig.1, with theoretical estimates suggesting approximately seven thousand in total [6]. The recent dramatic expansion of experimental nuclear physics facil-

ities, allowing the measurement of nuclear properties very far from that valley, has triggered, among others, a renewed interest in nuclear astrophysics. Only in 2011, 100 new nuclides were discovered [7]. They joined the approximately 3,000 stable and radioactive nuclides that either occur naturally on Earth or are synthesized in the laboratory [8, 9, 10, 11]. We hope that many new unstable nuclei ('rare isotopes') will be created and studied in new and planned experimental facilities around the world. By moving away from this valley, by adding nucleons, nuclear physics enters the vast territory of short-lived radioactive nuclei, which disintegrate by emitting  $\beta$ - and  $\alpha$ -particles or split into smaller parts through spontaneous fission.

As known nuclear existence ends at the drip lines, where there is no longer enough binding energy to prevent the last nucleons from escaping the nucleus. The placement of this line for the heavier elements is based on uncertain hypothetical predictions. However, it is not known how uncertain it is or how many protons and neutrons can be bound in a nucleus. The proton-rich border of the nuclear territory has been experimentally delineated up to protactinium [8] (proton number,  $Z = 91$ ), as indicated in Fig.1. The neutron-rich boundary is known only up to oxygen ( $Z = 8$ ) because of the long distance separating the valley of stability from the neutron drip line [9]. The super heavy nucleus with  $Z = 120$  and  $A = 299$  [12, 13] marks the

Email address: shtmavr@yahoo.com;  
deliyergiyev@impcas.ac.cn (S. Cht. Mavrodiev<sup>a</sup> and  
M.A. Deliyergiyev<sup>b</sup>)




Figure 1: The chart of nuclei known experimentally [74] as a function of  $Z$  and  $N$ . The stable (black squares) and radioactive (light green squares). Mean drip lines (red) are shown together with the  $S_{2n} = 2$  MeV line (brown). The landscape of bound even-even nuclei as obtained from the microscopic density functional theory (DFT) calculations with two Skyrme interactions KDE [61], MSL1 [62] and one relativistic interaction, DD-ME1 (cyan circles) [63]. The prediction from Weizsäcker-Skyrme mass formula with WS4 [49] is also included for comparison (purple squares). The data is extracted from Ref. [6, 206] and references therein. Predictions based on the AME2012 database for the two-neutron (olive) and two-proton drip (royal) lines are also shown. The two-neutron (light olive) and two-proton drip (light royal) lines obtained from the blind analysis of the AME2016 database using solution from the AME2012. In the left pad we show the limit of the predicted drip-lines in this work. Stars on the left panel indicate the critical charge values for a spherical nucleus (lowest states) [211].

current limit of nuclear charge and mass. The borders of the super heavy region are unknown and difficult to predict because competition between Coulomb and shell effects can cause voids and form exotic topologies (see Section 4 of Ref.[14]).

Although the masses of many very exotic nuclei are now amenable to measurement [12, 13, 15, 16], many more nuclei of great interest in astrophysics remain beyond the capabilities of modern mass measurements [6]. This has conferred increased urgency on the development of reliable extrapolations of measured masses [17], one of the classic applications of mass formulas. However, there is significance in the numerical values of the coefficients of the semi-empirical mass formula, influencing, for instance, the deduction of the binding energy per nucleon of infinite nuclear matter, or the symmetry energy and surface tension of nuclear matter. These are not easily accessed by the macroscopic-microscopic mass formulas [18, 19, 20] that have been elaborated in order to reproduce the irregularity of the masses as functions of  $A$  and  $Z$ , partly due to shell closings and proton and neutron number parity. Nevertheless a number of models such as the finite-range droplet model (FRDM) [17, 21, 22], the liquid drop model (LDM), an improved LDM by inclusion of schematic microscopic shell corrections [23], the Relativistic Mean Field theory (RMF) [24], also known as the relativistic Hartree (RH) [25], received wide attention due to its many successes in describing lots of nuclear phenomena [26, 27, 28] as well as successful applications in astrophysics [29, 30, 31, 32, 33, 34], the Duflo-Zuker model (DZ, DZ10, DZ31) [35, 36, 37], the Garvey-Kelson model (GK) [38, 39, 40, 41], an infinite nuclear matter (INM) model [42, 43], the Liran-Zeldes model (LZ) [44], the Koura-Tachibana-Ueno-Yamada model (KTUY) [45, 46], the extended Thomas-Fermi plus Strutinsky integral model (ETFSI) [47], and the Weizsäcker-Skyrme model (WS,

WS3, WS4) [48, 49] have been developed to predict masses of exotic nuclei to model the genesis of the chemical elements [51, 50].

The rapid development of computer technology in the new century allow us to achieve a great progress in a fully microscopic framework. Based on Hartree-Fock-Bogoliubov (HFB) theory [53, 54, 55, 56] with a Skyrme [57] or Gogny [58] force, a series of microscopic mass models have been proposed with accuracy comparable with that of traditional macroscopic-microscopic mass models [59, 60]. The microscopic density functional theory (DFT) model has achieved remarkable success in describing the data on known nuclei with two Skyrme interactions KDE [61], MSL1 [62] and one relativistic interaction, DD-ME1 [63].

However, as one may note from the recent literature there is still lack of knowledge about the masses of new nuclides both in the super-heavy element region and the regions close to the proton and neutron drip lines. There are still large deviations among the mass predictions of different models. Moreover, the model predictions do not completely agree between each other, even in the region close to known masses. The accuracy and predictive power of these nuclear mass models have been tested in the Refs.[163, 64, 65, 66, 67, 68]. Further improvements of the accuracy of nuclear mass models have been done with the help of integration the image reconstruction techniques based on the Fourier transform [69] to the nuclear models, significantly reducing the rms deviation to the known masses with the CLEAN algorithm [70, 71, 72]. Later on, the radial basis function (RBF) approach was developed to improve the mass predictions of several theoretical models [48, 52]. Compared with the CLEAN reconstruction, the RBF approach more effectively reduces the rms deviations with respect to the masses first appearing in AME03 [48].

All these works represent an on-going challenge for low-energy nuclear theory, which is to describe the structure and reactions of all nuclei, whether measured or not.

The main goal of our studies was to determine how well the existing data, and only data, determines the mapping from the proton and neutron numbers to the mass of the nuclear ground state. Another is to find presumed regularities by analysis of observed nuclei masses [73]. In addition is to provide reliable predictive model that can be used to forecast mass values away from the valley of stability, where no possibility exist for direct measurements of the nuclei masses and one have to apply indirect methods. The results suggest that with further development this approach may provide a valuable complement to conventional global models.

A set of experimental nuclear masses from AME2012, the most recent evaluation database, that was published in December 2012 in [74, 75], constitutes the raw material for this work. Only measured nuclei are included into our consideration. The masses extrapolated from systematics and marked with the symbol # in the error column are not taken into account here. Therefore, we use only 2564 experimental nuclear masses, including the Hydrogen atom, to provide a deep understanding of the mutual influence of terms in the semi-empirical formula previously investigated in [77]. Those experimental values play a crucial role in our study of the separated influence of the Wigner term, the curvature energy and different powers of the relative neutron excess  $I = (N - Z)/A$ . The improvement of the generalized liquid drop model formula (GLDM) previously proposed in [78], whose coefficients were recently determined once again in [79] and [80], is also the focus of this paper.

Later the obtained solution will be used in the blind analysis of the AME2016 [76] and the DGFERS separator [13] data.

In present work we demonstrate the applicability of the inverse problem approach for solution of such nuclear physics problems. The desired result is archived by very complicated procedures for processing the experimental data. First, we formalize the nuclear mass problem in the framework of the inverse problem. Second we propose the generalized form of the Bethe-Weizsäcker (BW) mass formula, which helps us to discover the latent regularities in the nuclear masses from AME2012. And afterwards we provide a solution of the formalized inverse problem that was obtained with the help of the Alexandrov dynamic auto-regularization method of the Gauss-Newton type for ill-posed problems (Dubna REGN – Regularized Gauss-Newton iteration method) [83, 84, 85, 86, 87, 88, 89], which is a constructive development of the Tikhonov regularization method [91, 92, 93, 94] for ill-posed problems.

The formalism of the applied approach is given in Sec. 2. The basis of the classic BW mass formula is sketched in Sec. 3 of this paper. The numerical generalization of the BW mass formula is described in Sec. 4. The main conclusions of the paper are drawn in Sec. 5, which also includes a discussion of the principal results, the resulting rms deviations of the predicted mass from the measured once and the parameter values. Predicted binding energies, nuclear and atomic masses, and mass excess for the recently discovered nuclei at the DGFERS separator

based on fusion reactions of  $^{48}\text{Ca}$  with  $^{238}\text{U}$ - $^{249}\text{Cf}$  target nuclei [13] are shown in Appendix C.

## 2. Theory and Method

This section begins with the concept of latent regularities in the experimental data. An attempt is made to provide a general mathematical formulation of this problem and to connect its occurrence to an effective research strategy. It explains regularization technique within the Aleksandrov method. Furthermore, it describes how to construct solution of non-regular problems, based on the iteration processes for the solution of nonlinear equations. The example of such a process is given.

The aforementioned goals stimulated us to try to clarify the features and to find hidden regularities of the well known semi-empirical mass formula of Bethe-Weizsäcker, based exclusively on experimental data. This idea motivate us to apply the inverse problem approach to solve this task, which will be briefly discussed in this and the next section.

### 2.1. The problem of analyzing the latent regularities

The conventional approach to physical data analysis consists of constructing different physical models and comparing the theoretical predictions computed for these models with the observed data. Numerical modeling of physical data for given model parameters is usually called a *forward* problem. The forward problem solution makes it possible to predict physical observation for specific physical areas.

Usually we approximate real physics by a more or less simple model and try to determine the model parameters from the data. One may call this problem an *inverse* problem. The success of physical interpretation depends on our ability to approximate real physical dependencies by reasonable models, and to solve the corresponding inverse problems effectively.

The concept of an inverse problem was formulated by Hadamard at the beginning of the 20th century [90]. For a long time it was assumed that such problems have nothing to do with physics and techniques. However, the importance of such type of problems was fully recognized in the 40's especially from the application point of view, this boost an intensive developments of the inverse problem method. At present time a wide variety of nonlinear inverse problems exist in science and engineering, and many examples can be found in the monographs and surveys by Tikhonov and Arsenin [94, 95], Hofmann [96], Banks and Kunisch [97], Engl [98], Groetsch [99], and Vasin-Ageev [100]. Such problems are based on the comparison of the theoretical and experimental data by solving the system of the nonlinear operator equations on the field of real numbers  $\mathbf{R}$  of following type:

$$\begin{aligned} f_j(x_1, x_2, \dots, x_n; p_1, p_2, \dots, p_v) &= y_j, \\ j &= 1, 2, \dots, m; \quad 1 \leq n \leq m, \end{aligned} \quad (1)$$

where  $x \in D_f \subseteq \mathbf{R}^n$  and  $y \in D_f \subseteq \mathbf{R}^m$ ,  $\mathbf{R}^n$  and  $\mathbf{R}^m$  are the  $n$  and  $m$  dimensional real Cartesian canonical space correspondingly,  $D_f$  is the convex unbounded domain, the given nonlinear

function

$$f_j(x_1, x_2, \dots, x_n; p_1, p_2, \dots, p_\nu) \in C^2(D_f), \quad j = 1, 2, \dots, m, \quad (2)$$

where

$$D_f = (x'_1, x''_1) \times \dots \times (x'_n, x''_n), \quad (3)$$

$$x'_i, x''_i \in \mathbf{R}^1; p_1, p_2, \dots, p_\nu \in \mathbf{R}^1, \quad \nu \geq 0$$

are the given parameters.

The solution of the system of Eqs.(1) can be found with respect to the unknowns  $x_i \in (x'_i, x''_i)$ , where  $i = 1, 2, \dots, n$ . Taking into account that  $\mathbf{R}^n$  and  $\mathbf{R}^m$  are the  $n$  and  $m$  dimensional real coordinate space, that corresponds to the  $x$  and  $y$  respectively and using the following notation

$$x = (x_1, x_2, \dots, x_n)^T \in D_f \subseteq \mathbf{R}^n \quad (4)$$

$$y = (y_1, y_2, \dots, y_m)^T \in D_f \subseteq \mathbf{R}^m.$$

The system of Eqs.(1) can be written in a vector form as:

$$F(x) = y. \quad (5)$$

Operator  $F$  in Eq.(5) is a forward modeling nonlinear operator, that transforms any model  $x$  into the corresponding data  $y$ . The inverse problem is formulated as the solution of the operator Eq.(5). Therefore, Eqs.(5) connect the unknown parameters of the model with some given quantities (variables) describing the model, in our case atomic mass number,  $A$ , and proton mass number,  $Z$ . These quantities take the form of the so-called input data. Generally, the input data as well as the unknown parameters are the elements of certain metric spaces, in particular, Banach or Hilbert spaces, with the operator of the model acting from the solution space to the data space.

Suppose that observed function, which describes some property of some physical phenomenon may be denoted by  $f(t)$ . Note, that in our case the role of this function will be played by the BW mass formula, we come to this in later sections. Let us assume that  $f(t)$  is determined on the closed segment  $S = [t_1, t_2]$ ,  $-\infty < t_1 < t_2 < \infty$ . For sake of simplicity, the independent variable  $t$  and the function  $f(t)$  will be considered scalar quantities. Let a set  $L$  of scalar functions  $g_i (i = 1, 2, \dots, n)$ , depending on the parameters  $p_{ij} (i = 1, 2, \dots, n; j = 1, 2, \dots, s_i)$  and on the independent variable  $x \in S$ , be given:

$$L = \{g_1(p_{11}, \dots, p_{1n_1}; t), \dots, g_n(p_{n1}, \dots, p_{ns_n}; t)\}. \quad (6)$$

Further, a certain degree of smoothness of the function  $g_i$  with respect to the parameters  $p_{ij}$  is assumed, namely, that continuous second-order derivatives exist.

Based on the previous knowledge of the observed functions or on some other conceptions (theory, analogy, phenomenology, etc.), the following basic hypothesis is made: the observed function  $f(t)$  may be approximated by a linear combination of the elements of the set  $L$  as:

$$f(t) = \sum_{i=1}^n a_i g_i(p_{i1}, \dots, p_{is_i}; t) = a_0 + \sum_{i=1}^n a_i e^{-h_i t}, \quad (7)$$

where  $a_i \geq 0$  and the number of exponents in the general case is unknown. Due to high sensitivity of the solution to the infinitesimal changes of values  $f(t)$  one has to use special steady solutions of the systems Eq.(7).

Let us demonstrate the high sensitivity of the solution of this system. Suppose that  $f(u)$  will define the transformation of the right hand side of Eq.(7), that transforms the points:

$$u = (a_0, a_1, \dots, a_n, h_1, \dots, h_n) \in \mathbf{R}_{2n+1} \quad (8)$$

into the points  $v = (y_1, y_2, \dots, y_m) \in \mathbf{R}_{n_i}$ . Let  $\Omega$  be the union of the all subspaces

$$a_0 = 0, \quad a_i = 0, \quad h_p = h_q, \quad i, p, q = 1, 2, \dots, n, \quad p \neq q, \quad (9)$$

and  $U = \{u/u \in \mathbf{R}_{2n+1}, \det J(u) \neq 0\}$  at  $2n + 1 = m$ , where  $J(u)$  is the Jacobi matrix of the function  $f(u)$ .

Thus we have  $U \cap \Omega = \emptyset$ . One may easily check, that once  $u \in f(U)$ , then the non-linear problem Eq.(7) is correct [91, 94].

In the case where the point  $u$  is located close enough to the manifold  $\Omega$  one may note a sensitivity feature of the solution Eq.(7) with respect to small deviations of the point  $v$ .

Now we back to the made hypothesis, according to it the set  $L$  is related to the function  $f(t)$ . In this case  $L$  will be called "characteristic function set" and denoted as  $L_f$ . In addition, we can make the following definition [73].

**Definition 1:** The problem of finding the set  $L_f$ , the parameters  $p_{ij} (i = 1, 2, \dots, n; j = 1, 2, \dots, s_i)$  and the amplitudes  $a_i (i = 1, 2, \dots, n)$  is defined as the full problem of analysis of the latent regularities.

Let us analyze the series of observations of the function  $\{f(t_k)\}^1$ , where  $k = 1, 2, \dots, m$ , and a set  $L_f$  with a known number  $n$  of presumed relationships be given.

Based on relation Eq.(7), the unknown quantities  $p_{ij}$  and  $a_i$  can be found by solving the following non-linear (in general, over-determined) system

$$f(t_k) = a_0 + \sum_{i=1}^n a_i e^{-h_i t_k}, \quad k = 1, 2, \dots, m, \quad (10)$$

The following vector denotations are introduced:

$$x = (a_1, \dots, a_n, p_{11}, \dots, p_{1s_1}, \dots, p_{n1}, \dots, p_{ns_n}) \in \mathbf{R}^{l(n)}$$

$$l(n) = n + \sum_{i=1}^n s_i, \quad (11)$$

$$F(x) = [F_1(x), \dots, F_m(x)] \in \mathbf{R}^m,$$

where

$$F(x_k) = \left( a_0 + \sum_{i=1}^n a_i e^{-h_i x_k} \right) - f(x_k), \quad k = 1, 2, \dots, m. \quad (12)$$

The non-linear system Eqs.(10) may be expressed in the vector form as written in Eq.(5).

<sup>1</sup>By the series of observation we will consider the list of the observed nuclei masses, that is given by the AME2012 database



Let us assume that the operator  $F$  transforms the limited convex subset  $X \subseteq \mathbf{R}^{(n)}$  into  $\mathbf{R}^m$ . The Jacobian matrix of the operator  $F$  with respect to  $x$  is denoted as  $F'$ . When the different relationships have no common parameter the Jacobi matrix can be written in following form [73]:

$$F'(x) = \begin{bmatrix} g_1(t_1), \dots, g_n(t_1) & a_1 \frac{\partial g_1(t_1)}{\partial p_{11}} & \dots & a_1 \frac{\partial g_1(t_1)}{\partial p_{1s_1}} & \dots & a_n \frac{\partial g_n(t_1)}{\partial p_{ns_n}} \\ g_1(t_2), \dots, g_n(t_2) & a_1 \frac{\partial g_1(t_2)}{\partial p_{11}} & \dots & a_1 \frac{\partial g_1(t_2)}{\partial p_{1s_1}} & \dots & a_n \frac{\partial g_n(t_2)}{\partial p_{ns_n}} \\ \dots & \dots & \dots & \dots & \dots & \dots \\ g_1(t_m), \dots, g_n(t_m) & a_1 \frac{\partial g_1(t_m)}{\partial p_{11}} & \dots & a_1 \frac{\partial g_1(t_m)}{\partial p_{1s_1}} & \dots & a_n \frac{\partial g_n(t_m)}{\partial p_{ns_n}} \end{bmatrix} \quad (13)$$

If two or more relationships exist which have a common parameter (or parameters) the modifications in matrix  $F'(x)$  are not essential for further considerations.

The operator  $H(x) = F'^T(x)F'(x)$  will be considered regular. Let us consider its condition number [81]:

$$\text{cond}H(x) = \|H^{-1}(x)\|, \|H(x)\| = \frac{\mu_1}{\mu_2} \geq 1, \quad (14)$$

where  $\mu_1$  and  $\mu_2$  are its greatest and smallest singular numbers [81], respectively. The operator  $H(x)$  is only then irregular when  $\mu_2 = 0$ . In this case, if  $\mu_1 \neq 0$ , the condition number in Eq.(14) will be considered as infinitely large.

Let us define a real number  $r$ , such as  $1 < r < \infty$ . Then

**Definition 2:** If the non-equality

$$\text{cond}H(x) < r \quad (15)$$

is fulfilled for all  $x \in X$ , the solution of Eq.(5) is defined as “the regular problem with the modulus  $r$ ”.

It can be easily verified that regularity of the problem Eq.(5) depends on the closeness of the relationships or on their smallness with regard to the modulus, and also on the smallness of the amplitudes  $a_i$  or on the smallness with regard to the modulus of the derivatives of the relationships.

If one will assume that in Eq.(5)  $\mu_1(x) \neq 0$  for all  $x \in X$ . Then, if  $r$  is fixed, there will always exist a sufficiently small real number  $\delta > 0$ , which makes the Eq.(5) nonregular, if at least one of the non-equalities is fulfilled:

$$\left\{ \begin{array}{l} \sum_{k=1}^m (g_{i_1}(t_k) - g_{i_2}(t_k))^2 \leq \delta; i_1, i_2 = 1, 2, \dots, n; i_1 \neq i_2 \\ a_i \leq \delta \\ |g_i(t_k)| \leq \delta; k = 1, 2, \dots, m \\ \left| \frac{\partial g_i(t_k)}{\partial p_{ij}} \right| \leq \delta; k = 1, 2, \dots, m \end{array} \right. \quad (16)$$

It should be particularly stressed that perturbations of the observed function  $\{f(t_k)\}$  (and the presence of perturbations is very characteristic for the problems concerning latent regularities) may also infringe on the regularity of problem Eq.(5), if at least one of the non-equalities Eq.(16) is fulfilled with a sufficiently small value of  $\delta$ .

When the problem Eq.(5) is non-regular, general calculation algorithms ensuring its solution can be constructed based on the regularized iteration processes for the solution of non-linear equations [82, 83, 84].

## 2.2. Aleksandrov method for Ill-posed nonlinear systems of equations

When it is not feasible to give a definite indication of the type and number of regularities (i.e. to define exactly the set  $L_f$ ), the full analysis of latent regularities becomes much more difficult. However, even in this case it is possible to find an approximate solution of problem Eq.(5) based on special methods. Techniques known as regularization or an auto-regularized<sup>2</sup> iteration processes [94, 95, 83, 84, 85, 86, 87, 88] have been developed to deal with this ill-posedness, to get stable approximations of solutions of Eq.(5). Thus on one hand the classic solution to ill-posed problems is to regularize the unknowns, e.g. by penalizing deviations from a prior model. It consists in approximating a solution of Eq.(1) or Eq.(5) by minimizing the functional

$$x \mapsto \|f(x) - y^\delta\|^2 + \alpha \|x - x_0\|^2, \quad (17)$$

where  $x_0$  typically unifies all available *a priori* information on the solution, or the initial input data (approximation),  $\alpha$  is a positive number. On another hand one may use the iterative approaches which are attractive alternatives to regularization, since for solution of the ill-posed problems it is usually necessary to approximate the initial, often infinite-dimensional, problem by a finite-dimensional problem, for which numerical algorithms and computer programs have been devised, for instance, the steepest descent method [101], the Landweber iteration [102], and the Landweber-Kaczmarz method, also called algebraic reconstruction techniques (ART) [103]. However, in the current work we apply the REGN method [83, 84, 85, 86, 87, 88, 89], which we found an appropriate choice for our inverse problem that will be formulated in the next section.

The ill-posedness degree provides indications on how badly the deviations from the experimental data are echoed on the quality of the solution. For severely ill-posed problems, the effect of that noise is highly damaging to the solution and has a major impact on the numerical methods. That is why savvy practitioners use a safe approximation of it. A relevant computed solution cannot be achieved without sophisticated regularization strategies. Regarding these issues, we refer to [87, 93, 104, 105] for how to numerically handle severely ill-posed problems, in general, and to [106, 107], for the Cauchy problem, specifically.

The solution of the inverse problem, Eq.(5), consists in determining such a model  $x$  (predicted model) that generates the predicted data  $y^\delta$ , that fit well the observed data  $y$ , this solution is generally obtained by deducing system parameters from observations of the system behavior. Such kind of problems, typically involve the estimation of certain quantities based on indirect measurements of these quantities. The estimation process is often ill-posed in the sense that noise in the data may give rise to significant errors in the estimate. In other words, the

<sup>2</sup>The subgroup of the regularized Newton-Kantorovich type processes (called “automatically controlled” or “auto-regularized”), for which the regularization in each iteration (with number  $n$ ) of the process is performed with respect to value of “defect” norm of equation ( $\|F(x_{n-1})\|$ ), which was obtained basing on the previous iteration (with number  $n - 1$ ).

problem Eq.(5) is ill-posed [93] if its solution does not depend continuously on the right hand side  $y$ , which is often obtained by measurement and hence contains errors:

$$\|y^\delta - y\| \leq \delta. \quad (18)$$

Here we denote the measured perturbed data by  $y^\delta$ ,  $\delta$  is the experimental uncertainty (noise level),  $\delta > 0$ . The  $y$  in Eqs.(18) and (5) one may interpret as a data set, which can also be characterized as a function of the observation point (in the case of continuous observations), or as a vector (in the case of discrete observations).

One question, which arises when solving an inverse task, is whether the results obtained are proven. This question can be answered by comparing the results obtained by independent methods. To illustrate such a comparison, the binding energies and atomic masses were used as an example, see next section.

Alexandrov in his works [83, 84, 85, 86, 87, 88, 89] propose to search for the solution of Eq.(1), or Eq.(5), for two formulations

$$y \in \mathbf{R}_f \equiv FD_f, \quad (19)$$

$$y \in \mathbf{R}^m \setminus \mathbf{R}_f, \quad (20)$$

which are covered by transition to the “ $\varphi$ -transformed” [84] problem

$$F(x) \equiv \varphi(x)(f(x) - y) = 0, \quad (21)$$

where

$$\varphi(x) : \mathbf{R}_\varphi (\equiv \mathbf{R}_f \setminus \{y\}) \rightarrow D_f \quad (22)$$

is the given linear operator function. Since  $\varphi(x)$  as the linear operator transform  $\mathbf{R}_\varphi$  to  $D_f$ , and as the nonlinear function of the  $x$  transform  $D_f$  into the space of the confined real matrices,  $\mathcal{L}(\mathbf{R}^n, \mathbf{R}^m)$ . The space of the confined real matrices is characterized by the norm

$$\|A\|_\infty = \max_i \left( g_i \sum_{j=1}^n \frac{|a_{ij}|}{g_j} \right), \quad (23)$$

where  $A = \{a_{ij}\} \in \mathcal{L}(\mathbf{R}^n, \mathbf{R}^m)$ .

The transformation function,  $\varphi(x)$  in Eq.(21) in the basic case (second Gauss transformation) can be written as:

$$\varphi(x) = (f'(x))^T = \left\{ \frac{\partial f_j(x)}{\partial x_i} \right\}_{i=1,2,\dots,n; j=1,2,\dots,m}^T \quad (24)$$

Therefore, the Eq.(21) for both formulations, Eqs.(19)-20 in accordance to the Alexandrov proposal [83, 84, 85, 86, 87, 88, 89] reduced to search for the solution of the “ $f'^T(x)W^{1/2}$ -transformed” [89] and the  $\alpha$ -regularized [93] problem

$$F(x_k) \equiv f'^T(x_k)W^{1/2}(f(x_k) - y) + \alpha x_k = 0, \quad \alpha > 0, \quad (25)$$

where

$$W = \text{diag}(\omega_1, \omega_2, \dots, \omega_m), \quad \omega_m > 0, \quad (26)$$

is the weighting matrix,  $\omega_m \in (0, \infty)$  are the given constants, and  $\alpha : D_f \rightarrow D_f$  is the given nonlinear operator;  $F$  is a continuous and Frechet differential nonlinear operator.

In the case, when the  $\mathbf{R}^n$  is the Banach space, then it is normalized by the vector norm

$$\|x\|_\infty = \max_i (g_i |x_i|). \quad (27)$$

where  $g_i > 0$  ( $i = 1, 2, \dots, n$ ) are the given weights. When the  $\mathbf{R}^n$  is the Euclidean space then it is characterized by the Euclidean norm:

$$\|x\|_2 = \left( \sum_{i=1}^n x_i^2 \right)^{1/2}, \quad (28)$$

Further, by applying the iteratively regularized Gauss-Newton method within double regularization and Eq.(25) we can build the following regularized process:

$$R_{\varepsilon_k} : x_0, x_{k+1} = x_k - \left[ f'^T(x_k)W^{1/2}f'(x_k) + (\alpha + \varepsilon_k)I_{\mathbf{R}^n} \right]^{-1} F(x_k) \quad (29)$$

which can be used to find an approximate solution of Eq.(5). Here  $\alpha$  is the Tikhonov regularization parameter,  $\varepsilon_k$  is the Aleksandrov feedback regularization parameter. The both regularization parameters are adjustable from iteration to iteration.  $x_0$  and  $\varepsilon_0$  are the initial input data (approximation), in other words is an initial guess which may incorporate *a priori* knowledge on an exact solution, in our case it is the generalized BW mass formula. The  $x_k$  denotes the iterative solution,  $k = 1, 2, \dots, k^* < \infty$ , where  $k^*$  is the pseudo solution  $x_{k^*}$  (i.e. the solution in the best iteration). The process,  $R_{\varepsilon_k}$  is converge according to the theorem stated in Ref.[83].

Therefore, as one may note the key idea of any Newton type method consists in repeatedly linearizing the operator Eq.(5) around some approximate solution  $x_k$ , and then solving the linearized problem Eq.(29) for  $x_{k+1}$ . However, usually these linearized problems are also ill-posed if the nonlinear problem is ill-posed and, therefore, they have to be regularized.

The linear Eq.(29) can be solved with the help of one of the three methods [83]: Cholesky Decomposition [108, 109], Gauss-Jordan Elimination [110] or Singular Value Decomposition [111]. Aleksandrov in turn propose [84, 85, 86, 89] the following regularizator for the process Eq.(29):

$$R_{\varepsilon_k} : \varepsilon_k = \frac{\alpha_2}{2} \left[ \left( \tau_k^2 + 4N_0(\varrho_k)^{p_0} \right)^{1/2} - \tau_k \right]. \quad (30)$$

Here,  $\varrho_k$  and  $\chi_k^2$  are both the iteration process criteria, namely the “target criteria”, which can be written in the following form:

$$\begin{aligned} \varrho_k &= \|F(x_k)\|_\infty \quad \text{or} \quad \varrho_{2k} = \|F(x_k)\|_2, \\ \chi_k^2 &= \|W^{1/2}(f(x_k) - y)\|_2^2. \end{aligned} \quad (31)$$

Based on these criteria one may say that obtained solution of the inverse problem is a fake or true. The  $F(x_k)$  for  $\varrho_k$  defined from Eq.(25). The functionals  $\tau_k$  and  $N_0$  in Eq.(30) are the iteration process behavior criteria, that defined as:

$$\begin{aligned} \tau_k &= \|f'^T(x_k)W^{1/2}f'(x_k) + \alpha I_{\mathbf{R}^n}\|_\infty, \\ N_0 &= \frac{\alpha_1}{\varrho_0} \left( \tau_0 \varepsilon_0 + \varepsilon_0^2 \right), \quad \varepsilon_0 \geq 0. \end{aligned} \quad (32)$$

where  $\varrho_0 \neq 0$ , or  $N_0$  is a given positive number. The behavior criteria provides information about the degree of degeneracy of the Jacobi matrix on each step of iteration, and thus sheds light on the stability of the implemented process Eq.(29). The  $\alpha_1$ ,  $\alpha_2$  and  $p_r$  are the internal coefficients of the auto-regularized process. By default they are equal to unity, however in the more general case  $\alpha_1, \alpha_2 \in [0, 1]$  and  $p_r \geq 1$ .

It was proven in the Ref.[83, 114] that under condition

$$\|(\varphi(x_k) - \varphi(x_{k^*}))(f(x_k) - y)\| \leq Q\|\varphi(x_k)(f(x_k) - y) + \alpha x_k\|, \quad (33)$$

where  $Q \in [0, 1)$  the process Eq.(29) quadratically converge and Eq.(25) has a solution. In the case when the condition Eq.(33) is not satisfied, then the process Eq.(29) converge linearly.

With analogy to the Gauss-Newton processes, Eq.(29), one may consider the auto-regularized Newton-Kantorovich and Schroder [115] type of processes. For this purpose one may need to construct expressions similar to Eq.(30). For instance, one may consider the following Newton-Kantorovich process

$R_{NK}$  :

$$x_0, x_{k+1} = x_k - v_k \left[ f'^T(x_k) f'(x_k) + f''(x_k)(f(x_k) - y) + \varepsilon_k I_{R^n} \right] F(x_k), \quad (34)$$

for which the regularization parameter of Eq.(29) is taken in the form of:

$$\varepsilon_k = \frac{1}{2} \left( (\lambda_k)^2 + 4N\varrho_k - \lambda_k \right), \quad (35)$$

where  $\lambda_k = \lambda(x_k)$  is the norm of the linear symmetric operator which operates on the  $D_f \rightarrow D_f$

$$\lambda_k = \|f'^T(x_k) f'(x_k) + f''(x_k)(f(x_k) - y)\|, \quad (36)$$

and

$$N_0 = \frac{1}{\varrho_0} \left( \lambda_{\min}^0 \varepsilon_0 + \varepsilon_0^2 \right), \quad (37)$$

$$\varrho_k = \|F(x_k)\|_2,$$

where  $f'(x)$ ,  $f''(x)$  is the first and the second Frechet derivative correspondingly,  $\varrho_0 \neq 0$ , or  $N_0$  is a given positive number.

In an analysis of the experimental data, the standard deviation,  $\sigma_m$ , of the measured quantities  $y_j (j = 1, 2, \dots, m)$  are often well defined in advance. If so, in Eq.(25), one may use the weighting matrix as:

$$W = \text{diag}(\sigma_1^{-1}, \sigma_2^{-1}, \dots, \sigma_m^{-1}). \quad (38)$$

When the mathematical formulation of the problem is clear, but the experimental uncertainties

$$((\Delta y)_1, (\Delta y)_2, \dots, (\Delta y)_m)^T \quad (39)$$

are very rough or unknown, one may use the robust methods to determine the weights [112, 113] or the LCH-weighting pro-

cedure<sup>3</sup> [112, 114, 116, 117, 175]. The meaning of this procedure is based on the preliminary solution of the problem Eq.(25) with the help of the weight matrix  $W = I_{R^n} = \text{diag}(1, 1, \dots, 1)$ . This gives us the intermediate pseudo solution  $x^*$  of the system Eq.(25) (or Eq.(29)) and then we solve it again, with the help of the weight matrix  $W$  [112, 113]:

$$W = \text{diag} \left( \frac{1}{|f_1(x^*) - y_1|}, \frac{1}{|f_2(x^*) - y_2|}, \dots, \frac{1}{|f_m(x^*) - y_m|} \right). \quad (40)$$

To be sure, that the true solution is converge one may repeat this process several times.

The essential difference between Aleksandrov method and similar methods [121, 122, 123, 124] based on especially effective ideology of regularization of the inverse problem, is that at each step (iteration) one may control both the decision and the uncertainty of the solution, which is important. Aleksandrov regularization stabilizes the solution of our ill-posed operator equations by minimizing the weighted sum of a strictly convex regularization term. The regularization term stabilizes the solution of the problem at the expense of biasing the solution. Note, that the regularizator proposed by Aleksandrov to solve nonlinear ill-posed problems with the help of the iterative approach is the constructive development of the Tikhonov-Glasko regularizator [125]:

$$\alpha_k = \left( \frac{1}{2} \right)^{k-1} x_k \quad (41)$$

and the regularization parameter proposed by Ramm [126]

$$\alpha_k = \left( \frac{1}{e} \right)^{k-1} x_k. \quad (42)$$

Therefore, the purpose of such functions as in Eqs.(30), (41) and (42), to regularize the solution by filtering out the contributions of the noise in  $y$ .

The processing of the experimental data of different nature often leads to the automatized solution of one-type systems, connected with the analysis of hidden (latent) regularities, i.e. hidden exponents, hidden Gauss- or Breit-Wigner functions and so on [73, 118, 119]. The number of the hidden regularities involved in each problem is unknown in the general case. In the next section we show how these regularities been discovered in the description of the nuclear binding energies.

Note, that with the help of the justification of the ‘‘enhanced Newtons method’’ developed by Collatz Ref.[120], Alexandrov manage to obtain the general theory of convergence and attraction, which cover the iterative regularized Newton-Kantorovich and Gauss-Newton processes. Prior to work [84] the general theory of convergence and attraction for the ordinary methods of the Newton-Kantorovich and Gauss-Newton type did not exist.

<sup>3</sup>LCH is the modified least  $\chi^2$  procedure, which investigates the possibility of the existence of the minimal  $\chi^2$  from the parameters that were excluded from the considered model due to strong correlation.

### 3. The Bethe-Weizsäcker mass formula and binding energy of the nucleus

During the first few decades of nuclear physics, the term ‘nuclear forces’ was often used as being synonymous with nuclear physics as a whole [127, 128]. Nevertheless, even today with the onset of quantum chromodynamics, in any first approach towards a nuclear structure problem, one assumes the nucleons to be elementary particles.

In the theory of the liquid drop model proposed by George Gamow [129], the binding energy per nucleon is given by formula

$$E_B(A, Z) = \alpha_{vol} + \alpha_{surf} \frac{1}{A^{1/3}} + \alpha_{comb} \frac{Z(Z-1)}{A^{4/3}} + \alpha_{sym} \frac{(N-Z)^2}{A^2} + \alpha_{pairing} \frac{\delta(A, Z)}{A} + \alpha_{Wigner} \frac{1}{A}, \quad (43)$$

when  $\alpha_{Wigner} \rightarrow 0$ , Eq. (43) reduces to the usual BW formula.

Due to historical reasons the BW mass formula, Eq.(43), provides the baseline fit, relative to which all refinements can be judged. That is why we decided to use this formula in our formulation of the inverse problem, which will be discussed later in the paper.

One may note, that the leading linear behavior of the binding energy as a function of the number of nucleons is a manifestation of the saturation of nuclear forces, see Fig.2. Another manifestation of saturation, following Bethe [5], the proportionality of both the total binding energy and the nuclear volume at first approximation to the number of nucleons. Nuclei have diffuse surfaces, so the notion of volume is somewhat fuzzy, but an indicator is provided by the measured root-mean squared (rms) radius,  $\langle r^2 \rangle^{1/2}$ , which sets a linear scale of the nuclear size. The volume term,  $\alpha_{vol}$ , in Eq.(43) is expected to be positive, the other three  $\alpha$ 's negative.

Another an obvious feature in the BW is the effect of the repulsive Coulomb interaction between protons, that information is encoded in the third term of Eq.(43). On the basis of simple electrostatics and dimensional arguments, the total Coulomb energy of the nucleus is expected to be proportional to the square of its charge and inversely proportional to its length scale,  $E_C \propto Z^2 e^2 / A^{1/3}$  (called also the proton form-factor correction to the Coulomb energy in [17]), where  $e^2 = 1.44$  MeV fm in convenient units.

The surface energy term, second term of Eq.(43), takes into account the deficit of binding energy of the nucleons at the nuclear surface and corresponds to semi-infinite nuclear matter.

The symmetry term, the fourth term of Eq.(43), has another motivation in the BW mass formula, it produces a rough balance between the number of neutrons  $N$  and number of protons  $Z$  among the  $A = N+Z$  nucleons. In the absence of this term, the semi-empirical mass formula would suggest maximum binding for a nucleus consisting only of neutrons. The symmetry energy has two contributing factors – a kinetic energy term and a potential energy term [130], that have the same form and proportional to  $(N-Z)^2/A$ . Since the isoscalar part of the interaction does not distinguish between protons and neutrons, a qualitative estimate of the potential energy contribution is obtained by con-

sidering the isovector part of the nucleon-nucleon interaction. It has the same form as the kinetic energy, which is usually estimated in a Fermi gas model and proportional to  $(N-Z)^2/A$ . Note the symmetry term, recalling binding energy connection to the isospin  $I$ , which was introduced by Myers and Swiatecki [131]. It should be noted that a more sophisticated treatment of the nuclear interaction (as in the seniority shell model or the Wigner supermultiplet theory [132]) would produce symmetry energies of the form  $I(I+1)$  or  $I(I+4)$ , respectively, where the nuclear isospin  $I = |N-Z|/2$ .

Despite the widespread use of formula, Eq.(43), in nuclear physics it was found that it is severely inadequate for light-mass nuclei, especially away from the line of stability [133], after the discovery of neutron rich light nuclei. The unusual stability of nuclei with preferred nucleon numbers, commonly referred to as magic numbers, can be clearly delineated by comparing the experimental binding energies with predictions of the BW mass formula. However, this comparison does not indicate the recently observed features like the disappearance of some traditional magic numbers [134, 135, 136, 137, 138] and extra stability for some newly observed nuclei.

These issues motivate the recent phenomenological searches for a more generalized BW formula [139, 140, 141, 142], which can explain the gross features of the shapes of the binding energy versus neutron number curves of all the elements from  $Li$  to  $Bi$ . Nevertheless in order to understand and appreciate the relevance and reliability of the semi-empirical mass formula, it is necessary to study not only the effect of adding specific terms to the original BW formula, but also the interplay between the different terms. At this point, we would like to reduce the excessive inflation of discussion about different terms of the BW, the interested reader is referred to this Ref. [77] and references therein to familiarize oneself with rich history proposals of additional terms for inclusion in the formula.

The existence of the heaviest atomic nuclei bound against immediate disintegration depends on the detailed arrangement of protons,  $Z$ , and neutrons,  $N$ , in shells that provide a second effect on nuclear stability, which is analogous to the way electrons fill atomic orbitals; see, for instance, [15, 143, 144, 145] and references therein. Some of the effective interactions used in the shell model approach [146, 147] can be traced back to the nucleon-nucleon Brueckner  $G$ -matrix [148, 149, 150]. Closed shells are energetically favorable, and this modulates the smooth trend of the binding energy predicted by the liquid drop model. It has proven very successful, that few valence nucleons (outside closed shells) can describe the properties of nuclei [132], including energy levels, magnetic and quadrupole moments, electromagnetic transition probabilities, beta-decay rates and reaction cross-sections. Moreover, this approach has also been used as the theoretical basis for several algebraic nuclear models [151, 152]. Therefore, the shell model became the standard model for describing the systematics observed in the spectra and transition intensities of  $p$ - [153],  $sd$ - [154, 155, 156] and lower  $fp$ -shell [157, 158, 159, 160] nuclei. Since the size of the model space increases rapidly with the number of valence nucleons and/or orbits, full major shell calculations were limited to nuclei with  $A < 49$  [159, 160].



$\alpha_{vol}$	$\alpha_{surf}$	$\alpha_{comb}$	$\alpha_{sym}$	$\alpha_{pairing}$
16.00126[17]	21.18466[17]	-	-	-
16.24[161]	18.63[161]	-	-	-
15.36(3)[77]	16.42(8)[77]	0.691(2)[77]	22.53(7)[77]	-
15.77(3)[164]	18.341[164]	0.711[164]	23.211[164]	11.996[79]
15.75[165]	17.8[166, 165]	0.711[165]	23.7[165]	11.18[165]
15.835[167]	18.3299[167]	0.1785[167]	23.203[167]	$\pm 11.2^*$ [167]
-	14 [168]	-	-	-
-	17.9439[131]	-	-	-
-	20.69[169]	-	-	-
15.4920[170]	16.9707[170]	-	-	-
15.3982 [171]	17.3401 [171]	0.6 [171]	-	-
-15.794 [53]	17.77 [53]	-	27.95 [53]	-
-15.805 [55]	17.5 [55]	-	27.81 [55]	-
-15.794 [54]	17.5 [54]	-	28.00 [54]	-
-16.247 [21]	22.92(22) [21]	-	32.73(35) [21]	-
$\langle \alpha_{vol} \rangle$	$\langle \alpha_{surf} \rangle$	$\langle \alpha_{comb} \rangle$	$\langle \alpha_{sym} \rangle$	$\langle \alpha_{Wigner} \rangle$
19.12231	18.1929	0.518735	12.54048	28.9866

Table 1: List of the BW mass formula coefficients (in MeV) obtained using different fitting procedures and the corresponding rms deviations (in keV). The sign “-” in the  $\alpha_{pairing}$  column corresponds to even-even nuclei, and the “+” to odd-odd nuclei. Macroscopic parameters of the different mass formulas based on Hartree-Fock-Bogoliubov theories [55, 53, 54] and the FRDM [17, 22, 21] are shown in the center of the table and are underlined by a horizontal line. The quantities in parentheses for the FRDM denote the values used in the microscopic part of the model. \* denotes the most accurate value of the pairing term obtained from the  $\beta$  decay energies of isodiapheres as a function of the mass number. The less accurate value is 33.5 MeV [167]. Results of the current work shown in the bottom line.

Therefore continuous improvements are still needed to determine of the nuclear masses and their structure.

#### 4. Parametrization of the Bethe-Weizsäcker mass formula

So far, due to absence of rigorous theory of the nucleus the role of the various correction terms in the BW formula remain unclear [139, 140, 77]. As far as their empirical basis is concerned, the introduction of correction terms into the equation for the binding energy, despite the addition of new parameters, does not lead to any appreciable improvement in the agreement with experiment. Nevertheless, the introduction of purely empirical corrections to the parity and the effects of the shells considerably improves the agreement with experiment [172, 173, 174].

The present paper attempts to provide a general mathematical formulation of this problem and to relate its occurrence to a new research strategy. A general calculational approach to the analysis of latent regularities is suggested, based on auto-regularized iteration processes for solving non-linear problems, see Sec.2.2.

The aim of our study was to investigate the BW mass formula correction terms correlation for the whole set of nucleus masses that have been measured [74] and to provide information on latent regularities that may affect the nuclei formation. Recent fits to the AME2012 atomic mass evaluation [10, 74] are given

in Table 1. One may consider the AME database as a good playground for developing and testing different nuclear models.

In this section, we analyze fluctuations of the nuclei and atomic masses as a many-body quantum system; we rewrite the BW mass formula Eq.(43) in the functional analytical framework of an operator equation. In particular, we discuss the existence and origin of a chaotic part in the binding energy and its possible implications on the accuracy of theoretical mass predictions in atomic nuclei. A careful analysis of the previous attempts of calculation nucleus masses reveals that all models can reproduce experimental/empirical trends on the average [17, 10, 79, 77, 131, 161, 164, 165, 166, 167, 168, 169, 170, 171]. In order to overcome this issue we consider a parameterized non-linear dynamical system of equations for determining nuclei and atomic masses from the experimental bound-state energies, which can be written using the vector notation of Eq.(5) as:

$$F E_{B,j}^{\text{Th}}(A, Z, \{a_i\}) = E_{B,j}^{\text{Expt}}(A, Z), \quad (44)$$

$$F M_{a.m.,j}^{\text{Th}}(A, Z, \{a_i\}) = M_{a.m.,j}^{\text{Expt}}(A, Z), \quad (45)$$

$$F M_{n.m.,j}^{\text{Th}}(A, Z, \{a_i\}) = M_{n.m.,j}^{\text{Expt}}(A, Z), \quad (46)$$

$$F \Delta m_j^{\text{Th}}(A, Z, \{a_i\}) = \Delta m_j^{\text{Expt}}(A, Z), \quad (47)$$

where  $F$  is the rectangular  $d \times m$  ( $d = 1, \dots, \mathcal{N}_{\text{data}}; m = 1, \dots, \mathcal{N}_{\text{param}}$ ) Jacobian matrix composed of the Frechet derivatives with respect to the model parameters. Each system of Eqs.(44) - (47) contains 2564 equations, which correspond to the number of the experimental data-points. Therefore, these systems are overdetermined because the number of considered equations exceeds the number of parameters used in the fit. The right hand side of these equations represented by the vector of the observed experimental data,  $j$  is the component of this vector, also it indicates the nonlinear equation in the system.

The solution of the overdetermined system of Eqs.(44) for the binding energy and its model is given by the real values of the parameters  $a_i$ , where  $i = 1, \dots, \mathcal{N}_{\text{param}}$  is the number of unknown parameters. Due to ill-posedness of the formulated problem to obtain a true solution we apply the iterative approach, which is based on the auto-regularized iteration process of Gauss-Newton type that was described in the previous sections (Sec.2). For more details we recommend to read the following references [83, 86, 118].

The main idea of the any regularization algorithm is to consider, instead of one ill-posed inverse problem Eq.(44), a family of well-posed problems,

$$F_\varepsilon E_{B,j}^{\text{Th}}(A, Z, \{a_i\}) = E_{B,j}^{\text{Expt}}(A, Z), \quad (48)$$

which approximate the original inverse problem in some sense. The scalar parameter  $\varepsilon > 0$ , which is defined using Eq.(30), is called a regularization parameter. The considered regularization algorithm Eq.(48) allows one to impose the following requirement on the system (Eqs.(44)–(47))

$$E_{B,j}^{\text{Th}}(A, Z, \{a_i\}) \rightarrow E_{B,j}^{\text{true}}(A, Z), \text{ if } \varepsilon \rightarrow 0, \quad (49)$$

where  $E_{B,j}^{\text{Th}}(A, Z, \{a_i\})$  is the solution of the inverse problem Eq.(48), and  $E_{B,j}^{\text{true}}(A, Z)$  is the true solution of the original problem Eq.(44). Thus, we replace the solution of one ill-posed inverse problem by the solutions of the family of well-posed problems, assuming that these solutions,  $E_{B,j}^{\text{Th}}(A, Z, \{a_i\})$ , tend asymptotically to the true solution, as  $\varepsilon$  tends to zero.

In other words, the applied regularization algorithm, as in any other, is based on the approximation of the noncontinuous inverse operator  $F^{-1}$  by the family of continuous inverse operators  $F_{\varepsilon}^{-1}E_{B,j}^{\text{Expt}}(A, Z)$  that depend on the regularization parameter  $\varepsilon$ . The regularization must be such that, as  $\varepsilon$  vanishes, the operators in the family should approach the exact inverse operator  $F^{-1}$ .

The regularized solution of the ill-posed inverse problem, Eq.(44), is provided by minimization of the corresponding parametric functional

$$\mathcal{J}_{\varepsilon}(E_B^{\text{Th}}(A, Z, \{a_i\})) = \min \left\{ \|F E_B^{\text{Th}}(A, Z, \{a_i\}) - E_B^{\text{Expt}}(A, Z)\|^2 + (\alpha + \varepsilon) \|\mathcal{W} E_B^{\text{Th}}(A, Z, \{a_i\})\|^2 \right\}, \quad (50)$$

where the  $j$  and  $k$  indices are omitted for brevity, the Tikhonov and Aleksandrov regularization parameters are denoted as,  $\alpha$  and  $\varepsilon$  correspondingly.  $\mathcal{W} \in \mathbf{R}^{p \times \mathcal{N}_{\text{param}}}$  is a positively determined linear continuous operator in the space of model parameters that imposes smoothness. We assume that  $\ker F \cap \ker \mathcal{W} = \{0\}$ , which guarantees the uniqueness of the minimizer, and the rank of the matrix  $\mathcal{W}$  is  $\mathcal{N}_{\text{param}}$ .

The solution of the penalized least-squares problem, Eq.(50), is given by Eq.(29), which can be rewritten as

$$\begin{aligned} E_B(A, Z, \{a_i\})_{k+1} &= E_B(A, Z, \{a_i\})_k \\ &- \left[ F^T (E_B(A, Z, \{a_i\})_k) F' (E_B(A, Z, \{a_i\})_k) + (\alpha + \varepsilon_k) I_{\mathbf{R}^n} \right]^{-1} \\ &\times \left[ F^T (E_B(A, Z, \{a_i\})_k) (F (E_B(A, Z, \{a_i\})_k) - E_B^{\text{Expt}}(A, Z)_k) \right. \\ &\left. + \alpha E_B(A, Z, \{a_i\})_k \right]. \end{aligned} \quad (51)$$

We assume that the misfit between the observed data and the true data is less than the given level of the experimental uncertainties. We will just comment here that in this statement we just follow the exposition given by Tikhonov and Arsenin [93] and Lavrenti'ev [176]. For more details, please see Ref.[177]. So, in this situation, it is natural to search for a solution in the set of the models such that

$$\|F E_{B,j}^{\text{Th}}(A, Z, \{a_i\}) - E_{B,j}^{\text{Expt}}(A, Z)\|^2 \leq \delta \quad (52)$$

with a given experimental uncertainty  $\delta > 0$ .

Note, that here we just described the basic idea of the applied method focusing only on the binding energy, the same method have been used for the rest of the systems, Eqs.(45) -(47). In order to proceed further one have to choose the initial model for description of the binding energy. The BW mass formula was chosen for this role, the motivation for this choice has been

already explained in the previous sections. It provides the baseline fit for all the rest models [17, 10, 79, 77, 131, 161, 164, 165, 166, 167, 168, 169, 170, 171].

The generalization form of the BW mass formula in the inverse problem framework, Eq.(43), for the binding energy per nucleon can be written as:

$$\begin{aligned} E_B(A, Z, \{a_i\}) &= \alpha_{\text{vol}}(A, Z, \{a_i\})_1 - \alpha_{\text{surf}}(A, Z, \{a_i\})_2 \frac{1}{A^{p_1(A, Z, \{a_i\})_6}} \\ &- \alpha_{\text{comb}}(A, Z, \{a_i\})_3 \frac{Z(Z-1)}{A^{p_2(A, Z, \{a_i\})_7}} - \alpha_{\text{sym}}(A, Z, \{a_i\})_4 \frac{(N-Z)^2}{A^{p_3(A, Z, \{a_i\})_8}} \\ &+ \alpha_{\text{Wigner}}(A, Z, \{a_i\})_5 \frac{\delta(A, Z)}{A^{p_4(A, Z, \{a_i\})_9}} + K_{MN}(A, Z, \{a_i\})_{10}. \end{aligned} \quad (53)$$

The  $\delta(A, Z)$  is denoted as:

$$\delta(A, Z) = \begin{cases} +1, & \text{for even } N, Z \\ -1, & \text{for odd } N, Z \\ 0, & \text{for odd } (Z + N) \rightarrow \text{for odd } A. \end{cases} \quad (54)$$

Note, to perform the generalization of the BW mass formula we assume, that all the BW constant terms that are obtained as results of the different fitting procedure (see Table 1) in the inverse problem framework are unknown functions of  $A$ ,  $Z$ , and  $N$ , namely structures, and the set of the unknown parameters  $\{a_i\}$ . In addition, we involve the Wigner term, and use the correction term instead of the pairing term, which is sensitive to the magicity of the given atomic mass number. Since the BW mass formula has no shell effect incorporated and thus when the shell effect in a nucleus quenches, by including this term, the theoretical mass should come closer to the experimental ones. Also, the original Coulomb has been implemented in order to have the possibility to describe the light nuclei. Therefore, we assume that all structures corresponding to the appropriate type of energy, namely, volume, surface, Coulomb, asymmetry and pairing, as well as the power factors  $A^{-1/3}$ ,  $A^{-4/3}$ ,  $A^{-2}$ ,  $A^{-3/2}$ , are all determined with the help of the function of  $A$ ,  $Z$  and unknown number of the parameters  $a_i$ , where  $i = 1, \dots, \mathcal{N}_{\text{param}}$ .

The atomic masses that are related to the nuclear mass  $M_{n,m}(A, Z, \{a_i\})$  described by

$$M_{a,m}(A, Z, \{a_i\}) = Zm_p + Nm_n - AE_B(A, Z, \{a_i\}), \quad (55)$$

$M_{a,m}(A, Z, \{a_i\})$  may thus be connected to the experimental atomic masses given in [74] since:

$$M_{n,m}(A, Z, \{a_i\}) = M_{a,m}(A, Z, \{a_i\}) - Zm_e + B_e(Z). \quad (56)$$

The cloud of electrons that defines atomic dynamical [178], chemical and mechanical properties generates its own binding field, driven by the strong force that exists between all of its constituent nucleons (neutrons and protons). As such, nuclei have a much less well-defined 'center'. Thus the  $B_e(Z)$  in Eq.(56) is the binding energy of all removed electrons that is




Figure 2: Left – binding energy per nucleon as a function of atomic mass number,  $A$ . Right – mass excess as a function of atomic mass number,  $A$ . There are 2564 data-point representing isotopes within experimentally known atomic masses (red circles), results of the our calculation (black circles). The difference between the experimental data and the resulting true solution are shown on bottom pads respectively.

fitted by a power law accordingly to [179, 64] as

$$B_c(Z) = a_{el}Z^{a_{240}} + b_{el}Z^{a_{241}}, \quad (57)$$

with  $a_{el} = 1.44381 \times 10^{-5}$  MeV and  $b_{el} = 1.55468 \times 10^{-12}$  MeV.

The mass excess of a nuclide is

$$\Delta m(A, Z, \{a_i\}) = M_{a,m}(A, Z, \{a_i\}) - Au, \quad (58)$$

where  $m_H = 938.782303(0.084)$  MeV,  $m_n = 939.56538(4.56)$  MeV,  $m_p = 938.272046(21)$  MeV,  $m_{el} = 0.510998928(11)$  MeV [74, 180] and  $u = 931.494061$  MeV [74, 180]. The  $1 - \sigma$  uncertainties in the last digits are given in parentheses after the values.

In order to solve all systems of Eqs.(44)-(47) we adopt the following procedure. First, we searched for the appropriate solution for the binding energy for the given  $A$  and  $Z$ . The obtained solution was used as an approximation (‘fake solution’) to find the atomic masses, the solution for atomic masses was in turn used to find nuclear mass. Then, the fit is performed again, allowing the binding energy to vary for the given  $A$  and  $Z$ . The resultant binding energy is then taken to be a new seed, and this procedure is repeated iteratively until convergence is reached for all systems. Indeed the system converge due to applied iterative process that was discussed in Sec.2.2.

In Figs.2, we plot the result binding energy and the mass excess. In the bottom pads, we show the difference between true solution and the experimental data for each of the isotopes. There is no significant deviation for the binding energy, while the maximum absolute deviation for the mass excess is less than 2.6 MeV.

By solving the over determined nonlinear systems with conditions from Eqs.(49) and (52), using the different models for unknown functions  $\alpha_{vol}(A, Z, \{a_i\})$ ,  $\alpha_{surf}(A, Z, \{a_i\})$ ,  $\alpha_{comb}(A, Z, \{a_i\})$ ,  $\alpha_{sym}(A, Z, \{a_i\})$ ,  $\alpha_{Wigner}(A, Z, \{a_i\})$  in the step-by-step way we obtained their explicit form, which can be expressed as follows:

$$\begin{aligned} \alpha_{vol}(A, Z, \{a_i\}_1) &= \exp(a_1 + P(v, \{a_i\}_1)), \\ \alpha_{surf}(A, Z, \{a_i\}_2) &= \exp(a_2 + P(v, \{a_i\}_2)), \\ \alpha_{comb}(A, Z, \{a_i\}_3) &= \exp(a_3 + P(v, \{a_i\}_3)), \\ \alpha_{sym}(A, Z, \{a_i\}_4) &= \exp(a_4 + P(v, \{a_i\}_4)), \\ \alpha_{Wigner}(A, Z, \{a_i\}_5) &= \exp(a_5 + P(v, \{a_i\}_5)) + \omega_W(A, Z, \{a_i\}). \end{aligned} \quad (59)$$

The explicit form of functions in Eq.(59) has been obtained by implementation of the LCH procedure [116, 117] in the iteratively regularized method [83] for inverse problems of discovering the explicit form of the unknown functions, which is realized in the Dubna REGN program [84, 85, 87], and allows us to choose the better one of two functions with the same  $\chi^2$ .

The parameterized powers that were implemented in Eq.(53), have been obtained using the same LCH procedure, that was used for the structure functions, and can be written as:

$$\begin{aligned} p_1(Z, A, \{a_i\}_6) &= \exp(a_6 + P(v, \{a_i\}_6)), \\ p_2(Z, A, \{a_i\}_7) &= \exp(a_7 + P(v, \{a_i\}_7)), \\ p_3(Z, A, \{a_i\}_8) &= \exp(a_8 + P(v, \{a_i\}_8)), \\ p_4(Z, A, \{a_i\}_9) &= \exp(a_9 + P(v, \{a_i\}_9)). \end{aligned} \quad (60)$$




Figure 3: Distribution of the functions  $W_{\text{BrWigner}}^Z$  and  $W_{\text{BrWigner}}^N$ , see Eq.(68), for proton and atomic mass numbers shown together with the shell correction energy function, see Eq.(64). Zoomed view of the shell correction function shown in the top pad.

The function  $P(\nu, \{a_i\})$  in Eqs.(59) is defined using the exponential distributions as:

$$P(\nu, \{a_i\}_j) = \exp\left(-\left(\sum_{k=1}^4 c_k(\nu, \{a_i\}_j)\right)^2\right), \quad (61)$$

it determines corrections to the structure terms, and also implies corrections to the power factors with respect to the different isotopes. The functions  $c_k(\nu, \{a_i\}_j)$  defined through linear series of the variables  $\nu$  and parameters  $a_i$  as

$$\begin{aligned} c_1(\nu, \{a_i\}_j) &= a_{i_1}\nu_1 + a_{i_2}\nu_2 + a_{i_3}\nu_3 + a_{i_4}\nu_4, \\ c_2(\nu, \{a_i\}_j) &= a_{i_5}(\nu_1)^2 + a_{i_6}(\nu_2)^2 + a_{i_7}(\nu_3)^2 + a_{i_8}(\nu_4)^2, \\ c_3(\nu, \{a_i\}_j) &= a_{i_9}(\nu_1)^3 + a_{i_{10}}(\nu_2)^3 + a_{i_{11}}(\nu_3)^3 + a_{i_{12}}(\nu_4)^3, \\ c_4(\nu, \{a_i\}_j) &= a_{i_{13}}\nu_6 + a_{i_{14}}\nu_5. \end{aligned} \quad (62)$$

Here  $\{a_i\}_j$  represents the subset of the free parameters from the whole set of parameters that is used for the particular structure function. The consecutive index  $j$  defines a mapping for the chosen subset in the full set of free parameters used in this approach. For  $j = 1, \dots, 9$  the mapping is defined is the following

way<sup>4</sup>:

$$\begin{aligned} \{a_i\}_1 &\rightarrow a_{10}, a_{11}, \dots, a_{23}, \\ \{a_i\}_2 &\rightarrow a_{24}, a_{25}, \dots, a_{37}, \\ &\dots \\ \{a_i\}_9 &\rightarrow a_{122}, a_{123}, \dots, a_{135}. \end{aligned} \quad (63)$$

### Energy corrections based on magic numbers

The presented approach enables calculations of the nuclear properties in large model spaces. The concrete subjects of investigation are the nucleus masses and the structure behavior of the BW mass formula, whose bound states are interpreted as highly stable elements – nuclei with closures shells, magic numbers. In order to obtain such kind of dependencies from magic numbers and boundaries between them, which define their influence, different inverse problems were formulated using different values of proton and neutron magic numbers. The LCH analysis of the solutions of these additional problems helps us to establish the explicit form of these corrections, which depend on nine proton and ten neutron magic numbers. However, the blind analysis of the AME2016 data generates the slightly modified list of magic numbers, which in turn affected the correction energies, see Fig.7 and Table 2.

The function that determines the correction energy with re-

<sup>4</sup>For an explicit example, let us examine the case when the consecutive index  $j = 2$  in Eq.(61). Therefore, we have  $c_k(\nu, \{a_i\}_2)$ , whose sequence of the parameters, taken into account Eq.(63), can be written in the following way  $a_{i_1} \rightarrow a_{24}, a_{i_2} \rightarrow a_{25}, \dots, a_{i_{14}} \rightarrow a_{37}$ . Thus, for each of the functions  $P(\nu, \{a_i\})$  we assign the 14 parameters from the whole set  $\{a_i\}$ .






Figure 4: Evolution of the power factors (see Eq.(60)) as function of the proton, neutron and atomic mass numbers respectively. On the bottom pad we show the zoomed distribution of the  $p_1(A, Z, a_i)$  power factor.

spect to the magic numbers is:

$$\begin{aligned}
 & K_{MN}(Z, A, \{a_i\}_{10}) \\
 &= W_{\text{BrWigner}}\left(Z, Z_{MN}^{\text{nearest}}, w_Z, N, N_{MN}^{\text{nearest}}, w_N, \{a_i\}_{10}\right) \quad (64) \\
 &+ \omega_{MN}(A, Z, \{a_i\}),
 \end{aligned}$$

where  $w_Z$  and  $w_N$  are the mean values of the two closest proton magic numbers and the two neutron magic numbers respectively. For this function we use subset of  $\{a_i\}_{10}$  which now includes 15 parameters, starting from  $a_{136}$  parameter in the sequence. This correction function provides an indicator about the deviation in the level structure of nuclei away from closed shells. In addition, it includes the pairing effects, which can provide reliable information about magicity of the different proton and neutron numbers. The maximum values of the correction energy corresponds to shell closure at certain nucleon number, as will be shown later in the paper.

The  $\omega_W$  function in the Eq.(59) is defined as:

$$\omega_W(A, Z, \{a_i\}) = \exp\left(a_{237} \frac{v_7}{A} + a_{238} \frac{v_8}{Z} + a_{239} \frac{v_9}{N+1}\right). \quad (65)$$

The  $\omega_{MN}$  function in Eq.(64) defined in the similar way as  $\omega_W$ , the only difference it depends on the different subset of the parameters  $a_i$  as:

$$\omega_{MN}(A, Z, \{a_i\}) = \exp\left(a_{234} \frac{v_7}{A} + a_{235} \frac{v_8}{Z} + a_{236} \frac{v_9}{N+1}\right), \quad (66)$$

where the variables  $v_7$ ,  $v_8$  and  $v_9$  that used in these functions will be defined later in the paper.

The Breit-Wigner function,  $W_{\text{BrWigner}}$ , in Eq.(64) was con-

structured in the following form:

$$W_{\text{BrWigner}}(Z, Z_{MN}^{\text{nearest}}, w_Z, N, N_{MN}^{\text{nearest}}, w_N, \{a_i\}_{10}) \\ = W_{\text{BrWigner}}^Z(Z, Z_{MN}^{\text{nearest}}, w_Z, \{a_i\}) + W_{\text{BrWigner}}^N(N, N_{MN}^{\text{nearest}}, w_N, \{a_i\}), \quad (67)$$

where

$$W_{\text{BrWigner}}^Z(Z, Z_{MN}^{\text{nearest}}, w_Z, \{a_i\}) = \mathcal{A}_Z \frac{\exp\left(\frac{-(Z - Z_{MN}^{\text{nearest}})^2}{2Q(v, \{a_i\}_{12})}\right)}{(Z - Z_{MN}^{\text{nearest}})^2 + Q(v, \{a_i\}_{12})}, \\ W_{\text{BrWigner}}^N(N, N_{MN}^{\text{nearest}}, w_N, \{a_i\}) = \mathcal{A}_N \frac{\exp\left(\frac{-(N - N_{MN}^{\text{nearest}})^2}{2Q(v, \{a_i\}_{13})}\right)}{(N - N_{MN}^{\text{nearest}})^2 + Q(v, \{a_i\}_{13})}, \quad (68)$$

Here  $Z$  is the proton number,  $N$  is neutron number,  $w_Z$  and  $w_N$  are half-width of the two closest magic numbers for the given proton and neutron numbers respectively. One may note, that these widths are representing the arguments of the generalized BW mass function, which is defined as the product of the two distributions, the Gaussian and the Breit-Wigner. Given that prescription, one may conclude that the nearest proton or neutron number is the location parameter, specifying the location of the peak of the binding energy distribution.

The amplitudes in Eq.(68) are written as:

$$\mathcal{A}_Z(v, \{a_i\}_{10}) = w_Z + Q(v, \{a_i\}_{10}), \\ \mathcal{A}_N(v, \{a_i\}_{11}) = w_N + Q(v, \{a_i\}_{11}). \quad (69)$$

The scale functions,  $Q(v, \{a_i\}_j)$  in Eq.(68), which specify the half-width at half-maximum, are given by this relation:

$$Q(v, \{a_i\}_j) = \exp\left(a_{i+15} - \left(\sum_{k=1}^4 c_k(v, \{a_i\}_j)\right)^2\right). \quad (70)$$

As one may note, the Eq.(70) is similar to the  $P(v, \{a_i\}_j)$  function from Eq.(61), but here we have an extra term,  $a_{i+15}$ . Due to this term the  $j$  index is now mapping 15 parameters for each of the function in the expressions Eq.(68) and Eq.(69):

$$\{a_i\}_{10} \rightarrow a_{136}, a_{137}, \dots, a_{150}, \\ \{a_i\}_{11} \rightarrow a_{151}, a_{152}, \dots, a_{165}, \\ \dots \\ \{a_i\}_{13} \rightarrow a_{181}, a_{182}, \dots, a_{195}, \quad (71)$$

Since experimental data has systematic uncertainties we apply robust procedures in order to estimate the weights of the explicit form of the Breit-Wigner distributions, which has been obtained with the help of the LCH-weights method [116, 117].

In Fig.3 we plot the distribution functions of Eq.(68). In the top pad, we show for comparison the spectrum of the shell correction energy, Eq.(64), that reflects effect of the magicity of the given atomic mass number. From this figure, it is clear how the adopted Breit-Wigner functions correlates with the shell correc-

tion function.

In the given formalization, see Eqs.(44) and 53 the problem of finding the unknown structure functions in Eq.(59) becomes similar to the problem that was stressed in the Sec.2, namely the problem of allocating the exponents with unknown decrement  $h_i$  and amplitudes ( $a_0, a_i$ ) on the finite values of their sum,  $f(t_k)$ , which are known approximately [118].

If we do not know the exact number of the exponents, then this problem can be resolved by assuming that number  $n$  in Eq.(10) is very big, bigger than the expected number of the unknown exponents. However, to obtain the correct dependences of the decrements on the level of the  $A, Z$  numbers in Eq.(59), it is necessary to carry out extensive and time-consuming computations of the amplitude of the attenuating oscillations for subsequent calculations of the different values of the decrements.

In the developed iteration scheme, the problem of choosing the initial approximations (*a priori* knowledge) is in some sense solved, by using values from [165], see the fifth row in Table 1, as initial values for structure functions. The choice of  $p_i$  is arbitrary, and in present application we suppose, that initial values correspond to the liquid-drop model, hence we start from the power factors  $p_1 = 1/3, p_2 = 4/3, p_3 = 2/3$  and  $p_4 = 3/2$ . Of course, in standard regularization *a priori* knowledge leads to restriction on the solution space. However, this approximation was chosen not because we think that it is a good description of the binding energy, but rather because it is a necessary first step towards the required formalism. Indeed as will be shown further, this approximation is a useful simplification of the parameterized powers, see Eq.(60). The result power factors we plot in Fig.4.

### Independent variables and free parameters

For next step forward, one may need to define the number and the form of the independent variables. Thus the next problem is to choose the independent variables of the functions  $a_{vol}, a_{surf}, a_{comb}, a_{sym}, a_{Wigner}$ , and  $p_j$ , where  $j = 1, 2, 3, 4$ . The hypothesis that they are linearly independent permits one to choose them as follow:

$$v_1 = \frac{Z}{A}, v_2 = \frac{N}{A}, v_3 = \frac{N - Z}{A}, v_4 = \frac{Z}{N + 1}, \quad (72)$$

where  $Z$  and  $N$  are the numbers of protons and neutrons in nuclei, and  $A = Z + N$ . The next two the linearly independent variables are

$$v_5 = \log(A + 1), v_6 = \frac{1}{v_5}, \quad (73)$$

We have also the corresponding four square and the four cubic terms of Eq.(72) that used in Eq.(62). In addition to those parameters three spin variables  $v_7, v_8, v_9$  were implemented in order to estimate the impact of valence proton and neutron in the nuclei to the binding energy, as well as to obtain dependencies of the binding energy with respect to the odd-odd, even-




Figure 5: The shell correction energy function  $K_{MN}(A, Z, \{a_i\})$  based on the magic numbers, see Eq.(64), as function of the proton  $Z$ , neutron  $N$  and atomic mass number  $A$  respectively. The proton and neutron magic numbers displayed in respective pads within the limits of influences for each of the magic numbers. The magnitude of magicity of the different numbers slightly differs. A large shell correction energy corresponds to shell closure at certain nucleon numbers. The magic numbers are indicated with arrows, the boundaries of each the discovered magic numbers on top of the arrows (see Table 2 for more details). The traditional magic numbers ( $Z = 2, 8, 14, 20, 28, 50, 82$ ) and ( $N = 2, 8, 14, 20, 28, 50, 82$ ) are clearly seen close to the stable nuclei, while the peaks close to magic numbers ( $Z = 2, 8$ ) and ( $N = 2, 8$ ) are less clear.

even, odd-even nuclei. They are defined in the following way

$$\begin{aligned} \nu_7 &= \begin{cases} 0, & \text{for odd } A \\ 1, & \text{otherwise} \end{cases} \\ \nu_8 &= \begin{cases} 0, & \text{for odd } Z \\ 1, & \text{otherwise} \end{cases} \\ \nu_9 &= \begin{cases} 0, & \text{for odd } N \\ 1, & \text{otherwise} \end{cases} \end{aligned} \quad (74)$$

Thus, totally we use 17 linearly independent variables.

Summing up all above, let us compute the number of unknown parameters in our parameterization. The parameters that we found in order to describe the whole set of the experimental data are:

$$n_{str} = 5, \quad n_p = 4, \quad n_{map} = 14, \quad (75)$$

where  $n_{str}$  is the number of the structures namely, volume, surface, Coulomb, asymmetry, Wigner and magic number terms, see Eq.(59);  $n_p$  is the number of the power factors that used in our parameterization, see Eq.(60), while the total number of the structures and power factors defined as  $n_{SP} = n_{str} + n_p$ . Thus only for the structure functions, Eq.(59), in the BW mass formula we implement

$$n_{SP} + n_{SP}n_{map} = 135, \quad (76)$$

where  $n_{map}$  is the number of parameters that we use for each of the unknown functions in Eq.(62).

The number of parameters for the function that determines the correction energy, Eq.(64), with respect to the magic numbers namely, the Breit-Wigner function, is equal to

$$n_{BrWign} = 2n_{width} + 2n_{amp} = 60, \quad (77)$$

where we use 15 parameters to define the widths,  $n_{width}$ , and 15 parameters to define the amplitudes,  $n_{amp}$ .

The number of unknown parameters in our mass function before the correction of magic numbers starts affecting the final solution defined as  $n_0$  and written as:

$$n_0 = n_{SP} + n_{SP}n_{map} + n_{BrWign} = 195. \quad (78)$$

Therefore, in total we have:

$$\mathcal{N}_{param} = n_0 + 2n_{mn,Z} + 2n_{mn,N} + 8 = 241, \quad (79)$$

where the total number of the proton magic numbers is  $n_{mn,Z} = 9$ , the neutron  $- n_{mn,N} = 10$ . The factor of 2 in the front of the magic numbers appears due to fact, that one needs take into account the effect of the boundaries between two closest magic numbers with respect to the examined nuclei.  $\mathcal{N}_{param}$  is the total number of unknown free parameters that describes the semi-empirical mass formula in the inverse problem framework Eq.(53). Determination of these parameters of the binding energies represents nothing but a solution of the inverse problem

with approximate initial conditions.

Here we have to emphasize that many inverse problems include nuisance parameters, such as variance parameters, regularization parameters, application-specific tuning parameters, or degrees of freedom parameters, that are not of primary interest but can have significant influence on the estimation of primary parameters. Such kind of issues arise in a great variety of applications, including seismic inverse problems [186], dynamic systems [187], optimal experimental design [188], uncertainty quantification [189] and pharmacokinetic modeling [190]. Nevertheless, one may note that this is quite a big number with respect to the 31 independent mass-related parameters used in the finite-range droplet model (FRDM) [64], or, for instance, 19 parameters used in the Hartree-Fock BCS-method, the HFBCS-1 mass formula, [53], and in Hartree-Fock-Bogoliubov HBF-1 mass formulas [55]. However, this number is less than 477 parameters required in the mass relations used in [39], or by factor of three less than 928 parameters used in the mass predictions based on the Garvey-Kelson mass relations [40]. Indeed, we have a big number of parameters, because we do not know the exact number of exponents in this framework. However, in our case it is not an ultimate number, since most of these parameters are strongly correlated with each other, those in further computations, one can drop some of them off from the final solution in order to keep just uncorrelated ones. From our estimation, the total number of unknown parameters can be reduced by a factor of 2 or 4. Unfortunately, the search for these kind of correlations between unknown parameters requires a lot of computation resources due to nonlinearity of the problem, which is currently not available for us. In light of this issue, we decide stick to this number in the current work.

## 5. Results

A major program in computational physics is to calculate nuclear properties from underlying realistic nuclear forces. A careful analysis of the AME2012 [74, 75] database using the dynamic auto-regularization method or, more precisely, the REGN program [118, 84, 87, 85], which is the constructive development of Tikhonov regularization method [93, 94, 92], for solving the nonlinear system of equations Eq.(53), reveals phenomenological functional features of previously unknown parameters of the BW mass formula.

The search and selection of the best solution has been done with the help of the conventional statistical methods, such as assessments of the  $\chi^2$  test. The LCH-weighting procedure [116, 117] of the REGN program helps us to choose the better function out of two functions with the same  $\chi^2$ . The essential difference of the Alexandrov method [84, 87, 85, 118] from other similar methods is extremely effective ideology regularization of inverse problem solution, which on each iteration step controls not only the actual decision, but, very importantly, uncertainty of the solution. At the same time, it should be noted that the transition from the mathematical theory of the auto-regularized iterative processes, which is based on meaningful L. Aleksandrov's theorems of convergence [83], to Fortran codes,






Figure 6: Structure functions  $\alpha_{vol}$ ,  $\alpha_{surf}$ ,  $\alpha_{comb}$ ,  $\alpha_{sym}$  and  $\alpha_{Wigner}$  shown with respect to the atomic mass numbers (a). The products of the structure functions with the corresponding factors from the BW formula, Eq.(53), shown with respect to the proton, neutron and atomic mass numbers (b-d). Zoomed region in the bottom pad shows the  $\alpha_{vol}$  and  $\alpha_{surf}$  structure functions.

for example, REGN-Dubna [85], FXY-Sofia-Dubna [88] is a complicated, but technically clear work.

The presented parameterization of the binding energy allows us to solve the formulated inverse problem, see Eqs.(44) - 47, with the help of the Aleksandrov's auto-regularized method. This solution provides us description of the 2564 nucleus masses and their binding energies starting from the atomic mass number,  $A = 2$ , with relative error  $-1.1924 \times 10^{-6}$  and  $3.2197 \times 10^{-4}$  for atomic mass and binding energy respectively. Where the relative error for the binding energies, the atomic masses and etc. was computed as:

$$\bar{\epsilon}_{rel} = \frac{1}{N} \sum_{j=1}^{N=2564} \frac{E_{B,j}^{Expt}(A, Z) - E_{B,j}^{Th}(A, Z, \{a_i\})}{E_{B,j}^{Expt}(A, Z)}. \quad (80)$$

Mean absolute error  $\bar{\epsilon}_{abs}$  is  $-0.0509$  and  $7.8488 \times 10^{-4}$  for atomic mass and binding energy respectively. The maximum absolute deviation is less than 2.6 MeV for the atomic mass and less than 0.82 MeV for the binding energy. In addition, the various characteristics have been obtained, see Fig.4 and Fig.6. Here we would like to note, that one might reach a deviation less than 1.9 MeV for atomic masses by exclusion the Hydrogen atom from the consideration.

The model standard deviation computed using the Möller and Nix formula:

$$\sigma_{mod}^2 = \frac{1}{\sum w_j} \sum_{j=1}^{2564} w_j \left[ \left( M_{a.m.,j}^{Expt}(A, Z) - M_{a.m.,j}^{Th}(A, Z, \{a_i\}) \right)^2 - (\sigma_j^{Expt})^2 \right], \quad (81)$$

where  $M_{a.m.,j}^{Th}(A, Z, \{a_i\})$  is the model prediction for the data point  $i$ ,  $\sigma_j^{Expt} = \sigma_j^{Expt}(A, Z)$  is the experimental error with which each of the data points  $M_{a.m.,j}^{Expt}(A, Z)$  is measured, assuming that the inherent errors of the model follow a Gaussian distribution, see for details [22]. The same formula been used to compute the rms values for the binding energy. The results are shown in Table 4. Such big mean errors for the atomic mass are driven by the very light mass sector, which is not well described by this approach.

The mean model error is

$$\bar{\epsilon}_{mod} = \frac{1}{\sum w_j} \sum_{j=1}^{2564} w_j \left[ \left( M_{a.m.,j}^{Expt}(A, Z) - M_{a.m.,j}^{Th}(A, Z, \{a_i\}) \right) \right], \quad (82)$$

The weight factor is

$$w_j = \left( (\sigma_j^{Expt}(A, Z))^2 + (\sigma_j^{Th}(A, Z))^2 \right)^{-k}. \quad (83)$$

The benefit of such weighting in the form given by Eq.(81) is that one may ask if  $k = 2$  is the only possibility, or if other values of  $k$  are possible. We shall not discuss this question in depth here but instead will comment that if all  $(\sigma_j^{Expt})^2$  are equal, then

2012 data (2564 nuclei)	
Proton magic numbers	Neutron magic numbers
$1 \leq 2 < 5$	$1 \leq 2 < 5$
$5 \leq 8 < 11$	$5 \leq 8 < 11$
$11 \leq 14 < 17$	$11 \leq 14 < 17$
$17 \leq 20 < 24$	$17 \leq 20 < 24$
$24 \leq 28 < 39$	$24 \leq 28 < 39$
$39 \leq 50 < 66$	$39 \leq 50 < 66$
$66 \leq 82 < 95$	$66 \leq 82 < 103$
$95 \leq 108 < 116$	$103 \leq 124 < 138$
$116 \leq 124 < \text{unknown}$	$138 \leq 152 < 177$
	$177 \leq 202 < \text{unknown}$
2016 data (2496 nuclei)	
$66 \leq 82 < 89$	$66 \leq 82 < 104$
$89 \leq 96 < 102$	$104 \leq 126 < 134$
$102 \leq 108 < 117$	$134 \leq 142 < 147$
$117 \leq 126 < \text{unknown}$	$147 \leq 152 < 168$
	$168 \leq 184 < \text{unknown}$

Table 2: The range of influence of proton and neutron magics numbers obtained in this work using AME2012 data. The bottom lines correspond to the magic numbers obtained on the base of the AME2016 using solution of the inverse problem for the AME2012 data.

all values of  $k$  yield the same equation. However, the more interesting case is how  $k$  should be chosen if the  $(\sigma_j^{Expt})^2$  have different values, for details see [22]. To gain some additional insight into the properties of the applied method we compare the root-mean-square deviation of our calculated masses from the AME2012 for three different choices of  $k$  factor, namely 1, 1.5 and 2. In Table 4 we provide our  $\sigma_{mod}$  for the different  $k$ 's.

The mean modified error, Eq.(82), of our solution is of 1.232(1%) – 1.231(5%) MeV, the  $\sigma_{mod}$  of 1.11(1%) – 1.565(5%) MeV (assuming that the theoretical uncertainty varies between 1% and 5%, see Eq.(84), and  $k = 2$ ) for the atomic mass. While for the binding energy, using the same assumption for band of the theoretical uncertainties, we obtain  $\bar{\epsilon}_{mod}$ , of fit of 0.044(1%) – -0.0057(5%) MeV, the  $\sigma_{mod}$  of 0.209(1%) – 0.223(5%) MeV, which can be compared with the latest fits for all modern mass formulas [38, 40, 44, 43, 45, 35], see Table 4.

From this table one may note, that  $\sigma$  is different for the binding energy and atomic mass. However, from Eq.(55) it is clear that the binding energy and atomic mass are related with each other by a constant. Therefore, where did this deference come from? In fact, during our analysis we work with the binding energy per nucleon, as it presented in the AME data base. This is turn means, that if one will multiply both the experimental binding energies and the binding energies predicted by the inverse problem framework by the corresponding atomic mass number. Then will take the difference of these two energies. The observed discrepancy will gone.

The mean error of the model is computed, assuming that the theoretical uncertainty is modeled through a multi-band set of




Figure 7: The possible magic proton numbers suggested by two-proton separation energies, two-proton gaps, shell correction energies, pairing energies and effective pairing gaps for the proton (top). The possible magic neutron number suggested by two-neutron separation energies, two-neutron gaps, shell correction energies, pairing energies and effective pairing gaps for the neutron (bottom). Magic numbers are shown for the relativistic continuum Hartree-Bogoliubov (RCHB) theory calculation with the mostly used effective interactions NL1 [191], NL3 [192], NLSH [193], TM1 [194], TW99 [195], DD-ME1 [196], PK1 [197] and PK1R [197]. Data taken from [181]. The additional magic number candidates correspond to predictions of these models [182, 183, 184, 185, 198, 199, 200, 201, 202, 203, 204, 205], and shown in the horizontal bin – *other*. Predictions of the current work for the super-heavy region are shown with a black star. Note, that magic numbers are shown along the  $x$ -axis with a fixed arbitrary scale.

3% and 5%, in the following way:

$$\bar{\epsilon}_{\%} = \frac{1}{N} \sum_{j=1}^{N=2564} E_{B,j}^{\text{Th}}(A, Z, \{a_i\}) \times s_2 \quad (84)$$

The hypothesis testing has been done with the help of formula (see Eq.6 in [74]):

$$\chi^2 = \sum_{j=1}^{N=2564} \left( \frac{E_{B,j}^{\text{Expt}}(A, Z) - E_{B,j}^{\text{Th}}(A, Z, \{a_i\})}{\sigma_j(A, Z)} \right)^2, \quad (85)$$

where

$$\sigma_j(A, Z) = s_1 \sigma_j^{\text{Expt}}(A, Z) + s_2 E_B^{\text{Expt}}(A, Z). \quad (86)$$

Here  $\sigma_j^{\text{Expt}}(A, Z)$  is the uncertainty of a nucleus as it has been reported in AME2012,  $s_1$  and  $s_2$  are the nuisance parameters, where  $s_2$  is the percentage of the given experimental value. Eq.(85) has been applied to all considered nuclei in this work. Table 3 illustrates the quality of the descriptions of the binding energy, the nuclear and atomic masses, and the mass excess assuming a different hypothesis for the nuisance parameters  $s_1$  and  $s_2$ . Note, that some masses of nuclei are measured with very high precision, which can be noticed from the mass excess column in AME2012, but due to artificial cutoff of the significant digits the uncertainties for these nuclei are given as zero uncertainty. Since we do not know the exact numbers, we treat uncertainties for these nuclei as 1% of the given experimental

	$s_1$	$s_2, \%$	$\chi^2$	$\chi_n$
$E_B(A, Z, \{a_i\})$	1	$0.12 \times 10^{-1}$	$0.230 \times 10^4$	0.996
$M_{n.m.}(A, Z, \{a_i\})$	1	$0.337 \times 10^{-4}$	$0.232 \times 10^4$	0.999
$M_{a.m.}(A, Z, \{a_i\})$	1	$0.337 \times 10^{-4}$	$0.232 \times 10^4$	0.999
$\Delta m(A, Z, \{a_i\})$	1	0.304	$0.331 \times 10^4$	0.979
$E_B(A, Z, \{a_i\})$	1	0	$0.139 \times 10^{13}$	$0.245 \times 10^5$
$M_{n.m.}(A, Z, \{a_i\})$	1	0	$0.202 \times 10^{15}$	$0.294 \times 10^6$
$M_{a.m.}(A, Z, \{a_i\})$	1	0	$0.252 \times 10^{15}$	$0.330 \times 10^6$
$\Delta m(A, Z, \{a_i\})$	1	0	$0.254 \times 10^{15}$	$0.331 \times 10^6$

Table 3: The calculated  $\chi^2$  and  $\chi_n$  for the simplest choice of  $s_1$  and  $s_2$  values, where  $s_2$  is given in percent. Our case is the top subsection of the table, see Eq.(86), and the case without uncertainty turning is the bottom subsection.

value.

We used such analyses in order to be able to allocate questionable uncertainties in the 2012 Audi-Wapstra tables. In Table 3 we report the value of corrections that have been made.

In addition, one can define as above the normalized chi,  $\chi_n$  (or ‘consistency factor’ or Birge ratio):

$$\chi_n = \sqrt{\frac{\chi^2}{N - \mathcal{N}_{\text{param}}}} \quad (87)$$

where  $N - \mathcal{N}_{\text{param}}$  is the number of degrees of freedom.

As shown in Fig.6, the products of the structure functions with the corresponding terms in the BW formula are not independent of each other but rather strongly correlated, see

Eq.(53). From this figure, it is clear how the effect of the binding energy saturation reflected on each of the structure functions. The mean value of the structure functions are shown in Table.1.

The mean value of the power factors in the parameterized BW mass formula do not deviate too much from the initial approximation, while  $p_1$  decreases by a factor of two with respect to the initial approximation,  $p_1 = 1/3$ . The mean values are  $\langle p_1(A, Z, \{a_i\}) \rangle = 0.164398$ ,  $\langle p_2(A, Z, \{a_i\}) \rangle = 1.311083$ ,  $\langle p_3(A, Z, \{a_i\}) \rangle = 1.88221$ ,  $\langle p_4(A, Z, \{a_i\}) \rangle = 1.847739$ . The dependencies of the power factors with respect to the atomic mass number,  $Z$  and  $N$  are shown in Fig.4.

The correction function Eq.(64) in our work plays an important role in the parameterization procedure. Since one has to take into account the fact that there is an especially high binding energy for nuclei with double shell closures, that is, where the neutron and proton shells are both closed. The shell model does a good job of explaining the stability of nuclei with neutron and proton shell closures at 2, 8, 20, 28, 50, and 82, and when the neutron shell closes at 126. For instance, Helium-4, which has a double shell closure with 2 neutrons and 2 protons, is an example of a highly stable element. But where the closed shells are located in the heavy element region is less certain. Various models predict that it should occur at  $Z = 114, 120$ , or 126 for the protons and  $N = 150, 164, 172$  and 184 for the neutrons [162, 181, 182, 183, 184, 185]. The defined correction function in Eq.(64) provides an indicator about the deviation in the level structure of nuclei away from closed shells. In addition, it includes the pairing effects, which can also provide reliable information about the magic number. Fig.5 shows the correction energies, see Eq.(64), as a function of mass numbers  $Z, N$  and  $A$ . The peaks on Fig.5 represent the possible magic proton and neutron numbers. A peak is enhanced if a magic proton number exists, the boundaries of the discovered magic numbers are shown in Table 2. Therefore the analysis of the latent regularities allows us to rediscover the already known set of the magic numbers (2, 8, 20, 28, 50, 82), and obtain the additional magic numbers for proton and neutrons. Also as a consequence of our parameterized solution, we obtain the total number of magic numbers. We have compared our magic number candidates with results of previous works, this result is illustrated in Fig.7.

The obtained results and validation of our approach on the big set of the experimental data allows us to probe the outer boundary of the island of enhanced nuclear stability. Therefore, we make a prediction for the binding energy, nuclear and atomic mass, and mass excess of the recently discovery nuclei at the DGFERS separator [13], see Table C.6. In addition, we performed the blind analysis of the 2496 nuclei with  $N, Z \geq 1$  from the AME2016 [76] data using solution obtained on the base of the AME2012 data. Results of this analysis are shown in Table 4, new set of magic numbers is shown in Table 2.

The nuclear landscape, illustrated in Fig.1, is visualized by a plot of all known nuclei (green squares) and the valley of stability (black squares), with neutron number on the  $x$ -axis and proton number on the  $y$ -axis. The point where some of the nucleons, protons or neutrons, will be completely unbound is

known as a nuclear drip line, because it is as if the extra nucleons drip right off the nucleus. To find where these drip lines are on the nuclear landscape, the separation energy is needed. In finding both the proton and neutron drip lines, even-even nuclei were used. Since only even-even nuclei were considered, two neutron ( $S_{2n}$ ) and two proton ( $S_{2p}$ ) separation energies were used. These energies required to remove two neutrons and two protons

$$S_{2n}(N, Z) = (Z+N)E_B(N, Z, \{a_i\}) - (Z+(N-2))E_B(N-2, Z, \{a_i\}), \quad (88)$$

in the case of neutron shells, and the two-proton separation energy

$$S_{2p}(N, Z) = (Z+N)E_B(N, Z, \{a_i\}) - ((Z-2)+N)E_B(N, Z-2, \{a_i\}), \quad (89)$$

in the case of proton shells. The two-neutron and two proton drip lines are reached when  $S_{2n} \approx 0$  and  $S_{2p} \approx 0$ , respectively. In the real math we compute the separation energies until they do change the sign to minus, then we took the previous even-even nuclei for which the values of  $S_{2n}$  and  $S_{2p}$  are very close to zero as our drip-line limit. Since by convention, our values for the binding energy are per nucleon, that is, we put the additional factors in front of the binding energy. The result drip lines are shown in Fig.1. We observe that the drip lines reach some asymptotic limit, which occurs due to the asymptotic behavior of the variables  $v_1, v_2, v_3$ , see Fig.9, which were introduced in Eq.(72), and represent the discovered arguments of the separation energies.

## 6. Summary

Summarizing the above results, we may say that based on the obtained solution, the signatures of the traditional magic numbers 2, 8, 20, 28, 50, 82, which are clearly seen to be close to the stable nuclei, there is indication for some other shell closures at  $Z = 14, 108, 124$  and  $N = 14, 124, 152, 202$ , that are supported by the correction energies, see Eq.(64). However, as one may note, the peaks for these magic numbers looks more smeared than those from the general set. The function Eq.(64) used for the correction energy, representing the overall behavior of the single-particle spectra, may be a good candidate to identify the magicity of nuclei. As seen from Fig.7 the obtained magic proton number candidates have been proposed in the modified Lucas' geometrical packing scheme [184], while the magic neutron number candidates are new and do not match any models. Blind analysis of the AME2016 dataset with the same solution gives us a slightly different spectra of magic numbers. With a tail of  $Z = 96, 108, 126$  and  $N = 126, 142, 152, 184$ , see Table 2.

We found that results of the verification of the Bethe-Weizsäcker mass formula in the inverse problem framework greatly improve the agreement between the experimental masses and the calculated ones, see Fig.8, and thus predicts the drip-lines more accurately than calculated earlier [139, 140, 210] with the modified Bethe-Weizsäcker mass formula alone. This demonstration show us, that the implementa-






Figure 8: (a)(b) – Residuals of the experimental data and result of theoretical predictions of the generalized BW mass formula fitted with the help of the Gaussian distribution function using the AME2012 (2564 nuclei), (c)(d) – results of the blind analysis of the AME2016 (2496 nuclei) data using solution obtained on the base of the AME2012 data. Result of the binding energies fit is shown on the left panel, result for the atomic masses fits – center panel. Right panel – deviations of the different tunes of the BW mass formula, namely, Wapstra[167], Rohlf[165], Alonso [212] with the experimental data, results of this work shown on top pad.




Figure 9: The behavior of variables  $v_1, v_2, v_3$ , see Eq.(72), which are the discovered arguments of drip-lines of  $S_{2p}(Z, N)$  and  $S_{2n}(Z, N)$  presented in Fig.1.

tion of inverse problem method with the different mass models can become a very effective tool for providing mass predictions in regions far from known nuclear masses.

We adopt a procedure in which we compute all structure functions from scratch, which allows us to provide some predictions regarding the magic numbers. A correlation between the surface, Coulomb, asymmetry and Wigner terms has been found which allows us to avoid the introduction of different radius constants for the nuclear and the spin-orbit potentials.

The volume and surface symmetry terms are shown, see Fig.6, to be largely independent of the other terms in the formula, while the Coulomb diffuseness correction  $Z(Z-1)/A^{p_1}$  or the charge exchange correction  $(N-Z)^2/A^{p_3}$ , asymmetry and Wigner correction terms are of critical importance in determining the nucleon binding energy and play the main role to improve the accuracy of the mass formula. The Wigner term and the curvature energy can also be used separately for the same purpose. The interplay between different terms is found to be important.

We were able to calculate the borders of the nuclear landscape (drip lines) and show their limit, Fig.1(b). This finding together with the asymptotic behavior, see Fig.9, and accurate predictions of the binding energies of all known isotopes allows us to obtain quite precise predictions for the location of the proton and neutron drip lines, and claim the exact number of bound nuclei in the nuclear landscape. We would like to comment that this result is not in a conflict with respect to the problem of the critical charge in QED, for interested reader we refer to [211], where one may find all necessary details. We are of course aware that the super-heavy isotopes in Fig.1(b) cannot be produced at present and may be even at future facilities and that, so far, only theoretical studies may be carried out in such region of the nuclear chart.

The concept of ill-posed problems and the associated regularization theories seem to provide a satisfactory framework to solve nuclear physics problems. This new perspective may be used for testing the applications of the liquid model in different

areas, for forecasting the mass values away from the valley of stability, for calculation of kinetic and total energy of nuclear proton, alpha, cluster decays and spontaneous fission, for preliminary research of island stability problem and the possibility of creating new super-heavy elements in the future.

**ACKNOWLEDGMENTS:** We are grateful to **Lubomir Aleksandrov** for the provided REGN program. Strachimir Cht. Mavrodiev would like to thank **Alexey Sissakian** and **Lubomir Aleksandrov** for many years of a very constructive collaboration and friendship. Unfortunately, they passed away, but they made enormous contributions to the REGN development and application of it for solving different inverse problems, especially for the discovering latent regularities.

This work was supported by the Chinese Academy of Sciences President's International Fellowship Initiative under Grant No. 2016PM043.

## REFERENCES:

### References

- [1] J. Chadwick, The Existence of a Neutron, Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences, pp.692-708 (1932)
- [2] D. D. Ivanenko, The Neutron Hypothesis, Nature **129** (3265) (1932) 798.
- [3] E. Gapon, D. D. Ivanenko, Zur Bestimmung der Isotopenzahl, Die Naturwissenschaften **20**(43) (1932) 792–793, [in German]. doi:10.1007/BF01494007.
- [4] C. Weizsäcker, Zur Theorie der Kernmassen, Zeitschrift für Physik **96**, pp.431-458 (1935) doi:10.1007/BF01337700.
- [5] H. A. Bethe, R. F. Bacher, Nuclear Physics A. Stationary States of Nuclei, Rev.Mod.Phys. **8** (1936) 82–229.
- [6] J. Erler, N. Birge, M. Kortelainen et. al., The limits of the nuclear landscape, Nature **486** (2012) 509 – 521. doi:10.1038/nature11188.
- [7] M. Thoennessen, B. Sherrill, From isotopes to the stars, Nature **473** (2011) 25 – 26. doi:10.1038/473025a.
- [8] ENSDF Database, Ernest Orlando Lawrence Berkeley National Laboratory (2006).
- [9] M. Thoennessen, Reaching the limits of nuclear stability, Rep.Prog.Phys. **67**(7) (2004) 1187 doi:10.1088/0034-4885/67/7/R04.
- [10] A. Wapstra, G. Audi, C. Thibault, The AME2003 atomic mass evaluation: (I). Evaluation of input data, adjustment procedures, Nucl.Phys. **A729**(1) (2003) 129 – 336, doi:10.1016/j.nuclphysa.2003.11.002.
- [11] G. Audi, A. Wapstra, C. Thibault, The AME2003 atomic mass evaluation: (II). Tables, graphs and references, Nucl.Phys. **A729**(1) (2003) 337 – 676, doi:10.1016/j.nuclphysa.2003.11.003.
- [12] Yu. Ts. Oganessian et al., Synthesis of the isotopes of elements 118 and 116 in the  $^{249}\text{Cf}$  and  $^{245}\text{Cm} + ^{48}\text{Ca}$  fusion reactions, Phys.Rev. **C74** (2006) 044602. doi:10.1103/PhysRevC.74.044602.
- [13] Yu. Ts. Oganessian, V. Utyonkov, Superheavy nuclei from 48Ca-induced reactions, Nucl.Phys. **A944**(2015) 62 – 98, special Issue on Superheavy Elements. doi:10.1016/j.nuclphysa.2015.07.003.
- [14] W. Nazarewicz, B. M., S. Cwiok, P. Heenen, A. Kruppa, P.-G. Reinhard, T. Vertse, Theoretical description of superheavy nuclei, Nucl.Phys. **A701**(1-4) (2002) 165 – 171. doi:10.1016/S0375-9474(01)01567-6.

- [15] Yu. Ts. Oganessian, Heaviest nuclei from 48 Ca-induced reactions, *Journal of Physics G: Nuclear and Particle Physics* **34**(4) (2007) R165. doi:10.1088/0954-3899/34/4/R01.
- [16] Yu. Ts. Oganessian et al., Synthesis of the isotope  $^{282}\text{113}$  in the  $^{237}\text{Np} + ^{48}\text{Ca}$  fusion reaction, *Phys. Rev. C* **76** (2007) 011601. doi:10.1103/PhysRevC.76.011601.
- [17] P. Möller, J.R. Nix et al., Nuclear ground-state masses and deformations, *Atomic Data and Nuclear Data Tables* **59**(2) (1995) 185 – 381. doi:10.1006/adnd.1995.1002.
- [18] S. G. Nilsson, C. F. Tsang et al., On the nuclear structure and stability of heavy and superheavy elements, *Nucl.Phys.* **A131**(1) (1969) 1 – 66. doi:10.1016/0375-9474(69)90809-4.
- [19] M. Brack et al., *Funny Hills: The Shell-Correction Approach to Nuclear Shell Effects and Its Applications to the Fission Process*, *Rev.Mod.Phys.***44** (1972) 320–405. doi:10.1103/RevModPhys.44.320.
- [20] M. Bolsterli, E. O. Fiset, J. R. Nix, J. L. Norton, New Calculation of Fission Barriers for Heavy and Superheavy Nuclei, *Phys.Rev. C* **5** (1972) 1050–1077. doi:10.1103/PhysRevC.5.1050.
- [21] W. Myers, W. Swiatecki, The nuclear droplet model for arbitrary shapes, *Annals of Physics* **84**(1) (1974) 186 – 210. doi:10.1016/0003-4916(74)90299-1.
- [22] P. Möller, J.R. Nix, Nuclear masses from a unified macroscopic-microscopic model, *Atomic Data and Nuclear Data Tables* **39**(2) (1988) 213 – 223. doi:10.1016/0092-640X(88)90022-8.
- [23] J. Mendoza-Temis et al., Nuclear masses and the number of valence nucleons, *Nucl.Rev.* **A799** (2008) 84-93.
- [24] B.D. Serot, J.D. Walecka, *Relativistic Nuclear Many-Body Theory, Recent Progress in Many-Body Theories: Vol3*, Ed. T.L. Ainsworth, Springer US, Boston, MA (1992), 49–92.
- [25] J.D. Walecka, A Theory of highly condensed matter, *Annals Phys.* **83** (1974) 491-529.
- [26] S.K. Patra, R.K. Gupta, W. Greiner, Properties of Light Nuclei Near Drip-lines in the Relativistic Mean-Field Theory, in *Heavy Elements and Related New Phenomena*, World Sci.Publ. Company, (2013), 994-1024. doi:10.1142/9789812816634\_0026.
- [27] S.G. Zhou et al., Neutron halo in deformed nuclei, *Phys.Rev. C* **82** (2010) 011301. [arXiv:nucl-th/0909.1600].
- [28] Z.M. Niu et al., Nuclear effective charge factor originating from covariant density functional theory, *Phys.Rev. C* **87**(3) (2013) 037301. [arXiv:nucl-th/1305.5749].
- [29] S. Baohua, M. Jie, Challenge on the Astrophysical *R*-process Calculation with Nuclear Mass Models, *Chin.Phys.Lett.***25** (2008) 2429. [arXiv:nucl-th/0807.2509].
- [30] Z.M. Niu, S. Baohua, M. Jie, Influence of nuclear physics inputs and astrophysical conditions on Th/U chronometer, *Phys.Rev. C* **80** (2009) 065806. [arXiv:nucl-th/0912.1669].
- [31] Z.M. Niu, C.Y. Gao, Delta meson effects on neutron stars in the modified quark-meson coupling model, *Int.J.Mod.Phys. E* **19** (2010) 2247-2263. [arXiv:nucl-th/0805.1399].
- [32] Z.M. Niu et al., Selected issues at the interface between nuclear physics and astrophysics as well as the standard model, *Sci.China Phys.Mech.Astron.* **54**(1) (2011) 119–123.
- [33] X.D. Xu et al., Reexamining the temperature and neutron density conditions for *R*-process nucleosynthesis with augmented nuclear mass models, *Phys.Rev. C* **87**(1) (2013) 015805. [arXiv:nucl-th/1208.2341].
- [34] X.D. Xu et al.,  $\beta$ -decay half-lives of neutron-rich nuclei and matter flow in the *R*-process, *Phys. Lett. B* **723** (2013) 172-176. [arXiv:nucl-th/1210.0680].
- [35] J. Duffo, A. Zuker, Microscopic mass formulas, *Phys.Rev. C* **52** (1995) R23–R27. doi:10.1103/PhysRevC.52.R23.
- [36] J. Duffo, A. P. Zuker, The nuclear monopole Hamiltonian, *Phys.Rev. C* **59** (1999) R2347–R2350. doi:10.1103/PhysRevC.59.R2347.
- [37] A.P. Zuker, Shell formation and nuclear masses, *Rev.Mexic. de Fisica* **S44**(3) (2008) 129–135.
- [38] G. T. Garvey, I. Kelson, New nuclidic mass relationship, *Phys.Rev.Lett.***16** (1966) 197–200. doi:10.1103/PhysRevLett.16.197.
- [39] G. T. Garvey, W. J. Gerace et al., Set of Nuclear-Mass Relations and a Resultant Mass Table, *Rev.Mod.Phys.***41** (1969) S1–S80. doi:10.1103/RevModPhys.41.S1.
- [40] J. Jänecke and P. J. Masson, Mass predictions from the Garvey-Kelson mass relations, *Atomic Data and Nuclear Data Tables* **39**(2) (1988) 265 – 271. doi:10.1016/0092-640X(88)90028-9.
- [41] Y.Y. Cheng, Y.M. Zhao, A. Arima Strong correlations of the Garvey-Kelson mass relations, *Phys.Rev. C* **89** (2014) 061304(R).
- [42] L. Satpathy, Infinite nuclear matter based for mass of atomic nuclei, *J.Phys. G* **13**(6) (1987) 761.
- [43] R. Nayak, L. Satpathy, Mass Predictions in the Infinite Nuclear Matter model, *Atomic Data and Nuclear Data Tables* **73** (2) (1999) 213 – 291. doi:10.1006/adnd.1999.0819.
- [44] S. Liran, N. Zeldes, A semiempirical shell-model formula, *Atomic Data and Nuclear Data Tables* **17** (5-6) (1976) 431 – 441. doi:10.1016/0092-640X(76)90033-4.
- [45] H. Koura et al., Nuclear mass formula with shell energies calculated by a new method, *Nucl.Phys.* **A674**(1-2) (2000) 47 – 76. doi:10.1016/S0375-9474(00)00155-X.
- [46] H. Koura et al., Nuclidic Mass Formula on a Spherical Basis with an Improved Even-Odd Term, *Prog.Theor.Phys.***113** (2005) 305 – 325. doi:10.1143/PTP.113.305.
- [47] S. Goriely, Nuclear inputs for astrophysics applications, *AIP. Conf. Proc.* **529** (2000) 287–294. doi:10.1063/1.1361389.
- [48] N. Wang, M.Liu, Nuclear mass predictions with radial basis function approach, *Phys.Rev. C* **84** (2011) 051303. [arXiv:nucl-th/1111.0354].
- [49] N. Wang et al., Surface diffuseness correction in global mass formula, *Phys.Lett. B* **734** (2014) 215 – 219. [arXiv:nucl-th/1405.2616].
- [50] C.E. Rolf, W.S. Rodney, *Cauldrons in the Cosmos*, University of Chicago Press, Chicago, (1988).
- [51] R.A. Alpher, H. Bethe, G. Gamow, The Origin of Chemical Elements, *Phys.Rev.* **73**(7) (1948) 803–804.
- [52] Z. Niu et al., Radial basis function approach in nuclear mass predictions, *Phys.Rev. C* **88** (2013) 024325. [arXiv:nucl-th/1309.0407].
- [53] S. Goriely, F. Tondeur, J. Pearson, A Hartree-Fock Nuclear Mass Table, *Atomic Data and Nuclear Data Tables* **77**(2) (2001) 311 – 381. doi:10.1006/adnd.2000.0857.
- [54] S. Goriely, M. Samyn, P.-H. Heenen et al., Hartree-Fock mass formulas and extrapolation to new mass data, *Phys.Rev. C* **66** (2002) 024326. doi:10.1103/PhysRevC.66.024326.
- [55] M. Samyn, et al., A Hartree-Fock-Bogoliubov mass formula, *Nucl.Phys.* **A700**(1-2) (2002) 142 – 156. doi:10.1016/S0375-9474(01)01316-1.
- [56] J. R. Stone, Self-consistent Hartree-Fock mass formulae: a review, *Journal of Physics G: Nuclear and Particle Physics* **31** (11) (2005) R211. doi:10.1088/0954-3899/31/11/R01.
- [57] M.V. Stoitsov et al., Axially deformed solution of the Skyrme-Hartree-Fock-Bogolyubov equations using the transformed harmonic oscillator basis: The Program HFBTHO (v1.66p), *Comput. Phys. Commun.* **167** (2005) 43-63. [arXiv:nucl-th/0406075].
- [58] T. Niksic et al., DIRHB - A relativistic self-consistent mean-field framework for atomic nuclei, *Comput. Phys. Commun.* **185** (2014) 1808-1821. [arXiv:nucl-th/1403.4039].
- [59] S. Goriely et al., First Gogny-Hartree-Fock-Bogoliubov Nuclear Mass Model, *Phys.Rev.Lett.***102** (2009) 242501.
- [60] S. Goriely, N. Chamel, J.M. Pearson, Further explorations of Skyrme-Hartree-Fock-Bogoliubov mass formulas. XII: Stiffness and stability of neutron-star matter, *Phys.Rev. C* **82** (2010) 035804. [arXiv:nucl-th/1009.3840].
- [61] R. Chen et al., Single-nucleon potential decomposition of the nuclear symmetry energy, *Phys.Rev. C* **85** (2012) 024305. [arXiv:nucl-th/1112.2936].
- [62] Z. Zhang, L.-W. Chen, Constraining the symmetry energy at subsaturation densities using isotope binding energy difference and neutron skin thickness, *Phys.Lett. B* **726** (1-3) (2013) 234 – 238. [arXiv:nucl-th/1302.5327].
- [63] S. E. Agbemava et al., Global performance of covariant energy density functionals: Ground state observables of even-even nuclei and the estimate of theoretical uncertainties, *Phys.Rev. C* **89** (2014) 054320. [arXiv:nucl-th/1404.4901].
- [64] D. Lunney, J. M. Pearson, C. Thibault, Recent trends in the determination of nuclear masses, *Rev.Mod.Phys.***75** (2003) 1021–1082. doi:10.1103/RevModPhys.75.1021.
- [65] L.S. Geng, H. Toki, J.Meng, Masses, deformations and charge radii: Nu-

- clear ground-state properties in the relativistic mean field model, *Prog. Theor. Phys.* **113** (2005) 785–800. [[arXiv:nucl-th/0503086](#)].
- [66] J. Mendoza-Temis, Testing the predictive power of nuclear mass models, *Nucl.Phys.* **A812** (2008) 28–43.
- [67] Yu.A. Litvinov et al., Description of Heavy-Nuclei Masses by Macroscopic-Microscopic Models, *Int.J.Mod.Phys.* **E21**(5) (2012) 1250038.
- [68] A. Sobiczewski, Yu.A. Litvinov, Quality of theoretical masses in various regions of the nuclear chart, *Physica Scripta* **T154** (2013) 014001.
- [69] I. Morales et al., Image reconstruction techniques applied to nuclear mass models, *Phys. Rev.* **C81** (2010) 024304.
- [70] J.A. Högbom, An Efficient Implementation of the Algorithm CLEAN, *Astron.Astrophys.Suppl.* **15** (1974) 417–426.
- [71] B.G. Clark, An Efficient Implementation of the Algorithm CLEAN, *Astron.Astrophys.* **89** (1980) 377–378.
- [72] R. Narayan, R. Nityananda, Maximum Entropy Image Restoration in Astronomy, *Annu.Rev.Astron.Astrophys.* **24**(1) (1986) 127–170.
- [73] L. Aleksandrov, V. Gadjokov, Analysis of Latent Regularities by means of Regularized Iteration Processes, *Journal of Analytical Chemistry* **9** (1971) 279–292.
- [74] G. Audi et al., The AME2012 atomic mass evaluation, *Chin.Phys.* **C36** (2012) 1287.
- [75] G. Audi et al., The NUBASE2012 evaluation of nuclear properties, *Chin.Phys.* **C36** (2012) 1157.
- [76] W.J. Huang et al., The AME2016 atomic mass evaluation (I). Evaluation of input data; And adjustment procedures, *Chin.Phys.* **C41**(3) (2017) 030002.
- [77] M. W. Kirson, Mutual influence of terms in a semi-empirical mass formula, *Nucl.Phys.* **A798**(1-2) (2008) 29 – 60. [doi:10.1016/j.nuclphysa.2007.10.011](#).
- [78] G. Royer, B. Remaud, Static and dynamic fusion barriers in heavy-ion reactions, *Nucl.Phys.* **A444**(3) (1985) 477 – 497. [doi:10.1016/0375-9474\(85\)90464-6](#).
- [79] P. R. Chowdhury, D. N. Basu, Nuclear matter properties with the re-evaluated coefficients of liquid drop model, *Acta Phys. Polon.* **B37** (2006) 1833–1846. [[arXiv:nucl-th/0408013](#)].
- [80] G. Royer, C. Gautier, Coefficients and terms of the liquid drop model and mass formula, *Phys.Rev.* **C73** (2006) 067302. [[arXiv:nucl-th/0608064](#)].
- [81] George E. Forsythe, Cleve B. Moler, *Computer Solution of Linear Algebraic Systems (Automatic Computation)*, Prentice-Hall, Englewood Cliffs, (New Jersey, 1967), 153 pp.
- [82] L. Aleksandrov, Regularized Iteration Processes for Solution of Nonlinear Operator Equations, *Comm. JINR* **P5-5137** (Dubna, 1970), [in Russian].
- [83] L. Aleksandrov, Autoregularized Gauss-Newton-Kantorovich iteration process, *Comm. JINR* **P5-5515** (Dubna, 1970), [in Russian].
- [84] L. Aleksandrov, The program REGN (Regularized Gauss-Newton iteration method) for solving nonlinear systems of equations, *USSR Comput. Math. and Math. Phys.* **11**(1) (1970) 36–43, [in Russian] *Zh. Vychisl. Mat. Mat. Fiz.*, *JINR Dubna Preprints: P5-7258, P5-7259* (Dubna, 1973).
- [85] L. Aleksandrov, M. Drenska, D. Karadjov, Program System REGN for Solution of Nonlinear Systems of Equations, *RSIC CODE PACKAGE PSR-165*[Oak Ridge National Laboratory Computer Code Number: P00165].
- [86] L. Aleksandrov, The Newton-Kantorovich regularized computing processes, *USSR Comput. Math. and Math. Phys.* **11** (1) (1971) 46 – 57. [doi:10.1016/0041-5553\(71\)90098-X](#).
- [87] L. Aleksandrov, M. Drenska, D. Karadjov, Program code REGN (Code System for Solving Nonlinear Systems of Equations via the Gauss-Newton Method), *RSIC-PSR-165, JINR 61-11-82-767* (Dubna, 1982). URL: <https://rsicc.ornl.gov/codes/psr/psr1/psr-165.html>
- [88] L. Aleksandrov, Program AFX Y (Analyze FX=Y) for Investigation of Nonlinear Systems, Private communications.
- [89] L. Aleksandrov, On Numerical Solution on Computer of the Nonlinear Ill-posed Problems, *Comm. JINR* **P5-10366** (Dubna, 1977), [in Russian].
- [90] J. Hadamard, *Sur les problèmes aux drives partielles et leur signification physique*, Princeton University Bulletin (1902) pp. 4952.
- [91] A. N. Tikhonov, About Regularization of the Ill-Posed Problems, *Doklad Academy of Sciences USSR* **153**(1) (1963) 49–52, [in Russian].
- [92] A. N. Tikhonov, A. V. Goncharkii, V. V. Stepanov, A. G. Yagola, *Regularizing Algorithms and A Priori Information*, Nauka, Moscow, 1983, [in Russian].
- [93] A. N. Tikhonov, V. Y. Arsenin, *Methods of Solution of Ill-Posed Problems*, Nauka, Leningrad, 1986, Kluwer Academic Publ., Dordrecht, 1995 [in English].
- [94] A. N. Tikhonov, A. S. Leonov, A. G. Yagola, *Nonlinear Ill-Posed Problems*, Nauka, Leningrad, 1995, Chapman and Hall, [in English].
- [95] A. N. Tikhonov, V. Y. Arsenin, *Solutions of ill-posed problems*, Scripta Series in Mathematics, V.H. Winston & Sons, Washington, D.C., 1977, pp. xiii+258, [Translated from the Russian. Preface by translation editor Fritz John.]
- [96] B. Hofmann, *Regularization for applied inverse and ill-posed problems. A numerical approach*, Teubner-Texte zur Mathematik [Teubner Texts in Mathematics], 85, Teubner Verlagsgesellschaft, Leipzig, 1986, p. 196, [with German, French and Russian summaries].
- [97] H. T. Banks, K. Kunisch, *Estimation Techniques for Distributed Parameter Systems*, Systems&Control: Foundations&Applications, Birkhäuser Boston, Boston-Basel-Berlin 1989, 315 S., SFr. 84., 1989, pp. xiv+315. [doi:10.1002/bimj.4710330340](#).
- [98] H. W. Engl, Regularization methods for the stable solution of inverse problems, *Surveys Math. Indust.* **3**(2) (1993) 72–143.
- [99] C. W. Groetsch, *Inverse Problems in the Mathematical Sciences 3rd Edition*, Vieweg Mathematics for Scientists and Engineers, Friedr. Vieweg & Sohn, Braunschweig, 1993, pp. vi+152.
- [100] V. V. Vasin, A. L. Ageev, Ill-posed problems with a priori information, *Inverse and Ill-posed Problems Series*, Vieweg and Teubner Verlag, Utrecht, 1995, pp. x+255.
- [101] Scherzer Otmar, A convergence analysis of a method of steepest descent and a two-step algorithm for nonlinear ill-posed problems, *Numerical Functional Analysis and Optimization* **17** (1-2) (1996) 197–214. [doi:10.1080/01630569608816691](#).
- [102] M. Hanke, A. Neubauer, O. Scherzer, A convergence analysis of the Landweber iteration for nonlinear ill-posed problems, *Numerische Mathematik* **72**(1) (1995) 21 – 37 [doi:10.1007/s002110050158](#).
- [103] G.T. Herman, *Image Reconstruction from Projections: The Fundamentals of Tomography* Academic Press, New York, 1980.
- [104] P. C. Hansen, *Rank-Deficient and Discrete Ill-Posed Problems: Numerical Aspects of Linear Inversion*, SIAM Monographs on Mathematical Modeling and Computation **4**, Society for Industrial and Applied Mathematics, 1998, pp. xvi+247. [doi:10.1137/1.9780898719697](#).
- [105] R. Kress, *Linear Integral Equations*, 2nd Edition, Applied Mathematical Sciences, Vol 82, Springer, Berlin, 1999, p. 367. [doi:10.1007/978-1-4612-0559-3](#).
- [106] Mejdi Azaïez, Faker Ben Belgacem, and Henda El Fekih, On Cauchy’s problem: II. Completion, regularization and approximation, *Inverse Problems* **22**(4) (2006) 1307. [doi:10.1088/0266-5611/22/4/012](#).
- [107] F. Netterer, F. Wübbeling, *Mathematical Methods in Image Reconstruction*, Society for Industrial and Applied Mathematics, 2001. [doi:10.1137/1.9780898718324](#).
- [108] H. G. Gene, F. V. L. Charles, in: *Matrix Computations*, 3rd Edition, The Johns Hopkins University Press, 2715 North Charles Street, Baltimore, Maryland 21218-4319, 1996, p. 723.
- [109] H. P. William, P. F. Brian, et al., in: *Numerical Recipes in Fortran 77: The Art of Scientific Computing*, 2nd Edition, Cambridge University Press, 1992, p. 933.
- [110] R. M. Steven, C. Althoen, Gauss-Jordan Reduction: A Brief History, *The American Mathematical Monthly* **94** (2) (1987) 130–142.
- [111] H. P. William et al., in: *Numerical Recipes in C: The Art of Scientific Computing*, 2nd Edition, Cambridge University Press, 1992, p. 933.
- [112] L. Aleksandrov, S. C. Mavrodiev, A. Sissakian, The Dependence of high-energy hadron-hadron total cross-sections on quantum numbers, *Comm. JINR* **E2-9936** (1976) 20, Dubna.
- [113] L. Aleksandrov, The Dependence on the Quantum Numbers of the Effective Radius of Hadron Interactions, *Physics of Atomic Nuclei* **32**(2) (1980) [in Russian]. [doi:10.1134/S1063778815060150](#).
- [114] L. Aleksandrov, Regularized processes of Newton type for the solution of nonlinear systems of equations, *Comm. JINR* **B1-5-9969** (Dubna, 1976), [in Russian].
- [115] E. Schroder, Ueber Unendlich Viele Algorithmen zur Auflösung der



- Gleichungen, *Mathematische Annalen*, Vol. 2, pp. 317-365, (1870)
- [116] L. Aleksandrov, Unified code for heuristic researching and automated solution of nonlinear system of equations, *JINR UDK 519.615.5* (Dubna, 2004), [in Russian].
- [117] C.-J. Lin, J. J. Mor, Newton's method for large bound-constrained optimization problems, *SIAM Journal on Optimization* **9**(4) (1999) 1100–1127, [Technical Report ANL/MCS-P724–0898, Mathematics and Computer Sciences Division, Argonne National Laboratories, 9700 South Cass Avenue, Argonne, Ill. 60439]. doi:10.1137/S1052623498345075.
- [118] L. Aleksandrov, A regularized computational process for the analysis of exponential dependence, *USSR Comput. Math. and Math. Phys.* **10** (5) (1970) 272–275, [in English: *Zh. Vychisl. Mat. Mat. Fiz.*, Vol.10, N5, p.1285-1287]. doi:10.1016/0041-5553(70)90053-4.
- [119] L. Aleksandrov, *Comm. JINR* **5-6821** (Dubna, 1972), [in Russian].
- [120] L. Collatz, *Funktional Analysis und Numerische Mathematik*, Springer-Verlag, Berlin 1964 [in German]. *Functional Analysis and Computational Mathematics*, Mir Publisher, Moscow 1969 [in Russian].
- [121] A. Björck, in: *Numerical Methods for Least Squares Problems*, Other Titles in Applied Mathematics, Society for Industrial and Applied Mathematics, 1996, pp. xvii+407. doi:10.1137/1.9781611971484.
- [122] B. Nguyen, Q. Vu, Newton-Kantorovich Iterative Regularization for Nonlinear Ill-Posed Equations Involving Accretive Operators, *Ukrainian Mathematical Journal* **57**(2) (2005) 323–330. doi:10.1007/s11253-005-0192-9.
- [123] I. K. Argyros, S. George, Iterative regularization methods for non-linear ill-posed operator equations with m-accretive mappings in banach spaces, *Acta Mathematica Scientia* **35**(6) (2015) 1339 – 1348. doi:10.1016/S0252-9602(15)30056-4.
- [124] F. Yang, C. Fu, X. Li, A modified Tikhonov regularization method for the Cauchy problem of Laplace equation, *Acta Mathematica Scientia* **35**(6) (2015) 1339 – 1348. doi:10.1016/S0252-9602(15)30058-8.
- [125] A. Tikhonov, V. Glasko, Use of the regularization method in non-linear problems, *USSR Comput. Math. and Math. Phys.* **5**(3) (1965) 93 – 107. doi:10.1016/0041-5553(65)90150-3.
- [126] R.G. Airapetyan, A.G. Ramm, A. B. Smirnova, Continuous Methods for Solving Nonlinear Ill-Posed Problems, *Fields Institute Communications* **25**(00) (2000) 111–138.
- [127] L. Rosenfeld, *Nuclear Forces*, Interscience Publishers (1948), 1948.
- [128] G. Eder, *Kernkräfte*, G. Braun, Einführung in die theoretische Kernphysik, (G.Braun, Karlsruhe 1965), p.36, [in German].
- [129] G. Gamow, *Constitution of Atomic Nuclei and Radioactivity*, Oxford Clarendon Press (1931) p.114
- [130] I. Angeli, A consistent set of nuclear rms charge radii: properties of the radius surface  $R(N,Z)$ , *Atomic Data and Nuclear Data Tables* **87**(2) (2004) 185 – 206. doi:10.1016/j.adt.2004.04.002.
- [131] W. D. Myers, W. J. Swiatecki, Nuclear masses and deformations, *Arkiv för Fysik* **36** (1966) 343.
- [132] Igal Talmi, *Simple Models of Complex Nuclei*, Harwood-Academic Publishers, Switzerland, 1993, [English].
- [133] K. Heyde, *Basic Ideas and Concepts in Nuclear Physics: An Introductory Approach*. 2nd Edition, Graduate Student Series in Physics, Institute of Physics, Bristol and Philadelphia, 1999, p. 547.
- [134] D. Guillemaud-Mueller et al.,  $\beta$ -Decay schemes of very neutron-rich sodium isotopes and their descendants, *Nucl.Phys.* **A426**(1) (1984) 37 – 76. doi:10.1016/0375-9474(84)90064-2.
- [135] T. Motobayashi et al., Large deformation of the very neutron-rich nucleus  $^{32}\text{Mg}$  from intermediate-energy Coulomb excitation, *Phys.Lett.* **B346**(12) (1995) 9 – 14. doi:10.1016/0370-2693(95)00012-A.
- [136] H. Simon et al., Direct Experimental Evidence for Strong Admixture of Different Parity States in  $^{11}\text{Li}$ , *Phys.Rev.Lett.* **83** (1999) 496–499. doi:10.1103/PhysRevLett.83.496.
- [137] H. Keller et al., Search for forbidden  $\beta$ -decays of the drip line nucleus  $^{12}\text{Be}$ , *Zeitschrift für Physik A Hadrons and Nuclei* **348**(1) (1994) 61–62. doi:10.1007/BF01291655.
- [138] A. Ozawa, T. Kobayashi et al., New Magic Number,  $N = 16$ , near the Neutron Drip Line, *Phys.Rev.Lett.* **84** (2000) 5493–5495. doi:10.1103/PhysRevLett.84.5493.
- [139] C. Samanta, S. Adhikari, Extension of the Bethe-Weizsäcker mass formula to light nuclei and some new shell closures, *Phys.Rev.* **C65** (2002) 037301. doi:10.1103/PhysRevC.65.037301.
- [140] S. Adhikari, C. Samanta, Systematic Study of Shell Effect Near Drip-lines, *Int.J.Mod.Phys.* **E13**(05) (2004) 987–997. [arXiv:nucl-th/0408058].
- [141] S.Cht. Mavrodiev, Numerical generalization of BetheWeizsäcker mass formula, *Nucl. Theory* Vol.**35** (2016) pp.288. Proc. IWNT-35, Rila Mountains, 2016
- [142] S.Cht. Mavrodiev, Improved generalization of Bethe-Weizsäcker mass formula, *Probl.Nonlin.An.Eng.Syst.*, Vol.**23**(2(48)) (2017) 46–69 **PNAES** ISSN 1727-687X.
- [143] S. Cwiok, P.-H. Heenen, W. Nazarewicz, Theoretical description of superheavy nuclei, *Nature* **433** (2005) 705 – 709. doi:10.1038/nature03336.
- [144] M. Gryziński, A concept of “free-fall” multi-electron atomic model, *Phys.Lett.* **A44**(2) (1973) 131 – 132. doi:10.1016/0375-9601(73)90818-9.
- [145] M. Gryziński, Systematics of spectral lines and classical atom, *Phys.Lett.* **A56**(3) (1976) 180 – 182. doi:10.1016/0375-9601(76)90638-1.
- [146] M. G. Mayer, On Closed Shells in Nuclei. II, *Phys.Rev.* **75** (1949) 1969–1970. doi:10.1103/PhysRev.75.1969.
- [147] O. Haxel, J. H. D. Jensen, H. E. Suess, On the “Magic Numbers” in Nuclear Structure, *Phys.Rev.* **75** (1949) 1766–1766. doi:10.1103/PhysRev.75.1766.2.
- [148] K. A. Brueckner, C. A. Levinson, H. M. Mahmoud, Two-Body Forces and Nuclear Saturation. I. Central Forces, *Phys.Rev.* **95** (1954) 217–228. doi:10.1103/PhysRev.95.217.
- [149] K. A. Brueckner, Nuclear Saturation and Two-Body Forces. II. Tensor Forces, *Phys.Rev.* **96** (1954) 508–516. doi:10.1103/PhysRev.96.508.
- [150] K. A. Brueckner, C. A. Levinson, Approximate Reduction of the Many-Body Problem for Strongly Interacting Particles to a Problem of Self-Consistent Fields, *Phys. Rev.* **97** (1955) 1344–1352. doi:10.1103/PhysRev.97.1344.
- [151] H. Da Feng, X.-W. Pan and M. Guidry, Solving the nuclear shell model with an algebraic method, in: X.-W. Pan, D. H. Feng, M. Valières (Eds.), *Contemporary Nuclear Shell Models*, Vol. 482 of Lecture Notes in Physics, Springer Berlin Heidelberg, 1997, pp. 231–253. doi:10.1007/BFb0104371.
- [152] J. Cseh, Algebraic models for shell-like quarteting of nucleons, *Phys.Lett.* **B743** (2015) 213 – 217. doi:http:10.1016/j.physletb.2015.02.034.
- [153] S. Cohen, D. Kurath, Effective interactions for the  $1p$  shell, *Nucl.Phys.* **73**(1) (1965) 1 – 24. doi:10.1016/0029-5582(65)90148-3.
- [154] B. Wildenthal, Empirical strengths of spin operators in nuclei, *Progress in Particle and Nuclear Physics* **11** (1984) 5 – 51. doi:10.1016/0146-6410(84)90011-5.
- [155] B. Brown, W. Richter, et al., Semi-empirical effective interactions for the  $1s$ - $0d$  shell, *Annals of Physics* **182**(2) (1988) 191 – 236. doi:10.1016/0003-4916(88)90013-9.
- [156] B. A. Brown, B. H. Wildenthal, Status of the Nuclear Shell Model, *Annual Review of Nuclear and Particle Science* **38**(1) (1988) 29–66. doi:10.1146/annurev.ns.38.120188.000333.
- [157] J. French, E. Halbert et al., Complex Spectroscopy, *Advances in Nuclear Physics* **3** (1969) 193–258.
- [158] W. Richter, M. V. D. Merwe et al., New effective interactions for the  $0f_{7/2}$  shell, *Nucl. Phys.* **A523**(2) (1991) 325 – 353. doi:10.1016/0375-9474(91)90007-S.
- [159] E. Caurier, A. P. Zuker, A. Poves, G. Martínez-Pinedo, Full  $pf$  shell model study of  $A=48$  nuclei, *Phys.Rev.* **C50** (1994) 225–236. doi:10.1103/PhysRevC.50.225.
- [160] G. Martínez-Pinedo, A. P. Zuker et al., Full  $pf$  shell study of  $A = 47$  and  $A = 49$  nuclei, *Phys.Rev.* **C55** (1997) 187–205. doi:10.1103/PhysRevC.55.187.
- [161] W. Myers, W. Swiatecki, Nuclear properties according to the Thomas-Fermi model, *Nucl.Phys.* **A601**(2) (1996) 141 – 167. doi:10.1016/0375-9474(95)00509-9.
- [162] M. Bender, W. Nazarewicz, P.-G. Reinhard, Shell stabilization of super- and hyperheavy nuclei without magic gaps, *Phys. Lett.* **B515**(12) (2001) 42 – 48. [arXiv:nucl-th/0103065].
- [163] S. Athanassopoulos et al., Nuclear mass systematics using neural networks, *Nucl.Phys.* **A743**(4) (2004) 222 – 235. [arXiv:nucl-th/

- 0307117].
- [164] C. Samanta, S. Adhikari, Shell effect in Pb isotopes near the proton drip line, *Nucl.Phys. A738* (2004) 491–494. [[arXiv:nucl-th/0402016](#)].
- [165] J.W. Rohlif, *Modern Physics from alpha to Z<sup>0</sup>*, John Wiley & Sons, Canada, 1994, [English].
- [166] J. R. Nix, W. J. Swiatecki, Studies in the liquid-drop theory of nuclear fission, *Nucl.Phys. 71*(1) (1965) 1 – 94. doi:10.1016/0029-5582(65)90038-6.
- [167] A. Wapstra, *Atomic Masses of Nuclides in External Properties of Atomic Nuclei / Äussere Eigenschaften der Atomkerne*, ed: S. Függe, Vol. 8/38/1 of *Encyclopedia of Physics / Handbuch der Physik* pp.1–37 (1958). doi:10.1007/978-3-642-45901-6\_1.
- [168] D. L. Hill, J. A. Wheeler, Nuclear Constitution and the Interpretation of Fission Phenomena, *Phys.Rev. 89* (1953) 1102–1145. doi:10.1103/PhysRev.89.1102.
- [169] A. J. Sierk, Macroscopic model of rotating nuclei, *Phys.Rev. C33* (1986) 2039–2053. doi:10.1103/PhysRevC.33.2039.
- [170] K. Pomorski, J. Dudek, Nuclear liquid-drop model and surface-curvature effects, *Phys.Rev. C67* (2003) 044316. doi:10.1103/PhysRevC.67.044316.
- [171] G. Royer, A. Subercaze, Coefficients of different macro-microscopic mass formula from the AME2012 atomic mass evaluation, *Nucl.Phys. A917* (2013) 1 – 14. doi:10.1016/j.nuclphysa.2013.09.003.
- [172] A. Cameron, A revised semiempirical atomic mass formula, *Canadian Journal of Physics 35* (1957) 1021–1032.
- [173] H. Kümmel et al., A new mass law with shell and deformation corrections, *Nucl.Phys. 81*(1) (1966) 129 – 154. doi:10.1016/0029-5582(66)90647-X.
- [174] V. M. Strutinskii, Effect of nucleon shells on the energy of the nucleus, *Physics of Atomic Nuclei 3* (1966) 614–625.
- [175] S. Mavrodiev, A. Mishev, J. Stamenov, A method for energy estimation and mass composition determination of primary cosmic rays at Chacaltaya observation level based on atmospheric Cherenkov light technique *Nucl. Instrum. Meth. A530* (2004) 359–366 [[arXiv:astro-ph/0310651](#)].
- [176] M. M. Lavrent'ev, V. G. Romanov, S. P. Shishatskii, Ill-posed problems of mathematical physics and analysis: Translations of Mathematical Monographs, 64,(1986) American Mathematical Society, Providence, Rhode Island, pp.290
- [177] M.S. Zhdanov, Geophysical inverse theory and regularization problems, 1st Edition Series: Methods in Geochemistry and Geophysics, Vol.36, Elsevier Science, (2002) p.633
- [178] M. Gryziński, Ramsauer Effect as a Result of the Dynamic Structure of the Atomic Shell, *Phys.Rev.Lett. 24* (1970) 45–47. doi:10.1103/PhysRevLett.24.45.
- [179] L. L. Foldy, A note on atomic binding energies, *Phys.Rev. 83* (1951) 397–399. doi:10.1103/PhysRev.83.397.
- [180] J. Beringer, et al., Review of Particle Physics, *Phys.Rev. D86* (2012) 010001. doi:10.1103/PhysRevD.86.010001.
- [181] W. Zhang et al., Magic numbers for superheavy nuclei in relativistic continuum Hartree-Bogoliubov theory, *Nucl.Phys. A753*(1-2) (2005) 106 – 135. [[arXiv:nucl-th/0403021](#)].
- [182] L. Satpathy, S. Patra, New magic numbers and new islands of stability in drip-line regions in mass model, *Nucl.Phys. A722* (2003) C24 – C29. doi:10.1016/S0375-9474(03)01330-7.
- [183] O. Sorlin, M.-G. Porquet, Nuclear magic numbers: New features far from stability, *Progress in Particle and Nuclear Physics 61*(2) (2008) 602 – 673. [[arXiv:nucl-ex/0805.2561](#)]
- [184] R. A. Rydin, A new approach to finding magic numbers for heavy and superheavy elements, *Annals of Nuclear Energy 38*(2-3) (2011) 238 – 242. doi:10.1016/j.anucene.2010.11.004.
- [185] R. A. Rydin, New magic numbers in the continent of isotopes, *Annals of Nuclear Energy 38*(11) (2011) 2356 – 2358. doi:10.1016/j.anucene.2011.06.026.
- [186] A. Tarantola, Inversion of seismic re ction data in the acoustic approximation, *Geophysics, 49*(8), (1984) 1259–1266.
- [187] L. Fahrmeir, G. Tutz, *Multivariate Statistical Modelling Based on Generalized Linear Models*, Springer Series in Statistics. Springer, 2010.
- [188] L. Hoeshe, E. Haber, L. Tenorio, Optimal experimental design for the large-scale nonlinear ill-posed problem of impedance imaging. In large-scale inverse problems and quantification of uncertainty, Wiley series in computational statistics, p.273-290. Wiley, 2011.
- [189] H. P. Flath et al., Fast algorithms for bayesian uncertainty quantification in large-scale linear inverse problems based on low-rank partial hessian approximations, *SIAM J.Sci.Comput.*, **33**(1), p.407–432, February 2011
- [190] B. M. Bell, J. V. Burke, A. Schumitzky, A relative weighting method for estimating parameters and variances in multiple data sets, *Computational Statistics & Data Analysis, 22*(2), p.119-135, July 1996
- [191] S.-J. Lee, J. Fink et al., Relativistic Hartree Calculations for Axially Deformed Nuclei, *Phys.Rev.Lett. 57* (1986) 2916–2919. doi:10.1103/PhysRevLett.57.2916.
- [192] G. A. Lalazissis, J. König, P. Ring, New parametrization for the Lagrangian density of relativistic mean field theory, *Phys.Rev. C55* (1997) 540–543. [[arXiv:nucl-th/9607039](#)].
- [193] M. M. Sharma, P. Ring, Neutron skin of spherical nuclei in relativistic and nonrelativistic mean-field approaches, *Phys.Rev. C45* (1992) 2514–2517. doi:10.1103/PhysRevC.45.2514.
- [194] Y. Sugahara, H. Toki, Relativistic mean-field theory for unstable nuclei with non-linear  $\sigma$  and  $\omega$  terms, *Nucl.Phys. A579*(3) (1994) 557 – 572. doi:10.1016/0375-9474(94)90923-7.
- [195] S. Typel, H. Wolter, Relativistic mean field calculations with density-dependent meson-nucleon coupling, *Nucl.Phys. A656*(3-4) (1999) 331 – 364. doi:10.1016/S0375-9474(99)00310-3.
- [196] T. Nikšić, D. Vretenar et al., Relativistic Hartree-Bogoliubov model with density-dependent meson-nucleon couplings, *Phys.Rev. C66* (2002) 024306. [[arXiv:nucl-th/0205009](#)].
- [197] Wenhui Long, Jie Meng et al., New effective interactions in relativistic mean field theory with nonlinear terms and density-dependent meson-nucleon coupling, *Phys.Rev. C69* (2004) 034319. [[arXiv:nucl-th/0311031](#)].
- [198] E. Bagge, Der schalenbau der atomkerne, *Naturwissenschaften 35*(12) (1948) 375 – 375. doi:10.1007/BF00594909.
- [199] A. Sobczewski, F. Gareev, B. Kalinkin, Closed shells for  $Z>82$  and  $N>126$  in a diffuse potential well, *Phys.Lett. 22*(4) (1966) 500 – 502. doi:10.1016/0031-9163(66)91243-1.
- [200] B. Rouben, J. Pearson, G. Saunier, Hartree-Fock calculation of superheavy magic numbers, *Phys.Lett. B42*(4) (1972) 385 – 388. doi:10.1016/0370-2693(72)90087-1.
- [201] A. Lukasiak, A. Sobczewski, On a Chance of Superheavy Nuclei with a Bubble Geometry, pp.534-541 (1978). Proceedings of the International Symposium on Superheavy Elements, Lubbock, Texas, March 9-11 (1978) (Pergamon Press: Oxford) Ed:M.A.K. Lodhi
- [202] R. Lombard, Magic numbers in superheavy elements, *Phys.Lett. B65* (3) (1976) 193 – 195. doi:10.1016/0370-2693(76)90160-X.
- [203] B. Rouben, F. Brut, J. Pearson, G. Saunier, Superheavy Hartree-Fock calculations for magic numbers  $Z = 126$  and  $138$ , *Phys.Lett. B70* (1) (1977) 6 – 8. doi:10.1016/0370-2693(77)90330-6.
- [204] R. Kanungo, I. Tanihata, A. Ozawa, Observation of new neutron and proton magic numbers, *Phys.Lett. B528* (1-2) (2002) 58 – 64. doi:10.1016/S0370-2693(02)01206-6.
- [205] M. Prelas, H. Hora, G. Miley, Nucleus  $Z=126$  with magic neutron number  $N=184$  may be related to the measured Maruhn-Greiner maximum at  $A/2=155$  from compound nuclei at low energy nuclear reactions, *Phys.Lett. A378* (34) (2014) 2467 – 2470. doi:10.1016/j.physleta.2014.06.035.
- [206] R. Wang, L.-W. Chen, Positioning the neutron drip line and the  $r$ -process paths in the nuclear landscape, *Phys.Rev. C92* (3) (2015) 031303. [[arXiv:nucl-th/1410.2498](#)].
- [207] G. Audi, A. Wapstra, The AME2001 atomic mass evaluation, Private communication.
- [208] G. Audi, A. Wapstra, The 1993 atomic mass evaluation, *Nucl.Phys. A565*(1) (1993) 1 – 65. doi:10.1016/0375-9474(93)90024-R.
- [209] G. Audi, A. Wapstra, The 1995 update to the atomic mass evaluation, *Nucl.Phys. A595*(4) (1995) 409 – 480. doi:10.1016/0375-9474(95)00445-9.
- [210] D. N. Basu, Neutron and Proton Drip Lines Using the Modified Bethe-Weizsäcker Mass Formula, *Int.J.Mod.Phys. E13*(04) (2004) 747–758. [[arXiv:nucl-th/0306061](#)].
- [211] V. S. Popov, Critical charge in quantum electrodynamics, *Physics of Atomic Nuclei, Vol.64, N3* (2001) 367–392
- [212] M. Alonso, *Fundamental University Physics Vol.III: Quantum and Statistical Physics*, Addison-Wesley Publisher (1968) pp.598

Model	1995 data (1768 nuclei)		2001 data (2135 nuclei)		2003 data (382 nuclei)				2003 data (2149 nuclei)		2012 data (2353 nuclei)	
	$\sigma$	$\bar{\epsilon}$	$\sigma$	$\bar{\epsilon}$	$\sigma$	$\bar{\epsilon}$	$\sigma_{\text{mod}}$	$\bar{\epsilon}_{\text{mod}}$	$\sigma$	$\sigma_{\text{RBF}}$	$\sigma$	$\sigma_{\text{RBF}}$
RMF [52]											2.217	0.488*
HFBCS-1 [53]	0.738	0.102	0.805	0.180	1.115	0.494	1.056	0.460				
HFB-1 [55]	0.772	0.026	0.764	-0.057	1.123	0.510	1.091	0.494				
HFB-2 [54]			0.674	0.000	0.769	0.377	0.724	0.356				
HFB-21 [60, 52]											0.572	0.410*
FRDM [17, 21, 22, 52]	0.678	0.023	0.676	0.072	0.655	0.247	0.485	0.202	0.656	0.283*	0.654	0.268*
TF-FRDM [161]	0.662	-0.034	0.655	-0.036	0.655	-0.085	0.511	-0.121				
DZ10 [35, 36, 52]	0.375	-0.010	0.373	0.009	0.479	0.054	0.378	0.028			0.591	0.225*
DZ31 [37, 52]											0.397	0.204*
Koura et al. [45]	0.680	0.012	0.682	0.053	0.755	0.200	0.676	0.163				
KTUY [46, 52]											0.701	0.210*
Nayak-Satpathy [43]	0.359	0.000	0.485	0.047	0.837	0.229	0.779	0.208				
GK [38, 39][41]	0.163	-0.010			0.717	0.127	0.653	0.096			0.0677 – 0.1665	
Jänecke-Masson [40]	0.247	-0.010	0.319	0.010	0.540	0.070	0.451	0.071				
Liran-Zeldes [44]	0.276	-0.005	0.586	-0.036	0.722	-0.226	0.554	-0.253				
ETFSI-2 [47]											0.719	0.360*
WS3 [48, 52]									0.336	0.223*	0.335	0.207*
2003 (371 nuclei ( $N, Z \geq 28$ ))												
LDM [23, 69]					1.9307		0.8763**					
LDMM [23, 69]					0.9955		0.3718**					
DZ10 [35, 36, 69]					0.3348		0.2727**					
2012 data (2436 nuclei ( $N, Z \geq 1$ ))												
<b>This work</b>	$\sigma$	$\bar{\epsilon}$	$\sigma_{\text{mod}}$		$\bar{\epsilon}_{\text{mod}}$							
$E_B(A, Z, \{a_i\})$	0.0280	$6.173 \times 10^{-4}$	(for $k = 2$ ) 0.197 – 0.194		0.085 – (-0.033)							
			(for $k = 1.5$ ) 0.824 – 0.474		1.85 – (-0.195)							
			(for $k = 1$ ) 3.064 – 0.867		20.458 – (-0.654)							
$M_{a.m.}(A, Z, \{a_i\})$	0.5487	0.001	(for $k = 2$ ) 1.257 – 1.1257		0.822 – (-0.821)							
			(for $k = 1.5$ ) 0.232 – 0.104		$(28.073 - 5.614) \times 10^{-3}$							
			(for $k = 1$ ) 0.033 – 0.007		$(57.607 - 2.304) \times 10^{-5}$							
2012 data (2564 nuclei ( $N, Z \geq 1$ ))												
$E_B(A, Z, \{a_i\})$	0.0312	$7.849 \times 10^{-4}$	(for $k = 2$ ) 0.209 – 0.223		0.044 – (-0.057)							
			(for $k = 1.5$ ) 0.805 – 0.534		0.650 – (-0.330)							
			(for $k = 1$ ) 2.946 – 0.970		8.701 – (-1.089)							
$M_{a.m.}(A, Z, \{a_i\})$	0.5508	0.051	(for $k = 2$ ) 1.11 – 1.565		1.232 – 1.231							
			(for $k = 1.5$ ) 0.205 – 0.129		$(42.157 - 8.422) \times 10^{-3}$							
			(for $k = 1$ ) 0.0294 – 0.0083		$(86.531 - 3.4549) \times 10^{-5}$							
2016 data (2496 nuclei ( $N, Z \geq 1$ ))												
$E_B(A, Z, \{a_i\})$	0.028	$6.519 \times 10^{-4}$	(for $k = 2$ ) 0.191 – 0.176		0.084 – (-0.02)							
			(for $k = 1.5$ ) 0.799 – 0.426		1.469 – (-0.117)							
			(for $k = 1$ ) 2.977 – 0.777		20.38 – (-0.389)							
$M_{a.m.}(A, Z, \{a_i\})$	0.5573	0.0011	(for $k = 2$ ) 1.264 – 1.264		0.8291 – 0.8291							
			(for $k = 1.5$ ) 0.233 – 0.104		$(28.254 - 5.651) \times 10^{-3}$							
			(for $k = 1$ ) 0.033 – 0.007		$(57.29 - 2.292) \times 10^{-5}$							

Table 4: The simplest rms error ( $\sigma$ ) and mean error ( $\bar{\epsilon}$ ) of fits given by various mass formulas to the masses of the AME2001 [207] evaluations. These numbers taken from [64] with the typo corrections for the 1995 data. Since, the original ( $\sigma$ ) for the HFBCS-1 [53], HFB-1 [55], DZ10 [35, 36], Koura [45], Garvey [38, 39] and Liran-Zeldes [44] is different with respect to the numbers, that were shown by Lunney in [64] (see Table 1 in [64] for details). Mass formula HFB-2 was fitted to the 2001 compilation, but all others were fitted to the 1995 or earlier evaluations [208, 209]. The FRDM stays for the finite-range droplet model [17], ETFSI is the extended Thomas-Fermi plus Strutinsky integral model [47], KTUY is the Koura-Tachibana-Ueno-Yamada model [46], WS3 is the latest version of the Weizsäcker-Skyrme model [48], DZ10 and DZ31 corresponds to the Duflo-Zuker model with 10 and 31 free parameters respectively [35, 36, 37], LDM is the liquid drop model, LDMM is an improved LDM by inclusion of schematic microscopic shell corrections [23]. (\*) denotes the rms values obtained as result of the improvement of the given mass model prediction by application of the radial basis function (RBF) approach corrections to the considered model [52]. (\*\*) denotes the rms values obtained as result of the improvement of the given mass model prediction with the help of the CLEAN method [71, 71, 72] to the considered model [69]. All errors are in MeV, except the mean relative error, which is dimensionless. The weighted rms error ( $\sigma_{\text{mod}}$ ), mean error ( $\bar{\epsilon}_{\text{mod}}$ ) were computed with the help of the Möller-Nix formula, see Eqs.(81) and (82). Results are shown assuming that the theoretical uncertainty varies between 1% and 5% for the atomic mass.

## Appendix A. Binding energy in the limit of high atomic mass




Figure A.10: Current observation of binding energy and mass excess – left panels, the theoretical prediction coming from the inverse problem approach – right panels.



Appendix B. Resulting table

#	El	A	Z	N	$E_B^{exp}(A, Z)$ MeV	$E_B^{th}(A, Z)$ MeV	Residual, MeV	$M_{min}^{exp}(A, Z)$ MeV	$M_{min}^{th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{min}^{exp}(A, Z)$ MeV	$M_{min}^{th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{exp}(A, Z)$ MeV	$\Delta m^{th}(A, Z, a_i)$ MeV	Residual, MeV
3	H	2	1	1	1.112283E+00	1.816214E+00	-7.0393E-01	1.875613E+03	1.874204E+03	1.41E+00	1.87612375E+03	1.874717E+03	1.4065E+00	1.313572E+01	1.172713E+01	1.4086E+00
4	H	3	1	2	2.827266E+00	3.635907E+00	-8.0864E-01	2.808921E+03	2.806494E+03	2.43E+00	2.80943185E+03	2.807004E+03	2.4276E+00	1.494981E+01	1.252316E+01	2.4266E+00
5	He	3	2	1	2.572681E+00	3.425578E+00	-8.5290E-01	2.808391E+03	2.805831E+03	2.56E+00	2.80941325E+03	2.806852E+03	2.5612E+00	1.493122E+01	1.237107E+01	2.5601E+00
6	H	4	1	3	1.720450E+00	1.391116E+00	3.2933E-01	3.750086E+03	3.751403E+03	-1.32E+00	3.75059718E+03	3.751914E+03	-1.3166E+00	2.462112E+01	2.593774E+01	-1.3166E+00
7	He	4	2	2	7.073915E+00	6.990362E+00	8.3553E-02	3.727379E+03	3.727172E+03	-3.33E-01	3.72840097E+03	3.728731E+03	-3.3038E-01	2.424916E+00	2.757675E+00	-3.3276E-01
8	Li	4	3	1	1.153761E+00	8.670499E-01	2.8671E-01	3.749766E+03	3.750911E+03	-1.14E+00	3.75129924E+03	3.752444E+03	-1.1445E+00	2.532319E+01	2.646785E+01	-1.1447E+00
9	H	5	1	4	1.336360E+00	1.231754E+00	1.0461E-01	4.689851E+03	4.690374E+03	-5.23E-01	4.69036251E+03	4.690887E+03	-5.2401E-01	3.289244E+01	3.341475E+01	-5.2231E-01
10	He	5	2	3	5.512132E+00	5.522744E+00	-1.0612E-02	4.667679E+03	4.667625E+03	5.43E-02	4.66870130E+03	4.668645E+03	5.5860E-02	1.123123E+01	1.117672E+01	5.4513E-02
11	Li	5	3	2	5.266132E+00	5.232888E+00	3.3244E-02	4.667616E+03	4.667780E+03	-1.64E-01	4.66914895E+03	4.669309E+03	-1.6016E-01	1.167889E+01	1.184292E+01	-1.6404E-01
12	H	6	1	5	9.616400E-01	9.539109E-01	7.7291E-03	5.630329E+03	5.630375E+03	-4.59E-02	5.63083979E+03	5.630895E+03	-5.5030E-02	4.187572E+01	4.192137E+01	-4.5655E-02
13	He	6	2	4	4.878519E+00	5.034296E+00	-1.5578E-01	5.605534E+03	5.604598E+03	9.36E-01	5.60655617E+03	5.605622E+03	9.3425E-01	1.759210E+01	1.665598E+01	9.3611E-01
14	Li	6	3	3	5.332331E+00	5.443144E+00	-1.1081E-01	5.601518E+03	5.600851E+03	6.67E-01	5.60305096E+03	5.602375E+03	6.7571E-01	1.408688E+01	1.341982E+01	6.6706E-01
15	Be	6	4	2	4.487247E+00	4.476863E+00	1.0384E-02	5.605295E+03	5.605354E+03	-5.97E-02	5.60733911E+03	5.607399E+03	-6.0150E-02	1.837503E+01	1.843443E+01	-5.9397E-02
16	He	7	2	5	4.123057E+00	4.154358E+00	-3.1301E-02	6.545509E+03	6.545289E+03	2.20E-01	6.54653122E+03	6.546317E+03	2.1402E-01	2.607313E+01	2.585257E+01	2.2055E-01
17	Li	7	3	4	5.606439E+00	5.452140E+00	-8.0592E-02	6.533832E+03	6.533680E+03	1.52E-01	6.53536520E+03	6.535212E+03	1.5346E-01	1.490711E+01	1.475475E+01	1.5236E-01
18	Be	7	4	3	5.371548E+00	5.452140E+00	-8.0592E-02	6.534183E+03	6.533616E+03	5.67E-01	6.53622709E+03	6.535659E+03	5.6792E-01	1.576900E+01	1.520194E+01	5.6705E-01
19	B	7	5	2	3.558705E+00	3.546483E+00	1.2222E-02	6.545579E+03	6.545661E+03	-8.23E-02	6.54813464E+03	6.548229E+03	-9.4280E-02	2.767655E+01	2.775847E+01	-8.1916E-02
20	He	8	2	6	3.924520E+00	3.884087E+00	4.0433E-02	7.482540E+03	7.482862E+03	-3.22E-01	7.48336179E+03	7.4833891E+03	-3.2920E-01	3.160968E+01	3.193170E+01	-3.2202E-01
21	Li	8	3	5	5.159712E+00	5.168833E+00	-9.1207E-03	7.471365E+03	7.471290E+03	7.48E-02	7.47289791E+03	7.472825E+03	7.2960E-02	2.094580E+01	2.087066E+01	7.5144E-02
22	Be	8	4	4	7.062435E+00	6.955106E+00	1.0733E-01	7.454849E+03	7.455705E+03	-8.56E-01	7.45689377E+03	7.457738E+03	-8.4471E-01	4.941671E+00	5.797397E+00	-8.5573E-01
23	B	8	5	3	4.717153E+00	4.638642E+00	7.8511E-02	7.472318E+03	7.472943E+03	-6.25E-01	7.47487368E+03	7.475499E+03	-6.2513E-01	2.292158E+01	2.354603E+01	-6.2446E-01
24	C	8	6	2	3.101524E+00	3.112871E+00	-1.1347E-02	7.483949E+03	7.483855E+03	9.48E-02	7.48701637E+03	7.486808E+03	2.0843E-01	3.506427E+01	3.496912E+01	9.5150E-02
25	He	9	2	7	3.349029E+00	3.409410E+00	-6.0381E-02	8.423360E+03	8.422816E+03	5.44E-01	8.42438201E+03	8.423847E+03	5.3487E-01	4.093590E+01	4.039103E+01	5.4487E-01
26	Li	9	3	6	5.037768E+00	4.964149E+00	7.3619E-02	8.406868E+03	8.407529E+03	-6.61E-01	8.40840102E+03	8.409067E+03	-6.6567E-01	2.495490E+01	2.561530E+01	-6.6039E-01
27	Be	9	4	5	6.462668E+00	6.463187E+00	-5.1926E-04	8.392750E+03	8.392743E+03	7.15E-03	8.39479457E+03	8.394781E+03	1.3180E-02	1.134845E+01	1.134088E+01	7.5753E-03
28	B	9	5	4	6.257070E+00	6.187936E+00	6.9134E-02	8.393307E+03	8.393926E+03	-6.19E-01	8.39586261E+03	8.396481E+03	-6.1812E-01	1.241649E+01	1.303506E+01	-6.1857E-01
29	C	9	6	3	4.337423E+00	4.432492E+00	-9.5069E-02	8.409290E+03	8.408430E+03	8.60E-01	8.41235709E+03	8.411490E+03	8.6733E-01	2.891097E+01	2.805098E+01	8.5999E-01
30	He	10	2	8	2.997616E+00	3.020507E+00	-2.2891E-02	9.363090E+03	9.362861E+03	2.30E-01	9.36411245E+03	9.363897E+03	2.1533E-01	4.917232E+01	4.894196E+01	2.3035E-01
31	Li	10	3	7	4.531351E+00	4.532119E+00	-7.6774E-04	9.346460E+03	9.346450E+03	9.37E-03	9.34799275E+03	9.347986E+03	6.9500E-03	3.305262E+01	3.304277E+01	9.8524E-03
32	Be	10	4	6	6.497630E+00	6.494649E+00	2.9813E-03	9.325503E+03	9.325531E+03	-2.74E-02	9.32754762E+03	9.327576E+03	-2.8820E-02	1.260749E+01	1.263440E+01	-2.6907E-02
33	B	10	5	5	6.475075E+00	6.502752E+00	-2.7677E-02	9.324435E+03	9.324155E+03	2.80E-01	9.32699082E+03	9.326706E+03	2.8506E-01	1.205069E+01	1.177028E+01	2.8041E-01
34	C	10	6	4	6.032034E+00	6.081527E+00	-4.9493E-02	9.327572E+03	9.327073E+03	4.99E-01	9.33063888E+03	9.330141E+03	4.9811E-01	1.569876E+01	1.519946E+01	4.9930E-01
35	N	10	7	3	3.643664E+00	3.644909E+00	-1.2451E-03	9.350162E+03	9.350145E+03	1.71E-02	9.35374024E+03	9.353722E+03	1.8180E-02	1.569876E+01	1.519946E+01	4.9930E-01
36	Li	11	3	8	4.155381E+00	4.201252E+00	-4.5871E-02	1.028563E+04	1.028512E+04	5.06E-01	1.02871624E+04	1.028666E+04	4.9950E-01	3.880011E+01	3.878256E+01	5.0675E-01
37	Be	11	4	7	5.952540E+00	5.833563E+00	1.1898E-01	1.026457E+04	1.026587E+04	-1.31E+00	1.02666113E+04	1.026791E+04	-1.3029E+00	4.072825E+01	4.022151E+01	5.0675E-01
38	B	11	5	6	6.927716E+00	7.000885E+00	-7.3169E-02	1.025255E+04	1.025174E+04	8.08E-01	1.02551020E+04	1.025429E+04	8.1470E-01	2.017717E+01	2.148301E+01	-1.3058E+00
39	C	11	6	5	6.676374E+00	6.797630E+00	-1.2126E-01	1.025402E+04	1.025268E+04	1.34E+00	1.02570844E+04	1.025574E+04	1.3433E+00	1.065030E+01	7.859384E+00	8.0850E-01
40	N	11	7	4	5.364038E+00	5.235047E+00	1.2899E-01	1.026716E+04	1.026857E+04	-1.41E+00	1.02707378E+04	1.027215E+04	-1.4109E+00	2.430364E+01	2.571746E+01	-1.4138E+00
41	Li	12	3	9	3.799100E+00	3.752994E+00	4.6106E-02	1.122531E+04	1.122587E+04	-5.52E-01	1.12268477E+04	1.122741E+04	-5.5970E-01	4.891957E+01	4.947067E+01	-5.5110E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_1)$ MeV	$M_{n.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_1)$ MeV	Residual, MeV
42	Be	12	4	8	5.720722E+00	-2.7620E-05	1.120096E+04	1.120096E+04	1.120300E+04	5.8000E-03	1.120300E+04	1.120300E+04	1.120300E+04	2.507776E+01	2.507452E+01	3.2444E-03
43	B	12	5	7	6.631221E+00	-1.0579E-01	1.118874E+04	1.118747E+04	1.119002E+04	1.2744E+00	1.119002E+04	1.119002E+04	1.119002E+04	1.336942E+01	1.209636E+01	1.2731E+00
44	C	12	6	6	7.680144E+00	2.2606E-02	1.117486E+04	1.117513E+04	1.117819E+04	-2.5850E-01	1.117819E+04	1.117819E+04	1.117819E+04	0.000000E+00	2.669151E-01	-2.6692E-01
45	N	12	7	5	6.170109E+00	2.9838E-02	1.119169E+04	1.119204E+04	1.119562E+04	-3.54E-01	1.119562E+04	1.119562E+04	1.119562E+04	1.733807E+01	1.769104E+01	-3.5297E-01
46	O	12	8	4	4.890195E+00	-1.0125E-02	1.120575E+04	1.120563E+04	1.120972E+04	1.27E-01	1.120972E+04	1.120972E+04	1.120972E+04	3.191470E+01	3.178737E+01	1.2733E-01
47	Li	13	3	10	3.403015E+00	6.8092E-02	1.216623E+04	1.216711E+04	1.215466E+04	-8.84E-01	1.215466E+04	1.215466E+04	1.215466E+04	5.834089E+01	5.922391E+01	-8.8303E-01
48	Be	13	4	9	5.241435E+00	3.5887E-02	1.214104E+04	1.214150E+04	1.214354E+04	-4.64E-01	1.214354E+04	1.214354E+04	1.214354E+04	3.365908E+01	3.412272E+01	-4.6364E-01
49	B	13	5	8	6.496406E+00	-3.9487E-02	1.212343E+04	1.212291E+04	1.212546E+04	5.16E-01	1.212546E+04	1.212546E+04	1.212546E+04	1.656212E+01	1.604515E+01	5.1697E-01
50	C	13	6	7	7.469849E+00	7.0557E-02	1.210948E+04	1.211039E+04	1.211345E+04	-9.0540E-01	1.211345E+04	1.211345E+04	1.211345E+04	3.125009E+00	4.037887E+00	-9.1288E-01
51	N	13	7	6	7.238863E+00	-4.8930E-03	1.211119E+04	1.211112E+04	1.211469E+04	6.80E-02	1.211469E+04	1.211469E+04	1.211469E+04	5.345481E+00	5.276780E+00	6.8701E-02
52	O	13	8	5	5.811762E+00	-1.0455E-01	1.212845E+04	1.212708E+04	1.213117E+04	1.36E+00	1.213117E+04	1.213117E+04	1.213117E+04	2.311544E+01	2.175054E+01	1.3649E+00
53	Be	14	4	10	4.993897E+00	-1.9524E-02	1.307883E+04	1.307855E+04	1.308060E+04	2.76E-01	1.308060E+04	1.308060E+04	1.308060E+04	3.995450E+01	3.967827E+01	-2.7623E-01
54	B	14	5	9	6.101644E+00	2.1582E-02	1.306202E+04	1.306232E+04	1.306487E+04	-2.99E-01	1.306487E+04	1.306487E+04	1.306487E+04	2.366369E+01	2.396221E+01	-2.9852E-01
55	C	14	6	8	7.520319E+00	-1.2615E-02	1.304087E+04	1.304069E+04	1.304375E+04	1.80E-01	1.304375E+04	1.304375E+04	1.304375E+04	3.019893E+00	2.838931E+00	1.8096E-01
56	N	14	7	7	7.475614E+00	6.9907E-02	1.304020E+04	1.304118E+04	1.304474E+04	-9.74E-01	1.304474E+04	1.304474E+04	1.304474E+04	2.863417E+00	3.87031E+00	-9.7361E-01
57	O	14	8	6	7.052301E+00	-6.1097E-02	1.304483E+04	1.304397E+04	1.304806E+04	8.61E-01	1.304806E+04	1.304806E+04	1.304806E+04	8.007457E+00	7.146282E+00	8.6118E-01
58	F	14	9	5	5.285208E+00	3.7821E-02	1.306828E+04	1.306880E+04	1.307341E+04	-5.24E-01	1.307341E+04	1.307341E+04	1.307341E+04	3.196441E+01	3.248736E+01	-5.2295E-01
59	B	15	5	10	5.880002E+00	-5.2425E-02	1.399881E+04	1.399802E+04	1.400057E+04	7.89E-01	1.400057E+04	1.400057E+04	1.400057E+04	2.895799E+01	2.816800E+01	7.8999E-01
60	C	15	6	9	7.100169E+00	6.0435E-02	1.397922E+04	1.398012E+04	1.398318E+04	-9.03E-01	1.398318E+04	1.398318E+04	1.398318E+04	9.873144E+00	1.077531E+01	-9.0216E-01
61	N	15	7	8	7.699460E+00	6.3964E-02	1.396893E+04	1.396989E+04	1.397346E+04	-9.55E-01	1.397346E+04	1.397346E+04	1.397346E+04	1.014387E-01	1.055813E+00	-9.5437E-01
62	O	15	8	7	7.463692E+00	1.5746E-02	1.397118E+04	1.397141E+04	1.397526E+04	-2.31E-01	1.397526E+04	1.397526E+04	1.397526E+04	2.855605E+00	3.085973E+00	-2.3037E-01
63	F	15	9	6	6.481455E+00	7.4236E-02	1.398462E+04	1.398572E+04	1.399032E+04	-1.11E+00	1.399032E+04	1.399032E+04	1.399032E+04	1.680681E+01	1.791381E+01	-1.1070E+00
64	Be	16	4	12	4.285285E+00	3.6564E-02	1.495931E+04	1.495989E+04	1.496194E+04	-5.83E-01	1.496194E+04	1.496194E+04	1.496194E+04	5.744713E+01	5.802925E+01	-5.8212E-01
65	B	16	5	11	5.507317E+00	-5.5116E-02	1.493846E+04	1.493758E+04	1.494013E+04	8.85E-02	1.494013E+04	1.494013E+04	1.494013E+04	3.711227E+01	3.622680E+01	8.8547E-01
66	C	16	6	10	6.922054E+00	-1.5514E-03	1.491453E+04	1.491450E+04	1.491757E+04	2.84E-02	1.491757E+04	1.491757E+04	1.491757E+04	1.369413E+01	1.366496E+01	2.9172E-02
67	N	16	7	9	7.373796E+00	-4.1488E-02	1.490601E+04	1.490534E+04	1.490892E+04	6.68E-01	1.490892E+04	1.490892E+04	1.490892E+04	5.683907E+00	5.015021E+00	6.6889E-01
68	O	16	8	8	7.976206E+00	8.3367E-03	1.489508E+04	1.489521E+04	1.489928E+04	-1.28E-01	1.489928E+04	1.489928E+04	1.489928E+04	-4.737001E+00	-4.609421E+00	-1.2758E-01
69	F	16	9	7	6.963731E+00	5.4014E-03	1.490998E+04	1.491006E+04	1.491466E+04	-8.07E-02	1.491466E+04	1.491466E+04	1.491466E+04	1.068025E+01	1.076014E+01	-7.9884E-02
70	Ne	16	10	6	6.083216E+00	-2.5983E-02	1.492278E+04	1.492235E+04	1.492747E+04	4.22E-01	1.492747E+04	1.492747E+04	1.492747E+04	2.398615E+01	2.356315E+01	4.2300E-01
71	B	17	5	12	5.266461E+00	-1.1018E-01	1.587661E+04	1.587474E+04	1.587730E+04	1.88E+00	1.587730E+04	1.587730E+04	1.587730E+04	4.377082E+01	4.189413E+01	1.8767E+00
72	C	17	6	11	6.558090E+00	1.3526E-02	1.585336E+04	1.585359E+04	1.585665E+04	-2.26E-01	1.585665E+04	1.585665E+04	1.585665E+04	2.103078E+01	2.125637E+01	-2.2559E-01
73	N	17	7	10	7.286229E+00	-3.7450E-02	1.583969E+04	1.583905E+04	1.584262E+04	6.41E-01	1.584262E+04	1.584262E+04	1.584262E+04	7.870075E+00	7.228337E+00	6.4174E-01
74	O	17	8	9	7.750728E+00	-5.6362E-02	1.583050E+04	1.582954E+04	1.583362E+04	9.63E-01	1.583362E+04	1.583362E+04	1.583362E+04	-8.087636E-01	-1.772724E+00	9.6396E-01
75	F	17	9	8	7.542328E+00	1.8280E-02	1.583275E+04	1.583305E+04	1.583765E+04	-3.05E-01	1.583765E+04	1.583765E+04	1.583765E+04	1.951701E+00	2.255910E+00	-3.0421E-01
76	Ne	17	10	7	6.640499E+00	-3.2944E-02	1.584679E+04	1.584622E+04	1.585133E+04	5.66E-01	1.585133E+04	1.585133E+04	1.585133E+04	1.650045E+01	1.593312E+01	5.6733E-01
77	B	18	5	13	4.973602E+00	-6.8154E-03	1.681618E+04	1.681606E+04	1.681862E+04	1.25E-01	1.681862E+04	1.681862E+04	1.681862E+04	5.184713E+01	5.172084E+01	1.2629E-01
78	C	18	6	12	6.426195E+00	-4.0122E-02	1.678874E+04	1.678802E+04	1.679108E+04	7.26E-01	1.679108E+04	1.679108E+04	1.679108E+04	2.491812E+01	2.419158E+01	7.2654E-01
79	N	18	7	11	7.038562E+00	-2.4465E-03	1.677643E+04	1.677638E+04	1.677995E+04	4.83E-02	1.677995E+04	1.677995E+04	1.677995E+04	1.311317E+01	1.306405E+01	4.9117E-02
80	O	18	8	10	7.767097E+00	-4.3984E-02	1.676202E+04	1.676122E+04	1.676531E+04	7.97E-01	1.676531E+04	1.676531E+04	1.676531E+04	-7.828156E-01	-1.580329E+00	7.9751E-01
81	F	18	9	9	7.631638E+00	-1.1804E-01	1.676316E+04	1.676103E+04	1.676563E+04	2.13E+00	1.676563E+04	1.676563E+04	1.676563E+04	8.731130E-01	-1.258231E+00	2.1313E+00
82	Ne	18	10	8	7.341257E+00	1.7494E-02	1.676710E+04	1.676740E+04	1.677251E+04	-3.08E-01	1.677251E+04	1.677251E+04	1.677251E+04	5.317623E+00	5.625454E+00	-3.0762E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
83	Na	18	11	7	6.202276E+00	6.214117E+00	-1.1841E-02	1.678630E+04	1.678608E+04	2.20E-01	1.67919292E+04	1.679170E+04	2.2510E-01
84	C	19	6	13	6.118333E+00	6.111748E+00	6.5849E-03	1.772773E+04	1.772785E+04	-1.22E-01	1.77307989E+04	1.773092E+04	-1.2390E-01
85	N	19	7	12	6.948583E+00	6.973990E+00	-2.5407E-02	1.771066E+04	1.771018E+04	4.87E-01	1.77142418E+04	1.771375E+04	4.8950E-01
86	O	19	8	11	7.566494E+00	7.551664E+00	1.4830E-02	1.769763E+04	1.769791E+04	-2.77E-01	1.77017191E+04	1.770199E+04	-2.7270E-01
87	F	19	9	10	7.779018E+00	7.827164E+00	-4.8146E-02	1.769230E+04	1.769138E+04	9.20E-01	1.76968988E+04	1.769597E+04	9.2890E-01
88	Ne	19	10	9	7.567342E+00	7.593775E+00	-2.6433E-02	1.769502E+04	1.769452E+04	5.09E-01	1.77001383E+04	1.769962E+04	5.1430E-01
89	Na	19	11	8	6.937885E+00	6.908931E+00	2.8954E-02	1.770569E+04	1.770623E+04	-5.43E-01	1.77113156E+04	1.771185E+04	-5.3860E-01
90	Mg	19	12	7	5.902025E+00	5.910156E+00	-8.1306E-03	1.772408E+04	1.772391E+04	1.62E-01	1.77302146E+04	1.773005E+04	1.6180E-01
91	C	20	6	14	5.958733E+00	5.979416E+00	-2.0683E-02	1.866437E+04	1.866395E+04	4.17E-01	1.86674379E+04	1.866703E+04	4.1170E-01
92	N	20	7	13	6.709240E+00	6.738264E+00	-2.9024E-02	1.864807E+04	1.864748E+04	5.85E-01	1.86516454E+04	1.865106E+04	5.8470E-01
93	O	20	8	12	7.568570E+00	7.560096E+00	8.4741E-03	1.862959E+04	1.862975E+04	-1.65E-01	1.86336764E+04	1.863384E+04	-1.6110E-01
94	F	20	9	11	7.720134E+00	7.713911E+00	6.2230E-03	1.862526E+04	1.862538E+04	-1.19E-01	1.86298628E+04	1.862998E+04	-1.1340E-01
95	Ne	20	10	10	8.032240E+00	8.001180E+00	3.1060E-02	1.861772E+04	1.861834E+04	-6.15E-01	1.86228383E+04	1.862344E+04	-6.0460E-01
96	Na	20	11	9	7.298496E+00	7.259499E+00	3.8997E-02	1.863111E+04	1.863188E+04	-7.73E-01	1.86367309E+04	1.863750E+04	-7.7090E-01
97	Mg	20	12	8	6.723976E+00	6.731337E+00	-7.3611E-03	1.864130E+04	1.864115E+04	1.55E-01	1.86474389E+04	1.864728E+04	1.6270E-01
98	N	21	7	14	6.608099E+00	6.641597E+00	-3.3498E-02	1.958305E+04	1.958234E+04	7.08E-01	1.95866254E+04	1.958592E+04	7.0530E-01
99	O	21	8	13	7.389380E+00	7.38842E+00	5.0538E-02	1.956535E+04	1.956640E+04	-1.06E+00	1.95694362E+04	1.957049E+04	-1.0543E+00
100	F	21	9	12	7.738293E+00	7.744241E+00	-5.9484E-03	1.95672E+04	1.956569E+04	1.30E-01	1.95613267E+04	1.956119E+04	1.3540E-01
101	Ne	21	10	11	7.971713E+00	7.941550E+00	3.0163E-02	1.955033E+04	1.955116E+04	-6.27E-01	1.95550425E+04	1.955626E+04	-6.2090E-01
102	Na	21	11	10	7.765547E+00	7.742511E+00	2.3036E-02	1.955356E+04	1.955405E+04	-4.77E-01	1.95591896E+04	1.955966E+04	-4.7250E-01
103	Mg	21	12	9	7.104571E+00	7.109092E+00	-4.5206E-03	1.956615E+04	1.956605E+04	1.03E-01	1.95722878E+04	1.957218E+04	1.0650E-01
104	C	22	6	16	5.422030E+00	5.419592E+00	2.4375E-03	2.054339E+04	2.054344E+04	-5.03E-02	2.05464585E+04	2.054652E+04	-5.9600E-02
105	N	22	7	15	6.366085E+00	6.370521E+00	-4.4359E-03	2.052133E+04	2.052123E+04	1.02E-01	2.05249070E+04	2.052481E+04	1.0266E-01
106	O	22	8	14	7.364858E+00	7.321719E+00	4.3139E-02	2.049806E+04	2.049901E+04	-9.44E-01	2.05021516E+04	2.050310E+04	-9.4370E-01
107	F	22	9	13	7.624295E+00	7.606958E+00	1.7337E-02	2.049106E+04	2.049144E+04	-3.76E-01	2.04956617E+04	2.049603E+04	-3.7280E-01
108	Ne	22	10	12	8.080465E+00	8.070809E+00	9.6563E-03	2.047973E+04	2.047994E+04	-2.06E-01	2.04848436E+04	2.048504E+04	-2.0000E-01
109	Na	22	11	11	7.915667E+00	7.897570E+00	1.8097E-02	2.048206E+04	2.048245E+04	-3.91E-01	2.04876868E+04	2.048807E+04	-3.8670E-01
110	Mg	22	12	10	7.662762E+00	7.694683E+00	-3.1921E-02	2.048633E+04	2.048562E+04	7.10E-01	2.04924683E+04	2.049175E+04	7.1350E-01
111	O	23	8	15	7.163516E+00	7.072638E+00	9.0878E-02	2.143489E+04	2.143698E+04	-2.09E+00	2.14389830E+04	2.144107E+04	-2.0869E+00
112	F	23	9	14	7.621136E+00	7.597657E+00	2.3479E-02	2.142307E+04	2.142361E+04	-5.35E-01	2.14276753E+04	2.142821E+04	-5.3260E-01
113	Ne	23	10	13	7.955255E+00	7.949379E+00	5.8759E-03	2.141409E+04	2.141422E+04	-1.29E-01	2.14192083E+04	2.141933E+04	-1.2380E-01
114	Na	23	11	12	8.111493E+00	8.088196E+00	2.3297E-02	2.140921E+04	2.140974E+04	-5.29E-01	2.14148324E+04	2.141536E+04	-5.2400E-01
115	Mg	23	12	11	7.901104E+00	7.892752E+00	8.3522E-03	2.141275E+04	2.141294E+04	-1.84E-01	2.14188890E+04	2.141907E+04	-1.8090E-01
116	Al	23	13	10	7.335727E+00	7.347455E+00	-1.1728E-02	2.142446E+04	2.142418E+04	2.78E-01	2.14311104E+04	2.143083E+04	2.8110E-01
117	O	24	8	16	7.039685E+00	6.974084E+00	6.5601E-02	2.237027E+04	2.237184E+04	-1.57E+00	2.23743567E+04	2.237593E+04	-1.5722E+00
118	F	24	9	15	7.462957E+00	7.423037E+00	3.9920E-02	2.235881E+04	2.235977E+04	-9.53E-01	2.23634158E+04	2.236437E+04	-9.5300E-01
119	Ne	24	10	14	7.993324E+00	7.996788E+00	-3.4637E-03	2.234479E+04	2.234470E+04	8.92E-02	2.23499047E+04	2.234981E+04	9.3900E-02
120	Na	24	11	13	8.063490E+00	8.062906E+00	5.8425E-04	2.234181E+04	2.234182E+04	-7.20E-03	2.23474384E+04	2.234744E+04	-2.9000E-03
121	Mg	24	12	12	8.260709E+00	8.215700E+00	4.5009E-02	2.233579E+04	2.233686E+04	-1.07E+00	2.23419227E+04	2.234299E+04	-1.0679E+00
122	Al	24	13	11	7.649530E+00	7.649304E+00	2.2589E-04	2.234916E+04	2.234916E+04	2.90E-03	2.23558087E+04	2.235580E+04	4.8000E-03
123	Si	24	14	10	7.167267E+00	7.161107E+00	6.1605E-03	2.235944E+04	2.235958E+04	-1.39E-01	2.23666007E+04	2.236673E+04	-1.3150E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
124	O	25	8	17	6.727057E+00	6.661402E+00	6.5655E-02	2.331061E+04	2.331224E+04	-1.64E+00	2.33146980E+04	2.331634E+04	-1.6400E+00
125	F	25	9	16	7.335132E+00	7.334682E+00	4.4952E-04	2.329411E+04	2.329412E+04	-5.90E-03	2.32987138E+04	2.329872E+04	-7.5000E-03
126	Ne	25	10	15	7.840771E+00	7.822591E+00	1.8180E-02	2.328018E+04	2.328063E+04	-4.48E-01	2.32852905E+04	2.328574E+04	-4.4600E-01
127	Na	25	11	14	8.101397E+00	8.126352E+00	-2.4955E-02	2.327237E+04	2.327174E+04	6.31E-01	2.32779925E+04	2.327736E+04	6.3550E-01
128	Mg	25	12	13	8.223502E+00	8.233981E+00	-1.0479E-02	2.326802E+04	2.326775E+04	2.70E-01	2.32741576E+04	2.327388E+04	2.7370E-01
129	Al	25	13	12	8.021144E+00	8.045502E+00	-2.4358E-02	2.327178E+04	2.327117E+04	6.17E-01	2.32784342E+04	2.327781E+04	6.2070E-01
130	Si	25	14	11	7.480110E+00	7.493678E+00	-1.3568E-02	2.328402E+04	2.328367E+04	3.48E-01	2.32911777E+04	2.329083E+04	3.5270E-01
131	O	26	8	18	6.494709E+00	6.487422E+00	7.2874E-03	2.424949E+04	2.424967E+04	-1.85E-01	2.42535774E+04	2.425376E+04	-1.8720E-01
132	F	26	9	17	7.082618E+00	7.092730E+00	-1.0112E-02	2.423291E+04	2.423264E+04	2.68E-01	2.42375094E+04	2.423724E+04	2.6510E-01
133	Ne	26	10	16	7.751974E+00	7.782713E+00	-3.0739E-02	2.421421E+04	2.421341E+04	8.05E-01	2.42193238E+04	2.421852E+04	8.0580E-01
134	Na	26	11	15	8.004201E+00	8.018329E+00	-1.4128E-02	2.420636E+04	2.420598E+04	3.74E-01	2.42119836E+04	2.421161E+04	3.7790E-01
135	Mg	26	12	14	8.338370E+00	8.366341E+00	-3.2471E-02	2.419649E+04	2.419564E+04	8.52E-01	2.42026298E+04	2.420563E+04	8.5640E-01
136	Al	26	13	13	8.149764E+00	8.188019E+00	-3.8255E-02	2.419998E+04	2.418998E+04	1.00E+00	2.42066634E+04	2.420563E+04	1.0060E+00
137	Si	26	14	12	7.924707E+00	7.950221E+00	-2.5514E-02	2.420454E+04	2.420387E+04	6.72E-01	2.42117034E+04	2.421103E+04	6.7550E-01
138	F	27	9	18	6.898326E+00	6.934484E+00	-3.6158E-02	2.517037E+04	2.516938E+04	9.81E-01	2.51749680E+04	2.517399E+04	9.7820E-01
139	Ne	27	10	17	7.520973E+00	7.549029E+00	-2.8056E-02	2.515226E+04	2.515150E+04	7.63E-01	2.51573742E+04	2.515661E+04	7.6210E-01
140	Na	27	11	16	7.956942E+00	7.982581E+00	-2.5639E-02	2.513920E+04	2.513850E+04	6.99E-01	2.51448207E+04	2.514412E+04	7.0180E-01
141	Mg	27	12	15	8.263853E+00	8.274435E+00	-1.0582E-02	2.512961E+04	2.512932E+04	2.93E-01	2.51357517E+04	2.513545E+04	2.9760E-01
142	Al	27	13	14	8.331548E+00	8.356790E+00	-2.5242E-02	2.512649E+04	2.512580E+04	6.90E-01	2.51313141E+04	2.513245E+04	6.9330E-01
143	Si	27	14	13	8.124337E+00	8.156043E+00	-3.1706E-02	2.513079E+04	2.512993E+04	8.65E-01	2.51379540E+04	2.513709E+04	8.6830E-01
144	P	27	15	12	7.663438E+00	7.642276E+00	2.1162E-02	2.514194E+04	2.514250E+04	-5.62E-01	2.51496159E+04	2.515017E+04	-5.5860E-01
145	F	28	9	19	6.644100E+00	6.658275E+00	-1.4175E-02	2.611015E+04	2.610975E+04	4.02E-01	2.61147533E+04	2.611436E+04	3.9790E-01
146	Ne	28	10	18	7.388637E+00	7.446038E+00	-5.7421E-02	2.608801E+04	2.608640E+04	1.61E+00	2.60931239E+04	2.609151E+04	1.6114E+00
147	Na	28	11	17	7.799264E+00	7.802419E+00	-3.1553E-03	2.607522E+04	2.607512E+04	9.50E-02	2.60808440E+04	2.608075E+04	9.5400E-02
148	Mg	28	12	16	8.272409E+00	8.290431E+00	-1.8022E-02	2.606068E+04	2.606016E+04	5.12E-01	2.60668136E+04	2.606630E+04	5.1690E-01
149	Al	28	13	15	8.309889E+00	8.338227E+00	-2.8338E-02	2.605833E+04	2.605753E+04	8.02E-01	2.60649818E+04	2.606418E+04	8.0470E-01
150	Si	28	14	14	8.447744E+00	8.423105E+00	2.4639E-02	2.605318E+04	2.605386E+04	-6.81E-01	2.60603396E+04	2.606102E+04	-6.7690E-01
151	P	28	15	13	7.907479E+00	7.921107E+00	-1.3628E-02	2.606701E+04	2.606662E+04	3.91E-01	2.60746846E+04	2.607429E+04	3.9320E-01
152	S	28	16	12	7.478790E+00	7.477515E+00	1.2754E-03	2.607772E+04	2.607774E+04	-2.54E-02	2.60859056E+04	2.608593E+04	-1.9900E-02
153	Ne	29	10	19	7.167067E+00	7.188730E+00	-2.1663E-02	2.702661E+04	2.702598E+04	6.34E-01	2.70317262E+04	2.703110E+04	6.3080E-01
154	Na	29	11	18	7.682152E+00	7.708745E+00	-2.6593E-02	2.701038E+04	2.700960E+04	7.78E-01	2.70160064E+04	2.701523E+04	7.7670E-01
155	Mg	29	12	17	8.113202E+00	8.114138E+00	-9.3567E-04	2.699659E+04	2.699655E+04	3.45E-02	2.70027235E+04	2.700269E+04	3.7900E-02
156	Al	29	13	16	8.348357E+00	8.370641E+00	-2.2284E-02	2.698847E+04	2.698782E+04	6.54E-01	2.69951217E+04	2.699446E+04	6.5860E-01
157	Si	29	14	15	8.448635E+00	8.440449E+00	8.1862E-03	2.698427E+04	2.698450E+04	-2.29E-01	2.69914313E+04	2.699166E+04	-2.2510E-01
158	P	29	15	14	8.251222E+00	8.241571E+00	9.6512E-03	2.698870E+04	2.698897E+04	-2.70E-01	2.69963739E+04	2.699664E+04	-2.6700E-01
159	S	29	16	13	7.748519E+00	7.749550E+00	-1.0313E-03	2.700198E+04	2.700194E+04	4.02E-02	2.70101700E+04	2.701013E+04	4.2900E-02
160	Ne	30	10	20	7.042549E+00	7.064626E+00	-2.2077E-02	2.796275E+04	2.796208E+04	6.68E-01	2.79678600E+04	2.796720E+04	6.6450E-01
161	Na	30	11	19	7.501968E+00	7.506945E+00	-4.9772E-03	2.794767E+04	2.794751E+04	1.56E-01	2.79532951E+04	2.795314E+04	1.5280E-01
162	Mg	30	12	18	8.054503E+00	8.071721E+00	-1.7218E-02	2.792980E+04	2.792928E+04	5.24E-01	2.79359367E+04	2.793541E+04	5.2580E-01
163	Al	30	13	17	8.261382E+00	8.250021E+00	1.1361E-02	2.792230E+04	2.792263E+04	-3.33E-01	2.79289479E+04	2.792928E+04	-3.2900E-01
164	Si	30	14	16	8.520654E+00	8.534485E+00	-1.3831E-02	2.791323E+04	2.791280E+04	4.24E-01	2.79203874E+04	2.791996E+04	4.2790E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
165	P	30	15	15	8.353497E+00	8.356775E+00	-3.2779E-03	2.791695E+04	2.791684E+04	1.08E-01	2.79246198E+04	2.792451E+04	1.1070E-01	-2.020061E+01	-2.030983E+01	1.0922E-01
166	S	30	16	14	8.122699E+00	8.125829E+00	-3.1302E-03	2.7922257E+04	2.792247E+04	1.04E-01	2.79307614E+04	2.793065E+04	1.0740E-01	-1.405901E+01	-1.416454E+01	1.0553E-01
167	Ne	31	10	21	6.824743E+00	6.810425E+00	1.4318E-02	2.890202E+04	2.890246E+04	-4.38E-01	2.89071347E+04	2.890758E+04	-4.4280E-01	3.082034E+01	3.125695E+01	-4.3661E-01
168	Na	31	11	20	7.398196E+00	7.394567E+00	3.6294E-03	2.888295E+04	2.888306E+04	-1.06E-01	2.88885753E+04	2.888869E+04	-1.0970E-01	1.226094E+01	1.236548E+01	-1.0454E-01
169	Mg	31	12	19	7.869194E+00	7.878574E+00	-9.3805E-03	2.886705E+04	2.886676E+04	2.98E-01	2.88731921E+04	2.887289E+04	2.9780E-01	-3.122337E+00	-3.421844E+00	-2.9951E-01
170	Al	31	13	18	8.225655E+00	8.223263E+00	2.2316E-03	2.885471E+04	2.885478E+04	-6.62E-02	2.88613594E+04	2.886142E+04	-6.2800E-02	-1.495498E+01	-1.489028E+01	-6.4700E-02
171	Si	31	14	17	8.458291E+00	8.430895E+00	2.7396E-02	2.884620E+04	2.884704E+04	-8.41E-01	2.88533654E+04	2.885420E+04	-8.3620E-01	-2.294904E+01	-2.210992E+01	-8.3912E-01
172	P	31	15	16	8.481167E+00	8.488563E+00	-7.3961E-03	2.884420E+04	2.884396E+04	2.39E-01	2.88518739E+04	2.885163E+04	2.4230E-01	-2.444054E+01	-2.468072E+01	2.4018E-01
173	S	31	16	15	8.281800E+00	8.287039E+00	-5.2389E-03	2.884909E+04	2.884891E+04	1.73E-01	2.88572719E+04	2.885710E+04	1.7590E-01	-1.904253E+01	-1.921655E+01	1.7402E-01
174	Cl	31	17	14	7.870228E+00	7.844266E+00	2.5962E-02	2.886055E+04	2.886134E+04	-7.94E-01	2.88692483E+04	2.887004E+04	-7.9130E-01	-7.066124E+00	-6.273675E+00	-7.9245E-01
175	Na	32	11	21	7.214584E+00	7.194711E+00	1.9873E-02	2.982099E+04	2.982162E+04	-6.29E-01	2.98266181E+04	2.982725E+04	-6.3420E-01	1.880966E+01	1.943761E+01	-6.2795E-01
176	Mg	32	12	20	7.803837E+00	7.805920E+00	-2.0826E-03	2.980084E+04	2.980077E+04	7.38E-02	2.98069796E+04	2.980691E+04	7.2000E-02	-8.288070E-01	-9.041444E-01	7.5337E-02
177	Al	32	13	19	8.100318E+00	8.085924E+00	1.4394E-02	2.979006E+04	2.979051E+04	-4.53E-01	2.97967099E+04	2.979716E+04	-4.5100E-01	-1.109853E+01	-1.064736E+01	-4.5117E-01
178	Si	32	14	18	8.481468E+00	8.450025E+00	3.1443E-02	2.977657E+04	2.97757E+04	9.98E-01	2.97837307E+04	2.978472E+04	-9.9330E-01	-2.407769E+01	-2.308166E+01	-9.9602E-01
179	P	32	15	17	8.464120E+00	8.450025E+00	1.0683E-02	2.977583E+04	2.977332E+04	-3.33E-01	2.97835035E+04	2.978383E+04	-3.2910E-01	-2.430487E+01	-2.390739E+01	-3.3093E-01
180	S	32	16	16	8.493129E+00	8.501665E+00	-8.5363E-03	2.977361E+04	2.977332E+04	2.83E-01	2.97817929E+04	2.978151E+04	2.8720E-01	-2.601553E+01	-2.630031E+01	2.8478E-01
181	Cl	32	17	15	8.072404E+00	8.062594E+00	9.8102E-03	2.978577E+04	2.978608E+04	-3.03E-01	2.97944737E+04	2.979477E+04	-3.0090E-01	-1.333467E+01	-1.303310E+01	-3.0157E-01
182	Ar	32	18	14	7.700008E+00	7.685390E+00	1.4618E-02	2.979640E+04	2.979685E+04	-4.56E-01	2.98056081E+04	2.980606E+04	-4.5230E-01	-2.200351E+00	-1.745673E+00	-4.5468E-01
183	Mg	33	12	21	7.636458E+00	7.612238E+00	2.4200E-02	3.073813E+04	3.073892E+04	-7.91E-01	3.07442646E+04	3.074506E+04	-7.9480E-01	4.962204E+00	5.752077E+00	-7.8987E-01
184	Al	33	13	20	8.019733E+00	8.023126E+00	-3.3927E-03	3.072418E+04	3.072406E+04	1.20E-01	3.07308342E+04	3.073071E+04	1.2030E-01	-8.468233E+00	-8.589621E+00	1.2139E-01
185	Si	33	14	19	8.361059E+00	8.326816E+00	3.4243E-02	3.071163E+04	3.071275E+04	-1.12E+00	3.0718781E+04	3.071991E+04	-1.1181E+00	-2.051433E+01	-1.939449E+01	-1.1198E+00
186	P	33	15	18	8.513806E+00	8.485208E+00	2.8598E-02	3.070529E+04	3.070623E+04	-9.34E-01	3.07129651E+04	3.071390E+04	-9.3100E-01	-2.633735E+01	-2.540451E+01	-9.3284E-01
187	S	33	16	17	8.497630E+00	8.505424E+00	-7.7943E-03	3.070453E+04	3.070426E+04	2.67E-01	3.07127166E+04	3.071245E+04	2.7090E-01	-2.658585E+01	-2.685471E+01	2.6885E-01
188	Cl	33	17	16	8.304755E+00	8.318263E+00	-1.3508E-02	3.070960E+04	3.070914E+04	4.57E-01	3.07182991E+04	3.071784E+04	4.5980E-01	-2.100334E+01	-2.146146E+01	4.5812E-01
189	Ar	33	18	15	7.928955E+00	7.902116E+00	2.6839E-02	3.072071E+04	3.072158E+04	-8.74E-01	3.07299181E+04	3.073079E+04	-8.7190E-01	-9.384293E+00	-8.511671E+00	-8.7262E-01
190	Mg	34	12	22	7.550390E+00	7.531655E+00	1.8735E-02	3.167298E+04	3.167361E+04	-6.30E-01	3.16791198E+04	3.167975E+04	-6.3360E-01	8.232347E+00	8.951642E+00	-6.2830E-01
191	Al	34	13	21	7.862446E+00	7.870957E+00	-8.5105E-03	3.166108E+04	3.166078E+04	2.97E-01	3.16677275E+04	3.166743E+04	2.9540E-01	-3.068901E+00	-3.367677E+00	-2.9878E-01
192	Si	34	14	20	8.336137E+00	8.309417E+00	2.6720E-02	3.164368E+04	3.164458E+04	-9.00E-01	3.16508397E+04	3.165174E+04	-8.9690E-01	-1.995673E+01	-1.905842E+01	-8.9831E-01
193	P	34	15	19	8.448185E+00	8.410552E+00	3.7633E-02	3.163268E+04	3.163984E+04	-1.27E+00	3.16642477E+04	3.164752E+04	-1.2679E+00	-2.454870E+01	-2.328007E+01	-1.2686E+00
194	S	34	16	18	8.583498E+00	8.589620E+00	-6.1221E-03	3.163268E+04	3.163246E+04	2.18E-01	3.16408647E+04	3.164064E+04	2.2160E-01	-2.993169E+01	-3.015147E+01	2.1978E-01
195	Cl	34	17	17	8.398970E+00	8.404900E+00	-5.9297E-03	3.163766E+04	3.163744E+04	2.12E-01	3.16463564E+04	3.164614E+04	2.1510E-01	-2.444009E+01	-2.465405E+01	2.1397E-01
196	Ar	34	18	16	8.197672E+00	8.203784E+00	-6.1117E-03	3.164321E+04	3.164299E+04	2.19E-01	3.16524181E+04	3.165220E+04	2.2240E-01	-1.837829E+01	-1.859919E+01	2.2089E-01
197	Mg	35	12	23	7.356233E+00	7.337592E+00	1.8641E-02	3.261179E+04	3.261244E+04	-6.45E-01	3.26179302E+04	3.261858E+04	-6.4980E-01	1.563978E+01	1.628351E+01	-6.4373E-01
198	Al	35	13	22	7.787012E+00	7.793211E+00	-6.1990E-03	3.259542E+04	3.259520E+04	2.25E-01	3.26020706E+04	3.260185E+04	2.2190E-01	-2.198330E-01	-4.462196E-01	2.2639E-01
199	Si	35	14	21	8.168676E+00	8.165635E+00	3.0406E-03	3.258077E+04	3.258087E+04	-9.80E-02	3.25879301E+04	3.258803E+04	-9.6400E-02	-1.436040E+01	-1.426415E+01	-9.6247E-02
200	P	35	15	20	8.446248E+00	8.405765E+00	4.0483E-02	3.256976E+04	3.257117E+04	-1.41E+00	3.25774327E+04	3.257884E+04	-1.4047E+00	-2.485779E+01	-2.345175E+01	-1.4060E+00
201	S	35	16	19	8.537851E+00	8.527391E+00	1.0460E-02	3.256526E+04	3.256561E+04	-3.56E-01	3.25734442E+04	3.257380E+04	-3.5380E-01	-2.884622E+01	-2.849176E+01	-3.5446E-01
202	Cl	35	17	18	8.520279E+00	8.520368E+00	-8.8660E-05	3.256458E+04	3.256456E+04	1.38E-02	3.25732769E+04	3.257326E+04	1.6500E-02	-2.901354E+01	-2.902901E+01	1.5472E-02
203	Ar	35	18	17	8.327465E+00	8.328184E+00	-7.1914E-04	3.257003E+04	3.256999E+04	3.66E-02	3.25792430E+04	3.257920E+04	3.9500E-02	-2.304741E+01	-2.308567E+01	3.8256E-02
204	K	35	19	16	7.965840E+00	7.957713E+00	8.1271E-03	3.258139E+04	3.258166E+04	-2.72E-01	3.25911076E+04	3.259139E+04	-2.7010E-01	-1.117289E+01	-1.090225E+01	-2.7064E-01
205	Mg	36	12	24	7.244419E+00	7.242715E+00	1.7038E-03	3.354803E+04	3.354808E+04	-5.43E-02	3.35541646E+04	3.355422E+04	-5.8400E-02	2.038016E+01	2.043281E+01	-5.2655E-02

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
206	Al	36	13	23	7.623515E+00	7.636742E+00	-1.3227E-02	3.353309E+04	3.353260E+04	4.84E-01	5.950384E+00	5.464765E+00	4.8562E-01
207	Si	36	14	22	8.111330E+00	8.120932E+00	-9.6021E-03	3.351423E+04	3.351388E+04	3.54E-01	-1.239332E+01	-1.274915E+01	3.5583E-01
208	P	36	15	21	8.307868E+00	8.307384E+00	4.8444E-04	3.350586E+04	3.350587E+04	-8.30E-03	-2.025103E+01	-2.024448E+01	-6.5488E-03
209	S	36	16	20	8.575389E+00	8.561784E+00	1.3605E-02	3.349493E+04	3.349541E+04	-4.80E-01	-3.066412E+01	-3.018597E+01	-4.7816E-01
210	Cl	36	17	19	8.521932E+00	8.511721E+00	1.0211E-02	3.349556E+04	3.349592E+04	-3.57E-01	-2.952202E+01	-2.916679E+01	-3.5523E-01
211	Ar	36	18	18	8.519909E+00	8.509430E+00	1.0479E-02	3.349434E+04	3.349471E+04	-3.66E-01	-3.023154E+01	-2.986737E+01	-3.6417E-01
212	K	36	19	17	8.142219E+00	8.130729E+00	1.1490E-02	3.350664E+04	3.350704E+04	-4.01E-01	-1.741707E+01	-1.701723E+01	-3.9984E-01
213	Ca	36	20	16	7.815879E+00	7.816983E+00	-1.1044E-03	3.351709E+04	3.351704E+04	5.26E-02	-6.451150E+00	-6.505458E+00	5.4308E-02
214	Al	37	13	24	7.531315E+00	7.545428E+00	-1.4113E-02	3.446844E+04	3.446791E+04	5.30E-01	9.809563E+00	9.277963E+00	5.3160E-01
215	Si	37	14	23	7.953518E+00	7.967279E+00	-1.3761E-02	3.445152E+04	3.445100E+04	5.18E-01	-6.594287E+00	-7.113609E+00	5.1932E-01
216	P	37	15	22	8.267558E+00	8.270250E+00	-2.6921E-03	3.443861E+04	3.443850E+04	1.09E-01	-1.899611E+01	-1.910660E+01	1.1050E-01
217	S	37	16	21	8.459935E+00	8.473695E+00	-1.3760E-02	3.443020E+04	3.442968E+04	5.19E-01	-2.689641E+01	-2.741716E+01	5.2075E-01
218	Cl	37	17	20	8.570280E+00	8.557920E+00	1.2360E-02	3.442482E+04	3.442526E+04	-4.47E-01	-3.176152E+01	-3.131653E+01	-4.4499E-01
219	Ar	37	18	19	8.527139E+00	8.527901E+00	-7.6246E-04	3.442512E+04	3.442508E+04	3.95E-02	-3.094765E+01	-3.098894E+01	4.1289E-02
220	K	37	19	18	8.339847E+00	8.343499E+00	-3.6516E-03	3.443075E+04	3.443061E+04	1.47E-01	-2.480020E+01	-2.494911E+01	1.4891E-01
221	Ca	37	20	17	8.003456E+00	7.990968E+00	1.2488E-02	3.444190E+04	3.444235E+04	-4.49E-01	-1.313607E+01	-1.268856E+01	-4.4750E-01
222	Al	38	13	25	7.377097E+00	7.904126E+00	-1.1297E-02	3.540633E+04	3.540619E+04	4.38E-01	1.620986E+01	1.606559E+01	1.4427E-01
223	Si	38	14	24	8.148537E+00	8.151458E+00	-2.9208E-03	3.538544E+04	3.537431E+04	1.20E-01	-1.466956E+01	-1.479143E+01	1.2187E-01
224	P	38	15	23	8.148537E+00	8.472207E+00	-2.3426E-02	3.537443E+04	3.536082E+04	9.00E-01	-2.686119E+01	-2.776298E+01	9.0179E-01
225	S	38	16	22	8.448781E+00	8.472207E+00	-2.3426E-02	3.536172E+04	3.536082E+04	2.16E-01	-2.979809E+01	-3.001628E+01	2.1819E-01
226	Cl	38	17	21	8.505480E+00	8.510897E+00	-5.4171E-03	3.535827E+04	3.535806E+04	1.65E-01	-3.471482E+01	-3.488143E+01	1.6661E-01
227	Ar	38	18	20	8.614280E+00	8.618320E+00	-4.0400E-03	3.535285E+04	3.535268E+04	1.65E-01	-2.880075E+01	-2.830540E+01	-4.9536E-01
228	K	38	19	19	8.438058E+00	8.424659E+00	1.3399E-02	3.535825E+04	3.535874E+04	-4.97E-01	-2.880075E+01	-2.830540E+01	-4.9536E-01
229	Ca	38	20	18	8.240043E+00	8.243083E+00	-3.0397E-03	3.536448E+04	3.536435E+04	1.28E-01	-2.205850E+01	-2.218856E+01	1.3006E-01
230	Si	39	14	25	7.730979E+00	7.748918E+00	-1.7939E-02	3.632342E+04	3.632272E+04	7.08E-01	2.320352E+00	1.610546E+00	7.0981E-01
231	P	39	15	24	8.099370E+00	8.089897E+00	9.4727E-03	3.630776E+04	3.630812E+04	-3.60E-01	-1.282927E+01	-1.247071E+01	-3.5856E-01
232	S	39	16	23	8.344261E+00	8.358508E+00	-1.4247E-02	3.629692E+04	3.629635E+04	5.65E-01	-2.316235E+01	-2.372960E+01	5.6725E-01
233	Cl	39	17	22	8.494402E+00	8.518542E+00	-2.4140E-02	3.628977E+04	3.628881E+04	9.52E-01	-2.980019E+01	-3.075440E+01	9.5380E-01
234	Ar	39	18	21	8.562598E+00	8.582788E+00	-2.0190E-02	3.628581E+04	3.628501E+04	7.99E-01	-3.324219E+01	-3.404268E+01	8.0049E-01
235	K	39	19	20	8.557025E+00	8.538085E+00	1.8940E-02	3.628473E+04	3.628546E+04	-7.27E-01	-3.380719E+01	-3.308233E+01	-7.2486E-01
236	Ca	39	20	19	8.69670E+00	8.352018E+00	1.7652E-02	3.629075E+04	3.629142E+04	-6.76E-01	-2.728270E+01	-2.660881E+01	-6.7389E-01
237	Sc	39	21	18	8.013456E+00	8.029465E+00	-1.6099E-02	3.630334E+04	3.630270E+04	6.38E-01	-1.417271E+01	-1.481231E+01	6.3960E-01
238	Si	40	14	26	7.661754E+00	7.672184E+00	-1.0430E-02	3.725803E+04	3.725760E+04	4.25E-01	5.429679E+00	5.002324E+00	4.2736E-01
239	P	40	15	25	7.979798E+00	7.977836E+00	1.9617E-03	3.724401E+04	3.724408E+04	-6.95E-02	-8.074425E+00	-8.006845E+00	-6.7580E-02
240	S	40	16	24	8.329325E+00	8.324968E+00	4.3569E-03	3.722874E+04	3.722890E+04	-1.65E-01	-2.283785E+01	-2.267519E+01	-1.6265E-01
241	Cl	40	17	23	8.427765E+00	8.440942E+00	-1.3177E-02	3.722350E+04	3.722297E+04	5.37E-01	-2.755781E+01	-2.809722E+01	5.3941E-01
242	Ar	40	18	22	8.595259E+00	8.625164E+00	-2.9905E-02	3.721551E+04	3.721430E+04	1.21E+00	-3.503989E+01	-3.624919E+01	1.2093E+00
243	K	40	19	21	8.538090E+00	8.546939E+00	-8.8488E-03	3.721650E+04	3.721613E+04	3.66E-01	-3.553549E+01	-3.390325E+01	3.6776E-01
244	Ca	40	20	20	8.551304E+00	8.517325E+00	3.3979E-02	3.721468E+04	3.721602E+04	-1.35E+00	-3.484639E+01	-3.350180E+01	-1.3446E+00
245	Sc	40	21	19	8.173669E+00	8.178353E+00	-4.6841E-03	3.722849E+04	3.722828E+04	2.01E-01	-2.052334E+01	-2.072598E+01	2.0265E-01
246	Ti	40	22	18	7.862286E+00	7.905712E+00	-4.3426E-02	3.723964E+04	3.723789E+04	1.75E+00	-8.850386E+00	-1.060342E+01	1.7530E+00

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
247	Si	41	14	27	7.508573E+00	7.499112E+00	9.4606E-03	3.819621E+04	3.819659E+04	-3.80E-01	3.82033742E+04	3.820376E+04	-3.8460E-01	1.211967E+01	1.249739E+01	-3.7773E-01
248	P	41	15	26	7.906551E+00	7.911510E+00	-4.9594E-03	3.817860E+04	3.817839E+04	2.12E-01	3.818607E+04	3.818607E+04	2.0880E-01	-4.979767E+00	-5.194002E+00	2.1424E-01
249	S	41	16	25	8.229635E+00	8.226909E+00	2.7255E-03	3.816406E+04	3.816416E+04	-1.02E-01	3.817235E+04	3.817235E+04	-1.0190E-01	-1.900858E+01	-1.890844E+01	-1.0014E-01
250	Cl	41	17	24	8.412959E+00	8.412845E+00	1.1371E-04	3.815525E+04	3.815524E+04	5.80E-03	3.81639473E+04	3.816394E+04	7.2000E-03	-2.730719E+01	-2.731489E+01	7.6979E-03
251	Ar	41	18	23	8.534372E+00	8.55857E+00	-2.1485E-02	3.814897E+04	3.814808E+04	8.92E-01	3.81581870E+04	3.815729E+04	8.9360E-01	-3.306751E+01	-3.396146E+01	8.9396E-01
252	K	41	19	22	8.576072E+00	8.600548E+00	-2.4476E-02	3.814597E+04	3.814495E+04	1.02E+00	3.81556950E+04	3.815468E+04	1.0161E+00	-3.555954E+01	-3.67685E+01	1.0173E+00
253	Ca	41	20	21	8.546706E+00	8.545833E+00	8.7331E-04	3.814588E+04	3.814590E+04	-2.32E-02	3.81561166E+04	3.815614E+04	-2.2900E-02	-3.513789E+01	-3.511660E+01	-2.1286E-02
254	Sc	41	21	20	8.369198E+00	8.368735E+00	4.6297E-04	3.815186E+04	3.815187E+04	-5.70E-03	3.81626121E+04	3.816262E+04	-4.1000E-03	-2.864241E+01	-2.863867E+01	-3.7366E-03
255	Ti	41	22	19	8.034388E+00	8.053333E+00	-1.8945E-02	3.816429E+04	3.816350E+04	7.91E-01	3.81755578E+04	3.817477E+04	7.9190E-01	-1.569739E+01	-1.649027E+01	7.9273E-01
256	P	42	15	27	7.767866E+00	7.770979E+00	-3.1125E-03	3.911608E+04	3.911594E+04	1.39E-01	3.91237583E+04	3.912362E+04	1.3430E-01	1.009739E+00	8.681442E-01	1.4159E-01
257	S	42	16	26	8.193227E+00	8.198180E+00	-4.9533E-03	3.909692E+04	3.909671E+04	2.18E-01	3.91051108E+04	3.910489E+04	2.1670E-01	-1.763775E+01	-1.785741E+01	2.1966E-01
258	Cl	42	17	25	8.347819E+00	8.351576E+00	-3.7566E-03	3.908914E+04	3.908897E+04	1.68E-01	3.90978356E+04	3.909767E+04	1.6870E-01	-2.491299E+01	-2.508308E+01	1.7009E-01
259	Ar	42	18	24	8.555613E+00	8.57830E+00	-2.2168E-03	3.907911E+04	3.907901E+04	1.04E-01	3.90883259E+04	3.908822E+04	1.0630E-01	-3.442268E+01	-3.452884E+01	1.0617E-01
260	K	42	19	23	8.551256E+00	8.567361E+00	-1.6105E-02	3.907800E+04	3.907731E+04	6.88E-01	3.90877265E+04	3.908704E+04	6.8880E-01	-3.502203E+01	-3.571223E+01	6.9021E-01
261	Ca	42	20	22	8.616563E+00	8.636736E+00	-2.0173E-02	3.907396E+04	3.907310E+04	8.60E-01	3.90842013E+04	3.908334E+04	8.6060E-01	-3.854724E+01	-3.940907E+01	8.6183E-01
262	Sc	42	21	21	8.444933E+00	8.447595E+00	-2.6620E-03	3.907988E+04	3.907975E+04	1.25E-01	3.90906274E+04	3.909050E+04	1.2520E-01	-3.212114E+01	-3.224821E+01	1.2706E-01
263	Ti	42	22	20	8.259247E+00	8.277259E+00	-1.8012E-02	3.908638E+04	3.908561E+04	7.70E-01	3.90976439E+04	3.909687E+04	7.7260E-01	-2.510466E+01	-2.587717E+01	7.7251E-01
264	P	43	15	28	7.689572E+00	7.678278E+00	1.1294E-02	4.005125E+04	4.005172E+04	-4.77E-01	4.00589224E+04	4.005940E+04	-4.8250E-01	4.679826E+00	5.154604E+00	-4.7478E-01
265	S	43	16	27	8.063827E+00	8.068823E+00	-4.9960E-03	4.003386E+04	4.003364E+04	2.24E-01	4.00420471E+04	4.004183E+04	-2.2150E-01	-1.219546E+01	-1.242190E+01	2.2644E-01
266	Cl	43	17	26	8.327660E+00	8.336589E+00	-8.9292E-03	4.002122E+04	4.002083E+04	3.94E-01	4.00299199E+04	4.002953E+04	3.9440E-01	-2.432263E+01	-2.471893E+01	3.9630E-01
267	Ar	43	18	25	8.488237E+00	8.502672E+00	-1.4435E-02	4.001302E+04	4.001239E+04	6.32E-01	4.00222327E+04	4.002160E+04	6.3290E-01	-3.200981E+01	-3.264357E+01	6.3377E-01
268	K	43	19	24	8.576220E+00	8.577012E+00	-7.9151E-04	4.000794E+04	4.000790E+04	4.58E-02	4.00176672E+04	4.001762E+04	4.7200E-02	-3.657539E+01	-3.662324E+01	4.7852E-02
269	Ca	43	20	23	8.600663E+00	8.614029E+00	-1.3366E-02	4.000560E+04	4.000501E+04	5.87E-01	4.00158337E+04	4.001525E+04	5.8770E-01	-3.840882E+01	-3.899808E+01	5.8927E-01
270	Sc	43	21	22	8.530825E+00	8.55645E+00	-2.4820E-02	4.000730E+04	4.000622E+04	1.08E+00	4.00180545E+04	4.001697E+04	1.0807E+00	-3.618810E+01	-3.727063E+01	1.0825E+00
271	Ti	43	22	21	8.352932E+00	8.379673E+00	-2.6741E-02	4.001366E+04	4.001249E+04	1.16E+00	4.00249215E+04	4.002376E+04	1.1650E+00	-2.932108E+01	-3.048692E+01	1.1658E+00
272	V	43	23	20	8.069512E+00	8.084003E+00	-1.4491E-02	4.002455E+04	4.002391E+04	6.38E-01	4.00363262E+04	4.003569E+04	6.3870E-01	-1.791636E+01	-1.855620E+01	6.3984E-01
273	S	44	16	28	7.996015E+00	8.003771E+00	-7.7563E-03	4.096835E+04	4.096799E+04	3.51E-01	4.09765323E+04	4.097619E+04	3.4660E-01	-9.204234E+00	-9.557131E+00	3.5290E-01
274	Cl	44	17	27	8.237450E+00	8.245084E+00	-7.6339E-03	4.095643E+04	4.095608E+04	3.46E-01	4.09651268E+04	4.096478E+04	3.4480E-01	-2.060973E+01	-2.095797E+01	3.4824E-01
275	Ar	44	18	26	8.493840E+00	8.519357E+00	-2.5517E-02	4.094385E+04	4.094272E+04	1.13E+00	4.09530633E+04	4.095193E+04	1.1350E+00	-3.267326E+01	-3.380907E+01	1.1358E+00
276	K	44	19	25	8.546701E+00	8.550813E+00	-4.1118E-03	4.094023E+04	4.094004E+04	1.93E-01	4.09499551E+04	4.094976E+04	1.9320E-01	-3.578149E+01	-3.597619E+01	1.9470E-01
277	Ca	44	20	24	8.658175E+00	8.654188E+00	3.9875E-03	4.093403E+04	4.093419E+04	-1.63E-01	4.09442679E+04	4.094443E+04	-1.6150E-01	-4.146866E+01	-4.130775E+01	-1.6090E-01
278	Sc	44	21	23	8.557379E+00	8.570249E+00	-1.2870E-02	4.093717E+04	4.093659E+04	5.79E-01	4.09479206E+04	4.094734E+04	5.7910E-01	-3.781598E+01	-3.839753E+01	5.8155E-01
279	Ti	44	22	22	8.533520E+00	8.531376E+00	2.1440E-03	4.093692E+04	4.093700E+04	-8.05E-02	4.09481880E+04	4.094827E+04	-7.9500E-02	-3.754857E+01	-3.747020E+01	-7.8369E-02
280	V	44	23	21	8.210463E+00	8.221538E+00	-1.1075E-02	4.094984E+04	4.094934E+04	5.02E-01	4.09616202E+04	4.096112E+04	5.0280E-01	-2.411638E+01	-2.462041E+01	5.0403E-01
281	S	45	16	29	7.881807E+00	7.851362E+00	3.0445E-02	4.190505E+04	4.190641E+04	-1.36E+00	4.19132410E+04	4.191461E+04	-1.3658E+00	-3.989589E+00	-2.631177E+00	-1.3584E+00
282	Cl	45	17	28	8.183758E+00	8.189732E+00	-5.9742E-03	4.189017E+04	4.188989E+04	2.79E-01	4.18988708E+04	4.189859E+04	2.7660E-01	-1.835975E+01	-1.864090E+01	2.8115E-01
283	Ar	45	18	27	8.419952E+00	8.439352E+00	-1.9400E-02	4.187825E+04	4.187736E+04	8.84E-01	4.18874598E+04	4.188658E+04	8.8430E-01	-2.977080E+01	-3.065685E+01	8.8605E-01
284	K	45	19	26	8.554674E+00	8.574047E+00	-1.9373E-02	4.187089E+04	4.187001E+04	8.83E-01	4.18806149E+04	4.187973E+04	8.8430E-01	-3.661564E+01	-3.750122E+01	8.8558E-01
285	Ca	45	20	25	8.630544E+00	8.631145E+00	-6.0133E-04	4.186618E+04	4.186614E+04	3.94E-02	4.18764184E+04	4.187638E+04	4.0100E-02	-4.081215E+01	-4.085372E+01	4.1573E-02
286	Sc	45	21	24	8.618915E+00	8.619834E+00	-9.1910E-04	4.186541E+04	4.186535E+04	5.44E-02	4.18761594E+04	4.187610E+04	5.5100E-02	-4.107118E+01	-4.112780E+01	5.6620E-02
287	Ti	45	22	23	8.555706E+00	8.562426E+00	-6.7202E-03	4.186696E+04	4.186664E+04	3.16E-01	4.18782215E+04	4.187791E+04	3.1650E-01	-3.900912E+01	-3.932752E+01	3.1840E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
288	V	45	23	22	8.379908E+00	8.397411E+00	-1.7503E-02	4.187337E+04	4.187277E+04	8.02E-01	4.18855500E+04	4.188455E+04	8.0350E-01	-3.188055E+01	-3.268491E+01	8.0436E-01
289	Cr	45	24	21	8.087728E+00	8.102695E+00	-1.4967E-02	4.188542E+04	4.188473E+04	6.89E-01	4.18977158E+04	4.189703E+04	6.8940E-01	-1.951480E+01	-2.020576E+01	6.9096E-01
290	Cl	46	17	29	8.082414E+00	8.065387E+00	1.7027E-02	4.282621E+04	4.282699E+04	-7.73E-01	4.28349143E+04	4.283569E+04	-7.7700E-01	-1.381033E+01	-1.303945E+01	-7.7088E-01
291	Ar	46	18	28	8.411502E+00	8.415196E+00	-3.6941E-03	4.280978E+04	4.280960E+04	1.81E-01	4.28189938E+04	4.281881E+04	1.8050E-01	-2.973076E+01	-2.991373E+01	1.8297E-01
292	K	46	19	27	8.518042E+00	8.526144E+00	-8.1023E-03	4.280359E+04	4.280320E+04	3.84E-01	4.28133107E+04	4.281293E+04	3.8460E-01	-3.541392E+01	-3.580043E+01	3.8650E-01
293	Ca	46	20	26	8.668958E+00	8.679156E+00	-1.0198E-02	4.279535E+04	4.279487E+04	4.81E-01	4.28055862E+04	4.280510E+04	4.8250E-01	-4.313840E+01	-4.362205E+01	4.8366E-01
294	Sc	46	21	25	8.621996E+00	8.623573E+00	-1.5772E-03	4.279621E+04	4.279613E+04	8.56E-02	4.28069641E+04	4.280688E+04	8.5400E-02	-4.176050E+01	-4.184831E+01	8.7809E-02
295	Ti	46	22	24	8.656434E+00	8.645099E+00	1.1335E-02	4.279333E+04	4.279384E+04	-5.08E-01	4.28045976E+04	4.280510E+04	-5.0650E-01	-4.412700E+01	-4.362156E+01	-5.0544E-01
296	V	46	23	23	8.486113E+00	8.477011E+00	9.1018E-03	4.279987E+04	4.280028E+04	-4.04E-01	4.28116500E+04	4.281205E+04	-4.0350E-01	-3.707460E+01	-3.667261E+01	-4.0199E-01
297	Cr	46	24	22	8.303865E+00	8.312012E+00	-8.1470E-03	4.280696E+04	4.280657E+04	3.90E-01	4.28192511E+04	4.281886E+04	3.9230E-01	-2.947353E+01	-2.986573E+01	3.9220E-01
298	Ar	47	18	29	8.308100E+00	8.297977E+00	1.0123E-02	4.374580E+04	4.374626E+04	-4.65E-01	4.37550076E+04	4.375547E+04	-4.6650E-01	-2.521101E+01	-2.474833E+01	-4.6268E-01
299	K	47	19	28	8.514879E+00	8.512267E+00	2.6118E-03	4.373478E+04	4.373489E+04	-1.11E-01	4.3745066E+04	4.374462E+04	-1.1090E-01	-3.571198E+01	-3.560303E+01	-1.0895E-01
300	Ca	47	20	27	8.639328E+00	8.637332E+00	1.9961E-03	4.372764E+04	4.372772E+04	-8.16E-02	4.37378732E+04	4.373796E+04	-8.0900E-02	-4.234345E+01	-4.226415E+01	-7.9306E-02
301	Sc	47	21	26	8.665069E+00	8.674581E+00	-9.5118E-03	4.372513E+04	4.372467E+04	4.60E-01	4.37358830E+04	4.373542E+04	4.6010E-01	-4.433563E+01	-4.479792E+01	-4.6229E-01
302	Ti	47	22	25	8.661206E+00	8.653804E+00	7.4024E-03	4.372402E+04	4.372435E+04	-3.34E-01	4.37352822E+04	4.373562E+04	-3.3410E-01	-4.493640E+01	-4.460447E+01	-3.3193E-01
303	V	47	23	24	8.582207E+00	8.578529E+00	3.6782E-03	4.372643E+04	4.372659E+04	-1.58E-01	4.37382128E+04	4.373837E+04	-1.5720E-01	-4.200580E+01	-4.184963E+01	-1.5617E-01
304	Cr	47	24	23	8.407159E+00	8.414393E+00	-7.2339E-03	4.373337E+04	4.373301E+04	3.55E-01	4.37456577E+04	4.374530E+04	3.5650E-01	-3.456089E+01	-3.491832E+01	3.5744E-01
305	Mn	47	25	22	8.135291E+00	8.132941E+00	2.3498E-03	4.374485E+04	4.374494E+04	-9.45E-02	4.37576532E+04	4.375775E+04	-9.2900E-02	-2.256544E+01	-2.247317E+01	-9.2272E-02
306	K	48	19	29	8.434232E+00	8.424532E+00	9.6795E-03	4.466970E+04	4.467016E+04	-4.53E-01	4.46794281E+04	4.467988E+04	-4.5390E-01	-3.222448E+01	-3.183367E+01	-4.5081E-01
307	Ca	48	20	28	8.666689E+00	8.650927E+00	1.5762E-02	4.465725E+04	4.465799E+04	-7.44E-01	4.46674879E+04	4.466823E+04	-7.4330E-01	-4.422476E+01	-4.348274E+01	-7.4202E-01
308	Sc	48	21	27	8.656195E+00	8.658784E+00	-2.5888E-03	4.465646E+04	4.465632E+04	1.37E-01	4.46672092E+04	4.466707E+04	1.3680E-01	-4.450342E+01	-4.464293E+01	1.3951E-01
309	Ti	48	22	26	8.722986E+00	8.726172E+00	-3.1859E-03	4.465196E+04	4.465179E+04	1.67E-01	4.46632209E+04	4.466305E+04	1.6680E-01	-4.849173E+01	-4.866063E+01	1.6890E-01
310	V	48	23	25	8.623042E+00	8.616512E+00	6.5303E-03	4.465546E+04	4.465576E+04	-2.99E-01	4.46672359E+04	4.466754E+04	-2.9920E-01	-4.447677E+01	-4.418002E+01	-2.9675E-01
311	Cr	48	24	24	8.572262E+00	8.545211E+00	2.7051E-02	4.465660E+04	4.465788E+04	-1.28E+00	4.46688910E+04	4.467017E+04	-1.2822E+00	-4.282165E+01	-4.154067E+01	-1.2810E+00
312	Mn	48	25	23	8.274750E+00	8.275097E+00	-3.4687E-04	4.466958E+04	4.466955E+04	3.25E-02	4.46823892E+04	4.468236E+04	3.9000E-02	-2.932343E+01	-2.935826E+01	3.4832E-02
313	K	49	19	30	8.372274E+00	8.369588E+00	2.6861E-03	4.560387E+04	4.560399E+04	-1.20E-01	4.56135951E+04	4.561372E+04	-1.2140E-01	-2.961149E+01	-2.949364E+01	-1.1785E-01
314	Ca	49	20	29	8.594847E+00	8.570858E+00	2.3989E-02	4.559167E+04	4.559283E+04	-1.16E+00	4.56019067E+04	4.560307E+04	-1.1631E+00	-4.129990E+01	-4.013897E+01	-1.1609E+00
315	Sc	49	21	28	8.686252E+00	8.678604E+00	7.6485E-03	4.558589E+04	4.558626E+04	-3.62E-01	4.55966456E+04	4.559701E+04	-3.6160E-01	-4.656107E+01	-4.620156E+01	-3.5951E-01
316	Ti	49	22	27	8.711137E+00	8.712142E+00	-1.0047E-03	4.558338E+04	4.558332E+04	6.28E-02	4.55946438E+04	4.559458E+04	6.2400E-02	-4.856281E+01	-4.862801E+01	6.5200E-02
317	V	49	23	26	8.682888E+00	8.692252E+00	-9.3644E-03	4.558347E+04	4.558299E+04	4.73E-01	4.55952457E+04	4.559477E+04	4.7300E-01	-4.796095E+01	-4.843651E+01	4.7555E-01
318	Cr	49	24	25	8.613284E+00	8.588972E+00	2.4312E-02	4.558558E+04	4.558676E+04	-1.18E+00	4.55978739E+04	4.559905E+04	-1.1764E+00	-4.533269E+01	-4.415883E+01	-1.1739E+00
319	Mn	49	25	24	8.440257E+00	8.430408E+00	9.8493E-03	4.559276E+04	4.559323E+04	-4.67E-01	4.56055699E+04	4.560604E+04	-4.6550E-01	-3.763674E+01	-3.717227E+01	-4.6447E-01
320	Fe	49	26	23	8.161311E+00	8.167100E+00	-5.7887E-03	4.560514E+04	4.560483E+04	3.00E-01	4.56184559E+04	4.561815E+04	3.0160E-01	-2.475073E+01	-2.505326E+01	3.0253E-01
321	K	50	19	31	8.288582E+00	8.256216E+00	3.2366E-02	4.653925E+04	4.654085E+04	-1.61E+00	4.65489728E+04	4.655058E+04	-1.6087E+00	-2.572785E+01	-2.412332E+01	-1.6045E+00
322	Ca	50	20	30	8.550163E+00	8.540279E+00	9.8838E-03	4.652487E+04	4.652535E+04	-4.82E-01	4.6531114E+04	4.653559E+04	-4.8230E-01	-3.958922E+01	-3.910955E+01	-4.7967E-01
323	Sc	50	21	29	8.635682E+00	8.626307E+00	7.3748E-03	4.651940E+04	4.651976E+04	-3.56E-01	4.65301531E+04	4.653051E+04	-3.5630E-01	-4.454751E+01	-4.419403E+01	-3.5348E-01
324	Ti	50	22	28	8.755698E+00	8.754099E+00	1.5992E-03	4.651200E+04	4.651207E+04	-6.64E-02	4.65232700E+04	4.652334E+04	-6.6200E-02	-5.143068E+01	-5.136669E+01	-6.3996E-02
325	V	50	23	27	8.695915E+00	8.699987E+00	-4.0724E-03	4.651370E+04	4.651348E+04	2.18E-01	4.65254768E+04	4.652526E+04	2.1680E-01	-4.922386E+01	-4.944419E+01	2.2034E-01
326	Cr	50	24	26	8.701025E+00	8.689185E+00	1.1840E-02	4.651215E+04	4.651272E+04	-5.77E-01	4.65244389E+04	4.652502E+04	-5.7720E-01	-5.026171E+01	-4.968715E+01	-5.7456E-01
327	Mn	50	25	25	8.532689E+00	8.507786E+00	2.4903E-02	4.651927E+04	4.652050E+04	-1.23E+00	4.65320734E+04	4.653330E+04	-1.2292E+00	-4.262723E+01	-4.140030E+01	-1.2269E+00
328	Fe	50	26	24	8.354270E+00	8.361852E+00	-7.5816E-03	4.652689E+04	4.652650E+04	3.96E-01	4.65402120E+04	4.653981E+04	3.9790E-01	-3.448863E+01	-3.488663E+01	3.9800E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
329	K	51	19	32	8.221346E+00	8.184228E+00	3.7118E-02	4.747395E+04	4.747583E+04	-1.88E+00	4.74836786E+04	4.748556E+04	-1.8832E+00	-2.251604E+01	-2.063683E+01	-1.8792E+00
330	Ca	51	20	31	8.477035E+00	8.430902E+00	4.6133E-02	4.745962E+04	4.746196E+04	-2.34E+00	4.74698561E+04	4.747220E+04	-2.3416E+00	-3.633853E+01	-3.400029E+01	-2.3382E+00
331	Sc	51	21	30	8.596798E+00	8.602893E+00	-6.0951E-03	4.745221E+04	4.745189E+04	3.24E-01	4.74629638E+04	4.746264E+04	3.2320E-01	-4.322881E+01	-4.355489E+01	3.2608E-01
332	Ti	51	22	29	8.708969E+00	8.707640E+00	1.3290E-03	4.744520E+04	4.744525E+04	-5.42E-02	4.74564628E+04	4.745652E+04	-5.4400E-02	-4.973186E+01	-4.968006E+01	-5.1795E-02
333	V	51	23	28	8.742096E+00	8.742191E+00	-9.4710E-05	4.744221E+04	4.744219E+04	1.91E-02	4.74539910E+04	4.745397E+04	1.8400E-02	-5.220369E+01	-5.222523E+01	-2.1543E-02
334	Cr	51	24	27	8.711998E+00	8.702876E+00	9.1217E-03	4.744245E+04	4.744290E+04	-4.50E-01	4.74547436E+04	4.745519E+04	-4.5130E-01	-5.145105E+01	-5.100327E+01	-4.4778E-01
335	Mn	51	25	26	8.633765E+00	8.615761E+00	1.8004E-02	4.744514E+04	4.744605E+04	-9.02E-01	4.74579512E+04	4.745885E+04	-9.0250E-01	-4.824350E+01	-4.734345E+01	-9.0004E-01
336	Fe	51	26	25	8.460755E+00	8.457213E+00	3.5419E-03	4.745267E+04	4.745284E+04	-1.64E-01	4.74659923E+04	4.746615E+04	-1.6240E-01	-4.020233E+01	-4.004060E+01	-1.6173E-01
337	Co	51	27	24	8.193254E+00	8.199837E+00	-6.5834E-03	4.746502E+04	4.746466E+04	3.53E-01	4.74788525E+04	4.747850E+04	3.5420E-01	-2.734214E+01	-2.769752E+01	-3.5538E-01
338	Ca	52	20	32	8.429319E+00	8.379054E+00	5.0265E-02	4.839319E+04	4.839579E+04	-2.60E+00	4.84034257E+04	4.840603E+04	-2.6025E+00	-3.426301E+01	-3.166375E+01	-2.5993E+00
339	Sc	52	21	31	8.527802E+00	8.517924E+00	9.8779E-03	4.838677E+04	4.838727E+04	-5.01E-01	4.83975222E+04	4.839802E+04	-5.0200E-01	-4.016651E+01	-3.966808E+01	-4.9842E-01
340	Ti	52	22	30	8.691648E+00	8.708270E+00	-1.6622E-02	4.837695E+04	4.837608E+04	8.78E-01	4.83882198E+04	4.838734E+04	8.7780E-01	-4.946885E+01	-5.034916E+01	8.8031E-01
341	V	52	23	29	8.714579E+00	8.716480E+00	-1.9014E-03	4.837447E+04	4.837435E+04	1.13E-01	4.83862451E+04	4.838613E+04	1.1190E-01	-5.144361E+01	-5.155916E+01	1.1555E-01
342	Cr	52	24	28	8.775967E+00	8.769521E+00	6.4460E-03	4.836998E+04	4.837030E+04	-3.20E-01	4.83822706E+04	4.838259E+04	-3.2090E-01	-5.541809E+01	-5.510035E+01	-3.1774E-01
343	Mn	52	25	27	8.670321E+00	8.653189E+00	1.7132E-02	4.837418E+04	4.837505E+04	-8.75E-01	4.83869818E+04	4.838786E+04	-8.7640E-01	-5.070685E+01	-4.983416E+01	-8.7270E-01
344	Fe	52	26	26	8.609611E+00	8.595477E+00	1.4134E-02	4.837604E+04	4.837675E+04	-7.19E-01	4.83893564E+04	4.839007E+04	-7.1700E-01	-4.833229E+01	-4.761621E+01	-7.1608E-01
345	Sc	53	21	32	8.480339E+00	8.470641E+00	9.6976E-03	4.932032E+04	4.932082E+04	-5.01E-01	4.93310753E+04	4.933158E+04	-5.0220E-01	-3.810742E+01	-3.760870E+01	-4.9872E-01
346	Ti	53	22	31	8.630154E+00	8.628995E+00	1.1585E-03	4.931109E+04	4.93114E+04	-4.81E-02	4.93223527E+04	4.932240E+04	-4.8700E-02	-4.682999E+01	-4.678455E+01	-4.5444E-02
347	V	53	23	30	8.710110E+00	8.720796E+00	-1.0686E-02	4.930555E+04	4.930497E+04	5.81E-01	4.93173327E+04	4.931675E+04	5.7980E-01	-5.184999E+01	-5.243307E+01	5.8308E-01
348	Cr	53	24	29	8.760177E+00	8.751888E+00	8.2893E-03	4.930160E+04	4.930203E+04	-4.24E-01	4.93138968E+04	4.931432E+04	-4.2540E-01	-5.528589E+01	-5.486399E+01	-4.2191E-01
349	Mn	53	25	28	8.734155E+00	8.722722E+00	1.1433E-02	4.930169E+04	4.930228E+04	-5.90E-01	4.93144936E+04	4.931509E+04	-5.9140E-01	-5.468905E+01	-5.410126E+01	-5.8778E-01
350	Fe	53	26	27	8.648784E+00	8.640532E+00	8.2522E-03	4.930492E+04	4.930534E+04	-4.21E-01	4.93182360E+04	4.931866E+04	-4.2070E-01	-5.094673E+01	-5.052828E+01	-4.1845E-01
351	Co	53	27	26	8.477643E+00	8.487420E+00	-9.7775E-03	4.931269E+04	4.931215E+04	5.35E-01	4.93265241E+04	4.932599E+04	5.3780E-01	-4.265863E+01	-4.319646E+01	5.3783E-01
352	Ni	53	28	25	8.217074E+00	8.214106E+00	2.9678E-03	4.932520E+04	4.932534E+04	-1.40E-01	4.93395519E+04	4.933969E+04	-1.3810E-01	-2.963082E+01	-2.949388E+01	-1.3695E-01
353	Sc	54	21	33	8.389275E+00	8.375402E+00	1.3873E-02	5.025633E+04	5.025706E+04	-7.36E-01	5.02670777E+04	5.026782E+04	-7.3770E-01	-3.359899E+01	-3.286509E+01	-7.3390E-01
354	Ti	54	22	32	8.596973E+00	8.603029E+00	-6.0562E-03	5.024381E+04	5.024347E+04	3.40E-01	5.02550796E+04	5.025474E+04	3.3970E-01	-4.559705E+01	-4.594005E+01	3.4299E-01
355	V	54	23	31	8.662023E+00	8.664566E+00	-2.5433E-03	5.023901E+04	5.023885E+04	1.51E-01	5.02507846E+04	5.025063E+04	1.5010E-01	-4.989211E+01	-5.004612E+01	1.5402E-01
356	Cr	54	24	30	8.777935E+00	8.780510E+00	-2.5749E-03	5.023145E+04	5.023130E+04	1.54E-01	5.02437430E+04	5.024359E+04	1.5340E-01	-5.693370E+01	-5.709015E+01	1.5646E-01
357	Mn	54	25	29	8.737944E+00	8.726258E+00	1.1686E-02	5.023231E+04	5.023293E+04	-6.15E-01	5.02451202E+04	5.024574E+04	-6.1700E-01	-5.555652E+01	-5.494361E+01	-6.1291E-01
358	Fe	54	26	28	8.736370E+00	8.731011E+00	5.3588E-03	5.023110E+04	5.023138E+04	-2.73E-01	5.02444228E+04	5.024470E+04	-2.7300E-01	-5.625387E+01	-5.598338E+01	-2.7048E-01
359	Co	54	27	27	8.569205E+00	8.564400E+00	4.8046E-03	5.023883E+04	5.023907E+04	-2.42E-01	5.02526674E+04	5.025291E+04	-2.4120E-01	-4.800932E+01	-4.776947E+01	-2.3985E-01
360	Ni	54	28	26	8.392006E+00	8.403187E+00	-1.1181E-02	5.024710E+04	5.024648E+04	6.22E-01	5.02614538E+04	5.026083E+04	6.2480E-01	-3.922292E+01	-3.984703E+01	6.2411E-01
361	Sc	55	21	34	8.317630E+00	8.319719E+00	-2.0892E-03	5.119144E+04	5.119131E+04	1.27E-01	5.12021942E+04	5.120207E+04	1.2680E-01	-2.997651E+01	-3.010663E+01	1.3012E-01
362	Ti	55	22	33	8.515970E+00	8.511624E+00	4.3460E-03	5.117924E+04	5.117946E+04	-2.26E-01	5.11905032E+04	5.119073E+04	-2.2660E-01	-4.166753E+01	-4.144447E+01	-2.2306E-01
363	V	55	23	32	8.637674E+00	8.643548E+00	-5.8739E-03	5.117125E+04	5.117091E+04	3.37E-01	5.11830271E+04	5.118269E+04	3.3600E-01	-4.914362E+01	-4.948336E+01	3.3974E-01
364	Cr	55	24	31	8.731905E+00	8.730366E+00	1.5392E-03	5.116477E+04	5.116484E+04	-6.98E-02	5.11770621E+04	5.117713E+04	-7.0900E-02	-5.510864E+01	-5.504142E+01	-6.7220E-02
365	Mn	55	25	30	8.765009E+00	8.758719E+00	6.2903E-03	5.116165E+04	5.116198E+04	-3.30E-01	5.11744590E+04	5.117479E+04	-3.3140E-01	-5.771173E+01	-5.738391E+01	-3.2782E-01
366	Fe	55	26	29	8.746583E+00	8.737669E+00	8.9138E-03	5.116137E+04	5.116184E+04	-4.74E-01	5.11746901E+04	5.117516E+04	-4.7470E-01	-5.748064E+01	-5.700926E+01	-4.7138E-01
367	Co	55	27	28	8.669606E+00	8.663059E+00	6.5470E-03	5.116431E+04	5.116465E+04	-3.43E-01	5.11781415E+04	5.117848E+04	-3.4220E-01	-5.402926E+01	-5.368878E+01	-3.4048E-01
368	Ni	55	28	27	8.497308E+00	8.499731E+00	-2.4230E-03	5.117249E+04	5.117234E+04	1.51E-01	5.11868355E+04	5.118668E+04	1.5370E-01	-4.53322E+01	-4.548882E+01	1.5359E-01
369	Cu	55	29	26	8.233996E+00	8.219497E+00	1.4499E-02	5.118567E+04	5.118645E+04	-7.79E-01	5.12005353E+04	5.120131E+04	-7.7780E-01	-3.163540E+01	-3.085903E+01	-7.7636E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
370	Ti	56	22	34	8.464062E+00	8.475093E+00	-1.1031E-02	5.211319E+04	5.211256E+04	6.31E-01	5.21244594E+04	5.212383E+04	6.3050E-01	-3.920532E+01	-3.983904E+01	6.3372E-01
371	V	56	23	33	8.573623E+00	8.573465E+00	1.5816E-04	5.210576E+04	5.210576E+04	5.10E-03	5.21175416E+04	5.211754E+04	3.6000E-03	-4.612310E+01	-4.613094E+01	7.8362E-03
372	Cr	56	24	32	8.723191E+00	8.729121E+00	-5.9298E-03	5.209609E+04	5.209574E+04	3.47E-01	5.21083835E+04	5.210804E+04	3.4610E-01	-5.528125E+01	-5.563075E+01	3.4951E-01
373	Mn	56	25	31	8.738320E+00	8.730895E+00	7.4249E-03	5.209395E+04	5.209435E+04	-4.00E-01	5.21067539E+04	5.210716E+04	-4.0180E-01	-5.691085E+01	-5.651318E+01	-3.9766E-01
374	Fe	56	26	30	8.790342E+00	8.788889E+00	1.4534E-03	5.208974E+04	5.208980E+04	-6.52E-02	5.21030583E+04	5.210312E+04	-6.5400E-02	-6.060642E+01	-6.054390E+01	-6.2523E-02
375	Co	56	27	29	8.694825E+00	8.691891E+00	2.9342E-03	5.209379E+04	5.209394E+04	-1.47E-01	5.21076249E+04	5.210777E+04	-1.4760E-01	-5.603980E+01	-5.589510E+01	-1.4470E-01
376	Ni	56	28	28	8.642767E+00	8.628740E+00	1.4027E-02	5.209541E+04	5.209618E+04	-7.68E-01	5.21097578E+04	5.211052E+04	-7.6540E-01	-5.390691E+01	-5.314173E+01	-7.6517E-01
377	Ti	57	22	35	8.363527E+00	8.379370E+00	-1.5843E-02	5.305003E+04	5.304911E+04	9.16E-01	5.30612911E+04	5.306038E+04	9.1570E-01	-3.386761E+01	-3.478663E+01	9.1902E-01
378	V	57	23	34	8.531570E+00	8.541217E+00	-9.6466E-03	5.303915E+04	5.303859E+04	5.64E-01	5.30509304E+04	5.305037E+04	5.6290E-01	-4.422839E+01	-4.479494E+01	5.6655E-01
379	Cr	57	24	33	8.663384E+00	8.661972E+00	1.4119E-03	5.303034E+04	5.303041E+04	-6.58E-02	5.30426346E+04	5.304270E+04	-6.7000E-02	-5.252414E+01	-5.246107E+01	-6.3067E-02
380	Mn	57	25	32	8.736711E+00	8.735290E+00	1.4205E-03	5.302487E+04	5.302493E+04	-6.56E-02	5.30376726E+04	5.303774E+04	-6.6700E-02	-5.748613E+01	-5.742330E+01	-6.2834E-02
381	Fe	57	26	31	8.770267E+00	8.764388E+00	5.8792E-03	5.302166E+04	5.302198E+04	-3.19E-01	5.30349777E+04	5.303530E+04	-3.1970E-01	-6.018118E+01	-5.986492E+01	-3.1626E-01
382	Co	57	27	30	8.741817E+00	8.746565E+00	-4.6941E-03	5.302198E+04	5.302169E+04	2.84E-01	5.30358138E+04	5.303553E+04	2.8450E-01	-5.934495E+01	-5.963211E+01	-2.8716E-01
383	Ni	57	28	29	8.670923E+00	8.666559E+00	4.3639E-03	5.302473E+04	5.302496E+04	-2.31E-01	5.30390755E+04	5.303931E+04	-2.2990E-01	-5.608322E+01	-5.854844E+01	-2.2838E-01
384	Cu	57	29	28	8.503251E+00	8.496250E+00	7.0008E-03	5.303299E+04	5.30337E+04	-3.81E-01	5.30478505E+04	5.304823E+04	-3.7810E-01	-4.730825E+01	-4.693031E+01	-3.7794E-01
385	V	58	23	35	8.456240E+00	8.465124E+00	-8.8841E-03	5.397455E+04	5.397403E+04	5.29E-01	5.39748180E+04	5.397443E+04	5.2810E-01	-5.183473E+01	-4.085147E+01	5.3197E-01
386	Cr	58	24	34	8.641290E+00	8.647697E+00	-6.4065E-03	5.396253E+04	5.396214E+04	4.22E-01	5.39708252E+04	5.397125E+04	-4.2330E-01	-5.582756E+01	-5.540876E+01	-4.1880E-01
387	Mn	58	25	33	8.696643E+00	8.689109E+00	7.5338E-03	5.395802E+04	5.395844E+04	-2.71E-01	5.39644983E+04	5.396477E+04	-2.7110E-01	-6.215447E+01	-6.188652E+01	-2.6795E-01
388	Fe	58	26	32	8.792239E+00	8.787293E+00	4.9456E-03	5.395118E+04	5.395145E+04	1.59E-01	5.39668062E+04	5.396665E+04	1.5860E-01	-6.022815E+01	-6.000859E+01	1.6203E-01
389	Co	58	27	31	8.738959E+00	8.741414E+00	-2.4500E-03	5.395297E+04	5.395281E+04	5.85E-01	5.39644246E+04	5.396584E+04	5.8570E-01	-6.022815E+01	-6.01540E+01	5.8725E-01
390	Ni	58	28	30	8.732049E+00	8.741823E+00	-9.7742E-03	5.396012E+04	5.396042E+04	-2.95E-01	5.39749856E+04	5.397528E+04	-2.9360E-01	-5.166713E+01	-5.137507E+01	-2.9206E-01
391	Cu	58	29	29	8.570957E+00	8.565558E+00	5.3944E-03	5.396898E+04	5.396959E+04	-6.11E-01	5.39843546E+04	5.398496E+04	-6.080E-01	-4.229815E+01	-4.168987E+01	-6.0829E-01
392	Zn	58	30	28	8.395934E+00	8.385070E+00	1.0864E-02	5.396898E+04	5.396959E+04	1.00E+00	5.49203148E+04	5.491931E+04	1.0042E+00	-3.783202E+01	-3.883960E+01	1.0076E+00
393	V	59	23	36	8.407555E+00	8.424350E+00	-1.6795E-02	5.490854E+04	5.490753E+04	5.85E-01	5.49102553E+04	5.490967E+04	5.8390E-01	-5.552532E+01	-5.534236E+01	5.8760E-01
394	Cr	59	24	35	8.564795E+00	8.574459E+00	-9.6637E-03	5.489796E+04	5.489738E+04	5.85E-01	5.49102553E+04	5.490281E+04	-1.8720E-01	-4.789149E+01	-4.847909E+01	5.8760E-01
395	Mn	59	25	34	8.680921E+00	8.677513E+00	3.4083E-03	5.488981E+04	5.489000E+04	-1.86E-01	5.49026214E+04	5.490281E+04	-1.8720E-01	-5.552532E+01	-5.534236E+01	-1.8296E-01
396	Fe	59	26	33	8.754760E+00	8.745060E+00	9.6999E-03	5.488416E+04	5.488472E+04	-5.56E-01	5.48959176E+04	5.489596E+04	-5.5730E-01	-6.066416E+01	-6.011073E+01	-5.5344E-01
397	Co	59	27	32	8.768025E+00	8.767027E+00	9.9799E-04	5.488208E+04	5.488212E+04	-4.20E-02	5.48969906E+04	5.489673E+04	-4.2500E-02	-6.222912E+01	-6.218985E+01	-3.9268E-02
398	Ni	59	28	31	8.736578E+00	8.740731E+00	-4.1532E-03	5.488264E+04	5.488238E+04	2.63E-01	5.48969906E+04	5.489673E+04	2.6290E-01	-6.115612E+01	-6.142148E+01	2.6536E-01
399	Cu	59	29	30	8.611990E+00	8.650150E+00	-8.1600E-03	5.488692E+04	5.488643E+04	5.00E-01	5.49017890E+04	5.490129E+04	5.0070E-01	-5.635773E+01	-5.686026E+01	5.0253E-01
400	Zn	59	30	29	8.473767E+00	8.473989E+00	-2.2213E-04	5.489555E+04	5.489552E+04	3.21E-02	5.49109318E+04	5.491090E+04	3.3700E-02	-4.721496E+01	-4.724985E+01	3.4893E-02
401	V	60	23	37	8.325450E+00	8.342238E+00	-1.6788E-02	5.584462E+04	5.584360E+04	1.02E+00	5.58563988E+04	5.585538E+04	1.0203E+00	-3.324196E+01	-3.426593E+01	1.0240E+00
402	Cr	60	24	36	8.533443E+00	8.50949E+00	-1.7506E-02	5.583084E+04	5.582978E+04	1.06E+00	5.58431369E+04	5.584207E+04	1.0644E+00	-4.650388E+01	-4.757165E+01	1.0678E+00
403	Mn	60	25	35	8.628138E+00	8.621241E+00	6.8967E-03	5.582387E+04	5.582426E+04	-3.99E-01	5.58366728E+04	5.583707E+04	-4.0030E-01	-5.296794E+01	-5.272726E+01	-3.9568E-01
404	Fe	60	26	34	8.755840E+00	8.752255E+00	3.5852E-03	5.581491E+04	5.581511E+04	-1.99E-01	5.58282284E+04	5.582843E+04	-1.9980E-01	-6.141238E+01	-6.121615E+01	-1.9623E-01
405	Co	60	27	33	8.746757E+00	8.742995E+00	3.7619E-03	5.581416E+04	5.581436E+04	-2.09E-01	5.58279911E+04	5.582820E+04	-2.1000E-01	-6.164972E+01	-6.144364E+01	-2.0608E-01
406	Ni	60	28	32	8.780764E+00	8.783910E+00	-3.1456E-03	5.581082E+04	5.581061E+04	2.06E-01	5.58251682E+04	5.582496E+04	2.0680E-01	-6.447253E+01	-6.468159E+01	2.0906E-01
407	Cu	60	29	31	8.665592E+00	8.670670E+00	-5.0782E-03	5.581643E+04	5.581611E+04	3.23E-01	5.58312962E+04	5.583097E+04	3.2300E-01	-5.834455E+01	-5.867030E+01	3.2575E-01
408	Zn	60	30	30	8.583039E+00	8.587461E+00	-4.4221E-03	5.582009E+04	5.581980E+04	2.84E-01	5.58354670E+04	5.583518E+04	2.8560E-01	-5.417373E+01	-5.446084E+01	2.8711E-01
409	V	61	23	38	8.276439E+00	8.292812E+00	-1.6373E-02	5.677885E+04	5.677784E+04	1.01E+00	5.67906284E+04	5.678962E+04	1.0121E+00	-3.050643E+01	-3.152183E+01	1.0154E+00
410	Cr	61	24	37	8.459494E+00	8.471776E+00	-1.2282E-02	5.676639E+04	5.676562E+04	7.64E-01	5.67786797E+04	5.677792E+04	7.6310E-01	-4.245509E+01	-4.322172E+01	7.6663E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
411	Mn	61	25	36	8.598915E+00	8.599870E+00	-9.5501E-04	5.675659E+04	5.675651E+04	7.35E-02	5.67693927E+04	5.676932E+04	7.2400E-02	-5.174212E+01	-5.181854E+01	7.6414E-02
412	Fe	61	26	35	8.703768E+00	8.699663E+00	4.1050E-03	5.674889E+04	5.674913E+04	-2.34E-01	5.67622143E+04	5.676245E+04	-2.3570E-01	-5.892049E+01	-5.868898E+01	-2.3151E-01
413	Co	61	27	34	8.756141E+00	8.753096E+00	3.0451E-03	5.674440E+04	5.674457E+04	-1.69E-01	5.67582372E+04	5.675841E+04	-1.6980E-01	-6.289762E+01	-6.273147E+01	-1.6615E-01
414	Ni	61	28	33	8.765016E+00	8.762623E+00	2.3929E-03	5.674256E+04	5.674269E+04	-1.28E-01	5.67569135E+04	5.675704E+04	-1.2860E-01	-6.422132E+01	-6.409570E+01	-1.2562E-01
415	Cu	61	29	32	8.715510E+00	8.718457E+00	-2.9467E-03	5.674429E+04	5.674409E+04	1.98E-01	5.67591510E+04	5.675895E+04	1.9830E-01	-6.198383E+01	-6.218463E+01	2.0080E-01
416	Zn	61	30	31	8.610306E+00	8.616621E+00	-6.3146E-03	5.674941E+04	5.674900E+04	4.04E-01	5.67647861E+04	5.676438E+04	4.0440E-01	-5.634869E+01	-5.67571E+01	4.071E-01
417	Ga	61	31	30	8.446429E+00	8.451926E+00	-5.4969E-03	5.675811E+04	5.675775E+04	3.55E-01	5.67740002E+04	5.677364E+04	3.5580E-01	-4.713454E+01	-4.749241E+01	3.5787E-01
418	Cr	62	24	38	8.428069E+00	8.438541E+00	-1.0472E-02	5.676944E+04	5.676987E+04	6.64E-01	5.77117338E+04	5.771107E+04	6.6330E-01	-4.089496E+01	-4.156162E+01	6.6666E-01
419	Fe	62	26	36	8.692882E+00	8.693534E+00	-6.5225E-04	5.6768043E+04	5.6768037E+04	5.63E-02	5.76937508E+04	5.769370E+04	5.5400E-02	-5.887805E+01	-5.893735E+01	5.9300E-02
420	Co	62	27	35	8.721325E+00	8.719235E+00	2.0900E-03	5.677737E+04	5.677748E+04	-1.13E-01	5.76912050E+04	5.769132E+04	-1.1430E-01	-6.142382E+01	-6.13387E+01	-1.0995E-01
421	Ni	62	28	34	8.794546E+00	8.788748E+00	5.7985E-03	5.677153E+04	5.677188E+04	-3.42E-01	5.76858829E+04	5.768622E+04	-3.4200E-01	-6.674386E+01	-6.640673E+01	-3.3914E-01
422	Cu	62	29	33	8.718074E+00	8.715936E+00	2.1182E-03	5.677498E+04	5.677580E+04	2.82E-01	5.76914613E+04	5.769118E+04	2.8240E-01	-6.278697E+01	-6.267672E+01	2.8482E-01
423	Zn	62	30	32	8.679335E+00	8.683577E+00	-4.2425E-03	5.676708E+04	5.6767580E+04	-5.66E-01	5.77006424E+04	5.770121E+04	-5.6640E-01	-6.116751E+01	-6.145234E+01	2.8482E-01
424	Ga	62	31	31	8.518635E+00	8.509189E+00	9.4461E-03	5.6768475E+04	5.6768551E+04	5.66E-01	5.77006424E+04	5.770121E+04	-5.6640E-01	-5.198645E+01	-5.142332E+01	-5.6312E-01
425	Cr	63	24	39	8.340298E+00	8.353522E+00	-1.3224E-02	5.863611E+04	5.863526E+04	8.47E-01	5.86484007E+04	5.864755E+04	8.4710E-01	-3.572211E+01	-3.657263E+01	8.5051E-01
426	Mn	63	25	38	8.505101E+00	8.507212E+00	-2.1108E-03	5.862443E+04	5.862428E+04	1.48E-01	5.86372358E+04	5.863709E+04	1.4730E-01	-4.688705E+01	-4.703817E+01	1.5112E-01
427	Fe	63	26	37	8.631549E+00	8.631123E+00	4.2557E-04	5.861517E+04	5.861518E+04	-1.10E-02	5.86284872E+04	5.862850E+04	-1.2300E-02	-5.563562E+01	-5.562768E+01	-7.9400E-03
428	Co	63	27	36	8.717788E+00	8.718191E+00	-4.0332E-04	5.860844E+04	5.860839E+04	4.20E-02	5.86222718E+04	5.862223E+04	4.0900E-02	-6.185100E+01	-6.189604E+01	4.5036E-02
429	Ni	63	28	35	8.763486E+00	8.757206E+00	6.2840E-03	5.860426E+04	5.860464E+04	-3.78E-01	5.86186105E+04	5.861899E+04	-3.7890E-01	-6.551232E+01	-6.513701E+01	-3.7531E-01
430	Cu	63	29	34	8.752131E+00	8.745498E+00	6.6329E-03	5.860368E+04	5.860408E+04	-4.00E-01	5.86185435E+04	5.861894E+04	-4.0000E-01	-6.551930E+01	-6.518252E+01	-3.9678E-01
431	Zn	63	30	33	8.686281E+00	8.685517E+00	7.6352E-04	5.860653E+04	5.860656E+04	-2.93E-02	5.86219097E+04	5.862194E+04	-2.9500E-02	-6.221311E+01	-6.218681E+01	-2.6297E-02
432	Ga	63	31	32	8.583926E+00	8.583375E+00	5.5107E-04	5.861168E+04	5.861170E+04	-1.52E-02	5.86275757E+04	5.862759E+04	-1.5500E-02	-5.654709E+01	-5.653491E+01	-1.2181E-02
433	Ge	63	32	31	8.418716E+00	8.425538E+00	-6.8217E-03	5.862079E+04	5.862034E+04	4.50E-01	5.86372016E+04	5.863675E+04	4.5010E-01	-4.692122E+01	-4.737424E+01	4.5303E-01
434	Mn	64	25	39	8.437417E+00	8.438465E+00	-1.0484E-03	5.955982E+04	5.955974E+04	8.21E-02	5.9726278E+04	5.97255E+04	8.1200E-02	-4.298903E+01	-4.307429E+01	8.5259E-02
435	Fe	64	26	38	8.612388E+00	8.614233E+00	-1.8448E-03	5.94733E+04	5.94719E+04	1.34E-01	5.95606473E+04	5.956051E+04	1.3300E-01	-5.496954E+01	-5.510648E+01	1.3694E-01
436	Co	64	27	37	8.675513E+00	8.674269E+00	1.2438E-03	5.94199E+04	5.94205E+04	-6.30E-02	5.95558249E+04	5.955589E+04	-6.4900E-02	-5.979189E+01	-5.973189E+01	-5.9993E-02
437	Ni	64	28	36	8.777454E+00	8.772144E+00	5.3099E-03	5.93417E+04	5.93449E+04	-3.23E-01	5.95485184E+04	5.954884E+04	-3.2280E-01	-6.709848E+01	-6.677896E+01	-3.1951E-01
438	Cu	64	29	35	8.739068E+00	8.731048E+00	8.0201E-03	5.93533E+04	5.93582E+04	-4.95E-01	5.95501927E+04	5.955069E+04	-4.9620E-01	-6.542409E+01	-6.493188E+01	-4.9221E-01
439	Zn	64	30	34	8.735901E+00	8.732200E+00	3.7005E-03	5.93423E+04	5.93445E+04	-2.18E-01	5.95496130E+04	5.954983E+04	-2.1810E-01	-6.600379E+01	-6.578872E+01	-2.1507E-01
440	Ga	64	31	33	8.611630E+00	8.603930E+00	7.7000E-03	5.93423E+04	5.93445E+04	-4.73E-01	5.95567841E+04	5.955726E+04	-4.7430E-01	-5.883275E+01	-5.836249E+01	-4.7026E-01
441	Ge	64	32	32	8.528823E+00	8.524208E+00	4.6146E-03	5.954489E+04	5.954517E+04	-2.75E-01	5.95613013E+04	5.956158E+04	-2.7520E-01	-5.431550E+01	-5.404338E+01	-2.7211E-01
442	Mn	65	25	40	8.400681E+00	8.400294E+00	3.8683E-04	6.049334E+04	6.049335E+04	-1.03E-02	6.05061435E+04	6.050615E+04	-1.1000E-02	-4.096734E+01	-4.096031E+01	-7.0272E-03
443	Fe	65	26	39	8.546401E+00	8.546422E+00	-2.1440E-05	6.048257E+04	6.048255E+04	1.70E-02	6.04958894E+04	6.049587E+04	1.6100E-02	-5.122149E+01	-5.124173E+01	2.0234E-02
444	Co	65	27	38	8.656884E+00	8.659288E+00	-2.4040E-03	6.047409E+04	6.047392E+04	1.73E-01	6.04879256E+04	6.048775E+04	1.7100E-01	-5.918520E+01	-5.936106E+01	1.7586E-01
445	Ni	65	28	37	8.736233E+00	8.732676E+00	3.5566E-03	6.046764E+04	6.046785E+04	-2.14E-01	6.04819856E+04	6.048220E+04	-2.1480E-01	-6.512524E+01	-6.491439E+01	-2.1085E-01
446	Cu	65	29	36	8.757093E+00	8.748510E+00	8.5835E-03	6.046498E+04	6.046552E+04	-5.40E-01	6.04798474E+04	6.048039E+04	-5.4060E-01	-6.726346E+01	-6.672662E+01	-5.3684E-01
447	Zn	65	30	35	8.724262E+00	8.721522E+00	2.7397E-03	6.046582E+04	6.046598E+04	-1.59E-01	6.04811990E+04	6.048136E+04	-1.6000E-01	-6.591180E+01	-6.575552E+01	-1.5628E-01
448	Ga	65	31	34	8.662157E+00	8.654334E+00	7.8230E-03	6.046856E+04	6.046905E+04	-4.89E-01	6.04844535E+04	6.048494E+04	-4.8980E-01	-6.265733E+01	-6.217136E+01	-4.8597E-01
449	Ge	65	32	33	8.555058E+00	8.550496E+00	4.5624E-03	6.047422E+04	6.047450E+04	-2.76E-01	6.04906326E+04	6.049091E+04	-2.7730E-01	-5.647822E+01	-5.620494E+01	-2.7327E-01
450	As	65	33	32	8.396234E+00	8.403903E+00	-7.6688E-03	6.048325E+04	6.048273E+04	5.19E-01	6.05001738E+04	6.049965E+04	5.1890E-01	-4.693705E+01	-4.745949E+01	5.2244E-01
451	Mn	66	25	41	8.331798E+00	8.326101E+00	5.6973E-03	6.142905E+04	6.142941E+04	-3.61E-01	6.14418545E+04	6.144222E+04	-3.6210E-01	-3.675039E+01	-3.639252E+01	-3.5787E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
452	Fe	66	26	40	8.521724E+00	8.522071E+00	-3.4733E-04	6.141522E+04	6.141518E+04	3.85E-02	6.14285370E+04	6.142850E+04	3.7700E-02	-5.006784E+01	-5.010966E+01	4.1816E-02
453	Co	66	27	39	8.605941E+00	8.604171E+00	1.7703E-03	6.140836E+04	6.140846E+04	-1.00E-01	6.14221963E+04	6.1422230E+04	-1.0260E-01	-5.640853E+01	-5.631129E+01	-9.7245E-02
454	Ni	66	28	38	8.739508E+00	8.736652E+00	2.8563E-03	6.139825E+04	6.139842E+04	-1.71E-01	6.14125986E+04	6.141277E+04	-1.7190E-01	-6.600629E+01	-6.83812E+01	-1.6817E-01
455	Cu	66	29	37	8.731469E+00	8.724952E+00	6.5168E-03	6.139748E+04	6.139789E+04	-4.12E-01	6.14123468E+04	6.141276E+04	-4.1340E-01	-6.625807E+01	-6.584902E+01	-4.0905E-01
456	Zn	66	30	36	8.759630E+00	8.754886E+00	4.7440E-03	6.139433E+04	6.139462E+04	-2.94E-01	6.14097058E+04	6.141000E+04	-2.9480E-01	-6.889906E+01	-6.860773E+01	-4.9133E-01
457	Ga	66	31	35	8.669367E+00	8.660822E+00	8.5449E-03	6.139899E+04	6.139953E+04	-5.45E-01	6.14148808E+04	6.141543E+04	-5.4600E-01	-6.372406E+01	-6.318259E+01	-5.4147E-01
458	Ge	66	32	34	8.625437E+00	8.616868E+00	8.5695E-03	6.140059E+04	6.140113E+04	-5.46E-01	6.14169978E+04	6.141754E+04	-5.4610E-01	-6.160703E+01	-6.106467E+01	-5.4237E-01
459	As	66	33	33	8.468403E+00	8.453168E+00	1.5235E-02	6.140966E+04	6.141064E+04	-9.85E-01	6.14265798E+04	6.142757E+04	-9.8600E-01	-5.202508E+01	-5.104555E+01	-9.8153E-01
460	Fe	67	26	41	8.455310E+00	8.449610E+00	5.7005E-03	6.235071E+04	6.235108E+04	-3.66E-01	6.23640303E+04	6.236440E+04	-3.6740E-01	-4.606853E+01	-4.570547E+01	-3.6306E-01
461	Co	67	27	40	8.581741E+00	8.579500E+00	2.2409E-03	6.234094E+04	6.234108E+04	-1.34E-01	6.23547771E+04	6.235491E+04	-1.3570E-01	-5.532178E+01	-5.519121E+01	-1.3056E-01
462	Ni	67	28	39	8.69750E+00	8.687768E+00	7.9819E-03	6.233201E+04	6.233252E+04	-5.18E-01	6.23463562E+04	6.234688E+04	-5.1900E-01	-6.374268E+01	-6.322825E+01	-5.1443E-01
463	Cu	67	29	38	8.737447E+00	8.731738E+00	5.6890E-03	6.232792E+04	6.232828E+04	-3.63E-01	6.23427801E+04	6.234314E+04	-3.6420E-01	-6.731878E+01	-6.695864E+01	-3.6014E-01
464	Zn	67	30	37	8.734148E+00	8.734238E+00	-1.1016E-04	6.232684E+04	6.232681E+04	2.60E-02	6.23422188E+04	6.234219E+04	2.5100E-02	-6.788007E+01	-6.790923E+01	2.9167E-02
465	Ga	67	31	36	8.707528E+00	8.697735E+00	9.7931E-03	6.232733E+04	6.232796E+04	-6.37E-01	6.23474409E+04	6.234386E+04	-6.3780E-01	-6.687890E+01	-6.624525E+01	-6.3364E-01
466	Ge	67	32	35	8.632853E+00	8.626367E+00	6.4858E-03	6.233103E+04	6.233145E+04	-4.14E-01	6.23474409E+04	6.234786E+04	-4.1570E-01	-6.265800E+01	-6.224670E+01	-4.1131E-01
467	As	67	33	34	8.530568E+00	8.524034E+00	6.5342E-03	6.233659E+04	6.233700E+04	-4.17E-01	6.23535116E+04	6.235393E+04	-4.1820E-01	-5.658723E+01	-5.617343E+01	-4.1379E-01
468	Se	67	34	33	8.369534E+00	8.378716E+00	-9.1823E-03	6.234608E+04	6.234544E+04	6.37E-01	6.23635186E+04	6.236288E+04	6.3580E-01	-4.658029E+01	-4.722024E+01	6.3995E-01
469	Fe	68	26	42	8.416675E+00	8.417856E+00	-1.1805E-03	6.328445E+04	6.328435E+04	9.57E-02	6.32977675E+04	6.329767E+04	9.4800E-02	-4.382535E+01	-4.392449E+01	9.9137E-02
470	Co	68	27	41	8.524264E+00	8.519571E+00	4.6928E-03	6.327583E+04	6.327614E+04	-3.03E-01	6.32896692E+04	6.328997E+04	-3.0480E-01	-5.192372E+01	-5.162423E+01	-2.9949E-01
471	Ni	68	28	40	8.682466E+00	8.678552E+00	3.9139E-03	6.326378E+04	6.326403E+04	-2.49E-01	6.32781291E+04	6.327838E+04	-2.5080E-01	-6.346381E+01	-6.321801E+01	-2.4581E-01
472	Cu	68	29	39	8.701890E+00	8.700078E+00	1.8121E-03	6.326116E+04	6.326127E+04	-1.05E-01	6.32760258E+04	6.327613E+04	-1.0680E-01	-6.556703E+01	-6.546484E+01	-1.0220E-01
473	Zn	68	30	38	8.755677E+00	8.755577E+00	9.9970E-05	6.325621E+04	6.325620E+04	1.18E-02	6.32715860E+04	6.327157E+04	1.1300E-02	-7.000685E+01	-7.002186E+01	1.5010E-02
474	Ga	68	31	37	8.701214E+00	8.693402E+00	7.8120E-03	6.325861E+04	6.325913E+04	-5.12E-01	6.32745071E+04	6.327502E+04	-5.1360E-01	-6.708575E+01	-6.657703E+01	-5.0871E-01
475	Ge	68	32	36	8.688136E+00	8.678385E+00	9.7511E-03	6.325820E+04	6.325885E+04	-6.43E-01	6.32746141E+04	6.327526E+04	-6.4390E-01	-6.697879E+01	-6.633894E+01	-6.3985E-01
476	As	68	33	35	8.557745E+00	8.549243E+00	8.5019E-03	6.326577E+04	6.326633E+04	-5.57E-01	6.32826984E+04	6.328326E+04	-5.5920E-01	-5.889452E+01	-5.834038E+01	-5.5414E-01
477	Se	68	34	34	8.477047E+00	8.469199E+00	7.8478E-03	6.326996E+04	6.327048E+04	-5.12E-01	6.32874034E+04	6.328792E+04	-5.1300E-01	-5.418944E+01	-5.368047E+01	-5.0897E-01
478	Co	69	27	42	8.492270E+00	8.488842E+00	3.4281E-03	6.420908E+04	6.420930E+04	-2.20E-01	6.42229178E+04	6.422314E+04	-2.2210E-01	-5.016909E+01	-4.995216E+01	-2.1692E-01
479	Ni	69	28	41	8.623099E+00	8.618523E+00	4.5761E-03	6.419876E+04	6.419906E+04	-2.99E-01	6.42131082E+04	6.421341E+04	-3.0130E-01	-5.997865E+01	-5.968323E+01	-2.9542E-01
480	Cu	69	29	40	8.695204E+00	8.697707E+00	-2.5031E-03	6.419249E+04	6.419230E+04	1.90E-01	6.42073507E+04	6.420716E+04	1.8930E-01	-6.573621E+01	-6.593001E+01	1.9380E-01
481	Zn	69	30	39	8.722726E+00	8.726055E+00	-3.3290E-03	6.418929E+04	6.418904E+04	2.48E-01	6.42046693E+04	6.420442E+04	2.4720E-01	-6.841760E+01	-6.866910E+01	2.5150E-01
482	Ga	69	31	38	8.724579E+00	8.717748E+00	6.8313E-03	6.418787E+04	6.418832E+04	-4.52E-01	6.42037591E+04	6.420421E+04	-4.5330E-01	-6.932780E+01	-6.887897E+01	-4.4883E-01
483	Ge	69	32	37	8.680963E+00	8.677193E+00	3.7696E-03	6.418958E+04	6.418982E+04	-2.40E-01	6.42059862E+04	6.420623E+04	-2.4160E-01	-6.710065E+01	-6.686380E+01	-2.3686E-01
484	As	69	33	36	8.611820E+00	8.603799E+00	8.0207E-03	6.419305E+04	6.419358E+04	-5.33E-01	6.42099747E+04	6.421051E+04	-5.3430E-01	-6.311216E+01	-6.258268E+01	-5.2948E-01
485	Se	69	34	35	8.503707E+00	8.498000E+00	5.7066E-03	6.419921E+04	6.419958E+04	-3.72E-01	6.42166522E+04	6.421703E+04	-3.7380E-01	-5.643471E+01	-5.606564E+01	-3.6907E-01
486	Br	69	35	34	8.342757E+00	8.357920E+00	-1.5163E-02	6.420902E+04	6.420795E+04	1.07E+00	6.42269754E+04	6.422591E+04	1.0672E+00	-4.611147E+01	-4.718315E+01	1.0717E+00
487	Co	70	27	43	8.439831E+00	8.425753E+00	1.4078E-02	6.514383E+04	6.514480E+04	-9.69E-01	6.51576616E+04	6.515863E+04	-9.7130E-01	-4.691935E+01	-4.595347E+01	-9.6588E-01
488	Ni	70	28	42	8.604291E+00	8.597970E+00	6.3209E-03	6.513102E+04	6.513144E+04	-4.26E-01	6.51453670E+04	6.514580E+04	-4.2810E-01	-5.921386E+01	-5.879173E+01	-4.2213E-01
489	Cu	70	29	41	8.646865E+00	8.657738E+00	-1.0873E-02	6.512674E+04	6.512596E+04	7.79E-01	6.51416045E+04	6.514083E+04	7.7680E-01	-6.297637E+01	-6.375855E+01	7.8218E-01
490	Zn	70	30	40	8.729807E+00	8.737500E+00	-7.6928E-03	6.511964E+04	6.511908E+04	5.57E-01	6.51350162E+04	6.513446E+04	5.5620E-01	-6.956471E+01	-7.012496E+01	5.6026E-01
491	Ga	70	31	39	8.709280E+00	8.703315E+00	5.9654E-03	6.511978E+04	6.512018E+04	-3.98E-01	6.51356708E+04	6.513607E+04	-4.0000E-01	-6.891013E+01	-6.851508E+01	-3.9505E-01
492	Ge	70	32	38	8.721699E+00	8.716157E+00	5.5425E-03	6.511716E+04	6.511798E+04	-3.68E-01	6.51340191E+04	6.513439E+04	-3.6900E-01	-7.056184E+01	-7.019709E+01	-3.6474E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
493	As	70	33	37	8.621666E+00	8.617711E+00	3.9554E-03	6.512331E+04	6.512357E+04	-2.56E-01	6.51402391E+04	6.514050E+04	-2.5820E-01	-6.434184E+01	-6.408895E+01	-2.5288E-01
494	Se	70	34	36	8.576033E+00	8.566438E+00	9.5749E-03	6.512521E+04	6.512586E+04	-6.49E-01	6.51426510E+04	6.514330E+04	-6.5000E-01	-6.192989E+01	-6.128436E+01	-6.4554E-01
495	Br	70	35	35	8.414796E+00	8.405181E+00	9.6155E-03	6.513520E+04	6.513585E+04	-6.51E-01	6.51531553E+04	6.515381E+04	-6.5290E-01	-5.142562E+01	-5.077800E+01	-6.4762E-01
496	Co	71	27	44	8.398734E+00	8.390890E+00	7.8440E-03	6.607787E+04	6.607841E+04	-5.41E-01	6.60917050E+04	6.609225E+04	-5.4270E-01	-4.436993E+01	-4.383262E+01	-5.3731E-01
497	Ni	71	28	43	8.543156E+00	8.533871E+00	9.2849E-03	6.606632E+04	6.606696E+04	-6.43E-01	6.60806687E+04	6.608131E+04	-6.4500E-01	-5.540623E+01	-5.476736E+01	-6.3887E-01
498	Cu	71	29	42	8.635022E+00	8.643807E+00	-8.7847E-03	6.605850E+04	6.605786E+04	6.41E-01	6.60733638E+04	6.607272E+04	6.3910E-01	-6.271113E+01	-6.335586E+01	6.4473E-01
499	Zn	71	30	41	8.689041E+00	8.700326E+00	-1.1285E-02	6.605337E+04	6.605255E+04	8.20E-01	6.60687461E+04	6.606793E+04	8.1840E-01	-6.732878E+01	-6.35586E+01	6.4473E-01
500	Ga	71	31	40	8.717604E+00	8.717175E+00	4.2869E-04	6.605004E+04	6.605005E+04	-1.13E-02	6.60659358E+04	6.606595E+04	-1.2700E-02	-7.013910E+01	-7.013119E+01	-7.9117E-03
501	Ge	71	32	39	8.703308E+00	8.704633E+00	-1.3254E-03	6.604976E+04	6.604965E+04	1.14E-01	6.60661685E+04	6.606606E+04	1.1260E-01	-6.990646E+01	-7.002379E+01	1.1733E-01
502	As	71	33	38	8.663932E+00	8.659468E+00	4.4637E-03	6.605126E+04	6.605155E+04	-2.96E-01	6.60681819E+04	6.606848E+04	-2.9790E-01	-6.789306E+01	-6.760014E+01	-2.9292E-01
503	Se	71	34	37	8.586060E+00	8.582648E+00	3.4123E-03	6.605549E+04	6.605571E+04	-2.21E-01	6.60729284E+04	6.607315E+04	-2.2270E-01	-6.314651E+01	-6.292896E+01	-2.1755E-01
504	Br	71	35	36	8.481462E+00	8.476616E+00	4.8457E-03	6.606162E+04	6.606194E+04	-3.22E-01	6.60795725E+04	6.607990E+04	-3.2360E-01	-5.650242E+01	-5.618380E+01	-3.1862E-01
505	Kr	71	36	35	8.327130E+00	8.333857E+00	-6.7275E-03	6.607128E+04	6.607078E+04	5.01E-01	6.60897477E+04	6.608925E+04	4.9880E-01	-4.632721E+01	-4.683100E+01	5.0380E-01
506	Ni	72	28	44	8.520211E+00	8.509440E+00	1.0771E-02	6.698999E+04	6.69975E+04	-7.59E-01	6.70133429E+04	6.701410E+04	-7.6120E-01	-5.422606E+01	-5.347090E+01	-7.5516E-01
507	Cu	72	29	43	8.586525E+00	8.594272E+00	-7.7467E-03	6.699292E+04	6.699235E+04	5.75E-01	6.70077859E+04	6.700721E+04	5.7220E-01	-5.978300E+01	-6.036183E+01	5.7883E-01
508	Zn	72	30	42	8.691804E+00	8.701948E+00	-1.0144E-02	6.698404E+04	6.698330E+04	7.49E-01	6.69994234E+04	6.699868E+04	7.4750E-01	-6.814549E+01	-6.889757E+01	7.5208E-01
509	Ga	72	31	41	8.687088E+00	8.693866E+00	-6.7779E-03	6.698309E+04	6.698258E+04	5.07E-01	6.69989807E+04	6.699848E+04	5.0520E-01	-6.858826E+01	-6.909877E+01	5.1051E-01
510	Ge	72	32	40	8.731745E+00	8.732439E+00	-6.9447E-04	6.697857E+04	6.697850E+04	6.98E-02	6.69949830E+04	6.699491E+04	6.8700E-02	-7.258590E+01	-7.265914E+01	7.3237E-02
511	As	72	33	39	8.660378E+00	8.662672E+00	-2.2938E-03	6.698241E+04	6.698223E+04	1.86E-01	6.69993391E+04	6.699916E+04	1.8360E-01	-6.822980E+01	-6.841894E+01	1.8915E-01
512	Se	72	34	38	8.644489E+00	8.637958E+00	6.5311E-03	6.698226E+04	6.698271E+04	-4.49E-01	6.69997008E+04	6.700015E+04	-4.5030E-01	-6.786818E+01	-6.742262E+01	-4.4556E-01
513	Br	72	35	37	8.511389E+00	8.506816E+00	4.5281E-03	6.699055E+04	6.699085E+04	-3.04E-01	6.70085016E+04	6.700881E+04	-3.0630E-01	-5.906732E+01	-5.876671E+01	-3.0061E-01
514	Kr	72	36	36	8.429319E+00	8.421226E+00	8.0929E-03	6.699516E+04	6.699572E+04	-5.60E-01	6.70136284E+04	6.701419E+04	-5.6110E-01	-5.394058E+01	-5.338408E+01	-5.5649E-01
515	Ni	73	28	45	8.457652E+00	8.445428E+00	1.2224E-02	6.793461E+04	6.793548E+04	-8.76E-01	6.79489548E+04	6.794983E+04	-8.7840E-01	-5.010815E+01	-4.923610E+01	-8.7206E-01
516	Cu	73	29	44	8.568569E+00	8.570874E+00	-2.3054E-03	6.792521E+04	6.792503E+04	1.86E-01	6.79400755E+04	6.793989E+04	1.8250E-01	-5.898744E+01	-5.917678E+01	1.8934E-01
517	Zn	73	30	43	8.648345E+00	8.658265E+00	-9.9195E-03	6.791809E+04	6.791735E+04	7.42E-01	6.79334695E+04	6.793273E+04	7.4070E-01	-6.559340E+01	-6.633933E+01	7.4593E-01
518	Ga	73	31	42	8.693873E+00	8.697256E+00	-3.3833E-03	6.791347E+04	6.791320E+04	2.66E-01	6.79293636E+04	6.792910E+04	2.6430E-01	-6.969934E+01	-6.996881E+01	2.6947E-01
519	Ge	73	32	41	8.705049E+00	8.711599E+00	-6.5500E-03	6.791136E+04	6.791086E+04	4.98E-01	6.79277654E+04	6.792727E+04	4.9620E-01	-7.129752E+01	-7.179891E+01	5.0138E-01
520	As	73	33	40	8.689609E+00	8.693404E+00	-3.7951E-03	6.791119E+04	6.791089E+04	2.98E-01	6.79281102E+04	6.792781E+04	2.9580E-01	-7.095275E+01	-7.125375E+01	3.0100E-01
521	Se	73	34	39	8.641558E+00	8.643744E+00	-2.1856E-03	6.791340E+04	6.791321E+04	1.81E-01	6.79308356E+04	6.793066E+04	1.7900E-01	-6.822739E+01	-6.841162E+01	1.8423E-01
522	Br	73	35	38	8.568104E+00	8.564318E+00	3.7859E-03	6.791746E+04	6.791771E+04	-2.54E-01	6.79354154E+04	6.793567E+04	-2.5630E-01	-6.364759E+01	-6.339663E+01	-2.5095E-01
523	Kr	73	36	37	8.460184E+00	8.454047E+00	6.1372E-03	6.792404E+04	6.792446E+04	-4.25E-01	6.79425112E+04	6.794294E+04	-4.2720E-01	-5.655175E+01	-5.612990E+01	-4.2185E-01
524	Cu	74	29	45	8.521562E+00	8.517466E+00	4.0962E-03	6.885969E+04	6.885997E+04	-2.86E-01	6.88745508E+04	6.887484E+04	-2.8940E-01	-5.600621E+01	-5.572409E+01	-2.8211E-01
525	Zn	74	30	44	8.642754E+00	8.651768E+00	-9.0143E-03	6.884942E+04	6.884874E+04	6.85E-01	6.88648002E+04	6.886412E+04	6.8340E-01	-6.575671E+01	-6.644455E+01	6.8884E-01
526	Ga	74	31	43	8.663167E+00	8.666548E+00	-3.3815E-03	6.884661E+04	6.884634E+04	2.69E-01	6.88625073E+04	6.886224E+04	2.6700E-01	-6.804962E+01	-6.832237E+01	2.7275E-01
527	Ge	74	32	42	8.725200E+00	8.727795E+00	-2.5955E-03	6.884073E+04	6.884051E+04	2.12E-01	6.88571345E+04	6.885692E+04	2.1040E-01	-7.342244E+01	-7.363772E+01	2.1528E-01
528	As	74	33	41	8.680001E+00	8.686697E+00	-6.6963E-03	6.884277E+04	6.884226E+04	5.16E-01	6.88596969E+04	6.885918E+04	5.1370E-01	-7.086006E+01	-7.137954E+01	5.1948E-01
529	Se	74	34	40	8.687715E+00	8.688040E+00	-3.2460E-04	6.884900E+04	6.884086E+04	4.53E-02	6.88583438E+04	6.885830E+04	4.3900E-02	-7.221320E+01	-7.226194E+01	4.8741E-02
530	Br	74	35	39	8.583562E+00	8.583884E+00	-3.2231E-04	6.884731E+04	6.884727E+04	4.58E-02	6.88652687E+04	6.886523E+04	4.3400E-02	-6.52825E+01	-6.533753E+01	4.9279E-02
531	Kr	74	36	38	8.533038E+00	8.524239E+00	8.7988E-03	6.884975E+04	6.885038E+04	-6.28E-01	6.88682251E+04	6.886886E+04	-6.3000E-01	-6.233183E+01	-6.170687E+01	-6.2497E-01
532	Rb	74	37	37	8.381711E+00	8.362235E+00	1.9476E-02	6.885965E+04	6.886107E+04	-1.42E+00	6.88786410E+04	6.888006E+04	-1.4202E+00	-5.191599E+01	-5.050162E+01	-1.4144E+00
533	Cu	75	29	46	8.495094E+00	8.491512E+00	3.5818E-03	6.979272E+04	6.979297E+04	-2.51E-01	6.98075796E+04	6.980783E+04	-2.5500E-01	-5.447134E+01	-5.422372E+01	-2.4762E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
534	Zn	75	30	45	8.592497E+00	8.603051E+00	-1.0554E-02	6.978411E+04	6.978330E+04	8.10E-01	6.97994921E+04	6.979868E+04	8.0720E-01	-6.255891E+01	-6.337221E+01	8.1331E-01
535	Ga	75	31	44	8.660808E+00	8.662553E+00	-1.7449E-03	6.977769E+04	6.977754E+04	1.50E-01	6.97935864E+04	6.979344E+04	1.4780E-01	-6.846458E+01	-6.861793E+01	1.5335E-01
536	Ce	75	32	43	8.695609E+00	8.698729E+00	-3.1197E-03	6.977378E+04	6.977353E+04	2.54E-01	6.97901940E+04	6.978994E+04	2.5170E-01	-7.185697E+01	-7.211419E+01	2.5723E-01
537	As	75	33	42	8.700874E+00	8.705326E+00	-4.4515E-03	6.977209E+04	6.977174E+04	3.54E-01	6.97890168E+04	6.978866E+04	3.5230E-01	-7.303419E+01	-7.339203E+01	3.5784E-01
538	Se	75	34	41	8.678913E+00	8.684023E+00	-5.1103E-03	6.977244E+04	6.977204E+04	4.04E-01	6.97898815E+04	6.978948E+04	4.0240E-01	-7.216948E+01	-7.257744E+01	4.0796E-01
539	Br	75	35	40	8.627650E+00	8.630944E+00	-3.2939E-03	6.977499E+04	6.977472E+04	2.69E-01	6.97929439E+04	6.979268E+04	2.6690E-01	-6.910712E+01	-6.937956E+01	2.7244E-01
540	Kr	75	36	39	8.553439E+00	8.545927E+00	7.5116E-03	6.977926E+04	6.977980E+04	-5.41E-01	6.97977274E+04	6.979827E+04	-5.4280E-01	-6.432362E+01	-6.378640E+01	-5.3722E-01
541	Rb	75	37	38	8.448275E+00	8.434742E+00	1.3533E-02	6.978584E+04	6.978684E+04	-9.92E-01	6.98048323E+04	6.980583E+04	-9.9360E-01	-5.721869E+01	-5.623055E+01	-9.8814E-01
542	Sr	75	38	37	8.296511E+00	8.291204E+00	5.3074E-03	6.979593E+04	6.979630E+04	-3.74E-01	6.98154323E+04	6.981581E+04	-3.7600E-01	-4.661869E+01	-4.624827E+01	-3.7042E-01
543	Cu	76	29	47	8.443527E+00	8.438367E+00	5.1603E-03	7.072770E+04	7.072808E+04	-3.75E-01	7.07425690E+04	7.074295E+04	-3.7870E-01	-5.097599E+01	-5.060485E+01	-3.7113E-01
544	Zn	76	30	46	8.582273E+00	8.589902E+00	-7.6295E-03	7.071586E+04	7.071526E+04	5.98E-01	7.07312420E+04	7.073065E+04	5.9520E-01	-6.230302E+01	-6.290465E+01	6.0164E-01
545	Ga	76	31	45	8.624526E+00	8.627691E+00	-3.1646E-03	7.07135E+04	7.071109E+04	2.59E-01	7.07272483E+04	7.072699E+04	2.5700E-01	-6.629664E+01	-6.659963E+01	2.6299E-01
546	Ce	76	32	44	8.705236E+00	8.706366E+00	-1.1302E-03	7.070392E+04	7.070382E+04	1.06E-01	7.07203321E+04	7.072023E+04	1.0380E-01	-7.321289E+01	-7.332205E+01	1.0916E-01
547	As	76	33	43	8.682816E+00	8.689419E+00	-6.6032E-03	7.070433E+04	7.070381E+04	5.22E-01	7.07212536E+04	7.072073E+04	5.1960E-01	-7.229137E+01	-7.281716E+01	5.2578E-01
548	Se	76	34	42	8.711477E+00	8.715472E+00	-3.9955E-03	7.070085E+04	7.070053E+04	3.25E-01	7.07182930E+04	7.071797E+04	3.2310E-01	-7.525195E+01	-7.558028E+01	3.2833E-01
549	Br	76	35	41	8.635882E+00	8.640571E+00	-4.6886E-03	7.070530E+04	7.070492E+04	3.78E-01	7.07232559E+04	7.072288E+04	3.7560E-01	-7.028907E+01	-7.067082E+01	3.8175E-01
550	Kr	76	36	40	8.608813E+00	8.605984E+00	2.8290E-03	7.070606E+04	7.070625E+04	-1.92E-01	7.07245308E+04	7.072472E+04	-1.9410E-01	-6.90144E+01	-6.882531E+01	-1.8882E-01
551	Rb	76	37	39	8.486215E+00	8.469461E+00	1.6754E-02	7.071408E+04	7.071533E+04	-1.25E+00	7.07330659E+04	7.073432E+04	-1.2526E+00	-6.047908E+01	-5.923261E+01	-1.2465E+00
552	Sr	76	38	38	8.393929E+00	8.377262E+00	1.6667E-02	7.071979E+04	7.072104E+04	-1.24E+00	7.07392973E+04	7.074054E+04	-1.2442E+00	-5.424764E+01	-5.300863E+01	-1.2390E+00
553	Zn	77	30	47	8.530003E+00	8.538115E+00	-8.1119E-03	7.165087E+04	7.165023E+04	6.43E-01	7.16662498E+04	7.166561E+04	6.3940E-01	-5.878920E+01	-5.943560E+01	6.4640E-01
554	Ga	77	31	46	8.613390E+00	8.619068E+00	-5.6779E-03	7.164315E+04	7.164270E+04	4.56E-01	7.16590467E+04	7.165859E+04	4.5400E-01	-6.599234E+01	-6.645205E+01	4.5971E-01
555	Ce	77	32	45	8.671028E+00	8.672298E+00	-1.2697E-03	7.163742E+04	7.163730E+04	1.17E-01	7.16538261E+04	7.165371E+04	1.1510E-01	-7.121286E+01	-7.133382E+01	1.2096E-01
556	As	77	33	44	8.695978E+00	8.698981E+00	-3.0028E-03	7.163420E+04	7.163395E+04	2.52E-01	7.16511227E+04	7.165087E+04	2.4930E-01	-7.391632E+01	-7.417150E+01	2.5518E-01
557	Se	77	34	43	8.694690E+00	8.701860E+00	-7.1699E-03	7.163300E+04	7.163243E+04	5.73E-01	7.16504395E+04	7.164987E+04	5.7090E-01	-7.459949E+01	-7.517627E+01	5.7678E-01
558	Br	77	35	42	8.666806E+00	8.674500E+00	-7.6945E-03	7.163385E+04	7.163323E+04	6.14E-01	7.16518042E+04	7.165119E+04	6.1200E-01	-7.323481E+01	-7.385267E+01	6.1786E-01
559	Kr	77	36	41	8.616836E+00	8.618175E+00	-1.3385E-03	7.163640E+04	7.163627E+04	1.26E-01	7.16548696E+04	7.165475E+04	1.2340E-01	-7.016944E+01	-7.029865E+01	1.2921E-01
560	Rb	77	37	40	8.537339E+00	8.532153E+00	5.1864E-03	7.164122E+04	7.164160E+04	-3.76E-01	7.16602085E+04	7.166059E+04	-3.7820E-01	-6.483049E+01	-6.445803E+01	-3.7246E-01
561	Sr	77	38	39	8.435918E+00	8.414142E+00	2.1776E-02	7.164773E+04	7.164938E+04	-1.65E+00	7.16672356E+04	7.166889E+04	-1.6549E+00	-5.780344E+01	-5.615431E+01	-1.6491E+00
562	Cu	78	29	49	8.350925E+00	8.349818E+00	1.1075E-03	7.259717E+04	7.259724E+04	-6.94E-02	7.26120355E+04	7.261211E+04	-7.3600E-02	-4.449747E+01	-4.443212E+01	-6.5349E-02
563	Zn	78	30	48	8.507379E+00	8.519497E+00	-1.2118E-02	7.258367E+04	7.258271E+04	9.63E-01	7.25990498E+04	7.259809E+04	9.5990E-01	-5.748323E+01	-5.845023E+01	9.6700E-01
564	Ga	78	31	47	8.577127E+00	8.581617E+00	-4.4899E-03	7.257693E+04	7.257656E+04	3.69E-01	7.25928271E+04	7.259246E+04	3.6670E-01	-6.370595E+01	-6.407862E+01	3.7267E-01
565	Ce	78	32	46	8.671663E+00	8.674423E+00	-2.7599E-03	7.256826E+04	7.256803E+04	2.35E-01	7.25846710E+04	7.258444E+04	2.3290E-01	-7.186205E+01	-7.210057E+01	2.3852E-01
566	As	78	33	45	8.673875E+00	8.676982E+00	-3.1069E-03	7.256679E+04	7.256653E+04	2.63E-01	7.25837161E+04	7.258346E+04	2.5980E-01	-7.281696E+01	-7.308324E+01	2.6628E-01
567	Se	78	34	44	8.717806E+00	8.723446E+00	-5.6398E-03	7.256027E+04	7.256161E+04	4.61E-01	7.25795071E+04	7.257905E+04	4.5900E-01	-7.702591E+01	-7.749051E+01	4.6460E-01
568	Br	78	35	43	8.661958E+00	8.673809E+00	-1.1851E-02	7.256513E+04	7.256418E+04	9.46E-01	7.25830809E+04	7.258214E+04	9.4330E-01	-7.345213E+01	-7.440188E+01	9.4975E-01
569	Kr	78	36	42	8.661254E+00	8.664496E+00	-3.2421E-03	7.256388E+04	7.256361E+04	2.75E-01	7.25823534E+04	7.258208E+04	2.7350E-01	-7.417958E+01	-7.445858E+01	2.7901E-01
570	Rb	78	37	41	8.558350E+00	8.557466E+00	8.8377E-04	7.257061E+04	7.257066E+04	-4.58E-02	7.25895976E+04	7.258965E+04	-4.8400E-02	-6.693542E+01	-6.689333E+01	-4.2085E-02
571	Sr	78	38	40	8.500096E+00	8.489444E+00	1.0652E-02	7.257385E+04	7.257466E+04	-8.07E-01	7.25933591E+04	7.259417E+04	-8.0860E-01	-6.317394E+01	-6.237069E+01	-8.0325E-01
572	Zn	79	30	49	8.450582E+00	8.461121E+00	-1.0539E-02	7.351922E+04	7.351837E+04	8.50E-01	7.35345947E+04	7.353375E+04	8.4700E-01	-5.343229E+01	-5.428664E+01	8.5435E-01
573	Ga	79	31	48	8.556063E+00	8.567055E+00	-1.0992E-02	7.350959E+04	7.350870E+04	8.87E-01	7.35254793E+04	7.352459E+04	8.8480E-01	-6.254768E+01	-6.343853E+01	8.9085E-01
574	Ce	79	32	47	8.634501E+00	8.637876E+00	-3.3745E-03	7.350209E+04	7.350181E+04	2.86E-01	7.35185004E+04	7.351822E+04	2.8390E-01	-6.952659E+01	-6.981643E+01	2.8984E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_1)$ MeV	Residual, MeV
575	As	79	33	46	8.676616E+00	8.680538E+00	-3.9421E-03	7.349747E+04	7.349713E+04	3.32E-01	7.35143910E+04	7.351406E+04	3.2920E-01
576	Se	79	34	45	8.695591E+00	8.703211E+00	-7.6197E-03	7.349467E+04	7.349405E+04	6.23E-01	7.35121096E+04	7.351149E+04	6.2040E-01
577	Br	79	35	44	8.687595E+00	8.697514E+00	-9.9192E-03	7.349400E+04	7.349320E+04	8.05E-01	7.35119590E+04	7.351116E+04	8.0290E-01
578	Kr	79	36	43	8.657112E+00	8.666091E+00	-8.9791E-03	7.349511E+04	7.349438E+04	7.32E-01	7.35135847E+04	7.351286E+04	7.2940E-01
579	Rb	79	37	42	8.601142E+00	8.606182E+00	-5.0396E-03	7.349824E+04	7.349781E+04	4.21E-01	7.35172240E+04	7.351681E+04	4.1900E-01
580	Sr	79	38	41	8.523820E+00	8.517271E+00	-6.5494E-03	7.350305E+04	7.350354E+04	-4.93E-01	7.35225501E+04	7.352305E+04	-4.9570E-01
581	Y	79	39	40	8.423790E+00	8.400665E+00	2.3125E-02	7.350965E+04	7.351145E+04	-1.80E+00	7.35296701E+04	7.353147E+04	-1.8044E+00
582	Zn	80	30	50	8.423545E+00	8.428056E+00	-4.5107E-03	7.445249E+04	7.445211E+04	3.79E-01	7.44678724E+04	7.446750E+04	3.7530E-01
583	Ga	80	31	49	8.508454E+00	8.521191E+00	-1.2737E-02	7.444440E+04	7.444337E+04	1.04E+00	7.44602974E+04	7.445926E+04	1.0352E+00
584	Ge	80	32	48	8.627570E+00	8.634460E+00	-6.8902E-03	7.443338E+04	7.443301E+04	5.71E-01	7.44499857E+04	7.444942E+04	5.6880E-01
585	As	80	33	47	8.651280E+00	8.654861E+00	-3.5806E-03	7.443038E+04	7.443008E+04	3.07E-01	7.44473066E+04	7.444700E+04	3.0390E-01
586	Se	80	34	46	8.710813E+00	8.717920E+00	-7.1069E-03	7.442432E+04	7.442373E+04	5.89E-01	7.44417616E+04	7.444117E+04	5.8740E-01
587	Br	80	35	45	8.677653E+00	8.689396E+00	-1.1743E-02	7.442568E+04	7.442472E+04	9.61E-01	7.44436320E+04	7.444267E+04	9.5810E-01
588	Kr	80	36	44	8.692928E+00	8.701526E+00	-8.5982E-03	7.442316E+04	7.442245E+04	7.10E-01	7.44416277E+04	7.444092E+04	7.0830E-01
589	Rb	80	37	43	8.611675E+00	8.620257E+00	-8.5818E-03	7.442836E+04	7.442765E+04	7.10E-01	7.44473456E+04	7.444664E+04	7.0690E-01
590	Sr	80	38	42	8.578596E+00	8.577981E+00	6.1488E-04	7.442971E+04	7.442973E+04	-2.53E-02	7.44492096E+04	7.444924E+04	-2.7100E-02
591	Y	80	39	41	8.454259E+00	8.441302E+00	1.2957E-02	7.443835E+04	7.443937E+04	-1.01E+00	7.44583741E+04	7.445939E+04	-1.0146E+00
592	Zr	80	40	40	8.374107E+00	8.341861E+00	3.2246E-02	7.444347E+04	7.444602E+04	-2.55E+00	7.44640040E+04	7.446656E+04	-2.5561E+00
593	Zn	81	30	51	8.351925E+00	8.351404E+00	5.2094E-04	7.538944E+04	7.538946E+04	-2.47E-02	7.54048154E+04	7.540484E+04	-2.7500E-02
594	Ga	81	31	50	8.483357E+00	8.490739E+00	-7.3821E-03	7.537749E+04	7.537688E+04	6.16E-01	7.53933871E+04	7.539277E+04	6.1400E-01
595	Ce	81	32	49	8.580658E+00	8.591057E+00	-1.0399E-02	7.536831E+04	7.536745E+04	8.62E-01	7.53847234E+04	7.538386E+04	8.6010E-01
596	As	81	33	48	8.648056E+00	8.652558E+00	-4.5025E-03	7.536156E+04	7.536117E+04	3.85E-01	7.53746260E+04	7.537402E+04	3.8250E-01
597	Se	81	34	47	8.685999E+00	8.693289E+00	-7.2895E-03	7.535719E+04	7.535657E+04	6.11E-01	7.53746260E+04	7.537222E+04	6.0890E-01
598	Br	81	35	46	8.695929E+00	8.705781E+00	-9.8518E-03	7.535508E+04	7.535426E+04	8.20E-01	7.53730394E+04	7.537229E+04	8.1700E-01
599	Kr	81	36	45	8.682803E+00	8.695304E+00	-1.2501E-02	7.535485E+04	7.535381E+04	1.03E+00	7.53733202E+04	7.537229E+04	1.0323E+00
600	Rb	81	37	44	8.645513E+00	8.657778E+00	-1.2265E-02	7.535657E+04	7.535555E+04	1.02E+00	7.53755584E+04	7.537454E+04	1.0141E+00
601	Sr	81	38	43	8.587354E+00	8.594290E+00	-6.9364E-03	7.535998E+04	7.535940E+04	5.86E-01	7.53794869E+04	7.537890E+04	5.8330E-01
602	Y	81	39	42	8.505888E+00	8.504424E+00	1.4638E-03	7.536528E+04	7.536538E+04	-9.40E-02	7.53853033E+04	7.538540E+04	-9.6200E-02
603	Zr	81	40	41	8.405916E+00	8.385297E+00	2.0619E-02	7.537208E+04	7.537373E+04	-1.64E+00	7.53926187E+04	7.539427E+04	-1.6470E+00
604	Ga	82	31	51	8.421049E+00	8.425802E+00	-4.7526E-03	7.631368E+04	7.631328E+04	4.08E-01	7.63295783E+04	7.632917E+04	4.0560E-01
605	Ce	82	32	50	8.563756E+00	8.572423E+00	-8.6666E-03	7.630068E+04	7.629995E+04	7.29E-01	7.63170940E+04	7.631637E+04	7.2840E-01
606	As	82	33	49	8.611386E+00	8.619318E+00	-7.9316E-03	7.629548E+04	7.629481E+04	6.71E-01	7.63124060E+04	7.631174E+04	6.6830E-01
607	Se	82	34	48	8.693197E+00	8.701219E+00	-8.0222E-03	7.628748E+04	7.628680E+04	6.79E-01	7.63049151E+04	7.630424E+04	6.7670E-01
608	Br	82	35	47	8.682477E+00	8.692364E+00	-9.8874E-03	7.628706E+04	7.628622E+04	8.32E-01	7.63050118E+04	7.630418E+04	8.2940E-01
609	Kr	82	36	46	8.710657E+00	8.722636E+00	-1.1979E-02	7.628345E+04	7.628244E+04	1.00E+00	7.63091918E+04	7.630092E+04	1.0024E+00
610	Rb	82	37	45	8.647427E+00	8.663304E+00	-1.5877E-02	7.628733E+04	7.628601E+04	1.32E+00	7.63063213E+04	7.630500E+04	1.3220E+00
611	Sr	82	38	44	8.635718E+00	8.643177E+00	-7.4586E-03	7.628699E+04	7.628636E+04	6.35E-01	7.63064990E+04	7.630587E+04	6.3340E-01
612	Y	82	39	43	8.529262E+00	8.532844E+00	-3.5823E-03	7.629443E+04	7.629411E+04	3.18E-01	7.63144461E+04	7.631413E+04	3.1560E-01
613	Ga	83	31	52	8.372575E+00	8.375454E+00	-2.8789E-03	7.724885E+04	7.724859E+04	2.57E-01	7.72647460E+04	7.726449E+04	2.5540E-01
614	Ce	83	32	51	8.504345E+00	8.510671E+00	-6.3260E-03	7.723662E+04	7.723607E+04	5.44E-01	7.72530266E+04	7.725248E+04	5.4260E-01
615	As	83	33	50	8.599653E+00	8.602333E+00	-2.6802E-03	7.722741E+04	7.722717E+04	2.42E-01	7.72443338E+04	7.724409E+04	2.4070E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z),$ MeV	$E_B^{Th}(A, Z, a_i),$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z),$ MeV	$M_{n.m.}^{Th}(A, Z, a_i),$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z),$ MeV	$M_{a.m.}^{Th}(A, Z, a_i),$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z),$ MeV	$\Delta m^{Th}(A, Z, a_i),$ MeV	Residual, MeV
616	Se	83	34	49	8.658556E+00	8.668600E+00	-1.0044E-02	7.722122E+04	7.722037E+04	8.54E-01	7.72386625E+04	7.723781E+04	8.5250E-01	-7.534057E+01	-7.619893E+01	8.5837E-01
617	Br	83	35	48	8.693338E+00	8.701681E+00	-8.3005E-03	7.721703E+04	7.721632E+04	7.10E-01	7.72349897E+04	7.723428E+04	7.0820E-01	-7.901340E+01	-7.972778E+01	7.1438E-01
618	Kr	83	36	47	8.695721E+00	8.710579E+00	-1.4858E-02	7.721554E+04	7.721429E+04	1.26E+00	7.72340130E+04	7.723276E+04	1.2529E+00	-7.999003E+01	-8.124932E+01	1.2593E+00
619	Rb	83	37	46	8.675218E+00	8.692263E+00	-1.7045E-02	7.721594E+04	7.721451E+04	1.44E+00	7.72349324E+04	7.723350E+04	1.4351E+00	-7.907063E+01	-8.051224E+01	1.4416E+00
620	Sr	83	38	45	8.638407E+00	8.650560E+00	-1.2153E-02	7.721770E+04	7.721667E+04	1.03E+00	7.72372055E+04	7.723618E+04	1.0299E+00	-7.679761E+01	-7.783393E+01	1.0363E+00
621	Y	83	39	44	8.573643E+00	8.583790E+00	-1.0147E-02	7.722178E+04	7.722091E+04	8.67E-01	7.72417986E+04	7.724093E+04	8.6430E-01	-7.220452E+01	-7.307508E+01	8.7056E-01
622	Zr	83	40	43	8.488385E+00	8.491023E+00	-2.6378E-03	7.722755E+04	7.722751E+04	2.44E-01	7.72480926E+04	7.724785E+04	2.4190E-01	-6.591051E+01	-6.615885E+01	2.4798E-01
623	Nb	83	41	42	8.388598E+00	8.373082E+00	1.5516E-02	7.723454E+04	7.723580E+04	-1.26E+00	7.72555926E+04	7.725686E+04	-1.2639E+00	-5.841051E+01	-5.715247E+01	-1.2580E+00
624	Ce	84	32	52	8.465524E+00	8.471742E+00	6.2177E-03	7.817094E+04	7.817040E+04	5.41E-01	7.81873487E+04	7.818681E+04	5.4010E-01	-5.814843E+01	-5.869397E+01	5.4555E-01
625	As	84	33	51	8.547938E+00	8.551286E+00	-3.3479E-03	7.816272E+04	7.816242E+04	3.01E-01	7.81796435E+04	7.817934E+04	2.9920E-01	-6.585356E+01	-6.615876E+01	3.0520E-01
626	Se	84	34	50	8.658793E+00	8.661294E+00	-2.5010E-03	7.815211E+04	7.815188E+04	2.31E-01	7.81695494E+04	7.816932E+04	2.2920E-01	-7.594772E+01	-7.618252E+01	2.3480E-01
627	Br	84	35	49	8.671329E+00	8.679592E+00	-8.2630E-03	7.814976E+04	7.814904E+04	7.16E-01	7.81677140E+04	7.816700E+04	7.1330E-01	-7.778308E+01	-7.850263E+01	7.1954E-01
628	Kr	84	36	48	8.717446E+00	8.730008E+00	-1.2622E-02	7.814459E+04	7.814550E+04	1.08E+00	7.81630578E+04	7.816198E+04	1.0807E+00	-8.243934E+01	-8.352572E+01	1.0864E+00
629	Rb	84	37	47	8.676224E+00	8.691094E+00	-1.4870E-02	7.814675E+04	7.814548E+04	1.27E+00	7.81657381E+04	7.816447E+04	1.2691E+00	-7.975896E+01	-8.103495E+01	1.2760E+00
630	Sr	84	38	46	8.677512E+00	8.690122E+00	-1.2610E-02	7.814534E+04	7.814426E+04	1.08E+00	7.81648475E+04	7.816377E+04	1.0807E+00	-8.064956E+01	-8.173639E+01	1.0868E+00
631	Y	84	39	45	8.587769E+00	8.602548E+00	-1.4779E-02	7.815158E+04	7.815032E+04	1.27E+00	7.81716036E+04	7.817034E+04	1.2629E+00	-7.389348E+01	-7.516323E+01	1.2698E+00
632	Zr	84	40	44	8.549016E+00	8.553071E+00	-4.0553E-03	7.815334E+04	7.815317E+04	3.66E-01	7.81740766E+04	7.817371E+04	3.6400E-01	-7.142053E+01	-7.179027E+01	3.6974E-01
633	Ce	85	32	53	8.401768E+00	8.396570E+00	5.1979E-03	7.910746E+04	7.910788E+04	-4.23E-01	7.91238677E+04	7.912429E+04	-4.2390E-01	-5.312342E+01	-5.270481E+01	-4.1861E-01
634	As	85	33	52	8.510984E+00	8.515000E+00	-4.0164E-03	7.909688E+04	7.909652E+04	3.61E-01	7.91138020E+04	7.911344E+04	3.5950E-01	-6.318914E+01	-6.355446E+01	3.6532E-01
635	Se	85	34	51	8.610304E+00	8.611016E+00	-7.1152E-04	7.908714E+04	7.908706E+04	8.12E-02	7.91045775E+04	7.910450E+04	7.9200E-02	-7.241364E+01	-7.249882E+01	8.5187E-02
636	Br	85	35	50	8.673592E+00	8.673989E+00	-3.9715E-04	7.908046E+04	7.908040E+04	5.52E-02	7.90984156E+04	7.909836E+04	5.3300E-02	-7.857547E+01	-7.863466E+01	5.9190E-02
637	Kr	85	36	49	8.698562E+00	8.708999E+00	-1.0437E-02	7.907704E+04	7.907613E+04	0.99E-01	7.90955108E+04	7.909460E+04	0.9730E-01	-8.148033E+01	-8.239933E+01	9.1320E-01
638	Rb	85	37	48	8.697441E+00	8.711736E+00	-1.4295E-02	7.907584E+04	7.907460E+04	1.24E+00	7.90948238E+04	7.909359E+04	1.2357E+00	-8.216733E+01	-8.340930E+01	1.2420E+00
639	Sr	85	38	47	8.675718E+00	8.690272E+00	-1.4554E-02	7.907638E+04	7.907512E+04	1.26E+00	7.90958878E+04	7.909463E+04	1.2581E+00	-8.110328E+01	-8.236792E+01	1.2646E+00
640	Y	85	39	46	8.628148E+00	8.643689E+00	-1.5541E-02	7.907913E+04	7.907778E+04	1.35E+00	7.90991490E+04	7.909781E+04	1.3428E+00	-7.784212E+01	-7.919144E+01	1.3493E+00
641	Zr	85	40	45	8.564025E+00	8.573687E+00	-9.6624E-03	7.908328E+04	7.908243E+04	8.46E-01	7.91038171E+04	7.910297E+04	8.4400E-01	-7.317403E+01	-7.402440E+01	8.5037E-01
642	Nb	85	41	44	8.473711E+00	8.480218E+00	-6.5071E-03	7.908966E+04	7.908908E+04	5.79E-01	7.91107114E+04	7.911013E+04	5.7670E-01	-6.627968E+01	-6.686258E+01	5.8290E-01
643	Mo	85	42	43	8.361331E+00	8.359742E+00	1.5893E-03	7.909791E+04	7.909802E+04	-1.09E-01	7.91194814E+04	7.911959E+04	-1.1050E-01	-5.750973E+01	-5.740517E+01	-1.0459E-01
644	As	86	33	53	8.456721E+00	8.451101E+00	5.6202E-03	8.003260E+04	8.003306E+04	-4.64E-01	8.00495230E+04	8.004999E+04	-4.6520E-01	-5.896214E+01	-5.850278E+01	-4.5936E-01
645	Se	86	34	52	8.581822E+00	8.584051E+00	-2.2294E-03	8.002054E+04	8.002033E+04	2.12E-01	8.00379820E+04	8.003777E+04	2.1040E-01	-7.050317E+01	-7.071960E+01	2.1644E-01
646	Br	86	35	51	8.632365E+00	8.633956E+00	-1.5908E-03	8.001490E+04	8.001474E+04	1.58E-01	8.00328529E+04	8.003270E+04	1.5590E-01	-7.563225E+01	-7.579946E+01	1.6221E-01
647	Kr	86	36	50	8.712029E+00	8.713382E+00	-1.3528E-03	8.000675E+04	8.000661E+04	1.39E-01	8.00252195E+04	8.002508E+04	1.3710E-01	-8.326566E+01	-8.340817E+01	1.4251E-01
648	Rb	86	37	49	8.696901E+00	8.700950E+00	-4.0492E-03	8.000675E+04	8.000638E+04	3.71E-01	8.00257381E+04	8.002557E+04	3.6870E-01	-8.274701E+01	-8.312213E+01	3.7512E-01
649	Sr	86	38	48	8.708457E+00	8.720708E+00	-1.2251E-02	8.000446E+04	8.000338E+04	1.08E+00	8.00239619E+04	8.002289E+04	1.0753E+00	-8.452320E+01	-8.560439E+01	1.0812E+00
650	Y	86	39	47	8.638430E+00	8.654340E+00	-1.5910E-02	8.000918E+04	8.000779E+04	1.39E+00	8.00292019E+04	8.002781E+04	1.3896E+00	-7.928320E+01	-8.067983E+01	1.3966E+00
651	Zr	86	40	46	8.614047E+00	8.625118E+00	-1.1071E-02	8.000998E+04	8.000900E+04	9.77E-01	8.00292019E+04	8.002781E+04	9.7510E-01	-7.796865E+01	-7.894977E+01	9.8112E-01
652	Nb	86	41	45	8.502209E+00	8.511992E+00	-9.7834E-03	8.001830E+04	8.001743E+04	8.67E-01	8.00393522E+04	8.003849E+04	8.6440E-01	-6.913288E+01	-7.000407E+01	8.7119E-01
653	Mo	86	42	44	8.434709E+00	8.435335E+00	-6.2617E-04	8.002280E+04	8.002272E+04	8.04E-02	8.00443749E+04	8.004430E+04	7.8800E-02	-6.411024E+01	-6.419462E+01	8.4381E-02
654	As	87	33	54	8.413851E+00	8.406939E+00	6.9118E-03	8.096744E+04	8.096802E+04	-5.82E-01	8.09843612E+04	8.098494E+04	-5.8290E-01	-5.561791E+01	-5.504050E+01	-5.7741E-01
655	Se	87	34	53	8.529091E+00	8.521427E+00	7.6638E-03	8.095611E+04	8.095676E+04	-6.47E-01	8.09735530E+04	8.097420E+04	-6.4830E-01	-6.642612E+01	-6.578403E+01	-6.4209E-01
656	Br	87	35	52	8.605910E+00	8.608829E+00	-2.9193E-03	8.094813E+04	8.094786E+04	2.75E-01	8.09660875E+04	8.096581E+04	2.7300E-01	-7.389168E+01	-7.417109E+01	2.7941E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
657	Kr	87	36	51	8.675283E+00	6.5508E-04	8.094080E+04	8.094083E+04	-3.50E-02	8.09592696E+04	8.095931E+04	-3.6900E-02	-8.070952E+01	-8.067865E+01	-3.0873E-02
658	Rb	87	37	50	8.710983E+00	4.2423E-03	8.093639E+04	8.093674E+04	-3.46E-01	8.09553813E+04	8.095573E+04	-3.4820E-01	-8.459779E+01	-8.425554E+01	-3.4225E-01
659	Sr	87	38	49	8.705235E+00	-5.6786E-03	8.093559E+04	8.093508E+04	5.18E-01	8.09550991E+04	8.095458E+04	5.1550E-01	-8.488003E+01	-8.540165E+01	5.2162E-01
660	Y	87	39	48	8.674844E+00	-1.0956E-02	8.093694E+04	8.093596E+04	9.77E-01	8.09569608E+04	8.095599E+04	9.7510E-01	-8.301834E+01	-8.399987E+01	9.8152E-01
661	Zr	87	40	47	8.623647E+00	-1.3383E-02	8.094009E+04	8.093891E+04	1.19E+00	8.09606326E+04	8.095945E+04	1.1868E+00	-7.934653E+01	-8.053992E+01	1.1934E+00
662	Nb	87	41	46	8.551743E+00	-1.3291E-02	8.094505E+04	8.094387E+04	1.18E+00	8.09661038E+04	8.096493E+04	1.1795E+00	-7.387330E+01	-7.505933E+01	1.1860E+00
663	Mo	87	42	45	8.462423E+00	-6.8498E-03	8.095152E+04	8.095090E+04	6.22E-01	8.09730943E+04	8.097247E+04	6.2010E-01	-6.688481E+01	-6.751121E+01	6.2641E-01
664	Tc	87	43	44	8.347744E+00	-2.4050E-03	8.096020E+04	8.095996E+04	2.36E-01	8.09822891E+04	8.098205E+04	2.3460E-01	-5.769004E+01	-5.793052E+01	2.4048E-01
665	Se	88	34	54	8.495004E+00	8.2385E-03	8.189015E+04	8.189085E+04	-7.05E-01	8.19075889E+04	8.190830E+04	-7.0630E-01	-6.388420E+01	-6.318391E+01	-7.0029E-01
666	Br	88	35	53	8.563747E+00	8.0740E-03	8.188280E+04	8.188349E+04	-6.90E-01	8.19007572E+04	8.190145E+04	-6.9190E-01	-7.071596E+01	-7.003085E+01	-6.8511E-01
667	Kr	88	36	52	8.656849E+00	-2.4818E-03	8.187331E+04	8.187307E+04	2.40E-01	8.18917819E+04	8.189154E+04	2.3840E-01	-7.969129E+01	-7.993581E+01	2.4453E-01
668	Rb	88	37	51	8.68115E+00	2.7577E-03	8.186988E+04	8.187010E+04	-2.20E-01	8.18888641E+04	8.188909E+04	-2.2220E-01	-8.260899E+01	-8.239322E+01	-2.1578E-01
669	Sr	88	38	50	8.732592E+00	6.2643E-03	8.186405E+04	8.186458E+04	-5.28E-01	8.18835518E+04	8.188408E+04	-5.2910E-01	-8.792135E+01	-8.739769E+01	-5.2366E-01
670	Y	88	39	49	8.682536E+00	-3.3106E-03	8.186715E+04	8.186684E+04	3.16E-01	8.18871744E+04	8.188686E+04	3.1300E-01	-8.429875E+01	-8.461843E+01	3.1968E-01
671	Zr	88	40	48	8.666027E+00	-1.1887E-02	8.186731E+04	8.186624E+04	1.07E+00	8.18878448E+04	8.188678E+04	1.0690E+00	-8.362833E+01	-8.470347E+01	1.0751E+00
672	Nb	88	41	47	8.572451E+00	-1.4675E-02	8.187424E+04	8.187293E+04	1.32E+00	8.18952972E+04	8.189398E+04	1.3141E+00	-7.617599E+01	-7.749714E+01	1.3212E+00
673	Mo	88	42	46	8.523908E+00	-8.5946E-03	8.187721E+04	8.187643E+04	7.83E-01	8.18987866E+04	8.189801E+04	7.8090E-01	-7.268654E+01	-7.347340E+01	7.8685E-01
674	Tc	88	43	45	8.389958E+00	-5.6638E-03	8.188770E+04	8.188718E+04	5.26E-01	8.19097918E+04	8.190927E+04	5.2310E-01	-6.168131E+01	-6.221096E+01	5.2965E-01
675	Se	89	34	55	8.435279E+00	1.2722E-02	8.282653E+04	8.282765E+04	-1.11E+00	8.28439748E+04	8.284509E+04	-1.1132E+00	-5.899239E+01	-5.788848E+01	-1.1076E+00
676	Br	89	35	54	8.530779E+00	8.3017E-03	8.281674E+04	8.281745E+04	-7.18E-01	8.28346929E+04	8.283541E+04	-7.2010E-01	-6.827426E+01	-6.756078E+01	-7.1348E-01
677	Kr	89	36	53	8.614815E+00	7.5323E-03	8.280796E+04	8.280861E+04	-6.48E-01	8.28264314E+04	8.282708E+04	-6.5090E-01	-7.653578E+01	-7.589154E+01	-6.4424E-01
678	Rb	89	37	52	8.664187E+00	-8.9782E-04	8.280227E+04	8.280216E+04	1.03E-01	8.28212549E+04	8.282115E+04	1.0030E-01	-8.171224E+01	-8.181901E+01	1.0677E-01
679	Sr	89	38	51	8.705919E+00	6.5784E-03	8.279725E+04	8.279782E+04	-5.62E-01	8.28167584E+04	8.281732E+04	-5.6390E-01	-8.620875E+01	-8.565085E+01	-5.5790E-01
680	Y	89	39	50	8.713987E+00	1.1647E-02	8.279524E+04	8.279625E+04	-1.01E+00	8.28152580E+04	8.281627E+04	-1.0143E+00	-8.770915E+01	-8.670091E+01	-1.0082E+00
681	Zr	89	40	49	8.673368E+00	-5.4333E-03	8.279755E+04	8.279704E+04	5.08E-01	8.28180908E+04	8.281758E+04	5.0630E-01	-8.487639E+01	-8.538901E+01	5.1262E-01
682	Nb	89	41	48	8.616814E+00	-1.2139E-02	8.280129E+04	8.28018E+04	1.11E+00	8.28223418E+04	8.282124E+04	1.1036E+00	-8.062540E+01	-8.173557E+01	1.1102E+00
683	Mo	89	42	47	8.544984E+00	-1.0931E-02	8.280638E+04	8.280538E+04	9.99E-01	8.28279522E+04	8.282696E+04	9.9670E-01	-7.501493E+01	-7.601829E+01	1.0034E+00
684	Tc	89	43	46	8.450575E+00	-1.0331E-02	8.281348E+04	8.281254E+04	9.47E-01	8.28355723E+04	8.283463E+04	9.4450E-01	-6.739485E+01	-6.834559E+01	9.5075E-01
685	Se	90	34	56	8.395766E+00	9.4139E-03	8.376122E+04	8.376205E+04	-8.27E-01	8.37786610E+04	8.377949E+04	-8.2790E-01	-5.580022E+01	-5.497760E+01	-8.2262E-01
686	Br	90	35	55	8.478186E+00	1.0836E-02	8.375250E+04	8.375346E+04	-9.55E-01	8.37704609E+04	8.377142E+04	-9.5630E-01	-6.400030E+01	-6.305052E+01	-9.4978E-01
687	Kr	90	36	54	8.591259E+00	8.2456E-03	8.374103E+04	8.374175E+04	-7.20E-01	8.37595019E+04	8.376022E+04	-7.2270E-01	-7.495925E+01	-7.424327E+01	-7.1598E-01
688	Rb	90	37	53	8.631516E+00	8.5850E-03	8.373611E+04	8.373686E+04	-7.50E-01	8.37550964E+04	8.375585E+04	-7.5280E-01	-7.936473E+01	-7.861893E+01	-7.4580E-01
689	Sr	90	38	52	8.695981E+00	1.0883E-04	8.372901E+04	8.372899E+04	1.36E-02	8.37485123E+04	8.374850E+04	1.1900E-02	-8.594892E+01	-8.596671E+01	1.7794E-02
690	Y	90	39	51	8.693354E+00	7.9952E-03	8.372795E+04	8.372864E+04	-6.95E-01	8.37479663E+04	8.374866E+04	-6.9780E-01	-8.649486E+01	-8.580358E+01	-6.9128E-01
691	Zr	90	40	50	8.709980E+00	5.5389E-03	8.372515E+04	8.372562E+04	-4.74E-01	8.37456876E+04	8.374616E+04	-4.7530E-01	-8.877356E+01	-8.830407E+01	-4.6948E-01
692	Nb	90	41	49	8.633384E+00	-5.8588E-03	8.373074E+04	8.373019E+04	5.53E-01	8.37517989E+04	8.375125E+04	5.5010E-01	-8.266222E+01	-8.321930E+01	5.5708E-01
693	Mo	90	42	48	8.597032E+00	-9.8454E-03	8.373272E+04	8.373180E+04	9.12E-01	8.37542883E+04	8.375338E+04	9.1040E-01	-8.017289E+01	-8.108949E+01	9.1661E-01
694	Tc	90	43	47	8.483359E+00	-1.1104E-02	8.374165E+04	8.374062E+04	1.03E+00	8.37637365E+04	8.376271E+04	1.0236E+00	-7.072469E+01	-7.175523E+01	1.0305E+00
695	Ru	90	44	46	8.409768E+00	-6.3371E-03	8.374697E+04	8.374637E+04	5.98E-01	8.37695774E+04	8.376898E+04	5.9670E-01	-6.488379E+01	-6.548614E+01	6.0234E-01
696	Br	91	35	56	8.441923E+00	9.0786E-03	8.468689E+04	8.468770E+04	-8.06E-01	8.47048479E+04	8.470565E+04	-8.0700E-01	-6.110729E+01	-6.030650E+01	-8.0079E-01
697	Kr	91	36	55	8.541751E+00	1.3022E-02	8.467651E+04	8.467767E+04	-1.16E+00	8.46949812E+04	8.469615E+04	-1.1656E+00	-7.097396E+01	-6.981509E+01	-1.1589E+00



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
698	Rb	91	37	54	8.607562E+00	8.600511E+00	7.0510E-03	8.466922E+04	8.466984E+04	-6.19E-01	8.46882101E+04	8.468883E+04	-6.2170E-01	-7.774513E+01	-7.713032E+01	-6.1480E-01
699	Sr	91	38	53	8.663880E+00	8.655053E+00	8.8269E-03	8.466280E+04	8.466358E+04	-7.80E-01	8.46823028E+04	8.468309E+04	-7.8240E-01	-8.365241E+01	-8.287673E+01	-7.7568E-01
700	Y	91	39	52	8.684947E+00	8.683554E+00	1.3930E-03	8.465958E+04	8.465969E+04	-1.03E-01	8.46796033E+04	8.467971E+04	-1.0490E-01	-8.635188E+01	-8.625339E+01	-9.8492E-02
701	Zr	91	40	51	8.693320E+00	8.688693E+00	4.6268E-03	8.465752E+04	8.465792E+04	-3.96E-01	8.46780590E+04	8.467846E+04	-3.9830E-01	-8.789616E+01	-8.750413E+01	-3.9203E-01
702	Nb	91	41	50	8.670904E+00	8.665708E+00	5.1955E-03	8.465826E+04	8.465871E+04	-4.47E-01	8.46793166E+04	8.467977E+04	-4.4940E-01	-8.663858E+01	-8.619560E+01	-4.4297E-01
703	Mo	91	42	49	8.613627E+00	8.617871E+00	-4.2436E-03	8.466217E+04	8.466176E+04	4.12E-01	8.46837465E+04	8.468334E+04	4.1010E-01	-8.220871E+01	-8.262543E+01	4.1672E-01
704	Tc	91	43	48	8.536651E+00	8.546445E+00	-9.7939E-03	8.466788E+04	8.466696E+04	9.18E-01	8.46899689E+04	8.468905E+04	9.1580E-01	-7.598625E+01	-7.690877E+01	9.2251E-01
705	Ru	91	44	47	8.442925E+00	8.451589E+00	-8.6643E-03	8.467511E+04	8.467429E+04	8.16E-01	8.46977157E+04	8.469690E+04	8.1410E-01	-6.823952E+01	-6.905999E+01	8.2047E-01
706	Br	92	35	57	8.384911E+00	8.377680E+00	7.2310E-03	8.562326E+04	8.562390E+04	-6.45E-01	8.56412164E+04	8.564186E+04	-6.4600E-01	-5.623281E+01	-5.59290E+01	-6.3990E-01
707	Kr	92	36	56	8.512674E+00	8.502486E+00	1.0188E-02	8.561021E+04	8.561112E+04	-9.16E-01	8.56286799E+04	8.562960E+04	-9.1770E-01	-6.876932E+01	-6.785816E+01	-9.1115E-01
708	Rb	92	37	55	8.569423E+00	8.555223E+00	1.4200E-02	8.560369E+04	8.560497E+04	-1.28E+00	8.56226767E+04	8.562396E+04	-1.2866E+00	-7.477252E+01	-7.349304E+01	-1.2795E+00
709	Sr	92	38	54	8.648907E+00	8.641797E+00	7.1096E-03	8.559508E+04	8.559571E+04	-6.31E-01	8.56145818E+04	8.561522E+04	-6.3320E-01	-8.286739E+01	-8.224094E+01	-6.2646E-01
710	Y	92	39	53	8.661595E+00	8.652584E+00	9.0108E-03	8.559261E+04	8.559342E+04	-8.05E-01	8.56126321E+04	8.561344E+04	-8.0780E-01	-8.481705E+01	-8.401640E+01	-8.0065E-01
711	Zr	92	40	52	8.692684E+00	8.696307E+00	-3.6233E-03	8.558845E+04	8.558809E+04	3.58E-01	8.56089896E+04	8.560863E+04	3.5640E-01	-8.845963E+01	-8.882200E+01	3.6237E-01
712	Nb	92	41	51	8.662377E+00	8.659415E+00	2.9625E-03	8.558994E+04	8.559019E+04	-2.47E-01	8.56109954E+04	8.561125E+04	-2.4960E-01	-8.645375E+01	-8.621095E+01	-2.4280E-01
713	Mo	92	42	50	8.657722E+00	8.652989E+00	4.7328E-03	8.558907E+04	8.558948E+04	-4.09E-01	8.56106414E+04	8.561105E+04	-4.1100E-01	-8.680783E+01	-8.640289E+01	-4.0493E-01
714	Tc	92	43	49	8.563543E+00	8.566495E+00	-2.9517E-03	8.559643E+04	8.559614E+04	2.99E-01	8.56185235E+04	8.561823E+04	2.9560E-01	-7.892569E+01	-7.922847E+01	3.0278E-01
715	Ru	92	44	48	8.504773E+00	8.512789E+00	-8.0159E-03	8.560054E+04	8.559978E+04	7.65E-01	8.56231480E+04	8.562238E+04	7.6320E-01	-7.430120E+01	-7.507062E+01	7.6941E-01
716	Rh	92	45	47	8.373420E+00	8.380069E+00	-6.6488E-03	8.561133E+04	8.561069E+04	6.40E-01	8.56344501E+04	8.563381E+04	6.3780E-01	-6.299909E+01	-6.364344E+01	6.4436E-01
717	Br	93	35	58	8.346459E+00	8.341468E+00	4.9910E-03	8.655802E+04	8.655846E+04	-4.44E-01	8.65759729E+04	8.657642E+04	-4.4470E-01	-5.297034E+01	-5.253155E+01	-4.3878E-01
718	Kr	93	36	57	8.458108E+00	8.448413E+00	9.6949E-03	8.654633E+04	8.654722E+04	-8.81E-01	8.65648072E+04	8.656569E+04	-8.8190E-01	-6.413599E+01	-6.326052E+01	-8.7547E-01
719	Rb	93	37	56	8.540921E+00	8.530520E+00	1.0401E-02	8.653734E+04	8.653828E+04	-9.45E-01	8.65563233E+04	8.655727E+04	-9.4730E-01	-7.261095E+01	-7.167953E+01	-9.4042E-01
720	Sr	93	38	55	8.612788E+00	8.597370E+00	1.5418E-02	8.652935E+04	8.653076E+04	-1.41E+00	8.65488573E+04	8.655027E+04	-1.4132E+00	-8.008592E+01	-7.867969E+01	-1.4062E+00
721	Y	93	39	54	8.648910E+00	8.640971E+00	7.9390E-03	8.652469E+04	8.652541E+04	-7.14E-01	8.65447156E+04	8.654543E+04	-7.1700E-01	-8.422766E+01	-8.351764E+01	-7.1001E-01
722	Zr	93	40	53	8.671627E+00	8.666716E+00	4.8664E-03	8.652128E+04	8.652171E+04	-4.28E-01	8.65418205E+04	8.654225E+04	-4.3030E-01	-8.712268E+01	-8.669915E+01	-4.2353E-01
723	Nb	93	41	52	8.664186E+00	8.668352E+00	-4.1661E-03	8.652068E+04	8.652026E+04	4.13E-01	8.65417302E+04	8.654132E+04	4.1070E-01	-8.721298E+01	-8.763024E+01	4.1725E-01
724	Mo	93	42	51	8.651401E+00	8.647600E+00	3.8011E-03	8.652056E+04	8.652089E+04	-3.27E-01	8.65421369E+04	8.654247E+04	-3.2950E-01	-8.680632E+01	-8.648335E+01	-3.2297E-01
725	Tc	93	43	50	8.608569E+00	8.602202E+00	6.3669E-03	8.652325E+04	8.652381E+04	-5.65E-01	8.65453379E+04	8.654591E+04	-5.6760E-01	-8.360536E+01	-8.304444E+01	-5.6092E-01
726	Ru	93	44	49	8.531462E+00	8.533609E+00	-2.1470E-03	8.652912E+04	8.652889E+04	2.27E-01	8.65517265E+04	8.655150E+04	2.2480E-01	-7.721671E+01	-7.744836E+01	2.3165E-01
727	Rh	93	45	48	8.434825E+00	8.443077E+00	-8.2519E-03	8.653681E+04	8.653601E+04	7.96E-01	8.65599314E+04	8.655914E+04	7.9370E-01	-6.901180E+01	-6.981195E+01	8.0015E-01
728	Kr	94	36	58	8.424331E+00	8.420311E+00	4.0197E-03	8.748062E+04	8.748097E+04	-3.57E-01	8.74990894E+04	8.749945E+04	-3.5800E-01	-6.134777E+01	-6.099605E+01	-3.5172E-01
729	Rb	94	37	57	8.492764E+00	8.484837E+00	7.9269E-03	8.747289E+04	8.747361E+04	-7.23E-01	8.74918744E+04	8.749260E+04	-7.2520E-01	-6.856279E+01	-6.784455E+01	-7.1823E-01
730	Sr	94	38	56	8.593834E+00	8.581085E+00	1.2749E-02	8.746209E+04	8.746326E+04	-1.18E+00	8.74815915E+04	8.748277E+04	-1.1777E+00	-7.884575E+01	-7.767490E+01	-1.1708E+00
731	Y	94	39	55	8.622821E+00	8.605619E+00	1.7202E-02	8.745806E+04	8.745966E+04	-1.59E+00	8.74780844E+04	8.747968E+04	-1.5961E+00	-8.235284E+01	-8.076418E+01	-1.5887E+00
732	Zr	94	40	54	8.666818E+00	8.664178E+00	2.6401E-03	8.745263E+04	8.745285E+04	-2.23E-01	8.74731663E+04	8.747339E+04	-2.2570E-01	-8.727090E+01	-8.705182E+01	-2.1908E-01
733	Nb	94	41	53	8.648902E+00	8.648297E+00	6.0460E-04	8.745301E+04	8.745304E+04	-3.14E-02	8.74740680E+04	8.747410E+04	-3.4300E-02	-8.636921E+01	-8.634213E+01	-2.7081E-02
734	Mo	94	42	52	8.662320E+00	8.665401E+00	-3.0805E-03	8.745045E+04	8.745014E+04	3.16E-01	8.74720244E+04	8.747171E+04	3.1390E-01	-8.841284E+01	-8.873290E+01	3.2006E-01
735	Tc	94	43	51	8.608723E+00	8.605654E+00	3.0685E-03	8.745419E+04	8.745445E+04	-2.62E-01	8.74762801E+04	8.747654E+04	-2.6440E-01	-8.415710E+01	-8.389985E+01	-2.5725E-01
736	Ru	94	44	50	8.583661E+00	8.577574E+00	6.0870E-03	8.745525E+04	8.745579E+04	-5.45E-01	8.74778536E+04	8.747840E+04	-5.4660E-01	-8.258359E+01	-8.204336E+01	-5.4024E-01
737	Rh	94	45	49	8.472402E+00	8.473085E+00	-6.8346E-04	8.746440E+04	8.746431E+04	9.26E-02	8.74875296E+04	8.748744E+04	8.9700E-02	-7.290761E+01	-7.300451E+01	9.6900E-02
738	Pd	94	46	48	8.391669E+00	8.399321E+00	-7.6520E-03	8.747609E+04	8.746994E+04	7.49E-01	8.74943362E+04	8.749359E+04	7.4700E-01	-6.610105E+01	-6.685373E+01	7.5268E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
739	Kr	95	36	59	8.365995E+00	8.365136E+00	8.5860E-04	8.841730E+04	8.841736E+04	-6.08E-02	8.843577E+04	8.843583E+04	-6.1700E-02	-5.615891E+01	-5.610343E+01	-5.5487E-02
740	Rb	95	37	58	8.460234E+00	8.458084E+00	2.1497E-03	8.840705E+04	8.840723E+04	-1.83E-01	8.842603E+04	8.842622E+04	-1.8400E-01	-6.589388E+01	-6.571655E+01	-1.7733E-01
741	Sr	95	38	57	8.549139E+00	8.536153E+00	1.2986E-02	8.839730E+04	8.839852E+04	-1.21E+00	8.841680E+04	8.841802E+04	-1.2130E+00	-7.512222E+01	-7.391618E+01	-1.2061E+00
742	Y	95	39	56	8.604999E+00	8.590873E+00	1.4126E-02	8.839070E+04	8.839202E+04	-1.32E+00	8.841071E+04	8.841204E+04	-1.3209E+00	-8.121132E+01	-7.989760E+01	-1.3137E+00
743	Zr	95	40	55	8.643609E+00	8.629792E+00	1.3817E-02	8.838573E+04	8.838702E+04	-1.29E+00	8.840626E+04	8.840756E+04	-1.2907E+00	-8.566156E+01	-8.437803E+01	-1.2835E+00
744	Nb	95	41	54	8.647200E+00	8.647035E+00	1.6549E-04	8.838409E+04	8.838408E+04	9.60E-03	8.840514E+04	8.840572E+04	7.0000E-03	-8.678506E+01	-8.679913E+01	-1.4074E-02
745	Mo	95	42	53	8.648707E+00	8.646575E+00	2.1321E-03	8.838265E+04	8.838263E+04	-1.76E-01	8.840440E+04	8.840440E+04	-1.7890E-01	-8.771062E+01	-8.753885E+01	-1.7208E-01
746	Tc	95	43	52	8.622677E+00	8.624383E+00	-1.7061E-03	8.838382E+04	8.838383E+04	1.89E-01	8.840591E+04	8.840572E+04	1.8650E-01	-8.602011E+01	-8.621340E+01	1.9330E-01
747	Ru	95	44	51	8.587457E+00	8.581580E+00	5.8773E-03	8.838587E+04	8.838640E+04	-5.31E-01	8.840847E+04	8.840901E+04	-5.3320E-01	-8.345650E+01	-8.293016E+01	-5.2634E-01
748	Rh	95	45	50	8.525370E+00	8.517659E+00	7.7106E-03	8.839047E+04	8.839117E+04	-7.04E-01	8.841359E+04	8.841430E+04	-7.0660E-01	-7.834061E+01	-7.764081E+01	-6.9980E-01
749	Pd	95	46	49	8.428967E+00	8.431067E+00	-2.0997E-03	8.839832E+04	8.839810E+04	2.29E-01	8.842196E+04	8.842174E+04	2.2640E-01	-6.996467E+01	-7.019757E+01	-2.3291E-01
750	Kr	96	36	60	8.330850E+00	8.334132E+00	-3.2818E-03	8.935187E+04	8.935154E+04	3.36E-01	8.937034E+04	8.937001E+04	3.3510E-01	-5.307968E+01	-5.342080E+01	3.4113E-01
751	Rb	96	37	59	8.408896E+00	8.410997E+00	4.0624E-03	8.934308E+04	8.934286E+04	2.23E-01	8.936207E+04	8.936185E+04	2.2180E-01	-6.135436E+01	-6.158294E+01	-2.2857E-01
752	Sr	96	38	58	8.521324E+00	8.517262E+00	4.0624E-03	8.933099E+04	8.933136E+04	-3.67E-01	8.935049E+04	8.935086E+04	-3.6920E-01	-7.292986E+01	-7.256741E+01	-6.6244E-01
753	Y	96	39	57	8.569547E+00	8.554363E+00	1.5184E-02	8.932506E+04	8.932650E+04	-1.43E+00	8.934508E+04	8.934652E+04	-1.4366E+00	-7.834159E+01	-7.691224E+01	-1.4294E+00
754	Zr	96	40	56	8.635387E+00	8.623466E+00	1.1921E-02	8.931744E+04	8.931856E+04	-1.12E+00	8.933798E+04	8.933910E+04	-1.1224E+00	-8.544461E+01	-8.432918E+01	-1.1154E+00
755	Nb	96	41	55	8.628928E+00	8.621603E+00	7.3245E-03	8.931676E+04	8.931744E+04	-6.78E-01	8.933781E+04	8.933850E+04	-6.8100E-01	-8.560683E+01	-8.493347E+01	-6.7366E-01
756	Mo	96	42	54	8.653974E+00	8.653995E+00	-2.1260E-05	8.931306E+04	8.931303E+04	2.81E-02	8.933463E+04	8.933461E+04	2.5900E-02	-8.879363E+01	-8.882616E+01	3.2528E-02
757	Tc	96	43	53	8.614853E+00	8.614489E+00	3.6361E-04	8.931552E+04	8.931552E+04	-8.10E-03	8.933760E+04	8.933762E+04	-1.1000E-02	-8.582039E+01	-8.581667E+01	-3.7164E-03
758	Ru	96	44	52	8.609399E+00	8.608520E+00	8.7868E-04	8.931474E+04	8.931480E+04	-5.68E-02	8.933734E+04	8.933740E+04	-5.8800E-02	-8.607912E+01	-8.602671E+01	-5.2409E-02
759	Rh	96	45	51	8.534660E+00	8.529999E+00	4.6611E-03	8.932016E+04	8.932103E+04	-4.19E-01	8.934373E+04	8.934416E+04	-4.2190E-01	-7.968647E+01	-7.927173E+01	-4.1473E-01
760	Pd	96	46	50	8.490007E+00	8.484096E+00	5.9110E-03	8.932360E+04	8.932414E+04	-5.38E-01	8.934724E+04	8.934778E+04	-5.4020E-01	-7.618216E+01	-7.564813E+01	-5.3403E-01
761	Ag	96	47	49	8.360290E+00	8.362465E+00	-2.1750E-03	8.933475E+04	8.933451E+04	2.39E-01	8.935891E+04	8.935868E+04	2.3640E-01	-6.451164E+01	-6.475463E+01	2.4300E-01
762	Kr	97	36	61	8.269864E+00	8.276743E+00	-6.8793E-03	9.028902E+04	9.028834E+04	6.88E-01	9.030681E+04	9.030681E+04	6.8720E-01	-4.742349E+01	-4.811693E+01	6.9344E-01
763	Rb	97	37	60	8.376186E+00	8.381250E+00	-5.0640E-03	9.027741E+04	9.027690E+04	5.12E-01	9.029640E+04	9.029589E+04	5.1130E-01	-5.851912E+01	-5.903715E+01	5.1803E-01
764	Sr	97	38	59	8.471864E+00	8.471052E+00	8.1196E-04	9.026683E+04	9.026689E+04	-5.57E-02	9.028633E+04	9.028640E+04	-5.8000E-02	-6.858221E+01	-6.853103E+01	-5.1183E-02
765	Y	97	39	58	8.541582E+00	8.536989E+00	4.5931E-03	9.025877E+04	9.025919E+04	-4.22E-01	9.027879E+04	9.027922E+04	-4.2430E-01	-7.612718E+01	-7.570998E+01	-4.1720E-01
766	Zr	97	40	57	8.603838E+00	8.587600E+00	1.6238E-02	9.025143E+04	9.025298E+04	-1.55E+00	9.027197E+04	9.027352E+04	-1.5533E+00	-8.294842E+01	-8.140237E+01	-1.5461E+00
767	Nb	97	41	56	8.623192E+00	8.616475E+00	6.7170E-03	9.024826E+04	9.024888E+04	-6.26E-01	9.026931E+04	9.026994E+04	-6.2910E-01	-8.560809E+01	-8.498629E+01	-6.2180E-01
768	Mo	97	42	55	8.635080E+00	8.629588E+00	5.4924E-03	9.024580E+04	9.024631E+04	-5.07E-01	9.026737E+04	9.026789E+04	-5.0950E-01	-8.754356E+01	-8.704129E+01	-5.0227E-01
769	Tc	97	43	54	8.623667E+00	8.622955E+00	7.1212E-04	9.024561E+04	9.024565E+04	-4.23E-02	9.026770E+04	9.026775E+04	-4.5000E-02	-8.721885E+01	-8.718099E+01	-3.7859E-02
770	Ru	97	44	53	8.604266E+00	8.599457E+00	4.8091E-03	9.024619E+04	9.024663E+04	-4.39E-01	9.026880E+04	9.026924E+04	-4.4140E-01	-8.611930E+01	-8.568476E+01	-4.3454E-01
771	Rh	97	45	52	8.559881E+00	8.557434E+00	2.4471E-03	9.024920E+04	9.024941E+04	-2.09E-01	9.027232E+04	9.027253E+04	-2.1140E-01	-8.259630E+01	-8.223916E+01	-2.0469E-01
772	Pd	97	46	51	8.502430E+00	8.496946E+00	5.4844E-03	9.025347E+04	9.025397E+04	-5.03E-01	9.027711E+04	9.027762E+04	-5.0530E-01	-7.780584E+01	-7.730733E+01	-4.9852E-01
773	Ag	97	47	50	8.422405E+00	8.417227E+00	5.1783E-03	9.025993E+04	9.026040E+04	-4.73E-01	9.028409E+04	9.028457E+04	-4.7460E-01	-7.082584E+01	-7.035766E+01	-4.6818E-01
774	Rb	98	37	61	8.330210E+00	8.331756E+00	-1.5463E-03	9.121311E+04	9.121293E+04	1.73E-01	9.123209E+04	9.123192E+04	1.7160E-01	-5.431833E+01	-5.449670E+01	1.7837E-01
775	Sr	98	38	60	8.445774E+00	8.448738E+00	-2.9636E-03	9.120048E+04	9.120017E+04	3.12E-01	9.121998E+04	9.121968E+04	3.1130E-01	-6.642598E+01	-6.674395E+01	3.1797E-01
776	Y	98	39	59	8.497736E+00	8.498721E+00	-9.8512E-04	9.119409E+04	9.119397E+04	1.20E-01	9.121411E+04	9.121400E+04	1.1770E-01	-7.230059E+01	-7.242541E+01	1.2482E-01
777	Zr	98	40	58	8.581507E+00	8.578155E+00	3.3516E-03	9.118458E+04	9.118489E+04	-3.04E-01	9.120512E+04	9.120543E+04	-3.0640E-01	-8.129251E+01	-8.099305E+01	-2.9947E-01
778	Nb	98	41	57	8.596360E+00	8.589015E+00	7.3450E-03	9.118183E+04	9.118252E+04	-6.94E-01	9.120288E+04	9.120358E+04	-6.9760E-01	-8.353037E+01	-8.284037E+01	-6.9000E-01
779	Mo	98	42	56	8.635157E+00	8.632695E+00	2.4623E-03	9.117673E+04	9.117694E+04	-2.15E-01	9.119829E+04	9.119852E+04	-2.1780E-01	-8.811484E+01	-8.790405E+01	-2.1079E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
780	Tc	98	43	55	8.609993E+00	8.607171E+00	2.8216E-03	9.117789E+04	9.117814E+04	-2.50E-01	9.11999821E+04	9.120024E+04	-2.5300E-01	-8.643113E+01	-8.618585E+01	-2.4528E-01
781	Ru	98	44	54	8.620312E+00	8.616092E+00	4.2196E-03	9.117558E+04	9.117597E+04	-3.86E-01	9.11981885E+04	9.119858E+04	-3.8820E-01	-8.822477E+01	-8.784318E+01	-3.8158E-01
782	Rh	98	45	53	8.560802E+00	8.56617E+00	4.1851E-03	9.118011E+04	9.118050E+04	-3.82E-01	9.12032382E+04	9.120362E+04	-3.8470E-01	-8.317511E+01	-8.279766E+01	-3.7746E-01
783	Pd	98	46	52	8.533899E+00	8.532043E+00	1.8561E-03	9.118145E+04	9.118160E+04	-1.53E-01	9.12050923E+04	9.120525E+04	-1.5470E-01	-8.132098E+01	-8.117248E+01	-1.4849E-01
784	Ag	98	47	51	8.441686E+00	8.438615E+00	3.0714E-03	9.118919E+04	9.118946E+04	-2.71E-01	9.12133469E+04	9.121362E+04	-2.7370E-01	-7.306642E+01	-7.279959E+01	-2.6683E-01
785	Cd	98	48	50	8.378294E+00	8.374636E+00	3.6584E-03	9.119410E+04	9.119443E+04	-3.28E-01	9.12187769E+04	9.121911E+04	-3.2910E-01	-6.763642E+01	-6.731272E+01	-3.2369E-01
786	Rb	99	37	62	8.296151E+00	8.298587E+00	-2.4362E-03	9.214771E+04	9.214745E+04	2.62E-01	9.21667019E+04	9.216644E+04	2.6130E-01	-5.120540E+01	-5.147340E+01	2.6800E-01
787	Sr	99	38	61	8.402456E+00	8.400294E+00	2.1620E-03	9.213589E+04	9.213608E+04	-1.92E-01	9.21553953E+04	9.215559E+04	-1.9330E-01	-6.251194E+01	-6.232545E+01	-1.8649E-01
788	Y	99	39	60	8.476814E+00	8.477823E+00	-1.0094E-03	9.212723E+04	9.212711E+04	1.24E-01	9.21472516E+04	9.214713E+04	1.2120E-01	-7.065570E+01	-7.078394E+01	1.2824E-01
789	Zr	99	40	59	8.539303E+00	8.540511E+00	-1.2076E-03	9.211975E+04	9.211960E+04	1.44E-01	9.21402829E+04	9.214014E+04	1.4160E-01	-7.762443E+01	-7.777305E+01	1.4862E-01
790	Nb	99	41	58	8.578949E+00	8.580882E+00	-1.9333E-03	9.211452E+04	9.211430E+04	2.16E-01	9.21355755E+04	9.213536E+04	2.1380E-01	-8.233180E+01	-8.25292E+01	2.2113E-01
791	Mo	99	42	57	8.607786E+00	8.605973E+00	1.8135E-03	9.211037E+04	9.211052E+04	-1.54E-01	9.21319383E+04	9.213209E+04	-1.5640E-01	-8.596897E+01	-8.581993E+01	-1.4904E-01
792	Tc	99	43	56	8.613599E+00	8.611197E+00	2.4023E-03	9.210849E+04	9.210870E+04	-7.18E-01	9.21302854E+04	9.213079E+04	-2.1400E-01	-8.732678E+01	-8.690870E+01	-2.0657E-01
793	Ru	99	44	55	8.608677E+00	8.601150E+00	7.5266E-03	9.210768E+04	9.210840E+04	-7.18E-01	9.21302854E+04	9.213101E+04	-7.2050E-01	-8.762184E+01	-8.690870E+01	-7.1314E-01
794	Rh	99	45	54	8.580129E+00	8.573904E+00	6.2252E-03	9.210920E+04	9.210979E+04	-5.88E-01	9.21323293E+04	9.213292E+04	-5.9060E-01	-8.557799E+01	-8.499436E+01	-5.8364E-01
795	Pd	99	46	53	8.537916E+00	8.531591E+00	6.3254E-03	9.211208E+04	9.211268E+04	-5.97E-01	9.21357260E+04	9.213633E+04	-5.9960E-01	-8.218124E+01	-8.158843E+01	-5.9281E-01
796	Ag	99	47	52	8.474774E+00	8.474128E+00	6.4588E-04	9.211703E+04	9.211707E+04	-3.42E-02	9.21411948E+04	9.214123E+04	-3.6200E-02	-7.671247E+01	-7.668272E+01	-2.9751E-02
797	Cd	99	48	51	8.398373E+00	8.397793E+00	5.7992E-04	9.212330E+04	9.212332E+04	-2.70E-02	9.21479762E+04	9.214800E+04	-2.8500E-02	-6.993112E+01	-6.990863E+01	-2.2492E-02
798	Sr	100	38	62	8.372327E+00	8.374230E+00	-1.9034E-03	9.307007E+04	9.306985E+04	2.12E-01	9.30895712E+04	9.308936E+04	2.1130E-01	-5.983015E+01	-6.004807E+01	-2.1792E-01
799	Y	100	39	61	8.439535E+00	8.436935E+00	2.5999E-03	9.306205E+04	9.306228E+04	-2.38E-01	9.30820680E+04	9.308231E+04	-2.3870E-01	-6.733333E+01	-6.710161E+01	-2.3172E-01
800	Zr	100	40	60	8.522198E+00	8.527097E+00	-4.8985E-03	9.305248E+04	9.305197E+04	5.14E-01	9.30730193E+04	9.307251E+04	5.1180E-01	-7.638197E+01	-7.690083E+01	5.1886E-01
801	Nb	100	41	59	8.548588E+00	8.551178E+00	-2.5897E-03	9.304854E+04	9.304826E+04	2.84E-01	9.30695980E+04	9.306932E+04	2.8130E-01	-7.980333E+01	-8.009203E+01	2.8869E-01
802	Mo	100	42	58	8.604626E+00	8.605710E+00	-1.0844E-03	9.304164E+04	9.304151E+04	1.34E-01	9.30632118E+04	9.306308E+04	1.3180E-01	-8.618948E+01	-8.632837E+01	1.3889E-01
803	Tc	100	43	57	8.595107E+00	8.592722E+00	2.3850E-03	9.304129E+04	9.304150E+04	-2.12E-01	9.30633814E+04	9.306360E+04	-2.1520E-01	-8.601986E+01	-8.581261E+01	-2.0725E-01
804	Ru	100	44	56	8.619323E+00	8.613081E+00	6.2422E-03	9.303757E+04	9.303817E+04	-5.97E-01	9.30601775E+04	9.306078E+04	-5.9920E-01	-8.922385E+01	-8.863157E+01	-5.9228E-01
805	Rh	100	45	55	8.575143E+00	8.567074E+00	8.0690E-03	9.304069E+04	9.304147E+04	-7.79E-01	9.30638131E+04	9.306459E+04	-7.8180E-01	-8.558822E+01	-8.481396E+01	-7.7425E-01
806	Pd	100	46	54	8.563710E+00	8.56395E+00	7.3155E-03	9.304053E+04	9.304123E+04	-7.03E-01	9.30641741E+04	9.306488E+04	-7.0450E-01	-8.522723E+01	-8.452909E+01	-6.9813E-01
807	Ag	100	47	53	8.484994E+00	8.481347E+00	3.6469E-03	9.304710E+04	9.304744E+04	-3.35E-01	9.30712633E+04	9.307160E+04	-3.3740E-01	-7.813796E+01	-7.780743E+01	-3.3053E-01
808	Cd	100	48	52	8.437737E+00	8.441247E+00	-3.5101E-03	9.305053E+04	9.305015E+04	3.81E-01	9.30752067E+04	9.307483E+04	3.8030E-01	-7.419460E+01	-7.458051E+01	3.8591E-01
809	In	100	49	51	8.331097E+00	8.329233E+00	1.8135E-03	9.305989E+04	9.306004E+04	-1.50E-01	9.30850833E+04	9.308524E+04	-1.5190E-01	-6.431297E+01	-6.416722E+01	-1.4575E-01
810	Sn	100	50	50	8.252974E+00	8.230918E+00	2.2056E-02	9.306640E+04	9.306857E+04	-2.17E+00	9.30921183E+04	9.309429E+04	-2.1746E+00	-5.728297E+01	-5.511377E+01	-2.1692E+00
811	Sr	101	38	63	8.327088E+00	8.323123E+00	3.9653E-03	9.400583E+04	9.400621E+04	-3.79E-01	9.40253333E+04	9.402571E+04	-3.7980E-01	-5.556199E+01	-5.518910E+01	-3.7290E-01
812	Y	101	39	62	8.413451E+00	8.412102E+00	1.3490E-03	9.399581E+04	9.399592E+04	-1.14E-01	9.40158233E+04	9.401594E+04	-1.1500E-01	-6.506699E+01	-6.495909E+01	-1.0791E-01
813	Zr	101	40	61	8.485940E+00	8.486973E+00	-1.0329E-03	9.398719E+04	9.398706E+04	1.29E-01	9.40077246E+04	9.400760E+04	1.2640E-01	-7.317075E+01	-7.330412E+01	1.3337E-01
814	Nb	101	41	60	8.534800E+00	8.539207E+00	-4.4069E-03	9.398095E+04	9.398048E+04	4.70E-01	9.40020073E+04	9.400154E+04	4.6760E-01	-7.888799E+01	-7.936283E+01	4.7484E-01
815	Mo	101	42	59	8.572880E+00	8.576561E+00	-3.6806E-03	9.397581E+04	9.397541E+04	3.98E-01	9.39973789E+04	9.399698E+04	3.9490E-01	-8.351640E+01	-8.391864E+01	4.0223E-01
816	Tc	101	43	58	8.593101E+00	8.593409E+00	-3.0773E-04	9.397246E+04	9.397241E+04	5.77E-02	9.39945543E+04	9.399450E+04	5.4900E-02	-8.634106E+01	-8.640337E+01	6.2316E-02
817	Ru	101	44	57	8.601330E+00	8.595352E+00	5.9779E-03	9.397033E+04	9.397091E+04	-5.76E-01	9.39929407E+04	9.399352E+04	-5.7940E-01	-8.795458E+01	-8.738273E+01	-5.7184E-01
818	Rh	101	45	56	8.588201E+00	8.579674E+00	8.5270E-03	9.397036E+04	9.397119E+04	-8.33E-01	9.39934845E+04	9.399432E+04	-8.3590E-01	-8.741083E+01	-8.658232E+01	-8.2850E-01
819	Pd	101	46	55	8.560849E+00	8.550021E+00	1.0828E-02	9.397182E+04	9.397289E+04	-1.06E+00	9.39954647E+04	9.399653E+04	-1.0672E+00	-8.543066E+01	-8.437048E+01	-1.0602E+00
820	Ag	101	47	54	8.512546E+00	8.506349E+00	6.1973E-03	9.397540E+04	9.397600E+04	-5.96E-01	9.39995609E+04	9.400016E+04	-5.9840E-01	-8.133437E+01	-8.074262E+01	-5.9175E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
821	Cd	101	48	53	8.450365E+00	8.448790E+00	1.5751E-03	9.398038E+04	9.398051E+04	-1.29E-01	9.40050589E+04	9.400519E+04	-1.3020E-01	-7.583646E+01	-7.571226E+01	-1.2419E-01
822	Sn	101	50	51	8.281102E+00	8.270151E+00	1.0952E-02	9.399487E+04	9.399595E+04	-1.07E+00	9.40205889E+04	9.402167E+04	-1.0755E+00	-6.030563E+01	-5.923583E+01	-1.0698E+00
823	Sr	102	38	64	8.293172E+00	8.293454E+00	-2.8159E-04	9.494053E+04	9.494048E+04	5.03E-02	9.49600310E+04	9.495998E+04	4.9600E-02	-5.235837E+01	-5.241465E+01	5.6288E-02
824	Y	102	39	63	8.371924E+00	8.368231E+00	3.6929E-03	9.493119E+04	9.493155E+04	-3.55E-01	9.49512160E+04	9.495157E+04	-3.5540E-01	-6.117337E+01	-6.082504E+01	-3.4833E-01
825	Zr	102	40	62	8.466414E+00	8.469200E+00	-2.7856E-03	9.492026E+04	9.491995E+04	3.08E-01	9.49407956E+04	9.494049E+04	3.0620E-01	-7.159376E+01	-7.190691E+01	3.1314E-01
826	Nb	102	41	61	8.504988E+00	8.506598E+00	-1.6097E-03	9.491502E+04	9.491483E+04	1.89E-01	9.49360787E+04	9.493589E+04	1.8660E-01	-7.631060E+01	-7.650458E+01	1.9398E-01
827	Mo	102	42	60	8.568493E+00	8.572115E+00	-3.6217E-03	9.490725E+04	9.490685E+04	3.95E-01	9.49288189E+04	9.492843E+04	3.9290E-01	-8.357046E+01	-8.397040E+01	3.9994E-01
828	Tc	102	43	59	8.570628E+00	8.572169E+00	-1.5408E-03	9.490573E+04	9.490555E+04	1.84E-01	9.49278187E+04	9.492764E+04	1.8060E-01	-8.457059E+01	-8.475899E+01	1.8840E-01
829	Ru	102	44	58	8.607392E+00	8.603696E+00	3.6961E-03	9.490068E+04	9.490103E+04	-3.50E-01	9.49232864E+04	9.492364E+04	-3.5220E-01	-8.910290E+01	-8.875783E+01	-3.4507E-01
830	Rh	102	45	57	8.576953E+00	8.569848E+00	7.1051E-03	9.490248E+04	9.490318E+04	-6.97E-01	9.49256089E+04	9.492631E+04	-6.9900E-01	-8.678043E+01	-8.608842E+01	-6.9201E-01
831	Pd	102	46	56	8.580563E+00	8.570032E+00	1.0531E-02	9.490082E+04	9.490186E+04	-1.05E+00	9.49244583E+04	9.492551E+04	-1.0475E+00	-8.793100E+01	-8.689027E+01	-1.0407E+00
832	Ag	102	47	55	8.517163E+00	8.507443E+00	9.7197E-03	9.490598E+04	9.490694E+04	-9.62E-01	9.49301428E+04	9.493111E+04	-9.6440E-01	-8.224653E+01	-8.128930E+01	-9.5723E-01
833	Cd	102	48	54	8.484130E+00	8.480821E+00	3.3090E-03	9.490805E+04	9.490836E+04	-3.07E-01	9.49327298E+04	9.493304E+04	-3.0830E-01	-7.965953E+01	-7.935690E+01	-3.0263E-01
834	In	102	49	53	8.388560E+00	8.390149E+00	-1.5888E-03	9.491650E+04	9.491630E+04	1.93E-01	9.49416956E+04	9.494150E+04	1.9170E-01	-7.069375E+01	-7.089141E+01	1.9767E-01
835	Sn	102	50	52	8.324419E+00	8.325710E+00	-1.2906E-03	9.492174E+04	9.492157E+04	1.63E-01	9.49474556E+04	9.494729E+04	1.6290E-01	-6.493375E+01	-6.510169E+01	1.6795E-01
836	Y	103	39	64	8.342640E+00	8.339565E+00	3.0753E-03	9.586540E+04	9.586570E+04	-2.95E-01	9.58854256E+04	9.588572E+04	-2.9560E-01	-5.845777E+01	-5.816931E+01	-2.8846E-01
837	Zr	103	40	63	8.425954E+00	8.426252E+00	-2.9794E-04	9.585552E+04	9.585547E+04	5.35E-02	9.58760619E+04	9.587601E+04	5.2700E-02	-6.782145E+01	-6.788117E+01	5.9727E-02
838	Nb	103	41	62	8.488297E+00	8.490259E+00	-1.9618E-03	9.584780E+04	9.584758E+04	2.27E-01	9.58688582E+04	9.586863E+04	2.2460E-01	-7.502510E+01	-7.525696E+01	2.3186E-01
839	Mo	103	42	61	8.538387E+00	8.540036E+00	-1.6490E-03	9.584134E+04	9.584115E+04	1.96E-01	9.58629166E+04	9.586272E+04	1.9310E-01	-8.096678E+01	-8.116709E+01	2.0031E-01
840	Tc	103	43	60	8.566084E+00	8.568881E+00	-2.7968E-03	9.583719E+04	9.583688E+04	3.14E-01	9.58592814E+04	9.585897E+04	3.1180E-01	-8.460189E+01	-8.492117E+01	3.1928E-01
841	Ru	103	44	59	8.584331E+00	8.583099E+00	1.2316E-03	9.583401E+04	9.583411E+04	-9.96E-02	9.58566197E+04	9.585672E+04	-1.0240E-01	-8.726364E+01	-8.716877E+01	9.4872E-02
842	Rh	103	45	58	8.584157E+00	8.578876E+00	5.2811E-03	9.583273E+04	9.583325E+04	-5.16E-01	9.58558553E+04	9.585637E+04	-5.1880E-01	-8.802803E+01	-8.751683E+01	-5.1122E-01
843	Pd	103	46	57	8.571289E+00	8.560728E+00	1.0561E-02	9.583276E+04	9.583381E+04	-1.06E+00	9.58563983E+04	9.585746E+04	-1.0618E+00	-8.748503E+01	-8.643065E+01	-1.0544E+00
844	Ag	103	47	56	8.537628E+00	8.527739E+00	9.8894E-03	9.583492E+04	9.583591E+04	-9.89E-01	9.58590830E+04	9.586007E+04	-9.9150E-01	-8.480029E+01	-8.381584E+01	-9.8445E-01
845	Cd	103	48	55	8.489758E+00	8.481986E+00	7.7722E-03	9.583855E+04	9.583932E+04	-7.70E-01	9.58632313E+04	9.586400E+04	-7.7200E-01	-8.065200E+01	-7.988637E+01	-7.6562E-01
846	In	103	49	54	8.423691E+00	8.422484E+00	1.2070E-03	9.584406E+04	9.584415E+04	-9.33E-02	9.58692538E+04	9.586935E+04	-9.4400E-02	-7.462952E+01	-7.454077E+01	-8.8743E-02
847	Sn	103	50	53	8.341727E+00	8.343140E+00	-1.4132E-03	9.585120E+04	9.585102E+04	1.77E-01	9.58769138E+04	9.587674E+04	1.7640E-01	-6.696952E+01	-6.715143E+01	1.8192E-01
848	Zr	104	40	64	8.402436E+00	8.404266E+00	-1.8298E-03	9.678911E+04	9.678889E+04	2.13E-01	9.68096471E+04	9.680943E+04	2.1220E-01	-6.573023E+01	-6.594955E+01	2.1932E-01
849	Nb	104	41	63	8.453519E+00	8.454444E+00	-9.2467E-04	9.678250E+04	9.678238E+04	1.20E-01	9.68035522E+04	9.680343E+04	1.1870E-01	-7.182518E+01	-7.195112E+01	1.2594E-01
850	Mo	104	42	62	8.528023E+00	8.530834E+00	-2.8106E-03	9.677345E+04	9.677313E+04	3.18E-01	9.67950214E+04	9.679471E+04	3.1560E-01	-8.035591E+01	-8.067876E+01	3.2284E-01
851	Tc	104	43	61	8.541185E+00	8.544347E+00	-3.1623E-03	9.677078E+04	9.677043E+04	3.55E-01	9.67928702E+04	9.679252E+04	3.5250E-01	-8.250719E+01	-8.286725E+01	3.6006E-01
852	Ru	104	44	60	8.587380E+00	8.587248E+00	1.3168E-04	9.676468E+04	9.676466E+04	1.35E-02	9.67872836E+04	9.678727E+04	1.1200E-02	-8.809373E+01	-8.811204E+01	1.8303E-02
853	Rh	104	45	59	8.568914E+00	8.565984E+00	2.9302E-03	9.676530E+04	9.676557E+04	-2.77E-01	9.67884217E+04	9.678870E+04	-2.8000E-01	-8.695569E+01	-8.668361E+01	-2.7209E-01
854	Pd	104	46	58	8.584846E+00	8.577046E+00	7.8001E-03	9.676234E+04	9.676312E+04	-7.83E-01	9.67859824E+04	9.678677E+04	-7.8480E-01	-8.939498E+01	-8.861714E+01	-7.7784E-01
855	Ag	104	47	57	8.536183E+00	8.525818E+00	1.0365E-02	9.676610E+04	9.676715E+04	-1.05E+00	9.67902610E+04	9.679131E+04	-1.0514E+00	-8.511632E+01	-8.407254E+01	-1.0438E+00
856	Cd	104	48	56	8.517621E+00	8.509126E+00	8.4945E-03	9.676673E+04	9.676758E+04	-8.53E-01	9.67914091E+04	9.679226E+04	-8.5470E-01	-8.396824E+01	-8.311967E+01	-8.4856E-01
857	In	104	49	55	8.435237E+00	8.430793E+00	4.4439E-03	9.677400E+04	9.677443E+04	-4.31E-01	9.67919497E+04	9.679963E+04	-4.3290E-01	-7.618266E+01	-7.575608E+01	-4.2658E-01
858	Sn	104	50	54	8.383911E+00	8.383094E+00	8.1736E-04	9.677803E+04	9.677809E+04	-5.32E-02	9.68037503E+04	9.680380E+04	-5.3600E-02	-7.162704E+01	-7.157841E+01	-4.8629E-02
859	Sb	104	51	53	8.256614E+00	8.264847E+00	-8.2313E-03	9.678997E+04	9.678908E+04	8.89E-01	9.68162068E+04	9.681532E+04	8.8720E-01	-5.917054E+01	-6.006385E+01	8.9331E-01
860	Zr	105	40	65	8.358718E+00	8.358447E+00	2.7121E-04	9.772486E+04	9.772487E+04	-5.80E-03	9.77454004E+04	9.774541E+04	-6.7000E-03	-6.147096E+01	-6.147150E+01	5.3650E-04
861	Nb	105	41	64	8.431657E+00	8.433761E+00	-2.1037E-03	9.771590E+04	9.771566E+04	2.44E-01	9.77369595E+04	9.773672E+04	2.4330E-01	-6.991191E+01	-7.016254E+01	2.5062E-01

#	El	A	Z	N	$E_B^{-\text{exp}}(A, Z)$ MeV	$E_B^{\text{th}}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{-\text{exp}}(A, Z)$ MeV	$M_{n.m.}^{\text{th}}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{-\text{exp}}(A, Z)$ MeV	$M_{a.m.}^{\text{th}}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{E_{\text{exp}}}(A, Z)$ MeV	$\Delta m^{\text{th}}(A, Z, a_i)$ MeV	Residual, MeV
862	Mo	105	42	63	8.494981E+00	8.495668E+00	-6.8711E-04	9.770796E+04	9.770786E+04	9.78E-02	9.77295281E+04	9.772943E+04	9.5300E-02	-7.734324E+01	-7.744589E+01	1.0266E-01
863	Tc	105	43	62	8.534670E+00	8.536511E+00	-1.8409E-03	9.770249E+04	9.770227E+04	2.20E-01	9.77245784E+04	9.772436E+04	2.1700E-01	-8.229295E+01	-8.251746E+01	2.2451E-01
864	Ru	105	44	61	8.561882E+00	8.563240E+00	-1.3576E-03	9.769833E+04	9.769816E+04	1.70E-01	9.77209388E+04	9.772077E+04	1.6700E-01	-8.593252E+01	-8.610705E+01	1.7453E-01
865	Rh	105	45	60	8.572698E+00	8.570924E+00	1.7740E-03	9.769590E+04	9.769605E+04	-1.58E-01	9.77190208E+04	9.771918E+04	-1.6120E-01	-8.785055E+01	-8.769699E+01	-1.5356E-01
866	Pd	105	46	59	8.570649E+00	8.564720E+00	5.9290E-03	9.769481E+04	9.769540E+04	-5.94E-01	9.77184536E+04	9.771905E+04	-5.9670E-01	-8.841776E+01	-8.782864E+01	-5.8911E-01
867	Ag	105	47	58	8.550370E+00	8.542529E+00	7.8406E-03	9.769564E+04	9.769643E+04	-7.94E-01	9.77198005E+04	9.772060E+04	-7.9650E-01	-8.707083E+01	-8.628172E+01	-7.8911E-01
868	Cd	105	48	57	8.516852E+00	8.507374E+00	9.4783E-03	9.769786E+04	9.769882E+04	-9.65E-01	9.77225375E+04	9.772350E+04	-9.6730E-01	-8.433384E+01	-8.337344E+01	-9.6040E-01
869	In	105	49	56	8.464704E+00	8.458002E+00	6.7023E-03	9.770203E+04	9.770271E+04	-6.73E-01	9.77272308E+04	9.772791E+04	-6.7430E-01	-7.964057E+01	-7.897245E+01	-6.6812E-01
870	Sn	105	50	55	8.397228E+00	8.391823E+00	5.4046E-03	9.770782E+04	9.770835E+04	-5.36E-01	9.77335334E+04	9.773407E+04	-5.3670E-01	-7.333799E+01	-7.280681E+01	-5.3117E-01
871	Sb	105	51	54	8.300997E+00	8.306578E+00	-5.5811E-03	9.771662E+04	9.771600E+04	6.18E-01	9.77428553E+04	9.774224E+04	6.1750E-01	-6.401609E+01	-6.463914E+01	6.2305E-01
872	Te	105	52	53	8.186836E+00	8.195906E+00	-9.0703E-03	9.772730E+04	9.772632E+04	9.86E-01	9.77540599E+04	9.775308E+04	9.8370E-01	-5.281151E+01	-5.380167E+01	9.9016E-01
873	Nb	106	41	65	8.393237E+00	8.394732E+00	-1.5155E-03	9.865111E+04	9.865093E+04	1.84E-01	9.86721657E+04	9.867198E+04	1.8300E-01	-6.619968E+01	-6.63910E+01	1.9042E-01
874	Mo	106	42	64	8.479640E+00	8.481719E+00	-2.0788E-03	9.864065E+04	9.864041E+04	2.44E-01	9.86622246E+04	9.866198E+04	2.4350E-01	-7.614082E+01	-7.639161E+01	2.5079E-01
875	Tc	106	43	63	8.506548E+00	8.508500E+00	-1.9525E-03	9.863650E+04	9.863627E+04	2.33E-01	9.86585900E+04	9.865836E+04	2.3060E-01	-7.977538E+01	-8.001355E+01	2.3817E-01
876	Ru	106	44	62	8.560932E+00	8.562577E+00	-1.6446E-03	9.862944E+04	9.862923E+04	2.01E-01	9.86520430E+04	9.865193E+04	1.9910E-01	-8.632238E+01	-8.652869E+01	2.0631E-01
877	Rh	106	45	61	8.553923E+00	8.554397E+00	-4.7418E-04	9.862888E+04	9.862880E+04	7.82E-02	9.86520036E+04	9.865193E+04	7.5000E-02	-8.636179E+01	-8.644475E+01	8.2964E-02
878	Pd	106	46	60	8.579991E+00	8.576828E+00	3.1633E-03	9.862482E+04	9.862512E+04	-3.07E-01	9.86484580E+04	9.864877E+04	-3.0910E-01	-8.990740E+01	-8.960546E+01	-3.0194E-01
879	Ag	106	47	59	8.544638E+00	8.537500E+00	7.1380E-03	9.862726E+04	9.862799E+04	-7.27E-01	9.86514231E+04	9.865215E+04	-7.3040E-01	-8.694226E+01	-8.621981E+01	-7.2245E-01
880	Cd	106	48	58	8.539047E+00	8.530885E+00	8.1616E-03	9.862655E+04	9.862739E+04	-8.35E-01	9.86512334E+04	9.865207E+04	-8.3690E-01	-8.713202E+01	-8.630174E+01	-8.3028E-01
881	In	106	49	57	8.470119E+00	8.463209E+00	6.9099E-03	9.863256E+04	9.863326E+04	-7.02E-01	9.86577574E+04	9.865846E+04	-7.0370E-01	-8.06801E+01	-7.991113E+01	-6.9688E-01
882	Sn	106	50	56	8.432037E+00	8.425860E+00	6.1770E-03	9.863529E+04	9.863592E+04	-6.23E-01	9.86610117E+04	9.866164E+04	-6.2380E-01	-7.735368E+01	-7.673519E+01	-6.1849E-01
883	Sb	106	51	55	8.322012E+00	8.323123E+00	-1.1112E-03	9.864566E+04	9.864551E+04	1.50E-01	9.86718921E+04	9.867174E+04	1.4890E-01	-6.647329E+01	-6.662818E+01	1.5489E-01
884	Te	106	52	54	8.236757E+00	8.247085E+00	-1.0328E-02	9.865339E+04	9.865226E+04	1.13E+00	9.86801467E+04	9.867902E+04	1.1269E+00	-5.821869E+01	-5.935123E+01	1.1325E+00
885	Nb	107	41	66	8.367054E+00	8.370097E+00	-3.0427E-03	9.958508E+04	9.958473E+04	3.49E-01	9.96061393E+04	9.960579E+04	3.4780E-01	-6.372010E+01	-6.407538E+01	3.5528E-01
886	Mo	107	42	65	8.442339E+00	8.443533E+00	-1.1943E-03	9.957573E+04	9.957558E+04	1.52E-01	9.95973015E+04	9.959715E+04	1.5090E-01	-7.255791E+01	-7.271616E+01	1.5825E-01
887	Tc	107	43	64	8.492878E+00	8.495991E+00	-3.1126E-03	9.956902E+04	9.956866E+04	3.59E-01	9.9591115E+04	9.959075E+04	3.5680E-01	-7.874790E+01	-7.911218E+01	3.6427E-01
888	Ru	107	44	63	8.533348E+00	8.535046E+00	-1.6981E-03	9.956339E+04	9.956318E+04	2.09E-01	9.95859989E+04	9.958579E+04	2.0620E-01	-8.386050E+01	-8.407419E+01	2.1369E-01
889	Rh	107	45	62	8.554105E+00	8.554753E+00	-6.4824E-04	9.955987E+04	9.955977E+04	9.72E-02	9.95829955E+04	9.958290E+04	9.4400E-02	-8.686386E+01	-8.696593E+01	1.0207E-01
890	Pd	107	46	61	8.560893E+00	8.560861E+00	3.2490E-05	9.955784E+04	9.955782E+04	2.51E-02	9.95814869E+04	9.958146E+04	2.2400E-02	-8.837252E+01	-8.840248E+01	2.9966E-02
891	Ag	107	47	60	8.553899E+00	8.550096E+00	3.8026E-03	9.955729E+04	9.955767E+04	-3.78E-01	9.95814528E+04	9.958183E+04	-3.8040E-01	-8.840660E+01	-8.803381E+01	-3.7279E-01
892	Cd	107	48	59	8.533351E+00	8.526145E+00	7.2062E-03	9.955819E+04	9.955893E+04	-7.41E-01	9.95828691E+04	9.958361E+04	-7.4360E-01	-8.699025E+01	-8.625406E+01	-7.3619E-01
893	In	107	49	58	8.494021E+00	8.486878E+00	7.1431E-03	9.956110E+04	9.956183E+04	-7.33E-01	9.95862951E+04	9.958703E+04	-7.3550E-01	-8.356425E+01	-8.283557E+01	-7.2868E-01
894	Sn	107	50	57	8.439494E+00	8.431305E+00	8.1887E-03	9.956563E+04	9.956647E+04	-8.45E-01	9.95913472E+04	9.959219E+04	-8.4600E-01	-7.851223E+01	-7.767238E+01	-8.3984E-01
895	Sb	107	51	56	8.358733E+00	8.357764E+00	9.6929E-04	9.957297E+04	9.957304E+04	-7.14E-02	9.9592062E+04	9.95928E+04	-7.2500E-02	-7.065322E+01	-7.058651E+01	-6.6711E-02
896	Te	107	52	55	8.256871E+00	8.265231E+00	-8.3597E-03	9.958257E+04	9.958164E+04	9.28E-01	9.96093231E+04	9.960840E+04	9.2630E-01	-6.053633E+01	-6.14685E+01	9.3222E-01
897	Nb	108	41	67	8.325667E+00	8.328131E+00	-2.4645E-03	1.005208E+05	1.005205E+05	2.89E-01	1.00541807E+05	1.005415E+05	2.8800E-01	-5.954597E+01	-5.984190E+01	2.9594E-01
898	Mo	108	42	66	8.422278E+00	8.425247E+00	-2.9695E-03	1.005090E+05	1.005087E+05	3.44E-01	1.00530591E+05	1.005302E+05	3.4400E-01	-7.076235E+01	-7.111351E+01	3.5116E-01
899	Tc	108	43	65	8.462797E+00	8.464594E+00	-1.7968E-03	1.005033E+05	1.005031E+05	2.20E-01	1.00525433E+05	1.005252E+05	2.1800E-01	-7.592075E+01	-7.614599E+01	2.2524E-01
900	Ru	108	44	64	8.527207E+00	8.529378E+00	-2.1710E-03	1.004951E+05	1.004948E+05	2.61E-01	1.00517694E+05	1.005174E+05	2.5900E-01	-8.365932E+01	-8.392576E+01	2.6644E-01
901	Rh	108	45	63	8.532672E+00	8.534412E+00	-1.7404E-03	1.004932E+05	1.004930E+05	2.16E-01	1.00516321E+05	1.005161E+05	2.1200E-01	-8.503192E+01	-8.52525E+01	2.2063E-01
902	Pd	108	46	62	8.567025E+00	8.56824E+00	-1.2165E-03	1.004882E+05	1.004880E+05	1.60E-01	1.00511829E+05	1.005117E+05	1.5800E-01	-8.952436E+01	-8.968917E+01	1.6481E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
903	Ag	108	47	61	8.542025E+00	8.541318E+00	7.0716E-04	1.004896E+05	1.004896E+05	-4.70E-02	1.00513747E+05	1.005138E+05	-5.0000E-02	-8.760669E+01	-8.756449E+01	-4.2194E-02
904	Cd	108	48	60	8.550020E+00	8.545487E+00	4.5331E-03	1.004874E+05	1.004879E+05	-4.60E-01	1.00512101E+05	1.005126E+05	-4.6200E-01	-8.925255E+01	-8.879783E+01	-4.5472E-01
905	In	108	49	59	8.495252E+00	8.489027E+00	6.2253E-03	1.004920E+05	1.004927E+05	-6.42E-01	1.00517233E+05	1.005179E+05	-6.4500E-01	-8.411994E+01	-8.348321E+01	-6.3673E-01
906	Sn	108	50	58	8.469027E+00	8.461644E+00	7.3828E-03	1.004936E+05	1.004943E+05	-7.66E-01	1.00519283E+05	1.005201E+05	-7.6700E-01	-8.206994E+01	-8.130897E+01	-7.6097E-01
907	Sb	108	51	57	8.372666E+00	8.370387E+00	2.2792E-03	1.005027E+05	1.005029E+05	-2.14E-01	1.00528908E+05	1.005291E+05	-2.1600E-01	-7.244453E+01	-7.223625E+01	-2.0908E-01
908	Te	108	52	56	8.303721E+00	8.307230E+00	-3.5086E-03	1.005088E+05	1.005084E+05	4.12E-01	1.00535577E+05	1.005352E+05	4.1100E-01	-6.578167E+01	-6.619835E+01	4.1667E-01
909	I	108	53	55	8.174856E+00	8.182426E+00	-7.5700E-03	1.005214E+05	1.005206E+05	8.51E-01	1.00548707E+05	1.005479E+05	8.4900E-01	-5.264653E+01	-5.350263E+01	8.5611E-01
910	Nb	109	41	68	8.296489E+00	8.299954E+00	-3.4648E-03	1.014552E+05	1.014548E+05	4.01E-01	1.01476227E+05	1.014758E+05	3.9900E-01	-5.661993E+01	-5.702735E+01	4.0742E-01
911	Mo	109	42	67	8.381536E+00	8.384254E+00	-2.7181E-03	1.014446E+05	1.014443E+05	3.20E-01	1.01466175E+05	1.014659E+05	3.1900E-01	-6.667247E+01	-6.699916E+01	3.2669E-01
912	Tc	109	43	66	8.444160E+00	8.447693E+00	-3.5328E-03	1.014365E+05	1.014361E+05	4.11E-01	1.01458567E+05	1.014582E+05	4.0900E-01	-7.428073E+01	-7.469706E+01	4.1633E-01
913	Ru	109	44	65	8.496208E+00	8.498561E+00	-2.3529E-03	1.014295E+05	1.014292E+05	2.83E-01	1.01452111E+05	1.014518E+05	2.8100E-01	-8.073635E+01	-8.102475E+01	2.8840E-01
914	Rh	109	45	64	8.528146E+00	8.530021E+00	-1.8750E-03	1.014247E+05	1.014245E+05	2.32E-01	1.01447847E+05	1.014476E+05	2.2900E-01	-8.499993E+01	-8.523698E+01	2.3705E-01
915	Pd	109	46	63	8.544883E+00	8.548386E+00	-3.5026E-03	1.014216E+05	1.014212E+05	4.10E-01	1.01445241E+05	1.014448E+05	4.0800E-01	-8.760663E+01	-8.802180E+01	4.1517E-01
916	Ag	109	47	62	8.547919E+00	8.549314E+00	-1.3953E-03	1.014200E+05	1.014198E+05	1.81E-01	1.01444128E+05	1.014439E+05	1.7900E-01	-8.871988E+01	-8.890610E+01	1.8622E-01
917	Cd	109	48	61	8.538764E+00	8.537084E+00	1.6797E-03	1.014197E+05	1.014198E+05	-1.54E-01	1.01444343E+05	1.014445E+05	-1.5600E-01	-8.850436E+01	-8.835611E+01	-1.4825E-01
918	In	109	49	60	8.513087E+00	8.508621E+00	4.4656E-03	1.014212E+05	1.014216E+05	-4.56E-01	1.01446359E+05	1.014468E+05	-4.5900E-01	-8.648793E+01	-8.603674E+01	-4.5119E-01
919	Sn	109	50	59	8.470524E+00	8.464089E+00	6.4349E-03	1.014245E+05	1.014252E+05	-6.70E-01	1.01450217E+05	1.014509E+05	-6.7100E-01	-8.263091E+01	-8.196579E+01	-6.6513E-01
920	Sb	109	51	58	8.404816E+00	8.401217E+00	3.5988E-03	1.014304E+05	1.014307E+05	-3.60E-01	1.01456596E+05	1.014570E+05	-3.6200E-01	-7.625105E+01	-7.589583E+01	-3.5522E-01
921	Te	109	52	57	8.319330E+00	8.320558E+00	-1.2284E-03	1.014384E+05	1.014382E+05	1.67E-01	1.01465132E+05	1.014650E+05	1.6500E-01	-6.771539E+01	-6.788710E+01	1.7171E-01
922	I	109	53	56	8.220022E+00	8.225748E+00	-5.7263E-03	1.014479E+05	1.014472E+05	6.58E-01	1.01465174E+05	1.014745E+05	6.5600E-01	-5.767318E+01	-5.833587E+01	6.6269E-01
923	Xe	109	54	55	8.107307E+00	8.114151E+00	-6.8441E-03	1.014589E+05	1.014581E+05	7.81E-01	1.01486678E+05	1.014859E+05	7.7800E-01	-4.616963E+01	-4.695485E+01	7.8523E-01
924	Mo	110	42	68	8.359413E+00	8.362125E+00	-2.7124E-03	1.023782E+05	1.023779E+05	3.21E-01	1.02399792E+05	1.023995E+05	3.2100E-01	-6.454911E+01	-6.487793E+01	3.2882E-01
925	Tc	110	43	67	8.411240E+00	8.413186E+00	-1.9462E-03	1.023712E+05	1.023710E+05	2.38E-01	1.02393309E+05	1.023931E+05	2.3800E-01	-7.103244E+01	-7.127771E+01	2.4527E-01
926	Ru	110	44	66	8.486293E+00	8.488149E+00	-1.8560E-03	1.023617E+05	1.023614E+05	2.31E-01	1.02384271E+05	1.023840E+05	2.2900E-01	-8.007058E+01	-8.030669E+01	2.3611E-01
927	Rh	110	45	65	8.504257E+00	8.506055E+00	-1.7983E-03	1.023584E+05	1.023582E+05	2.26E-01	1.02381512E+05	1.023813E+05	2.2200E-01	-8.282898E+01	-8.305946E+01	2.3048E-01
928	Pd	110	46	64	8.547168E+00	8.550822E+00	-3.6543E-03	1.023524E+05	1.023519E+05	4.30E-01	1.02376010E+05	1.023756E+05	4.2800E-01	-8.833153E+01	-8.876691E+01	4.3538E-01
929	Ag	110	47	63	8.532112E+00	8.536494E+00	-4.3817E-03	1.023527E+05	1.023522E+05	5.11E-01	1.02376884E+05	1.023764E+05	5.0800E-01	-8.745776E+01	-8.797383E+01	5.1607E-01
930	Cd	110	48	62	8.551282E+00	8.551747E+00	-4.6491E-04	1.023493E+05	1.023492E+05	8.10E-02	1.02373993E+05	1.023739E+05	7.9000E-02	-9.034877E+01	-9.043477E+01	8.6001E-02
931	In	110	49	61	8.508915E+00	8.507018E+00	1.8965E-03	1.023527E+05	1.023529E+05	-1.78E-01	1.02377871E+05	1.023781E+05	-1.8100E-01	-8.647077E+01	-8.629771E+01	-1.7305E-01
932	Sn	110	50	60	8.496087E+00	8.490254E+00	5.8334E-03	1.023528E+05	1.023534E+05	-6.10E-01	1.02378499E+05	1.023791E+05	-6.1200E-01	-8.584198E+01	-8.523665E+01	-6.0533E-01
933	Sb	110	51	59	8.412681E+00	8.410682E+00	1.9989E-03	1.023607E+05	1.023608E+05	-1.88E-01	1.02386892E+05	1.023871E+05	-1.9000E-01	-7.744973E+01	-7.726686E+01	-1.8287E-01
934	Te	110	52	58	8.358115E+00	8.358289E+00	-1.7418E-04	1.023654E+05	1.023653E+05	5.20E-02	1.02392112E+05	1.023921E+05	5.1000E-02	-7.222982E+01	-7.228672E+01	5.6901E-02
935	I	110	53	57	8.244043E+00	8.246430E+00	-2.3874E-03	1.023766E+05	1.023763E+05	2.96E-01	1.02403877E+05	1.024036E+05	2.9400E-01	-6.046418E+01	-6.076534E+01	3.0116E-01
936	Xe	110	54	56	8.159243E+00	8.165560E+00	-6.3171E-03	1.023846E+05	1.023839E+05	7.29E-01	1.02412423E+05	1.024117E+05	7.2800E-01	-5.191859E+01	-5.265268E+01	7.3409E-01
937	Mo	111	42	69	8.315273E+00	8.318478E+00	-3.2047E-03	1.033143E+05	1.033139E+05	3.79E-01	1.03335898E+05	1.033355E+05	3.7900E-01	-5.993767E+01	-6.032385E+01	3.8617E-01
938	Tc	111	43	68	8.390071E+00	8.392318E+00	-2.2470E-03	1.033047E+05	1.033044E+05	2.73E-01	1.03326813E+05	1.033265E+05	2.7300E-01	-6.902254E+01	-6.930320E+01	2.8066E-01
939	Ru	111	44	67	8.452938E+00	8.454428E+00	-1.4896E-03	1.032964E+05	1.032963E+05	1.92E-01	1.03319052E+05	1.033189E+05	1.8900E-01	-7.678318E+01	-7.698045E+01	1.9726E-01
940	Rh	111	45	66	8.495633E+00	8.497092E+00	-1.4594E-03	1.032904E+05	1.032902E+05	1.90E-01	1.03313531E+05	1.033133E+05	1.8700E-01	-8.230466E+01	-8.249931E+01	1.9465E-01
941	Pd	111	46	65	8.521755E+00	8.527295E+00	-5.5397E-03	1.032826E+05	1.032856E+05	6.43E-01	1.03309849E+05	1.033092E+05	6.4100E-01	-8.598651E+01	-8.663484E+01	6.4833E-01
942	Ag	111	47	64	8.534795E+00	8.539767E+00	-4.9720E-03	1.032835E+05	1.032829E+05	5.81E-01	1.03307619E+05	1.033070E+05	5.7800E-01	-8.821628E+01	-8.880235E+01	5.8607E-01
943	Cd	111	48	63	8.537087E+00	8.539330E+00	-2.2430E-03	1.032819E+05	1.032816E+05	2.79E-01	1.03306582E+05	1.033063E+05	2.7600E-01	-8.925308E+01	-8.953692E+01	2.8384E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
944	In	111	49	62	8.522271E+00	8.522000E+00	2.7096E-04	1.032822E+05	1.032822E+05	0.00E+00	1.0330744E+05	1.033074E+05	-2.0000E-03	-8.839090E+01	-8.839637E+01	5.4675E-03
945	Sn	111	50	61	8.493139E+00	8.488918E+00	4.1576E-03	1.032842E+05	1.032846E+05	-4.31E-01	1.03309896E+05	1.033103E+05	-4.3200E-01	-8.593952E+01	-8.551438E+01	-4.2514E-01
946	Sb	111	51	60	8.440119E+00	8.437364E+00	2.7552E-03	1.032888E+05	1.032890E+05	-2.74E-01	1.03314999E+05	1.033153E+05	-2.7600E-01	-8.083674E+01	-8.056790E+01	-2.6883E-01
947	Te	111	52	59	8.367763E+00	8.368413E+00	-6.5049E-04	1.032955E+05	1.032954E+05	1.05E-01	1.03322248E+05	1.0332221E+05	1.0300E-01	-7.358748E+01	-7.369749E+01	1.1002E-01
948	I	111	53	58	8.282934E+00	8.284845E+00	-1.9105E-03	1.033036E+05	1.033034E+05	2.46E-01	1.03330882E+05	1.033306E+05	2.4400E-01	-6.495381E+01	-6.520442E+01	2.5061E-01
949	Xe	111	54	57	8.180739E+00	8.187261E+00	-6.5218E-03	1.033136E+05	1.033129E+05	7.58E-01	1.03341443E+05	1.033407E+05	7.5700E-01	-5.439254E+01	-5.515570E+01	7.6316E-01
950	Tc	112	43	69	8.353586E+00	8.354904E+00	-1.3182E-03	1.042400E+05	1.042398E+05	1.72E-01	1.04262074E+05	1.042619E+05	1.7100E-01	-6.525506E+01	-6.543385E+01	1.7880E-01
951	Ru	112	44	68	8.439223E+00	8.439729E+00	-5.0586E-04	1.042291E+05	1.042290E+05	8.20E-02	1.04251701E+05	1.042516E+05	8.1000E-02	-7.562871E+01	-7.571729E+01	8.8582E-02
952	Rh	112	45	67	8.468882E+00	8.469915E+00	-1.0331E-03	1.042245E+05	1.042243E+05	1.43E-01	1.04247597E+05	1.042475E+05	1.4100E-01	-7.973289E+01	-7.988123E+01	1.4834E-01
953	Pd	112	46	66	8.520727E+00	8.524907E+00	-4.1798E-03	1.042174E+05	1.042169E+05	4.97E-01	1.04241008E+05	1.042405E+05	4.9400E-01	-8.632183E+01	-8.628237E+01	5.0154E-01
954	Ag	112	47	65	8.516080E+00	8.523049E+00	-6.9686E-03	1.042166E+05	1.042158E+05	8.10E-01	1.04240746E+05	1.042399E+05	8.0700E-01	-8.658372E+01	-8.739833E+01	8.1462E-01
955	Cd	112	48	64	8.544738E+00	8.549159E+00	-4.4209E-03	1.042121E+05	1.042115E+05	5.25E-01	1.04236754E+05	1.042362E+05	5.2300E-01	-9.057581E+01	-9.110576E+01	5.2996E-01
956	In	112	49	63	8.514675E+00	8.516263E+00	-1.5878E-03	1.042141E+05	1.042139E+05	2.08E-01	1.04239338E+05	1.042390E+05	2.0500E-01	-8.799107E+01	-8.820448E+01	2.1341E-01
957	Sn	112	50	62	8.513627E+00	8.510396E+00	3.2307E-03	1.042130E+05	1.042133E+05	-3.30E-01	1.04238673E+05	1.042390E+05	-3.3300E-01	-8.865599E+01	-8.833051E+01	-3.2548E-01
958	Sb	112	51	61	8.443632E+00	8.442932E+00	6.7983E-04	1.042195E+05	1.042195E+05	-4.40E-02	1.04245730E+05	1.042458E+05	-4.7000E-02	-8.159896E+01	-8.155984E+01	-3.9121E-02
959	Te	112	52	60	8.400652E+00	8.401870E+00	-1.2176E-03	1.042230E+05	1.042228E+05	1.69E-01	1.04249762E+05	1.042496E+05	1.6800E-01	-7.756751E+01	-7.747416E+01	1.7416E-01
960	I	112	53	59	8.299879E+00	8.301983E+00	-2.1039E-03	1.042330E+05	1.042327E+05	2.69E-01	1.04260266E+05	1.042600E+05	2.6700E-01	-6.706333E+01	-6.733744E+01	2.7411E-01
961	Xe	112	54	58	8.230065E+00	8.232462E+00	-2.3968E-03	1.042395E+05	1.042392E+05	3.03E-01	1.04267303E+05	1.042670E+05	3.0100E-01	-6.002642E+01	-6.033415E+01	3.0773E-01
962	Cs	112	55	57	8.100408E+00	8.106871E+00	-6.4627E-03	1.042527E+05	1.042520E+05	7.59E-01	1.04281042E+05	1.042803E+05	7.5600E-01	-4.628728E+01	-4.705102E+01	7.6374E-01
963	Tc	113	43	70	8.329464E+00	8.330559E+00	-1.0952E-03	1.051739E+05	1.051738E+05	1.47E-01	1.05196012E+05	1.051959E+05	1.4700E-01	-6.281154E+01	-6.296645E+01	1.5491E-01
964	Ru	113	44	69	8.402707E+00	8.403311E+00	-6.0447E-04	1.051643E+05	1.051643E+05	9.30E-02	1.05186953E+05	1.051869E+05	9.2000E-02	-7.187035E+01	-7.197054E+01	1.0018E-01
965	Rh	113	45	68	8.456823E+00	8.456725E+00	9.7660E-05	1.051569E+05	1.051569E+05	1.70E-02	1.05180056E+05	1.051800E+05	1.4000E-02	-7.876775E+01	-7.878938E+01	2.1636E-02
966	Pd	113	46	67	8.492586E+00	8.498281E+00	-5.6946E-03	1.051516E+05	1.051509E+05	6.71E-01	1.05175232E+05	1.051746E+05	6.6900E-01	-8.359130E+01	-8.426820E+01	6.7690E-01
967	Ag	113	47	66	8.516065E+00	8.521794E+00	-5.7295E-03	1.051476E+05	1.051470E+05	6.76E-01	1.05171797E+05	1.051711E+05	6.7400E-01	-8.702679E+01	-8.770834E+01	6.8156E-01
968	Cd	113	48	65	8.526986E+00	8.532792E+00	-5.8059E-03	1.051451E+05	1.051444E+05	6.85E-01	1.05169780E+05	1.051691E+05	6.8300E-01	-8.904325E+01	-8.973414E+01	6.9089E-01
969	In	113	49	64	8.522917E+00	8.526480E+00	-3.5635E-03	1.051443E+05	1.051438E+05	4.33E-01	1.05169458E+05	1.051690E+05	4.3100E-01	-8.936582E+01	-8.980402E+01	4.3820E-01
970	Sn	113	50	63	8.506812E+00	8.504979E+00	1.8334E-03	1.051448E+05	1.051450E+05	-1.76E-01	1.05170495E+05	1.051707E+05	-1.7900E-01	-8.832824E+01	-8.815739E+01	-1.7085E-01
971	Sb	113	51	62	8.465276E+00	8.464854E+00	4.2197E-04	1.051482E+05	1.051482E+05	-1.50E-02	1.05174406E+05	1.051744E+05	-1.9000E-02	-8.441708E+01	-8.440639E+01	-1.0690E-02
972	Te	113	52	61	8.404636E+00	8.408128E+00	-3.4923E-03	1.051537E+05	1.051533E+05	4.27E-01	1.05180476E+05	1.051801E+05	4.2500E-01	-7.834703E+01	-7.877946E+01	4.3243E-01
973	I	113	53	60	8.333752E+00	8.336123E+00	-2.3710E-03	1.051604E+05	1.051601E+05	3.01E-01	1.05187704E+05	1.051874E+05	2.9900E-01	-7.111951E+01	-7.142593E+01	3.0642E-01
974	Xe	113	54	59	8.247927E+00	8.250197E+00	-2.2698E-03	1.051688E+05	1.051685E+05	2.91E-01	1.05196620E+05	1.051963E+05	2.8900E-01	-6.220363E+01	-6.249935E+01	2.9572E-01
975	Cs	113	55	58	8.148617E+00	8.152797E+00	-4.1804E-03	1.051787E+05	1.051782E+05	5.08E-01	1.05207060E+05	1.052066E+05	5.0600E-01	-5.176392E+01	-5.227630E+01	5.1238E-01
976	Ru	114	44	70	8.385341E+00	8.384864E+00	4.7674E-04	1.060975E+05	1.060975E+05	-3.00E-02	1.06120095E+05	1.061201E+05	-3.0000E-02	-7.022202E+01	-7.019955E+01	-2.2475E-02
977	Rh	114	45	69	8.426649E+00	8.426606E+00	4.3140E-05	1.060915E+05	1.060915E+05	2.00E-02	1.06114604E+05	1.061146E+05	2.0000E-02	-7.571342E+01	-7.574117E+01	2.7746E-02
978	Pd	114	46	68	8.488012E+00	8.491401E+00	-3.3889E-03	1.060832E+05	1.060828E+05	4.14E-01	1.06106826E+05	1.061064E+05	4.1200E-01	-8.349115E+01	-8.391088E+01	4.1972E-01
979	Ag	114	47	67	8.493778E+00	8.501720E+00	-7.9417E-03	1.060812E+05	1.060803E+05	9.34E-01	1.06105387E+05	1.061045E+05	9.3200E-01	-8.493080E+01	-8.587030E+01	9.3950E-01
980	Cd	114	48	66	8.531512E+00	8.537942E+00	-6.4299E-03	1.060756E+05	1.060749E+05	7.63E-01	1.06100303E+05	1.060995E+05	7.6100E-01	-9.001484E+01	-9.078271E+01	7.6787E-01
981	In	114	49	65	8.511961E+00	8.516627E+00	-4.6660E-03	1.060766E+05	1.060760E+05	5.63E-01	1.06101749E+05	1.061012E+05	5.5900E-01	-8.856840E+01	-8.913589E+01	5.6749E-01
982	Sn	114	50	64	8.522545E+00	8.521458E+00	1.0872E-03	1.060740E+05	1.060741E+05	-9.20E-02	1.06099760E+05	1.060999E+05	-9.5000E-02	-9.055734E+01	-9.044696E+01	-8.7661E-02
983	Sb	114	51	63	8.462510E+00	8.466083E+00	-3.5728E-03	1.060796E+05	1.060791E+05	4.39E-01	1.06105822E+05	1.061054E+05	4.3600E-01	-8.449565E+01	-8.494001E+01	4.4436E-01
984	Te	114	52	62	8.432778E+00	8.436636E+00	-3.8578E-03	1.060817E+05	1.060812E+05	4.73E-01	1.06108429E+05	1.061080E+05	4.7000E-01	-8.188857E+01	-8.236612E+01	4.7755E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	Residual,	$M_{n.m.}^{Exp}(A, Z)$	$M_{n.m.}^{Th}(A, Z, a_i)$	Residual,	$M_{a.m.}^{Exp}(A, Z)$	$M_{a.m.}^{Th}(A, Z, a_i)$	Residual,	$\Delta m^{Exp}(A, Z)$	$\Delta m^{Th}(A, Z, a_i)$	Residual,
					MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV
985	Xe	114	54	60	8.289205E+00	-1.6914E-03	1.060954E+05	1.060952E+05	2.27E-01	1.06123232E+05	1.061230E+05	2.2600E-01	-6.708589E+01	-6.731799E+01	2.3210E-01
986	Cs	114	55	59	8.173538E+00	-3.7156E-03	1.061073E+05	1.061069E+05	4.58E-01	1.06135635E+05	1.061352E+05	4.5600E-01	-5.468226E+01	-5.514578E+01	4.6352E-01
987	Ba	114	56	58	8.090160E+00	-3.9956E-03	1.061155E+05	1.061150E+05	4.92E-01	1.06144338E+05	1.061439E+05	4.9000E-01	-4.595951E+01	-4.645568E+01	4.9618E-01
988	Ru	115	44	71	8.348540E+00	2.5199E-03	1.070329E+05	1.070332E+05	-2.66E-01	1.07055508E+05	1.070558E+05	-2.6500E-01	-6.630384E+01	-6.604601E+01	-2.5783E-01
989	Rh	115	45	70	8.410654E+00	9.9798E-04	1.070245E+05	1.070245E+05	-9.00E-02	1.07047582E+05	1.070477E+05	-9.0000E-02	-7.422928E+01	-7.414722E+01	-8.2054E-02
990	Pd	115	46	69	8.457740E+00	-4.3510E-03	1.070177E+05	1.070172E+05	5.28E-01	1.07041385E+05	1.070409E+05	5.2600E-01	-8.042658E+01	-8.096032E+01	5.3374E-01
991	Ag	115	47	68	8.490555E+00	-5.6913E-03	1.070127E+05	1.070120E+05	6.84E-01	1.07036829E+05	1.070361E+05	6.8100E-01	-8.498266E+01	-8.567126E+01	6.8860E-01
992	Cd	115	48	67	8.510724E+00	-7.4563E-03	1.070090E+05	1.070082E+05	8.87E-01	1.07033727E+05	1.070328E+05	8.8400E-01	-8.808439E+01	-8.897674E+01	8.9235E-01
993	In	115	49	66	8.516546E+00	-5.7687E-03	1.070071E+05	1.070064E+05	6.94E-01	1.07032275E+05	1.070316E+05	6.9100E-01	-8.953634E+01	-9.023528E+01	6.9894E-01
994	Sn	115	50	65	8.514069E+00	2.2163E-03	1.070061E+05	1.070063E+05	-2.24E-01	1.07031778E+05	1.070320E+05	-2.2600E-01	-9.003383E+01	-8.987152E+01	-2.1861E-01
995	Sb	115	51	64	8.480915E+00	2.0503E-03	1.070086E+05	1.070083E+05	2.67E-01	1.07034808E+05	1.070345E+05	2.6500E-01	-8.700340E+01	-8.77625E+01	2.7285E-01
996	Te	115	52	63	8.431150E+00	-7.3201E-03	1.070130E+05	1.070121E+05	8.75E-01	1.07039749E+05	1.070389E+05	8.7200E-01	-8.206276E+01	-8.294238E+01	8.7962E-01
997	I	115	53	62	8.374564E+00	-3.9146E-03	1.070182E+05	1.070177E+05	4.84E-01	1.07045474E+05	1.070450E+05	4.8100E-01	-7.633780E+01	-7.682644E+01	4.8864E-01
998	Xe	115	54	61	8.300970E+00	-3.7069E-03	1.070254E+05	1.070249E+05	4.61E-01	1.07053155E+05	1.070527E+05	4.5800E-01	-6.865675E+01	-6.912232E+01	4.6557E-01
999	Ru	116	44	72	8.326883E+00	2.4436E-03	1.079666E+05	1.079669E+05	-2.59E-01	1.07989237E+05	1.079895E+05	-2.5900E-01	-6.406891E+01	-6.381736E+01	-2.5155E-01
1000	Rh	116	45	71	8.377640E+00	1.0886E-04	1.079594E+05	1.079595E+05	-5.70E-02	1.07982566E+05	1.079826E+05	-5.8000E-02	-7.073903E+01	-7.068947E+01	-4.9551E-02
1001	Pd	116	46	70	8.449282E+00	-1.9529E-03	1.079498E+05	1.079496E+05	2.55E-01	1.07973474E+05	1.079732E+05	2.5300E-01	-7.983185E+01	-8.009178E+01	2.5993E-01
1002	Ag	116	47	69	8.465906E+00	-7.3445E-03	1.079466E+05	1.079457E+05	8.81E-01	1.07970763E+05	1.079699E+05	8.7800E-01	-8.254265E+01	-8.342867E+01	8.8602E-01
1003	Cd	116	48	68	8.512351E+00	-6.5640E-03	1.079399E+05	1.079391E+05	7.91E-01	1.07964593E+05	1.079638E+05	7.8800E-01	-8.871256E+01	-8.950884E+01	7.9628E-01
1004	In	116	49	67	8.501617E+00	-7.2359E-03	1.079399E+05	1.079390E+05	8.69E-01	1.07965056E+05	1.079642E+05	8.6700E-01	-8.824975E+01	-8.912470E+01	8.7496E-01
1005	Sn	116	50	66	8.523116E+00	-4.8419E-04	1.079361E+05	1.079360E+05	8.70E-02	1.07961780E+05	1.079617E+05	8.5000E-02	-9.152600E+01	-9.161847E+01	9.2472E-02
1006	Sb	116	51	65	8.475817E+00	-3.9305E-03	1.079402E+05	1.079398E+05	4.88E-01	1.07966484E+05	1.079660E+05	4.8500E-01	-8.682165E+01	-8.731463E+01	4.9298E-01
1007	Te	116	52	64	8.455687E+00	-6.0357E-03	1.079413E+05	1.079405E+05	7.32E-01	1.07968037E+05	1.079673E+05	7.3100E-01	-8.526896E+01	-8.600683E+01	7.3787E-01
1008	I	116	53	63	8.381902E+00	-5.1297E-03	1.079485E+05	1.079479E+05	6.28E-01	1.07975813E+05	1.079752E+05	6.2500E-01	-7.749224E+01	-7.812575E+01	6.3352E-01
1009	Xe	116	54	62	8.36834E+00	-3.5090E-03	1.079525E+05	1.079520E+05	4.41E-01	1.07980259E+05	1.079798E+05	4.3900E-01	-7.304672E+01	-7.349294E+01	4.4622E-01
1010	Ru	117	44	73	8.285816E+00	2.2145E-03	1.089027E+05	1.089029E+05	-2.34E-01	1.08925280E+05	1.089255E+05	-2.3500E-01	-5.951967E+01	-5.929244E+01	-2.2723E-01
1011	Rh	117	45	72	8.359283E+00	2.5136E-03	1.088928E+05	1.088930E+05	-2.69E-01	1.08915902E+05	1.089162E+05	-2.6900E-01	-6.889759E+01	-6.863616E+01	-2.6143E-01
1012	Pd	117	46	71	8.416930E+00	-2.7251E-03	1.088847E+05	1.088844E+05	3.47E-01	1.08908375E+05	1.089080E+05	3.4500E-01	-7.642469E+01	-7.677687E+01	3.5218E-01
1013	Ag	117	47	70	8.459452E+00	-4.5553E-03	1.088785E+05	1.088779E+05	5.61E-01	1.08902617E+05	1.089021E+05	5.5900E-01	-8.218205E+01	-8.274915E+01	5.6710E-01
1014	Cd	117	48	69	8.488974E+00	-7.3439E-03	1.088737E+05	1.088728E+05	8.88E-01	1.08898381E+05	1.088975E+05	8.8600E-01	-8.641847E+01	-8.731257E+01	8.9410E-01
1015	In	117	49	68	8.503865E+00	-6.5043E-03	1.088707E+05	1.088699E+05	7.91E-01	1.08895856E+05	1.088951E+05	7.8800E-01	-8.894307E+01	-8.973966E+01	7.9658E-01
1016	Sn	117	50	67	8.509612E+00	-6.4426E-04	1.088687E+05	1.088686E+05	1.06E-01	1.08894402E+05	1.088943E+05	1.0400E-01	-9.039778E+01	-9.050951E+01	1.1173E-01
1017	Sb	117	51	66	8.487897E+00	-3.9052E-03	1.088699E+05	1.088694E+05	4.88E-01	1.08896160E+05	1.088957E+05	4.8600E-01	-8.863956E+01	-8.913346E+01	4.9389E-01
1018	Te	117	52	65	8.450919E+00	-8.0621E-03	1.088729E+05	1.088720E+05	9.76E-01	1.08899704E+05	1.088987E+05	9.7300E-01	-8.509543E+01	-8.607648E+01	9.8105E-01
1019	I	117	53	64	8.404409E+00	-6.5033E-03	1.088771E+05	1.088763E+05	7.95E-01	1.08904363E+05	1.089036E+05	7.9100E-01	-8.043608E+01	-8.123550E+01	7.9942E-01
1020	Xe	117	54	63	8.344297E+00	-5.2397E-03	1.088828E+05	1.088822E+05	6.47E-01	1.08910614E+05	1.089100E+05	6.4400E-01	-7.418534E+01	-7.483763E+01	6.5229E-01
1021	Cs	117	55	62	8.271864E+00	-3.1535E-03	1.088900E+05	1.088896E+05	4.03E-01	1.08918306E+05	1.089179E+05	4.0100E-01	-6.649309E+01	-6.690196E+01	4.0887E-01
1022	Ba	117	56	61	8.189354E+00	2.1597E-03	1.08893E+05	1.088896E+05	-2.17E-01	1.0892178E+05	1.089274E+05	-2.1900E-01	-5.762169E+01	-5.740972E+01	-2.1196E-01
1023	Rh	118	45	73	8.322860E+00	1.0284E-03	1.098283E+05	1.098284E+05	-9.60E-02	1.09851406E+05	1.098515E+05	-9.6000E-02	-6.488768E+01	-6.479895E+01	-8.8726E-02
1024	Pd	118	46	72	8.405223E+00	-2.1592E-04	1.098173E+05	1.098172E+05	5.10E-02	1.09840905E+05	1.098409E+05	5.2000E-02	-7.538888E+01	-7.544769E+01	5.8810E-02
1025	Ag	118	47	71	8.433889E+00	-4.7295E-03	1.098126E+05	1.098120E+05	5.87E-01	1.09836740E+05	1.098362E+05	5.8500E-01	-7.955379E+01	-8.014596E+01	5.9217E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta M_{a.m.}^{Exp}(A, Z)$ MeV	$\Delta M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1026	Cd	118	48	70	8.487835E+00	8.493088E+00	-5.2532E-03	1.098049E+05	1.098043E+05	6.49E-01	1.0982952E+05	1.098289E+05	6.4700E-01
1027	In	118	49	69	8.485667E+00	8.493783E+00	-8.1159E-03	1.098039E+05	1.098029E+05	9.88E-01	1.09829065E+05	1.098281E+05	9.8500E-01
1028	Sn	118	50	68	8.516534E+00	8.517586E+00	-1.0524E-03	1.097989E+05	1.097988E+05	1.55E-01	1.09824641E+05	1.098245E+05	1.5300E-01
1029	Sb	118	51	67	8.478915E+00	8.484568E+00	-5.6525E-03	1.098021E+05	1.098014E+05	6.99E-01	1.09828297E+05	1.098276E+05	6.9500E-01
1030	Te	118	52	66	8.469747E+00	8.477132E+00	-7.3847E-03	1.098018E+05	1.098009E+05	9.04E-01	1.09828597E+05	1.098277E+05	9.0200E-01
1031	I	118	53	65	8.406120E+00	8.414649E+00	-8.5289E-03	1.098080E+05	1.098070E+05	1.04E+00	1.09835322E+05	1.098343E+05	1.0360E+00
1032	Xe	118	54	64	8.374981E+00	8.379728E+00	-4.7470E-03	1.098104E+05	1.098098E+05	5.95E-01	1.09838214E+05	1.098376E+05	5.9100E-01
1033	Cs	118	55	63	8.286404E+00	8.290685E+00	-4.2810E-03	1.098196E+05	1.098190E+05	5.40E-01	1.09847884E+05	1.098473E+05	5.3600E-01
1034	Rh	119	45	74	8.303394E+00	8.299164E+00	4.2297E-03	1.107618E+05	1.107623E+05	-4.78E-01	1.10784965E+05	1.107854E+05	-4.7800E-01
1035	Pd	119	46	73	8.368966E+00	8.371934E+00	-2.9678E-03	1.107527E+05	1.107524E+05	3.79E-01	1.10776379E+05	1.107760E+05	3.7900E-01
1036	Ag	119	47	72	8.423212E+00	8.426199E+00	-2.9872E-03	1.107450E+05	1.107446E+05	3.85E-01	1.10769142E+05	1.107688E+05	3.8200E-01
1037	Cd	119	48	71	8.461439E+00	8.468408E+00	-6.9686E-03	1.107391E+05	1.107383E+05	8.59E-01	1.10763810E+05	1.107630E+05	8.5600E-01
1038	In	119	49	70	8.486145E+00	8.491594E+00	-5.4485E-03	1.107349E+05	1.107342E+05	6.79E-01	1.10760088E+05	1.107594E+05	6.7600E-01
1039	Sn	119	50	69	8.499449E+00	8.500916E+00	-1.4665E-03	1.107320E+05	1.107318E+05	2.05E-01	1.10757722E+05	1.107575E+05	2.0200E-01
1040	Sb	119	51	68	8.487910E+00	8.492159E+00	-4.2488E-03	1.107321E+05	1.107315E+05	5.38E-01	1.10758313E+05	1.107578E+05	5.3400E-01
1041	Te	119	52	67	8.462067E+00	8.470221E+00	-8.1545E-03	1.107339E+05	1.107328E+05	1.00E+00	1.10760606E+05	1.107596E+05	9.9900E-01
1042	I	119	53	66	8.426789E+00	8.433313E+00	-6.5238E-03	1.107367E+05	1.107359E+05	8.09E-01	1.10764022E+05	1.107632E+05	8.0600E-01
1043	Xe	119	54	65	8.378441E+00	8.384050E+00	-5.6091E-03	1.107412E+05	1.107405E+05	7.01E-01	1.10768993E+05	1.107683E+05	6.9800E-01
1044	Cs	119	55	64	8.317334E+00	8.321443E+00	-4.1089E-03	1.107472E+05	1.107466E+05	5.24E-01	1.10775482E+05	1.107750E+05	5.2000E-01
1045	Ba	119	56	63	8.245928E+00	8.245697E+00	2.3075E-04	1.107544E+05	1.107544E+05	8.00E-03	1.10783197E+05	1.107832E+05	5.0000E-03
1046	Pd	120	46	74	8.357086E+00	8.355029E+00	2.0575E-03	1.16854E+05	1.16856E+05	-2.21E-01	1.11709001E+05	1.117092E+05	-2.2100E-01
1047	Ag	120	47	73	8.395327E+00	8.398878E+00	-3.5510E-03	1.16795E+05	1.16790E+05	4.52E-01	1.11703630E+05	1.117032E+05	4.5300E-01
1048	Cd	120	48	72	8.458023E+00	8.461913E+00	-3.8905E-03	1.16706E+05	1.16701E+05	4.96E-01	1.16935324E+05	1.16948E+05	4.9400E-01
1049	In	120	49	71	8.466264E+00	8.472678E+00	-6.4143E-03	1.16684E+05	1.16676E+05	7.99E-01	1.1693553E+05	1.16928E+05	7.9700E-01
1050	Sn	120	50	70	8.504494E+00	8.504226E+00	2.6758E-04	1.16625E+05	1.16625E+05	-1.00E-03	1.1688183E+05	1.16882E+05	-4.0000E-03
1051	Sb	120	51	69	8.475636E+00	8.481208E+00	-5.5716E-03	1.16646E+05	1.16639E+05	7.00E-01	1.1690864E+05	1.16902E+05	6.9700E-01
1052	Te	120	52	68	8.477035E+00	8.483604E+00	-6.5687E-03	1.16632E+05	1.16623E+05	8.20E-01	1.1689913E+05	1.16891E+05	8.1700E-01
1053	I	120	53	67	8.423724E+00	8.432640E+00	-8.9158E-03	1.16683E+05	1.16671E+05	1.10E+00	1.1695528E+05	1.16944E+05	1.0990E+00
1054	Xe	120	54	66	8.404031E+00	8.408828E+00	-4.7971E-03	1.16693E+05	1.16687E+05	6.09E-01	1.1697109E+05	1.16965E+05	6.0700E-01
1055	Cs	120	55	65	8.328480E+00	8.332088E+00	-3.6078E-03	1.16771E+05	1.16766E+05	4.68E-01	1.1705393E+05	1.17049E+05	4.6400E-01
1056	Ba	120	56	64	8.280294E+00	8.282519E+00	-2.2250E-03	1.16816E+05	1.16813E+05	3.02E-01	1.1710393E+05	1.17101E+05	3.0000E-01
1057	Pd	121	46	75	8.320858E+00	8.320065E+00	7.9285E-04	1.16209E+05	1.16210E+05	-7.00E-02	1.12644593E+05	1.126447E+05	-7.0000E-02
1058	Ag	121	47	74	8.382330E+00	8.383917E+00	-1.5872E-03	1.16122E+05	1.16120E+05	2.18E-01	1.12636373E+05	1.126362E+05	2.1900E-01
1059	Cd	121	48	73	8.430996E+00	8.435800E+00	-4.8040E-03	1.126050E+05	1.126044E+05	6.11E-01	1.12629702E+05	1.126291E+05	6.0900E-01
1060	In	121	49	72	8.463889E+00	8.467481E+00	-3.5918E-03	1.125997E+05	1.125993E+05	4.65E-01	1.12624939E+05	1.126245E+05	4.6200E-01
1061	Sn	121	50	71	8.485203E+00	8.485132E+00	7.1020E-05	1.125959E+05	1.125958E+05	2.30E-02	1.12621578E+05	1.126216E+05	1.9000E-02
1062	Sb	121	51	70	8.482052E+00	8.484798E+00	-2.7465E-03	1.125949E+05	1.125946E+05	3.64E-01	1.1262177E+05	1.126208E+05	3.6100E-01
1063	Te	121	52	69	8.466873E+00	8.472695E+00	-5.8219E-03	1.125955E+05	1.125947E+05	7.37E-01	1.12622231E+05	1.126215E+05	7.3300E-01
1064	I	121	53	68	8.441460E+00	8.446407E+00	-4.9471E-03	1.125972E+05	1.125966E+05	6.32E-01	1.12624524E+05	1.126239E+05	6.2800E-01
1065	Xe	121	54	67	8.403832E+00	8.408688E+00	-4.8562E-03	1.126005E+05	1.125999E+05	6.22E-01	1.12628295E+05	1.126277E+05	6.1900E-01
1066	Cs	121	55	66	8.352914E+00	8.357403E+00	-4.4890E-03	1.126054E+05	1.126048E+05	5.78E-01	1.12633673E+05	1.126331E+05	5.7400E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
1067	Ba	121	56	65	8.293907E+00	8.293666E+00	2.4146E-04	1.126112E+05	1.126112E+05	6.00E-03	1.12640031E+05	1.126400E+05	3.0000E-03	-7.074484E+01	-7.075624E+01	1.1407E-02
1068	Pd	122	46	76	8.305975E+00	8.301348E+00	4.6271E-03	1.135540E+05	1.135545E+05	-5.39E-01	1.13577653E+05	1.135782E+05	-5.3800E-01	-6.461616E+01	-6.408507E+01	-5.3109E-01
1069	Ag	122	47	75	8.352758E+00	8.355119E+00	-2.3615E-03	1.135470E+05	1.135467E+05	3.14E-01	1.13571163E+05	1.135708E+05	3.1500E-01	-7.110611E+01	-7.142827E+01	3.2217E-01
1070	Cd	122	48	74	8.424266E+00	8.426832E+00	-2.5665E-03	1.135370E+05	1.135366E+05	3.42E-01	1.13561657E+05	1.135613E+05	3.4100E-01	-8.061237E+01	-8.096034E+01	3.4797E-01
1071	In	122	49	73	8.442120E+00	8.447048E+00	-4.9284E-03	1.135335E+05	1.135329E+05	6.31E-01	1.13558697E+05	1.135581E+05	6.2900E-01	-8.357295E+01	-8.420976E+01	6.3680E-01
1072	Sn	122	50	72	8.487909E+00	8.485122E+00	2.7875E-03	1.135266E+05	1.135269E+05	-3.09E-01	1.13552328E+05	1.135526E+05	-3.1200E-01	-8.994155E+01	-8.963776E+01	-3.0379E-01
1073	Sb	122	51	71	8.468317E+00	8.470970E+00	-2.6533E-03	1.135277E+05	1.135273E+05	3.55E-01	1.13553936E+05	1.135536E+05	3.5200E-01	-8.833362E+01	-8.869438E+01	3.6076E-01
1074	Te	122	52	70	8.478140E+00	8.481698E+00	-3.5578E-03	1.135252E+05	1.135247E+05	4.66E-01	1.13551955E+05	1.135515E+05	4.6300E-01	-9.031444E+01	-9.078622E+01	4.7178E-01
1075	I	122	53	69	8.437023E+00	8.441393E+00	-4.3698E-03	1.135289E+05	1.135283E+05	5.66E-01	1.13556189E+05	1.135556E+05	5.6200E-01	-8.608044E+01	-8.665208E+01	5.7164E-01
1076	Xe	122	54	68	8.424664E+00	8.428354E+00	-3.6900E-03	1.135291E+05	1.135286E+05	4.84E-01	1.13556915E+05	1.135564E+05	4.8100E-01	-8.535498E+01	-8.584443E+01	4.8945E-01
1077	Cs	122	55	67	8.359151E+00	8.363456E+00	-4.3050E-03	1.135338E+05	1.135352E+05	5.60E-01	1.13564125E+05	1.135636E+05	5.5600E-01	-7.814476E+01	-7.870995E+01	5.619E-01
1078	Ba	122	56	66	8.323756E+00	8.324928E+00	-1.1721E-03	1.135388E+05	1.135386E+05	1.78E-01	1.1357661E+05	1.13575E+05	1.7600E-01	-7.460894E+01	-7.479262E+01	1.8367E-01
1079	Ag	123	47	76	8.337803E+00	8.338286E+00	-4.8334E-04	1.144801E+05	1.144800E+05	8.60E-02	1.14504216E+05	1.145041E+05	8.7000E-02	-6.954808E+01	-6.964160E+01	9.3523E-02
1080	Cd	123	48	75	8.395395E+00	8.399814E+00	-4.4187E-03	1.144717E+05	1.144711E+05	5.70E-01	1.14496349E+05	1.144958E+05	5.7100E-01	-7.741418E+01	-7.799255E+01	5.7837E-01
1081	In	123	49	74	8.437947E+00	8.439701E+00	-1.7539E-03	1.144651E+05	1.144649E+05	2.46E-01	1.14490333E+05	1.144901E+05	2.4300E-01	-8.343045E+01	-8.368174E+01	2.5129E-01
1082	Sn	123	50	73	8.467244E+00	8.464643E+00	2.6014E-03	1.144602E+05	1.144605E+05	-2.89E-01	1.14485947E+05	1.144862E+05	-2.9200E-01	-8.781639E+01	-8.753265E+01	-2.8374E-01
1083	Sb	123	51	72	8.472335E+00	8.471301E+00	1.0337E-03	1.144583E+05	1.144584E+05	-9.60E-02	1.14484539E+05	1.144846E+05	-9.9000E-02	-8.922483E+01	-8.913474E+01	-9.0081E-02
1084	Te	123	52	71	8.465546E+00	8.467575E+00	-2.0293E-03	1.144578E+05	1.144576E+05	2.82E-01	1.14484591E+05	1.144843E+05	2.7800E-01	-8.917214E+01	-8.945953E+01	2.8740E-01
1085	I	123	53	70	8.449198E+00	8.450647E+00	-1.4494E-03	1.144585E+05	1.144583E+05	2.11E-01	1.14485820E+05	1.144856E+05	2.0800E-01	-8.794371E+01	-8.816048E+01	2.1677E-01
1086	Xe	123	54	69	8.420927E+00	8.423703E+00	-2.7755E-03	1.144607E+05	1.144603E+05	3.75E-01	1.14488515E+05	1.144881E+05	3.7200E-01	-8.524869E+01	-8.562933E+01	3.8064E-01
1087	Cs	123	55	68	8.380379E+00	8.383616E+00	-3.2371E-03	1.144644E+05	1.144640E+05	4.33E-01	1.14492720E+05	1.144923E+05	4.2900E-01	-8.104365E+01	-8.148178E+01	4.3814E-01
1088	Ba	123	56	67	8.30208E+00	8.331527E+00	-1.3192E-03	1.144693E+05	1.144691E+05	1.97E-01	1.14498109E+05	1.144979E+05	1.9500E-01	-7.565495E+01	-7.585792E+01	2.0297E-01
1089	Ag	124	47	77	8.308655E+00	8.308472E+00	1.8310E-04	1.154149E+05	1.154149E+05	3.00E-03	1.15439057E+05	1.154391E+05	3.0000E-03	-6.620013E+01	-6.621158E+01	1.1445E-02
1090	Cd	124	48	76	8.387035E+00	8.389093E+00	-2.0582E-03	1.154039E+05	1.154036E+05	2.82E-01	1.15428556E+05	1.154283E+05	2.8400E-01	-7.670167E+01	-7.699170E+01	2.9003E-01
1091	In	124	49	75	8.414343E+00	8.418528E+00	-4.1848E-03	1.153992E+05	1.153986E+05	5.49E-01	1.15424387E+05	1.154238E+05	5.4700E-01	-8.087022E+01	-8.142466E+01	5.5444E-01
1092	Sn	124	50	74	8.467421E+00	8.462287E+00	5.1344E-03	1.153913E+05	1.153919E+05	-6.06E-01	1.15417023E+05	1.154176E+05	-6.0900E-01	-8.823424E+01	-8.763384E+01	-6.0040E-01
1093	Sb	124	51	73	8.456167E+00	8.455629E+00	5.3781E-04	1.153914E+05	1.153914E+05	-3.50E-02	1.15417637E+05	1.154177E+05	-3.8000E-02	-8.762100E+01	-8.759139E+01	-2.9613E-02
1094	Te	124	52	72	8.473279E+00	8.472887E+00	3.9245E-04	1.153880E+05	1.153880E+05	-1.70E-02	1.15414732E+05	1.154148E+05	-2.0000E-02	-9.052530E+01	-9.051438E+01	-1.0921E-02
1095	I	124	53	71	8.441489E+00	8.442028E+00	-5.3932E-04	1.153906E+05	1.153905E+05	1.00E-01	1.15417892E+05	1.154178E+05	9.6000E-02	-8.736572E+01	-8.747104E+01	1.0532E-01
1096	Xe	124	54	70	8.437562E+00	8.438565E+00	-1.0031E-03	1.153898E+05	1.153896E+05	1.58E-01	1.15417892E+05	1.154178E+05	1.5500E-01	-8.766105E+01	-8.782467E+01	1.6362E-01
1097	Cs	124	55	69	8.383432E+00	8.384912E+00	-1.4803E-03	1.153952E+05	1.153950E+05	2.18E-01	1.15423526E+05	1.154233E+05	2.1400E-01	-8.173133E+01	-8.195480E+01	2.2347E-01
1098	Ba	124	56	68	8.355820E+00	8.357518E+00	-1.6980E-03	1.153973E+05	1.153971E+05	2.45E-01	1.15426168E+05	1.154259E+05	2.4300E-01	-7.908978E+01	-7.934099E+01	2.5121E-01
1099	La	124	57	67	8.278292E+00	8.278859E+00	-5.6719E-04	1.154056E+05	1.154055E+05	1.07E-01	1.15434999E+05	1.154349E+05	1.0300E-01	-7.025861E+01	-7.037037E+01	1.1176E-01
1100	Ag	125	47	78	8.290997E+00	8.290195E+00	8.0215E-04	1.163484E+05	1.163484E+05	-7.40E-02	1.16372521E+05	1.163726E+05	-7.3000E-02	-6.423024E+01	-6.416410E+01	-6.6137E-02
1101	Cd	125	48	77	8.357681E+00	8.361448E+00	-3.7674E-03	1.163387E+05	1.163382E+05	4.97E-01	1.16363404E+05	1.163629E+05	5.0000E-01	-7.334809E+01	-7.385387E+01	5.0577E-01
1102	In	125	49	76	8.408452E+00	8.409879E+00	-1.4267E-03	1.163311E+05	1.163309E+05	2.08E-01	1.16356275E+05	1.163561E+05	2.0700E-01	-8.047684E+01	-8.069074E+01	2.1390E-01
1103	Sn	125	50	75	8.445550E+00	8.441482E+00	4.0685E-03	1.163251E+05	1.163256E+05	-4.78E-01	1.16350855E+05	1.163513E+05	-4.8000E-01	-8.589642E+01	-8.542416E+01	-4.7226E-01
1104	Sb	125	51	74	8.458170E+00	8.453662E+00	4.5081E-03	1.163223E+05	1.163228E+05	-5.32E-01	1.16348495E+05	1.163490E+05	-5.3500E-01	-8.825626E+01	-8.772979E+01	-5.2647E-01
1105	Te	125	52	73	8.458045E+00	8.456632E+00	1.4127E-03	1.163210E+05	1.163211E+05	-1.44E-01	1.16347729E+05	1.163479E+05	-1.4700E-01	-8.902296E+01	-8.888417E+01	-1.3879E-01
1106	I	125	53	72	8.450300E+00	8.447550E+00	2.7498E-03	1.163206E+05	1.163209E+05	-3.10E-01	1.16347914E+05	1.163482E+05	-3.1500E-01	-8.883719E+01	-8.853198E+01	-3.0520E-01
1107	Xe	125	54	71	8.430888E+00	8.430038E+00	8.0466E-04	1.163218E+05	1.163218E+05	-6.70E-02	1.16349559E+05	1.163496E+05	-7.0000E-02	-8.719301E+01	-8.713170E+01	-6.1312E-02

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_1)$ MeV	Residual, MeV
1108	Cs	125	55	70	8.399787E+00	8.400149E+00	-3.6161E-04	1.163243E+05	1.163243E+05	8.00E-02	1.163526E+05	1.163526E+05	7.6000E-02	-8.408784E+01	-8.417294E+01	8.5096E-02
1109	Ba	125	56	69	8.358178E+00	8.359273E+00	-1.0954E-03	1.163282E+05	1.163281E+05	1.72E-01	1.163569E+05	1.163569E+05	1.6900E-01	-7.966897E+01	-7.984661E+01	1.7764E-01
1110	La	125	57	68	8.304643E+00	8.305355E+00	-7.1222E-04	1.163336E+05	1.163335E+05	1.25E-01	1.163629E+05	1.163629E+05	1.2100E-01	-7.375948E+01	-7.388992E+01	1.3043E-01
1111	Cd	126	48	78	8.346747E+00	8.349149E+00	-2.4020E-03	1.172713E+05	1.172710E+05	3.30E-01	1.172959E+05	1.172959E+05	3.3200E-01	-7.225680E+01	-7.259427E+01	3.3747E-01
1112	In	126	49	77	8.384317E+00	8.388433E+00	-4.1162E-03	1.172653E+05	1.172647E+05	5.46E-01	1.172904E+05	1.172899E+05	5.4800E-01	-7.777293E+01	-7.832716E+01	5.5423E-01
1113	Sn	126	50	76	8.443523E+00	8.437901E+00	5.6217E-03	1.172565E+05	1.172572E+05	-6.78E-01	1.172822E+05	1.172829E+05	-6.8000E-01	-8.601529E+01	-8.534322E+01	-6.7207E-01
1114	Sb	126	51	75	8.440314E+00	8.437315E+00	2.9989E-03	1.172556E+05	1.172560E+05	-3.46E-01	1.172818E+05	1.172822E+05	-3.4900E-01	-8.639329E+01	-8.605243E+01	-3.4086E-01
1115	Te	126	52	74	8.463248E+00	8.459174E+00	4.0745E-03	1.172514E+05	1.172519E+05	-4.81E-01	1.172781E+05	1.172787E+05	-4.8500E-01	-9.006533E+01	-8.958968E+01	-4.7565E-01
1116	I	126	53	73	8.439944E+00	8.436343E+00	3.6007E-03	1.172531E+05	1.172535E+05	-4.21E-01	1.172803E+05	1.172808E+05	-4.2500E-01	-8.791130E+01	-8.749615E+01	-4.1516E-01
1117	Xe	126	54	72	8.443530E+00	8.440892E+00	2.6377E-03	1.172513E+05	1.172516E+05	-2.99E-01	1.172791E+05	1.172794E+05	-3.0200E-01	-8.914557E+01	-8.885240E+01	-2.9317E-01
1118	Cs	126	55	71	8.399265E+00	8.397345E+00	1.9197E-03	1.172556E+05	1.172558E+05	-2.08E-01	1.172838E+05	1.172841E+05	-2.1200E-01	-8.435045E+01	-8.414855E+01	-2.0191E-01
1119	Ba	126	56	70	8.379718E+00	8.380133E+00	-4.1503E-04	1.172639E+05	1.172567E+05	8.70E-02	1.172932E+05	1.172977E+05	8.4000E-02	-8.266990E+01	-8.276288E+01	9.2977E-02
1120	La	126	57	69	8.312426E+00	8.312981E+00	-5.5513E-04	1.172675E+05	1.172638E+05	1.06E-01	1.172974E+05	1.172932E+05	1.0200E-01	-7.497347E+01	-7.508482E+01	1.1135E-01
1121	Ce	126	58	68	8.273257E+00	8.271100E+00	2.1566E-03	1.172675E+05	1.172678E+05	-2.35E-01	1.172974E+05	1.172977E+05	-2.3800E-01	-7.082056E+01	-7.059093E+01	-2.2963E-01
1122	Cd	127	48	79	8.314922E+00	8.319964E+00	-5.0419E-03	1.182066E+05	1.182059E+05	6.67E-01	1.182312E+05	1.182306E+05	6.7000E-01	-6.849051E+01	-6.916560E+01	6.7509E-01
1123	In	127	49	78	8.374965E+00	8.378647E+00	-3.6816E-03	1.181976E+05	1.181971E+05	4.94E-01	1.182228E+05	1.182223E+05	4.9700E-01	-7.689830E+01	-7.740138E+01	5.0308E-01
1124	Sn	127	50	77	8.420560E+00	8.417541E+00	3.0193E-03	1.181906E+05	1.181909E+05	-3.53E-01	1.182162E+05	1.182166E+05	-3.5400E-01	-8.347123E+01	-8.312400E+01	-3.4723E-01
1125	Sb	127	51	76	8.439820E+00	8.434217E+00	5.6028E-03	1.181868E+05	1.181875E+05	-6.81E-01	1.182130E+05	1.182137E+05	-6.8300E-01	-8.669948E+01	-8.602500E+01	-6.7447E-01
1126	Te	127	52	75	8.446117E+00	8.442119E+00	3.9977E-03	1.181847E+05	1.181852E+05	-4.76E-01	1.182114E+05	1.182119E+05	-4.7800E-01	-8.828166E+01	-8.781164E+01	-4.7002E-01
1127	I	127	53	74	8.445487E+00	8.439118E+00	6.3693E-03	1.181835E+05	1.181843E+05	-7.76E-01	1.182107E+05	1.182115E+05	-7.7900E-01	-8.898390E+01	-8.821352E+01	-7.7038E-01
1128	Xe	127	54	73	8.434111E+00	8.429535E+00	4.5755E-03	1.181836E+05	1.181842E+05	-5.48E-01	1.182114E+05	1.182120E+05	-5.5100E-01	-8.832155E+01	-8.777965E+01	-5.4190E-01
1129	Cs	127	55	72	8.411562E+00	8.408427E+00	3.1347E-03	1.181852E+05	1.181855E+05	-3.63E-01	1.182134E+05	1.182139E+05	-3.6800E-01	-8.624015E+01	-8.588199E+01	-3.5816E-01
1130	Ba	127	56	71	8.378455E+00	8.377675E+00	7.8004E-04	1.181881E+05	1.181881E+05	-6.40E-02	1.182169E+05	1.182170E+05	-6.8000E-02	-8.281794E+01	-8.275952E+01	-5.8426E-02
1131	La	127	57	70	8.333540E+00	8.334280E+00	-7.3960E-04	1.181925E+05	1.181924E+05	1.29E-01	1.182217E+05	1.182217E+05	1.2600E-01	-7.789611E+01	-7.803139E+01	1.3528E-01
1132	Ce	127	58	69	8.280791E+00	8.279209E+00	1.5819E-03	1.181979E+05	1.181980E+05	-1.64E-01	1.182277E+05	1.182279E+05	-1.6800E-01	-7.197934E+01	-7.182051E+01	-1.5882E-01
1133	Cd	128	48	80	8.303264E+00	8.303841E+00	-5.7689E-04	1.191393E+05	1.191392E+05	1.00E-01	1.191639E+05	1.191639E+05	1.0400E-01	-6.724189E+01	-6.735050E+01	1.0861E-01
1134	In	128	49	79	8.351090E+00	8.355911E+00	-4.8206E-03	1.191319E+05	1.191312E+05	6.43E-01	1.191570E+05	1.191564E+05	6.4800E-01	-7.414595E+01	-7.479849E+01	6.5254E-01
1135	Sn	128	50	78	8.416979E+00	8.413248E+00	3.7310E-03	1.191222E+05	1.191226E+05	-4.47E-01	1.191478E+05	1.191483E+05	-4.4700E-01	-8.336202E+01	-8.292076E+01	-4.4126E-01
1136	Sb	128	51	77	8.420775E+00	8.418233E+00	2.5425E-03	1.191204E+05	1.191207E+05	-2.94E-01	1.191466E+05	1.191469E+05	-2.9600E-01	-8.463030E+01	-8.434185E+01	-2.8845E-01
1137	Te	128	52	76	8.448752E+00	8.443085E+00	5.6666E-03	1.191155E+05	1.191162E+05	-6.93E-01	1.191422E+05	1.191429E+05	-6.9600E-01	-8.899375E+01	-8.830611E+01	-6.8764E-01
1138	I	128	53	75	8.432835E+00	8.426617E+00	6.2176E-03	1.191162E+05	1.191170E+05	-7.63E-01	1.191434E+05	1.191443E+05	-7.6600E-01	-8.773871E+01	-8.698128E+01	-7.5743E-01
1139	Xe	128	54	74	8.443298E+00	8.437231E+00	6.0672E-03	1.191136E+05	1.191143E+05	-7.43E-01	1.191413E+05	1.191421E+05	-7.4700E-01	-8.986028E+01	-8.912287E+01	-7.3740E-01
1140	Cs	128	55	73	8.406493E+00	8.402431E+00	4.0622E-03	1.191170E+05	1.191175E+05	-4.86E-01	1.191453E+05	1.191458E+05	-4.9000E-01	-8.593156E+01	-8.545154E+01	-4.8002E-01
1141	Ba	128	56	72	8.396063E+00	8.394145E+00	1.9178E-03	1.191170E+05	1.191172E+05	-2.11E-01	1.191458E+05	1.191461E+05	-2.1400E-01	-8.537891E+01	-8.517407E+01	-2.0484E-01
1142	La	128	57	71	8.337190E+00	8.337498E+00	-3.0806E-04	1.191233E+05	1.191232E+05	7.50E-02	1.191526E+05	1.191525E+05	7.1000E-02	-7.862543E+01	-7.870631E+01	8.0879E-02
1143	Ce	128	58	70	8.306925E+00	8.306073E+00	8.5186E-04	1.191258E+05	1.191259E+05	-7.20E-02	1.191557E+05	1.191558E+05	-7.5000E-02	-7.553392E+01	-7.546700E+01	-6.6921E-02
1144	Pr	128	59	69	8.228913E+00	8.225416E+00	3.4970E-03	1.191345E+05	1.191349E+05	-4.10E-01	1.191649E+05	1.191653E+05	-4.1300E-01	-6.633076E+01	-6.592596E+01	-4.0480E-01
1145	In	129	49	80	8.338782E+00	8.342399E+00	-3.6171E-03	1.200647E+05	1.200642E+05	4.93E-01	1.200898E+05	1.200894E+05	4.9800E-01	-7.283789E+01	-7.334011E+01	5.0222E-01
1146	Sn	129	50	79	8.392943E+00	8.392530E+00	4.1284E-04	1.200564E+05	1.200564E+05	-2.60E-02	1.200821E+05	1.200821E+05	-2.2000E-02	-8.060710E+01	-8.059009E+01	-1.7012E-02
1147	Sb	129	51	78	8.418059E+00	8.414745E+00	3.3140E-03	1.200519E+05	1.200523E+05	-3.96E-01	1.200780E+05	1.200785E+05	-3.9800E-01	-8.462934E+01	-8.423888E+01	-3.9046E-01
1148	Te	129	52	77	8.430409E+00	8.426468E+00	3.9405E-03	1.200490E+05	1.200494E+05	-4.76E-01	1.200757E+05	1.200762E+05	-4.7800E-01	-8.700484E+01	-8.653428E+01	-4.7055E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1149	I	129	53	76	8.435990E+00	8.427815E+00	8.1753E-03	1.200469E+05	1.200480E+05	-1.02E+00	1.20074221E+05	1.200752E+05	-1.0240E+00	-8.850714E+01	-8.749102E+01	-1.0161E+00
1150	Xe	129	54	75	8.431390E+00	8.424310E+00	7.0798E-03	1.200462E+05	1.200471E+05	-8.80E-01	1.20074032E+05	1.200749E+05	-8.8300E-01	-8.869606E+01	-8.782203E+01	-8.7403E-01
1151	Cs	129	55	74	8.416047E+00	8.410372E+00	5.6752E-03	1.200469E+05	1.200476E+05	-6.98E-01	1.20075228E+05	1.200759E+05	-7.0200E-01	-8.749925E+01	-8.680705E+01	-6.9220E-01
1152	Ba	129	56	73	8.391099E+00	8.388317E+00	2.7820E-03	1.200488E+05	1.200492E+05	-3.24E-01	1.20077664E+05	1.200780E+05	-3.2900E-01	-8.506329E+01	-8.474505E+01	-3.1824E-01
1153	La	129	57	72	8.356052E+00	8.354316E+00	1.7357E-03	1.200520E+05	1.200522E+05	-1.88E-01	1.20081403E+05	1.200816E+05	-1.9300E-01	-8.132461E+01	-8.114205E+01	-1.8257E-01
1154	Ce	129	58	71	8.310940E+00	8.309721E+00	1.2187E-03	1.200566E+05	1.200567E+05	-1.21E-01	1.20086440E+05	1.200866E+05	-1.2500E-01	-7.628750E+01	-7.617236E+01	-1.1514E-01
1155	Pr	129	59	70	8.254380E+00	8.252732E+00	1.6278E-03	1.200626E+05	1.200627E+05	-1.72E-01	1.20092954E+05	1.200931E+05	-1.7600E-01	-6.977356E+01	-6.960643E+01	-1.6713E-01
1156	Cd	130	48	82	8.255788E+00	8.242384E+00	1.3404E-02	1.210080E+05	1.210097E+05	-1.72E+00	1.21032688E+05	1.210344E+05	-1.7130E+00	-6.153386E+01	-5.982616E+01	-1.7077E+00
1157	In	130	49	81	8.314001E+00	8.313266E+00	7.3549E-04	1.209991E+05	1.209992E+05	-6.90E-02	1.21024338E+05	1.210244E+05	-6.5000E-02	-6.988386E+01	-6.982382E+01	-6.0041E-02
1158	Sn	130	50	80	8.386821E+00	8.385136E+00	1.6847E-03	1.209884E+05	1.209886E+05	-1.89E-01	1.21014089E+05	1.210143E+05	-1.8700E-01	-8.013286E+01	-7.995009E+01	-1.8277E-01
1159	Sb	130	51	79	8.397368E+00	8.398763E+00	-1.3954E-03	1.209857E+05	1.209855E+05	2.13E-01	1.21011935E+05	1.210117E+05	2.1200E-01	-8.228627E+01	-8.250470E+01	2.1843E-01
1160	Te	130	52	78	8.430324E+00	8.426754E+00	3.5696E-03	1.209801E+05	1.209805E+05	4.32E-01	1.21006869E+05	1.210073E+05	-4.3300E-01	-8.735295E+01	-8.692666E+01	-4.2634E-01
1161	I	130	53	77	8.421100E+00	8.415282E+00	5.8181E-03	1.209800E+05	1.209807E+05	-7.23E-01	1.21007286E+05	1.210080E+05	-7.2500E-01	-8.693616E+01	-8.621825E+01	-7.1990E-01
1162	Xe	130	54	76	8.437731E+00	8.430015E+00	7.7156E-03	1.209765E+05	1.209775E+05	-9.70E-01	1.21004341E+05	1.210053E+05	-9.7300E-01	-8.988046E+01	-8.891668E+01	-9.6378E-01
1163	Cs	130	55	75	8.408784E+00	8.402424E+00	6.3600E-03	1.209790E+05	1.209798E+05	-7.92E-01	1.21007322E+05	1.210081E+05	-7.9700E-01	-8.689974E+01	-8.611288E+01	-7.8686E-01
1164	Ba	130	56	74	8.405550E+00	8.401364E+00	4.1863E-03	1.209732E+05	1.209786E+05	-5.09E-01	1.21006960E+05	1.210075E+05	-5.1300E-01	-8.726173E+01	-8.675812E+01	-5.0361E-01
1165	La	130	57	73	8.356191E+00	8.353929E+00	2.2618E-03	1.209832E+05	1.209835E+05	-2.58E-01	1.21012594E+05	1.210129E+05	-2.6300E-01	-8.162737E+01	-8.137472E+01	-2.5265E-01
1166	Ce	130	58	72	8.333216E+00	8.331931E+00	1.2846E-03	1.209849E+05	1.209851E+05	-1.30E-01	1.21014799E+05	1.210149E+05	-1.3400E-01	-7.942291E+01	-7.929808E+01	-1.2483E-01
1167	Pr	130	59	71	8.263756E+00	8.262025E+00	1.7311E-03	1.209926E+05	1.209928E+05	-1.88E-01	1.21023046E+05	1.210232E+05	-1.9200E-01	-7.117546E+01	-7.099331E+01	-1.8215E-01
1168	Nd	130	60	70	8.222513E+00	8.216652E+00	5.8613E-03	1.209967E+05	1.209974E+05	-7.23E-01	1.21027625E+05	1.210284E+05	-7.2600E-01	-6.659623E+01	-6.587787E+01	-7.1836E-01
1169	In	131	49	82	8.297963E+00	8.289177E+00	8.7858E-03	1.219325E+05	1.219336E+05	-1.13E+00	1.21957690E+05	1.219588E+05	-1.1200E+00	-6.802558E+01	-6.691019E+01	-1.1154E+00
1170	Sn	131	50	81	8.362575E+00	8.358896E+00	3.6794E-03	1.219227E+05	1.219232E+05	-4.55E-01	1.21948444E+05	1.219489E+05	-4.5000E-01	-7.727213E+01	-7.682638E+01	-4.4575E-01
1171	Sb	131	51	80	8.392556E+00	8.392926E+00	-3.6967E-04	1.219175E+05	1.219174E+05	8.00E-02	1.21943734E+05	1.219437E+05	8.0000E-02	-8.198191E+01	-8.206740E+01	8.5494E-02
1172	Te	131	52	79	8.411233E+00	8.410477E+00	7.5620E-04	1.219137E+05	1.219138E+05	-6.70E-02	1.21940505E+05	1.219406E+05	-6.8000E-02	-8.521101E+01	-8.514968E+01	-6.1334E-02
1173	I	131	53	78	8.422297E+00	8.415739E+00	6.5577E-03	1.219110E+05	1.219118E+05	-8.27E-01	1.21938273E+05	1.219391E+05	-8.2800E-01	-8.744278E+01	-8.662214E+01	-8.2065E-01
1174	Xe	131	54	77	8.423736E+00	8.416918E+00	6.8182E-03	1.219095E+05	1.219104E+05	-8.60E-01	1.21937302E+05	1.219382E+05	-8.6200E-01	-8.841363E+01	-8.755960E+01	-8.5403E-01
1175	Cs	131	55	76	8.415056E+00	8.408421E+00	6.6349E-03	1.219093E+05	1.219102E+05	-8.35E-01	1.21937657E+05	1.219385E+05	-8.3800E-01	-8.805888E+01	-8.722296E+01	-8.2927E-01
1176	Ba	131	56	75	8.398588E+00	8.393320E+00	5.2679E-03	1.219102E+05	1.219109E+05	-6.55E-01	1.21939032E+05	1.219397E+05	-6.5900E-01	-8.668392E+01	-8.603445E+01	-6.4947E-01
1177	La	131	57	74	8.370367E+00	8.367213E+00	3.1539E-03	1.219126E+05	1.219130E+05	-3.78E-01	1.21941946E+05	1.219423E+05	-3.8200E-01	-8.376926E+01	-8.339751E+01	-3.7174E-01
1178	Ce	131	58	73	8.333396E+00	8.331876E+00	1.5201E-03	1.219161E+05	1.219163E+05	-1.63E-01	1.21946007E+05	1.219462E+05	-1.6700E-01	-7.970844E+01	-7.955142E+01	-1.5702E-01
1179	Pr	131	59	72	8.286143E+00	8.284662E+00	1.4807E-03	1.219210E+05	1.219212E+05	-1.56E-01	1.21951415E+05	1.219516E+05	-1.6100E-01	-7.430066E+01	-7.414952E+01	-1.5114E-01
1180	Nd	131	60	71	8.230304E+00	8.226391E+00	3.9133E-03	1.219270E+05	1.219275E+05	-4.74E-01	1.21957948E+05	1.219584E+05	-4.7700E-01	-6.776803E+01	-6.729902E+01	-4.6901E-01
1181	In	132	49	83	8.253695E+00	8.247237E+00	6.4584E-03	1.228696E+05	1.228704E+05	-8.26E-01	1.22894801E+05	1.228956E+05	-8.2200E-01	-6.240891E+01	-6.159189E+01	-8.1702E-01
1182	Sn	132	50	82	8.354852E+00	8.341361E+00	1.3491E-02	1.228549E+05	1.228567E+05	-1.75E+00	1.22880666E+05	1.228824E+05	-1.7490E+00	-7.654391E+01	-7.479938E+01	-1.7445E+00
1183	Sb	132	51	81	8.372347E+00	8.372317E+00	3.0130E-05	1.228513E+05	1.228513E+05	2.70E-02	1.22877574E+05	1.228775E+05	2.7000E-02	-7.963557E+01	-7.966865E+01	3.3073E-02
1184	Te	132	52	80	8.408485E+00	8.408524E+00	-3.8970E-05	1.228453E+05	1.228452E+05	3.70E-02	1.22872022E+05	1.228720E+05	3.7000E-02	-8.518819E+01	-8.523106E+01	4.2875E-02
1185	I	132	53	79	8.406462E+00	8.403195E+00	3.2671E-03	1.228442E+05	1.228446E+05	-3.99E-01	1.22871919E+05	1.228719E+05	-4.0000E-01	-8.570349E+01	-8.531070E+01	-3.9279E-01
1186	Xe	132	54	78	8.427622E+00	8.421457E+00	6.1649E-03	1.228401E+05	1.228409E+05	-7.80E-01	1.22867931E+05	1.228687E+05	-7.8200E-01	-8.927896E+01	-8.850439E+01	-7.7458E-01
1187	Cs	132	55	77	8.405614E+00	8.399857E+00	5.7575E-03	1.228417E+05	1.228425E+05	-7.26E-01	1.22870053E+05	1.228708E+05	-7.2900E-01	-8.715625E+01	-8.643618E+01	-7.2006E-01
1188	Ba	132	56	76	8.409375E+00	8.404076E+00	5.2993E-03	1.228399E+05	1.228406E+05	-6.65E-01	1.22868775E+05	1.228694E+05	-6.6800E-01	-8.843499E+01	-8.777620E+01	-6.5879E-01
1189	La	132	57	75	8.367756E+00	8.364299E+00	3.4570E-03	1.228441E+05	1.228446E+05	-4.21E-01	1.22873486E+05	1.228739E+05	-4.2500E-01	-8.372363E+01	-8.330875E+01	-4.1489E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z),$ MeV	$E_B^{Th}(A, Z, at),$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z),$ MeV	$M_{n.m.}^{Th}(A, Z, at),$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z),$ MeV	$M_{a.m.}^{Th}(A, Z, at),$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z),$ MeV	$\Delta m^{Th}(A, Z, at),$ MeV	Residual, MeV
1190	Ce	132	58	74	8.352339E+00	8.350322E+00	2.0167E-03	1.228449E+05	1.228451E+05	-2.29E-01	1.22874739E+05	1.228750E+05	-2.3400E-01	-8.247096E+01	-8.224690E+01	-2.2406E-01
1191	Pr	132	59	73	8.291431E+00	8.290055E+00	1.3757E-03	1.228516E+05	1.228517E+05	-1.44E-01	1.22881996E+05	1.228821E+05	-1.4900E-01	-7.521348E+01	-7.507474E+01	-1.3875E-01
1192	Nd	132	60	72	8.256810E+00	8.254381E+00	2.4287E-03	1.228549E+05	1.228551E+05	-2.83E-01	1.22885784E+05	1.228861E+05	-2.8500E-01	-7.142581E+01	-7.114885E+01	-2.7696E-01
1193	Sn	133	50	83	8.310091E+00	8.302600E+00	7.4911E-03	1.237921E+05	1.237931E+05	-9.69E-01	1.23817830E+05	1.238188E+05	-9.6400E-01	-7.087421E+01	-6.991421E+01	-9.6000E-01
1194	Sb	133	51	82	8.364722E+00	8.357475E+00	7.2470E-03	1.237835E+05	1.237845E+05	-9.36E-01	1.23809781E+05	1.238107E+05	-9.3200E-01	-7.892251E+01	-7.799567E+01	-9.2683E-01
1195	Te	133	52	81	8.388987E+00	8.388454E+00	5.3301E-04	1.237790E+05	1.237791E+05	-3.90E-02	1.23805772E+05	1.238058E+05	-3.9000E-02	-8.293206E+01	-8.289896E+01	-3.103E-02
1196	I	133	53	80	8.405319E+00	8.401443E+00	3.8756E-03	1.237755E+05	1.237760E+05	-4.83E-01	1.23802817E+05	1.238033E+05	-4.8400E-01	-8.588657E+01	-8.540962E+01	-4.7695E-01
1197	Xe	133	54	79	8.412647E+00	8.408380E+00	4.2672E-03	1.237733E+05	1.237738E+05	-5.35E-01	1.23801060E+05	1.238016E+05	-5.3500E-01	-8.764357E+01	-8.711525E+01	-5.2832E-01
1198	Cs	133	55	78	8.409978E+00	8.404743E+00	5.2351E-03	1.237723E+05	1.237730E+05	-6.62E-01	1.23800633E+05	1.238013E+05	-6.6400E-01	-8.807093E+01	-8.741462E+01	-6.5631E-01
1199	Ba	133	56	77	8.400206E+00	8.395121E+00	5.0852E-03	1.237723E+05	1.237730E+05	-6.41E-01	1.23801150E+05	1.238018E+05	-6.4500E-01	-8.755359E+01	-8.691796E+01	-6.3563E-01
1200	La	133	57	76	8.378841E+00	8.375201E+00	3.6395E-03	1.237739E+05	1.237743E+05	-4.49E-01	1.23803209E+05	1.238037E+05	-4.5300E-01	-8.549438E+01	-8.505176E+01	-4.4262E-01
1201	Ce	133	58	75	8.349829E+00	8.347549E+00	2.2797E-03	1.237764E+05	1.237767E+05	-2.67E-01	1.23806286E+05	1.238066E+05	-2.7100E-01	-8.241821E+01	-8.215709E+01	-2.6112E-01
1202	Pr	133	59	74	8.310258E+00	8.308829E+00	1.4288E-03	1.237804E+05	1.237805E+05	-1.53E-01	1.23810766E+05	1.238109E+05	-1.5700E-01	-7.793758E+01	-7.779040E+01	-1.4718E-01
1203	Nd	133	60	73	8.262231E+00	8.260197E+00	2.0343E-03	1.237855E+05	1.237857E+05	-2.32E-01	1.23816371E+05	1.238166E+05	-2.3700E-01	-7.233237E+01	-7.210535E+01	-2.2702E-01
1204	Pm	133	61	72	8.204283E+00	8.200103E+00	4.1802E-03	1.237919E+05	1.237924E+05	-5.17E-01	1.23823296E+05	1.238238E+05	-5.2000E-01	-6.540765E+01	-6.489595E+01	-5.1170E-01
1205	Sn	134	50	84	8.275160E+00	8.271833E+00	3.3272E-03	1.247280E+05	1.247285E+05	-4.19E-01	1.24753766E+05	1.247542E+05	-4.1300E-01	-6.643223E+01	-6.602270E+01	-4.0953E-01
1206	Sb	134	51	83	8.325950E+00	8.325401E+00	5.4913E-04	1.247199E+05	1.247200E+05	-4.60E-02	1.24746177E+05	1.247462E+05	-4.2000E-02	-7.402054E+01	-7.398390E+01	-3.6643E-02
1207	Te	134	52	82	8.383660E+00	8.378296E+00	5.3639E-03	1.247109E+05	1.247116E+05	-6.87E-01	1.24737662E+05	1.247383E+05	-6.8600E-01	-8.253600E+01	-8.185494E+01	-6.8105E-01
1208	I	134	53	81	8.389188E+00	8.385128E+00	4.0600E-03	1.247089E+05	1.247094E+05	-5.11E-01	1.24736139E+05	1.247367E+05	-5.1100E-01	-8.405910E+01	-8.355349E+01	-5.0561E-01
1209	Xe	134	54	80	8.413687E+00	8.410402E+00	3.2848E-03	1.247043E+05	1.247047E+05	-4.07E-01	1.24732073E+05	1.247325E+05	-4.0800E-01	-8.812430E+01	-8.772331E+01	-4.0099E-01
1210	Cs	134	55	79	8.398646E+00	8.395797E+00	2.8485E-03	1.247050E+05	1.247053E+05	-3.47E-01	1.24733307E+05	1.247337E+05	-3.4800E-01	-8.689115E+01	-8.649355E+01	-3.4180E-01
1211	Ba	134	56	78	8.408173E+00	8.404367E+00	3.8056E-03	1.247024E+05	1.247029E+05	-4.75E-01	1.24731248E+05	1.247317E+05	-4.7700E-01	-8.895006E+01	-8.848080E+01	-4.6926E-01
1212	La	134	57	77	8.374488E+00	8.370964E+00	3.5241E-03	1.247056E+05	1.247061E+05	-4.37E-01	1.24734979E+05	1.247354E+05	-4.4100E-01	-8.521865E+01	-8.478780E+01	-4.3085E-01
1213	Ce	134	58	76	8.365771E+00	8.363296E+00	2.4745E-03	1.247055E+05	1.247058E+05	-2.95E-01	1.24735365E+05	1.247357E+05	-2.9900E-01	-8.483289E+01	-8.454345E+01	-2.8944E-01
1214	Pr	134	59	75	8.312881E+00	8.311252E+00	1.6289E-03	1.247113E+05	1.247115E+05	-1.82E-01	1.24741670E+05	1.247419E+05	-1.8600E-01	-7.852799E+01	-7.835258E+01	-2.8944E-01
1215	Nd	134	60	74	8.285538E+00	8.284150E+00	1.3882E-03	1.247136E+05	1.247138E+05	-1.48E-01	1.24744511E+05	1.247447E+05	-1.5200E-01	-7.564643E+01	-7.550395E+01	-1.4248E-01
1216	Pm	134	61	73	8.213225E+00	8.211319E+00	1.9057E-03	1.247220E+05	1.247222E+05	-2.17E-01	1.24753459E+05	1.247537E+05	-2.2000E-01	-6.673875E+01	-6.652773E+01	-2.1102E-01
1217	Sn	135	50	85	8.230687E+00	8.22846E+00	7.8409E-03	1.256653E+05	1.256664E+05	-1.03E+00	1.25691060E+05	1.256921E+05	-1.0260E+00	-6.063224E+01	-5.961001E+01	-1.0222E+00
1218	Sb	135	51	84	8.291983E+00	8.298141E+00	-6.1585E-03	1.256558E+05	1.256549E+05	8.59E-01	1.25682002E+05	1.256811E+05	8.6300E-01	-9.688963E+01	-7.055796E+01	8.6834E-01
1219	Te	135	52	83	8.345731E+00	8.348121E+00	-2.3900E-03	1.256472E+05	1.256469E+05	3.55E-01	1.25673964E+05	1.256736E+05	3.5500E-01	-7.772786E+01	-7.808827E+01	3.6041E-01
1220	I	135	53	82	8.384833E+00	8.375631E+00	9.2016E-03	1.256406E+05	1.256418E+05	-1.21E+00	1.25667903E+05	1.256691E+05	-1.2100E+00	-8.378896E+01	-8.258526E+01	-1.2037E+00
1221	Xe	135	54	81	8.398503E+00	8.393871E+00	4.6324E-03	1.256375E+05	1.256381E+05	-5.92E-01	1.25665275E+05	1.256659E+05	-5.9200E-01	-8.641677E+01	-8.583063E+01	-5.8614E-01
1222	Cs	135	55	80	8.401338E+00	8.398264E+00	3.0739E-03	1.256358E+05	1.256362E+05	-3.81E-01	1.25664110E+05	1.256645E+05	-3.8100E-01	-8.758182E+01	-8.720682E+01	-3.7499E-01
1223	Ba	135	56	79	8.397534E+00	8.394874E+00	2.6603E-03	1.256350E+05	1.256353E+05	-3.24E-01	1.25663841E+05	1.256642E+05	-3.2600E-01	-8.785071E+01	-8.753220E+01	-3.1852E-01
1224	La	135	57	78	8.382797E+00	8.380328E+00	2.4689E-03	1.256357E+05	1.256360E+05	-2.98E-01	1.25665048E+05	1.256653E+05	-3.0100E-01	-8.664351E+01	-8.635162E+01	-2.9189E-01
1225	Ce	135	58	77	8.361986E+00	8.358880E+00	3.1058E-03	1.256372E+05	1.256376E+05	-3.83E-01	1.25667075E+05	1.256675E+05	-3.8700E-01	-8.461636E+01	-8.423923E+01	-3.7713E-01
1226	Pr	135	59	76	8.328928E+00	8.327153E+00	1.7750E-03	1.256404E+05	1.256406E+05	-2.02E-01	1.25670756E+05	1.256710E+05	-2.0700E-01	-8.093586E+01	-8.073914E+01	-1.9672E-01
1227	Nd	135	60	75	8.288153E+00	8.286871E+00	1.2817E-03	1.256446E+05	1.256447E+05	-1.35E-01	1.25675478E+05	1.256756E+05	-1.4000E-01	-7.621361E+01	-7.608417E+01	-1.2943E-01
1228	Pm	135	61	74	8.236530E+00	8.235678E+00	8.5162E-04	1.256502E+05	1.256503E+05	-7.70E-02	1.25681665E+05	1.256817E+05	-8.0000E-02	-7.002693E+01	-6.995621E+01	-7.0712E-02
1229	Sm	135	62	73	8.177626E+00	8.174239E+00	3.3869E-03	1.256569E+05	1.256573E+05	-4.18E-01	1.25688835E+05	1.256893E+05	-4.1900E-01	-6.285722E+01	-6.244499E+01	-4.1222E-01
1230	Sb	136	51	85	8.252274E+00	8.256158E+00	-3.8841E-03	1.265924E+05	1.265919E+05	5.55E-01	1.26618676E+05	1.266181E+05	5.6000E-01	-6.450980E+01	-6.507505E+01	5.6525E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	$E_B^{Th}(A, Z, at)$	Residual,	$M_{n.m.}^{Exp}(A, Z)$	$M_{n.m.}^{Th}(A, Z, at)$	Residual,	$M_{n.m.}^{Exp}(A, Z)$	$M_{n.m.}^{Th}(A, Z, at)$	Residual,	$\Delta m^{Exp}(A, Z)$	$\Delta m^{Th}(A, Z, at)$	Residual,
					MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV
1231	Te	136	52	84	8.319433E+00	8.326664E+00	-7.2305E-03	1.265820E+05	1.265810E+05	1.01E+00	1.26608760E+05	1.266077E+05	1.0150E+00	-7.442580E+01	-7.544468E+01	1.0211E+00
1232	I	136	53	83	8.351325E+00	8.349790E+00	1.5346E-03	1.265764E+05	1.265765E+05	-1.77E-01	1.26603640E+05	1.266038E+05	-1.7700E-01	-7.954548E+01	-7.937518E+01	-1.7029E-01
1233	Xe	136	54	82	8.396188E+00	8.388211E+00	7.9775E-03	1.265690E+05	1.265700E+05	-1.05E+00	1.26596737E+05	1.265978E+05	-1.0510E+00	-8.642915E+01	-8.538341E+01	-1.0457E+00
1234	Cs	136	55	81	8.389772E+00	8.385732E+00	4.0397E-03	1.265685E+05	1.265690E+05	-5.15E-01	1.26596847E+05	1.265974E+05	-5.1500E-01	-8.633891E+01	-8.582944E+01	-5.0947E-01
1235	Ba	136	56	80	8.402756E+00	8.401401E+00	1.3549E-03	1.265655E+05	1.265656E+05	-1.50E-01	1.26594299E+05	1.265944E+05	-1.5000E-01	-8.888714E+01	-8.74347E+01	-1.4367E-01
1236	La	136	57	79	8.376050E+00	8.375106E+00	9.4412E-04	1.265678E+05	1.265679E+05	-9.30E-02	1.26597148E+05	1.265972E+05	-9.5000E-02	-8.603748E+01	-8.595041E+01	-8.7073E-02
1237	Ce	136	58	78	8.373762E+00	8.372680E+00	1.0816E-03	1.265668E+05	1.265669E+05	-1.11E-01	1.26596677E+05	1.265968E+05	-1.1400E-01	-8.650859E+01	-8.640361E+01	-1.0498E-01
1238	Pr	136	59	77	8.330008E+00	8.327563E+00	2.4448E-03	1.265714E+05	1.265717E+05	-2.95E-01	1.26601845E+05	1.266021E+05	-3.0100E-01	-8.134043E+01	-8.105075E+01	-2.8968E-01
1239	Nd	136	60	76	8.308512E+00	8.307680E+00	8.3157E-04	1.265731E+05	1.265731E+05	-7.50E-02	1.26603986E+05	1.266041E+05	-8.0000E-02	-7.919929E+01	-7.911988E+01	-6.9512E-02
1240	Pm	136	61	75	8.243798E+00	8.243607E+00	1.9125E-04	1.265806E+05	1.265806E+05	1.30E-02	1.26612005E+05	1.266120E+05	8.0000E-03	-7.118050E+01	-7.119883E+01	1.8331E-02
1241	Sm	136	62	74	8.205916E+00	8.203725E+00	2.1909E-03	1.265844E+05	1.265847E+05	-2.59E-01	1.26616375E+05	1.266166E+05	-2.6100E-01	-6.681089E+01	-6.655801E+01	-2.5288E-01
1242	Sb	137	51	86	8.218255E+00	8.21917E+00	-3.6624E-03	1.275284E+05	1.275279E+05	5.29E-01	1.27554650E+05	1.275543E+05	5.3500E-01	-6.003013E+01	-6.056891E+01	5.3878E-01
1243	Te	137	52	85	8.280238E+00	8.287772E+00	-7.5335E-03	1.275186E+05	1.275176E+05	1.06E+00	1.27545376E+05	1.275443E+05	1.0640E+00	-6.930422E+01	-7.037400E+01	1.0698E+00
1244	I	137	53	84	8.326002E+00	8.329801E+00	-3.7994E-03	1.27510E+05	1.275105E+05	5.53E-01	1.27538324E+05	1.275378E+05	5.5300E-01	-7.635625E+01	-7.691518E+01	5.5893E-01
1245	Xe	137	54	83	8.364286E+00	8.362790E+00	1.4958E-03	1.275045E+05	1.275047E+05	-1.71E-01	1.27532296E+05	1.275325E+05	-1.7200E-01	-8.238340E+01	-8.221771E+01	-1.6568E-01
1246	Cs	137	55	82	8.388958E+00	8.380864E+00	8.0938E-03	1.274989E+05	1.274989E+05	-8.00E-03	1.27528134E+05	1.275292E+05	-1.0740E+00	-8.654582E+01	-8.547692E+01	-1.0689E+00
1247	Ba	137	56	81	8.391828E+00	8.388573E+00	3.2547E-03	1.274981E+05	1.274985E+05	-4.11E-01	1.27526958E+05	1.275274E+05	-4.1100E-01	-8.772145E+01	-8.731615E+01	-4.0531E-01
1248	La	137	57	80	8.381880E+00	8.381872E+00	7.7500E-06	1.274982E+05	1.274981E+05	3.50E-02	1.27527539E+05	1.275275E+05	3.3000E-02	-8.714090E+01	-8.718118E+01	4.0281E-02
1249	Ce	137	58	79	8.367249E+00	8.366923E+00	3.2607E-04	1.274989E+05	1.274989E+05	-8.00E-03	1.27528761E+05	1.275288E+05	-1.1000E-02	-8.591880E+01	-8.591620E+01	-2.5998E-03
1250	Pr	137	59	78	8.341707E+00	8.341316E+00	3.9149E-04	1.275011E+05	1.275011E+05	-1.60E-02	1.27531478E+05	1.275315E+05	-2.1000E-02	-8.320184E+01	-8.319107E+01	-1.0771E-02
1251	Nd	137	60	77	8.309593E+00	8.308136E+00	1.4570E-03	1.275042E+05	1.275043E+05	-1.62E-01	1.27535095E+05	1.275353E+05	-1.6600E-01	-7.958457E+01	-7.942855E+01	-1.5601E-01
1252	Pm	137	61	76	8.263651E+00	8.264674E+00	-1.0232E-03	1.275092E+05	1.275090E+05	1.78E-01	1.27540607E+05	1.275404E+05	1.7500E-01	-7.407285E+01	-7.425735E+01	1.8451E-01
1253	Sm	137	62	75	8.213806E+00	8.212023E+00	1.7831E-03	1.275147E+05	1.275149E+05	-2.05E-01	1.27546653E+05	1.275469E+05	-2.0800E-01	-6.802653E+01	-6.782720E+01	-1.9932E-01
1254	Te	138	52	86	8.252579E+00	8.260042E+00	-7.4626E-03	1.284537E+05	1.284527E+05	1.06E+00	1.28480478E+05	1.284794E+05	1.0630E+00	-6.569620E+01	-6.676372E+01	1.0675E+00
1255	I	138	53	85	8.292444E+00	8.295998E+00	-3.5536E-03	1.284469E+05	1.284464E+05	5.19E-01	1.28474194E+05	1.284737E+05	5.2200E-01	-7.197989E+01	-7.250873E+01	5.2883E-01
1256	Xe	138	54	84	8.344690E+00	8.346912E+00	-2.2220E-03	1.284384E+05	1.284381E+05	3.40E-01	1.28466202E+05	1.284659E+05	3.4000E-01	-7.997223E+01	-8.031800E+01	3.4576E-01
1257	Cs	138	55	83	8.360143E+00	8.359660E+00	4.8308E-04	1.284350E+05	1.284350E+05	-3.30E-02	1.28463287E+05	1.284633E+05	-3.2000E-02	-8.288705E+01	-8.286028E+01	-2.6766E-02
1258	Ba	138	56	82	8.393422E+00	8.387857E+00	5.5648E-03	1.284291E+05	1.284298E+05	-7.33E-01	1.28457912E+05	1.284586E+05	-7.3200E-01	-8.826186E+01	-8.753458E+01	-7.2728E-01
1259	La	138	57	81	8.375144E+00	8.373132E+00	2.0124E-03	1.284303E+05	1.284305E+05	-2.42E-01	1.28459652E+05	1.284599E+05	-2.4200E-01	-8.652190E+01	-8.628553E+01	-2.3636E-01
1260	Ce	138	58	80	8.377061E+00	8.377770E+00	-7.0898E-04	1.284287E+05	1.284286E+05	1.34E-01	1.28458605E+05	1.284585E+05	1.3300E-01	-8.756874E+01	-8.770870E+01	1.3997E-01
1261	Pr	138	59	79	8.339240E+00	8.339931E+00	-6.9053E-04	1.284326E+05	1.284325E+05	1.33E-01	1.28463042E+05	1.284629E+05	1.2900E-01	-8.313174E+01	-8.326993E+01	1.3820E-01
1262	Nd	138	60	78	8.325502E+00	8.326410E+00	-9.0766E-04	1.284332E+05	1.284331E+05	1.63E-01	1.28464155E+05	1.284640E+05	1.5900E-01	-8.201831E+01	-8.218713E+01	1.6882E-01
1263	Pm	138	61	77	8.268544E+00	8.270028E+00	-1.4841E-03	1.284398E+05	1.284395E+05	2.44E-01	1.28471233E+05	1.284710E+05	2.3800E-01	-7.494048E+01	-7.518956E+01	2.4907E-01
1264	Sm	138	62	76	8.237928E+00	8.238006E+00	-7.8460E-05	1.284427E+05	1.284427E+05	5.00E-02	1.28474676E+05	1.284746E+05	4.7000E-02	-7.149776E+01	-7.155364E+01	5.5882E-02
1265	Eu	138	63	75	8.161620E+00	8.162329E+00	-7.0949E-04	1.284519E+05	1.284518E+05	1.38E-01	1.28484424E+05	1.284843E+05	1.3500E-01	-6.174967E+01	-6.189330E+01	1.4363E-01
1266	Te	139	52	87	8.211771E+00	8.217831E+00	-6.0600E-03	1.293907E+05	1.293898E+05	8.69E-01	1.29417463E+05	1.294166E+05	8.7500E-01	-6.020507E+01	-6.108518E+01	8.8011E-01
1267	I	139	53	86	8.265523E+00	8.270522E+00	-4.9989E-03	1.293819E+05	1.293812E+05	7.22E-01	1.29402023E+05	1.294085E+05	7.2700E-01	-6.845903E+01	-6.919228E+01	7.3325E-01
1268	Xe	139	54	85	8.311590E+00	8.314084E+00	-2.4944E-03	1.293742E+05	1.293738E+05	3.79E-01	1.29402023E+05	1.294016E+05	3.7900E-01	-6.845458E+01	-7.603055E+01	3.8598E-01
1269	Cs	139	55	84	8.342339E+00	8.344938E+00	-2.5990E-03	1.293687E+05	1.293683E+05	3.95E-01	1.29396967E+05	1.293966E+05	3.9500E-01	-8.070114E+01	-8.110228E+01	4.0114E-01
1270	Ba	139	56	83	8.367019E+00	8.367056E+00	-3.7080E-05	1.293639E+05	1.293639E+05	3.90E-02	1.29392754E+05	1.293927E+05	4.1000E-02	-8.491397E+01	-8.495977E+01	4.5798E-02
1271	La	139	57	82	8.378043E+00	8.373144E+00	4.8990E-03	1.293611E+05	1.293617E+05	-6.46E-01	1.29390439E+05	1.293911E+05	-6.4500E-01	-8.722859E+01	-8.658906E+01	-6.3952E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	$E_B^{Th}(A, Z, a_1)$	Residual, MeV	$M_{a_1}^{Exp}(A, Z)$	$M_{a_1}^{Th}(A, Z, a_1)$	Residual, MeV	$\Delta M^{Exp}(A, Z)$	$\Delta M^{Th}(A, Z, a_1)$	Residual, MeV
1272	Ce	139	58	81	8.370411E+00	8.368470E+00	1.9415E-03	1.293608E+05	1.293611E+05	-2.33E-01	1.29390718E+05	1.293910E+05	-2.3400E-01
1273	Pr	139	59	80	8.349466E+00	8.350686E+00	-1.2200E-03	1.293624E+05	1.293622E+05	2.06E-01	1.29392847E+05	1.293926E+05	2.0400E-01
1274	Nd	139	60	79	8.323647E+00	8.324706E+00	-1.0593E-03	1.293647E+05	1.293645E+05	1.85E-01	1.29395653E+05	1.293955E+05	1.8100E-01
1275	Pm	139	61	78	8.285544E+00	8.288308E+00	-2.7639E-03	1.293687E+05	1.293683E+05	4.23E-01	1.29400167E+05	1.293997E+05	4.1800E-01
1276	Sm	139	62	77	8.243078E+00	8.243548E+00	-4.6977E-04	1.293733E+05	1.293732E+05	1.05E-01	1.29405288E+05	1.294052E+05	1.0100E-01
1277	Eu	139	63	76	8.187218E+00	8.188620E+00	-1.4021E-03	1.293798E+05	1.293795E+05	2.35E-01	1.29412270E+05	1.294120E+05	2.3200E-01
1278	Te	140	52	88	8.183279E+00	8.187846E+00	-4.5675E-03	1.303260E+05	1.303254E+05	6.67E-01	1.30352805E+05	1.303521E+05	6.7200E-01
1279	I	140	53	87	8.229399E+00	8.234099E+00	-4.7004E-03	1.303183E+05	1.303176E+05	6.86E-01	1.30345566E+05	1.303449E+05	6.9000E-01
1280	Xe	140	54	86	8.290887E+00	8.292946E+00	-2.0592E-03	1.303084E+05	1.303081E+05	3.22E-01	1.30336175E+05	1.303359E+05	3.2000E-01
1281	Cs	140	55	85	8.314326E+00	8.316380E+00	-2.0538E-03	1.303038E+05	1.303035E+05	3.22E-01	1.30332111E+05	1.303318E+05	3.2000E-01
1282	Ba	140	56	84	8.353166E+00	8.356718E+00	-3.5522E-03	1.302971E+05	1.302965E+05	5.32E-01	1.30325892E+05	1.303254E+05	5.3300E-01
1283	La	140	57	83	8.355064E+00	8.356694E+00	-1.6297E-03	1.302955E+05	1.302952E+05	2.63E-01	1.30324844E+05	1.303246E+05	2.6500E-01
1284	Ce	140	58	82	8.376339E+00	8.372597E+00	3.7422E-03	1.302912E+05	1.302917E+05	-4.87E-01	1.30321083E+05	1.303216E+05	-4.8700E-01
1285	Pr	140	59	81	8.346551E+00	8.345482E+00	1.0695E-03	1.302941E+05	1.302942E+05	-1.13E-01	1.30324471E+05	1.303246E+05	-1.1400E-01
1286	Nd	140	60	80	8.337838E+00	8.339606E+00	-1.7678E-03	1.302940E+05	1.302992E+05	2.85E-01	1.30324908E+05	1.303246E+05	2.8200E-01
1287	Pm	140	61	79	8.289070E+00	8.291101E+00	-2.0306E-03	1.302995E+05	1.302992E+05	3.23E-01	1.30330953E+05	1.303306E+05	3.1800E-01
1288	Sm	140	62	78	8.263820E+00	8.266419E+00	-2.5985E-03	1.303017E+05	1.303013E+05	4.03E-01	1.30333706E+05	1.303333E+05	3.9900E-01
1289	Eu	140	63	77	8.197732E+00	8.199032E+00	-1.3197E-03	1.303097E+05	1.303095E+05	2.25E-01	1.30342176E+05	1.303420E+05	2.2100E-01
1290	Gd	140	64	76	8.154975E+00	8.155334E+00	-3.5911E-04	1.303144E+05	1.303143E+05	9.10E-02	1.30347380E+05	1.303473E+05	9.0000E-02
1291	Tb	140	65	75	8.068672E+00	8.068832E+00	-1.7977E-04	1.303251E+05	1.303251E+05	6.60E-02	1.30358680E+05	1.303586E+05	6.7000E-02
1292	Xe	141	54	87	8.255364E+00	8.258025E+00	-2.6613E-03	1.312447E+05	1.312443E+05	4.03E-01	1.31272459E+05	1.312721E+05	4.0700E-01
1293	Cs	141	55	86	8.294353E+00	8.296424E+00	-2.0710E-03	1.312379E+05	1.312375E+05	3.21E-01	1.31266179E+05	1.312659E+05	3.2500E-01
1294	Ba	141	56	85	8.326079E+00	8.329042E+00	-2.9632E-03	1.312321E+05	1.312316E+05	4.53E-01	1.31260923E+05	1.312605E+05	4.5300E-01
1295	La	141	57	84	8.343238E+00	8.347680E+00	-4.4420E-03	1.312284E+05	1.312277E+05	6.61E-01	1.31257721E+05	1.312571E+05	6.6300E-01
1296	Ce	141	58	83	8.355430E+00	8.356150E+00	-7.2026E-04	1.312253E+05	1.312252E+05	1.38E-01	1.31255220E+05	1.312551E+05	1.3900E-01
1297	Pr	141	59	82	8.353998E+00	8.349925E+00	4.0731E-03	1.312242E+05	1.312248E+05	-5.38E-01	1.31254639E+05	1.312552E+05	-5.3800E-01
1298	Nd	141	60	81	8.355520E+00	8.333875E+00	1.6449E-03	1.312255E+05	1.312257E+05	-1.94E-01	1.31256462E+05	1.312567E+05	-1.9700E-01
1299	Pm	141	61	80	8.303940E+00	8.305811E+00	-1.8712E-03	1.312287E+05	1.312284E+05	3.02E-01	1.31260133E+05	1.312598E+05	2.9900E-01
1300	Sm	141	62	79	8.265845E+00	8.269118E+00	-3.2727E-03	1.312328E+05	1.312323E+05	5.00E-01	1.31264722E+05	1.312642E+05	4.9700E-01
1301	Eu	141	63	78	8.217684E+00	8.222027E+00	-4.3432E-03	1.312382E+05	1.312376E+05	6.52E-01	1.31270730E+05	1.312701E+05	6.4800E-01
1302	Gd	141	64	77	8.164608E+00	8.165985E+00	-1.3772E-03	1.312444E+05	1.312442E+05	2.35E-01	1.31277432E+05	1.312772E+05	2.3300E-01
1303	Tb	141	65	76	8.097475E+00	8.100218E+00	-2.7429E-03	1.312526E+05	1.312522E+05	4.29E-01	1.31286115E+05	1.312857E+05	4.2700E-01
1304	I	142	53	89	8.165019E+00	8.169643E+00	-4.6245E-03	1.321901E+05	1.321894E+05	6.84E-01	1.32217380E+05	1.322167E+05	6.8900E-01
1305	Xe	142	54	88	8.233169E+00	8.235633E+00	-2.4645E-03	1.321791E+05	1.321787E+05	3.77E-01	1.32206920E+05	1.322065E+05	3.8200E-01
1306	Cs	142	55	87	8.264900E+00	8.265673E+00	-7.7270E-04	1.321733E+05	1.321732E+05	1.43E-01	1.32201632E+05	1.322015E+05	1.4200E-01
1307	Ba	142	56	86	8.310974E+00	8.313335E+00	-2.3611E-03	1.321655E+05	1.321651E+05	3.70E-01	1.32194307E+05	1.321939E+05	3.6900E-01
1308	La	142	57	85	8.320825E+00	8.324512E+00	-3.6865E-03	1.321628E+05	1.321622E+05	5.59E-01	1.32192126E+05	1.321916E+05	5.6000E-01
1309	Ce	142	58	84	8.347068E+00	8.351529E+00	-4.4614E-03	1.321577E+05	1.321571E+05	6.69E-01	1.32187617E+05	1.321869E+05	6.7100E-01
1310	Pr	142	59	83	8.336316E+00	8.337711E+00	-1.3951E-03	1.321580E+05	1.321577E+05	2.35E-01	1.32188362E+05	1.321881E+05	2.3500E-01
1311	Nd	142	60	82	8.346029E+00	8.342404E+00	3.6247E-03	1.321553E+05	1.321558E+05	-4.77E-01	1.32186200E+05	1.321867E+05	-4.7800E-01
1312	Pm	142	61	81	8.306662E+00	8.304297E+00	2.3649E-03	1.321596E+05	1.321599E+05	-2.98E-01	1.32191008E+05	1.321913E+05	-3.0100E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_1)$ MeV	Residual, MeV
1313	Sm	142	62	80	8.285973E+00	8.288083E+00	-2.1098E-03	1.321612E+05	1.321609E+05	3.39E-01	1.32193163E+05	1.321928E+05	3.3500E-01	-7.898661E+01	-7.933123E+01	3.4463E-01
1314	Eu	142	63	79	8.226428E+00	8.229202E+00	-2.8641E-03	1.321683E+05	1.321679E+05	4.46E-01	1.32200836E+05	1.322004E+05	4.4200E-01	-7.131361E+01	-7.176603E+01	4.5243E-01
1315	Gd	142	64	78	8.190256E+00	8.193535E+00	-3.2791E-03	1.321722E+05	1.321717E+05	5.06E-01	1.32205190E+05	1.322047E+05	5.0300E-01	-6.695952E+01	-6.747162E+01	5.1210E-01
1316	Tb	142	65	77	8.111507E+00	8.115647E+00	-4.1398E-03	1.321821E+05	1.321814E+05	6.29E-01	1.32215590E+05	1.322150E+05	6.2700E-01	-5.655952E+01	-5.719455E+01	6.3503E-01
1317	Xe	143	54	89	8.196885E+00	8.200413E+00	-3.5279E-03	1.331156E+05	1.331151E+05	5.32E-01	1.33143441E+05	1.331429E+05	5.3600E-01	-6.020287E+01	-6.074658E+01	5.4371E-01
1318	Cs	143	55	88	8.243657E+00	8.244502E+00	-8.4515E-04	1.331076E+05	1.331075E+05	1.49E-01	1.33135970E+05	1.331358E+05	1.5200E-01	-6.767367E+01	-6.783442E+01	1.6076E-01
1319	Ba	143	56	87	8.281986E+00	8.283549E+00	-1.5627E-03	1.331009E+05	1.331006E+05	2.57E-01	1.33129707E+05	1.331295E+05	2.5700E-01	-7.393706E+01	-7.420116E+01	2.6410E-01
1320	La	143	57	86	8.306126E+00	8.310288E+00	-4.1622E-03	1.330961E+05	1.330955E+05	6.30E-01	1.33125472E+05	1.331248E+05	6.3000E-01	-7.817143E+01	-7.878079E+01	6.3656E-01
1321	Ce	143	58	85	8.324675E+00	8.328963E+00	-4.2883E-03	1.330922E+05	1.330915E+05	6.50E-01	1.33122038E+05	1.331214E+05	6.5100E-01	-8.160622E+01	-8.226160E+01	6.5538E-01
1322	Pr	143	59	84	8.329426E+00	8.334052E+00	-4.6256E-03	1.330902E+05	1.330895E+05	6.99E-01	1.33120576E+05	1.331199E+05	6.9900E-01	-8.306803E+01	-8.377230E+01	7.0427E-01
1323	Nd	143	60	83	8.330487E+00	8.329906E+00	5.8062E-04	1.330887E+05	1.330888E+05	-4.50E-02	1.33119642E+05	1.331197E+05	-4.6000E-02	-8.400214E+01	-8.396262E+01	-3.9523E-02
1324	Pm	143	61	82	8.317732E+00	8.312844E+00	4.8885E-03	1.330892E+05	1.330899E+05	-6.61E-01	1.33120683E+05	1.331213E+05	-6.6300E-01	-8.296048E+01	-8.230571E+01	-6.5477E-01
1325	Sm	143	62	81	8.288179E+00	8.286287E+00	1.8922E-03	1.330922E+05	1.330924E+05	-2.31E-01	1.33124127E+05	1.331244E+05	-2.3500E-01	-7.951670E+01	-7.929118E+01	-2.2553E-01
1326	Eu	143	63	80	8.245817E+00	8.248156E+00	-2.3391E-03	1.330969E+05	1.330965E+05	3.75E-01	1.33129403E+05	1.331290E+05	3.7100E-01	-7.424130E+01	-7.462156E+01	3.8026E-01
1327	Gd	143	64	79	8.198318E+00	8.200822E+00	-2.5036E-03	1.331024E+05	1.331020E+05	3.99E-01	1.33135413E+05	1.331350E+05	3.9600E-01	-6.823130E+01	-6.863581E+01	4.0451E-01
1328	Tb	143	65	78	8.138217E+00	8.143313E+00	-5.0963E-03	1.331097E+05	1.331089E+05	7.70E-01	1.33143225E+05	1.331425E+05	7.6800E-01	-6.041918E+01	-6.119518E+01	7.7600E-01
1329	Dy	143	66	77	8.075052E+00	8.076659E+00	-1.6072E-03	1.331174E+05	1.331171E+05	2.73E-01	1.33151475E+05	1.331512E+05	2.7100E-01	-5.216894E+01	-5.244467E+01	2.7779E-01
1330	Xe	144	54	90	8.172884E+00	8.177178E+00	-4.2936E-03	1.340505E+05	1.340498E+05	6.45E-01	1.34078266E+05	1.340776E+05	6.5100E-01	-5.687229E+01	-5.732980E+01	6.5751E-01
1331	Cs	144	55	89	8.211883E+00	8.213553E+00	-1.6695E-03	1.34035E+05	1.340433E+05	2.69E-01	1.34071867E+05	1.340716E+05	2.7100E-01	-6.327051E+01	-6.355087E+01	2.8036E-01
1332	Ba	144	56	88	8.265454E+00	8.266355E+00	-9.0083E-04	1.340345E+05	1.340344E+05	1.64E-01	1.34063371E+05	1.340632E+05	1.6300E-01	-7.176708E+01	-7.193747E+01	1.7039E-01
1333	La	144	57	87	8.281428E+00	8.284838E+00	-3.4102E-03	1.340309E+05	1.340304E+05	5.26E-01	1.34060288E+05	1.340598E+05	5.2600E-01	-7.484965E+01	-7.538215E+01	5.3250E-01
1334	Ce	144	58	86	8.314759E+00	8.319141E+00	-4.3818E-03	1.340248E+05	1.340242E+05	6.67E-01	1.34054387E+05	1.340540E+05	6.6800E-01	-8.043177E+01	-8.110481E+01	6.7304E-01
1335	Pr	144	59	85	8.311539E+00	8.315846E+00	-4.3073E-03	1.340240E+05	1.340233E+05	6.57E-01	1.34054387E+05	1.340537E+05	6.5700E-01	-8.075042E+01	-8.141348E+01	6.6307E-01
1336	Nd	144	60	84	8.326922E+00	8.330497E+00	-3.5748E-03	1.340205E+05	1.340199E+05	5.52E-01	1.34051390E+05	1.340508E+05	5.5200E-01	-8.374786E+01	-8.430622E+01	5.5837E-01
1337	Pm	144	61	83	8.305295E+00	8.304595E+00	6.9953E-04	1.340223E+05	1.340223E+05	-6.30E-02	1.34053722E+05	1.340538E+05	-6.4000E-02	-8.141593E+01	-8.135951E+01	-5.6423E-02
1338	Sm	144	62	82	8.303678E+00	8.299002E+00	4.6755E-03	1.340212E+05	1.340218E+05	-6.34E-01	1.34053172E+05	1.340538E+05	-6.3700E-01	-8.196545E+01	-8.133719E+01	-6.2826E-01
1339	Eu	144	63	81	8.254173E+00	8.250702E+00	3.4708E-03	1.340270E+05	1.340275E+05	-4.60E-01	1.34059519E+05	1.340600E+05	-4.6400E-01	-7.561910E+01	-7.516504E+01	-4.5406E-01
1340	Gd	144	64	80	8.221937E+00	8.223998E+00	-2.0611E-03	1.340304E+05	1.340300E+05	3.37E-01	1.34063378E+05	1.340630E+05	3.3400E-01	-7.175950E+01	-7.210272E+01	3.4322E-01
1341	Tb	144	65	79	8.151287E+00	8.155131E+00	-3.8435E-03	1.340392E+05	1.340386E+05	5.95E-01	1.34072770E+05	1.340722E+05	5.9200E-01	-6.236818E+01	-6.296886E+01	6.0068E-01
1342	Dy	144	66	78	8.105589E+00	8.108779E+00	-3.1899E-03	1.340445E+05	1.340440E+05	5.01E-01	1.34078568E+05	1.340781E+05	5.0000E-01	-5.657008E+01	-5.707731E+01	5.0723E-01
1343	Ho	144	67	77	8.017097E+00	8.021207E+00	-4.1104E-03	1.340560E+05	1.340553E+05	6.35E-01	1.34090528E+05	1.340899E+05	6.3400E-01	-4.460951E+01	-4.525009E+01	6.4058E-01
1344	Xe	145	54	91	8.135087E+00	8.141139E+00	-6.0519E-03	1.349873E+05	1.349864E+05	9.05E-01	1.35015139E+05	1.350142E+05	9.0900E-01	-5.149333E+01	-5.241004E+01	9.1671E-01
1345	Cs	145	55	90	8.188743E+00	8.191787E+00	-3.0444E-03	1.349783E+05	1.349778E+05	4.69E-01	1.35006576E+05	1.350061E+05	4.7300E-01	-6.005581E+01	-6.053715E+01	4.8135E-01
1346	Ba	145	56	89	8.234798E+00	8.236394E+00	-1.5965E-03	1.349703E+05	1.349700E+05	2.65E-01	1.34999116E+05	1.349989E+05	2.6400E-01	-6.751618E+01	-6.778825E+01	2.7208E-01
1347	La	145	57	88	8.266087E+00	8.269005E+00	-2.9178E-03	1.349644E+05	1.349640E+05	4.58E-01	1.34993797E+05	1.349933E+05	4.5800E-01	-7.283532E+01	-7.329983E+01	4.6451E-01
1348	Ce	145	58	87	8.289875E+00	8.294607E+00	-4.7321E-03	1.349597E+05	1.349590E+05	7.22E-01	1.34989565E+05	1.349888E+05	7.2300E-01	-7.706694E+01	-7.779524E+01	7.2829E-01
1349	Pr	145	59	86	8.302127E+00	8.307322E+00	-5.1946E-03	1.349566E+05	1.349558E+05	7.90E-01	1.34987006E+05	1.349862E+05	7.9100E-01	-7.962582E+01	-8.042192E+01	7.9609E-01
1350	Nd	145	60	85	8.309186E+00	8.312369E+00	-3.1830E-03	1.349543E+05	1.349538E+05	4.99E-01	1.34985200E+05	1.349847E+05	4.9900E-01	-8.143184E+01	-8.193687E+01	5.0503E-01
1351	Pm	145	61	84	8.302656E+00	8.305714E+00	-3.0581E-03	1.349539E+05	1.349534E+05	4.82E-01	1.34985365E+05	1.349849E+05	4.8100E-01	-8.126732E+01	-8.175499E+01	4.8766E-01
1352	Sm	145	62	83	8.293012E+00	8.290560E+00	2.4519E-03	1.349540E+05	1.349543E+05	-3.17E-01	1.34985981E+05	1.349863E+05	-3.1900E-01	-8.065123E+01	-8.034073E+01	-3.1050E-01
1353	Eu	145	63	82	8.269274E+00	8.263381E+00	5.8931E-03	1.349562E+05	1.349570E+05	-8.14E-01	1.34988640E+05	1.349895E+05	-8.1900E-01	-7.799154E+01	-7.718282E+01	-8.0872E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
1354	Gd	145	64	81	8.228930E+00	8.226457E+00	2.4733E-03	1.349607E+05	1.349610E+05	-3.18E-01	1.34993708E+05	1.349940E+05	-3.2200E-01	-7.292404E+01	-7.261190E+01	-3.1214E-01
1355	Tb	145	65	80	8.177865E+00	8.178279E+00	-4.1441E-04	1.349668E+05	1.349667E+05	1.02E-01	1.35000330E+05	1.350002E+05	9.8000E-02	-6.630193E+01	-6.640926E+01	1.0734E-01
1356	Dy	145	66	79	8.116888E+00	8.120614E+00	-3.7264E-03	1.349743E+05	1.349738E+05	5.83E-01	1.35008339E+05	1.350078E+05	5.8000E-01	-5.824260E+01	-5.883092E+01	5.8832E-01
1357	Ho	145	67	78	8.048578E+00	8.053335E+00	-4.7775E-03	1.349829E+05	1.349822E+05	7.36E-01	1.35017512E+05	1.350168E+05	7.3500E-01	-4.912011E+01	-4.986145E+01	7.4135E-01
1358	Xe	146	54	92	8.110415E+00	8.116430E+00	-6.0151E-03	1.359224E+05	1.359215E+05	9.05E-01	1.35950171E+05	1.359493E+05	9.1000E-01	-4.795494E+01	-4.887239E+01	9.1744E-01
1359	Cs	146	55	91	8.157207E+00	8.160297E+00	-3.0900E-03	1.359142E+05	1.359138E+05	4.78E-01	1.35942557E+05	1.359421E+05	4.8200E-01	-5.556895E+01	-5.606003E+01	4.9107E-01
1360	Ba	146	56	90	8.216036E+00	8.218470E+00	-2.4341E-03	1.359043E+05	1.359040E+05	3.90E-01	1.35933186E+05	1.359328E+05	3.8800E-01	-6.494030E+01	-6.533637E+01	3.9607E-01
1361	La	146	57	89	8.238804E+00	8.243113E+00	-4.3094E-03	1.358997E+05	1.358991E+05	6.64E-01	1.35929079E+05	1.359284E+05	6.6300E-01	-6.904683E+01	-6.971737E+01	6.7054E-01
1362	Ce	146	58	88	8.278570E+00	8.283006E+00	-4.4357E-03	1.358926E+05	1.358919E+05	6.84E-01	1.35922491E+05	1.359218E+05	6.8400E-01	-7.563507E+01	-7.632472E+01	6.8965E-01
1363	Pr	146	59	87	8.280374E+00	8.287079E+00	-6.7051E-03	1.358910E+05	1.358900E+05	1.02E+00	1.35921445E+05	1.359204E+05	1.0160E+00	-7.668073E+01	-7.770252E+01	1.0218E+00
1364	Nd	146	60	86	8.304091E+00	8.308050E+00	-6.7051E-03	1.358863E+05	1.358857E+05	6.15E-01	1.35917200E+05	1.359166E+05	6.1600E-01	-8.092575E+01	-8.154727E+01	6.2152E-01
1365	Pm	146	61	85	8.288653E+00	8.291823E+00	-3.1697E-03	1.358872E+05	1.358867E+05	5.01E-01	1.35918672E+05	1.359182E+05	5.0100E-01	-7.945421E+01	-7.996124E+01	5.0704E-01
1366	Sm	146	62	84	8.293856E+00	8.295930E+00	-2.0743E-03	1.358852E+05	1.358848E+05	3.42E-01	1.35917130E+05	1.359168E+05	3.4000E-01	-8.099621E+01	-8.134403E+01	3.4782E-01
1367	Eu	146	63	83	8.261931E+00	8.259305E+00	2.6257E-03	1.358885E+05	1.358889E+05	-3.43E-01	1.35921008E+05	1.359214E+05	-3.4800E-01	-7.711742E+01	-7.677984E+01	-3.3758E-01
1368	Gd	146	64	82	8.249504E+00	8.243338E+00	6.1157E-03	1.358890E+05	1.358899E+05	-8.52E-01	1.35922040E+05	1.359229E+05	-8.5600E-01	-7.608553E+01	-7.523904E+01	-8.4649E-01
1369	Tb	146	65	81	8.187145E+00	8.185112E+00	2.0326E-03	1.358908E+05	1.358971E+05	-2.56E-01	1.35930362E+05	1.359306E+05	-2.6000E-01	-6.776341E+01	-6.753904E+01	-2.4956E-01
1370	Dy	146	66	80	8.146112E+00	8.148026E+00	-1.9140E-03	1.359015E+05	1.359012E+05	3.22E-01	1.35935571E+05	1.359353E+05	3.1900E-01	-6.255492E+01	-6.288231E+01	3.2739E-01
1371	Ho	146	67	79	8.063242E+00	8.069586E+00	-6.3439E-03	1.359123E+05	1.359113E+05	9.69E-01	1.35946888E+05	1.359459E+05	9.6700E-01	-5.123822E+01	-5.221312E+01	9.7490E-01
1372	Er	146	68	78	8.010512E+00	8.013509E+00	-2.9967E-03	1.359187E+05	1.359182E+05	4.81E-01	1.35953804E+05	1.359533E+05	4.8200E-01	-4.432201E+01	-4.480894E+01	4.8692E-01
1373	Cs	147	55	92	8.132468E+00	8.137332E+00	-4.8641E-03	1.368493E+05	1.368485E+05	7.42E-01	1.36877602E+05	1.368769E+05	7.4600E-01	-5.201821E+01	-5.277316E+01	7.5496E-01
1374	Ba	147	56	91	8.183240E+00	8.188112E+00	-4.8724E-03	1.368405E+05	1.368398E+05	7.43E-01	1.36869356E+05	1.368686E+05	7.4800E-01	-6.026403E+01	-6.102093E+01	7.5691E-01
1375	La	147	57	90	8.221553E+00	8.226360E+00	-4.8069E-03	1.368336E+05	1.368328E+05	7.41E-01	1.36862942E+05	1.368622E+05	7.4000E-01	-6.667839E+01	-6.742641E+01	7.4802E-01
1376	Ce	147	58	89	8.252527E+00	8.258175E+00	-5.6483E-03	1.368277E+05	1.368269E+05	8.66E-01	1.36857606E+05	1.368567E+05	8.6600E-01	-7.201388E+01	-7.282207E+01	8.7245E-01
1377	Pr	147	59	88	8.270539E+00	8.276901E+00	-6.3619E-03	1.368238E+05	1.368228E+05	9.72E-01	1.36854176E+05	1.368532E+05	9.7300E-01	-7.544401E+01	-7.642207E+01	9.7806E-01
1378	Nd	147	60	87	8.283602E+00	8.288173E+00	-4.5709E-03	1.368206E+05	1.368198E+05	7.09E-01	1.36851473E+05	1.368508E+05	7.1000E-01	-7.814663E+01	-7.886215E+01	7.1552E-01
1379	Pm	147	61	86	8.284370E+00	8.288346E+00	-3.9764E-03	1.368191E+05	1.368185E+05	6.22E-01	1.36850578E+05	1.368500E+05	6.2300E-01	-7.904193E+01	-7.967073E+01	6.2879E-01
1380	Sm	147	62	85	8.280572E+00	8.281926E+00	-1.3544E-03	1.368184E+05	1.368182E+05	2.38E-01	1.36850354E+05	1.368501E+05	2.3700E-01	-7.926601E+01	-7.951006E+01	2.4405E-01
1381	Eu	147	63	84	8.263539E+00	8.264954E+00	-1.4145E-03	1.368196E+05	1.368193E+05	2.48E-01	1.36852076E+05	1.368518E+05	2.4500E-01	-7.754440E+01	-7.779813E+01	2.5373E-01
1382	Gd	147	64	83	8.243333E+00	8.239328E+00	4.0050E-03	1.368213E+05	1.368218E+05	-5.48E-01	1.36854263E+05	1.368548E+05	-5.5200E-01	-7.535658E+01	-7.481426E+01	-5.4232E-01
1383	Tb	147	65	82	8.206623E+00	8.202063E+00	4.5602E-03	1.368253E+05	1.368260E+05	-6.29E-01	1.36858877E+05	1.368595E+05	-6.3300E-01	-7.074251E+01	-7.011935E+01	-6.2316E-01
1384	Dy	147	66	81	8.156767E+00	8.154831E+00	1.9358E-03	1.368314E+05	1.368316E+05	-2.42E-01	1.36865424E+05	1.368657E+05	-2.4600E-01	-6.419604E+01	-6.395938E+01	-2.3666E-01
1385	Ho	147	67	80	8.094037E+00	8.096946E+00	-2.9089E-03	1.368393E+05	1.368388E+05	4.70E-01	1.36873863E+05	1.368734E+05	4.6800E-01	-5.575709E+01	-5.623331E+01	4.7622E-01
1386	Er	147	68	79	8.026475E+00	8.029664E+00	-3.1892E-03	1.368479E+05	1.368474E+05	5.13E-01	1.36883012E+05	1.368825E+05	5.1100E-01	-4.660781E+01	-4.712597E+01	5.1817E-01
1387	Tm	147	69	78	7.948817E+00	7.953637E+00	-4.8199E-03	1.368580E+05	1.368573E+05	7.53E-01	1.36893646E+05	1.368929E+05	7.5400E-01	-3.597440E+01	-3.673305E+01	7.5865E-01
1388	Cs	148	55	93	8.100151E+00	8.104571E+00	-4.4205E-03	1.377855E+05	1.377848E+05	6.80E-01	1.37813817E+05	1.378131E+05	6.8500E-01	-4.729648E+01	-4.799060E+01	6.9412E-01
1389	Ba	148	56	92	8.164441E+00	8.169047E+00	-4.6059E-03	1.377747E+05	1.377740E+05	7.08E-01	1.37803520E+05	1.378028E+05	7.1300E-01	-5.759374E+01	-5.831604E+01	7.2230E-01
1390	La	148	57	91	8.193716E+00	8.199839E+00	-6.1229E-03	1.377690E+05	1.377681E+05	9.41E-01	1.37798405E+05	1.377975E+05	9.3800E-01	-6.270874E+01	-6.365633E+01	9.4760E-01
1391	Ce	148	58	90	8.240387E+00	8.245415E+00	-5.0282E-03	1.377608E+05	1.37761E+05	7.79E-01	1.37790716E+05	1.377899E+05	7.8000E-01	-7.039838E+01	-7.118470E+01	7.8632E-01
1392	Pr	148	59	89	8.249540E+00	8.256271E+00	-6.7310E-03	1.377582E+05	1.377571E+05	1.03E+00	1.37788579E+05	1.377875E+05	1.0340E+00	-7.253536E+01	-7.357445E+01	1.0391E+00
1393	Nd	148	60	88	8.277175E+00	8.282091E+00	-4.9155E-03	1.377528E+05	1.377520E+05	7.64E-01	1.37783706E+05	1.377829E+05	7.6600E-01	-7.740781E+01	-7.817881E+01	7.7100E-01
1394	Pm	148	61	87	8.268222E+00	8.272513E+00	-4.2907E-03	1.377528E+05	1.377521E+05	6.73E-01	1.37784249E+05	1.377836E+05	6.7400E-01	-7.686507E+01	-7.754437E+01	6.7930E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
1395	Sm	148	62	86	8.279632E+00	8.282553E+00	-2.9209E-03	1.377498E+05	1.377493E+05	4.71E-01	1.37781778E+05	1.377813E+05	4.7100E-01	-7.933607E+01	-7.981340E+01	4.7733E-01
1396	Eu	148	63	85	8.253828E+00	8.255257E+00	-1.4294E-03	1.377523E+05	1.377521E+05	2.52E-01	1.37784815E+05	1.377846E+05	2.4900E-01	-7.629938E+01	-7.655674E+01	2.5736E-01
1397	Gd	148	64	84	8.248338E+00	8.249300E+00	-9.6230E-04	1.377518E+05	1.377517E+05	1.83E-01	1.37784845E+05	1.377847E+05	1.8000E-01	-7.626932E+01	-7.645816E+01	1.8884E-01
1398	Tb	148	65	83	8.204282E+00	8.202430E+00	1.8518E-03	1.377571E+05	1.377573E+05	-2.33E-01	1.37790583E+05	1.377908E+05	-2.3700E-01	-7.053128E+01	-7.030446E+01	-2.2682E-01
1399	Dy	148	66	82	8.180901E+00	8.176025E+00	4.8761E-03	1.377592E+05	1.377599E+05	-6.80E-01	1.37793261E+05	1.377939E+05	-6.8300E-01	-6.785322E+01	-6.717956E+01	-6.7366E-01
1400	Ho	148	67	81	8.108979E+00	8.108042E+00	9.3679E-04	1.377685E+05	1.377686E+05	-9.60E-02	1.37803123E+05	1.378032E+05	-9.9000E-02	-5.799116E+01	-5.790119E+01	-8.9962E-02
1401	Er	148	68	80	8.059692E+00	8.061145E+00	-1.4531E-03	1.377745E+05	1.377743E+05	2.58E-01	1.37809635E+05	1.378094E+05	2.5700E-01	-5.147899E+01	-5.174550E+01	2.6452E-01
1402	Tm	148	69	79	7.968500E+00	7.973976E+00	-5.4761E-03	1.377867E+05	1.377859E+05	8.55E-01	1.37822349E+05	1.378215E+05	8.5400E-01	-3.876503E+01	-3.962557E+01	8.6054E-01
1403	La	149	57	92	8.176191E+00	8.181817E+00	-5.6256E-03	1.387030E+05	1.387022E+05	8.66E-01	1.38732388E+05	1.387315E+05	8.7000E-01	-6.021991E+01	-6.109954E+01	8.7962E-01
1404	Ce	149	58	91	8.214229E+00	8.219947E+00	-5.7178E-03	1.386961E+05	1.386952E+05	8.81E-01	1.38725938E+05	1.387251E+05	8.8600E-01	-6.666991E+01	-6.756401E+01	8.9410E-01
1405	Pr	149	59	90	8.238303E+00	8.244938E+00	-6.6548E-03	1.386912E+05	1.386901E+05	1.03E+00	1.38721569E+05	1.387205E+05	1.0280E+00	-7.103937E+01	-7.207373E+01	1.0344E+00
1406	Nd	149	60	89	8.255441E+00	8.262175E+00	-6.7338E-03	1.386873E+05	1.386842E+05	1.04E+00	1.38718233E+05	1.387172E+05	1.0420E+00	-7.43728E+01	-7.542213E+01	1.0469E+00
1407	Pm	149	61	88	8.261522E+00	8.267459E+00	-5.9368E-03	1.386851E+05	1.386830E+05	9.23E-01	1.38716544E+05	1.387156E+05	9.2300E-01	-7.606368E+01	-7.699252E+01	9.2884E-01
1408	Sm	149	62	87	8.263462E+00	8.266602E+00	-3.1400E-03	1.386835E+05	1.386830E+05	5.06E-01	1.38715473E+05	1.387150E+05	5.0600E-01	-7.713510E+01	-7.764794E+01	5.1284E-01
1409	Eu	149	63	86	8.253550E+00	8.256359E+00	-2.8089E-03	1.386837E+05	1.386832E+05	4.59E-01	1.38716167E+05	1.387157E+05	4.5600E-01	-7.644048E+01	-7.690480E+01	4.6432E-01
1410	Gd	149	64	85	8.239482E+00	8.239634E+00	-1.5236E-04	1.386845E+05	1.386844E+05	6.30E-02	1.38717481E+05	1.387174E+05	6.0000E-02	-7.512674E+01	-7.519592E+01	6.9173E-02
1411	Tb	149	65	84	8.209816E+00	8.212621E+00	-2.8047E-03	1.386876E+05	1.386871E+05	4.59E-01	1.3872119E+05	1.387207E+05	4.5500E-01	-7.148886E+01	-7.195397E+01	4.6511E-01
1412	Dy	149	66	83	8.179133E+00	8.176508E+00	2.6254E-03	1.386909E+05	1.386912E+05	-3.49E-01	1.38724909E+05	1.387253E+05	-3.5200E-01	-6.769941E+01	-6.735619E+01	-3.4322E-01
1413	Ho	149	67	82	8.133366E+00	8.129254E+00	4.1116E-03	1.386964E+05	1.386969E+05	-5.69E-01	1.38730945E+05	1.387315E+05	-5.7400E-01	-6.166244E+01	-6.109854E+01	-5.6390E-01
1414	Er	149	68	81	8.074955E+00	8.072164E+00	2.7911E-03	1.387038E+05	1.387041E+05	-3.72E-01	1.38738866E+05	1.387392E+05	-3.7600E-01	-5.374162E+01	-5.337512E+01	-3.6649E-01
1415	Ce	150	58	92	8.201122E+00	8.205634E+00	-4.5121E-03	1.396294E+05	1.396287E+05	7.06E-01	1.39659255E+05	1.396585E+05	7.1000E-01	-6.484685E+01	-6.556573E+01	7.1889E-01
1416	Pr	150	59	91	8.218930E+00	8.223536E+00	-4.6057E-03	1.396254E+05	1.396247E+05	7.21E-01	1.39655802E+05	1.396551E+05	7.2700E-01	-6.830040E+01	-6.903405E+01	7.3365E-01
1417	Nd	150	60	90	8.249572E+00	8.254907E+00	-5.3350E-03	1.396195E+05	1.396187E+05	8.37E-01	1.39650423E+05	1.396496E+05	8.3800E-01	-7.367908E+01	-7.452282E+01	8.4374E-01
1418	Pm	150	61	89	8.243806E+00	8.251489E+00	-7.6826E-03	1.396191E+05	1.396179E+05	1.19E+00	1.39650505E+05	1.396493E+05	1.1910E+00	-7.359646E+01	-7.479314E+01	1.1967E+00
1419	Sm	150	62	88	8.261617E+00	8.265415E+00	-3.7975E-03	1.396151E+05	1.396145E+05	6.08E-01	1.39647051E+05	1.396464E+05	6.0800E-01	-7.705046E+01	-7.766510E+01	6.1464E-01
1420	Eu	150	63	87	8.241344E+00	8.244404E+00	-3.0602E-03	1.396168E+05	1.396163E+05	4.98E-01	1.39649310E+05	1.396488E+05	4.9700E-01	-7.479182E+01	-7.529664E+01	5.0481E-01
1421	Gd	150	64	86	8.242607E+00	8.244899E+00	-2.2919E-03	1.396153E+05	1.396149E+05	3.84E-01	1.39648338E+05	1.396480E+05	3.8200E-01	-7.576360E+01	-7.615391E+01	3.9031E-01
1422	Tb	150	65	85	8.206338E+00	8.207366E+00	-1.0285E-03	1.396195E+05	1.396193E+05	1.95E-01	1.39652996E+05	1.396528E+05	1.9100E-01	-7.110565E+01	-7.130713E+01	2.0148E-01
1423	Dy	150	66	84	8.189148E+00	8.191035E+00	-1.8873E-03	1.396207E+05	1.396204E+05	3.25E-01	1.39654793E+05	1.396545E+05	3.2200E-01	-6.930943E+01	-6.964053E+01	3.3110E-01
1424	Ho	150	67	83	8.134841E+00	8.134105E+00	7.3646E-04	1.396276E+05	1.396276E+05	-6.80E-02	1.39662156E+05	1.396622E+05	-7.2000E-02	-6.194583E+01	-6.188399E+01	-6.1844E-02
1425	Er	150	68	82	8.102195E+00	8.097501E+00	4.6943E-03	1.396312E+05	1.396318E+05	-6.61E-01	1.39666271E+05	1.396669E+05	-6.6300E-01	-5.783128E+01	-5.717650E+01	-6.5478E-01
1426	Ce	151	58	93	8.176277E+00	8.178960E+00	-2.6831E-03	1.405645E+05	1.405641E+05	4.35E-01	1.40594371E+05	1.405939E+05	4.3800E-01	-6.122505E+01	-6.167227E+01	4.4722E-01
1427	Pr	151	59	92	8.207880E+00	8.210544E+00	-2.6637E-03	1.405584E+05	1.405580E+05	4.32E-01	1.40588816E+05	1.405884E+05	4.3600E-01	-6.677947E+01	-6.722448E+01	4.4501E-01
1428	Nd	151	60	91	8.230268E+00	8.234497E+00	-4.2286E-03	1.405537E+05	1.405531E+05	6.76E-01	1.40584654E+05	1.405840E+05	6.7600E-01	-7.094231E+01	-7.162444E+01	6.8212E-01
1429	Pm	151	61	90	8.241266E+00	8.245459E+00	-4.1930E-03	1.405508E+05	1.405501E+05	8.71E-01	1.40582211E+05	1.405815E+05	8.7200E-01	-7.338539E+01	-7.406284E+01	6.7745E-01
1430	Sm	151	62	89	8.243967E+00	8.249523E+00	-5.5562E-03	1.405491E+05	1.405482E+05	8.78E-01	1.40581020E+05	1.405801E+05	8.7800E-01	-7.457560E+01	-7.545960E+01	8.8400E-01
1431	Eu	151	63	88	8.239292E+00	8.243810E+00	-4.5181E-03	1.405485E+05	1.405477E+05	7.22E-01	1.40580944E+05	1.405802E+05	7.2100E-01	-7.465198E+01	-7.538000E+01	7.2803E-01
1432	Gd	151	64	87	8.231038E+00	8.232761E+00	-1.7229E-03	1.405484E+05	1.405481E+05	3.01E-01	1.40581408E+05	1.405811E+05	2.9800E-01	-7.418796E+01	-7.449465E+01	3.0669E-01
1433	Tb	151	65	86	8.208870E+00	8.212919E+00	-4.0492E-03	1.405504E+05	1.405498E+05	6.53E-01	1.40583973E+05	1.405833E+05	6.5000E-01	-7.162295E+01	-7.228163E+01	6.5868E-01
1434	Dy	151	66	85	8.184676E+00	8.185974E+00	-1.2984E-03	1.405528E+05	1.405526E+05	2.37E-01	1.40586844E+05	1.405866E+05	2.3500E-01	-6.875212E+01	-6.899605E+01	2.4393E-01
1435	Ho	151	67	84	8.145525E+00	8.148834E+00	-3.3086E-03	1.405574E+05	1.405569E+05	5.43E-01	1.40591973E+05	1.405914E+05	5.3800E-01	-6.362258E+01	-6.417086E+01	5.4827E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_1)$ MeV	Residual, MeV
1436	Er	151	68	83	8.104872E+00	8.102428E+00	2.4439E-03	1.405622E+05	1.405626E+05	-3.26E-01	1.405973E+05	1.405977E+05	-3.2900E-01	-5.826628E+01	-5.794671E+01	-3.1958E-01
1437	Tm	151	69	82	8.050097E+00	8.045729E+00	4.3678E-03	1.405692E+05	1.405698E+05	-6.15E-01	1.406048E+05	1.406054E+05	-6.1900E-01	-5.077777E+01	-5.016825E+01	-6.0946E-01
1438	Yb	151	70	81	7.983755E+00	7.979604E+00	4.1515E-03	1.405779E+05	1.405785E+05	-5.81E-01	1.406140E+05	1.406146E+05	-5.8300E-01	-4.154231E+01	-4.096635E+01	-5.7596E-01
1439	Pr	152	59	93	8.187104E+00	8.187658E+00	-5.5386E-04	1.414929E+05	1.414928E+05	1.14E-01	1.415233E+05	1.415232E+05	1.1800E-01	-6.375806E+01	-6.388505E+01	-1.2699E-01
1440	Nd	152	60	92	8.224001E+00	8.225439E+00	-1.4376E-03	1.414860E+05	1.414858E+05	2.48E-01	1.415169E+05	1.415167E+05	2.5500E-01	-7.014875E+01	-7.041080E+01	2.6205E-01
1441	Pm	152	61	91	8.226122E+00	8.229003E+00	-2.8809E-03	1.414844E+05	1.414839E+05	4.76E-01	1.415158E+05	1.415154E+05	4.7600E-01	-7.125353E+01	-7.173565E+01	5.3386E-01
1442	Sm	152	62	90	8.244057E+00	8.247273E+00	-3.2163E-03	1.414804E+05	1.414798E+05	5.27E-01	1.415123E+05	1.415118E+05	5.2800E-01	-7.476197E+01	-7.529583E+01	8.1632E-01
1443	Eu	152	63	89	8.226577E+00	8.231647E+00	-5.0699E-03	1.414817E+05	1.414809E+05	8.10E-01	1.415142E+05	1.415134E+05	8.1000E-01	-7.288737E+01	-7.370369E+01	4.4306E-01
1444	Gd	152	64	88	8.233397E+00	8.236006E+00	-2.6090E-03	1.414794E+05	1.414789E+05	4.37E-01	1.415123E+05	1.415119E+05	4.3600E-01	-7.470629E+01	-7.514935E+01	4.4306E-01
1445	Tb	152	65	87	8.202000E+00	8.204901E+00	-2.9006E-03	1.414828E+05	1.414824E+05	4.82E-01	1.415163E+05	1.415159E+05	4.7900E-01	-7.071629E+01	-7.120442E+01	4.8812E-01
1446	Dy	152	66	86	8.192916E+00	8.195760E+00	-2.8440E-03	1.414829E+05	1.414824E+05	4.74E-01	1.415169E+05	1.415165E+05	4.7100E-01	-7.011794E+01	-7.059811E+01	4.8016E-01
1447	Ho	152	67	85	8.144882E+00	8.148182E+00	-3.2997E-03	1.414889E+05	1.414884E+05	5.44E-01	1.415223E+05	1.415220E+05	5.4000E-01	-6.359904E+01	-6.414929E+01	5.5026E-01
1448	Er	152	68	84	8.119306E+00	8.121393E+00	-2.0869E-03	1.414915E+05	1.414911E+05	3.61E-01	1.415265E+05	1.415262E+05	3.5700E-01	-6.049394E+01	-6.086046E+01	3.6653E-01
1449	Tm	152	69	83	8.056769E+00	8.054860E+00	1.9086E-03	1.414997E+05	1.414999E+05	-2.46E-01	1.415353E+05	1.415356E+05	-2.5000E-01	-5.177057E+01	-5.153061E+01	-2.3996E-01
1450	Yb	152	70	82	8.015767E+00	8.008822E+00	6.9447E-03	1.415046E+05	1.415056E+05	-1.01E+00	1.415407E+05	1.415418E+05	-1.0130E+00	-4.632068E+01	-4.531589E+01	-1.0048E+00
1451	Pr	153	59	94	8.172036E+00	8.172611E+00	-5.7459E-04	1.424266E+05	1.424265E+05	1.17E-01	1.424570E+05	1.424569E+05	1.2200E-01	-6.156846E+01	-6.169916E+01	1.3070E-01
1452	Nd	153	60	93	8.204582E+00	8.203662E+00	9.2034E-04	1.424203E+05	1.424204E+05	-1.11E-01	1.424512E+05	1.424514E+05	-1.0500E-01	-6.733027E+01	-6.723305E+01	-9.7224E-02
1453	Pm	153	61	92	8.221150E+00	8.221313E+00	-1.8073E-04	1.424165E+05	1.424164E+05	6.60E-02	1.424479E+05	1.424479E+05	6.5000E-02	-7.064759E+01	-7.071949E+01	7.1900E-02
1454	Sm	153	62	91	8.228530E+00	8.231292E+00	-2.7624E-03	1.424141E+05	1.424136E+05	4.61E-01	1.424460E+05	1.424456E+05	4.6200E-01	-7.255905E+01	-7.302671E+01	4.6766E-01
1455	Eu	153	63	90	8.228693E+00	8.230194E+00	-1.5005E-03	1.424127E+05	1.424125E+05	2.69E-01	1.424452E+05	1.424449E+05	2.7000E-01	-7.336633E+01	-7.364165E+01	2.5733E-01
1456	Gd	153	64	89	8.220414E+00	8.223546E+00	-3.1322E-03	1.424127E+05	1.424122E+05	5.20E-01	1.424457E+05	1.424452E+05	5.1900E-01	-7.288193E+01	-7.340769E+01	5.2576E-01
1457	Tb	153	65	88	8.205045E+00	8.208438E+00	-3.3926E-03	1.424137E+05	1.424132E+05	5.60E-01	1.424472E+05	1.424467E+05	5.5800E-01	-7.131294E+01	-7.187915E+01	5.6621E-01
1458	Dy	153	66	87	8.185747E+00	8.187739E+00	-1.9922E-03	1.424154E+05	1.424150E+05	3.47E-01	1.424494E+05	1.424491E+05	3.4300E-01	-6.914258E+01	-6.949537E+01	3.5279E-01
1459	Ho	153	67	86	8.153638E+00	8.158203E+00	-4.5651E-03	1.424190E+05	1.424183E+05	7.41E-01	1.424535E+05	1.424528E+05	7.3800E-01	-6.501229E+01	-6.575942E+01	7.4713E-01
1460	Er	153	68	85	8.118851E+00	8.120953E+00	-2.1019E-03	1.424230E+05	1.424226E+05	3.65E-01	1.424581E+05	1.424578E+05	3.6200E-01	-6.047218E+01	-6.084322E+01	3.7104E-01
1461	Tm	153	69	84	8.071365E+00	8.073938E+00	-2.5734E-03	1.424290E+05	1.424285E+05	4.38E-01	1.424645E+05	1.424642E+05	4.3500E-01	-5.398930E+01	-5.443308E+01	4.4378E-01
1462	Lu	153	71	82	7.959399E+00	7.952652E+00	6.7473E-03	1.424435E+05	1.424445E+05	-9.86E-01	1.424801E+05	1.424812E+05	-9.9000E-01	-3.842315E+01	-3.744237E+01	-9.8078E-01
1463	Pr	154	59	95	8.149473E+00	8.147968E+00	1.5049E-03	1.433615E+05	1.433617E+05	-2.03E-01	1.433918E+05	1.433921E+05	-1.9900E-01	-5.819440E+01	-5.800550E+01	-1.8890E-01
1464	Nd	154	60	94	8.193029E+00	8.192308E+00	7.2129E-04	1.433535E+05	1.433535E+05	-8.20E-02	1.433843E+05	1.433845E+05	-7.5000E-02	-6.568440E+01	-6.561688E+01	-6.7517E-02
1465	Pm	154	61	93	8.206176E+00	8.203460E+00	2.7159E-03	1.433501E+05	1.433505E+05	-3.81E-01	1.433818E+05	1.433820E+05	-3.8000E-01	-6.849133E+01	-6.811742E+01	-3.7391E-01
1466	Sm	154	62	92	8.226830E+00	8.227416E+00	-5.8595E-04	1.433457E+05	1.433455E+05	1.29E-01	1.433776E+05	1.433775E+05	1.2900E-01	-7.245453E+01	-7.258970E+01	1.3518E-01
1467	Eu	154	63	91	8.217092E+00	8.217866E+00	-7.7369E-04	1.433459E+05	1.433457E+05	1.59E-01	1.433783E+05	1.433782E+05	1.5900E-01	-7.173718E+01	-7.190204E+01	1.6486E-01
1468	Gd	154	64	90	8.224792E+00	8.225701E+00	-9.0949E-04	1.433434E+05	1.433432E+05	1.80E-01	1.433763E+05	1.433762E+05	1.8000E-01	-7.370534E+01	-7.389183E+01	1.8649E-01
1469	Tb	154	65	89	8.196662E+00	8.199736E+00	-3.0744E-03	1.433464E+05	1.433459E+05	5.14E-01	1.433799E+05	1.433794E+05	5.1200E-01	-7.015569E+01	-7.067628E+01	5.2060E-01
1470	Dy	154	66	88	8.193128E+00	8.195208E+00	-2.0803E-03	1.433456E+05	1.433453E+05	3.62E-01	1.433796E+05	1.433793E+05	3.5900E-01	-7.039367E+01	-7.076203E+01	3.6836E-01
1471	Ho	154	67	87	8.150681E+00	8.154395E+00	-3.7136E-03	1.433509E+05	1.433502E+05	6.15E-01	1.433854E+05	1.433848E+05	6.1100E-01	-6.463932E+01	-6.525981E+01	6.2049E-01
1472	Er	154	68	86	8.132391E+00	8.135179E+00	-2.7876E-03	1.433524E+05	1.433519E+05	4.73E-01	1.433874E+05	1.433870E+05	4.7000E-01	-6.260493E+01	-6.308361E+01	4.7869E-01
1473	Tm	154	69	85	8.074208E+00	8.077776E+00	-3.5679E-03	1.433600E+05	1.433594E+05	5.93E-01	1.433956E+05	1.433951E+05	5.9000E-01	-5.442716E+01	-5.502668E+01	5.9952E-01
1474	Yb	154	70	84	8.039940E+00	8.041036E+00	-1.0964E-03	1.433640E+05	1.433638E+05	2.14E-01	1.434001E+05	1.433999E+05	2.1100E-01	-4.993213E+01	-5.015187E+01	2.1974E-01
1475	Pr	155	59	96	8.131038E+00	8.130832E+00	2.0564E-04	1.442958E+05	1.442958E+05	-2.00E-03	1.443261E+05	1.443262E+05	1.0000E-03	-5.541525E+01	-5.542611E+01	1.0867E-02
1476	Nd	155	60	95	8.170304E+00	8.168691E+00	1.6130E-03	1.442884E+05	1.442886E+05	-2.21E-01	1.443192E+05	1.443195E+05	-2.1600E-01	-6.228370E+01	-6.207728E+01	-2.0642E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_1)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_1)$ MeV	Residual, MeV
1477	Pm	155	61	94	8.195296E+00	8.193468E+00	1.8281E-03	1.442832E+05	1.442834E+05	-2.45E-01	1.44314632E+05	1.443149E+05	-2.4700E-01	-6.693991E+01	-6.670077E+01	-2.3914E-01
1478	Sm	155	62	93	8.211218E+00	8.210400E+00	8.1820E-04	1.442794E+05	1.442795E+05	-8.90E-02	1.44311382E+05	1.443115E+05	-8.8000E-02	-7.019017E+01	-7.010830E+01	-8.1872E-02
1479	Eu	155	63	92	8.216668E+00	8.215043E+00	1.6250E-03	1.442773E+05	1.442775E+05	-2.13E-01	1.44309755E+05	1.443100E+05	-2.1200E-01	-7.181716E+01	-7.161107E+01	-2.0608E-01
1480	Gd	155	64	91	8.213247E+00	8.213238E+00	-1.1180E-05	1.442765E+05	1.442765E+05	4.20E-02	1.44309503E+05	1.443095E+05	4.2000E-02	-7.206925E+01	-7.211750E+01	-4.8251E-02
1481	Tb	155	65	90	8.202910E+00	8.202306E+00	6.0404E-04	1.442768E+05	1.442768E+05	-5.30E-02	1.44310323E+05	1.443104E+05	-5.4000E-02	-7.124947E+01	-7.120298E+01	-4.6482E-02
1482	Dy	155	66	89	8.184350E+00	8.186233E+00	-1.8833E-03	1.442784E+05	1.442780E+05	3.34E-01	1.44312417E+05	1.443121E+05	3.3100E-01	-6.915497E+01	-6.949480E+01	3.3983E-01
1483	Ho	155	67	88	8.159201E+00	8.162011E+00	-2.8098E-03	1.442810E+05	1.442805E+05	4.78E-01	1.44315533E+05	1.443151E+05	4.7500E-01	-6.603915E+01	-6.652339E+01	4.8423E-01
1484	Er	155	68	87	8.129442E+00	8.131498E+00	-2.0558E-03	1.442843E+05	1.442839E+05	3.62E-01	1.44319363E+05	1.443190E+05	3.5900E-01	-6.220898E+01	-6.257695E+01	3.6797E-01
1485	Tm	155	69	86	8.088375E+00	8.092183E+00	-3.8079E-03	1.442893E+05	1.442887E+05	6.35E-01	1.44324946E+05	1.443243E+05	6.3100E-01	-5.662584E+01	-5.726621E+01	6.4038E-01
1486	Yb	155	70	85	8.043823E+00	8.044979E+00	-1.1561E-03	1.442949E+05	1.442947E+05	2.25E-01	1.44331069E+05	1.443308E+05	2.2100E-01	-5.050269E+01	-5.073271E+01	2.3002E-01
1487	Lu	155	71	84	7.987469E+00	7.988842E+00	-1.3732E-03	1.443023E+05	1.443021E+05	2.59E-01	1.44339022E+05	1.443388E+05	2.5600E-01	-4.255009E+01	-4.281456E+01	2.6447E-01
1488	Nd	156	60	96	8.158066E+00	8.154962E+00	3.1039E-03	1.452217E+05	1.452221E+05	-4.55E-01	1.45252592E+05	1.452530E+05	-4.5000E-01	-6.047362E+01	-6.037185E+01	-4.4068E-01
1489	Pm	156	61	95	8.176705E+00	8.173568E+00	3.1369E-03	1.452175E+05	1.452179E+05	-4.60E-01	1.45248902E+05	1.452494E+05	-4.5400E-01	-6.416362E+01	-6.371856E+01	-4.4506E-01
1490	Sm	156	62	94	8.205017E+00	8.204170E+00	8.4746E-04	1.452117E+05	1.452118E+05	-9.40E-02	1.45243703E+05	1.452438E+05	-9.4000E-02	-6.936271E+01	-6.927546E+01	-8.7248E-02
1491	Eu	156	63	93	8.204633E+00	8.201715E+00	2.9176E-03	1.452105E+05	1.452109E+05	-4.16E-01	1.45242981E+05	1.452434E+05	-4.1500E-01	-7.008515E+01	-6.967570E+01	-4.0945E-01
1492	Gd	156	64	92	8.215318E+00	8.213973E+00	1.3448E-03	1.452075E+05	1.452077E+05	-1.70E-01	1.45240532E+05	1.452407E+05	-1.6900E-01	-7.253428E+01	-7.237099E+01	-1.6329E-01
1493	Tb	156	65	91	8.194635E+00	8.193385E+00	1.2505E-03	1.452094E+05	1.452096E+05	-1.54E-01	1.45242976E+05	1.452431E+05	-1.5500E-01	-7.009010E+01	-6.994223E+01	-1.4787E-01
1494	Dy	156	66	90	8.192429E+00	8.192442E+00	-1.3210E-05	1.452085E+05	1.452084E+05	4.30E-02	1.45242538E+05	1.452425E+05	4.2000E-02	-7.052834E+01	-7.057830E+01	4.9967E-02
1495	Ho	156	67	89	8.155042E+00	8.156928E+00	-1.8865E-03	1.452130E+05	1.452127E+05	3.37E-01	1.45247588E+05	1.452473E+05	3.3400E-01	-6.547834E+01	-6.582124E+01	3.4290E-01
1496	Er	156	68	88	8.141899E+00	8.143100E+00	-1.2006E-03	1.452138E+05	1.452135E+05	2.30E-01	1.45248856E+05	1.452486E+05	2.2800E-01	-6.421038E+01	-6.444700E+01	2.3662E-01
1497	Tm	156	69	87	8.089568E+00	8.092677E+00	-3.1094E-03	1.452206E+05	1.452201E+05	5.30E-01	1.45256237E+05	1.452557E+05	5.2600E-01	-5.682898E+01	-5.736422E+01	5.3524E-01
1498	Yb	156	70	86	8.061665E+00	8.063445E+00	-1.7799E-03	1.452237E+05	1.452233E+05	3.23E-01	1.45259808E+05	1.452595E+05	3.2000E-01	-5.325845E+01	-5.358703E+01	3.2858E-01
1499	Lu	156	71	85	7.995697E+00	7.996851E+00	-1.1541E-03	1.452326E+05	1.452324E+05	2.26E-01	1.45269316E+05	1.452691E+05	2.2200E-01	-4.374992E+01	-4.398147E+01	2.3155E-01
1500	Hf	156	72	84	7.952973E+00	7.951099E+00	1.7404E-03	1.452380E+05	1.452382E+05	-2.45E-01	1.45275199E+05	1.452754E+05	-2.4800E-01	-3.786728E+01	-3.762722E+01	-2.4005E-01
1501	Nd	157	60	97	8.131959E+00	8.129453E+00	2.5062E-03	1.461572E+05	1.461575E+05	-3.65E-01	1.46188099E+05	1.461885E+05	-3.5900E-01	-5.646152E+01	-5.611163E+01	-3.4989E-01
1502	Pm	157	61	96	8.164144E+00	8.161020E+00	3.1236E-03	1.461459E+05	1.461431E+05	-4.61E-01	1.46182263E+05	1.461827E+05	-4.5500E-01	-6.229702E+01	-6.185082E+01	-4.4620E-01
1503	Sm	157	62	95	8.187063E+00	8.185314E+00	1.7491E-03	1.461426E+05	1.461462E+05	-2.36E-01	1.46177882E+05	1.461781E+05	-2.3700E-01	-6.667755E+01	-6.644797E+01	-2.2958E-01
1504	Eu	157	63	94	8.199791E+00	8.196735E+00	3.0558E-03	1.461407E+05	1.461411E+05	-4.41E-01	1.46175102E+05	1.461755E+05	-4.4000E-01	-6.945830E+01	-6.902420E+01	-4.3410E-01
1505	Gd	157	64	93	8.203500E+00	8.200917E+00	2.5830E-03	1.461403E+05	1.461411E+05	-3.65E-01	1.46173737E+05	1.461741E+05	-3.6500E-01	-7.082282E+01	-7.046382E+01	-3.5900E-01
1506	Tb	157	65	92	8.198134E+00	8.194750E+00	3.3844E-03	1.461411E+05	1.461408E+05	-4.91E-01	1.46173797E+05	1.461743E+05	-4.9100E-01	-7.076278E+01	-7.027860E+01	-4.8417E-01
1507	Dy	157	66	91	8.184621E+00	8.183146E+00	1.4750E-03	1.461411E+05	1.461413E+05	-1.90E-01	1.46175136E+05	1.461753E+05	-1.9200E-01	-6.942363E+01	-6.923991E+01	-1.8372E-01
1508	Ho	157	67	90	8.163122E+00	8.163289E+00	-1.6735E-04	1.461432E+05	1.461431E+05	6.90E-02	1.46177729E+05	1.461777E+05	6.6000E-02	-6.683057E+01	-6.690550E+01	7.4934E-02
1509	Er	157	68	89	8.136221E+00	8.137920E+00	-1.6995E-03	1.461461E+05	1.461458E+05	3.10E-01	1.46181171E+05	1.461809E+05	3.0800E-01	-6.338942E+01	-6.370567E+01	3.1625E-01
1510	Tm	157	69	88	8.101599E+00	8.104375E+00	-2.7763E-03	1.461502E+05	1.461497E+05	4.80E-01	1.46185824E+05	1.461853E+05	4.7700E-01	-5.873617E+01	-5.922215E+01	4.8597E-01
1511	Yb	157	70	87	8.062790E+00	8.064045E+00	-1.2546E-03	1.461550E+05	1.461547E+05	2.42E-01	1.46191135E+05	1.461909E+05	2.3900E-01	-5.342551E+01	-5.367332E+01	2.4780E-01
1512	Lu	157	71	86	8.013420E+00	8.015373E+00	-1.9531E-03	1.461614E+05	1.461611E+05	3.53E-01	1.46198103E+05	1.461978E+05	3.4900E-01	-4.645671E+01	-4.681496E+01	3.5825E-01
1513	Ta	157	73	84	7.896364E+00	7.894807E+00	1.5571E-03	1.461772E+05	1.461774E+05	-1.96E-01	1.46214916E+05	1.462151E+05	-2.0100E-01	-2.964371E+01	-2.945222E+01	-1.9149E-01
1514	Pm	158	61	97	8.143254E+00	8.138962E+00	4.2920E-03	1.470855E+05	1.470862E+05	-6.48E-01	1.47116965E+05	1.471176E+05	-6.4300E-01	-5.908919E+01	-5.845529E+01	-6.3390E-01
1515	Sm	158	62	96	8.177296E+00	8.176361E+00	9.3495E-04	1.470788E+05	1.470789E+05	-1.19E-01	1.47110804E+05	1.471109E+05	-1.1000E-01	-6.525022E+01	-6.514742E+01	-1.0280E-01
1516	Eu	158	63	95	8.185034E+00	8.181566E+00	3.4676E-03	1.470763E+05	1.470768E+05	-5.09E-01	1.47108799E+05	1.471093E+05	-5.0900E-01	-6.725517E+01	-6.675294E+01	-5.0222E-01
1517	Gd	158	64	94	8.201815E+00	8.199491E+00	2.3244E-03	1.470724E+05	1.470727E+05	-3.27E-01	1.47105365E+05	1.471057E+05	-3.2700E-01	-7.068889E+01	-7.036805E+01	-3.2085E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1518	Tb	158	65	93	8.189149E+00	8.185136E+00	4.0132E-03	1.470731E+05	1.470736E+05	-5.93E-01	1.47106584E+05	1.471072E+05	-5.9300E-01	-6.946994E+01	-6.888307E+01	-5.8687E-01
1519	Dy	158	66	92	8.190123E+00	8.187962E+00	2.1608E-03	1.470716E+05	1.470719E+05	-2.99E-01	1.47105648E+05	1.471059E+05	-3.0000E-01	-7.040616E+01	-7.011270E+01	-2.9346E-01
1520	Ho	158	67	91	8.158464E+00	8.157595E+00	8.6920E-04	1.470753E+05	1.470754E+05	-9.50E-02	1.47109868E+05	1.471100E+05	-9.7000E-02	-6.618640E+01	-6.609774E+01	-8.8668E-02
1521	Er	158	68	90	8.147926E+00	8.148007E+00	-8.0830E-05	1.470756E+05	1.470756E+05	5.60E-02	1.47110750E+05	1.471107E+05	5.3000E-02	-6.530381E+01	-6.536591E+01	6.2105E-02
1522	Tm	158	69	89	8.101199E+00	8.103147E+00	-1.9480E-03	1.470817E+05	1.470814E+05	3.52E-01	1.47117351E+05	1.471170E+05	3.4900E-01	-5.870319E+01	-5.906114E+01	3.5794E-01
1523	Yb	158	70	88	8.079203E+00	8.079670E+00	-4.6688E-04	1.470839E+05	1.470838E+05	1.19E-01	1.47120044E+05	1.471199E+05	1.1600E-01	-5.601022E+01	-5.613483E+01	1.2461E-01
1524	Lu	158	71	87	8.018568E+00	8.019992E+00	-1.4235E-03	1.470922E+05	1.470919E+05	2.70E-01	1.47128842E+05	1.471286E+05	2.6700E-01	-4.721230E+01	-4.748872E+01	2.7642E-01
1525	Hf	158	72	86	7.981276E+00	7.981432E+00	-1.5612E-04	1.470968E+05	1.470967E+05	7.10E-02	1.47133952E+05	1.471339E+05	6.9000E-02	-4.210251E+01	-4.217942E+01	7.6906E-02
1526	Pm	159	61	98	8.126859E+00	8.124000E+00	2.8587E-03	1.480195E+05	1.480200E+05	-4.25E-01	1.48050994E+05	1.480514E+05	-4.2000E-01	-5.655426E+01	-5.614403E+01	-4.1023E-01
1527	Sm	159	62	97	8.157495E+00	8.155331E+00	2.1642E-03	1.480134E+05	1.480137E+05	-3.15E-01	1.48045340E+05	1.480456E+05	-3.0800E-01	-6.220775E+01	-6.190866E+01	-2.9910E-01
1528	Eu	159	63	96	8.176695E+00	8.173906E+00	2.7893E-03	1.480090E+05	1.480094E+05	-4.05E-01	1.48041505E+05	1.480419E+05	-4.0500E-01	-6.604286E+01	-6.564513E+01	-3.9773E-01
1529	Gd	159	64	95	8.187610E+00	8.184985E+00	2.6246E-03	1.480045E+05	1.480064E+05	-3.77E-01	1.48038987E+05	1.480394E+05	-3.7700E-01	-6.856078E+01	-6.818988E+01	-3.7090E-01
1530	Tb	159	65	94	8.188796E+00	8.184619E+00	4.1775E-03	1.480043E+05	1.480048E+05	-6.24E-01	1.48038016E+05	1.480386E+05	-6.2300E-01	-6.953164E+01	-6.891462E+01	-6.1702E-01
1531	Dy	159	66	93	8.181577E+00	8.178130E+00	3.4472E-03	1.480043E+05	1.480048E+05	-5.07E-01	1.48038382E+05	1.480389E+05	-5.0700E-01	-6.916626E+01	-6.866600E+01	-5.0026E-01
1532	Ho	159	67	92	8.165100E+00	8.162728E+00	2.3719E-03	1.480056E+05	1.480060E+05	-3.34E-01	1.48040219E+05	1.480406E+05	-3.3700E-01	-6.732866E+01	-6.700021E+01	-3.2845E-01
1533	Er	159	68	91	8.142767E+00	8.142007E+00	7.6000E-04	1.480079E+05	1.480080E+05	-7.80E-02	1.48042988E+05	1.480431E+05	-8.0000E-02	-6.456016E+01	-6.448863E+01	-7.1535E-02
1534	Tm	159	69	90	8.112754E+00	8.113250E+00	-4.9606E-04	1.480114E+05	1.480112E+05	1.23E-01	1.48046978E+05	1.480469E+05	1.2000E-01	-6.057040E+01	-6.069935E+01	1.2895E-01
1535	Yb	159	70	89	8.078075E+00	8.078429E+00	-3.5380E-04	1.480156E+05	1.480155E+05	1.02E-01	1.48051709E+05	1.480516E+05	9.8000E-02	-5.583876E+01	-5.594585E+01	1.0709E-01
1536	Lu	159	71	88	8.034600E+00	8.035639E+00	-1.0394E-03	1.480212E+05	1.480210E+05	2.11E-01	1.48057839E+05	1.480576E+05	2.0700E-01	-4.970860E+01	-4.992541E+01	2.1681E-01
1537	Hf	159	72	87	7.986561E+00	7.986031E+00	5.3033E-04	1.480275E+05	1.480275E+05	-3.80E-02	1.48064695E+05	1.480647E+05	-4.1000E-02	-4.285276E+01	-4.282070E+01	-3.2058E-02
1538	Ta	159	73	86	7.928757E+00	7.928906E+00	-1.4943E-04	1.480354E+05	1.480353E+05	7.10E-02	1.48073104E+05	1.480730E+05	6.8000E-02	-3.444427E+01	-3.452102E+01	7.6756E-02
1539	Sm	160	62	98	8.144625E+00	8.143710E+00	9.1499E-04	1.489468E+05	1.489470E+05	-1.17E-01	1.48978807E+05	1.489789E+05	-1.1100E-01	-6.023477E+01	-6.013334E+01	-1.0143E-01
1540	Eu	160	63	97	8.160021E+00	8.156437E+00	3.5838E-03	1.489431E+05	1.489436E+05	-5.43E-01	1.48975562E+05	1.489761E+05	-5.3500E-01	-6.348044E+01	-6.295277E+01	-5.2767E-01
1541	Gd	160	64	96	8.183009E+00	8.180866E+00	2.1430E-03	1.489381E+05	1.489384E+05	-3.03E-01	1.48971101E+05	1.489714E+05	-3.0300E-01	-6.794093E+01	-6.764445E+01	-2.9648E-01
1542	Tb	160	65	95	8.177461E+00	8.173567E+00	3.8937E-03	1.489377E+05	1.489383E+05	-5.83E-01	1.48971207E+05	1.489718E+05	-5.8100E-01	-6.783553E+01	-6.725973E+01	-5.7580E-01
1543	Dy	160	66	94	8.184046E+00	8.180983E+00	3.0626E-03	1.489353E+05	1.489358E+05	-4.49E-01	1.48969371E+05	1.489698E+05	-4.4800E-01	-6.967142E+01	-6.922938E+01	-4.4204E-01
1544	Ho	160	67	93	8.158593E+00	8.156297E+00	2.2960E-03	1.489381E+05	1.489384E+05	-3.25E-01	1.48972661E+05	1.489730E+05	-3.2600E-01	-6.638142E+01	-6.606264E+01	-3.1879E-01
1545	Er	160	68	92	8.151721E+00	8.150651E+00	1.0696E-03	1.489379E+05	1.489380E+05	1.28E-01	1.48972978E+05	1.489731E+05	-1.3000E-01	-6.606423E+01	-6.594242E+01	-1.2181E-01
1546	Tm	160	69	91	8.110818E+00	8.110962E+00	-1.4403E-04	1.489431E+05	1.489430E+05	6.70E-02	1.48978740E+05	1.489787E+05	6.4000E-02	-6.030203E+01	-6.037520E+01	7.3169E-02
1547	Yb	160	70	90	8.092571E+00	8.092271E+00	3.0099E-04	1.489447E+05	1.489447E+05	-4.00E-03	1.48980877E+05	1.489809E+05	-6.0000E-03	-5.816490E+01	-5.816770E+01	2.7950E-03
1548	Lu	160	71	89	8.038338E+00	8.038277E+00	6.0850E-05	1.489521E+05	1.489521E+05	3.60E-02	1.48988772E+05	1.489887E+05	3.2000E-02	-5.026994E+01	-5.031177E+01	4.1834E-02
1549	Hf	160	72	88	8.006332E+00	8.005445E+00	8.8683E-04	1.489559E+05	1.489560E+05	-9.50E-02	1.48993111E+05	1.489932E+05	-9.8000E-02	-4.593127E+01	-4.584173E+01	-8.9540E-02
1550	Ta	160	73	87	7.938585E+00	7.937313E+00	1.2718E-03	1.489654E+05	1.489656E+05	-1.57E-01	1.49003168E+05	1.490033E+05	-1.6000E-01	-3.587415E+01	-3.572369E+01	-1.5046E-01
1551	W	160	74	86	7.893088E+00	7.890487E+00	2.6012E-03	1.489714E+05	1.489718E+05	-3.68E-01	1.49009665E+05	1.490100E+05	-3.7100E-01	-2.937691E+01	-2.901454E+01	-3.6237E-01
1552	Sm	161	62	99	8.122040E+00	8.120566E+00	1.4741E-03	1.498819E+05	1.498821E+05	-2.09E-01	1.49913864E+05	1.499141E+05	-2.0200E-01	-5.667194E+01	-5.647952E+01	-1.9242E-01
1553	Eu	161	63	98	8.148980E+00	8.145994E+00	2.9857E-03	1.498762E+05	1.498767E+05	-4.51E-01	1.49908745E+05	1.499092E+05	-4.4300E-01	-6.179150E+01	-6.135657E+01	-4.3493E-01
1554	Gd	161	64	97	8.167186E+00	8.164301E+00	2.8851E-03	1.498720E+05	1.498724E+05	-4.24E-01	1.49905031E+05	1.499055E+05	-4.2500E-01	-6.550501E+01	-6.508702E+01	-4.1799E-01
1555	Tb	161	65	96	8.174474E+00	8.170552E+00	3.9220E-03	1.498695E+05	1.498701E+05	-5.91E-01	1.49903075E+05	1.499037E+05	-5.9100E-01	-6.746082E+01	-6.687651E+01	-5.8431E-01
1556	Dy	161	66	95	8.173302E+00	8.170054E+00	3.2481E-03	1.498684E+05	1.498689E+05	-4.82E-01	1.49902482E+05	1.499030E+05	-4.8100E-01	-6.805449E+01	-6.757940E+01	-4.7509E-01
1557	Ho	161	67	94	8.163114E+00	8.159718E+00	3.3958E-03	1.498688E+05	1.498693E+05	-5.04E-01	1.49903340E+05	1.499038E+05	-5.0500E-01	-6.719654E+01	-6.669844E+01	-4.9810E-01
1558	Er	161	68	93	8.145856E+00	8.143840E+00	2.0161E-03	1.498702E+05	1.498705E+05	-2.82E-01	1.49905336E+05	1.499056E+05	-2.8300E-01	-6.520030E+01	-6.492510E+01	-2.7520E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z),$ MeV	$E_B^{Th}(A, Z, a_i),$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z),$ MeV	$M_{a.m.}^{Th}(A, Z, a_i),$ MeV	Residual, MeV	$M_{a.m.}^{Th}(A, Z, a_i),$ MeV	$\Delta M_{a.m.}^{Exp}(A, Z),$ MeV	$\Delta M_{a.m.}^{Th}(A, Z, a_i),$ MeV	Residual, MeV
1559	Tm	161	69	92	8.120490E+00	8.119677E+00	8.1282E-04	1.498730E+05	1.498731E+05	-8.70E-02	1.49908637E+05	1.499087E+05	-6.181798E+01	-8.0729E-02
1560	Yb	161	70	91	8.090416E+00	8.089819E+00	5.9750E-04	1.498765E+05	1.498766E+05	-5.20E-02	1.49912697E+05	1.499128E+05	-5.779381E+01	-4.5319E-02
1561	Lu	161	71	90	8.052781E+00	8.052067E+00	7.1377E-04	1.498813E+05	1.498814E+05	-7.00E-02	1.49917974E+05	1.499180E+05	-5.249893E+01	-6.3412E-02
1562	Hf	161	72	89	8.009121E+00	8.008015E+00	1.1056E-03	1.498870E+05	1.498872E+05	-1.32E-01	1.49924221E+05	1.499244E+05	-4.618966E+01	-1.2574E-01
1563	Ta	161	73	88	7.956970E+00	7.956620E+00	3.4969E-04	1.498941E+05	1.498941E+05	-9.00E-03	1.49931835E+05	1.499318E+05	-3.870147E+01	-3.3340E-03
1564	Re	161	75	86	7.836626E+00	7.834267E+00	2.3585E-03	1.499109E+05	1.499112E+05	-3.29E-01	1.49949645E+05	1.499500E+05	-2.089066E+01	-3.2518E-01
1565	Eu	162	63	99	8.129384E+00	8.126194E+00	3.1901E-03	1.508108E+05	1.508113E+05	-4.86E-01	1.50843336E+05	1.508438E+05	-5.869459E+01	-4.7100E-01
1566	Gd	162	64	98	8.159030E+00	8.157284E+00	1.7461E-03	1.508047E+05	1.508050E+05	-2.54E-01	1.50837751E+05	1.508380E+05	-6.404325E+01	-2.3634E-01
1567	Tb	162	65	97	8.162812E+00	8.157439E+00	5.3732E-03	1.508028E+05	1.508037E+05	-8.30E-01	1.50836355E+05	1.508372E+05	-6.567465E+01	-8.2323E-01
1568	Dy	162	66	96	8.173449E+00	8.170392E+00	3.0567E-03	1.507998E+05	1.508002E+05	-4.53E-01	1.50833850E+05	1.508343E+05	-6.818017E+01	-4.4722E-01
1569	Ho	162	67	95	8.155413E+00	8.152090E+00	3.3226E-03	1.508014E+05	1.508019E+05	-4.96E-01	1.50835989E+05	1.508365E+05	-6.604081E+01	-4.8968E-01
1570	Er	162	68	94	8.152389E+00	8.150619E+00	1.7699E-03	1.508006E+05	1.508008E+05	-2.44E-01	1.50835697E+05	1.508359E+05	-6.63321E+01	-2.3735E-01
1571	Tm	162	69	93	8.117580E+00	8.116366E+00	1.2143E-03	1.508049E+05	1.508051E+05	-1.53E-01	1.50840554E+05	1.508407E+05	-6.147648E+01	-1.4661E-01
1572	Yb	162	70	92	8.102566E+00	8.102099E+00	4.6707E-04	1.508061E+05	1.508061E+05	-3.10E-02	1.50842204E+05	1.508422E+05	-5.982650E+01	-2.4764E-02
1573	Lu	162	71	91	8.054559E+00	8.053333E+00	1.2256E-03	1.508125E+05	1.508127E+05	-1.53E-01	1.50849198E+05	1.508494E+05	-5.283175E+01	-1.4695E-01
1574	Hf	162	72	90	8.027120E+00	8.025451E+00	1.6694E-03	1.508157E+05	1.508159E+05	-2.24E-01	1.50852861E+05	1.508531E+05	-4.916906E+01	-2.1820E-01
1575	Ta	162	73	89	7.964336E+00	7.962900E+00	1.4359E-03	1.508245E+05	1.508247E+05	-1.86E-01	1.50862250E+05	1.508624E+05	-4.895086E+01	-1.7955E-01
1576	W	162	74	88	7.923828E+00	7.921608E+00	2.2199E-03	1.508298E+05	1.508301E+05	-3.11E-01	1.50868030E+05	1.508683E+05	-3.400033E+01	-3.0580E-01
1577	Eu	163	63	100	8.116415E+00	8.113188E+00	3.2267E-03	1.517444E+05	1.517449E+05	-4.97E-01	1.51776885E+05	1.517774E+05	-5.663886E+01	-4.8031E-01
1578	Gd	163	64	99	8.140297E+00	8.138439E+00	1.8583E-03	1.517392E+05	1.517395E+05	-2.73E-01	1.51772210E+05	1.517725E+05	-6.131386E+01	-2.5642E-01
1579	Tb	163	65	98	8.155625E+00	8.151595E+00	4.0302E-03	1.517354E+05	1.517360E+05	-6.17E-01	1.51768929E+05	1.517695E+05	-6.459477E+01	-6.0981E-01
1580	Dy	163	66	97	8.161777E+00	8.157767E+00	4.0099E-03	1.517331E+05	1.517337E+05	-6.12E-01	1.51767144E+05	1.517678E+05	-6.637986E+01	-6.0574E-01
1581	Ho	163	67	96	8.156962E+00	8.153239E+00	3.7232E-03	1.517326E+05	1.517331E+05	-5.65E-01	1.51767147E+05	1.517677E+05	-6.637731E+01	-5.5821E-01
1582	Er	163	68	95	8.144734E+00	8.142733E+00	2.0013E-03	1.517333E+05	1.517335E+05	-2.83E-01	1.51768358E+05	1.517686E+05	-6.488967E+01	-2.7690E-01
1583	Tm	163	69	94	8.124972E+00	8.123412E+00	1.5604E-03	1.517352E+05	1.517354E+05	-2.11E-01	1.51770797E+05	1.517710E+05	-6.272758E+01	-2.0418E-01
1584	Yb	163	70	93	8.099139E+00	8.098490E+00	6.4854E-04	1.517381E+05	1.517381E+05	-6.10E-02	1.51774225E+05	1.517743E+05	-5.929925E+01	-5.4912E-02
1585	Lu	163	71	92	8.066684E+00	8.065540E+00	1.1435E-03	1.517421E+05	1.517422E+05	-1.41E-01	1.51778733E+05	1.517789E+05	-5.479141E+01	-1.3484E-01
1586	Hf	163	72	91	8.027974E+00	8.026581E+00	1.3931E-03	1.517471E+05	1.517472E+05	-1.81E-01	1.51784260E+05	1.517844E+05	-4.926397E+01	-1.7475E-01
1587	Ta	163	73	90	7.981890E+00	7.980188E+00	1.7020E-03	1.517533E+05	1.517535E+05	-2.30E-01	1.51790989E+05	1.517912E+05	-4.253471E+01	-2.2444E-01
1588	W	163	74	89	7.930303E+00	7.927692E+00	2.6110E-03	1.517604E+05	1.517607E+05	-3.77E-01	1.51798616E+05	1.517990E+05	-3.490835E+01	-3.7185E-01
1589	Re	163	75	88	7.870897E+00	7.868782E+00	2.1151E-03	1.517687E+05	1.517690E+05	-2.96E-01	1.51807517E+05	1.518078E+05	-2.600744E+01	-2.9022E-01
1590	Tb	164	65	99	8.139757E+00	8.136113E+00	3.6437E-03	1.526694E+05	1.526700E+05	-5.66E-01	1.52702941E+05	1.527035E+05	-6.207666E+01	-5.5039E-01
1591	Dy	164	66	98	8.158706E+00	8.155250E+00	3.4558E-03	1.526650E+05	1.526655E+05	-5.35E-01	1.52699051E+05	1.526996E+05	-6.596666E+01	-5.1886E-01
1592	Ho	164	67	97	8.147924E+00	8.143884E+00	4.0400E-03	1.526655E+05	1.526661E+05	-6.20E-01	1.52700037E+05	1.527007E+05	-6.498077E+01	-6.1395E-01
1593	Er	164	68	96	8.149012E+00	8.147143E+00	1.8690E-03	1.526640E+05	1.526642E+05	-2.64E-01	1.52699077E+05	1.526993E+05	-6.594159E+01	-2.5722E-01
1594	Tm	164	69	95	8.119621E+00	8.118854E+00	7.6667E-04	1.526675E+05	1.526676E+05	-8.20E-02	1.52703114E+05	1.527032E+05	-6.190372E+01	-7.5618E-02
1595	Yb	164	70	94	8.109447E+00	8.108957E+00	4.8999E-04	1.526679E+05	1.526679E+05	-3.60E-02	1.52704001E+05	1.527040E+05	-6.101758E+01	-2.9551E-02
1596	Lu	164	71	93	8.065804E+00	8.065500E+00	3.0449E-04	1.526737E+05	1.526737E+05	-5.00E-03	1.52710376E+05	1.527104E+05	-5.464237E+01	1.7001E-03
1597	Hf	164	72	92	8.043813E+00	8.042317E+00	1.4957E-03	1.526760E+05	1.526762E+05	-1.99E-01	1.52713200E+05	1.527134E+05	-5.181822E+01	-1.9296E-01
1598	Ta	164	73	91	7.986997E+00	7.984926E+00	2.0711E-03	1.526840E+05	1.526843E+05	-2.92E-01	1.52721735E+05	1.527220E+05	-4.328280E+01	-2.8664E-01
1599	W	164	74	90	7.951404E+00	7.948452E+00	2.9524E-03	1.526885E+05	1.526890E+05	-4.36E-01	1.52726790E+05	1.527272E+05	-3.822788E+01	-4.3043E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1600	Re	164	75	89	7.881360E+00	7.878379E+00	2.9811E-03	1.526987E+05	1.526992E+05	-4.40E-01	1.52737495E+05	1.527379E+05	-4.4400E-01	-2.752297E+01	-2.708860E+01	-4.3437E-01
1601	Os	164	76	88	7.833599E+00	7.829884E+00	3.7154E-03	1.527052E+05	1.527058E+05	-5.59E-01	1.52744545E+05	1.527451E+05	-5.6300E-01	-2.047264E+01	-1.991846E+01	-5.5419E-01
1602	Dy	165	66	99	8.143902E+00	8.140512E+00	3.3897E-03	1.535988E+05	1.535994E+05	-5.27E-01	1.53632901E+05	1.536334E+05	-5.1800E-01	-6.361130E+01	-6.309998E+01	-5.1132E-01
1603	Ho	165	67	98	8.146960E+00	8.142350E+00	4.6101E-03	1.535970E+05	1.535978E+05	-7.29E-01	1.53631614E+05	1.536323E+05	-7.1900E-01	-6.489827E+01	-6.418626E+01	-7.1201E-01
1604	Er	165	68	97	8.139928E+00	8.137812E+00	2.1156E-03	1.535969E+05	1.535972E+05	-3.06E-01	1.53631992E+05	1.536323E+05	-3.0600E-01	-6.452040E+01	-6.422064E+01	-2.9976E-01
1605	Tm	165	69	96	8.125541E+00	8.123787E+00	1.7536E-03	1.535980E+05	1.535982E+05	-2.45E-01	1.53633583E+05	1.536338E+05	-2.4700E-01	-6.292881E+01	-6.268960E+01	-2.3921E-01
1606	Yb	165	70	95	8.104839E+00	8.104050E+00	7.8904E-04	1.536001E+05	1.536002E+05	-8.60E-02	1.53636217E+05	1.536363E+05	-8.7000E-02	-6.029538E+01	-6.021600E+01	-7.9382E-02
1607	Lu	165	71	94	8.076745E+00	8.075988E+00	7.5685E-04	1.536034E+05	1.536035E+05	-7.90E-02	1.53640070E+05	1.536402E+05	-8.2000E-02	-5.644224E+01	-5.636888E+01	-7.3364E-02
1608	Hf	165	72	93	8.042872E+00	8.042070E+00	8.0202E-04	1.536077E+05	1.536078E+05	-8.60E-02	1.53644877E+05	1.536450E+05	-8.8000E-02	-5.163551E+01	-5.155546E+01	-8.0052E-02
1609	Ta	165	73	92	8.003052E+00	8.000493E+00	2.5589E-03	1.536129E+05	1.536133E+05	-3.75E-01	1.53650665E+05	1.536510E+05	-3.7800E-01	-4.584760E+01	-4.547834E+01	-3.6926E-01
1610	W	165	74	91	7.955969E+00	7.952966E+00	3.0028E-03	1.536194E+05	1.536198E+05	-4.47E-01	1.53657651E+05	1.536581E+05	-4.5100E-01	-3.886120E+01	-3.841948E+01	-4.4172E-01
1611	Re	165	75	90	7.901424E+00	7.898838E+00	2.5655E-03	1.536271E+05	1.536275E+05	-3.74E-01	1.53665868E+05	1.536662E+05	-3.7900E-01	-3.064367E+01	-3.027479E+01	-3.6888E-01
1612	Tb	166	65	101	8.113672E+00	8.109619E+00	4.0529E-03	1.545366E+05	1.545372E+05	-6.42E-01	1.54570123E+05	1.545708E+05	-6.3400E-01	-5.788348E+01	-5.725782E+01	-6.2566E-01
1613	Dy	166	66	100	8.137273E+00	8.135080E+00	2.1933E-03	1.545314E+05	1.545317E+05	-3.32E-01	1.54565423E+05	1.545657E+05	-3.2300E-01	-6.258348E+01	-6.226735E+01	-3.1613E-01
1614	Ho	166	67	99	8.135494E+00	8.130855E+00	4.6387E-03	1.545304E+05	1.545311E+05	-7.28E-01	1.54564936E+05	1.545657E+05	-7.2800E-01	-6.307060E+01	-6.234919E+01	-7.2140E-01
1615	Er	166	68	98	8.141956E+00	8.139482E+00	4.6387E-03	1.545280E+05	1.545283E+05	-3.68E-01	1.54563081E+05	1.545634E+05	-3.6700E-01	-6.492557E+01	-6.456437E+01	-3.6120E-01
1616	Tm	166	69	97	8.118944E+00	8.117667E+00	1.2766E-03	1.545305E+05	1.545307E+05	-1.68E-01	1.54566118E+05	1.545663E+05	-1.6900E-01	-6.188790E+01	-6.172615E+01	-1.6176E-01
1617	Yb	166	70	96	8.112468E+00	8.112280E+00	1.8763E-04	1.545303E+05	1.545302E+05	1.30E-02	1.54566411E+05	1.545664E+05	-1.3000E-02	-6.159528E+01	-6.161498E+01	-1.9703E-02
1618	Lu	166	71	95	8.074175E+00	8.074503E+00	-3.2806E-04	1.545333E+05	1.545352E+05	1.00E-01	1.54571985E+05	1.545719E+05	9.8000E-02	-5.602098E+01	-5.612702E+01	1.0604E-01
1619	Hf	166	72	94	8.056438E+00	8.055990E+00	4.4755E-04	1.545369E+05	1.545370E+05	2.80E-02	1.54574147E+05	1.545742E+05	-3.0000E-02	-5.385898E+01	-5.383700E+01	-2.1978E-02
1620	Ta	166	73	93	8.004971E+00	8.003766E+00	1.2050E-03	1.545442E+05	1.545443E+05	-1.53E-01	1.54581908E+05	1.545821E+05	-1.5600E-01	-4.609778E+01	-4.595083E+01	-1.4695E-01
1621	W	166	74	92	7.974899E+00	7.971931E+00	2.9675E-03	1.545479E+05	1.545483E+05	-4.45E-01	1.54586118E+05	1.545866E+05	-4.4700E-01	-4.188816E+01	-4.144937E+01	-4.3879E-01
1622	Re	166	75	91	7.909977E+00	7.906797E+00	3.1798E-03	1.545573E+05	1.545578E+05	-4.79E-01	1.54596113E+05	1.545966E+05	-4.8300E-01	-3.189359E+01	-3.142016E+01	-4.7343E-01
1623	Os	166	76	90	7.866368E+00	7.862927E+00	3.4410E-03	1.545633E+05	1.545638E+05	-5.22E-01	1.54602569E+05	1.546031E+05	-5.2500E-01	-2.543679E+01	-2.492078E+01	-5.1602E-01
1624	Dy	167	66	101	8.120995E+00	8.118098E+00	2.8969E-03	1.546455E+05	1.546460E+05	-4.52E-01	1.5499569E+05	1.55000E+05	-4.4400E-01	-5.993104E+01	-5.949519E+01	-4.3585E-01
1625	Ho	167	67	100	8.130382E+00	8.126476E+00	3.9064E-03	1.54626E+05	1.54633E+05	-6.21E-01	1.5497219E+05	1.54978E+05	-6.1100E-01	-6.228104E+01	-6.167730E+01	-6.0374E-01
1626	Er	167	68	99	8.131743E+00	8.128337E+00	3.4057E-03	1.54611E+05	1.54616E+05	-5.26E-01	1.5496209E+05	1.54967E+05	-5.2700E-01	-6.329072E+01	-6.277129E+01	-5.1942E-01
1627	Tm	167	69	98	8.122587E+00	8.120086E+00	2.5006E-03	1.54613E+05	1.54617E+05	-3.74E-01	1.5496956E+05	1.54973E+05	-3.7500E-01	-6.254405E+01	-6.217647E+01	-3.6758E-01
1628	Yb	167	70	97	8.106207E+00	8.105900E+00	3.0710E-04	1.54628E+05	1.54628E+05	-6.00E-03	1.5498909E+05	1.54989E+05	-8.0000E-03	-6.059090E+01	-6.059040E+01	-5.0020E-04
1629	Lu	167	71	96	8.083021E+00	8.082969E+00	5.1910E-05	1.54653E+05	1.54653E+05	3.70E-02	1.5501999E+05	1.55020E+05	3.5000E-02	-5.750113E+01	-5.754403E+01	4.2908E-02
1630	Hf	167	72	95	8.054184E+00	8.054230E+00	-4.6490E-05	1.54688E+05	1.54688E+05	5.40E-02	1.5506032E+05	1.55060E+05	5.1000E-02	-5.346776E+01	-5.352776E+01	6.0007E-02
1631	Ta	167	73	94	8.018861E+00	8.017549E+00	1.3121E-03	1.54734E+05	1.54736E+05	-1.72E-01	1.551149E+05	1.55113E+05	-1.7500E-01	-4.835106E+01	-4.818501E+01	-1.6605E-01
1632	W	167	74	93	7.976740E+00	7.974972E+00	1.7681E-03	1.54792E+05	1.54794E+05	-2.47E-01	1.5517401E+05	1.55177E+05	-2.5000E-01	-4.209928E+01	-4.185774E+01	-2.4155E-01
1633	Os	167	76	91	7.873975E+00	7.870507E+00	3.4684E-03	1.54937E+05	1.54942E+05	-5.29E-01	1.5532998E+05	1.55335E+05	-5.3400E-01	-2.650215E+01	-2.597818E+01	-5.2397E-01
1634	Ir	167	77	90	7.812856E+00	7.810107E+00	2.7486E-03	1.55026E+05	1.55030E+05	-4.08E-01	1.55542422E+05	1.555428E+05	-4.1300E-01	-1.707772E+01	-1.667459E+01	-4.0312E-01
1635	Dy	168	66	102	8.112538E+00	8.109935E+00	2.6031E-03	1.563984E+05	1.563988E+05	-4.07E-01	1.56432434E+05	1.564328E+05	-3.9800E-01	-5.855998E+01	-5.817055E+01	-3.8943E-01
1636	Ho	168	67	101	8.116814E+00	8.112661E+00	4.1527E-03	1.563963E+05	1.563970E+05	-6.67E-01	1.56430933E+05	1.564316E+05	-6.5700E-01	-6.006071E+01	-5.941166E+01	-6.4905E-01
1637	Er	168	68	100	8.129598E+00	8.127106E+00	2.4919E-03	1.563929E+05	1.563933E+05	-3.76E-01	1.56428003E+05	1.564284E+05	-3.7600E-01	-6.299071E+01	-6.262146E+01	-3.6925E-01
1638	Tm	168	69	99	8.114957E+00	8.112079E+00	2.8784E-03	1.563941E+05	1.563945E+05	-4.40E-01	1.56429681E+05	1.564301E+05	-4.4000E-01	-6.131335E+01	-6.087993E+01	-4.3342E-01
1639	Yb	168	70	98	8.111896E+00	8.111510E+00	3.8635E-04	1.563933E+05	1.563933E+05	-2.00E-02	1.56429413E+05	1.564294E+05	-2.1000E-02	-6.158144E+01	-6.156742E+01	-1.4020E-02
1640	Lu	168	71	97	8.080369E+00	8.079868E+00	5.0107E-04	1.563973E+05	1.563973E+05	-3.90E-02	1.56433927E+05	1.564340E+05	-4.0000E-02	-5.706739E+01	-5.703469E+01	-3.2701E-02

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1641	Hf	168	72	96	8.065553E+00	8.066040E+00	-4.8695E-04	1.563984E+05	1.563983E+05	1.28E-01	1.56435634E+05	1.564355E+05	1.2700E-01	-5.536055E+01	-5.549466E+01	1.3411E-01
1642	Ta	168	73	95	8.019428E+00	8.019229E+00	1.9900E-04	1.564049E+05	1.564049E+05	1.40E-02	1.56442600E+05	1.564426E+05	1.1000E-02	-4.839391E+01	-4.841350E+01	1.9593E-02
1643	W	168	74	94	7.993931E+00	7.992102E+00	1.8291E-03	1.564079E+05	1.564081E+05	-2.60E-01	1.56446101E+05	1.564464E+05	-2.6200E-01	-4.489285E+01	-4.463923E+01	-2.5362E-01
1644	Re	168	75	93	7.935120E+00	7.931885E+00	3.2355E-03	1.564164E+05	1.564169E+05	-4.95E-01	1.56455199E+05	1.564557E+05	-4.9900E-01	-3.579489E+01	-3.530579E+01	-4.8910E-01
1645	Os	168	76	92	7.895892E+00	7.892390E+00	3.5021E-03	1.564217E+05	1.564222E+05	-5.39E-01	1.56461007E+05	1.564616E+05	-5.4300E-01	-2.998689E+01	-2.945377E+01	-5.3312E-01
1646	Ir	168	77	91	7.824151E+00	7.820919E+00	3.2325E-03	1.564324E+05	1.564329E+05	-4.93E-01	1.56472277E+05	1.564728E+05	-4.9800E-01	-1.871684E+01	-1.822965E+01	-4.8720E-01
1647	Pt	168	78	90	7.773907E+00	7.771289E+00	2.6178E-03	1.564396E+05	1.564400E+05	-3.88E-01	1.56479936E+05	1.564803E+05	-3.9300E-01	-1.105808E+01	-1.067499E+01	-3.8308E-01
1648	Dy	169	66	103	8.094765E+00	8.090801E+00	3.9636E-03	1.573328E+05	1.573335E+05	-6.41E-01	1.57366891E+05	1.573675E+05	-6.3100E-01	-5.559759E+01	-5.497561E+01	-6.2198E-01
1649	Ho	169	67	102	8.109071E+00	8.105521E+00	3.5503E-03	1.573291E+05	1.573297E+05	-5.71E-01	1.57363691E+05	1.573643E+05	-5.5900E-01	-5.879759E+01	-5.824624E+01	-5.5135E-01
1650	Er	169	68	101	8.117016E+00	8.113893E+00	3.1233E-03	1.573265E+05	1.573269E+05	-4.85E-01	1.57361566E+05	1.573621E+05	-4.8500E-01	-6.092264E+01	-6.044420E+01	-4.7845E-01
1651	Tm	169	69	100	8.114475E+00	8.111745E+00	2.7303E-03	1.573256E+05	1.573260E+05	-4.18E-01	1.57361213E+05	1.573616E+05	-4.1800E-01	-6.127564E+01	-6.086425E+01	-4.1139E-01
1652	Yb	169	70	99	8.103470E+00	8.103470E+00	2.7303E-03	1.573260E+05	1.573260E+05	-1.35E-01	1.57362111E+05	1.573622E+05	-1.3500E-01	-6.037710E+01	-6.024885E+01	-9.1196E-03
1653	Lu	169	71	98	8.086332E+00	8.085973E+00	3.5907E-04	1.573277E+05	1.573277E+05	-1.50E-02	1.57364404E+05	1.573644E+05	-1.6000E-02	-5.808410E+01	-5.807498E+01	1.9650E-01
1654	Hf	169	72	97	8.061778E+00	8.062632E+00	-8.5371E-04	1.573306E+05	1.573304E+05	1.90E-01	1.57367771E+05	1.573676E+05	1.8900E-01	-5.471689E+01	-5.491339E+01	1.9650E-01
1655	Ta	169	73	96	8.030957E+00	8.031025E+00	-6.7650E-05	1.573345E+05	1.573344E+05	5.80E-02	1.57372198E+05	1.573721E+05	5.7000E-02	-5.029043E+01	-5.035488E+01	6.4447E-02
1656	W	169	74	95	7.994537E+00	7.993544E+00	9.9283E-04	1.573393E+05	1.573394E+05	-1.19E-01	1.57377570E+05	1.573777E+05	-1.2300E-01	-4.491772E+01	-4.480375E+01	-1.396E-01
1657	Re	169	75	94	7.951395E+00	7.948752E+00	2.6434E-03	1.573453E+05	1.573457E+05	-3.98E-01	1.57384079E+05	1.573845E+05	-4.0100E-01	-3.840917E+01	-3.810688E+01	-3.9228E-01
1658	Os	169	76	93	7.901285E+00	7.898448E+00	2.8371E-03	1.573525E+05	1.573529E+05	-4.30E-01	1.57391765E+05	1.573922E+05	-4.3400E-01	-3.072293E+01	-3.029864E+01	-4.2429E-01
1659	Ir	169	77	92	7.845501E+00	7.842367E+00	3.1341E-03	1.573606E+05	1.573611E+05	-4.79E-01	1.57400410E+05	1.574009E+05	-4.8400E-01	-2.207782E+01	-2.160402E+01	-4.7380E-01
1660	Ho	170	67	103	8.093799E+00	8.089424E+00	4.3752E-03	1.582632E+05	1.582639E+05	-7.12E-01	1.58297743E+05	1.582984E+05	-7.0400E-01	-5.623909E+01	-5.54398E+01	-6.9511E-01
1661	Er	170	68	102	8.111961E+00	8.109813E+00	2.1484E-03	1.582588E+05	1.582591E+05	-3.33E-01	1.58293873E+05	1.582942E+05	-3.2300E-01	-6.010909E+01	-5.979316E+01	-3.1594E-01
1662	Tm	170	69	101	8.105519E+00	8.101609E+00	3.9099E-03	1.582586E+05	1.582592E+05	-6.22E-01	1.58294186E+05	1.582948E+05	-6.2200E-01	-5.979630E+01	-5.918163E+01	-6.1466E-01
1663	Yb	170	70	100	8.106614E+00	8.106235E+00	3.7889E-04	1.582571E+05	1.582571E+05	-2.00E-02	1.58293217E+05	1.582932E+05	-2.1000E-02	-6.076473E+01	-6.075113E+01	-1.3601E-02
1664	Lu	170	71	99	8.081673E+00	8.081084E+00	5.8948E-04	1.582600E+05	1.582601E+05	-5.50E-02	1.58296675E+05	1.582967E+05	-5.6000E-02	-5.730703E+01	-5.725843E+01	-4.8599E-02
1665	Hf	170	72	98	8.070875E+00	8.071985E+00	-1.1102E-03	1.582605E+05	1.582603E+05	2.35E-01	1.58297728E+05	1.582975E+05	2.3300E-01	-5.625385E+01	-5.649480E+01	2.4095E-01
1666	Ta	170	73	97	8.030296E+00	8.030965E+00	-6.6941E-04	1.582661E+05	1.582660E+05	1.61E-01	1.58303845E+05	1.583037E+05	1.5900E-01	-5.013767E+01	-5.030451E+01	1.6685E-01
1667	W	170	74	96	8.008946E+00	8.008649E+00	2.9741E-04	1.582684E+05	1.582684E+05	-3.00E-03	1.58306692E+05	1.583067E+05	-4.0000E-03	-4.729047E+01	-4.729373E+01	3.2570E-03
1668	Re	170	75	95	7.955092E+00	7.953536E+00	1.5561E-03	1.582763E+05	1.582765E+05	-2.16E-01	1.58315064E+05	1.583153E+05	-2.2000E-01	-3.891773E+01	-3.870765E+01	-2.1010E-01
1669	Os	170	76	94	7.921130E+00	7.918494E+00	2.6361E-03	1.582808E+05	1.582812E+05	-3.98E-01	1.58320056E+05	1.583205E+05	-4.0100E-01	-3.392645E+01	-3.353559E+01	-3.9286E-01
1670	Pt	170	78	92	7.808267E+00	7.806086E+00	2.1807E-03	1.582973E+05	1.582976E+05	-3.18E-01	1.58337678E+05	1.583380E+05	-3.2400E-01	-1.630455E+01	-1.599045E+01	-3.1410E-01
1671	Ho	171	67	104	8.083611E+00	8.079800E+00	3.8105E-03	1.591964E+05	1.591970E+05	-6.20E-01	1.59230957E+05	1.592316E+05	-6.1200E-01	-5.451939E+01	-5.391649E+01	-6.0290E-01
1672	Er	171	68	103	8.097749E+00	8.094444E+00	3.3045E-03	1.591926E+05	1.591932E+05	-5.35E-01	1.59227757E+05	1.592283E+05	-5.2400E-01	-5.771939E+01	-5.720369E+01	-5.1570E-01
1673	Tm	171	69	102	8.101899E+00	8.098486E+00	3.4128E-03	1.591906E+05	1.591912E+05	-5.41E-01	1.59226265E+05	1.592268E+05	-5.4100E-01	-5.921147E+01	-5.867791E+01	-5.3556E-01
1674	Yb	171	70	101	8.097889E+00	8.096350E+00	1.5388E-03	1.591900E+05	1.591902E+05	-2.19E-01	1.59226168E+05	1.592264E+05	-2.1900E-01	-5.930803E+01	-5.909573E+01	-2.1230E-01
1675	Lu	171	71	100	8.084670E+00	8.084562E+00	1.0845E-04	1.591910E+05	1.591909E+05	2.70E-02	1.59227646E+05	1.592276E+05	2.6000E-02	-5.782998E+01	-5.786294E+01	3.2964E-02
1676	Hf	171	72	99	8.066068E+00	8.066853E+00	-7.8515E-04	1.591928E+05	1.591927E+05	1.81E-01	1.59230045E+05	1.592299E+05	1.7900E-01	-5.543135E+01	-5.561788E+01	1.8654E-01
1677	Ta	171	73	98	8.039791E+00	8.040528E+00	-7.3674E-04	1.591960E+05	1.591959E+05	1.72E-01	1.59233756E+05	1.592336E+05	1.7100E-01	-5.172027E+01	-5.189932E+01	1.7904E-01
1678	W	171	74	97	8.008115E+00	8.008335E+00	-2.1979E-04	1.592001E+05	1.592001E+05	8.50E-02	1.59238390E+05	1.592383E+05	8.3000E-02	-4.708699E+01	-4.717740E+01	9.1308E-02
1679	Re	171	75	96	7.969412E+00	7.968449E+00	9.6298E-04	1.592054E+05	1.592056E+05	-1.16E-01	1.59244226E+05	1.592443E+05	-1.1900E-01	-4.125028E+01	-4.114001E+01	-1.1027E-01
1680	Os	171	76	95	7.924211E+00	7.922962E+00	1.2485E-03	1.592119E+05	1.592120E+05	-1.64E-01	1.59251173E+05	1.592513E+05	-1.6700E-01	-3.430323E+01	-3.414489E+01	-1.5834E-01
1681	Ir	171	77	94	7.873517E+00	7.871223E+00	2.2942E-03	1.592192E+05	1.592196E+05	-3.42E-01	1.59259059E+05	1.592594E+05	-3.4700E-01	-2.641694E+01	-2.608048E+01	-3.3645E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1682	Pt	171	78	93	7.816621E+00	7.814801E+00	1.8204E-03	1.592277E+05	1.592279E+05	-2.60E-01	1.59268006E+05	1.592683E+05	-2.6500E-01
1683	Au	171	79	92	7.754137E+00	7.753969E+00	1.6779E-04	1.592370E+05	1.592370E+05	2.30E-02	1.59277909E+05	1.592779E+05	1.8000E-02
1684	Er	172	68	104	8.090413E+00	8.087764E+00	2.6494E-03	1.601254E+05	1.601258E+05	-4.25E-01	1.60160486E+05	1.601609E+05	-4.1500E-01
1685	Tm	172	69	103	8.091044E+00	8.086113E+00	4.9306E-03	1.601240E+05	1.601248E+05	-8.18E-01	1.60159595E+05	1.601604E+05	-8.0600E-01
1686	Yb	172	70	102	8.097433E+00	8.096241E+00	1.1924E-03	1.601216E+05	1.601217E+05	-1.61E-01	1.60157714E+05	1.601579E+05	-1.6100E-01
1687	Lu	172	71	101	8.078245E+00	8.077722E+00	5.2314E-04	1.601236E+05	1.601236E+05	-4.50E-02	1.60160232E+05	1.601603E+05	-4.6000E-02
1688	Hf	172	72	100	8.071743E+00	8.073472E+00	-1.7290E-03	1.601234E+05	1.601230E+05	3.43E-01	1.60160568E+05	1.601602E+05	3.4300E-01
1689	Ta	172	73	99	8.037705E+00	8.038631E+00	-9.2587E-04	1.601279E+05	1.601277E+05	2.06E-01	1.60165640E+05	1.601654E+05	2.0400E-01
1690	W	172	74	98	8.020175E+00	8.021163E+00	-9.8826E-04	1.601296E+05	1.601294E+05	2.18E-01	1.60167873E+05	1.601677E+05	2.1600E-01
1691	Re	172	75	97	7.971610E+00	7.971452E+00	1.5805E-04	1.601367E+05	1.601366E+05	2.10E-02	1.60175444E+05	1.601754E+05	1.9000E-02
1692	Os	172	76	96	7.942162E+00	7.941035E+00	1.1089E-03	1.601404E+05	1.601406E+05	-1.41E-01	1.60179727E+05	1.601799E+05	-1.4400E-01
1693	Ir	172	77	95	7.880263E+00	7.878845E+00	1.4183E-03	1.601498E+05	1.601500E+05	-1.94E-01	1.60189591E+05	1.601898E+05	-1.9800E-01
1694	Pt	172	78	94	7.839192E+00	7.837393E+00	1.7991E-03	1.601555E+05	1.601558E+05	-2.59E-01	1.60195873E+05	1.601961E+05	-2.6200E-01
1695	Au	172	79	93	7.766453E+00	7.765645E+00	8.0785E-04	1.601667E+05	1.601668E+05	-8.70E-02	1.60207602E+05	1.602077E+05	-9.2000E-02
1696	Hg	172	80	92	7.713885E+00	7.715732E+00	-1.8666E-03	1.601745E+05	1.601741E+05	3.74E-01	1.60215861E+05	1.602155E+05	3.6900E-01
1697	Tm	173	69	104	8.084453E+00	8.080380E+00	4.0727E-03	1.610566E+05	1.610572E+05	-6.75E-01	1.61092210E+05	1.610929E+05	-6.6200E-01
1698	Yb	173	70	103	8.087433E+00	8.084354E+00	3.0792E-03	1.610547E+05	1.610553E+05	-5.02E-01	1.61090912E+05	1.610914E+05	-4.8900E-01
1699	Lu	173	71	102	8.079040E+00	8.078456E+00	5.8363E-04	1.610549E+05	1.610550E+05	-5.60E-02	1.61091582E+05	1.610916E+05	-5.6000E-02
1700	Hf	173	72	101	8.066016E+00	8.066572E+00	-5.5568E-04	1.610559E+05	1.610557E+05	1.42E-01	1.61093052E+05	1.610929E+05	1.4100E-01
1701	Ta	173	73	100	8.044064E+00	8.045721E+00	-1.6577E-03	1.610583E+05	1.610580E+05	3.33E-01	1.61096068E+05	1.610957E+05	3.3300E-01
1702	W	173	74	99	8.018333E+00	8.019001E+00	-6.6766E-04	1.610615E+05	1.610613E+05	1.63E-01	1.61099737E+05	1.610996E+05	1.6200E-01
1703	Re	173	75	98	7.983906E+00	7.984232E+00	-3.2618E-04	1.610661E+05	1.610660E+05	1.05E-01	1.61104910E+05	1.611048E+05	1.0300E-01
1704	Os	173	76	97	7.944033E+00	7.943784E+00	2.4861E-04	1.610717E+05	1.610717E+05	6.00E-03	1.61111026E+05	1.611110E+05	4.0000E-03
1705	Ir	173	77	96	7.898066E+00	7.896585E+00	1.4810E-03	1.610784E+05	1.610786E+05	-2.07E-01	1.61118196E+05	1.611184E+05	-2.1000E-01
1706	Pt	173	78	95	7.845422E+00	7.844537E+00	8.8505E-04	1.610862E+05	1.610863E+05	-1.02E-01	1.61126521E+05	1.611266E+05	-1.0700E-01
1707	Au	173	79	94	7.788144E+00	7.787652E+00	4.9181E-04	1.610948E+05	1.610948E+05	-3.40E-02	1.61135648E+05	1.611357E+05	-3.8000E-02
1708	Tm	174	69	105	8.070648E+00	8.065934E+00	4.7144E-03	1.619905E+05	1.619912E+05	-7.88E-01	1.62026093E+05	1.620269E+05	-7.7800E-01
1709	Yb	174	70	104	8.083853E+00	8.081546E+00	2.3067E-03	1.619869E+05	1.619872E+05	-3.69E-01	1.62023013E+05	1.620234E+05	-3.5800E-01
1710	Lu	174	71	103	8.071464E+00	8.069521E+00	1.9428E-03	1.619877E+05	1.619880E+05	-2.93E-01	1.62024386E+05	1.620247E+05	-2.9400E-01
1711	Hf	174	72	102	8.068545E+00	8.070334E+00	-1.7886E-03	1.619869E+05	1.619866E+05	3.57E-01	1.62024112E+05	1.620238E+05	3.5700E-01
1712	Ta	174	73	101	8.040452E+00	8.041927E+00	-1.4754E-03	1.619905E+05	1.619902E+05	3.03E-01	1.62028217E+05	1.620279E+05	3.0200E-01
1713	W	174	74	100	8.027256E+00	8.029290E+00	-2.0344E-03	1.619915E+05	1.619911E+05	4.01E-01	1.62029731E+05	1.620293E+05	4.0000E-01
1714	Re	174	75	99	7.985094E+00	7.985341E+00	-2.4673E-04	1.619975E+05	1.619974E+05	9.10E-02	1.62036285E+05	1.620362E+05	8.9000E-02
1715	Os	174	76	98	7.959459E+00	7.959750E+00	-2.9067E-04	1.620007E+05	1.620006E+05	1.00E-01	1.62039963E+05	1.620399E+05	9.8000E-02
1716	Ir	174	77	97	7.902513E+00	7.902485E+00	2.8330E-05	1.620093E+05	1.620092E+05	4.50E-02	1.62049090E+05	1.620490E+05	4.2000E-02
1717	Pt	174	78	96	7.866118E+00	7.865244E+00	8.7431E-04	1.620143E+05	1.620144E+05	-1.01E-01	1.62054640E+05	1.620547E+05	-1.0500E-01
1718	Hg	174	80	94	7.749816E+00	7.751577E+00	-1.7614E-03	1.620319E+05	1.620315E+05	3.60E-01	1.62073312E+05	1.620730E+05	3.5400E-01
1719	Tm	175	69	106	8.061772E+00	8.057810E+00	3.9617E-03	1.629235E+05	1.629242E+05	-6.61E-01	1.62959141E+05	1.629598E+05	-6.5100E-01
1720	Yb	175	70	105	8.070930E+00	8.067743E+00	3.1869E-03	1.629206E+05	1.629211E+05	-5.28E-01	1.62956756E+05	1.629573E+05	-5.1400E-01
1721	Lu	175	71	104	8.069151E+00	8.067616E+00	1.5351E-03	1.629196E+05	1.629198E+05	-2.24E-01	1.62956285E+05	1.629565E+05	-2.2400E-01
1722	Hf	175	72	103	8.060774E+00	8.061579E+00	-8.0468E-04	1.629198E+05	1.629196E+05	1.86E-01	1.62956968E+05	1.629568E+05	1.8600E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	$E_B^{Th}(A, Z, a_i)$	Residual,	$M_{n.m.}^{Exp}(A, Z)$	$M_{n.m.}^{Th}(A, Z, a_i)$	Residual,	$M_{a.m.}^{Exp}(A, Z)$	$M_{a.m.}^{Th}(A, Z, a_i)$	Residual,	$\Delta m^{Exp}(A, Z)$	$\Delta m^{Th}(A, Z, a_i)$	Residual,
					MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV
1723	Ta	175	73	102	8.044445E+00	8.046378E+00	-1.9327E-03	1.629213E+05	1.629209E+05	3.85E-01	1.62959044E+05	1.629587E+05	3.8500E-01	-5.240865E+01	-5.279990E+01	3.9125E-01
1724	W	175	74	101	8.024112E+00	8.025279E+00	-1.1670E-03	1.629236E+05	1.629233E+05	2.52E-01	1.62961819E+05	1.629616E+05	2.5000E-01	-4.963280E+01	-4.989069E+01	2.5790E-01
1725	Re	175	75	100	7.994816E+00	7.995809E+00	-9.9284E-04	1.629274E+05	1.629272E+05	2.22E-01	1.62966164E+05	1.629659E+05	2.2100E-01	-4.528831E+01	-4.51650E+01	2.2819E-01
1726	Os	175	76	99	7.960728E+00	7.960613E+00	1.1526E-04	1.629320E+05	1.629320E+05	2.90E-02	1.62971347E+05	1.629713E+05	2.7000E-02	-4.010518E+01	-4.014026E+01	3.5075E-02
1727	Ir	175	77	98	7.917910E+00	7.918202E+00	-2.9171E-04	1.629382E+05	1.629381E+05	1.01E-01	1.62978038E+05	1.629780E+05	9.9000E-02	-3.339444E+01	-3.350140E+01	1.0696E-01
1728	Pt	175	78	97	7.869472E+00	7.870739E+00	-1.2669E-03	1.629454E+05	1.629451E+05	2.73E-01	1.62985732E+05	1.629855E+05	2.6900E-01	-2.570018E+01	-2.597848E+01	2.7830E-01
1729	Au	175	79	96	7.817661E+00	7.817876E+00	-2.1547E-04	1.629532E+05	1.629531E+05	8.90E-02	1.62994037E+05	1.629940E+05	8.5000E-02	-1.741548E+01	-1.751064E+01	9.5162E-02
1730	Hg	175	80	95	7.759232E+00	7.760986E+00	-1.7540E-03	1.629621E+05	1.629617E+05	3.59E-01	1.63003479E+05	1.630031E+05	3.5300E-01	-4.936970E+00	-4.877079E+01	3.6499E-01
1731	Tm	176	69	107	8.045111E+00	8.041424E+00	3.6870E-03	1.638579E+05	1.638586E+05	-6.19E-01	1.63893577E+05	1.638942E+05	-6.0700E-01	-4.936970E+00	-8.337881E+00	-5.9890E-01
1732	Yb	176	70	106	8.064075E+00	8.062439E+00	1.6362E-03	1.638533E+05	1.638536E+05	-2.58E-01	1.63889457E+05	1.638897E+05	-2.4400E-01	-5.348970E+01	-5.325247E+01	-3.2722E-01
1733	Lu	176	71	105	8.059031E+00	8.056688E+00	2.3427E-03	1.638529E+05	1.638533E+05	-3.67E-01	1.63889562E+05	1.638899E+05	-3.6800E-01	-5.338422E+01	-5.302347E+01	-3.6075E-01
1734	Hf	176	72	104	8.061371E+00	8.062602E+00	-1.2307E-03	1.638512E+05	1.638509E+05	2.63E-01	1.63888368E+05	1.638881E+05	2.6200E-01	-5.457844E+01	-5.484730E+01	2.6886E-01
1735	Ta	176	73	103	8.038670E+00	8.040599E+00	-1.9290E-03	1.638539E+05	1.638535E+05	3.86E-01	1.63891581E+05	1.638912E+05	3.8600E-01	-5.136537E+01	-5.175790E+01	3.9253E-01
1736	W	176	74	102	8.030112E+00	8.032829E+00	-2.7166E-03	1.638541E+05	1.638535E+05	5.26E-01	1.63892305E+05	1.638918E+05	5.2500E-01	-5.064160E+01	-5.117338E+01	5.3178E-01
1737	Re	176	75	101	7.993970E+00	7.994984E+00	-1.0144E-03	1.638591E+05	1.638589E+05	2.27E-01	1.63897883E+05	1.638977E+05	2.2500E-01	-4.506289E+01	-4.529589E+01	2.3301E-01
1738	Os	176	76	100	7.972679E+00	7.974262E+00	-1.5827E-03	1.638615E+05	1.638612E+05	3.27E-01	1.63900848E+05	1.639005E+05	3.2600E-01	-4.209794E+01	-4.243177E+01	3.3383E-01
1739	Ir	176	77	99	7.921424E+00	7.922251E+00	-8.2740E-04	1.638693E+05	1.638691E+05	1.95E-01	1.63909087E+05	1.639089E+05	1.9300E-01	-3.385044E+01	-3.406103E+01	2.0159E-01
1740	Pt	176	78	98	7.888992E+00	7.889459E+00	-4.6749E-04	1.638737E+05	1.638735E+05	1.33E-01	1.63914013E+05	1.639139E+05	1.3100E-01	-2.89373E+01	-2.907273E+01	1.3900E-01
1741	Au	176	79	97	7.824676E+00	7.826305E+00	-1.6285E-03	1.638837E+05	1.638833E+05	3.38E-01	1.63924550E+05	1.639242E+05	3.3400E-01	-1.839660E+01	-1.874054E+01	3.4393E-01
1742	Hg	176	80	96	7.782599E+00	7.783874E+00	-1.2752E-03	1.638898E+05	1.638895E+05	2.77E-01	1.63931173E+05	1.639309E+05	2.7200E-01	-1.177328E+01	-1.205588E+01	2.8260E-01
1743	Tl	176	81	95	7.707957E+00	7.711766E+00	-3.8086E-03	1.639016E+05	1.639009E+05	7.24E-01	1.63943528E+05	1.639428E+05	7.1700E-01	5.812780E-01	-1.478381E-01	7.2912E-01
1744	Lu	177	70	107	8.049964E+00	8.046763E+00	3.2011E-03	1.647873E+05	1.647878E+05	-5.36E-01	1.64823456E+05	1.648240E+05	-5.2300E-01	-5.098478E+01	-5.046897E+01	-5.1581E-01
1745	Lu	177	71	106	8.053459E+00	8.052276E+00	1.1834E-03	1.647854E+05	1.647855E+05	-1.79E-01	1.64822054E+05	1.648222E+05	-1.6600E-01	-5.238580E+01	-5.222779E+01	-1.5802E-01
1746	Hf	177	72	105	8.051849E+00	8.052095E+00	-2.4608E-04	1.647844E+05	1.647843E+05	8.90E-02	1.64821557E+05	1.648215E+05	8.9000E-02	-5.288304E+01	-5.297891E+01	9.5870E-02
1747	Ta	177	73	104	8.040841E+00	8.042450E+00	-1.6085E-03	1.647850E+05	1.647847E+05	3.31E-01	1.64822723E+05	1.648224E+05	3.3100E-01	-5.171704E+01	-5.205472E+01	3.3768E-01
1748	W	177	74	103	8.025035E+00	8.026972E+00	-1.9375E-03	1.647865E+05	1.647861E+05	3.91E-01	1.64824739E+05	1.648243E+05	3.9000E-01	-4.970173E+01	-5.009837E+01	3.9664E-01
1749	Re	177	75	102	8.001222E+00	8.002978E+00	-1.7559E-03	1.647894E+05	1.647890E+05	3.59E-01	1.64828171E+05	1.648278E+05	3.5800E-01	-4.626917E+01	-4.663440E+01	3.6523E-01
1750	Os	177	76	101	7.972396E+00	7.973203E+00	-8.0694E-04	1.647932E+05	1.647930E+05	1.92E-01	1.64832491E+05	1.648323E+05	1.9100E-01	-4.194925E+01	-4.214731E+01	1.9806E-01
1751	Ir	177	77	100	7.934632E+00	7.935810E+00	-1.1778E-03	1.647986E+05	1.647983E+05	2.58E-01	1.64838393E+05	1.648381E+05	2.5700E-01	-3.604742E+01	-3.631179E+01	2.6437E-01
1752	Pt	177	78	99	7.892489E+00	7.893188E+00	-6.9876E-04	1.648047E+05	1.648045E+05	1.75E-01	1.64845070E+05	1.648449E+05	1.7200E-01	-2.937044E+01	-2.955078E+01	1.8034E-01
1753	Au	177	79	98	7.843858E+00	7.844575E+00	-7.1665E-04	1.648120E+05	1.648118E+05	1.79E-01	1.64852895E+05	1.648527E+05	1.7400E-01	-2.154505E+01	-2.172933E+01	1.8429E-01
1754	Hg	177	80	97	7.789932E+00	7.791699E+00	-1.7669E-03	1.648202E+05	1.648199E+05	3.66E-01	1.64861658E+05	1.648613E+05	3.6000E-01	-1.278259E+01	-1.315341E+01	3.7082E-01
1755	Tl	177	81	96	7.732078E+00	7.733972E+00	-1.8936E-03	1.648292E+05	1.648288E+05	3.89E-01	1.64871116E+05	1.648707E+05	3.8300E-01	-3.324661E+00	-3.718755E+00	3.9409E-01
1756	Yb	178	70	108	8.042832E+00	8.039277E+00	3.5511E-03	1.657201E+05	1.657207E+05	-6.03E-01	1.65756240E+05	1.657568E+05	-5.9000E-01	-4.969386E+01	-4.91189E+01	-5.8197E-01
1757	Lu	178	71	107	8.042065E+00	8.039383E+00	2.6820E-03	1.657189E+05	1.657194E+05	-4.47E-01	1.65755595E+05	1.657560E+05	-4.3300E-01	-5.033978E+01	-4.991385E+01	-4.2593E-01
1758	Hf	178	72	106	8.049456E+00	8.050505E+00	-1.0485E-03	1.657163E+05	1.657161E+05	2.32E-01	1.65753497E+05	1.657533E+05	2.3200E-01	-5.243768E+01	-5.267657E+01	2.3889E-01
1759	W	178	74	104	8.029271E+00	8.031815E+00	-2.5445E-03	1.657173E+05	1.657168E+05	5.01E-01	1.65755525E+05	1.657550E+05	5.0000E-01	-5.040938E+01	-5.091607E+01	5.0669E-01
1760	Re	178	75	103	7.998157E+00	8.000184E+00	-2.0269E-03	1.657215E+05	1.657211E+05	4.10E-01	1.65760281E+05	1.657599E+05	4.0900E-01	-4.565345E+01	-4.606873E+01	4.1528E-01
1761	Os	178	76	102	7.981911E+00	7.984339E+00	-2.4279E-03	1.657231E+05	1.657226E+05	4.81E-01	1.65762390E+05	1.657619E+05	4.8000E-01	-4.354397E+01	-4.403140E+01	4.8743E-01
1762	Ir	178	77	101	7.936549E+00	7.937932E+00	-1.3826E-03	1.657299E+05	1.657296E+05	2.96E-01	1.65769682E+05	1.657694E+05	2.9400E-01	-3.625188E+01	-3.655398E+01	3.0209E-01
1763	Pt	178	78	100	7.908251E+00	7.909795E+00	-1.5437E-03	1.657336E+05	1.657333E+05	3.26E-01	1.65773937E+05	1.657736E+05	3.2400E-01	-3.199726E+01	-3.232869E+01	3.3143E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
1764	Au	178	79	99	7.849524E+00	7.851286E+00	-1.7616E-03	1.657427E+05	1.657424E+05	3.66E-01	1.65783608E+05	1.657832E+05	3.6100E-01	-2.232612E+01	-2.269714E+01	3.7102E-01
1765	Hg	178	80	98	7.811365E+00	7.812722E+00	-1.3566E-03	1.657482E+05	1.657479E+05	2.94E-01	1.65789618E+05	1.657893E+05	2.9000E-01	-1.631626E+01	-1.661582E+01	2.9955E-01
1766	Pb	178	82	96	7.690861E+00	7.695588E+00	-4.7275E-03	1.657670E+05	1.657661E+05	8.98E-01	1.65809503E+05	1.658086E+05	8.8900E-01	3.568780E+00	2.667721E+00	9.0106E-01
1767	Lu	179	71	108	8.035084E+00	8.032752E+00	2.3323E-03	1.666517E+05	1.666521E+05	-3.86E-01	1.66688367E+05	1.666887E+05	-3.7400E-01	-4.906092E+01	-4.869492E+01	-3.6600E-01
1768	Hf	179	72	107	8.038560E+00	8.038190E+00	3.6986E-04	1.666497E+05	1.666498E+05	-3.60E-02	1.66686963E+05	1.666870E+05	-2.1000E-02	-5.046535E+01	-5.045148E+01	-1.3874E-02
1769	Ta	179	73	106	8.033599E+00	8.034104E+00	-5.0543E-04	1.666493E+05	1.666492E+05	1.37E-01	1.66687069E+05	1.666869E+05	1.3700E-01	-5.035977E+01	-5.050321E+01	1.4344E-01
1770	W	179	74	105	8.023294E+00	8.024349E+00	-1.0553E-03	1.666499E+05	1.666496E+05	2.36E-01	1.66688131E+05	1.666879E+05	2.3600E-01	-4.929742E+01	-4.954012E+01	2.4270E-01
1771	Re	179	75	104	8.003769E+00	8.005713E+00	-1.9439E-03	1.666521E+05	1.666517E+05	3.96E-01	1.66690844E+05	1.666904E+05	3.9600E-01	-4.658483E+01	-4.698728E+01	4.0246E-01
1772	Os	179	76	103	7.979479E+00	7.981346E+00	-1.8669E-03	1.666551E+05	1.666547E+05	3.83E-01	1.66694409E+05	1.666940E+05	3.8300E-01	-4.301930E+01	-4.340867E+01	3.8937E-01
1773	Ir	179	77	102	7.947511E+00	7.949205E+00	-1.6945E-03	1.666595E+05	1.666592E+05	3.54E-01	1.66699349E+05	1.666990E+05	3.5200E-01	-3.807931E+01	-3.843861E+01	3.5930E-01
1774	Pt	179	78	101	7.910674E+00	7.911659E+00	-9.8470E-04	1.666648E+05	1.666646E+05	2.27E-01	1.66705160E+05	1.667049E+05	2.2500E-01	-3.226793E+01	-3.250081E+01	2.3289E-01
1775	Au	179	79	100	7.865637E+00	7.867569E+00	-1.9320E-03	1.666716E+05	1.666712E+05	3.97E-01	1.66712440E+05	1.667120E+05	3.9500E-01	-2.498858E+01	-2.539184E+01	4.0326E-01
1776	Hg	179	80	99	7.818926E+00	7.818926E+00	0.0000E+00	1.666791E+05	1.666786E+05	5.38E-01	1.66720504E+05	1.667200E+05	5.3400E-01	-1.692401E+01	-1.746786E+01	5.4385E-01
1777	Tl	179	81	98	7.763553E+00	7.764899E+00	-1.3457E-03	1.666872E+05	1.666869E+05	2.94E-01	1.66729148E+05	1.667289E+05	2.8800E-01	-8.280333E+00	-8.580003E+00	2.9967E-01
1778	Pb	179	82	97	7.701469E+00	7.705482E+00	-4.0127E-03	1.666970E+05	1.666962E+05	7.73E-01	1.66739479E+05	1.667387E+05	7.6600E-01	2.050323E+00	1.272566E+00	7.7776E-01
1779	Lu	180	71	109	8.022052E+00	8.018100E+00	3.9520E-03	1.675856E+05	1.675862E+05	-6.81E-01	1.67622244E+05	1.676229E+05	-6.6700E-01	-4.667879E+01	-4.601905E+01	-6.5774E-01
1780	Hf	180	72	108	8.034944E+00	8.034284E+00	6.5982E-04	1.675819E+05	1.675820E+05	-8.90E-02	1.67619141E+05	1.676192E+05	-7.3000E-02	-4.978179E+01	-4.971528E+01	-6.6518E-02
1781	Ta	180	73	107	8.025900E+00	8.024575E+00	1.3254E-03	1.675823E+05	1.675825E+05	-1.92E-01	1.67619986E+05	1.676202E+05	-1.9300E-01	-4.893619E+01	-4.875064E+01	-1.8556E-01
1782	W	180	74	106	8.025456E+00	8.026495E+00	-1.0385E-03	1.675810E+05	1.675808E+05	2.34E-01	1.67619284E+05	1.676190E+05	2.3500E-01	-4.963857E+01	-4.987929E+01	2.4073E-01
1783	Re	180	75	105	7.999991E+00	8.001199E+00	-1.2081E-03	1.675843E+05	1.675840E+05	2.65E-01	1.67623085E+05	1.676228E+05	2.6500E-01	-4.583736E+01	-4.610919E+01	2.7183E-01
1784	Os	180	76	104	7.987448E+00	7.989954E+00	-2.5063E-03	1.675833E+05	1.675848E+05	5.00E-01	1.67624560E+05	1.676241E+05	5.0000E-01	-4.436195E+01	-4.486820E+01	5.0625E-01
1785	Ir	180	77	103	7.947633E+00	7.949335E+00	-1.7020E-03	1.675911E+05	1.675908E+05	3.56E-01	1.67630945E+05	1.676306E+05	3.5500E-01	-3.797753E+01	-3.833981E+01	3.6228E-01
1786	Pt	180	78	102	7.923609E+00	7.926011E+00	-2.4022E-03	1.675941E+05	1.675936E+05	4.84E-01	1.67634487E+05	1.676340E+05	4.8200E-01	-3.443551E+01	-3.492460E+01	4.8909E-01
1787	Au	180	79	101	7.870144E+00	7.872470E+00	-2.3260E-03	1.676024E+05	1.676020E+05	4.71E-01	1.67643328E+05	1.676429E+05	4.6700E-01	-2.559429E+01	-2.607026E+01	4.7597E-01
1788	Hg	180	80	100	7.836110E+00	7.838027E+00	-1.9169E-03	1.676073E+05	1.676069E+05	3.98E-01	1.67648672E+05	1.676483E+05	3.9400E-01	-2.025037E+01	-2.065358E+01	4.0322E-01
1789	Tl	180	81	99	7.770718E+00	7.773846E+00	-3.1281E-03	1.676177E+05	1.676171E+05	6.16E-01	1.67659660E+05	1.676590E+05	6.1100E-01	-9.262288E+00	-9.884105E+00	6.2182E-01
1790	Pb	180	82	98	7.725636E+00	7.728490E+00	-2.8545E-03	1.676245E+05	1.676240E+05	5.68E-01	1.67666993E+05	1.676664E+05	5.6200E-01	-1.929789E+00	-2.503177E+00	5.7339E-01
1791	Lu	181	71	110	8.011929E+00	8.009576E+00	2.3531E-03	1.685189E+05	1.685193E+05	-3.96E-01	1.68555619E+05	1.685560E+05	-3.8200E-01	-4.479741E+01	-4.442297E+01	-3.7444E-01
1792	Hf	181	72	109	8.022015E+00	8.020301E+00	1.7142E-03	1.685158E+05	1.685161E+05	-2.81E-01	1.68553011E+05	1.685533E+05	-2.6600E-01	-4.740528E+01	-4.714724E+01	-2.5803E-01
1793	Ta	181	73	108	8.023418E+00	8.021532E+00	1.8857E-03	1.685142E+05	1.685145E+05	-2.95E-01	1.68551975E+05	1.685523E+05	-2.9500E-01	-4.844163E+01	-4.815324E+01	-2.8839E-01
1794	W	181	74	107	8.018056E+00	8.017339E+00	7.1741E-04	1.685139E+05	1.685140E+05	-8.30E-02	1.68552163E+05	1.685522E+05	-8.3000E-02	-4.825345E+01	-4.817724E+01	-7.6210E-02
1795	Re	181	75	106	8.004162E+00	8.004160E+00	2.1400E-06	1.685151E+05	1.685151E+05	4.80E-02	1.68553895E+05	1.685538E+05	4.7000E-02	-4.652098E+01	-4.657497E+01	5.3992E-02
1796	Os	181	76	105	7.983426E+00	7.985386E+00	-1.9602E-03	1.685176E+05	1.685172E+05	4.03E-01	1.68556866E+05	1.685565E+05	4.0300E-01	-4.354996E+01	-4.396001E+01	4.1005E-01
1797	Ir	181	77	104	7.956571E+00	7.958375E+00	-1.8036E-03	1.685211E+05	1.685207E+05	3.76E-01	1.68560945E+05	1.685606E+05	3.7600E-01	-3.947163E+01	-3.985400E+01	3.8237E-01
1798	Pt	181	78	103	7.924087E+00	7.925914E+00	-1.8268E-03	1.685257E+05	1.685253E+05	3.82E-01	1.68566042E+05	1.685657E+05	3.8000E-01	-3.437438E+01	-3.474617E+01	3.8729E-01
1799	Au	181	79	102	7.883835E+00	7.886670E+00	-2.8345E-03	1.685317E+05	1.685311E+05	5.65E-01	1.68572545E+05	1.685720E+05	5.6200E-01	-2.787119E+01	-2.844153E+01	5.7034E-01
1800	Hg	181	80	101	7.839678E+00	7.842533E+00	-2.8553E-03	1.685383E+05	1.685378E+05	5.69E-01	1.68579755E+05	1.685792E+05	5.6600E-01	-2.066112E+01	-2.123596E+01	5.7483E-01
1801	Tl	181	81	100	7.791918E+00	7.792411E+00	-4.9341E-04	1.685457E+05	1.685455E+05	1.43E-01	1.68587618E+05	1.685875E+05	1.3800E-01	-1.279875E+01	-1.294696E+01	1.4822E-01
1802	Pb	181	82	99	7.734107E+00	7.736822E+00	-2.7149E-03	1.685548E+05	1.685543E+05	5.46E-01	1.68597299E+05	1.685968E+05	5.3900E-01	-3.117421E+00	-3.668331E+00	5.5091E-01
1803	Hf	182	72	110	8.014850E+00	8.014420E+00	4.3044E-04	1.694486E+05	1.694487E+05	-4.70E-02	1.69485858E+05	1.694859E+05	-3.4000E-02	-4.605196E+01	-4.602585E+01	-2.6113E-02
1804	Ta	182	73	109	8.012647E+00	8.010248E+00	2.3992E-03	1.694477E+05	1.694481E+05	-4.05E-01	1.69485477E+05	1.694859E+05	-3.9100E-01	-4.64325E+01	-4.604966E+01	-3.8359E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z),$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z),$ MeV	$M_{n.m.}^{Th}(A, Z, a_1),$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z),$ MeV	$M_{a.m.}^{Th}(A, Z, a_1),$ MeV	Residual, MeV	$\Delta M_{n.m.}^{Exp}(A, Z),$ MeV	$\Delta M_{a.m.}^{Exp}(A, Z),$ MeV	Residual, MeV
1805	W	182	74	108	8.018318E+00	1.2671E-03	1.694454E+05	1.694456E+05	-1.83E-01	1.694836E+05	1.694838E+05	-1.8300E-01	-4.824771E+01	-4.807091E+01	-1.7680E-01
1806	Re	182	75	107	7.998634E+00	8.0059E-04	1.694477E+05	1.694478E+05	-9.80E-02	1.694864E+05	1.694866E+05	-9.7000E-02	-4.544771E+01	-4.535640E+01	-9.1316E-02
1807	Os	182	76	106	7.989728E+00	-1.5768E-03	1.694480E+05	1.694477E+05	3.36E-01	1.694873E+05	1.694870E+05	3.3600E-01	-4.460907E+01	-4.495126E+01	3.4219E-01
1808	Ir	182	77	105	7.956856E+00	-1.9617E-03	1.694530E+05	1.694526E+05	4.07E-01	1.694928E+05	1.694925E+05	4.0700E-01	-3.905168E+01	-3.946461E+01	4.1294E-01
1809	Pt	182	78	104	7.934752E+00	-3.2989E-03	1.69454E+05	1.694547E+05	6.51E-01	1.694957E+05	1.694951E+05	6.5000E-01	-3.616821E+01	-3.682521E+01	6.5700E-01
1810	Au	182	79	103	7.887226E+00	-2.4085E-03	1.694627E+05	1.694622E+05	4.90E-01	1.695036E+05	1.695031E+05	4.8800E-01	-2.830077E+01	-2.879650E+01	4.9573E-01
1811	Hg	182	80	102	7.856971E+00	-2.6529E-03	1.694669E+05	1.694664E+05	5.35E-01	1.695083E+05	1.695078E+05	5.3300E-01	-2.357672E+01	-2.411765E+01	5.4094E-01
1812	Tl	182	81	101	7.796251E+00	-3.4744E-03	1.694767E+05	1.694760E+05	6.86E-01	1.695186E+05	1.695179E+05	6.8100E-01	-1.330811E+01	-1.399919E+01	6.9109E-01
1813	Pb	182	82	100	7.756334E+00	-1.6925E-03	1.694826E+05	1.694823E+05	3.62E-01	1.695250E+05	1.695247E+05	3.5700E-01	-6.825554E+00	-7.193086E+00	3.6753E-01
1814	Lu	183	71	112	7.984812E+00	1.4226E-03	1.703870E+05	1.703872E+05	-2.31E-01	1.704236E+05	1.704239E+05	-2.1700E-01	-3.971611E+01	-3.950736E+01	-2.0875E-01
1815	Hf	183	72	111	8.00045E+00	1.0476E-03	1.703829E+05	1.703831E+05	-1.61E-01	1.704201E+05	1.704203E+05	-1.4700E-01	-4.328611E+01	-4.314669E+01	-1.3942E-01
1816	Ta	183	73	110	8.006753E+00	1.5487E-03	1.703804E+05	1.703806E+05	-2.37E-01	1.704181E+05	1.704183E+05	-2.3800E-01	-4.529611E+01	-4.506564E+01	-2.3047E-01
1817	W	183	74	109	8.008331E+00	2.0242E-03	1.703788E+05	1.703791E+05	-3.24E-01	1.704170E+05	1.704174E+05	-3.2400E-01	-4.636721E+01	-4.605046E+01	-3.1675E-01
1818	Re	183	75	108	8.001018E+00	2.6095E-03	1.703788E+05	1.703792E+05	-4.30E-01	1.704175E+05	1.704180E+05	-4.3000E-01	-4.581121E+01	-4.538816E+01	-4.2305E-01
1819	Os	183	76	107	7.985010E+00	-1.0684E-04	1.703804E+05	1.703804E+05	6.80E-02	1.704197E+05	1.704197E+05	6.8000E-02	-4.366404E+01	-4.373886E+01	7.4816E-02
1820	Ir	183	77	106	7.961823E+00	-1.6170E-03	1.703834E+05	1.703830E+05	3.46E-01	1.704232E+05	1.704229E+05	3.4600E-01	-4.020331E+01	-4.055507E+01	3.5175E-01
1821	Pt	183	78	105	7.93335E+00	-3.0436E-03	1.703873E+05	1.703867E+05	6.08E-01	1.704276E+05	1.704270E+05	6.0700E-01	-3.577235E+01	-3.638592E+01	6.1357E-01
1822	Au	183	79	104	7.898551E+00	-3.3282E-03	1.703923E+05	1.703917E+05	6.61E-01	1.704332E+05	1.704326E+05	6.5900E-01	-3.018913E+01	-3.085560E+01	6.6647E-01
1823	Hg	183	80	103	7.859387E+00	-2.8971E-03	1.703928E+05	1.703976E+05	5.83E-01	1.704396E+05	1.704390E+05	5.8100E-01	-2.380453E+01	-2.439277E+01	5.8824E-01
1824	Tl	183	81	102	7.815673E+00	-7.4265E-04	1.704049E+05	1.704047E+05	1.89E-01	1.704468E+05	1.704466E+05	1.8500E-01	-1.658726E+01	-1.678192E+01	1.9466E-01
1825	Pb	183	82	101	7.762130E+00	-2.6804E-03	1.704134E+05	1.704128E+05	5.44E-01	1.704558E+05	1.704553E+05	5.3900E-01	-7.571092E+00	-8.121235E+00	5.5014E-01
1826	Hf	184	72	112	7.990733E+00	-7.9602E-04	1.713162E+05	1.713160E+05	1.78E-01	1.713533E+05	1.713532E+05	1.9200E-01	-4.150156E+01	-4.170019E+01	1.9863E-01
1827	Ta	184	73	111	7.993764E+00	1.3564E-03	1.713143E+05	1.713145E+05	-2.18E-01	1.713520E+05	1.713523E+05	-2.0400E-01	-4.284156E+01	-4.264493E+01	-1.9663E-01
1828	W	184	74	110	8.005088E+00	1.1635E-03	1.713109E+05	1.713111E+05	-1.67E-01	1.713491E+05	1.713494E+05	-1.6700E-01	-4.570756E+01	-4.544711E+01	-1.6045E-01
1829	Re	184	75	109	7.992778E+00	2.3863E-03	1.71319E+05	1.713123E+05	-3.91E-01	1.713506E+05	1.713511E+05	-3.9100E-01	-4.422472E+01	-4.384015E+01	-3.8457E-01
1830	Os	184	76	108	7.988699E+00	1.7700E-04	1.71313E+05	1.713113E+05	1.60E-02	1.713506E+05	1.713506E+05	1.7000E-02	-4.425664E+01	-4.427920E+01	2.2561E-02
1831	Ir	184	77	107	7.959198E+00	-9.7535E-04	1.713155E+05	1.713152E+05	2.29E-01	1.713528E+05	1.713551E+05	2.3000E-01	-3.961085E+01	-3.984613E+01	2.3528E-01
1832	Pt	184	78	106	7.942599E+00	-3.3979E-03	1.713172E+05	1.713165E+05	6.75E-01	1.713575E+05	1.713569E+05	6.7700E-01	-3.733883E+01	-3.802074E+01	6.8191E-01
1833	Au	184	79	105	7.900194E+00	-3.0884E-03	1.713237E+05	1.713231E+05	6.19E-01	1.713645E+05	1.713640E+05	6.1900E-01	-3.031871E+01	-3.094436E+01	6.2565E-01
1834	Hg	184	80	104	7.874366E+00	-3.1448E-03	1.713271E+05	1.713265E+05	6.31E-01	1.713685E+05	1.713679E+05	6.3000E-01	-2.634868E+01	-2.698546E+01	6.3678E-01
1835	Tl	184	81	103	7.818617E+00	-3.3352E-03	1.713361E+05	1.713354E+05	6.66E-01	1.713802E+05	1.713774E+05	6.6300E-01	-1.687322E+01	-1.754574E+01	6.7252E-01
1836	Pb	184	82	102	7.782725E+00	-1.4723E-03	1.713414E+05	1.713411E+05	3.25E-01	1.713838E+05	1.713835E+05	3.2100E-01	-1.105152E+01	-1.138192E+01	3.3040E-01
1837	Bi	184	83	101	7.711957E+00	-4.0514E-03	1.713531E+05	1.713523E+05	8.00E-01	1.713960E+05	1.713953E+05	7.9400E-01	1.187428E+00	3.817516E+01	8.0568E-01
1838	Hf	185	72	113	7.973970E+00	-1.0375E-03	1.722509E+05	1.722506E+05	2.22E-01	1.722880E+05	1.722878E+05	2.3800E-01	-3.831980E+01	-3.856391E+01	2.4411E-01
1839	Ta	185	73	112	7.986372E+00	6.2326E-04	1.722473E+05	1.722473E+05	-8.60E-02	1.722849E+05	1.722851E+05	-6.9000E-02	-4.338995E+01	-4.333412E+01	-6.2323E-02
1840	W	185	74	111	7.992919E+00	1.1466E-03	1.722448E+05	1.722449E+05	-1.66E-01	1.722830E+05	1.722832E+05	-1.6500E-01	-4.338995E+01	-4.323158E+01	-1.5837E-01
1841	Re	185	75	110	7.991029E+00	2.1587E-03	1.722438E+05	1.722441E+05	-3.51E-01	1.722825E+05	1.722829E+05	-3.5100E-01	-4.382261E+01	-4.347776E+01	-3.4485E-01
1842	Os	185	76	109	7.981325E+00	4.6919E-04	1.722443E+05	1.722443E+05	-3.80E-02	1.722835E+05	1.722836E+05	-3.7000E-02	-4.280984E+01	-4.277816E+01	-3.1681E-02
1843	Ir	185	77	108	7.963722E+00	-6.7003E-04	1.722462E+05	1.722461E+05	1.73E-01	1.722860E+05	1.722859E+05	1.7400E-01	-4.033555E+01	-4.051544E+01	1.7989E-01
1844	Pt	185	78	107	7.939777E+00	-2.9030E-03	1.722493E+05	1.722488E+05	5.87E-01	1.722897E+05	1.722891E+05	5.8800E-01	-3.668814E+01	-3.728179E+01	5.9365E-01
1845	Au	185	79	106	7.909487E+00	-3.7928E-03	1.722536E+05	1.722529E+05	7.53E-01	1.722945E+05	1.722938E+05	7.5300E-01	-3.186681E+01	-3.262584E+01	7.5902E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	$E_B^{Th}(A, Z, a_i)$	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$	$M_{a.m.}^{Th}(A, Z, a_i)$	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$	$M_{a.m.}^{Th}(A, Z, a_i)$	Residual, MeV	$\Delta M_{a.m.}^{Exp}(A, Z)$	$\Delta M_{a.m.}^{Th}(A, Z, a_i)$	Residual, MeV
1846	Hg	185	80	105	7.874495E+00	7.878704E+00	-4.2090E-03	1.722588E+05	1.722580E+05	8.31E-01	1.72300217E+05	1.722994E+05	8.3000E-01	-2.617555E+01	-2.701238E+01	8.3683E-01
1847	Tl	185	81	104	7.835576E+00	7.836984E+00	-1.4076E-03	1.722647E+05	1.722644E+05	3.14E-01	1.72306635E+05	1.723063E+05	3.1200E-01	-1.975787E+01	-2.007719E+01	3.1932E-01
1848	Pb	185	82	103	7.786932E+00	7.789306E+00	-2.3743E-03	1.722724E+05	1.722719E+05	4.93E-01	1.72314851E+05	1.723144E+05	4.8900E-01	-1.154121E+01	-1.203996E+01	4.9875E-01
1849	Hf	186	72	114	7.964302E+00	7.966425E+00	-2.1234E-03	1.731842E+05	1.731838E+05	4.26E-01	1.73221462E+05	1.732210E+05	4.4100E-01	-3.642421E+01	-3.687134E+01	4.4713E-01
1850	Ta	186	73	113	7.971847E+00	7.971792E+00	5.5190E-05	1.731815E+05	1.731815E+05	2.20E-02	1.73219277E+05	1.732192E+05	3.6000E-02	-3.860981E+01	-3.865256E+01	4.2759E-02
1851	W	186	74	112	7.988614E+00	7.987697E+00	9.1699E-04	1.731771E+05	1.731772E+05	-1.23E-01	1.73215377E+05	1.732155E+05	-1.2200E-01	-4.251081E+01	-4.239401E+01	-1.1680E-01
1852	Re	186	75	111	7.981288E+00	7.979361E+00	1.9270E-03	1.731772E+05	1.731775E+05	-3.11E-01	1.73215936E+05	1.732163E+05	-3.1000E-01	-4.193065E+01	-4.1.62659E+01	-3.0406E-01
1853	Os	186	76	110	7.982844E+00	7.982051E+00	7.9324E-04	1.731756E+05	1.731757E+05	-9.90E-02	1.73214884E+05	1.732150E+05	-9.8000E-02	-4.300238E+01	-4.29096E+01	-9.2420E-02
1854	Ir	186	77	109	7.958060E+00	7.959524E+00	-1.4643E-03	1.731789E+05	1.731786E+05	3.22E-01	1.73218712E+05	1.732184E+05	3.2300E-01	-3.917477E+01	-3.950312E+01	3.2835E-01
1855	Pt	186	78	108	7.946809E+00	7.949827E+00	-3.0183E-03	1.731797E+05	1.731791E+05	6.12E-01	1.73220022E+05	1.732194E+05	6.1300E-01	-3.786447E+01	-3.848256E+01	6.1808E-01
1856	Au	186	79	107	7.909540E+00	7.912961E+00	-3.4210E-03	1.731853E+05	1.731846E+05	6.87E-01	1.73226172E+05	1.732255E+05	6.8800E-01	-3.171485E+01	-3.240850E+01	6.9365E-01
1857	Hg	186	80	106	7.888259E+00	7.891700E+00	-3.4410E-03	1.731879E+05	1.731872E+05	6.93E-01	1.73229348E+05	1.732287E+05	6.9300E-01	-2.853886E+01	-2.923703E+01	6.9817E-01
1858	Tl	186	81	105	7.837535E+00	7.841139E+00	-3.6044E-03	1.731961E+05	1.731953E+05	7.23E-01	1.73238000E+05	1.732373E+05	7.2200E-01	-1.988661E+01	-2.061583E+01	7.2922E-01
1859	Pb	186	82	104	7.805347E+00	7.807140E+00	-1.7930E-03	1.732007E+05	1.732004E+05	3.88E-01	1.73243205E+05	1.732428E+05	3.8600E-01	-1.468190E+01	-1.507501E+01	3.9311E-01
1860	Bi	186	83	103	7.79014E+00	7.742759E+00	-3.7451E-03	1.732118E+05	1.732110E+05	7.52E-01	1.73254760E+05	1.732540E+05	7.4600E-01	-3.126391E+00	-3.883244E+00	7.5685E-01
1861	Po	186	84	102	7.695998E+00	7.696747E+00	-7.4914E-04	1.732185E+05	1.732183E+05	1.95E-01	1.73261979E+05	1.732618E+05	1.8900E-01	4.092278E+00	3.891897E+00	2.0038E-01
1862	Ta	187	73	114	7.963236E+00	7.963994E+00	-7.5760E-04	1.741147E+05	1.741146E+05	1.71E-01	1.74152480E+05	1.741523E+05	1.8800E-01	-3.690020E+01	-3.709477E+01	1.9457E-01
1863	W	187	74	113	7.975128E+00	7.974438E+00	6.9034E-04	1.741112E+05	1.741113E+05	-9.90E-02	1.74149474E+05	1.741496E+05	-8.2000E-02	-3.990628E+01	-3.983089E+01	-7.5394E-02
1864	Re	187	75	112	7.977962E+00	7.976123E+00	1.8394E-03	1.741094E+05	1.741097E+05	-2.96E-01	1.74148162E+05	1.741485E+05	-2.9500E-01	-4.121854E+01	-4.092906E+01	-2.8948E-01
1865	Os	187	76	111	7.973791E+00	7.973066E+00	7.2490E-04	1.741089E+05	1.741089E+05	-8.70E-02	1.74148159E+05	1.741482E+05	-8.7000E-02	-4.122101E+01	-4.114056E+01	-8.0451E-02
1866	Ir	187	77	110	7.960668E+00	7.961593E+00	-9.2450E-04	1.741100E+05	1.741098E+05	2.23E-01	1.74149831E+05	1.741496E+05	2.2300E-01	-3.954937E+01	-3.977807E+01	2.2870E-01
1867	Pt	187	78	109	7.941168E+00	7.945089E+00	-3.9209E-03	1.741123E+05	1.741116E+05	7.84E-01	1.74152695E+05	1.741519E+05	7.8400E-01	-3.668505E+01	-3.747497E+01	7.8992E-01
1868	Au	187	79	108	7.917427E+00	7.920740E+00	-3.3132E-03	1.741155E+05	1.741148E+05	6.71E-01	1.74156353E+05	1.741557E+05	6.7200E-01	-3.302784E+01	-3.370486E+01	6.7702E-01
1869	Hg	187	80	107	7.886985E+00	7.891219E+00	-4.2341E-03	1.741199E+05	1.741190E+05	8.44E-01	1.74161263E+05	1.741604E+05	8.4400E-01	-2.811768E+01	-2.896748E+01	8.4980E-01
1870	Tl	187	81	106	7.852456E+00	7.854158E+00	-1.7020E-03	1.741250E+05	1.741246E+05	3.72E-01	1.74166937E+05	1.741666E+05	3.7000E-01	-2.244309E+01	-2.282012E+01	3.7703E-01
1871	Pb	187	82	105	7.808400E+00	7.810997E+00	-2.5968E-03	1.741319E+05	1.741314E+05	5.40E-01	1.74174394E+05	1.741739E+05	5.3800E-01	-1.498691E+01	-1.553206E+01	5.4516E-01
1872	Bi	187	83	104	7.758208E+00	7.760245E+00	-2.0373E-03	1.741400E+05	1.741396E+05	4.36E-01	1.74182997E+05	1.741826E+05	4.3200E-01	-6.383356E+00	-6.824601E+00	4.4125E-01
1873	Po	187	84	103	7.704740E+00	7.704129E+00	6.1084E-04	1.741487E+05	1.741487E+05	-5.80E-02	1.74192213E+05	1.741923E+05	-6.5000E-02	2.832724E+00	2.886031E+00	-5.3307E-02
1874	Ta	188	73	115	7.946321E+00	7.949360E+00	-3.0386E-03	1.750495E+05	1.750489E+05	6.01E-01	1.75082762E+05	1.750866E+05	6.1800E-01	-3.361203E+01	-3.423625E+01	6.2422E-01
1875	W	188	74	114	7.969063E+00	7.969154E+00	-9.1260E-05	1.750439E+05	1.750439E+05	4.60E-02	1.75082205E+05	1.750821E+05	6.6000E-02	-3.866988E+01	-3.874073E+01	7.0850E-02
1876	Re	188	75	113	7.966758E+00	7.965431E+00	1.3266E-03	1.750431E+05	1.750433E+05	-2.01E-01	1.75081856E+05	1.750821E+05	-2.0100E-01	-3.901888E+01	-3.882391E+01	-1.9496E-01
1877	Os	188	76	112	7.973875E+00	7.972449E+00	1.4260E-03	1.750404E+05	1.750407E+05	-2.20E-01	1.75079735E+05	1.750800E+05	-2.1800E-01	-4.113927E+01	-4.092629E+01	-2.1298E-01
1878	Ir	188	77	111	7.954885E+00	7.955303E+00	-4.1761E-04	1.750427E+05	1.750426E+05	1.28E-01	1.75082523E+05	1.750824E+05	1.2900E-01	-3.835138E+01	-3.848585E+01	1.3447E-01
1879	Pt	188	78	110	7.947945E+00	7.949964E+00	-2.0194E-03	1.750427E+05	1.750423E+05	4.30E-01	1.75083045E+05	1.750826E+05	4.3100E-01	-3.782901E+01	-3.826533E+01	4.3633E-01
1880	Au	188	79	109	7.914250E+00	7.918887E+00	-4.6374E-03	1.750477E+05	1.750468E+05	9.23E-01	1.75088598E+05	1.750877E+05	9.2400E-01	-3.227683E+01	-3.320594E+01	9.2911E-01
1881	Hg	188	80	108	7.899102E+00	7.901959E+00	-2.8573E-03	1.750493E+05	1.750487E+05	5.89E-01	1.75090663E+05	1.750901E+05	5.9000E-01	-3.021125E+01	-3.080654E+01	5.9529E-01
1882	Tl	188	81	107	7.853053E+00	7.856638E+00	-3.5845E-03	1.750566E+05	1.750559E+05	7.27E-01	1.75098538E+05	1.750978E+05	7.2600E-01	-2.233640E+01	-2.306912E+01	7.3272E-01
1883	Pb	188	82	106	7.824841E+00	7.826869E+00	-2.0279E-03	1.750606E+05	1.750602E+05	4.35E-01	1.75103059E+05	1.751026E+05	4.3400E-01	-1.781500E+01	-1.825569E+01	4.4069E-01
1884	Bi	188	83	105	7.764136E+00	7.766935E+00	-2.7990E-03	1.750707E+05	1.750701E+05	5.81E-01	1.75113690E+05	1.751131E+05	5.7800E-01	-7.184666E+00	-7.771204E+00	5.8654E-01
1885	Po	188	84	104	7.724654E+00	7.724311E+00	3.4262E-04	1.750768E+05	1.750768E+05	-8.00E-03	1.75120330E+05	1.751203E+05	-1.3000E-02	-5.443930E-01	-5.410349E-01	-3.3581E-03
1886	W	189	74	115	7.953454E+00	7.955231E+00	-1.7773E-03	1.759785E+05	1.759781E+05	3.68E-01	1.76016751E+05	1.760164E+05	3.8400E-01	-3.561754E+01	-3.600713E+01	3.8959E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
1887	Re	189	75	114	7.961818E+00	7.960949E+00	8.6920E-04	1.759756E+05	1.759757E+05	-1.33E-01	1.76014388E+05	1.760145E+05	-1.1500E-01	-3.798072E+01	-3.787081E+01	-1.0991E-01
1888	Os	189	76	113	7.963011E+00	7.962392E+00	6.1858E-04	1.759741E+05	1.759741E+05	-6.80E-02	1.76013380E+05	1.760134E+05	-6.7000E-02	-3.898846E+01	-3.892673E+01	-6.1734E-02
1889	Ir	189	77	112	7.956058E+00	7.955561E+00	4.9675E-04	1.759741E+05	1.759741E+05	-4.50E-02	1.76013912E+05	1.760140E+05	-4.3000E-02	-3.845670E+01	-3.841871E+01	-3.7988E-02
1890	Pt	189	78	111	7.941489E+00	7.944014E+00	-2.5246E-03	1.759755E+05	1.759750E+05	5.28E-01	1.76015883E+05	1.760154E+05	5.2900E-01	-3.648453E+01	-3.701930E+01	5.3387E-01
1891	Au	189	79	110	7.921987E+00	7.924565E+00	-2.5782E-03	1.759779E+05	1.759774E+05	5.38E-01	1.76018787E+05	1.760182E+05	5.4000E-01	-3.358195E+01	-3.412661E+01	5.4466E-01
1892	Hg	189	80	109	7.896918E+00	7.900036E+00	-3.1184E-03	1.759813E+05	1.759807E+05	6.41E-01	1.76022742E+05	1.760221E+05	6.4200E-01	-2.962623E+01	-2.937374E+01	6.4751E-01
1893	Tl	189	81	108	7.866196E+00	7.867663E+00	-1.4668E-03	1.759858E+05	1.759855E+05	3.31E-01	1.76027766E+05	1.760274E+05	3.3000E-01	-2.460218E+01	-2.407374E+01	3.3604E-01
1894	Pb	189	82	107	7.826480E+00	7.829101E+00	-2.6207E-03	1.759920E+05	1.759915E+05	5.49E-01	1.76034490E+05	1.760339E+05	5.4800E-01	-1.787816E+01	-1.843330E+01	5.5489E-01
1895	Bi	189	83	106	7.781000E+00	7.782589E+00	-1.5892E-03	1.759993E+05	1.759990E+05	3.55E-01	1.76042304E+05	1.760420E+05	3.5300E-01	-1.006481E+01	-1.042546E+01	3.6065E-01
1896	Po	189	84	105	7.731131E+00	7.730651E+00	4.8039E-04	1.760074E+05	1.760075E+05	-3.50E-02	1.76050946E+05	1.760510E+05	-4.0000E-02	-1.421991E+00	-1.392143E+00	-2.9848E-02
1897	W	190	74	116	7.947566E+00	7.949318E+00	-1.7523E-03	1.769112E+05	1.769109E+05	3.64E-01	1.76949482E+05	1.769491E+05	3.8300E-01	-3.438089E+01	-3.476756E+01	3.8667E-01
1898	Re	190	75	115	7.950049E+00	7.949517E+00	5.3164E-04	1.769094E+05	1.769095E+05	-7.00E-02	1.76948227E+05	1.769483E+05	-5.2000E-02	-3.563499E+01	-3.558846E+01	-4.6528E-02
1899	Os	190	76	114	7.962112E+00	7.960445E+00	1.6667E-03	1.769059E+05	1.769061E+05	-2.68E-01	1.76945153E+05	1.769454E+05	-2.6600E-01	-3.870944E+01	-3.844785E+01	-2.6159E-01
1900	Ir	190	77	113	7.947712E+00	7.948111E+00	-3.9946E-04	1.769073E+05	1.769072E+05	1.25E-01	1.76947107E+05	1.769470E+05	1.2700E-01	-3.675562E+01	-3.688750E+01	1.3188E-01
1901	Pt	190	78	112	7.946592E+00	7.946966E+00	-3.7369E-04	1.769062E+05	1.769061E+05	1.21E-01	1.76946537E+05	1.769464E+05	1.2300E-01	-3.752524E+01	-3.745288E+01	1.2764E-01
1902	Au	190	79	111	7.919095E+00	7.921382E+00	-2.2866E-03	1.769101E+05	1.769096E+05	4.86E-01	1.76950979E+05	1.769505E+05	4.8700E-01	-3.288324E+01	-3.37499E+01	4.9175E-01
1903	Hg	190	80	110	7.907014E+00	7.908586E+00	-1.5715E-03	1.769111E+05	1.769107E+05	3.50E-01	1.76952492E+05	1.769521E+05	3.5200E-01	-3.137017E+01	-3.172680E+01	3.5663E-01
1904	Pb	190	82	108	7.841128E+00	7.842992E+00	-1.8643E-03	1.769210E+05	1.769206E+05	4.10E-01	1.76963446E+05	1.769630E+05	4.0800E-01	-2.041649E+01	-2.083024E+01	4.1375E-01
1905	Bi	190	83	107	7.785339E+00	7.787681E+00	-2.3419E-03	1.769303E+05	1.769298E+05	5.02E-01	1.76973264E+05	1.769728E+05	4.9900E-01	-1.059895E+01	-1.110416E+01	5.0521E-01
1906	Po	190	84	106	7.749458E+00	7.749044E+00	4.1378E-04	1.769358E+05	1.769358E+05	-2.30E-02	1.76979299E+05	1.769793E+05	-2.5000E-02	-4.563790E+00	-4.546260E+00	-1.7530E-02
1907	W	191	74	117	7.931435E+00	7.935267E+00	-3.8320E-03	1.778459E+05	1.778452E+05	7.63E-01	1.77884180E+05	1.778834E+05	7.8100E-01	-3.11617E+01	-3.196177E+01	7.8560E-01
1908	Re	191	75	116	7.943967E+00	7.944352E+00	-3.8473E-04	1.778422E+05	1.778421E+05	1.04E-01	1.77881004E+05	1.778809E+05	1.2300E-01	-3.435205E+01	-3.448003E+01	1.2797E-01
1909	Os	191	76	115	7.950576E+00	7.949692E+00	8.8428E-04	1.778397E+05	1.778398E+05	-1.20E-01	1.77878960E+05	1.778791E+05	-1.1800E-01	-6.39686E+01	-6.28304E+01	-1.1382E-01
1910	Ir	191	77	114	7.948124E+00	7.947010E+00	1.1137E-03	1.778388E+05	1.778390E+05	-1.64E-01	1.77878646E+05	1.778788E+05	-1.6100E-01	-3.671084E+01	-3.655397E+01	-1.5687E-01
1911	Pt	191	78	113	7.938743E+00	7.940033E+00	-1.2904E-03	1.778393E+05	1.778390E+05	2.97E-01	1.77879655E+05	1.778794E+05	2.9800E-01	-3.570145E+01	-3.600445E+01	3.0300E-01
1912	Au	191	79	112	7.924750E+00	7.925210E+00	-4.6034E-04	1.778407E+05	1.778405E+05	1.39E-01	1.77881545E+05	1.778814E+05	1.4000E-01	-3.381114E+01	-3.395633E+01	1.4519E-01
1913	Hg	191	80	111	7.903805E+00	7.905494E+00	-1.6886E-03	1.778434E+05	1.778430E+05	3.75E-01	1.77884764E+05	1.778844E+05	3.7600E-01	-3.059291E+01	-3.097351E+01	3.8060E-01
1914	Tl	191	81	110	7.877143E+00	7.877722E+00	-5.7947E-04	1.778471E+05	1.778470E+05	1.64E-01	1.77889074E+05	1.778889E+05	1.6500E-01	-2.628285E+01	-2.645230E+01	1.6945E-01
1915	Pb	191	82	109	7.841387E+00	7.843745E+00	-2.3581E-03	1.778527E+05	1.778522E+05	5.04E-01	1.77895121E+05	1.778946E+05	5.0500E-01	-2.023578E+01	-2.074569E+01	5.0992E-01
1916	Bi	191	83	108	7.800663E+00	7.801526E+00	-8.6338E-04	1.778591E+05	1.778589E+05	2.19E-01	1.77902117E+05	1.779019E+05	2.1900E-01	-1.323974E+01	-1.346500E+01	2.2526E-01
1917	Po	191	84	107	7.753787E+00	7.753854E+00	-6.6740E-05	1.778668E+05	1.778667E+05	6.80E-02	1.77910288E+05	1.779102E+05	6.7000E-02	-5.068760E+00	-5.142603E+00	7.3843E-02
1918	At	191	85	106	7.702923E+00	7.700614E+00	2.3086E-03	1.778752E+05	1.778756E+05	-3.84E-01	1.77919220E+05	1.779196E+05	-3.8900E-01	3.863753E+00	4.243038E+00	-3.7929E-01
1919	Re	192	75	117	7.930238E+00	7.932700E+00	-2.4623E-03	1.787765E+05	1.787760E+05	5.04E-01	1.78815262E+05	1.788147E+05	5.2300E-01	-3.158883E+01	-3.211599E+01	5.2716E-01
1920	Os	192	76	116	7.948534E+00	7.946967E+00	1.5666E-03	1.787716E+05	1.787719E+05	-2.70E-01	1.78810967E+05	1.788112E+05	-2.4900E-01	-3.588395E+01	-3.563835E+01	-2.4560E-01
1921	Ir	192	77	115	7.939010E+00	7.938776E+00	2.3432E-04	1.787722E+05	1.787722E+05	4.00E-03	1.78812013E+05	1.788120E+05	6.0000E-03	-3.483765E+01	-3.484861E+01	1.0967E-02
1922	Pt	192	78	114	7.942511E+00	7.941524E+00	9.8718E-04	1.787702E+05	1.787703E+05	-1.39E-01	1.7881075E+05	1.788107E+05	-1.3700E-01	-3.629217E+01	-3.615933E+01	-1.3284E-01
1923	Au	192	79	113	7.920122E+00	7.920938E+00	-8.1599E-04	1.787732E+05	1.787730E+05	2.07E-01	1.78814075E+05	1.788139E+05	2.1000E-01	-3.277583E+01	-3.298993E+01	2.1410E-01
1924	Hg	192	80	112	7.912064E+00	7.912074E+00	-1.0290E-05	1.787734E+05	1.787734E+05	5.40E-02	1.78814839E+05	1.788148E+05	5.6000E-02	-3.201107E+01	-3.207118E+01	6.0106E-02
1925	Tl	192	81	111	7.876016E+00	7.877414E+00	-1.3977E-03	1.787790E+05	1.787787E+05	3.21E-01	1.78820978E+05	1.788207E+05	3.2200E-01	-2.587225E+01	-2.619941E+01	3.2717E-01
1926	Pb	192	82	110	7.854718E+00	7.855649E+00	-9.3131E-04	1.787818E+05	1.787816E+05	2.32E-01	1.78824285E+05	1.788241E+05	2.3400E-01	-2.256543E+01	-2.280373E+01	2.3830E-01
1927	Bi	192	83	109	7.803613E+00	7.805117E+00	-1.5042E-03	1.787903E+05	1.787900E+05	3.44E-01	1.78833315E+05	1.788330E+05	3.4300E-01	-1.353549E+01	-1.388465E+01	3.4917E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	$E_B^{Th}(A, Z, a_i)$	Residual,	$M_{n.m.}^{Exp}(A, Z)$	$M_{n.m.}^{Th}(A, Z, a_i)$	Residual,	$M_{a.m.}^{Exp}(A, Z)$	$M_{a.m.}^{Th}(A, Z, a_i)$	Residual,	$\Delta m^{Exp}(A, Z)$	$\Delta m^{Th}(A, Z, a_i)$	Residual,
					MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV	MeV
1928	Po	192	84	108	7.771075E+00	7.770471E+00	6.0419E-04	1.787953E+05	1.787953E+05	-6.00E-02	1.78838780E+05	1.788388E+05	-6.1000E-02	-8.070533E+00	-8.015616E+00	-5.4917E-02
1929	At	192	85	107	7.709675E+00	7.708169E+00	1.5056E-03	1.788057E+05	1.788060E+05	-2.32E-01	1.78849786E+05	1.788500E+05	-2.3600E-01	2.935796E+00	3.163181E+00	-2.2739E-01
1930	Re	193	75	118	7.923956E+00	7.927362E+00	-3.4055E-03	1.797093E+05	1.797086E+05	6.88E-01	1.79748109E+05	1.797474E+05	7.0700E-01	-3.023536E+01	-3.094698E+01	7.1162E-01
1931	Os	193	76	117	7.936279E+00	7.935973E+00	3.0594E-04	1.797056E+05	1.797057E+05	-2.80E-02	1.79744948E+05	1.797450E+05	-9.0000E-03	-3.339604E+01	-3.339209E+01	-3.9588E-03
1932	Ir	193	77	116	7.938144E+00	7.936838E+00	1.3056E-03	1.797040E+05	1.797042E+05	-2.03E-01	1.79743806E+05	1.797440E+05	-2.0100E-01	-3.453832E+01	-3.434217E+01	-1.9615E-01
1933	Pt	193	78	115	7.933797E+00	7.933915E+00	-1.1761E-04	1.797035E+05	1.797034E+05	7.30E-02	1.79743863E+05	1.797438E+05	7.5000E-02	-3.448169E+01	-3.456096E+01	7.9268E-02
1934	Au	193	79	114	7.924170E+00	7.923308E+00	8.6187E-04	1.797041E+05	1.797042E+05	-1.16E-01	1.79744939E+05	1.797451E+05	-1.1300E-01	-3.340593E+01	-3.329699E+01	-1.0894E-01
1935	Hg	193	80	113	7.907976E+00	7.908090E+00	-1.1354E-04	1.797059E+05	1.797058E+05	7.40E-02	1.79747282E+05	1.797472E+05	7.6000E-02	-3.106285E+01	-3.114287E+01	8.0025E-02
1936	Tl	193	81	112	7.885344E+00	7.884701E+00	6.4266E-04	1.797089E+05	1.797090E+05	-7.10E-02	1.79750867E+05	1.797509E+05	-7.0000E-02	-2.747721E+01	-2.741203E+01	-6.5183E-02
1937	Pb	193	82	111	7.855391E+00	7.855166E+00	-1.2467E-03	1.797137E+05	1.797134E+05	2.94E-01	1.79756150E+05	1.797559E+05	2.9600E-01	-2.219449E+01	-2.249472E+01	3.0023E-01
1938	Bi	193	83	110	7.817110E+00	7.817187E+00	-7.6840E-05	1.797195E+05	1.797194E+05	6.90E-02	1.79762472E+05	1.797624E+05	7.0000E-02	-1.587283E+01	-1.594788E+01	7.5052E-02
1939	Po	193	84	109	7.773811E+00	7.773811E+00	3.1651E-04	1.797265E+05	1.797265E+05	-5.00E-03	1.79769985E+05	1.797700E+05	-6.0000E-03	-8.359526E+00	-8.359518E+00	-7.6500E-06
1940	At	193	85	108	7.727111E+00	7.724532E+00	2.5592E-03	1.797342E+05	1.797347E+05	-4.38E-01	1.7978277E+05	1.79787E+05	-4.3900E-01	-6.760900E-02	3.645266E-01	-4.3214E-01
1941	Rn	193	86	107	7.675852E+00	7.671485E+00	4.3667E-03	1.797428E+05	1.797436E+05	-7.86E-01	1.79787387E+05	1.797882E+05	-7.9000E-01	9.042924E+00	9.823278E+00	-7.8035E-01
1942	Os	194	76	118	7.932033E+00	7.932959E+00	-9.2602E-04	1.806381E+05	1.806379E+05	2.11E-01	1.80677401E+05	1.806772E+05	2.3100E-01	-3.243719E+01	-3.267202E+01	2.3483E-01
1943	Ir	194	77	117	7.928498E+00	7.928245E+00	2.4359E-04	1.806375E+05	1.806375E+05	-1.60E-02	1.80677305E+05	1.806773E+05	5.0000E-03	-3.253379E+01	-3.254240E+01	8.6084E-03
1944	Pt	194	78	116	7.935954E+00	7.934465E+00	1.4891E-03	1.806347E+05	1.806350E+05	-2.39E-01	1.80675076E+05	1.806753E+05	-2.3600E-01	-3.476256E+01	-3.453032E+01	-2.3225E-01
1945	Au	194	79	115	7.918780E+00	7.918259E+00	5.2070E-04	1.806367E+05	1.806368E+05	-5.00E-02	1.80677625E+05	1.806777E+05	-4.8000E-02	-3.221316E+01	-3.216950E+01	-4.3653E-02
1946	Hg	194	80	114	7.914597E+00	7.913086E+00	1.5112E-03	1.806362E+05	1.806365E+05	-2.41E-01	1.80677655E+05	1.806779E+05	-2.3800E-01	-3.218394E+01	-3.194893E+01	-2.3502E-01
1947	Tl	194	81	113	7.883520E+00	7.883362E+00	1.5843E-04	1.806410E+05	1.806409E+05	2.20E-02	1.80682901E+05	1.806829E+05	2.4000E-02	-2.693749E+01	-2.696550E+01	2.8004E-02
1948	Pb	194	82	112	7.865415E+00	7.865157E+00	2.5769E-04	1.806432E+05	1.806432E+05	3.00E-03	1.80685631E+05	1.806856E+05	6.0000E-03	-2.420743E+01	-2.421695E+01	9.5127E-03
1949	Po	194	84	110	7.789294E+00	7.788647E+00	6.4730E-04	1.806553E+05	1.806554E+05	-6.90E-02	1.80698834E+05	1.806989E+05	-6.9000E-02	-1.100458E+01	-1.094004E+01	-6.4534E-02
1950	At	194	85	109	7.732204E+00	7.730666E+00	1.5382E-03	1.806651E+05	1.806653E+05	-2.40E-01	1.80709127E+05	1.807094E+05	-2.4300E-01	-7.115310E-01	-4.748344E-01	-2.3670E-01
1951	Rn	194	86	108	7.695001E+00	7.690490E+00	4.5113E-03	1.806710E+05	1.806718E+05	-8.18E-01	1.80715562E+05	1.807164E+05	-8.2000E-01	5.723462E+00	6.536262E+00	-8.1280E-01
1952	Os	195	76	119	7.917744E+00	7.921959E+00	-4.2146E-03	1.815725E+05	1.815716E+05	8.53E-01	1.81611821E+05	1.816109E+05	8.7300E-01	-2.951159E+01	-3.038857E+01	8.7698E-01
1953	Ir	195	77	118	7.924926E+00	7.925932E+00	-1.0060E-03	1.815698E+05	1.815696E+05	2.28E-01	1.81609638E+05	1.816094E+05	2.4800E-01	-3.169433E+01	-3.194647E+01	2.5213E-01
1954	Pt	195	78	117	7.926565E+00	7.926530E+00	3.4620E-05	1.815682E+05	1.815681E+05	4.30E-02	1.81608536E+05	1.816085E+05	4.6000E-02	-3.279630E+01	-3.284623E+01	4.9924E-02
1955	Au	195	79	116	7.921389E+00	7.919645E+00	1.7441E-03	1.815679E+05	1.815682E+05	-2.89E-01	1.81608563E+05	1.816091E+05	-2.8700E-01	-3.256948E+01	-3.228664E+01	-2.8284E-01
1956	Hg	195	80	115	7.909327E+00	7.908490E+00	8.3686E-04	1.815689E+05	1.815690E+05	-1.11E-01	1.81610333E+05	1.816104E+05	-1.0900E-01	-3.099962E+01	-3.089453E+01	-1.0508E-01
1957	Tl	195	81	114	7.890727E+00	7.889125E+00	1.6020E-03	1.815712E+05	1.815715E+05	-2.60E-01	1.81613177E+05	1.816134E+05	-2.5800E-01	-2.815509E+01	-2.790141E+01	-2.5368E-01
1958	Pb	195	82	113	7.863936E+00	7.863740E+00	1.9617E-04	1.815752E+05	1.815751E+05	1.50E-02	1.81617619E+05	1.816176E+05	1.7000E-02	-2.371312E+01	-2.373438E+01	2.1262E-02
1959	Bi	195	83	112	7.830757E+00	7.829809E+00	9.4795E-04	1.815803E+05	1.815804E+05	-1.30E-01	1.81623307E+05	1.816234E+05	-1.2800E-01	-1.802554E+01	-1.790095E+01	-1.2459E-01
1960	Po	195	84	111	7.791029E+00	7.790655E+00	3.7440E-04	1.815867E+05	1.815868E+05	-1.80E-02	1.81630272E+05	1.816303E+05	-1.6000E-02	-1.106100E+01	-1.104891E+01	-1.2086E-02
1961	At	195	85	110	7.748119E+00	7.745417E+00	2.7024E-03	1.815938E+05	1.815943E+05	-4.71E-01	1.81637857E+05	1.816383E+05	-4.7000E-01	-3.475827E+00	-3.010575E+00	-4.6525E-01
1962	Rn	195	86	109	7.700384E+00	7.696293E+00	4.0908E-03	1.816018E+05	1.816025E+05	-7.40E-01	1.81646383E+05	1.816471E+05	-7.4200E-01	5.050256E+00	5.785415E+00	-7.3516E-01
1963	Os	196	76	120	7.912238E+00	7.918552E+00	-6.3141E-03	1.825052E+05	1.825040E+05	1.27E+00	1.82544548E+05	1.825433E+05	1.2900E+00	-2.827880E+01	-2.957155E+01	1.2928E+00
1964	Ir	196	77	119	7.914160E+00	7.917208E+00	-3.0482E-03	1.825035E+05	1.825029E+05	6.28E-01	1.82543389E+05	1.825427E+05	6.5000E-01	-2.943790E+01	-3.009121E+01	6.5331E-01
1965	Pt	196	78	118	7.926541E+00	7.926570E+00	-2.8680E-05	1.824998E+05	1.824998E+05	5.50E-02	1.82540180E+05	1.825401E+05	6.0000E-02	-3.264692E+01	-3.270914E+01	6.2222E-02
1966	Au	196	79	117	7.914861E+00	7.914162E+00	6.9921E-04	1.825008E+05	1.825009E+05	-8.60E-02	1.82541687E+05	1.825418E+05	-8.3000E-02	-3.113993E+01	-3.106027E+01	-7.9660E-02
1967	Hg	196	80	116	7.914373E+00	7.912376E+00	1.9970E-03	1.824996E+05	1.824999E+05	-3.40E-01	1.82541000E+05	1.825413E+05	-3.3600E-01	-3.182677E+01	-3.149334E+01	-3.3343E-01
1968	Tl	196	81	115	7.888289E+00	7.887029E+00	1.2598E-03	1.825034E+05	1.825036E+05	-1.95E-01	1.82545330E+05	1.825455E+05	-1.9200E-01	-2.749659E+01	-2.730843E+01	-1.8816E-01



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
1969	Pb	196	82	114	7.873400E+00	7.872039E+00	1.3607E-03	1.825050E+05	1.825052E+05	-2.13E-01	1.82547466E+05	1.825477E+05	-2.1000E-01	-2.536064E+01	-2.5155350E+01	-2.0714E-01
1970	Bi	196	83	113	7.831900E+00	7.830977E+00	9.2273E-04	1.825118E+05	1.825119E+05	-1.27E-01	1.82554818E+05	1.825549E+05	-1.2400E-01	-1.800903E+01	-1.788841E+01	-1.2062E-01
1971	Po	196	84	112	7.804814E+00	7.803709E+00	1.1049E-03	1.825158E+05	1.825160E+05	-1.61E-01	1.82559344E+05	1.825595E+05	-1.5900E-01	-1.348254E+01	-1.332692E+01	-1.5561E-01
1972	At	196	85	111	7.751997E+00	7.750180E+00	1.8173E-03	1.825249E+05	1.825252E+05	-3.00E-01	1.82568914E+05	1.825692E+05	-2.9900E-01	-3.912629E+00	-3.618239E+00	-2.9439E-01
1973	Rn	196	86	110	7.717986E+00	7.713709E+00	4.2775E-03	1.825302E+05	1.825310E+05	-7.82E-01	1.82574798E+05	1.825756E+05	-7.8100E-01	1.971040E+00	2.747025E+00	-7.7599E-01
1974	Ir	197	77	120	7.909008E+00	7.914390E+00	-5.3824E-03	1.834362E+05	1.834351E+05	1.09E+00	1.83476055E+05	1.834749E+05	1.1130E+00	-2.826580E+01	-2.938200E+01	1.1162E+00
1975	Pt	197	78	119	7.915982E+00	7.918446E+00	-2.4640E-03	1.834335E+05	1.834330E+05	5.19E-01	1.83473899E+05	1.834734E+05	5.3900E-01	-3.042195E+01	-3.096403E+01	5.4207E-01
1976	Au	197	79	118	7.915660E+00	7.914953E+00	7.0667E-04	1.834323E+05	1.834324E+05	-8.90E-02	1.83473180E+05	1.834733E+05	-8.5000E-02	-3.114098E+01	-3.105905E+01	-8.1909E-02
1977	Hg	197	80	117	7.908644E+00	7.907436E+00	1.2083E-03	1.834324E+05	1.834326E+05	-1.86E-01	1.83473780E+05	1.834740E+05	-1.8300E-01	-3.054104E+01	-3.036116E+01	-1.7988E-01
1978	Tl	197	81	116	7.893499E+00	7.891649E+00	1.8503E-03	1.834340E+05	1.834344E+05	-3.12E-01	1.83475981E+05	1.834763E+05	-3.0900E-01	-2.833988E+01	-2.803418E+01	-3.0569E-01
1979	Pb	197	82	115	7.871298E+00	7.869987E+00	1.3109E-03	1.834371E+05	1.834373E+05	-2.05E-01	1.83479572E+05	1.834798E+05	-2.0200E-01	-2.474871E+01	-2.454993E+01	-1.9878E-01
1980	Bi	197	83	114	7.841633E+00	7.839762E+00	1.8712E-03	1.834416E+05	1.834420E+05	-3.14E-01	1.83484634E+05	1.834849E+05	-3.1100E-01	-1.968705E+01	-1.937862E+01	-3.0841E-01
1981	Po	197	84	113	7.805535E+00	7.804615E+00	9.2020E-04	1.834474E+05	1.834476E+05	-1.26E-01	1.83490962E+05	1.834911E+05	-1.2400E-01	-1.335807E+01	-1.323774E+01	-1.2033E-01
1982	At	197	85	112	7.765961E+00	7.763336E+00	2.6249E-03	1.834539E+05	1.834544E+05	-4.61E-01	1.83497976E+05	1.834984E+05	-4.6000E-01	-6.344231E+00	-5.888918E+00	-4.5531E-01
1983	Rn	197	86	111	7.722292E+00	7.718205E+00	4.0868E-03	1.834612E+05	1.834620E+05	-7.48E-01	1.83505797E+05	1.835065E+05	-7.4800E-01	1.476065E+00	2.218787E+00	-7.4272E-01
1984	Pt	198	78	120	7.91459E+00	7.917857E+00	-3.6984E-03	1.843655E+05	1.843648E+05	7.67E-01	1.84405909E+05	1.844051E+05	7.8600E-01	-2.990369E+01	-3.069461E+01	7.8892E-01
1985	Au	198	79	119	7.908573E+00	7.909154E+00	-5.8145E-04	1.843653E+05	1.843652E+05	1.51E-01	1.84406233E+05	1.844061E+05	1.7000E-01	-2.958200E+01	-2.975450E+01	1.7251E-01
1986	Hg	198	80	118	7.911555E+00	7.910597E+00	9.5843E-04	1.843634E+05	1.843636E+05	-1.38E-01	1.84404860E+05	1.844050E+05	-1.3400E-01	-3.095485E+01	-3.082312E+01	-1.3173E-01
1987	Tl	198	81	117	7.890129E+00	7.890058E+00	1.0715E-03	1.843664E+05	1.843665E+05	-1.60E-01	1.84408320E+05	1.844085E+05	-1.5600E-01	-2.749485E+01	-2.734147E+01	-1.5338E-01
1988	Pb	198	82	116	7.878881E+00	7.876942E+00	1.9394E-03	1.843673E+05	1.843676E+05	-3.30E-01	1.84409764E+05	1.844101E+05	-3.2800E-01	-2.605009E+01	-2.572560E+01	-3.2449E-01
1989	Bi	198	83	115	7.841189E+00	7.840083E+00	1.1059E-03	1.843735E+05	1.843736E+05	-1.64E-01	1.84416445E+05	1.844166E+05	-1.6200E-01	-1.936949E+01	-1.921069E+01	-1.5880E-01
1990	Po	198	84	114	7.817559E+00	7.815945E+00	1.6143E-03	1.843768E+05	1.843771E+05	-2.65E-01	1.84420342E+05	1.844206E+05	-2.6100E-01	-1.547292E+01	-1.521435E+01	-2.5857E-01
1991	Rn	198	86	112	7.737724E+00	7.734033E+00	3.6908E-03	1.843900E+05	1.843907E+05	-6.72E-01	1.84434584E+05	1.844353E+05	-6.7200E-01	-1.230357E+00	-5.620297E-01	-6.6833E-01
1992	Ir	199	77	122	7.891214E+00	7.899905E+00	-8.6906E-03	1.853031E+05	1.853013E+05	1.76E+00	1.85342908E+05	1.853411E+05	1.7810E+00	-2.440020E+01	-2.618546E+01	1.7853E+00
1993	Pt	199	78	121	7.902309E+00	7.908795E+00	-6.4861E-03	1.852995E+05	1.852982E+05	1.32E+00	1.85339918E+05	1.853386E+05	1.3440E+00	-2.739037E+01	-2.873775E+01	1.3474E+00
1994	Au	199	79	120	7.906943E+00	7.909223E+00	-2.2800E-03	1.852973E+05	1.852968E+05	5.04E-01	1.85338214E+05	1.853377E+05	5.0800E-01	-2.909495E+01	-2.960598E+01	5.1103E-01
1995	Hg	199	80	119	7.905280E+00	7.905355E+00	-7.5090E-05	1.852964E+05	1.852963E+05	6.60E-02	1.85337762E+05	1.853377E+05	7.0000E-02	-2.954639E+01	-2.961934E+01	7.2952E-02
1996	Tl	199	81	118	7.893877E+00	7.892860E+00	1.0175E-03	1.852973E+05	1.852975E+05	-1.50E-01	1.85339249E+05	1.853394E+05	-1.4700E-01	-2.805939E+01	-2.791580E+01	-1.4359E-01
1997	Pb	199	82	117	7.875736E+00	7.874477E+00	1.2589E-03	1.852996E+05	1.852998E+05	-1.97E-01	1.85342077E+05	1.853423E+05	-1.9300E-01	-2.523168E+01	-2.504078E+01	-1.9089E-01
1998	Bi	199	83	116	7.849522E+00	7.847510E+00	2.0123E-03	1.853035E+05	1.853039E+05	-3.46E-01	1.85346511E+05	1.853469E+05	-3.4300E-01	-2.079746E+01	-2.045734E+01	-3.4011E-01
1999	Po	199	84	115	7.817533E+00	7.816027E+00	1.5063E-03	1.853086E+05	1.853088E+05	-2.45E-01	1.85352095E+05	1.853523E+05	-2.4100E-01	-1.521398E+01	-1.497531E+01	-2.3867E-01
2000	At	199	85	114	7.781488E+00	7.778522E+00	2.9659E-03	1.853144E+05	1.853150E+05	-5.34E-01	1.85358485E+05	1.853590E+05	-5.3100E-01	-8.823433E+00	-8.294957E+00	-5.2848E-01
2001	Rn	199	86	113	7.740755E+00	7.737339E+00	3.4165E-03	1.853212E+05	1.853218E+05	-6.22E-01	1.85365809E+05	1.853664E+05	-6.2100E-01	-1.499839E+00	-8.825040E-01	-6.1734E-01
2002	Fr	199	87	112	7.695310E+00	7.690754E+00	4.5560E-03	1.853290E+05	1.853298E+05	-8.48E-01	1.85374070E+05	1.853749E+05	-8.4800E-01	6.761337E+00	7.604744E+00	-8.4341E-01
2003	Pt	200	78	122	7.899206E+00	7.906143E+00	-6.9369E-03	1.862318E+05	1.862304E+05	1.42E+00	1.86272202E+05	1.862708E+05	1.4410E+00	-2.660085E+01	-2.804479E+01	1.4439E+00
2004	Au	200	79	121	7.898491E+00	7.902395E+00	-3.9043E-03	1.862307E+05	1.862298E+05	8.13E-01	1.86271562E+05	1.862707E+05	8.3400E-01	-2.724019E+01	-2.807835E+01	8.3817E-01
2005	Hg	200	80	120	7.905896E+00	7.907678E+00	-1.7815E-03	1.862279E+05	1.862275E+05	4.08E-01	1.86269299E+05	1.862689E+05	4.1200E-01	-2.950359E+01	-2.991787E+01	4.1428E-01
2006	Tl	200	81	119	7.889705E+00	7.889819E+00	-1.1415E-04	1.862298E+05	1.862297E+05	7.50E-02	1.86271755E+05	1.862717E+05	7.9000E-02	-2.704755E+01	-2.712927E+01	8.1716E-02
2007	Pb	200	82	118	7.881808E+00	7.880398E+00	1.4103E-03	1.862301E+05	1.862303E+05	-2.29E-01	1.86272552E+05	1.862728E+05	-2.2500E-01	-2.625053E+01	-2.602806E+01	-2.2247E-01
2008	Bi	200	83	117	7.848497E+00	7.847174E+00	1.3232E-03	1.862354E+05	1.862356E+05	-2.11E-01	1.86278432E+05	1.862786E+05	-2.0700E-01	-2.037068E+01	-2.0116635E+01	-2.0433E-01
2009	Po	200	84	116	7.827503E+00	7.825776E+00	1.7273E-03	1.862383E+05	1.862386E+05	-2.90E-01	1.86281848E+05	1.862821E+05	-2.8700E-01	-1.695432E+01	-1.666982E+01	-2.8450E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2010	At	200	85	115	7.783760E+00	7.781101E+00	2.6593E-03	1.862438E+05	1.862462E+05	-4.76E-01	1.86289815E+05	1.862903E+05	-4.7200E-01	-8.987971E+00	-8.517878E+00	-4.7009E-01
2011	Rn	200	86	114	7.754980E+00	7.751568E+00	3.4116E-03	1.862502E+05	1.862508E+05	-6.25E-01	1.86294788E+05	1.862954E+05	-6.2300E-01	-4.014338E+00	-3.394499E+00	-6.1984E-01
2012	Fr	200	87	113	7.700322E+00	7.696700E+00	3.6216E-03	1.862598E+05	1.862605E+05	-6.67E-01	1.86304937E+05	1.863056E+05	-6.6600E-01	6.134822E+00	6.796026E+00	-6.6120E-01
2013	Pt	201	78	123	7.885834E+00	7.893921E+00	-8.0872E-03	1.871662E+05	1.871645E+05	1.66E+00	1.87206556E+05	1.872049E+05	1.6780E+00	-2.374088E+01	-2.542306E+01	1.6822E+00
2014	Au	201	79	122	7.895175E+00	7.900404E+00	-5.2291E-03	1.871630E+05	1.871619E+05	1.08E+00	1.87203896E+05	1.872028E+05	1.1050E+00	-2.640088E+01	-2.750920E+01	1.1083E+00
2015	Hg	201	80	121	7.897561E+00	7.901423E+00	-3.8617E-03	1.871612E+05	1.871604E+05	8.28E-01	1.87202634E+05	1.872018E+05	8.3100E-01	-2.766273E+01	-2.849699E+01	8.3427E-01
2016	Tl	201	81	120	7.891262E+00	7.892691E+00	-1.4292E-03	1.871612E+05	1.871608E+05	3.40E-01	1.87203118E+05	1.872028E+05	3.4300E-01	-2.717893E+01	-2.752505E+01	3.4611E-01
2017	Pb	201	82	119	7.877820E+00	7.877499E+00	3.2069E-04	1.871626E+05	1.871626E+05	-1.10E-02	1.87205037E+05	1.872050E+05	-8.0000E-03	-2.525940E+01	-2.525456E+01	-4.8426E-03
2018	Bi	201	83	118	7.854799E+00	7.853437E+00	1.3625E-03	1.871659E+05	1.871661E+05	-2.20E-01	1.87208882E+05	1.872091E+05	-2.1600E-01	-2.141466E+01	-2.120101E+01	-2.1365E-01
2019	Po	201	84	117	7.826580E+00	7.825242E+00	1.3385E-03	1.871702E+05	1.871705E+05	-2.14E-01	1.87213772E+05	1.872140E+05	-2.0900E-01	-1.652488E+01	-1.631689E+01	-2.0799E-01
2020	At	201	85	116	7.794152E+00	7.791242E+00	2.9103E-03	1.871755E+05	1.871760E+05	-5.29E-01	1.87219507E+05	1.872200E+05	-5.2500E-01	-1.078936E+01	-1.026601E+01	-5.2335E-01
2021	Rn	201	86	115	7.756843E+00	7.753865E+00	2.9781E-03	1.871816E+05	1.871822E+05	-5.42E-01	1.87226224E+05	1.872268E+05	-5.3900E-01	-4.072482E+00	-3.536355E+00	-5.3613E-01
2022	Fr	201	87	114	7.714771E+00	7.710947E+00	3.8237E-03	1.871888E+05	1.871895E+05	-7.11E-01	1.87233898E+05	1.872346E+05	-7.0900E-01	3.601709E+00	4.307009E+00	-7.0530E-01
2023	Pt	202	78	124	7.881560E+00	7.88635E+00	-5.0754E-03	1.880987E+05	1.880977E+05	1.06E+00	1.88139099E+05	1.881380E+05	1.0780E+00	-2.269213E+01	-2.377791E+01	1.0818E+00
2024	Au	202	79	123	7.885909E+00	7.890506E+00	-4.5972E-03	1.880965E+05	1.880956E+05	9.61E-01	1.88137438E+05	1.881365E+05	9.8100E-01	-2.435298E+01	-2.533889E+01	9.8591E-01
2025	Hg	202	80	122	7.896851E+00	7.901685E+00	-4.8343E-03	1.880930E+05	1.880920E+05	1.03E+00	1.88134445E+05	1.881334E+05	1.0310E+00	-2.734550E+01	-2.838015E+01	1.0346E+00
2026	Tl	202	81	121	7.886250E+00	7.888561E+00	-2.3107E-03	1.880939E+05	1.880933E+05	5.19E-01	1.88135804E+05	1.881353E+05	5.2200E-01	-2.598641E+01	-2.651206E+01	5.2565E-01
2027	Pb	202	82	120	7.882148E+00	7.882302E+00	-1.5378E-04	1.880934E+05	1.880933E+05	8.40E-02	1.88135805E+05	1.881358E+05	8.8000E-02	-2.594022E+01	-2.603084E+01	9.0615E-02
2028	Bi	202	83	119	7.852535E+00	7.852412E+00	1.2336E-04	1.880981E+05	1.880980E+05	2.90E-02	1.88141050E+05	1.881410E+05	3.3000E-02	-2.074078E+01	-2.077610E+01	3.5329E-02
2029	Po	202	84	118	7.834718E+00	7.833557E+00	1.1615E-03	1.881003E+05	1.881005E+05	-1.80E-01	1.88143866E+05	1.881440E+05	-1.7600E-01	-1.792413E+01	-1.775044E+01	-1.7368E-01
2030	At	202	85	117	7.794542E+00	7.792974E+00	1.5675E-03	1.881071E+05	1.881074E+05	-2.61E-01	1.88151200E+05	1.881515E+05	-2.5600E-01	-1.059081E+01	-1.033595E+01	-2.5486E-01
2031	Rn	202	86	116	7.769300E+00	7.766484E+00	2.8163E-03	1.881109E+05	1.881114E+05	-5.12E-01	1.88155516E+05	1.881560E+05	-5.0800E-01	-6.274285E+00	-5.767896E+00	-5.0639E-01
2032	Ra	202	88	114	7.685487E+00	7.681055E+00	4.4321E-03	1.881252E+05	1.881261E+05	-8.35E-01	1.88170882E+05	1.881717E+05	-8.3500E-01	0.091143E+00	9.922565E+00	-8.3142E-01
2033	Au	203	79	124	7.880864E+00	7.884102E+00	-3.2381E-03	1.890292E+05	1.890286E+05	6.92E-01	1.89070141E+05	1.890694E+05	7.0900E-01	-2.314348E+01	-2.385806E+01	7.1457E-01
2034	Hg	203	80	123	7.887480E+00	7.892522E+00	-5.0416E-03	1.890266E+05	1.890255E+05	1.06E+00	1.89068016E+05	1.890669E+05	1.0770E+00	-2.526879E+01	-2.635029E+01	1.0815E+00
2035	Tl	203	81	122	7.886650E+00	7.889410E+00	-3.3602E-03	1.890256E+05	1.890249E+05	7.34E-01	1.89067524E+05	1.890668E+05	7.3700E-01	-2.576085E+01	-2.650174E+01	7.4090E-01
2036	Pb	203	82	121	7.877394E+00	7.878333E+00	-9.3876E-04	1.890260E+05	1.890258E+05	2.44E-01	1.89068499E+05	1.890683E+05	2.4800E-01	-2.478601E+01	-2.503611E+01	2.5010E-01
2037	Bi	203	83	120	7.857472E+00	7.857382E+00	8.9910E-05	1.890288E+05	1.890287E+05	3.60E-02	1.89071760E+05	1.890717E+05	3.9000E-02	-2.152424E+01	-2.156620E+01	4.1961E-02
2038	Po	203	84	119	7.832862E+00	7.832351E+00	5.1070E-04	1.890325E+05	1.890325E+05	-4.80E-02	1.89075974E+05	1.890760E+05	-4.4000E-02	-1.731076E+01	-1.726803E+01	-4.2735E-02
2039	At	203	85	118	7.803648E+00	7.801666E+00	1.9820E-03	1.890371E+05	1.890374E+05	-3.47E-01	1.89081122E+05	1.890815E+05	-3.4200E-01	-1.216253E+01	-1.182198E+01	-3.4055E-01
2040	Rn	203	86	117	7.770221E+00	7.767942E+00	2.2790E-03	1.890425E+05	1.890429E+05	-4.06E-01	1.89087125E+05	1.890875E+05	-4.0200E-01	-6.159279E+00	-5.759090E+00	-4.0019E-01
2041	Fr	203	87	116	7.731709E+00	7.728626E+00	3.0832E-03	1.890490E+05	1.890496E+05	-5.68E-01	1.89094161E+05	1.890947E+05	-5.6500E-01	8.762840E-01	1.439020E+00	-5.6274E-01
2042	Ra	203	88	115	7.689478E+00	7.685595E+00	3.8833E-03	1.890563E+05	1.890570E+05	-7.29E-01	1.89101952E+05	1.891027E+05	-7.2700E-01	8.666876E+00	9.391258E+00	-7.2438E-01
2043	Hg	204	80	124	7.885545E+00	7.888576E+00	-3.0307E-03	1.899587E+05	1.899580E+05	6.53E-01	1.90000088E+05	1.899994E+05	6.7100E-01	-2.469020E+01	-2.536653E+01	6.7634E-01
2044	Tl	204	81	123	7.880021E+00	7.882503E+00	-2.4817E-03	1.899585E+05	1.899579E+05	5.41E-01	1.90000433E+05	1.899999E+05	5.6100E-01	-2.434562E+01	-2.491071E+01	5.6509E-01
2045	Pb	204	82	122	7.79930E+00	7.881078E+00	-1.1478E-03	1.899572E+05	1.899569E+05	2.87E-01	1.89999669E+05	1.899994E+05	2.9100E-01	-2.510937E+01	-2.540311E+01	2.9374E-01
2046	Bi	204	83	121	7.854213E+00	7.855094E+00	-8.8106E-04	1.899611E+05	1.899609E+05	2.34E-01	1.90004133E+05	1.900039E+05	2.3700E-01	-2.064558E+01	-2.088550E+01	2.3993E-01
2047	Po	204	84	120	7.839080E+00	7.839109E+00	-2.9200E-05	1.899629E+05	1.899629E+05	6.00E-02	1.90006438E+05	1.900064E+05	6.0000E-02	-1.834080E+01	-1.840767E+01	6.6869E-02
2048	At	204	85	119	7.803552E+00	7.802476E+00	1.0758E-03	1.899689E+05	1.899690E+05	-1.63E-01	1.90012903E+05	1.900131E+05	-1.5900E-01	-1.187543E+01	-1.171762E+01	-1.5782E-01
2049	Rn	204	86	118	7.780637E+00	7.778906E+00	1.7310E-03	1.899722E+05	1.899725E+05	-2.97E-01	1.90016796E+05	1.900171E+05	-2.9100E-01	-7.982976E+00	-7.692375E+00	-2.9060E-01
2050	Fr	204	87	117	7.734692E+00	7.732499E+00	2.1926E-03	1.899803E+05	1.899807E+05	-3.89E-01	1.90025386E+05	1.900258E+05	-3.8600E-01	6.073900E-01	9.915011E-01	-3.8411E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2051	Ra	204	88	116	7.704191E+00	7.700897E+00	3.2940E-03	1.899852E+05	1.899858E+05	-6.14E-01	1.90030826E+05	1.900314E+05	-6.1000E-01	6.047135E+00	6.655309E+00	-6.0817E-01
2052	Hg	205	80	125	7.874731E+00	7.874538E+00	1.7287E-04	1.908926E+05	1.908926E+05	0.00E+00	1.90933985E+05	1.909340E+05	1.7000E-02	-2.228747E+01	-2.231018E+01	2.2713E-02
2053	Tl	205	81	124	7.878392E+00	7.879414E+00	-1.0224E-03	1.908905E+05	1.908903E+05	2.44E-01	1.90932452E+05	1.909322E+05	2.6300E-01	-2.382035E+01	-2.408880E+01	2.6845E-01
2054	Pb	205	82	123	7.874328E+00	7.874529E+00	-2.0098E-04	1.908900E+05	1.908899E+05	9.40E-02	1.90932503E+05	1.909324E+05	9.7000E-02	-2.376972E+01	-2.387036E+01	1.0064E-01
2055	Bi	205	83	122	7.87314E+00	7.857935E+00	-6.2058E-04	1.908922E+05	1.908920E+05	1.81E-01	1.90935209E+05	1.909350E+05	1.8500E-01	-2.106416E+01	-2.127158E+01	1.8743E-01
2056	Po	205	84	121	7.836157E+00	7.836651E+00	-4.9360E-04	1.908952E+05	1.908951E+05	1.56E-01	1.90938763E+05	1.909386E+05	1.6000E-01	-1.750921E+01	-1.767145E+01	1.6224E-01
2057	At	205	85	120	7.810199E+00	7.809508E+00	6.9051E-04	1.908992E+05	1.908993E+05	-8.60E-02	1.90943302E+05	1.909434E+05	-8.1000E-02	-1.297025E+01	-1.289039E+01	-7.9863E-02
2058	Rn	205	86	119	7.780742E+00	7.779493E+00	1.2487E-03	1.909040E+05	1.909042E+05	-1.99E-01	1.90948559E+05	1.909488E+05	-1.9400E-01	-7.713850E+00	-7.520550E+00	-1.9350E-01
2059	Fr	205	87	118	7.745686E+00	7.743788E+00	1.8983E-03	1.909099E+05	1.909102E+05	-3.31E-01	1.90954963E+05	1.909553E+05	-3.2700E-01	-1.309812E+00	-9.837830E-01	-3.2603E-01
2060	Ra	205	88	117	7.706998E+00	7.704426E+00	2.5723E-03	1.909165E+05	1.909169E+05	-4.69E-01	1.90962111E+05	1.909626E+05	-4.6600E-01	5.838833E+00	6.302351E+00	-4.6352E-01
2061	Hg	206	80	126	7.869169E+00	7.865378E+00	3.7910E-03	1.918254E+05	1.918261E+05	-7.46E-01	1.91866821E+05	1.918676E+05	-7.2900E-01	-2.094520E+01	-2.022231E+01	-7.2289E-01
2062	Tl	206	81	125	7.871719E+00	7.867965E+00	3.7544E-03	1.918236E+05	1.918243E+05	-7.38E-01	1.91865514E+05	1.918662E+05	-7.2000E-01	-2.25284E+01	-2.153823E+01	-7.1461E-01
2063	Pb	206	82	124	7.875359E+00	7.873588E+00	1.7712E-03	1.918247E+05	1.918247E+05	3.12E-01	1.91863982E+05	1.918643E+05	-3.0800E-01	-2.378506E+01	-2.347969E+01	-3.0538E-01
2064	Bi	206	83	123	7.853322E+00	7.853082E+00	2.3986E-04	1.918247E+05	1.918259E+05	4.00E-03	1.91867739E+05	1.918677E+05	8.0000E-03	-2.002776E+01	-2.003860E+01	1.0842E-02
2065	Po	206	84	122	7.840595E+00	7.841124E+00	-5.2859E-04	1.918261E+05	1.918259E+05	1.64E-01	1.91869578E+05	1.918694E+05	1.6800E-01	-1.818836E+01	-1.835821E+01	1.6985E-01
2066	At	206	85	121	7.808839E+00	7.808863E+00	-2.4450E-05	1.918313E+05	1.918312E+05	6.10E-02	1.91875338E+05	1.918753E+05	6.6000E-02	-1.242899E+01	-1.249570E+01	6.6716E-02
2067	Rn	206	86	120	7.788956E+00	7.788581E+00	3.7483E-04	1.918341E+05	1.918341E+05	-2.10E-02	1.91878651E+05	1.918787E+05	-1.6000E-02	-9.115396E+00	-9.100629E+00	-1.4767E-02
2068	Fr	206	87	119	7.746940E+00	7.746594E+00	3.4553E-04	1.918414E+05	1.918414E+05	-1.40E-02	1.91886524E+05	1.918865E+05	-9.0000E-03	-1.242490E+00	-1.234444E+00	-8.0448E-03
2069	Ra	206	88	118	7.719801E+00	7.718085E+00	1.7158E-03	1.918457E+05	1.918460E+05	-2.95E-01	1.918916E+05	1.918916E+05	-2.9100E-01	3.565809E+00	3.855393E+00	-2.8958E-01
2070	Hg	207	80	127	7.848610E+00	7.846693E+00	1.9171E-03	1.927613E+05	1.927617E+05	-3.62E-01	1.92802773E+05	1.928031E+05	-3.4500E-01	-1.648744E+01	-1.614885E+01	-3.3889E-01
2071	Tl	207	81	126	7.866792E+00	7.859938E+00	6.8541E-03	1.927563E+05	1.927577E+05	-1.38E+00	1.92798227E+05	1.927996E+05	-1.3670E+00	-2.103340E+01	-1.967334E+01	-1.3601E+00
2072	Pb	207	82	125	7.869864E+00	7.862921E+00	6.9426E-03	1.927543E+05	1.927557E+05	-1.38E+00	1.92796809E+05	1.927982E+05	-1.3820E+00	-2.245152E+01	-2.107401E+01	-1.3775E+00
2073	Bi	207	83	124	7.854502E+00	7.852419E+00	2.0833E-03	1.927562E+05	1.927566E+05	-3.78E-01	1.92799207E+05	1.927996E+05	-3.7400E-01	-2.005411E+01	-1.968302E+01	-3.7109E-01
2074	Po	207	84	123	7.836671E+00	7.836207E+00	4.6424E-04	1.927586E+05	1.927586E+05	-4.10E-02	1.92802115E+05	1.928022E+05	-3.7000E-02	-1.714530E+01	-1.711023E+01	-3.5066E-02
2075	At	207	85	122	7.813962E+00	7.813542E+00	4.2043E-04	1.927620E+05	1.927620E+05	-3.10E-02	1.92806034E+05	1.928061E+05	-2.6000E-02	-1.322691E+01	-1.320162E+01	-2.5288E-02
2076	Rn	207	86	121	7.787998E+00	7.787819E+00	1.7916E-04	1.927660E+05	1.927660E+05	2.00E-02	1.92810626E+05	1.928106E+05	2.5000E-02	-8.634713E+00	-8.660090E+00	2.5377E-02
2077	Fr	207	87	120	7.756246E+00	7.756059E+00	1.8670E-04	1.927713E+05	1.927713E+05	1.90E-02	1.92816416E+05	1.928164E+05	2.3000E-02	-2.844337E+00	-2.868940E+00	2.4603E-02
2078	Ra	207	88	119	7.721629E+00	7.720561E+00	1.0681E-03	1.927772E+05	1.927773E+05	-1.63E-01	1.92822800E+05	1.928230E+05	-1.5800E-01	3.538895E+00	3.696157E+00	-1.5726E-01
2079	Ac	207	89	118	7.681100E+00	7.679243E+00	1.8566E-03	1.927842E+05	1.927846E+05	-3.25E-01	1.92830407E+05	1.928307E+05	-3.2200E-01	1.114610E+01	1.146580E+01	-3.1970E-01
2080	Hg	208	80	128	7.834191E+00	7.833581E+00	6.1040E-04	1.936961E+05	1.936962E+05	-9.40E-02	1.93737489E+05	1.937376E+05	-7.5000E-02	-1.326541E+01	-1.319657E+01	-6.8833E-02
2081	Tl	208	81	127	7.847178E+00	7.843970E+00	3.2078E-03	1.936920E+05	1.936927E+05	-6.35E-01	1.93734006E+05	1.937346E+05	-6.1500E-01	-1.674919E+01	-1.614068E+01	-6.0851E-01
2082	Pb	208	82	126	7.867450E+00	7.857443E+00	1.0007E-02	1.936865E+05	1.936886E+05	-2.03E+00	1.93729007E+05	1.937310E+05	-2.0260E+00	-2.174807E+01	-1.972607E+01	-2.0220E+00
2083	Bi	208	83	125	7.849851E+00	7.843734E+00	6.1166E-03	1.936889E+05	1.936901E+05	-1.22E+00	1.93731885E+05	1.937331E+05	-1.2150E+00	-1.886971E+01	-1.765780E+01	-1.2119E+00
2084	Po	208	84	124	7.839356E+00	7.837233E+00	2.1231E-03	1.936898E+05	1.936901E+05	-3.87E-01	1.93733286E+05	1.937337E+05	-3.8200E-01	-1.746915E+01	-1.708856E+01	-3.8059E-01
2085	At	208	85	123	7.811558E+00	7.810385E+00	1.1729E-03	1.936942E+05	1.936944E+05	-1.89E-01	1.93738285E+05	1.937385E+05	-1.8400E-01	-1.246963E+01	-1.228729E+01	-1.8234E-01
2086	Rn	208	86	122	7.794266E+00	7.7944424E+00	-1.5774E-04	1.936965E+05	1.936964E+05	8.90E-02	1.93741099E+05	1.937410E+05	9.4000E-02	-9.655227E+00	-9.750408E+00	9.5181E-02
2087	Fr	208	87	121	7.756902E+00	7.757354E+00	-4.5240E-04	1.937030E+05	1.937028E+05	1.52E-01	1.93748089E+05	1.937479E+05	1.5600E-01	-2.665813E+00	-2.823063E+00	1.5725E-01
2088	Ra	208	88	120	7.732079E+00	7.732246E+00	-1.6706E-04	1.937068E+05	1.937067E+05	9.30E-02	1.93752470E+05	1.937524E+05	9.8000E-02	1.714994E+00	1.616395E+00	9.8599E-02
2089	Ac	208	89	119	7.684836E+00	7.684025E+00	8.1130E-04	1.937153E+05	1.937154E+05	-1.10E-01	1.93761514E+05	1.937616E+05	-1.0600E-01	1.075913E+01	1.086336E+01	-1.0423E-01
2090	Th	208	90	118	7.652638E+00	7.650247E+00	2.3915E-03	1.937207E+05	1.937212E+05	-4.37E-01	1.93767429E+05	1.937679E+05	-4.3400E-01	1.667400E+01	1.710615E+01	-4.3215E-01
2091	Tl	209	81	128	7.833363E+00	7.832009E+00	1.3538E-03	1.946267E+05	1.946269E+05	-2.50E-01	1.94668611E+05	1.946688E+05	-2.3200E-01	-1.363767E+01	-1.341350E+01	-2.2417E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2092	Pb	209	82	127	7.848646E+00	7.842641E+00	6.0047E-03	1.946221E+05	1.946234E+05	-1.22E+00	1.94664635E+05	1.946658E+05	-1.2000E+00	-1.761412E+01	-1.641867E+01	-1.1955E+00
2093	Bi	209	83	126	7.847984E+00	7.838921E+00	9.0631E-03	1.946210E+05	1.946228E+05	-1.84E+00	1.94663991E+05	1.946658E+05	-1.8370E+00	-1.825815E+01	-1.642420E+01	-1.8340E+00
2094	Po	209	84	125	7.835185E+00	7.828735E+00	6.4495E-03	1.946224E+05	1.946237E+05	-1.29E+00	1.94665883E+05	1.946672E+05	-1.2890E+00	-1.636557E+01	-1.507851E+01	-1.2871E+00
2095	At	209	85	124	7.814776E+00	7.811688E+00	3.0884E-03	1.946253E+05	1.946259E+05	-5.90E-01	1.94669366E+05	1.946700E+05	-5.8500E-01	-1.288236E+01	-1.229858E+01	-5.8378E-01
2096	Rn	209	86	123	7.792116E+00	7.791343E+00	7.7251E-04	1.946287E+05	1.946288E+05	-1.05E-01	1.94673320E+05	1.946734E+05	-1.0000E-01	-8.928826E+00	-8.829741E+00	-9.9085E-02
2097	Fr	209	87	122	7.763680E+00	7.764377E+00	-6.9748E-04	1.946334E+05	1.946332E+05	2.04E-01	1.94678481E+05	1.946783E+05	2.0800E-01	-3.767956E+00	-3.976922E+00	2.0897E-01
2098	Ra	209	88	121	7.733037E+00	7.733323E+00	-2.8616E-04	1.946385E+05	1.946383E+05	1.18E-01	1.94684103E+05	1.946840E+05	1.2300E-01	1.854098E+00	1.730355E+00	1.2374E-01
2099	Ac	209	89	120	7.695847E+00	7.695932E+00	-1.0523E-04	1.946449E+05	1.946448E+05	8.20E-02	1.94691093E+05	1.946910E+05	8.5000E-02	8.844314E+00	8.757802E+00	8.6512E-02
2100	Th	209	90	119	7.655298E+00	7.654612E+00	6.8566E-04	1.946521E+05	1.946522E+05	-8.30E-02	1.94698786E+05	1.946989E+05	-8.0000E-02	1.653679E+01	1.661476E+01	-7.7972E-02
2101	Tl	210	81	129	7.813584E+00	7.813038E+00	5.2612E-04	1.955625E+05	1.955626E+05	-7.80E-02	1.95604497E+05	1.956046E+05	-6.0000E-02	-9.246048E+00	-9.194403E+00	-5.1645E-02
2102	Pb	210	82	128	7.835963E+00	7.83447E+00	2.5159E-03	1.955565E+05	1.955570E+05	-4.96E-01	1.95599015E+05	1.955995E+05	-4.7400E-01	-1.472798E+01	-1.425922E+01	-4.6876E-01
2103	Bi	210	83	127	7.832540E+00	7.826496E+00	6.0438E-03	1.955560E+05	1.955560E+05	-1.21E+00	1.95598951E+05	1.956002E+05	-1.2130E+00	-1.479147E+01	-1.358261E+01	-1.2089E+00
2104	Po	210	84	126	7.834344E+00	7.825817E+00	8.5267E-03	1.955543E+05	1.955560E+05	-1.74E+00	1.95597790E+05	1.955995E+05	-1.7310E+00	-1.595270E+01	-1.422311E+01	-1.7296E+00
2105	At	210	85	125	7.811661E+00	7.805050E+00	6.6107E-03	1.955577E+05	1.955591E+05	-1.33E+00	1.95601771E+05	1.956031E+05	-1.3280E+00	-1.197166E+01	-1.064512E+01	-1.3265E+00
2106	Rn	210	86	124	7.796663E+00	7.794604E+00	2.0590E-03	1.955596E+05	1.955599E+05	-3.76E-01	1.95604138E+05	1.956045E+05	-3.7100E-01	-9.604535E+00	-9.234475E+00	-3.7006E-01
2107	Fr	210	87	123	7.763071E+00	7.763320E+00	-2.4883E-04	1.955633E+05	1.955632E+05	1.10E-01	1.95610410E+05	1.956103E+05	1.1400E-01	-3.332504E+00	-3.447873E+00	1.1537E-01
2108	Ra	210	88	122	7.741285E+00	7.742466E+00	-1.1814E-03	1.955686E+05	1.955683E+05	3.06E-01	1.95614203E+05	1.956139E+05	3.1200E-01	4.603150E-01	4.482734E-01	3.1204E-01
2109	Ac	210	89	121	7.697896E+00	7.699212E+00	-1.3164E-03	1.955764E+05	1.955760E+05	3.36E-01	1.95622532E+05	1.956222E+05	3.4000E-01	8.789626E+00	8.448532E+00	3.4109E-01
2110	Th	210	90	120	7.669075E+00	7.668811E+00	2.6421E-04	1.955811E+05	1.955811E+05	5.00E-03	1.95627802E+05	1.956278E+05	8.0000E-03	1.407964E+01	1.404980E+01	9.8430E-03
2111	Tl	211	81	130	7.799791E+00	7.798776E+00	1.0151E-03	1.964972E+05	1.964974E+05	-1.82E-01	1.9653159E+05	1.965393E+05	-1.6400E-01	-6.077998E+00	-5.922648E+00	-1.5535E-01
2112	Pb	211	82	129	7.816999E+00	7.815734E+00	1.2451E-03	1.964923E+05	1.964925E+05	-2.31E-01	1.96534745E+05	1.965350E+05	-2.1100E-01	-1.049130E+01	-1.028808E+01	-2.0322E-01
2113	Bi	211	83	128	7.819769E+00	7.818365E+00	1.4043E-03	1.964904E+05	1.964906E+05	-2.43E-01	1.96533379E+05	1.965336E+05	-2.3900E-01	-1.185816E+01	-1.162203E+01	-2.3613E-01
2114	Po	211	84	127	7.818782E+00	7.813864E+00	4.9185E-03	1.964893E+05	1.964903E+05	-9.83E-01	1.96532805E+05	1.965338E+05	-9.7800E-01	-1.243213E+01	-1.145536E+01	-9.7677E-01
2115	At	211	85	126	7.811352E+00	7.802550E+00	8.8018E-03	1.964895E+05	1.964913E+05	-1.80E+00	1.96533590E+05	1.965354E+05	-1.7960E+00	-1.164683E+01	-9.851336E+00	-1.7955E+00
2116	Rn	211	86	125	7.793939E+00	7.788301E+00	5.6378E-03	1.964919E+05	1.964930E+05	-1.13E+00	1.96536482E+05	1.965376E+05	-1.1270E+00	-8.755009E+00	-7.627865E+00	-1.1271E+00
2117	Fr	211	87	124	7.768358E+00	7.767114E+00	1.2437E-03	1.964960E+05	1.964962E+05	-2.05E-01	1.96541097E+05	1.965413E+05	-2.0000E-01	-4.139817E+00	-3.940503E+00	-1.9931E-01
2118	Ra	211	88	123	7.741087E+00	7.741435E+00	-3.4846E-04	1.965004E+05	1.965003E+05	1.32E-01	1.96546069E+05	1.965459E+05	1.3700E-01	8.320240E-01	6.946512E-01	1.3737E-01
2119	Ac	211	89	122	7.707189E+00	7.708762E+00	-1.5726E-03	1.965063E+05	1.965059E+05	3.92E-01	1.96552439E+05	1.965520E+05	3.9600E-01	7.202218E+00	6.805750E+00	3.9647E-01
2120	Th	211	90	121	7.671706E+00	7.671713E+00	-7.3500E-06	1.965124E+05	1.965124E+05	6.20E-02	1.96559143E+05	1.965591E+05	6.5000E-02	1.390671E+01	1.383986E+01	6.6847E-02
2121	Pb	212	82	130	7.804312E+00	7.804159E+00	1.5267E-04	1.974267E+05	1.974267E+05	2.00E-03	1.97469184E+05	1.974692E+05	2.0000E-02	-7.547241E+00	-7.574464E+00	2.7223E-02
2122	Bi	212	83	129	7.803309E+00	7.803384E+00	-7.4550E-05	1.974256E+05	1.974255E+05	5.00E-02	1.97468614E+05	1.974685E+05	7.2000E-02	-8.117014E+00	-8.193076E+00	7.6062E-02
2123	Po	212	84	128	7.810241E+00	7.807858E+00	2.3835E-03	1.974228E+05	1.974233E+05	-4.51E-01	1.97466362E+05	1.974668E+05	-4.4500E-01	-1.036904E+01	-9.924633E+00	-4.4441E-01
2124	At	212	85	127	7.798338E+00	7.792550E+00	5.7880E-03	1.974240E+05	1.974252E+05	-1.17E+00	1.97468103E+05	1.974693E+05	-1.1660E+00	-8.627788E+00	-7.462525E+00	-1.1653E+00
2125	Rn	212	86	126	7.794796E+00	7.787860E+00	6.9361E-03	1.974235E+05	1.974249E+05	-1.41E+00	1.97468072E+05	1.974695E+05	-1.4070E+00	-8.659243E+00	-7.251292E+00	-1.4080E+00
2126	Fr	212	87	125	7.766844E+00	7.762928E+00	3.9157E-03	1.974281E+05	1.974289E+05	-7.72E-01	1.97473215E+05	1.974740E+05	-7.6700E-01	-3.515782E+00	-2.748872E+00	-7.6691E-01
2127	Ra	212	88	124	7.747507E+00	7.747373E+00	1.3447E-04	1.974309E+05	1.974309E+05	2.90E-02	1.97476532E+05	1.974765E+05	3.5000E-02	-1.986730E-01	-2.341248E-01	3.5452E-02
2128	Ac	212	89	123	7.708549E+00	7.709874E+00	-1.3250E-03	1.974378E+05	1.974375E+05	3.40E-01	1.97488409E+05	1.974883E+05	3.4500E-01	7.277922E+00	6.932495E+00	3.4543E-01
2129	Th	212	90	122	7.682123E+00	7.683476E+00	-1.3534E-03	1.974421E+05	1.974418E+05	3.47E-01	1.97488829E+05	1.974885E+05	3.5200E-01	1.209787E+01	1.174570E+01	3.5217E-01
2130	Pa	212	91	121	7.633548E+00	7.633848E+00	-2.9971E-04	1.974511E+05	1.974510E+05	1.25E-01	1.97498344E+05	1.974982E+05	1.2700E-01	2.161345E+01	2.148391E+01	1.2954E-01
2131	Tl	213	81	132	7.765430E+00	7.762565E+00	2.8645E-03	1.983680E+05	1.983686E+05	-5.80E-01	1.98410009E+05	1.984106E+05	-5.6200E-01	1.783811E+00	2.335266E+00	-5.5145E-01
2132	Pb	213	82	131	7.785163E+00	7.784667E+00	4.9567E-04	1.983625E+05	1.983626E+05	-7.60E-02	1.98405023E+05	1.984051E+05	-5.6000E-02	-3.201643E+00	-3.155509E+00	-4.6134E-02

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2133	Bi	213	83	130	7.791014E+00	7.793130E+00	-2.1155E-03	1.983600E+05	1.983595E+05	5.04E-01	1.98402994E+05	1.984025E+05	5.0600E-01	-5.230276E+00	-5.741035E+00	5.1076E-01
2134	Po	213	84	129	7.794021E+00	7.793639E+00	3.8225E-04	1.983580E+05	1.983581E+05	-2.70E-02	1.98401572E+05	1.984016E+05	-2.1000E-02	-6.653080E+00	-6.632574E+00	-2.0500E-02
2135	At	213	85	128	7.790001E+00	7.787031E+00	2.9695E-03	1.983576E+05	1.983582E+05	-5.77E-01	1.98401646E+05	1.984022E+05	-5.7100E-01	-6.579162E+00	-6.008304E+00	-5.7086E-01
2136	Rn	213	86	127	7.782191E+00	7.778364E+00	3.8267E-03	1.983579E+05	1.983587E+05	-7.58E-01	1.98402527E+05	1.984033E+05	-7.5200E-01	-5.697884E+00	-4.945280E+00	-7.5260E-01
2137	Fr	213	87	126	7.768446E+00	7.763166E+00	5.2802E-03	1.983596E+05	1.983606E+05	-1.07E+00	1.98404672E+05	1.984057E+05	-1.0620E+00	-3.552680E+00	-2.491062E+00	-1.0616E+00
2138	Ra	213	88	125	7.746414E+00	7.743536E+00	2.8779E-03	1.983629E+05	1.983635E+05	-5.55E-01	1.98408583E+05	1.984091E+05	-5.4900E-01	3.579340E-01	9.069766E-01	-5.4904E-01
2139	Ac	213	89	124	7.715519E+00	7.716397E+00	-8.7759E-04	1.983682E+05	1.983680E+05	2.47E-01	1.98414381E+05	1.984141E+05	2.5100E-01	6.156263E+00	5.904621E+00	2.5164E-01
2140	Th	213	90	123	7.683856E+00	7.684431E+00	-5.7532E-04	1.983736E+05	1.983735E+05	1.82E-01	1.98420343E+05	1.984202E+05	1.8700E-01	1.211801E+01	1.193015E+01	1.8787E-01
2141	Pa	213	91	122	7.644760E+00	7.645828E+00	-1.0678E-03	1.983807E+05	1.983804E+05	2.89E-01	1.98427888E+05	1.984276E+05	2.9200E-01	1.966313E+01	1.936961E+01	2.9352E-01
2142	Pb	214	82	132	7.772384E+00	7.771498E+00	8.8581E-04	1.992971E+05	1.992972E+05	-1.58E-01	1.99339538E+05	1.993397E+05	-1.4000E-01	-1.807860E-01	-5.066067E-02	-1.3013E-01
2143	Bi	214	83	131	7.773490E+00	7.776505E+00	-3.0149E-03	1.992955E+05	1.992948E+05	6.77E-01	1.99338519E+05	1.993378E+05	6.9900E-01	-1.199832E+00	-1.905177E+00	7.0535E-01
2144	Po	214	84	130	7.785114E+00	7.785803E+00	-6.8912E-04	1.992917E+05	1.992915E+05	2.02E-01	1.99335249E+05	1.993350E+05	2.0800E-01	-4.469603E+00	-4.678070E+00	2.0847E-01
2145	At	214	85	129	7.776364E+00	7.774793E+00	1.5706E-03	1.992923E+05	1.992926E+05	-2.80E-01	1.99336339E+05	1.993366E+05	-2.7500E-01	-3.379399E+00	-3.105057E+00	-2.7434E-01
2146	Rn	214	86	128	7.777100E+00	7.774904E+00	2.1960E-03	1.992908E+05	1.992912E+05	-4.14E-01	1.99335399E+05	1.993358E+05	-4.0700E-01	-4.319378E+00	-3.911814E+00	-4.0750E-01
2147	Fr	214	87	127	7.757738E+00	7.755863E+00	1.8749E-03	1.992936E+05	1.992940E+05	-3.44E-01	1.99338761E+05	1.993391E+05	-3.3700E-01	-9.581970E-01	-6.201462E-01	-3.3805E-01
2148	Ra	214	88	126	7.749170E+00	7.746007E+00	3.1630E-03	1.992942E+05	1.992948E+05	-6.19E-01	1.99339812E+05	1.993404E+05	-6.1200E-01	9.289600E-02	6.08301E+00	-6.1310E-01
2149	Ac	214	89	125	7.715834E+00	7.714767E+00	1.0671E-03	1.993000E+05	1.993002E+05	-1.69E-01	1.99346163E+05	1.993463E+05	-1.6400E-01	6.444531E+00	6.608301E+00	-1.6377E-01
2150	Th	214	90	124	7.692235E+00	7.693177E+00	-9.4210E-04	1.993037E+05	1.993035E+05	2.62E-01	1.99350431E+05	1.993502E+05	2.6700E-01	1.071233E+01	1.044544E+01	2.6689E-01
2151	Pa	214	91	123	7.675844E+00	7.648995E+00	-1.4106E-03	1.993120E+05	1.993116E+05	3.63E-01	1.99359204E+05	1.993588E+05	3.6600E-01	1.948544E+01	1.911741E+01	3.6803E-01
2152	Bi	215	83	132	7.761627E+00	7.764720E+00	-3.0935E-03	2.002298E+05	2.002291E+05	7.00E-01	2.00272861E+05	2.002721E+05	7.1800E-01	1.648580E+00	9.232981E-01	7.2528E-01
2153	Po	215	84	131	7.768168E+00	7.770293E+00	-2.1253E-03	2.002271E+05	2.002266E+05	4.91E-01	2.00270673E+05	2.002702E+05	5.1700E-01	-5.401300E-01	-1.242260E+00	5.1782E-01
2154	At	215	85	130	7.767854E+00	7.767508E+00	3.4563E-04	2.002259E+05	2.002259E+05	-1.90E-02	2.00269958E+05	2.002700E+05	-1.2000E-02	-1.254862E+00	-1.024260E+00	-1.2602E-02
2155	Rn	215	86	129	7.763812E+00	7.763170E+00	6.4193E-04	2.002255E+05	2.002255E+05	-8.20E-02	2.00270045E+05	2.002701E+05	-7.4000E-02	-1.168195E+00	-1.092603E+00	-7.5592E-02
2156	Fr	215	87	128	7.753259E+00	7.753117E+00	1.4197E-04	2.002264E+05	2.002264E+05	2.70E-02	2.00271531E+05	2.002715E+05	3.4000E-02	3.184220E-01	2.857255E-01	3.2694E-02
2157	Ra	215	88	127	7.739315E+00	7.739033E+00	1.2410E-05	2.002281E+05	2.002280E+05	5.50E-02	2.00273747E+05	2.002737E+05	6.2000E-02	2.534055E+00	2.472752E+00	6.1303E-02
2158	Ac	215	89	126	7.719411E+00	7.717989E+00	1.4218E-03	2.002311E+05	2.002313E+05	-2.47E-01	2.00277244E+05	2.002775E+05	-2.4000E-01	6.030969E+00	6.272043E+00	-2.4107E-01
2159	Th	215	90	125	7.693025E+00	7.691709E+00	1.3159E-03	2.002354E+05	2.002357E+05	-2.23E-01	2.00282134E+05	2.002824E+05	-2.1800E-01	1.092156E+01	1.113921E+01	-2.1765E-01
2160	Pa	215	91	124	7.657074E+00	7.658223E+00	-1.1494E-03	2.002418E+05	2.002415E+05	3.08E-01	2.00289082E+05	2.002888E+05	3.1300E-01	1.786878E+01	1.755554E+01	3.1324E-01
2161	Bi	216	83	133	7.743499E+00	7.746775E+00	-3.2762E-03	2.011656E+05	2.011648E+05	7.42E-01	2.01208581E+05	2.012078E+05	7.6000E-01	5.873992E+00	5.106061E+00	7.6793E-01
2162	Po	216	84	132	7.758812E+00	7.761244E+00	-2.4320E-03	2.011609E+05	2.011604E+05	5.59E-01	2.01204491E+05	2.012039E+05	5.8500E-01	1.783984E+00	1.197731E+00	5.8625E-01
2163	At	216	85	131	7.752998E+00	7.754089E+00	-1.0909E-03	2.011609E+05	2.011606E+05	2.91E-01	2.01204964E+05	2.012047E+05	2.9800E-01	2.257527E+00	1.960161E+00	2.9737E-01
2164	Rn	216	86	130	7.758655E+00	7.757844E+00	8.1114E-04	2.011584E+05	2.011585E+05	-1.19E-01	2.01202960E+05	2.012031E+05	-1.1100E-01	2.532350E-01	3.660073E-01	-1.1277E-01
2165	Fr	216	87	129	7.742449E+00	7.743520E+00	-1.0706E-03	2.011606E+05	2.011603E+05	2.88E-01	2.01205678E+05	2.012054E+05	2.9600E-01	2.971341E+00	2.676974E+00	2.9437E-01
2166	Ra	216	88	128	7.737346E+00	7.738810E+00	-1.4644E-03	2.011604E+05	2.011600E+05	3.75E-01	2.01205998E+05	2.012056E+05	3.8200E-01	3.291363E+00	2.911084E+00	3.8028E-01
2167	Ac	216	89	127	7.711255E+00	7.713561E+00	-2.3055E-03	2.011647E+05	2.011641E+05	5.57E-01	2.01210851E+05	2.012103E+05	5.6300E-01	8.144502E+00	7.581979E+00	5.6252E-01
2168	Th	216	90	126	7.697661E+00	7.697209E+00	4.5161E-04	2.011663E+05	2.011663E+05	-3.70E-02	2.01213005E+05	2.012130E+05	-3.1000E-02	1.029860E+01	1.033075E+01	-3.2142E-02
2169	Pa	216	91	125	7.659311E+00	7.658998E+00	3.1342E-04	2.011733E+05	2.011733E+05	-6.00E-03	2.01220507E+05	2.012205E+05	-1.0000E-03	1.779984E+01	1.780142E+01	-1.5823E-03
2170	Bi	217	83	134	7.731848E+00	7.733644E+00	-1.7962E-03	2.020999E+05	2.020995E+05	4.24E-01	2.02142931E+05	2.021425E+05	4.4100E-01	8.729962E+00	8.280038E+00	4.4992E-01
2171	Po	217	84	133	7.741352E+00	7.744683E+00	-3.3314E-03	2.020965E+05	2.020958E+05	7.57E-01	2.02140086E+05	2.021393E+05	7.8100E-01	5.885328E+00	5.101463E+00	7.8387E-01
2172	At	217	85	132	7.744610E+00	7.745801E+00	-1.1911E-03	2.020945E+05	2.020942E+05	3.13E-01	2.02138597E+05	2.021383E+05	3.2200E-01	4.395928E+00	4.075836E+00	3.2009E-01
2173	Rn	217	86	131	7.744401E+00	7.744873E+00	-4.7221E-04	2.020933E+05	2.020931E+05	1.59E-01	2.02137860E+05	2.021377E+05	1.6700E-01	3.658925E+00	3.494116E+00	1.6481E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2174	Fr	217	87	130	7.737773E+00	7.738813E+00	-1.0401E-03	2.020934E+05	2.020931E+05	2.83E-01	2.02138516E+05	2.021382E+05	2.9100E-01	4.314943E+00	4.026086E+00	2.8886E-01
2175	Ra	217	88	129	7.726920E+00	7.729884E+00	-2.9640E-03	2.020944E+05	2.020937E+05	7.01E-01	2.02140089E+05	2.021394E+05	7.1000E-01	5.887719E+00	5.180609E+00	7.0711E-01
2176	Ac	217	89	128	7.710337E+00	7.713888E+00	-3.5509E-03	2.020967E+05	2.020959E+05	8.29E-01	2.02142905E+05	2.021421E+05	8.3700E-01	8.703762E+00	7.868705E+00	8.3506E-01
2177	Th	217	90	127	7.690537E+00	7.693241E+00	-2.7042E-03	2.020997E+05	2.020991E+05	6.46E-01	2.02146419E+05	2.021458E+05	6.5400E-01	1.221813E+01	1.156595E+01	6.5218E-01
2178	Pa	217	91	126	7.664573E+00	7.665199E+00	-6.2642E-04	2.021040E+05	2.021038E+05	1.97E-01	2.02151271E+05	2.021511E+05	2.0300E-01	1.706997E+01	1.686794E+01	2.0202E-01
2179	Bi	218	83	135	7.712827E+00	7.714490E+00	-1.6632E-03	2.030359E+05	2.030355E+05	3.96E-01	2.03078911E+05	2.030785E+05	4.1300E-01	1.321604E+01	1.279329E+01	4.2275E-01
2180	Po	218	84	134	7.731519E+00	7.734423E+00	-2.9039E-03	2.030305E+05	2.030298E+05	6.67E-01	2.03074054E+05	2.030734E+05	6.9200E-01	8.358805E+00	7.664889E+00	6.9392E-01
2181	At	218	85	133	7.729122E+00	7.731600E+00	-2.4784E-03	2.030297E+05	2.030291E+05	5.95E-01	2.03073794E+05	2.030732E+05	6.0300E-01	8.099083E+00	7.497105E+00	6.0198E-01
2182	Rn	218	86	132	7.738750E+00	7.738494E+00	2.5551E-04	2.030263E+05	2.030263E+05	0.00E+00	2.03070913E+05	2.030709E+05	1.0000E-02	5.217844E+00	5.211222E+00	6.7220E-03
2183	Fr	218	87	131	7.726713E+00	7.727837E+00	-1.1243E-03	2.030276E+05	2.030273E+05	3.02E-01	2.03072754E+05	2.030724E+05	3.1000E-01	7.059470E+00	6.751309E+00	3.0816E-01
2184	Ra	218	88	130	7.724996E+00	7.727341E+00	-2.3446E-03	2.030267E+05	2.030261E+05	5.69E-01	2.03072346E+05	2.030718E+05	5.7800E-01	6.651455E+00	6.076522E+00	5.7493E-01
2185	Ac	218	89	129	7.702175E+00	7.707215E+00	-5.0400E-03	2.030304E+05	2.030292E+05	1.16E+00	2.03076539E+05	2.030754E+05	1.1650E+00	1.084412E+01	9.680807E+00	1.1633E+00
2186	Th	218	90	128	7.691601E+00	7.695860E+00	-4.2587E-03	2.030314E+05	2.030304E+05	9.88E-01	2.03078062E+05	2.030771E+05	9.9600E-01	1.236682E+01	1.137320E+01	9.9362E-01
2187	Pa	218	91	127	7.659033E+00	7.663509E+00	-4.4763E-03	2.030371E+05	2.030361E+05	1.04E+00	2.03084379E+05	2.030833E+05	1.0430E+00	1.868445E+01	1.764250E+01	1.0419E+00
2188	U	218	92	126	7.640639E+00	7.640803E+00	-1.6368E-04	2.030398E+05	2.030397E+05	9.80E-02	2.03087607E+05	2.030875E+05	1.0300E-01	2.191197E+01	2.180947E+01	1.0250E-01
2189	Po	219	84	135	7.713333E+00	7.716682E+00	-3.3490E-03	2.039663E+05	2.039656E+05	7.68E-01	2.04009870E+05	2.040091E+05	7.9000E-01	1.268136E+01	1.188704E+01	7.9432E-01
2190	At	219	85	134	7.720191E+00	7.722417E+00	-2.2261E-03	2.039635E+05	2.039630E+05	5.21E-01	2.04007586E+05	2.040070E+05	5.5000E-01	1.039720E+01	9.847976E+00	5.4922E-01
2191	Rn	219	86	133	7.723771E+00	7.724795E+00	-1.0244E-03	2.039614E+05	2.039612E+05	2.81E-01	2.04006020E+05	2.040057E+05	2.9000E-01	8.830900E+00	8.544404E+00	2.8685E-01
2192	Fr	219	87	132	7.721168E+00	7.721950E+00	-7.8194E-04	2.039607E+05	2.039605E+05	2.28E-01	2.04005807E+05	2.040056E+05	2.3700E-01	8.618581E+00	8.384125E+00	2.3446E-01
2193	Ra	219	88	131	7.714052E+00	7.716977E+00	-2.9254E-03	2.039609E+05	2.039602E+05	6.99E-01	2.04006583E+05	2.040059E+05	7.0700E-01	9.394568E+00	8.690039E+00	7.0453E-01
2194	Ac	219	89	130	7.700547E+00	7.705444E+00	-4.8973E-03	2.039626E+05	2.039615E+05	1.13E+00	2.04008759E+05	2.040076E+05	1.1400E+00	1.156984E+01	1.043270E+01	1.1371E+00
2195	Th	219	90	129	7.683718E+00	7.689807E+00	-6.0895E-03	2.039650E+05	2.039636E+05	1.39E+00	2.04011662E+05	2.040103E+05	1.4202E+00	1.447370E+01	1.307409E+01	1.3990E+00
2196	Pa	219	91	128	7.661573E+00	7.666933E+00	-5.3598E-03	2.039685E+05	2.039673E+05	1.23E+00	2.04015729E+05	2.040145E+05	1.2420E+00	1.854048E+01	1.730058E+01	1.2399E+00
2197	U	219	92	127	7.636329E+00	7.639327E+00	-2.9982E-03	2.039727E+05	2.039720E+05	7.18E-01	2.04020475E+05	2.040198E+05	7.2400E-01	2.328654E+01	2.256312E+01	7.2342E-01
2198	Po	220	84	136	7.703224E+00	7.705069E+00	-1.8447E-03	2.049004E+05	2.049000E+05	4.40E-01	2.04943946E+05	2.049435E+05	4.6200E-01	1.526346E+01	1.479661E+01	4.6685E-01
2199	At	220	85	135	7.703703E+00	7.707309E+00	-3.6065E-03	2.048990E+05	2.048982E+05	8.28E-01	2.04943059E+05	2.049422E+05	8.5600E-01	1.437575E+01	1.352056E+01	8.5519E-01
2200	Rn	220	86	134	7.717247E+00	7.717638E+00	-3.9072E-04	2.048947E+05	2.048946E+05	1.42E-01	2.04939296E+05	2.049391E+05	1.5100E-01	1.061356E+01	1.046526E+01	1.4830E-01
2201	Fr	220	87	133	7.709738E+00	7.710125E+00	-3.8660E-04	2.048933E+05	2.048929E+05	3.70E-01	2.04940166E+05	2.049400E+05	3.7900E-01	1.148318E+01	1.133507E+01	1.4811E-01
2202	Ra	220	88	132	7.711694E+00	7.713113E+00	-1.4187E-03	2.048933E+05	2.048929E+05	3.70E-01	2.04938953E+05	2.049386E+05	3.7900E-01	1.027053E+01	9.894611E+00	3.7592E-01
2203	Ac	220	89	131	7.692349E+00	7.697234E+00	-4.8853E-03	2.048966E+05	2.048951E+05	1.13E+00	2.04942427E+05	2.049413E+05	1.1420E+00	1.374406E+01	1.260479E+01	1.1393E+00
2204	Th	220	90	130	7.684588E+00	7.690263E+00	-5.6748E-03	2.048966E+05	2.048953E+05	1.31E+00	2.04943352E+05	2.049420E+05	1.3170E+00	1.466931E+01	1.335543E+01	1.3139E+00
2205	Po	221	84	137	7.684481E+00	7.686030E+00	-1.5485E-03	2.058364E+05	2.058360E+05	3.81E-01	2.05879951E+05	2.058796E+05	3.9900E-01	1.977376E+01	1.937051E+01	4.0324E-01
2206	At	221	85	136	7.694475E+00	7.696983E+00	-2.5083E-03	2.058329E+05	2.058323E+05	5.93E-01	2.05876960E+05	2.058763E+05	6.1700E-01	1.678273E+01	1.616665E+01	6.1608E-01
2207	Rn	221	86	135	7.701387E+00	7.703251E+00	-1.8640E-03	2.058301E+05	2.058296E+05	4.67E-01	2.05874650E+05	2.058742E+05	4.7800E-01	1.447269E+01	1.399841E+01	4.7429E-01
2208	Fr	221	87	134	7.703250E+00	7.703397E+00	-1.4736E-04	2.058283E+05	2.058283E+05	8.90E-02	2.05873455E+05	2.058734E+05	9.0000E-02	1.327860E+01	1.318298E+01	9.5616E-02
2209	Ra	221	88	133	7.701133E+00	7.701800E+00	-6.6661E-04	2.058275E+05	2.058273E+05	2.05E-01	2.05873141E+05	2.058729E+05	2.1500E-01	1.296424E+01	1.275301E+01	2.1123E-01
2210	Ac	221	89	132	7.690537E+00	7.694042E+00	-3.5048E-03	2.058285E+05	2.058277E+05	8.33E-01	2.05874700E+05	2.058739E+05	8.4200E-01	1.452346E+01	1.368442E+01	8.3905E-01
2211	Th	221	90	131	7.676070E+00	7.682701E+00	-6.6308E-03	2.058304E+05	2.058289E+05	1.52E+00	2.05877115E+05	2.058756E+05	1.5340E+00	1.693835E+01	1.540769E+01	1.5307E+00
2212	Pa	221	91	130	7.656974E+00	7.664383E+00	-7.4088E-03	2.058333E+05	2.058316E+05	1.70E+00	2.05880553E+05	2.058788E+05	1.7070E+00	2.037638E+01	1.867289E+01	1.7035E+00
2213	Po	222	84	138	7.674005E+00	7.673335E+00	6.6995E-04	2.067706E+05	2.067707E+05	-1.12E-01	2.06814157E+05	2.068143E+05	-9.3000E-02	2.248627E+01	2.257397E+01	-8.7704E-02
2214	At	222	85	137	7.677387E+00	7.680675E+00	-3.2875E-03	2.067686E+05	2.067678E+05	7.66E-01	2.06812624E+05	2.068118E+05	7.9100E-01	2.095303E+01	2.016153E+01	7.9149E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2215	Rn	222	86	136	7.694489E+00	7.695201E+00	-7.1207E-04	2.067635E+05	2.067632E+05	2.14E-01	2.06808045E+05	2.068078E+05	2.2400E-01	1.637403E+01	1.6155356E+01	2.2047E-01
2216	Fr	222	87	135	7.691074E+00	7.690874E+00	2.0015E-04	2.067629E+05	2.067629E+05	1.20E-02	2.06808021E+05	2.068080E+05	2.3000E-02	1.634976E+01	1.633113E+01	1.8637E-02
2217	Ra	222	88	134	7.696686E+00	7.696966E+00	-2.7989E-04	2.067603E+05	2.067602E+05	1.20E-01	2.06805992E+05	2.068059E+05	1.3000E-01	1.432158E+01	1.419561E+01	1.2596E-01
2218	Ac	222	89	133	7.682801E+00	7.684761E+00	-1.9604E-03	2.067621E+05	2.067616E+05	4.94E-01	2.06808293E+05	2.068078E+05	5.0400E-01	1.662175E+01	1.612193E+01	4.9982E-01
2219	Th	222	90	132	7.676657E+00	7.681630E+00	-4.9729E-03	2.067622E+05	2.067610E+05	1.16E+00	2.06808874E+05	2.068077E+05	1.1740E+00	1.720332E+01	1.603405E+01	1.1693E+00
2220	At	223	85	138	7.668055E+00	7.669273E+00	-1.2179E-03	2.077025E+05	2.077022E+05	3.13E-01	2.07746593E+05	2.077463E+05	3.3300E-01	2.342801E+01	2.309473E+01	3.328E-01
2221	Rn	223	86	137	7.678171E+00	7.679885E+00	-1.7143E-03	2.076990E+05	2.076985E+05	4.25E-01	2.07743555E+05	2.077431E+05	4.4800E-01	2.038974E+01	1.994510E+01	4.4464E-01
2222	Fr	223	87	136	7.683657E+00	7.683336E+00	3.2122E-04	2.076964E+05	2.076965E+05	-1.50E-02	2.07741549E+05	2.077416E+05	-4.0000E-03	1.838398E+01	1.839256E+01	-8.5812E-03
2223	Ra	223	88	135	7.685302E+00	7.684874E+00	4.2786E-04	2.076948E+05	2.076948E+05	-3.80E-02	2.07740400E+05	2.077404E+05	-2.7000E-02	1.723481E+01	1.726643E+01	-3.1619E-02
2224	Ac	223	89	134	7.679140E+00	7.680498E+00	-1.3578E-03	2.076948E+05	2.076945E+05	3.61E-01	2.07740992E+05	2.077406E+05	3.7200E-01	1.782670E+01	1.745927E+01	3.6743E-01
2225	Th	223	90	133	7.668639E+00	7.672962E+00	-4.3226E-03	2.076958E+05	2.076948E+05	1.02E+00	2.07742551E+05	2.077415E+05	1.0340E+00	1.938612E+01	1.835677E+01	1.0294E+00
2226	Pa	223	91	132	7.651969E+00	7.658645E+00	-6.6764E-03	2.076982E+05	2.076967E+05	1.55E+00	2.07745486E+05	2.077439E+05	1.5590E+00	2.232103E+01	2.076621E+01	1.5548E+00
2227	U	223	92	131	7.632686E+00	7.640309E+00	-7.6232E-03	2.077012E+05	2.076995E+05	1.76E+00	2.07749004E+05	2.077472E+05	1.7710E+00	2.583889E+01	2.407209E+01	1.7668E+00
2228	At	224	85	139	7.650735E+00	7.653043E+00	-2.3076E-03	2.086383E+05	2.086377E+05	5.53E-01	2.08682370E+05	2.086818E+05	5.7800E-01	2.771102E+01	2.713238E+01	5.7864E-01
2229	Rn	224	86	138	7.670751E+00	7.670957E+00	-2.0585E-04	2.086325E+05	2.086324E+05	8.30E-02	2.08677104E+05	2.086770E+05	1.1200E-01	2.244510E+01	2.233650E+01	1.0860E-01
2230	Fr	224	87	137	7.670160E+00	7.670027E+00	1.3267E-04	2.086313E+05	2.086313E+05	2.70E-02	2.08676454E+05	2.086764E+05	3.8000E-02	2.179510E+01	2.176163E+01	3.3462E-02
2231	Ra	224	88	136	7.679916E+00	7.679158E+00	7.5825E-04	2.086278E+05	2.086280E+05	-1.12E-01	2.08673486E+05	2.086736E+05	-1.0100E-01	1.882733E+01	1.893334E+01	-1.0602E-01
2232	Ac	224	89	135	7.670139E+00	7.670330E+00	-1.9074E-04	2.086287E+05	2.086286E+05	1.02E-01	2.08674894E+05	2.086748E+05	1.1100E-01	2.023500E+01	2.012774E+01	1.0725E-01
2233	Th	224	90	134	7.667723E+00	7.670719E+00	-2.9961E-03	2.086279E+05	2.086272E+05	7.30E-01	2.08674653E+05	2.086739E+05	7.4200E-01	1.999394E+01	1.925746E+01	7.3649E-01
2234	Pa	224	91	133	7.646959E+00	7.652058E+00	-5.0986E-03	2.086313E+05	2.086301E+05	1.20E+00	2.08678522E+05	2.086773E+05	1.2130E+00	2.386265E+01	2.265455E+01	1.2081E+00
2235	U	224	92	132	7.635201E+00	7.642088E+00	-6.8865E-03	2.086326E+05	2.086310E+05	1.60E+00	2.08680373E+05	2.086798E+05	1.6140E+00	2.571404E+01	2.410476E+01	1.6093E+00
2236	Rn	225	86	139	7.654357E+00	7.655899E+00	-1.5417E-03	2.095681E+05	2.095677E+05	3.86E-01	2.09612687E+05	2.096123E+05	4.1200E-01	2.653414E+01	2.612495E+01	4.0919E-01
2237	Fr	225	87	138	7.662940E+00	7.661805E+00	1.1347E-03	2.095648E+05	2.095651E+05	-2.16E-01	2.09609974E+05	2.096102E+05	-1.8700E-01	2.32080E+01	2.401288E+01	-1.9208E-01
2238	Ra	225	88	137	7.667580E+00	7.666279E+00	1.3008E-03	2.095625E+05	2.095627E+05	-2.35E-01	2.09608147E+05	2.096084E+05	-2.2400E-01	2.19430E+01	2.222319E+01	-2.2888E-01
2239	Ac	225	89	136	7.665684E+00	7.665098E+00	5.8554E-04	2.095616E+05	2.095617E+05	7.30E-02	2.09607792E+05	2.096079E+05	-6.2000E-02	2.163859E+01	2.170577E+01	-6.7175E-02
2240	Th	225	90	135	7.659221E+00	7.661112E+00	-1.8913E-03	2.095618E+05	2.095613E+05	4.85E-01	2.09608463E+05	2.096080E+05	4.9500E-01	2.231055E+01	2.181957E+01	4.9098E-01
2241	Pa	225	91	134	7.646720E+00	7.650460E+00	-3.7401E-03	2.095633E+05	2.095624E+05	9.02E-01	2.09610494E+05	2.096096E+05	9.1300E-01	2.434088E+01	2.343324E+01	9.0764E-01
2242	U	225	92	133	7.629745E+00	7.636073E+00	-6.3279E-03	2.095658E+05	2.095643E+05	1.49E+00	2.09613531E+05	2.096120E+05	1.4960E+00	2.737787E+01	2.588730E+01	1.4906E+00
2243	Np	225	93	132	7.607557E+00	7.615006E+00	-7.4486E-03	2.095694E+05	2.095677E+05	1.74E+00	2.09617741E+05	2.096160E+05	1.7480E+00	3.158779E+01	2.984436E+01	1.7434E+00
2244	Rn	226	86	140	7.646410E+00	7.646750E+00	-3.3961E-04	2.105018E+05	2.105017E+05	1.14E-01	2.10546394E+05	2.105463E+05	1.4300E-01	2.874719E+01	2.868086E+01	1.3913E-01
2245	Fr	226	87	139	7.648287E+00	7.648992E+00	-7.0528E-04	2.105001E+05	2.104999E+05	1.96E-01	2.10545187E+05	2.105450E+05	2.2700E-01	2.754055E+01	2.731814E+01	2.2241E-01
2246	Ra	226	88	138	7.661954E+00	7.659900E+00	2.0543E-03	2.104957E+05	2.104961E+05	-4.07E-01	2.10541317E+05	2.105417E+05	-3.9400E-01	2.366957E+01	2.406998E+01	-4.0041E-01
2247	Ac	226	89	137	7.655656E+00	7.654060E+00	1.5963E-03	2.104958E+05	2.104961E+05	-3.02E-01	2.10541957E+05	2.105422E+05	-2.9200E-01	2.431049E+01	2.460676E+01	-2.9627E-01
2248	Th	226	90	136	7.657120E+00	7.657818E+00	-6.9800E-04	2.104941E+05	2.104939E+05	2.17E-01	2.10540844E+05	2.105406E+05	2.2800E-01	2.319735E+01	2.297430E+01	2.2306E-01
2249	Pa	226	91	135	7.641109E+00	7.642853E+00	-1.7440E-03	2.104964E+05	2.104960E+05	4.54E-01	2.10543680E+05	2.105432E+05	4.6500E-01	2.603347E+01	2.557330E+01	4.6017E-01
2250	U	226	92	134	7.631914E+00	7.636514E+00	-4.6004E-03	2.104972E+05	2.104961E+05	1.10E+00	2.10544976E+05	2.105439E+05	1.1120E+00	2.732920E+01	2.622276E+01	1.1064E+00
2251	Rn	227	86	141	7.630050E+00	7.630393E+00	-3.4282E-04	2.114374E+05	2.114373E+05	1.17E-01	2.11482027E+05	2.114819E+05	1.4400E-01	2.328583E+01	2.327456E+01	1.4021E-01
2252	Fr	227	87	140	7.640701E+00	7.640799E+00	-9.8080E-05	2.114337E+05	2.114336E+05	6.10E-02	2.11478827E+05	2.114787E+05	9.1000E-02	2.968578E+01	2.960032E+01	8.5458E-02
2253	Ra	227	88	139	7.648295E+00	7.647655E+00	6.4004E-04	2.114307E+05	2.114308E+05	-8.80E-02	2.11476320E+05	2.114764E+05	-7.6000E-02	2.717946E+01	2.726096E+01	-8.1504E-02
2254	Ac	227	89	138	7.650701E+00	7.648097E+00	2.6039E-03	2.114288E+05	2.114294E+05	-5.32E-01	2.11474992E+05	2.114755E+05	-5.2100E-01	2.585109E+01	2.637751E+01	-5.2642E-01
2255	Th	227	90	137	7.647451E+00	7.647290E+00	1.6135E-04	2.114282E+05	2.114282E+05	2.30E-02	2.11474947E+05	2.114749E+05	3.3000E-02	2.580632E+01	2.577773E+01	2.8589E-02



#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2256	Pa	227	91	136	7.639487E+00	7.640146E+00	-6.5947E-04	2.114287E+05	2.114285E+05	2.10E-01	2.11475973E+05	2.114758E+05	2.2100E-01	2.683201E+01	2.661616E+01	2.1585E-01
2257	U	227	92	135	7.626391E+00	7.629475E+00	-3.0839E-03	2.114304E+05	2.114296E+05	7.61E-01	2.11478163E+05	2.114774E+05	7.7200E-01	2.902235E+01	2.825553E+01	7.6682E-01
2258	Np	227	93	134	7.607350E+00	7.612159E+00	-4.8088E-03	2.114334E+05	2.114322E+05	1.15E+00	2.11481703E+05	2.114805E+05	1.1640E+00	3.256236E+01	3.140321E+01	1.1591E+00
2259	Rn	228	86	142	7.621645E+00	7.619892E+00	1.7534E-03	2.123713E+05	2.123716E+05	-3.63E-01	2.12415878E+05	2.124162E+05	-3.3400E-01	3.524347E+01	3.58082E+01	-3.3736E-01
2260	Fr	228	87	141	7.626435E+00	7.626839E+00	-4.0442E-04	2.123689E+05	2.123687E+05	1.29E-01	2.12414004E+05	2.124138E+05	1.6100E-01	3.336907E+01	3.321364E+01	1.5543E-01
2261	Ra	228	88	140	7.642419E+00	7.641496E+00	9.2278E-04	2.123639E+05	2.123641E+05	-1.53E-01	2.12409577E+05	2.124097E+05	-1.4000E-01	2.894220E+01	2.90882E+01	-1.4662E-01
2262	Ac	228	89	139	7.639189E+00	7.637683E+00	1.5065E-03	2.123634E+05	2.123636E+05	-2.85E-01	2.12409531E+05	2.124098E+05	-2.7400E-01	2.889639E+01	2.917526E+01	-2.7888E-01
2263	Th	228	90	138	7.645074E+00	7.643170E+00	1.9044E-03	2.123607E+05	2.123611E+05	-3.74E-01	2.12407407E+05	2.124078E+05	-3.6300E-01	2.677232E+01	2.714113E+01	-3.6881E-01
2264	Pa	228	91	137	7.632203E+00	7.631556E+00	6.4742E-04	2.123623E+05	2.123624E+05	-8.80E-02	2.12409559E+05	2.124096E+05	-7.7000E-02	2.892445E+01	2.900605E+01	-8.1605E-02
2265	U	228	92	136	7.627465E+00	7.628739E+00	-1.2743E-03	2.123621E+05	2.123617E+05	3.52E-01	2.12409857E+05	2.124095E+05	3.6300E-01	2.922236E+01	2.886508E+01	3.5728E-01
2266	Np	228	93	135	7.604851E+00	7.607116E+00	-2.2650E-03	2.123659E+05	2.123654E+05	5.79E-01	2.12414231E+05	2.124136E+05	5.8900E-01	3.359607E+01	3.301212E+01	5.8395E-01
2267	Pu	228	94	134	7.590529E+00	7.594117E+00	-3.5876E-03	2.123679E+05	2.123670E+05	8.81E-01	2.12416714E+05	2.124158E+05	8.9200E-01	3.607908E+01	3.519290E+01	8.8618E-01
2268	Rn	229	86	143	7.605622E+00	7.602302E+00	3.3202E-03	2.133069E+05	2.133076E+05	-7.27E-01	2.13351491E+05	2.133522E+05	-6.9400E-01	3.936240E+01	4.006032E+01	-6.9792E-01
2269	Fr	229	87	142	7.618311E+00	7.617406E+00	9.0467E-04	2.133027E+05	2.133028E+05	-1.74E-01	2.13347803E+05	2.133479E+05	-1.3800E-01	3.567436E+01	3.581830E+01	-1.4395E-01
2270	Ra	229	88	141	7.628544E+00	7.628295E+00	2.4913E-04	2.132990E+05	2.132990E+05	0.00E+00	2.13344677E+05	2.133447E+05	1.3000E-02	3.254851E+01	3.254175E+01	6.7589E-03
2271	Ac	229	89	140	7.633208E+00	7.632012E+00	1.1958E-03	2.132967E+05	2.132969E+05	-2.15E-01	2.13342827E+05	2.133430E+05	-2.0300E-01	3.069821E+01	3.090740E+01	-2.0920E-01
2272	Th	229	90	139	7.634645E+00	7.633231E+00	1.4144E-03	2.132950E+05	2.132952E+05	-2.65E-01	2.13341716E+05	2.133420E+05	-2.5200E-01	2.958678E+01	2.984531E+01	-2.5853E-01
2273	Pa	229	91	138	7.629868E+00	7.627957E+00	1.9111E-03	2.132948E+05	2.132952E+05	-3.78E-01	2.13342027E+05	2.133424E+05	-3.6600E-01	2.989838E+01	3.026993E+01	-3.7154E-01
2274	U	229	92	137	7.620720E+00	7.620703E+00	1.7450E-05	2.132956E+05	2.132955E+05	5.80E-02	2.13343340E+05	2.133433E+05	6.9000E-02	3.121090E+01	3.114808E+01	6.2816E-02
2275	Np	229	93	136	7.606085E+00	7.606981E+00	-8.9637E-04	2.132976E+05	2.132973E+05	2.67E-01	2.13345909E+05	2.133456E+05	2.7900E-01	3.377983E+01	3.350716E+01	2.7267E-01
2276	Pu	229	94	135	7.586889E+00	7.589575E+00	-2.6861E-03	2.133007E+05	2.133000E+05	6.78E-01	2.13349523E+05	2.133488E+05	6.9000E-01	3.739354E+01	3.671012E+01	6.8342E-01
2277	Fr	230	87	143	7.603601E+00	7.602273E+00	1.3279E-03	2.142380E+05	2.142383E+05	-2.69E-01	2.14283134E+05	2.142834E+05	-2.3600E-01	3.951058E+01	3.975287E+01	-2.4229E-01
2278	Ra	230	88	142	7.621914E+00	7.621064E+00	8.4979E-04	2.142325E+05	2.142326E+05	-1.60E-01	2.14277448E+05	2.142783E+05	-1.2400E-01	3.451631E+01	3.464783E+01	-1.3152E-01
2279	Ac	230	89	141	7.621460E+00	7.620714E+00	7.4650E-04	2.142313E+05	2.142314E+05	-1.13E-01	2.14277461E+05	2.142776E+05	-1.0000E-01	3.383838E+01	3.394541E+01	-1.0703E-01
2280	Th	230	90	140	7.630989E+00	7.629383E+00	1.6055E-03	2.142278E+05	2.142281E+05	-3.10E-01	2.14274487E+05	2.142748E+05	-2.9700E-01	3.086424E+01	3.116824E+01	-3.0399E-01
2281	Pa	230	91	139	7.621890E+00	7.619908E+00	1.9818E-03	2.142286E+05	2.142290E+05	-3.95E-01	2.14275798E+05	2.142762E+05	-3.8400E-01	3.217478E+01	3.256449E+01	-3.8971E-01
2282	U	230	92	138	7.620922E+00	7.619004E+00	1.9179E-03	2.142275E+05	2.142278E+05	-3.80E-01	2.14275238E+05	2.142756E+05	-3.6800E-01	3.161500E+01	3.198935E+01	-3.7435E-01
2283	Np	230	93	137	7.601775E+00	7.60086E+00	8.8878E-04	2.142306E+05	2.142307E+05	-1.42E-01	2.14278859E+05	2.142790E+05	-1.3200E-01	3.523649E+01	3.537338E+01	-1.3689E-01
2284	Pu	230	94	136	7.590993E+00	7.591401E+00	-4.0801E-04	2.142317E+05	2.142316E+05	1.57E-01	2.14280557E+05	2.142804E+05	1.6900E-01	3.693400E+01	3.677190E+01	1.6210E-01
2285	Fr	231	87	144	7.594570E+00	7.591567E+00	3.0032E-03	2.151720E+05	2.151727E+05	-6.58E-01	2.15217181E+05	2.152178E+05	-6.2500E-01	4.206441E+01	4.269505E+01	-6.3065E-01
2286	Ra	231	88	143	7.607841E+00	7.606842E+00	9.9888E-04	2.151677E+05	2.151679E+05	-1.94E-01	2.15213333E+05	2.152135E+05	-1.6000E-01	3.821649E+01	3.838338E+01	-1.6690E-01
2287	Ac	231	89	142	7.615076E+00	7.614098E+00	9.7801E-04	2.151647E+05	2.151649E+05	-1.68E-01	2.15210880E+05	2.152110E+05	-1.5300E-01	3.576285E+01	3.592420E+01	-1.6135E-01
2288	Th	231	90	141	7.620111E+00	7.618546E+00	1.5655E-03	2.151622E+05	2.151625E+05	-3.02E-01	2.15208935E+05	2.152092E+05	-2.8900E-01	3.381754E+01	3.411374E+01	-2.9620E-01
2289	Pa	231	91	140	7.618419E+00	7.616569E+00	1.8504E-03	2.151613E+05	2.151617E+05	-3.67E-01	2.15208543E+05	2.152089E+05	-3.5500E-01	3.342596E+01	3.378733E+01	-3.6137E-01
2290	U	231	92	139	7.613380E+00	7.611498E+00	1.8821E-03	2.151612E+05	2.151615E+05	-3.74E-01	2.15208925E+05	2.152093E+05	-3.6100E-01	3.380751E+01	3.417559E+01	-3.6808E-01
2291	Np	231	93	138	7.602124E+00	7.599733E+00	2.3912E-03	2.151624E+05	2.151629E+05	-4.90E-01	2.15210742E+05	2.152112E+05	-4.7900E-01	3.562533E+01	3.611025E+01	-4.8492E-01
2292	Pu	231	94	137	7.587220E+00	7.585826E+00	1.3937E-03	2.151646E+05	2.151648E+05	-2.58E-01	2.15213403E+05	2.152137E+05	-2.4700E-01	3.828581E+01	3.853957E+01	-2.5376E-01
2293	Ra	232	88	144	7.600009E+00	7.598445E+00	1.5644E-03	2.161014E+05	2.161018E+05	-3.24E-01	2.16147108E+05	2.161474E+05	-2.9100E-01	4.049695E+01	4.079608E+01	-2.9912E-01
2294	Ac	232	89	143	7.602424E+00	7.601916E+00	5.0827E-04	2.160996E+05	2.160997E+05	-7.90E-02	2.16145765E+05	2.161458E+05	-4.6000E-02	3.915442E+01	3.920771E+01	-5.3288E-02
2295	Th	232	90	142	7.615024E+00	7.613738E+00	1.2656E-03	2.160954E+05	2.160956E+05	-2.35E-01	2.16142060E+05	2.161423E+05	-2.2000E-01	3.544871E+01	3.567713E+01	-2.2842E-01
2296	Pa	232	91	141	7.609500E+00	7.607561E+00	1.9389E-03	2.160953E+05	2.160957E+05	-3.90E-01	2.16142595E+05	2.161429E+05	-3.7700E-01	3.594797E+01	3.633183E+01	-3.8386E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, at)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, at)$ MeV	Residual, MeV
2297	U	232	92	140	7.611891E+00	7.610044E+00	1.8475E-03	2.160935E+05	2.160938E+05	-3.67E-01	2.16141222E+05	2.16141616E+05	-3.5500E-01	3.461087E+01	3.497283E+01	-3.6196E-01
2298	Pu	232	94	138	7.588973E+00	7.586562E+00	2.4110E-03	2.160961E+05	2.160966E+05	-4.93E-01	2.16144974E+05	2.1614555E+05	-4.8400E-01	3.836319E+01	3.885439E+01	-4.9120E-01
2299	Ra	233	88	145	7.585614E+00	7.583056E+00	2.5577E-03	2.170368E+05	2.170373E+05	-5.53E-01	2.17082427E+05	2.170830E+05	-5.2500E-01	4.432235E+01	4.485443E+01	-5.3208E-01
2300	Ac	233	89	144	7.595193E+00	7.594284E+00	9.0918E-04	2.170332E+05	2.170334E+05	-1.72E-01	2.17079413E+05	2.170796E+05	-1.3900E-01	4.130803E+01	4.145534E+01	-1.4731E-01
2301	Th	233	90	143	7.602884E+00	7.602098E+00	7.8569E-04	2.170301E+05	2.170303E+05	-1.24E-01	2.17076839E+05	2.170769E+05	-1.0900E-01	3.873364E+01	3.885149E+01	-1.1785E-01
2302	Pa	233	91	142	7.604864E+00	7.603239E+00	1.6255E-03	2.170284E+05	2.170287E+05	-3.19E-01	2.17075595E+05	2.170759E+05	-3.0600E-01	3.749005E+01	3.780274E+01	-3.1270E-01
2303	U	233	92	141	7.603952E+00	7.601549E+00	2.4025E-03	2.170273E+05	2.170278E+05	-4.99E-01	2.17075025E+05	2.170755E+05	-4.8600E-01	3.692025E+01	3.741322E+01	-4.9296E-01
2304	Np	233	93	140	7.596175E+00	7.593221E+00	2.9543E-03	2.170278E+05	2.170284E+05	-6.26E-01	2.17076055E+05	2.170767E+05	-6.1400E-01	3.794999E+01	3.857074E+01	-6.2075E-01
2305	Pu	233	94	139	7.583795E+00	7.581479E+00	2.3161E-03	2.170293E+05	2.170298E+05	-4.76E-01	2.17078157E+05	2.170786E+05	-4.6500E-01	4.005212E+01	4.052349E+01	-4.7138E-01
2306	Cm	233	96	137	7.546007E+00	7.542950E+00	3.0573E-03	2.170355E+05	2.170361E+05	-6.44E-01	2.17085397E+05	2.170860E+05	-6.3600E-01	4.729195E+01	4.793465E+01	-6.4270E-01
2307	Ra	234	88	146	7.576703E+00	7.573270E+00	3.4326E-03	2.179708E+05	2.179716E+05	-7.67E-01	2.18016440E+05	2.180172E+05	-7.3200E-01	4.689327E+01	4.763259E+01	-7.3932E-01
2308	Ac	234	89	145	7.582129E+00	7.581060E+00	1.0687E-03	2.179682E+05	2.179685E+05	-2.18E-01	2.18014440E+05	2.180146E+05	-1.7800E-01	4.484119E+01	4.502667E+01	-1.8548E-01
2309	Th	234	90	144	7.596849E+00	7.596381E+00	4.6813E-04	2.179635E+05	2.179636E+05	-5.00E-02	2.18010213E+05	2.180102E+05	-3.6000E-02	4.061445E+01	4.065859E+01	-4.4144E-02
2310	Pa	234	91	143	7.594677E+00	7.593372E+00	1.3053E-03	2.179627E+05	2.179629E+05	-2.46E-01	2.18009939E+05	2.180102E+05	-2.3200E-01	4.034036E+01	4.057966E+01	-2.3930E-01
2311	U	234	92	142	7.600707E+00	7.599056E+00	1.6510E-03	2.179600E+05	2.179603E+05	-3.25E-01	2.18007746E+05	2.180081E+05	-3.1200E-01	3.814683E+01	3.846647E+01	-3.1964E-01
2312	Np	234	93	141	7.589630E+00	7.586593E+00	3.0366E-03	2.179613E+05	2.179619E+05	-6.49E-01	2.18009556E+05	2.180102E+05	-6.3600E-01	3.995667E+01	4.059962E+01	-6.4294E-01
2313	Pu	234	94	140	7.584606E+00	7.582442E+00	2.1640E-03	2.179611E+05	2.179616E+05	-4.43E-01	2.18009949E+05	2.180104E+05	-4.3000E-01	4.034989E+01	4.078798E+01	-4.3809E-01
2314	Cm	234	96	138	7.550679E+00	7.546097E+00	4.5823E-03	2.179664E+05	2.179674E+05	-1.00E+00	2.18016323E+05	2.180173E+05	-9.9500E-01	4.672396E+01	4.772663E+01	-1.0027E+00
2315	Ac	235	89	146	7.573504E+00	7.572162E+00	1.3425E-03	2.189023E+05	2.189025E+05	-2.76E-01	2.18948450E+05	2.189487E+05	-2.4300E-01	4.735716E+01	4.760815E+01	-2.5099E-01
2316	Th	235	90	145	7.584385E+00	7.583803E+00	5.8195E-04	2.188984E+05	2.188985E+05	-1.01E-01	2.1894511E+05	2.189452E+05	-6.3000E-02	4.401775E+01	4.408932E+01	-7.1569E-02
2317	Pa	235	91	144	7.588413E+00	7.588126E+00	2.8705E-04	2.188961E+05	2.188962E+05	-7.00E-03	2.18943382E+05	2.189434E+05	-7.0000E-03	4.228890E+01	4.229036E+01	-1.4629E-03
2318	U	235	92	143	7.590906E+00	7.589657E+00	1.2490E-03	2.188942E+05	2.188945E+05	-2.32E-01	2.18942014E+05	2.189422E+05	-2.1900E-01	4.092065E+01	4.114747E+01	-2.2682E-01
2319	Np	235	93	142	7.587049E+00	7.584615E+00	2.4338E-03	2.188938E+05	2.188943E+05	-5.09E-01	2.18942138E+05	2.189426E+05	-4.9700E-01	4.104487E+01	4.154924E+01	-5.0437E-01
2320	Pu	235	94	141	7.578873E+00	7.576329E+00	2.5441E-03	2.188944E+05	2.188950E+05	-5.35E-01	2.18943277E+05	2.189438E+05	-5.2200E-01	4.218383E+01	4.271344E+01	-5.2961E-01
2321	Am	235	95	140	7.565150E+00	7.561557E+00	3.5929E-03	2.188964E+05	2.188971E+05	-7.80E-01	2.18945719E+05	2.189465E+05	-7.6900E-01	4.462624E+01	4.540173E+01	-7.7549E-01
2322	Ac	236	89	147	7.559242E+00	7.557527E+00	1.7153E-03	2.198376E+05	2.198380E+05	-3.65E-01	2.19883808E+05	2.198841E+05	-3.3300E-01	5.122099E+01	5.156113E+01	-3.4014E-01
2323	Th	236	90	146	7.576968E+00	7.576940E+00	2.8080E-05	2.198321E+05	2.198321E+05	3.30E-02	2.19878842E+05	2.198788E+05	6.7000E-02	4.625520E+01	4.619653E+01	5.8666E-02
2324	Pa	236	91	145	7.577557E+00	7.577377E+00	1.8020E-04	2.198307E+05	2.198307E+05	1.80E-02	2.19877921E+05	2.198779E+05	3.2000E-02	4.533395E+01	4.531035E+01	2.3597E-02
2325	U	236	92	144	7.586476E+00	7.586185E+00	2.9124E-04	2.198273E+05	2.198273E+05	-7.00E-03	2.19875034E+05	2.198750E+05	7.0000E-03	4.244652E+01	4.244860E+01	-2.0817E-03
2326	Np	236	93	143	7.579208E+00	7.577033E+00	2.1745E-03	2.198277E+05	2.198281E+05	-4.51E-01	2.19875967E+05	2.198764E+05	-4.3800E-01	4.337944E+01	4.382522E+01	-4.4578E-01
2327	Pu	236	94	142	7.577913E+00	7.576187E+00	1.7264E-03	2.198267E+05	2.198270E+05	-3.44E-01	2.19875490E+05	2.198758E+05	-3.3100E-01	4.290285E+01	4.324201E+01	-3.3916E-01
2328	Cm	236	96	140	7.550299E+00	7.546676E+00	3.6232E-03	2.198305E+05	2.198313E+05	-7.87E-01	2.19880442E+05	2.198812E+05	-7.7700E-01	4.785502E+01	4.864039E+01	-7.8537E-01
2329	Th	237	90	147	7.563443E+00	7.563087E+00	3.5637E-04	2.207673E+05	2.207674E+05	-4.20E-02	2.20814036E+05	2.208140E+05	-1.1000E-02	4.995509E+01	4.997414E+01	-1.9050E-02
2330	Pa	237	91	146	7.570384E+00	7.571071E+00	-6.8736E-04	2.207644E+05	2.207641E+05	2.02E-01	2.20816099E+05	2.208114E+05	2.3700E-01	4.752762E+01	4.729868E+01	2.2893E-01
2331	U	237	92	145	7.576094E+00	7.575881E+00	2.1336E-04	2.207617E+05	2.207617E+05	1.00E-02	2.20809473E+05	2.208094E+05	2.4000E-02	4.539206E+01	4.537581E+01	1.6249E-02
2332	Np	237	93	144	7.574981E+00	7.574032E+00	9.4876E-04	2.207607E+05	2.207608E+05	-1.63E-01	2.20808955E+05	2.208091E+05	-1.4900E-01	4.487347E+01	4.50380E+01	-1.5734E-01
2333	Pu	237	94	143	7.570752E+00	7.569098E+00	1.6538E-03	2.207603E+05	2.207607E+05	-3.29E-01	2.20809175E+05	2.208095E+05	-3.1600E-01	4.509347E+01	4.541710E+01	-3.2363E-01
2334	Cm	237	96	141	7.546622E+00	7.542874E+00	3.7480E-03	2.207634E+05	2.207643E+05	-8.20E-01	2.20813329E+05	2.208141E+05	-8.1000E-01	4.924743E+01	5.006607E+01	-8.1864E-01
2335	Cf	237	98	139	7.503356E+00	7.497566E+00	5.7898E-03	2.207711E+05	2.207724E+05	-1.30E+00	2.20822018E+05	2.208233E+05	-1.2930E+00	5.793687E+01	5.923787E+01	-1.3010E+00
2336	Pa	238	91	147	7.558344E+00	7.559152E+00	-8.0820E-04	2.216992E+05	2.216990E+05	2.31E-01	2.21746469E+05	2.217462E+05	2.6600E-01	5.089404E+01	5.063569E+01	2.5835E-01
2337	U	238	92	146	7.570120E+00	7.571347E+00	-1.2273E-03	2.216951E+05	2.216948E+05	3.28E-01	2.21742884E+05	2.217425E+05	3.6700E-01	4.730911E+01	4.695017E+01	3.5894E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	$E_B^{Th}(A, Z, at)$	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$	$M_{n.m.}^{Th}(A, Z, at)$	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$	$M_{a.m.}^{Th}(A, Z, at)$	Residual, MeV	$\Delta m^{Exp}(A, Z)$	$\Delta m^{Th}(A, Z, at)$	Residual, MeV
2338	Np	238	93	145	7.566213E+00	7.565488E+00	7.2455E-04	2.216947E+05	2.216948E+05	-1.11E-01	2.21743032E+05	2.217431E+05	-9.7000E-02	4.745646E+01	4.756151E+01	-1.0505E-01
2339	Pu	238	94	144	7.568335E+00	7.567889E+00	4.6364E-04	2.216929E+05	2.216930E+05	-4.70E-02	2.21741740E+05	2.217418E+05	-3.4000E-02	4.616495E+01	4.620702E+01	-4.2070E-02
2340	Am	238	95	143	7.555577E+00	7.552354E+00	3.2230E-03	2.216946E+05	2.216953E+05	-7.03E-01	2.21743998E+05	2.217447E+05	-6.9100E-01	4.842329E+01	4.912135E+01	-6.9806E-01
2341	Cm	238	96	142	7.547997E+00	7.545035E+00	2.9619E-03	2.216951E+05	2.216958E+05	-6.40E-01	2.21745020E+05	2.217456E+05	-6.2700E-01	4.944503E+01	5.008017E+01	-6.3514E-01
2342	U	239	92	147	7.558556E+00	7.559928E+00	-1.3722E-03	2.226299E+05	2.226295E+05	3.74E-01	2.22677643E+05	2.226772E+05	4.0200E-01	5.057405E+01	5.017931E+01	3.9473E-01
2343	Np	239	93	146	7.560561E+00	7.561392E+00	-8.3066E-04	2.226281E+05	2.226278E+05	2.45E-01	2.22676382E+05	2.226761E+05	2.7400E-01	4.931259E+01	4.904647E+01	2.6611E-01
2344	Pu	239	94	145	7.560310E+00	7.559806E+00	5.0356E-04	2.226268E+05	2.226269E+05	-5.80E-02	2.22675659E+05	2.226757E+05	-4.5000E-02	4.859007E+01	4.864226E+01	-5.2191E-02
2345	Am	239	95	144	7.553681E+00	7.551620E+00	2.0605E-03	2.226271E+05	2.226275E+05	-4.28E-01	2.22676461E+05	2.226769E+05	-4.1600E-01	4.939219E+01	4.981563E+01	-4.2344E-01
2346	Cm	239	96	143	7.543059E+00	7.540211E+00	2.8482E-03	2.226283E+05	2.226289E+05	-6.15E-01	2.22678218E+05	2.226788E+05	-6.0300E-01	5.114845E+01	5.175946E+01	-6.1101E-01
2347	U	240	92	148	7.551766E+00	7.553976E+00	-2.2102E-03	2.235635E+05	2.235629E+05	5.77E-01	2.23611279E+05	2.236107E+05	6.0500E-01	5.271637E+01	5.211919E+01	5.9718E-01
2348	Np	240	93	147	7.550167E+00	7.551714E+00	-1.5472E-03	2.235626E+05	2.235621E+05	4.18E-01	2.23610881E+05	2.236104E+05	4.4600E-01	5.231776E+01	5.187898E+01	4.3878E-01
2349	Pu	240	94	146	7.556035E+00	7.545298E+00	1.4200E-03	2.235599E+05	2.235591E+05	4.03E-01	2.23608690E+05	2.236083E+05	4.1700E-01	5.012719E+01	4.971813E+01	4.0906E-01
2350	Am	240	95	145	7.547005E+00	7.545298E+00	1.7065E-03	2.235607E+05	2.235611E+05	-3.46E-01	2.23610075E+05	2.236104E+05	-3.3300E-01	5.151198E+01	5.185261E+01	-3.4064E-01
2351	Cm	240	96	144	7.542855E+00	7.541241E+00	1.6143E-03	2.235604E+05	2.244935E+05	9.40E-02	2.23610289E+05	2.236106E+05	-3.0900E-01	5.172557E+01	5.204339E+01	-3.1783E-01
2352	Cf	240	98	142	7.510230E+00	7.506021E+00	4.2094E-03	2.235604E+05	2.235665E+05	-9.40E-01	2.23616554E+05	2.236175E+05	-9.3000E-01	5.799084E+01	5.893007E+01	-9.3923E-01
2353	Np	241	93	148	7.544262E+00	7.546235E+00	-1.9726E-03	2.244906E+05	2.244955E+05	5.21E-01	2.24544319E+05	2.245438E+05	5.5000E-01	5.426198E+01	5.371918E+01	5.4280E-01
2354	Pu	241	94	147	7.546431E+00	7.548212E+00	-1.7813E-03	2.244942E+05	2.244937E+05	4.72E-01	2.24543014E+05	2.245425E+05	5.0500E-01	5.295698E+01	5.245947E+01	4.9751E-01
2355	Am	241	95	146	7.543271E+00	7.543935E+00	-1.2409E-04	2.244936E+05	2.244935E+05	9.40E-02	2.24542993E+05	2.245429E+05	1.0600E-01	5.293620E+01	5.283735E+01	9.8852E-02
2356	Cm	241	96	145	7.536841E+00	7.535366E+00	1.4747E-03	2.244939E+05	2.244942E+05	-2.90E-01	2.24543761E+05	2.245440E+05	-2.7700E-01	5.370358E+01	5.398920E+01	-2.8562E-01
2357	Np	242	93	149	7.533396E+00	7.535003E+00	-1.6069E-03	2.254307E+05	2.254302E+05	4.38E-01	2.25478970E+05	2.254785E+05	4.6300E-01	5.741858E+01	5.696234E+01	4.5623E-01
2358	Pu	242	94	148	7.541321E+00	7.544462E+00	-3.1407E-03	2.254274E+05	2.254266E+05	8.10E-01	2.25476270E+05	2.254754E+05	8.3600E-01	5.471858E+01	5.389024E+01	8.2834E-01
2359	Am	242	95	147	7.534983E+00	7.535879E+00	-8.9569E-04	2.254277E+05	2.254274E+05	2.81E-01	2.25477021E+05	2.254767E+05	2.9300E-01	5.546988E+01	5.518424E+01	2.8564E-01
2360	Cm	242	96	146	7.534496E+00	7.535197E+00	-7.0138E-04	2.254265E+05	2.254262E+05	2.35E-01	2.25476357E+05	2.254761E+05	2.4800E-01	5.480542E+01	5.456604E+01	2.3938E-01
2361	Cf	242	98	144	7.509099E+00	7.506585E+00	2.5136E-03	2.254300E+05	2.254305E+05	-5.38E-01	2.25480938E+05	2.254815E+05	-5.2800E-01	5.938672E+01	5.992398E+01	-5.3726E-01
2362	Pu	243	94	149	7.531002E+00	7.533699E+00	-2.6966E-03	2.263620E+05	2.263612E+05	7.05E-01	2.26410801E+05	2.264101E+05	7.3000E-01	5.775598E+01	5.703251E+01	7.2347E-01
2363	Am	243	95	148	7.530168E+00	7.532562E+00	-2.3944E-03	2.263608E+05	2.263602E+05	6.28E-01	2.26410221E+05	2.264096E+05	6.5700E-01	5.717632E+01	5.652555E+01	6.5077E-01
2364	Cm	243	96	147	7.526918E+00	7.528124E+00	-1.2059E-03	2.263603E+05	2.263600E+05	3.58E-01	2.26410229E+05	2.264099E+05	3.7000E-01	5.718379E+01	5.682101E+01	3.6278E-01
2365	Bk	243	97	146	7.517494E+00	7.517099E+00	3.9496E-04	2.263613E+05	2.263613E+05	-3.00E-02	2.26411737E+05	2.264118E+05	-1.7000E-02	5.869138E+01	5.871698E+01	-2.5600E-02
2366	Pu	244	94	150	7.524811E+00	7.528106E+00	-3.2949E-03	2.272955E+05	2.272946E+05	8.54E-01	2.27344346E+05	2.273435E+05	8.7900E-01	5.980682E+01	5.893475E+01	8.7206E-01
2367	Am	244	95	149	7.521300E+00	7.523522E+00	-2.2216E-03	2.272950E+05	2.272944E+05	5.93E-01	2.27344420E+05	2.273438E+05	6.1700E-01	5.988114E+01	5.927025E+01	6.1089E-01
2368	Cm	244	96	148	7.523944E+00	7.526538E+00	-2.5938E-03	2.272931E+05	2.272924E+05	6.98E-01	2.27342993E+05	2.273423E+05	7.1000E-01	5.845384E+01	5.775121E+01	7.0263E-01
2369	Bk	244	97	147	7.511468E+00	7.511732E+00	-2.6358E-04	2.272948E+05	2.272947E+05	1.30E-01	2.27345255E+05	2.273451E+05	1.4200E-01	6.071569E+01	6.058086E+01	1.3483E-01
2370	Cf	244	98	146	7.505131E+00	7.504807E+00	3.2435E-04	2.272950E+05	2.272951E+05	-1.30E-02	2.27346019E+05	2.273460E+05	1.0000E-03	6.147935E+01	6.148747E+01	-8.1167E-03
2371	Pu	245	94	151	7.513276E+00	7.515331E+00	-2.0552E-03	2.282304E+05	2.282298E+05	5.50E-01	2.28279213E+05	2.282786E+05	5.7900E-01	6.317957E+01	6.260776E+01	5.7181E-01
2372	Am	245	95	150	7.515296E+00	7.518405E+00	-3.1090E-03	2.282286E+05	2.282277E+05	8.08E-01	2.28277935E+05	2.282771E+05	8.3700E-01	6.190228E+01	6.107161E+01	8.3067E-01
2373	Cm	245	96	149	7.515765E+00	7.517967E+00	-2.2024E-03	2.282271E+05	2.282265E+05	6.04E-01	2.28277038E+05	2.282764E+05	6.1600E-01	6.100490E+01	6.039574E+01	6.0915E-01
2374	Bk	245	97	148	7.509263E+00	7.510580E+00	-1.3170E-03	2.282274E+05	2.282270E+05	3.88E-01	2.28277849E+05	2.282774E+05	4.0000E-01	6.181564E+01	6.142259E+01	3.9305E-01
2375	Cf	245	98	147	7.499656E+00	7.499848E+00	-1.9187E-04	2.282285E+05	2.282283E+05	1.14E-01	2.28279420E+05	2.282793E+05	1.2600E-01	6.338694E+01	6.326888E+01	1.1805E-01
2376	Pu	246	94	152	7.506534E+00	7.507430E+00	-8.9577E-04	2.291641E+05	2.291638E+05	2.67E-01	2.29212923E+05	2.292126E+05	2.9500E-01	6.539596E+01	6.510751E+01	2.8845E-01
2377	Cm	246	96	150	7.511464E+00	7.514620E+00	-3.1561E-03	2.291602E+05	2.291594E+05	8.27E-01	2.29210146E+05	2.292093E+05	8.5300E-01	6.261861E+01	6.177254E+01	8.4606E-01
2378	Bk	246	97	149	7.502796E+00	7.503727E+00	-9.3054E-04	2.291611E+05	2.291608E+05	2.98E-01	2.29211496E+05	2.292112E+05	3.0600E-01	6.396861E+01	6.366928E+01	2.9933E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$	Residual, MeV	$E_B^{Th}(A, Z, a_i)$	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$	Residual, MeV	$M_{a.m.}^{Th}(A, Z, a_i)$	Residual, MeV	$\Delta m^{Exp}(A, Z)$	Residual, MeV	$\Delta m^{Th}(A, Z, a_i)$	Residual, MeV
2379	Cf	246	98	148	7.499114E+00	-1.2681E-03	7.500382E+00	3.79E-01	2.291607E+05	2.291603E+05	2.292112E+05	3.9100E-01	6.409194E+01	6.370893E+01	3.8301E-01	
2380	Fm	246	100	146	7.467971E+00	1.1892E-03	7.466782E+00	-2.20E-01	2.291657E+05	2.291659E+05	2.292179E+05	-2.1100E-01	7.018851E+01	7.040844E+01	-2.1993E-01	
2381	Cm	247	96	151	7.501926E+00	-2.2667E-03	7.504193E+00	6.11E-01	2.300946E+05	2.300940E+05	2.301439E+05	6.3700E-01	6.553445E+01	6.490481E+01	6.2964E-01	
2382	Bk	247	97	150	7.498935E+00	-1.9211E-03	7.500856E+00	5.21E-01	2.300941E+05	2.300935E+05	2.301440E+05	5.5200E-01	6.549083E+01	6.494587E+01	5.4496E-01	
2383	Cf	247	98	149	7.493285E+00	-6.7468E-04	7.493960E+00	2.34E-01	2.300942E+05	2.300939E+05	2.301449E+05	2.4500E-01	6.610390E+01	6.586621E+01	2.3770E-01	
2384	Es	247	98	148	7.480099E+00	-4.4768E-04	7.480547E+00	1.78E-01	2.300961E+05	2.300959E+05	2.301474E+05	1.9000E-01	6.857847E+01	6.839614E+01	1.8233E-01	
2385	Cm	248	96	152	7.496725E+00	-2.0391E-03	7.498764E+00	5.56E-01	2.310280E+05	2.310274E+05	2.310773E+05	5.8300E-01	6.739346E+01	6.681822E+01	5.7524E-01	
2386	Cf	248	98	150	7.491035E+00	-1.7674E-03	7.492802E+00	4.93E-01	2.310268E+05	2.310263E+05	2.310772E+05	5.1700E-01	6.723996E+01	6.673058E+01	5.0938E-01	
2387	Fm	248	100	148	7.465941E+00	-5.2774E-04	7.466469E+00	2.07E-01	2.310304E+05	2.310302E+05	2.310822E+05	2.1200E-01	7.189873E+01	7.169516E+01	2.0356E-01	
2388	Cm	249	96	153	7.485547E+00	-6.9350E-04	7.486241E+00	2.23E-01	2.319628E+05	2.319626E+05	2.320125E+05	2.5000E-01	7.075141E+01	7.050915E+01	2.4226E-01	
2389	Bk	249	97	152	7.486023E+00	-1.3129E-03	7.487336E+00	3.73E-01	2.319614E+05	2.319610E+05	2.320115E+05	4.0400E-01	6.985057E+01	6.945331E+01	3.9726E-01	
2390	Cf	249	98	151	7.483382E+00	-1.2534E-03	7.484635E+00	3.79E-01	2.319608E+05	2.319604E+05	2.320113E+05	3.9000E-01	6.972596E+01	6.943267E+01	3.8329E-01	
2391	Fm	249	100	149	7.461859E+00	-2.6754E-04	7.462127E+00	1.39E-01	2.320155E+05	2.320154E+05	2.320154E+05	1.4700E-01	7.352054E+01	7.338122E+01	1.3932E-01	
2392	Cm	250	96	154	7.478935E+00	3.2121E-04	7.478614E+00	-3.00E-02	2.329464E+05	2.328966E+05	2.329465E+05	-2.0000E-03	7.299030E+01	7.300091E+01	-1.0611E-02	
2393	Bk	250	97	153	7.475961E+00	-7.1979E-04	7.476681E+00	2.27E-01	2.328960E+05	2.328958E+05	2.329462E+05	5.8000E-01	7.295154E+01	7.270108E+01	2.5045E-01	
2394	Cf	250	98	152	7.479949E+00	-1.5997E-03	7.481549E+00	4.67E-01	2.328937E+05	2.328932E+05	2.329442E+05	4.7800E-01	7.117196E+01	7.070102E+01	4.7093E-01	
2395	Fm	250	100	150	7.462085E+00	-1.0020E-03	7.463087E+00	3.23E-01	2.328955E+05	2.328952E+05	2.329472E+05	3.3200E-01	7.407337E+01	7.375029E+01	3.2307E-01	
2396	Cm	251	96	155	7.466717E+00	-2.7053E-03	7.464012E+00	-6.28E-01	2.338317E+05	2.338324E+05	2.338822E+05	-6.0000E-01	7.664933E+01	7.725873E+01	-6.0940E-01	
2397	Bk	251	97	154	7.469258E+00	-4.7909E-04	7.469737E+00	1.67E-01	2.338280E+05	2.338296E+05	2.338800E+05	1.9900E-01	7.529333E+01	7.503859E+01	1.9074E-01	
2398	Cf	251	98	153	7.470495E+00	-9.7867E-04	7.471474E+00	3.12E-01	2.338282E+05	2.338279E+05	2.338788E+05	3.2500E-01	7.413633E+01	7.381963E+01	3.1670E-01	
2399	Es	251	99	152	7.465875E+00	-1.8296E-04	7.466058E+00	1.13E-01	2.338280E+05	2.338279E+05	2.338794E+05	1.2500E-01	7.451355E+01	7.439590E+01	1.1765E-01	
2400	Fm	251	100	151	7.457020E+00	-7.2600E-05	7.457093E+00	8.60E-02	2.338289E+05	2.338288E+05	2.338809E+05	9.8000E-02	7.595392E+01	7.586313E+01	9.0794E-02	
2401	Md	251	101	150	7.441900E+00	1.7550E-04	7.441725E+00	2.50E-02	2.338314E+05	2.338314E+05	2.338839E+05	3.7000E-02	7.896682E+01	7.893744E+01	2.9381E-02	
2402	Cf	252	98	154	7.465344E+00	-1.0543E-03	7.466398E+00	3.17E-01	2.347615E+05	2.347612E+05	2.348122E+05	3.4600E-01	7.603525E+01	7.569846E+01	3.3679E-01	
2403	Es	252	99	153	7.457240E+00	-5.2721E-04	7.457767E+00	1.84E-01	2.347623E+05	2.347621E+05	2.348136E+05	2.1300E-01	7.729525E+01	7.709043E+01	2.0482E-01	
2404	Fm	252	100	152	7.456031E+00	-2.0779E-04	7.456239E+00	1.21E-01	2.348137E+05	2.348132E+05	2.348132E+05	1.3300E-01	7.681757E+01	7.669251E+01	1.2506E-01	
2405	No	252	102	150	7.425795E+00	-3.1870E-04	7.426114E+00	1.55E-01	2.348193E+05	2.348192E+05	2.348192E+05	1.6200E-01	7.681757E+01	7.69251E+01	1.5426E-01	
2406	Cf	253	98	155	7.454826E+00	3.7162E-04	7.454454E+00	-4.30E-02	2.356963E+05	2.356963E+05	2.357473E+05	-1.4000E-02	7.930228E+01	7.932520E+01	-2.2928E-02	
2407	Es	253	99	154	7.452871E+00	-4.1386E-04	7.453285E+00	1.52E-01	2.357470E+05	2.357470E+05	2.357468E+05	1.8500E-01	7.901465E+01	7.883801E+01	1.7663E-01	
2408	Fm	253	100	153	7.448457E+00	-1.4760E-05	7.448472E+00	7.20E-02	2.357473E+05	2.357473E+05	2.357473E+05	8.4000E-02	7.934892E+01	7.927265E+01	7.6265E-02	
2409	No	253	102	151	7.422466E+00	2.3641E-04	7.422230E+00	1.40E-02	2.35752345E+05	2.357523E+05	2.357523E+05	2.2000E-02	8.435992E+01	8.434577E+01	1.4152E-02	
2410	Cf	254	98	156	7.449223E+00	1.7056E-03	7.447517E+00	-3.82E-01	2.36680821E+05	2.366812E+05	2.366812E+05	-3.5200E-01	8.134203E+01	8.170405E+01	-3.6202E-01	
2411	Es	254	99	155	7.443583E+00	3.7925E-04	7.443204E+00	-4.90E-02	2.36681471E+05	2.366815E+05	2.366815E+05	-1.6000E-02	8.199215E+01	8.201665E+01	-2.4499E-02	
2412	Fm	254	100	154	7.444786E+00	-9.9047E-04	7.445776E+00	3.20E-01	2.36680384E+05	2.366801E+05	2.366801E+05	3.3300E-01	8.090435E+01	8.058010E+01	3.2425E-01	
2413	No	254	102	152	7.423585E+00	4.5230E-05	7.423540E+00	6.30E-02	2.36684204E+05	2.366841E+05	2.366841E+05	7.1000E-02	8.472465E+01	8.466207E+01	6.2583E-02	
2414	Es	255	99	156	7.437816E+00	8.7261E-04	7.436943E+00	-1.67E-01	2.37615064E+05	2.376152E+05	2.376152E+05	-1.4100E-01	8.409058E+01	8.424116E+01	-1.5057E-01	
2415	Fm	255	100	155	7.435883E+00	-4.1119E-04	7.436294E+00	1.57E-01	2.37614774E+05	2.376146E+05	2.376146E+05	1.8600E-01	8.380096E+01	8.362363E+01	1.7734E-01	
2416	Md	255	101	154	7.428724E+00	-1.1679E-04	7.428841E+00	9.90E-02	2.37615818E+05	2.376157E+05	2.376157E+05	1.1200E-01	8.484434E+01	8.474117E+01	1.0317E-01	
2417	No	255	102	153	7.417958E+00	-3.6250E-05	7.417994E+00	8.00E-02	2.37617781E+05	2.376177E+05	2.376177E+05	9.2000E-02	8.680724E+01	8.672396E+01	8.3277E-02	
2418	Lr	255	103	152	7.402576E+00	1.5595E-03	7.401017E+00	-3.26E-01	2.37620921E+05	2.376212E+05	2.376212E+05	-3.1400E-01	8.994730E+01	9.027019E+01	-3.2289E-01	
2419	Fm	256	100	156	7.431778E+00	-1.0563E-04	7.431884E+00	7.80E-02	2.384959E+05	2.384958E+05	2.385478E+05	1.1000E-01	8.548737E+01	8.538776E+01	9.9613E-02	

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2420	No	256	102	154	7.416539E+00	7.417572E+00	-1.0327E-03	2.384972E+05	2.384968E+05	3.22E-01	2.38550291E+05	2.385499E+05	3.4700E-01	8.782393E+01	8.748545E+01	3.3848E-01
2421	Lr	256	103	153	7.398160E+00	7.397167E+00	9.9330E-04	2.385006E+05	2.385007E+05	-1.79E-01	2.38554214E+05	2.385544E+05	-1.7100E-01	9.174660E+01	9.192606E+01	-1.7946E-01
2422	Rf	256	104	152	7.385431E+00	7.384352E+00	1.0785E-03	2.385025E+05	2.385027E+05	-2.04E-01	2.38556690E+05	2.385569E+05	-1.9200E-01	9.422269E+01	9.442342E+01	-2.0074E-01
2423	Fm	257	100	157	7.422191E+00	7.420843E+00	1.3477E-03	2.394305E+05	2.394308E+05	-2.99E-01	2.39482552E+05	2.394828E+05	-2.6300E-01	8.859074E+01	8.886456E+01	-2.7382E-01
2424	Md	257	101	156	7.417566E+00	7.417331E+00	2.3456E-04	2.394304E+05	2.394304E+05	-1.30E-02	2.39482959E+05	2.394829E+05	2.3000E-02	8.899716E+01	8.898403E+01	1.3135E-02
2425	No	257	102	155	7.409645E+00	7.410418E+00	-7.7278E-04	2.394311E+05	2.394308E+05	2.69E-01	2.39484212E+05	2.394839E+05	2.8200E-01	9.025043E+01	8.97776E+01	2.7267E-01
2426	Rf	257	104	153	7.381700E+00	7.380969E+00	7.3117E-04	2.394356E+05	2.394358E+05	-1.11E-01	2.39489829E+05	2.394899E+05	-1.0400E-01	9.586761E+01	9.597998E+01	-1.1237E-01
2427	Md	258	101	157	7.409668E+00	7.408121E+00	1.5468E-03	2.403646E+05	2.403649E+05	-3.43E-01	2.40417144E+05	2.404175E+05	-3.1600E-01	9.168835E+01	9.201425E+01	-3.2590E-01
2428	Rf	258	104	154	7.382533E+00	7.382749E+00	-2.1576E-04	2.403676E+05	2.403675E+05	1.19E-01	2.40421798E+05	2.404217E+05	1.4100E-01	9.634226E+01	9.621111E+01	1.3115E-01
2429	Db	259	105	154	7.360362E+00	7.359681E+00	6.8150E-04	2.413042E+05	2.413043E+05	-9.30E-02	2.41358940E+05	2.413590E+05	-9.2000E-02	1.019910E+02	1.020913E+02	-1.0027E-01
2430	Sg	260	106	154	7.342560E+00	7.342590E+00	-3.0150E-05	2.422397E+05	2.422396E+05	8.30E-02	2.42294991E+05	2.422949E+05	9.3000E-02	1.065481E+02	1.064633E+02	8.4770E-02
2431	Rf	261	104	157	7.371372E+00	7.37105E+00	-3.3334E-04	2.431671E+05	2.431669E+05	1.45E-01	2.43221259E+05	2.432211E+05	1.7200E-01	1.013218E+02	1.011592E+02	1.6261E-01
2432	Sg	262	106	155	7.339766E+00	7.339860E+00	-9.4120E-05	2.431727E+05	2.431726E+05	8.90E-02	2.43227944E+05	2.432278E+05	1.1000E-01	1.080062E+02	1.079046E+02	1.0162E-01
2433	Sg	262	106	156	7.31181E+00	7.31045E+00	1.0819E-03	2.441045E+05	2.441042E+05	3.58E-01	2.44159798E+05	2.441594E+05	3.6900E-01	1.083669E+02	1.080066E+02	3.6037E-01
2434	Hs	264	108	156	7.298373E+00	7.299385E+00	-1.0115E-03	2.459776E+05	2.459773E+05	3.44E-01	2.46033983E+05	2.460336E+05	3.5400E-01	1.195637E+02	1.192184E+02	3.4531E-01
2435	Hs	265	108	157	7.296242E+00	7.297354E+00	-1.1125E-03	2.469105E+05	2.469101E+05	3.72E-01	2.46966815E+05	2.469664E+05	3.8100E-01	1.209014E+02	1.205283E+02	3.7311E-01
2436	Hs	266	108	158	7.298269E+00	7.300409E+00	-2.1398E-03	2.478422E+05	2.478416E+05	6.35E-01	2.47898545E+05	2.478979E+05	6.5600E-01	1.211374E+02	1.204898E+02	6.4763E-01
2437	Ds	269	110	159	7.250150E+00	7.249070E+00	1.0799E-03	2.506493E+05	2.506495E+05	-2.12E-01	2.50706725E+05	2.507069E+05	-2.0100E-01	1.348357E+02	1.350465E+02	-2.1075E-01
2438	Ds	270	110	160	7.253771E+00	7.252789E+00	9.8161E-04	2.515806E+05	2.515808E+05	-1.86E-01	2.51638063E+05	2.516382E+05	-1.7400E-01	1.346793E+02	1.348645E+02	-1.8525E-01
2439	Eh	294	117	177	7.093300E+00	7.092944E+00	5.6310E-05	2.739941E+05	2.739940E+05	5.80E-02	2.74055284E+05	2.740552E+05	3.5000E-02	1.960440E+02	1.960223E+02	2.1668E-02
2440	Eh	293	117	176	7.097000E+00	7.096442E+00	5.5846E-04	2.730605E+05	2.730605E+05	-1.10E-02	2.73121716E+05	2.731218E+05	-3.5000E-02	1.939700E+02	1.940191E+02	-4.9088E-02
2441	Eh	292	117	175	7.096000E+00	7.095352E+00	6.4823E-04	2.721283E+05	2.721284E+05	-1.26E-01	2.72189502E+05	2.721896E+05	-9.9000E-02	1.932510E+02	1.933624E+02	-1.1142E-01
2442	Eh	291	117	174	7.099000E+00	7.097955E+00	1.0446E-03	2.711950E+05	2.711952E+05	-1.88E-01	2.7156212E+05	2.71564E+05	-1.6100E-01	1.914540E+02	1.916288E+02	-1.7479E-01
2443	Lv	293	116	177	7.111000E+00	7.112366E+00	-1.3658E-03	2.730575E+05	2.730572E+05	3.19E-01	2.73118224E+05	2.731179E+05	3.265E-01	1.904790E+02	1.901364E+02	3.4265E-01
2444	Lv	292	116	176	7.117000E+00	7.117242E+00	-2.4153E-04	2.721235E+05	2.721233E+05	1.45E-01	2.72184173E+05	2.721840E+05	1.8200E-01	1.879210E+02	1.877537E+02	1.6731E-01
2445	Lv	291	116	175	7.116000E+00	7.116469E+00	-4.6910E-04	2.711914E+05	2.711911E+05	2.64E-01	2.71520260E+05	2.715218E+05	-2.9200E-01	1.873020E+02	1.870244E+02	2.7761E-01
2446	Lv	290	116	174	7.120000E+00	7.120447E+00	-4.4730E-04	2.702576E+05	2.702575E+05	1.00E-01	2.70318294E+05	2.703182E+05	1.2900E-01	1.850300E+02	1.849159E+02	1.1414E-01
2447	Lv	289	116	173	7.119000E+00	7.118732E+00	2.6775E-04	2.693257E+05	2.693256E+05	1.12E-01	2.69386356E+05	2.693862E+05	1.3900E-01	1.845870E+02	1.844606E+02	1.2636E-01
2448	Ef	291	115	176	7.131000E+00	7.130328E+00	6.7166E-04	2.711882E+05	2.711884E+05	1.26E-01	2.71248328E+05	2.712485E+05	-1.9000E-01	1.835700E+02	1.837744E+02	-2.0443E-01
2449	Ef	290	115	175	7.132000E+00	7.130962E+00	1.0375E-03	2.702557E+05	2.702558E+05	-1.22E-01	2.70315813E+05	2.703159E+05	-8.6000E-02	1.825500E+02	1.826495E+02	-9.9541E-02
2450	Ef	289	115	174	7.136000E+00	7.135262E+00	7.3832E-04	2.693220E+05	2.693221E+05	-1.18E-01	2.69382132E+05	2.693822E+05	-9.0000E-02	1.805630E+02	1.804667E+02	-1.0371E-01
2451	Ef	288	115	173	7.136000E+00	7.134916E+00	1.0842E-03	2.683897E+05	2.683898E+05	-1.08E-01	2.68449812E+05	2.684499E+05	-8.0000E-02	1.805630E+02	1.796303E+02	-9.4265E-02
2452	Ef	287	115	172	7.139000E+00	7.138300E+00	6.9967E-04	2.674563E+05	2.674564E+05	-9.70E-02	2.67516421E+05	2.675165E+05	-6.9000E-02	1.776390E+02	1.777225E+02	-8.3505E-02
2453	Fl	289	114	175	7.149000E+00	7.149476E+00	-4.7600E-04	2.693195E+05	2.693193E+05	2.11E-01	2.69379144E+05	2.693789E+05	2.4600E-01	1.773740E+02	1.771418E+02	2.3215E-01
2454	Fl	288	114	174	7.155000E+00	7.155229E+00	-2.2945E-04	2.683854E+05	2.683853E+05	1.38E-01	2.68444998E+05	2.684448E+05	1.7400E-01	1.747220E+02	1.745630E+02	1.5899E-01
2455	Fl	287	114	173	7.154000E+00	7.155245E+00	-1.2455E-03	2.674532E+05	2.674528E+05	3.31E-01	2.67512769E+05	2.675124E+05	3.5900E-01	1.739870E+02	1.736423E+02	3.4467E-01
2456	Fl	286	114	172	7.159000E+00	7.160041E+00	-1.0408E-03	2.665193E+05	2.665191E+05	2.46E-01	2.66578902E+05	2.665786E+05	2.7400E-01	1.716130E+02	1.713548E+02	2.5823E-01
2457	Fl	285	114	171	7.158000E+00	7.159051E+00	-1.0512E-03	2.655873E+05	2.655869E+05	3.23E-01	2.65646856E+05	2.656465E+05	3.5100E-01	1.710620E+02	1.707255E+02	3.3646E-01
2458	Ed	287	113	174	7.168000E+00	7.167056E+00	9.4427E-04	2.674505E+05	2.674508E+05	-2.32E-01	2.67509607E+05	2.675098E+05	-1.9700E-01	1.708250E+02	1.710359E+02	-2.1086E-01
2459	Ed	286	113	173	7.169000E+00	7.168579E+00	4.2130E-04	2.665179E+05	2.665179E+05	8.00E-03	2.66577013E+05	2.665770E+05	4.3000E-02	1.697250E+02	1.696960E+02	2.8974E-02
2460	Ed	285	113	172	7.174000E+00	7.173791E+00	2.0937E-04	2.655842E+05	2.655841E+05	9.40E-02	2.65643208E+05	2.656431E+05	1.2000E-01	1.674150E+02	1.673079E+02	1.0711E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2461	Ed	284	113	171	7.174000E+00	7.174276E+00	-2.7565E-04	2.646517E+05	2.646515E+05	1.97E-01	2.64710783E+05	2.647106E+05	2.2400E-01
2462	Ed	283	113	170	7.178000E+00	7.178497E+00	-4.9739E-04	2.637182E+05	2.637179E+05	2.81E-01	2.63777281E+05	2.637770E+05	3.0800E-01
2463	Ed	282	113	169	7.178000E+00	7.177932E+00	4.7620E-05	2.627859E+05	2.627857E+05	1.82E-01	2.62844949E+05	2.628447E+05	2.0900E-01
2464	Ed	281	113	168	7.182000E+00	7.181219E+00	7.8091E-04	2.618524E+05	2.618524E+05	-4.90E-02	2.61911413E+05	2.619114E+05	-2.1000E-02
2465	Ed	280	113	167	7.180000E+00	7.179686E+00	3.1406E-04	2.609203E+05	2.609204E+05	-1.00E-01	2.60979407E+05	2.609795E+05	-7.3000E-02
2466	Ed	279	113	166	7.184000E+00	7.182026E+00	1.9739E-03	2.599870E+05	2.599874E+05	-3.99E-01	2.60046069E+05	2.600464E+05	-3.7300E-01
2467	Ed	278	113	165	7.182000E+00	7.179502E+00	2.4980E-03	2.590552E+05	2.590557E+05	-5.59E-01	2.59114228E+05	2.591148E+05	-5.3300E-01
2468	Cn	285	112	173	7.185000E+00	7.185853E+00	-8.5343E-04	2.655823E+05	2.655819E+05	3.10E-01	2.65640777E+05	2.656404E+05	3.4400E-01
2469	Cn	284	112	172	7.192000E+00	7.192622E+00	-6.2220E-04	2.646480E+05	2.646476E+05	3.60E-01	2.64706525E+05	2.647061E+05	3.9400E-01
2470	Cn	283	112	171	7.191000E+00	7.193585E+00	-2.5853E-03	2.637157E+05	2.637150E+05	6.92E-01	2.63774206E+05	2.637735E+05	7.2000E-01
2471	Cn	282	112	170	7.197000E+00	7.199367E+00	-2.3672E-03	2.627816E+05	2.627810E+05	6.16E-01	2.62840128E+05	2.628395E+05	6.4400E-01
2472	Cn	281	112	169	7.199258E+00	7.199258E+00	-2.2582E-03	2.618494E+05	2.618487E+05	7.60E-01	2.61907935E+05	2.619071E+05	7.8600E-01
2473	Cn	280	112	168	7.202000E+00	7.204018E+00	-2.0183E-03	2.609155E+05	2.609150E+05	5.44E-01	2.60974020E+05	2.609734E+05	5.7100E-01
2474	Cn	279	112	167	7.201000E+00	7.202836E+00	-1.8356E-03	2.599834E+05	2.599829E+05	5.17E-01	2.60041963E+05	2.600414E+05	5.4400E-01
2475	Cn	278	112	166	7.206000E+00	7.206607E+00	-6.0699E-04	2.590497E+05	2.590495E+05	2.12E-01	2.59108246E+05	2.591080E+05	2.3900E-01
2476	Cn	277	112	165	7.205000E+00	7.204394E+00	6.0582E-04	2.581178E+05	2.581178E+05	-1.60E-02	2.58176272E+05	2.581763E+05	1.0000E-02
2477	Cn	276	112	164	7.209000E+00	7.207208E+00	1.7924E-03	2.571842E+05	2.571846E+05	-4.51E-01	2.57242700E+05	2.572431E+05	-4.2500E-01
2478	Rg	283	111	172	7.203000E+00	7.202993E+00	7.1400E-06	2.637137E+05	2.637137E+05	2.50E-02	2.63771666E+05	2.637716E+05	5.8000E-02
2479	Rg	282	111	171	7.205000E+00	7.205546E+00	-5.4638E-04	2.627809E+05	2.627806E+05	2.87E-01	2.62838845E+05	2.628385E+05	3.1900E-01
2480	Rg	281	111	170	7.211000E+00	7.211857E+00	-8.5653E-04	2.618468E+05	2.618464E+05	3.63E-01	2.61904781E+05	2.619044E+05	3.8800E-01
2481	Rg	280	111	169	7.212000E+00	7.213397E+00	-1.3973E-03	2.609142E+05	2.609137E+05	5.15E-01	2.6097149E+05	2.609716E+05	5.4100E-01
2482	Rg	279	111	168	7.217000E+00	7.218704E+00	-1.7035E-03	2.599804E+05	2.599798E+05	6.03E-01	2.60038404E+05	2.600378E+05	6.2800E-01
2483	Rg	278	111	167	7.218000E+00	7.219145E+00	-1.1451E-03	2.590478E+05	2.590474E+05	4.34E-01	2.59105765E+05	2.591053E+05	4.5900E-01
2484	Rg	277	111	166	7.223000E+00	7.223380E+00	-3.7962E-04	2.581140E+05	2.581138E+05	2.01E-01	2.58172013E+05	2.581718E+05	2.2600E-01
2485	Rg	276	111	165	7.222000E+00	7.222692E+00	-6.9177E-04	2.571819E+05	2.571817E+05	1.74E-01	2.57239835E+05	2.572396E+05	2.0000E-01
2486	Rg	275	111	164	7.227000E+00	7.225868E+00	1.1320E-03	2.562481E+05	2.562485E+05	-3.35E-01	2.56306110E+05	2.563064E+05	-3.0900E-01
2487	Rg	274	111	163	7.227000E+00	7.224084E+00	4.7697E-03	2.553160E+05	2.553166E+05	-6.17E-01	2.5537977E+05	2.553746E+05	-5.9200E-01
2488	Rg	273	111	162	7.231000E+00	7.223347E+00	3.6528E-03	2.543825E+05	2.543837E+05	-1.16E+00	2.54440502E+05	2.544416E+05	-1.1400E+00
2489	Rg	272	111	161	7.227000E+00	7.223347E+00	4.7697E-03	2.534512E+05	2.534521E+05	-9.67E-01	2.53509144E+05	2.535101E+05	-9.4300E-01
2490	Ds	281	110	171	7.220000E+00	7.221356E+00	-1.3556E-03	2.618456E+05	2.618451E+05	5.20E-01	2.61903059E+05	2.619025E+05	5.5200E-01
2491	Ds	280	110	170	7.227000E+00	7.229262E+00	-2.2620E-03	2.609111E+05	2.609105E+05	6.03E-01	2.60968584E+05	2.609679E+05	6.3500E-01
2492	Ds	279	110	169	7.228000E+00	7.231345E+00	-3.3450E-03	2.599785E+05	2.599776E+05	9.02E-01	2.60035959E+05	2.600350E+05	9.2600E-01
2493	Ds	278	110	168	7.236000E+00	7.238357E+00	-2.3566E-03	2.590442E+05	2.590433E+05	8.43E-01	2.59101617E+05	2.591007E+05	8.6800E-01
2494	Ds	277	110	167	7.236000E+00	7.239440E+00	-3.4396E-03	2.581116E+05	2.581107E+05	9.27E-01	2.58169075E+05	2.581681E+05	9.5200E-01
2495	Ds	276	110	166	7.243000E+00	7.245450E+00	-2.4503E-03	2.571775E+05	2.571767E+05	7.27E-01	2.57234889E+05	2.572341E+05	7.5100E-01
2496	Ds	275	110	165	7.243000E+00	7.245400E+00	-2.3996E-03	2.562450E+05	2.562444E+05	6.15E-01	2.56302471E+05	2.563018E+05	6.3900E-01
2497	Ds	274	110	164	7.249000E+00	7.250281E+00	-1.2811E-03	2.553111E+05	2.553108E+05	3.37E-01	2.55368535E+05	2.553682E+05	3.6100E-01
2498	Ds	273	110	163	7.249000E+00	7.249003E+00	-3.4200E-06	2.543788E+05	2.543788E+05	1.60E-02	2.54436248E+05	2.544362E+05	4.0000E-02
2499	Ds	272	110	162	7.255000E+00	7.252719E+00	2.2812E-03	2.534450E+05	2.534455E+05	-5.17E-01	2.53502388E+05	2.535029E+05	-4.9300E-01
2500	Ds	271	110	161	7.252000E+00	7.250218E+00	1.7817E-03	2.525134E+05	2.525138E+05	-4.45E-01	2.52570825E+05	2.525712E+05	-4.2200E-01
2501	Ds	270	110	160	7.253771E+00	7.252789E+00	9.8161E-04	2.515806E+05	2.515808E+05	-1.98E-01	2.51638063E+05	2.516382E+05	-1.7400E-01

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2502	Ds	269	110	159	7.250150E+00	7.249070E+00	1.0799E-03	2.506493E+05	2.506495E+05	-2.24E-01	2.50706725E+05	2.507069E+05	-2.0100E-01	1.348357E+02	1.350465E+02	-2.1075E-01
2503	Ds	268	110	158	7.252000E+00	7.250479E+00	1.5207E-03	2.497166E+05	2.497168E+05	-2.11E-01	2.49774044E+05	2.497742E+05	-1.8800E-01	1.336490E+02	1.338466E+02	-1.9756E-01
2504	Ds	267	110	157	7.247000E+00	7.245488E+00	1.5123E-03	2.487854E+05	2.487858E+05	-4.53E-01	2.48842821E+05	2.488433E+05	-4.3000E-01	1.339190E+02	1.343585E+02	-4.3949E-01
2505	Mt	279	109	170	7.238000E+00	7.237944E+00	5.5900E-05	2.599772E+05	2.599771E+05	7.00E-02	2.60034076E+05	2.600340E+05	1.0200E-01	1.472460E+02	1.471562E+02	8.9771E-02
2506	Mt	278	109	169	7.241000E+00	7.241599E+00	-5.9891E-04	2.590440E+05	2.590438E+05	2.73E-01	2.59100935E+05	2.591006E+05	3.0300E-01	1.455990E+02	1.453068E+02	2.9221E-01
2507	Mt	277	109	168	7.248000E+00	7.249115E+00	-1.1150E-03	2.581097E+05	2.581094E+05	3.59E-01	2.58166610E+05	2.581662E+05	3.8300E-01	1.427680E+02	1.423951E+02	3.7288E-01
2508	Mt	276	109	167	7.251000E+00	7.251883E+00	-8.8265E-04	2.571767E+05	2.571763E+05	3.87E-01	2.57233556E+05	2.572331E+05	4.0900E-01	1.412090E+02	1.408090E+02	3.9996E-01
2509	Mt	275	109	166	7.257000E+00	7.258538E+00	-1.5384E-03	2.562426E+05	2.562421E+05	4.52E-01	2.56299479E+05	2.562990E+05	4.7500E-01	1.386250E+02	1.381593E+02	4.6574E-01
2510	Mt	274	109	165	7.260000E+00	7.260333E+00	-3.3287E-04	2.553096E+05	2.553093E+05	2.90E-01	2.55366517E+05	2.553662E+05	3.1100E-01	1.371580E+02	1.368548E+02	3.0319E-01
2511	Mt	273	109	164	7.266000E+00	7.266596E+00	4.0438E-04	2.534431E+05	2.534430E+05	9.00E-03	2.54432372E+05	2.544324E+05	1.2000E-02	1.345070E+02	1.345024E+02	4.6160E-03
2512	Mt	272	109	163	7.267000E+00	7.266596E+00	4.0438E-04	2.534431E+05	2.534430E+05	3.90E-02	2.53499953E+05	2.534999E+05	6.0000E-02	1.335820E+02	1.335294E+02	5.2632E-02
2513	Mt	271	109	162	7.273000E+00	7.271013E+00	1.9871E-03	2.525091E+05	2.525095E+05	-4.39E-01	2.52565980E+05	2.525664E+05	-4.1600E-01	1.311020E+02	1.315276E+02	-4.2556E-01
2514	Mt	270	109	161	7.271000E+00	7.270267E+00	7.3342E-04	2.515772E+05	2.515774E+05	-2.28E-01	2.51634097E+05	2.516343E+05	-2.0700E-01	1.307140E+02	1.309288E+02	-2.1476E-01
2515	Mt	269	109	160	7.274000E+00	7.273349E+00	6.5143E-04	2.506443E+05	2.506443E+05	0.00E+00	2.50701201E+05	2.507012E+05	2.2000E-02	1.293120E+02	1.292987E+02	1.3346E-02
2516	Mt	268	109	159	7.271000E+00	7.271211E+00	-2.1051E-04	2.497127E+05	2.497126E+05	6.40E-02	2.49769546E+05	2.497695E+05	8.6000E-02	1.291510E+02	1.292977E+02	7.7318E-02
2517	Mt	267	109	158	7.273000E+00	7.272981E+00	1.9280E-05	2.487798E+05	2.487798E+05	-2.30E-02	2.48836692E+05	2.488367E+05	-1.0000E-03	1.277910E+02	1.278009E+02	-9.9270E-03
2518	Mt	266	109	157	7.270000E+00	7.269479E+00	5.2141E-04	2.478485E+05	2.478485E+05	1.60E-02	2.47905371E+05	2.479053E+05	3.8000E-02	1.279630E+02	1.279342E+02	2.8844E-02
2519	Mt	265	109	156	7.271000E+00	7.269951E+00	1.0490E-03	2.469157E+05	2.469160E+05	-3.40E-01	2.46972593E+05	2.469729E+05	-3.1900E-01	1.266800E+02	1.270071E+02	-3.2712E-01
2520	Hs	277	108	169	7.255000E+00	7.255759E+00	-7.5911E-04	2.581090E+05	2.581088E+05	1.36E-01	2.58165335E+05	2.581652E+05	1.6700E-01	1.414930E+02	1.413378E+02	1.5523E-01
2521	Hs	276	108	168	7.264000E+00	7.264808E+00	-8.0838E-04	2.571743E+05	2.571740E+05	2.41E-01	2.57230633E+05	2.572304E+05	2.7200E-01	1.382850E+02	1.380246E+02	2.6038E-01
2522	Hs	275	108	167	7.267000E+00	7.268077E+00	-1.0072E-03	2.562411E+05	2.562409E+05	2.69E-01	2.56297474E+05	2.562972E+05	2.9200E-01	1.366210E+02	1.363384E+02	2.8257E-01
2523	Hs	274	108	166	7.276000E+00	7.276255E+00	-2.5535E-04	2.535063E+05	2.535063E+05	1.98E-01	2.53562846E+05	2.535626E+05	2.2100E-01	1.334870E+02	1.332751E+02	2.1188E-01
2524	Hs	273	108	165	7.278000E+00	7.278576E+00	-5.7603E-04	2.543735E+05	2.543734E+05	1.14E-01	2.54429839E+05	2.544297E+05	1.3500E-01	1.319730E+02	1.318465E+02	1.2649E-01
2525	Hs	272	108	164	7.286000E+00	7.285961E+00	3.9210E-05	2.534390E+05	2.534391E+05	-5.10E-02	2.53495379E+05	2.534954E+05	-3.0000E-02	1.290070E+02	1.290451E+02	-3.8118E-02
2526	Hs	271	108	163	7.288000E+00	7.287261E+00	7.3869E-04	2.525063E+05	2.525064E+05	-1.48E-01	2.52562651E+05	2.525628E+05	-1.2700E-01	1.277730E+02	1.279073E+02	-1.3432E-01
2527	Hs	270	108	162	7.295000E+00	7.293558E+00	1.4418E-03	2.515721E+05	2.515725E+05	-3.45E-01	2.51628474E+05	2.516288E+05	-3.2500E-01	1.250900E+02	1.254231E+02	-3.3310E-01
2528	Hs	269	108	161	7.294000E+00	7.293553E+00	4.4663E-04	2.506401E+05	2.506402E+05	-7.00E-02	2.50696480E+05	2.506965E+05	-4.9000E-02	1.245900E+02	1.246466E+02	-5.6638E-02
2529	Hs	268	108	160	7.298000E+00	7.298480E+00	-4.8007E-04	2.497069E+05	2.497066E+05	2.70E-01	2.49763272E+05	2.497629E+05	2.9100E-01	1.228310E+02	1.225485E+02	2.8248E-01
2530	Hs	267	108	159	7.295000E+00	7.296955E+00	-1.9548E-03	2.487752E+05	2.487747E+05	4.57E-01	2.48831554E+05	2.488311E+05	4.7700E-01	1.226530E+02	1.221829E+02	4.7009E-01
2531	Hs	266	108	158	7.298269E+00	7.300409E+00	-2.1398E-03	2.478422E+05	2.478416E+05	6.35E-01	2.47898545E+05	2.478979E+05	6.5600E-01	1.211374E+02	1.204898E+02	6.4763E-01
2532	Hs	265	108	157	7.296242E+00	7.297354E+00	-1.1125E-03	2.469105E+05	2.469101E+05	3.61E-01	2.46966815E+05	2.469664E+05	3.8100E-01	1.209014E+02	1.205283E+02	3.7311E-01
2533	Hs	264	108	156	7.298373E+00	7.299385E+00	-1.0115E-03	2.459776E+05	2.459773E+05	3.33E-01	2.46033983E+05	2.460336E+05	3.5400E-01	1.195637E+02	1.192184E+02	3.4531E-01
2534	Hs	263	108	155	7.295000E+00	7.294846E+00	1.5351E-04	2.450463E+05	2.450462E+05	6.50E-02	2.45102643E+05	2.451026E+05	8.6000E-02	1.197180E+02	1.196400E+02	7.8046E-02
2535	Bh	275	107	168	7.273000E+00	7.271700E+00	1.2997E-03	2.562407E+05	2.562412E+05	-4.34E-01	2.56296544E+05	2.562969E+05	-4.0400E-01	1.356910E+02	1.361059E+02	-4.1491E-01
2536	Bh	274	107	167	7.278000E+00	7.276404E+00	1.5961E-03	2.533073E+05	2.533076E+05	-3.23E-01	2.53363074E+05	2.533634E+05	-2.9300E-01	1.337140E+02	1.340175E+02	-3.0349E-01
2537	Bh	273	107	166	7.286000E+00	7.285018E+00	9.8229E-04	2.543727E+05	2.543729E+05	-2.51E-01	2.54428498E+05	2.544287E+05	-2.2900E-01	1.306330E+02	1.308710E+02	-2.3801E-01
2538	Bh	272	107	165	7.290000E+00	7.288834E+00	1.1657E-03	2.534394E+05	2.534396E+05	-2.68E-01	2.53495164E+05	2.534954E+05	-2.4600E-01	1.287920E+02	1.290466E+02	-2.5459E-01
2539	Bh	271	107	164	7.298000E+00	7.296593E+00	1.4068E-03	2.525051E+05	2.525052E+05	-1.85E-01	2.52560868E+05	2.525610E+05	-1.6300E-01	1.259900E+02	1.261614E+02	-1.7144E-01
2540	Bh	270	107	163	7.301000E+00	7.299442E+00	1.5584E-03	2.515718E+05	2.515722E+05	-4.04E-01	2.51627610E+05	2.516280E+05	-3.8400E-01	1.242270E+02	1.246177E+02	-3.9067E-01
2541	Bh	269	107	162	7.309000E+00	7.306191E+00	2.8092E-03	2.506376E+05	2.506381E+05	-5.61E-01	2.50693371E+05	2.506939E+05	-5.4200E-01	1.214820E+02	1.220303E+02	-5.4825E-01
2542	Bh	268	107	161	7.308000E+00	7.307841E+00	1.5925E-04	2.497054E+05	2.497054E+05	-2.90E-02	2.49761203E+05	2.497612E+05	-9.0000E-03	1.208070E+02	1.208229E+02	-1.5933E-02

#	El	A	Z	N	$E_B^{Exp}(A, Z)$ MeV	$E_B^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{n.m.}^{Exp}(A, Z)$ MeV	$M_{n.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$M_{a.m.}^{Exp}(A, Z)$ MeV	$M_{a.m.}^{Th}(A, Z, a_i)$ MeV	Residual, MeV	$\Delta m^{Exp}(A, Z)$ MeV	$\Delta m^{Th}(A, Z, a_i)$ MeV	Residual, MeV
2543	Bh	267	107	160	7.313000E+00	7.313309E+00	-3.0859E-04	2.487719E+05	2.487717E+05	1.54E-01	2.48827668E+05	2.488275E+05	1.7400E-01	1.185995E+02	1.185995E+02	1.6746E-01
2544	Bh	266	107	159	7.313000E+00	7.313500E+00	-4.9958E-04	2.478397E+05	2.478394E+05	3.05E-01	2.47895515E+05	2.478952E+05	3.2400E-01	1.181080E+02	1.177907E+02	3.1727E-01
2545	Bh	265	107	158	7.316000E+00	7.317497E+00	-1.4972E-03	2.469065E+05	2.469061E+05	3.71E-01	2.46962270E+05	2.469619E+05	3.9100E-01	1.163570E+02	1.159735E+02	3.8345E-01
2546	Bh	264	107	157	7.315000E+00	7.316132E+00	-1.1324E-03	2.459747E+05	2.459742E+05	4.65E-01	2.46030477E+05	2.460300E+05	4.8500E-01	1.160580E+02	1.155800E+02	4.7799E-01
2547	Bh	263	107	156	7.318000E+00	7.318644E+00	-6.4386E-04	2.450416E+05	2.450413E+05	3.18E-01	2.45097421E+05	2.450971E+05	3.3900E-01	1.144960E+02	1.141643E+02	3.3168E-01
2548	Bh	262	107	155	7.315000E+00	7.315741E+00	-7.4087E-04	2.441102E+05	2.441098E+05	3.58E-01	2.44165974E+05	2.441656E+05	3.7800E-01	1.145430E+02	1.141722E+02	3.7077E-01
2549	Bh	261	107	154	7.317000E+00	7.316792E+00	2.0841E-04	2.431773E+05	2.431773E+05	-2.00E-02	2.43233072E+05	2.432331E+05	0.0000E+00	1.131350E+02	1.131424E+02	-7.4140E-03
2550	Bh	260	107	153	7.313000E+00	7.312355E+00	6.4489E-04	2.422460E+05	2.422462E+05	-2.29E-01	2.42301768E+05	2.423020E+05	-2.1000E-01	1.133240E+02	1.135414E+02	-2.1737E-01
2551	Sg	273	106	167	7.291000E+00	7.288914E+00	2.0864E-03	2.543726E+05	2.543732E+05	-5.91E-01	2.54427883E+05	2.544284E+05	-5.6100E-01	1.300180E+02	1.305905E+02	-5.7252E-01
2552	Sg	272	106	166	7.301000E+00	7.299033E+00	1.9665E-03	2.534377E+05	2.534382E+05	-4.94E-01	2.53492952E+05	2.534934E+05	-4.6400E-01	1.265800E+02	1.270555E+02	-4.7550E-01
2553	Sg	271	106	165	7.305000E+00	7.303195E+00	1.8049E-03	2.525044E+05	2.525048E+05	-4.11E-01	2.52559635E+05	2.525600E+05	-3.8800E-01	1.247580E+02	1.251554E+02	-3.9740E-01
2554	Sg	270	106	164	7.314000E+00	7.312419E+00	1.5807E-03	2.515696E+05	2.515700E+05	-4.18E-01	2.51624875E+05	2.516253E+05	-3.9500E-01	1.214920E+02	1.218968E+02	-4.0475E-01
2555	Sg	269	106	163	7.318000E+00	7.315578E+00	2.4222E-03	2.506364E+05	2.506369E+05	-4.86E-01	2.50691705E+05	2.506922E+05	-4.6400E-01	1.198150E+02	1.202882E+02	-4.7321E-01
2556	Sg	268	106	162	7.326000E+00	7.323790E+00	2.2098E-03	2.497019E+05	2.497025E+05	-5.43E-01	2.49757197E+05	2.497577E+05	-5.2100E-01	1.168020E+02	1.173316E+02	-5.2957E-01
2557	Sg	267	106	161	7.327000E+00	7.325771E+00	1.2292E-03	2.487695E+05	2.487697E+05	-2.30E-01	2.48824739E+05	2.488249E+05	-2.0900E-01	1.158380E+02	1.160552E+02	-2.1721E-01
2558	Sg	266	106	160	7.332000E+00	7.332762E+00	-7.6224E-04	2.478358E+05	2.478356E+05	1.56E-01	2.47891026E+05	2.478908E+05	1.7800E-01	1.136190E+02	1.134499E+02	1.6907E-01
2559	Sg	265	106	159	7.333000E+00	7.333358E+00	-3.5770E-04	2.469034E+05	2.469032E+05	2.32E-01	2.46958711E+05	2.469585E+05	2.5300E-01	1.127970E+02	1.125536E+02	2.4342E-01
2560	Sg	264	106	158	7.338000E+00	7.338968E+00	-9.6810E-04	2.459699E+05	2.459695E+05	4.37E-01	2.46025203E+05	2.460247E+05	4.5800E-01	1.107840E+02	1.103345E+02	4.4953E-01
2561	Sg	263	106	157	7.337000E+00	7.338079E+00	-1.0792E-03	2.450378E+05	2.450375E+05	3.41E-01	2.45093116E+05	2.450928E+05	3.6300E-01	1.101900E+02	1.098359E+02	3.5409E-01
2562	Sg	262	106	156	7.341181E+00	7.342263E+00	-1.0819E-03	2.441045E+05	2.441042E+05	3.48E-01	2.44159798E+05	2.441594E+05	3.6900E-01	1.083669E+02	1.080066E+02	3.6037E-01
2563	Sg	261	106	155	7.339766E+00	7.339860E+00	-9.4120E-05	2.431727E+05	2.431726E+05	8.90E-02	2.43227944E+05	2.432278E+05	1.1000E-01	1.080062E+02	1.079046E+02	1.0162E-01
2564	Sg	260	106	154	7.342560E+00	7.342590E+00	-3.0150E-05	2.422397E+05	2.422396E+05	7.20E-02	2.42294991E+05	2.422949E+05	9.3000E-02	1.065481E+02	1.064633E+02	8.4770E-02
2565	Sg	259	106	153	7.340000E+00	7.338631E+00	1.3687E-03	2.413082E+05	2.413084E+05	-2.13E-01	2.41363509E+05	2.413637E+05	-1.9200E-01	1.065590E+02	1.067599E+02	-2.0094E-01
2566	Sg	258	106	152	7.342000E+00	7.339879E+00	2.1214E-03	2.403754E+05	2.403759E+05	-4.75E-01	2.40430698E+05	2.404312E+05	-4.5500E-01	1.052430E+02	1.057055E+02	-4.6246E-01

Table B.5: Atomic mass table, where  $Z$  is the number of protons,  $A$  is the mass number  $A = N + Z$ ,  $\Delta m(A, Z)$  is the mass excess ( $M(\text{in u}) - A$ ), in MeV,  $E_B(A, Z)$  is the binding energy per nucleon (in MeV).  $M_{a.m.}(A, Z)$  and  $M_{n.m.}(A, Z)$  are the atomic mass and nuclear mass respectively. The theoretical energies and masses are compared with the recent experimental data taken from AME2012 [74, 75].



### Appendix C. Predicted binding energies for super-heavy nuclei

#	Element	A	Z	N	N - Z	$E_B(A, Z, a_i), \text{MeV}$	$M_{n.m.}(A, Z, a_i), \text{MeV}$	$M_{a.m.}(A, Z, a_i), \text{MeV}$	$\Delta m(A, Z, a_i), \text{MeV}$
1	Rf	266	104	162	58	7.347272E+00	2.478344E+05	2.478886E+05	1.111566E+02
2	Rf	267	104	163	59	7.337124E+00	2.487693E+05	2.488235E+05	1.145900E+02
3	Rf	265	104	161	57	7.351197E+00	2.469011E+05	2.469553E+05	1.093922E+02
4	Db	270	105	165	60	7.309896E+00	2.515720E+05	2.516268E+05	1.233610E+02
5	Db	268	105	163	58	7.324159E+00	2.497037E+05	2.497584E+05	1.180157E+02
6	Db	267	105	162	57	7.332720E+00	2.487692E+05	2.488239E+05	1.149828E+02
7	Sg	271	106	165	59	7.303195E+00	2.525048E+05	2.525600E+05	1.251554E+02
8	Sg	269	106	163	57	7.315578E+00	2.506369E+05	2.506922E+05	1.202882E+02
9	Bh	274	107	167	60	7.276404E+00	2.553076E+05	2.553634E+05	1.340175E+02
10	Bh	272	107	165	58	7.288834E+00	2.534396E+05	2.534954E+05	1.290466E+02
11	Bh	271	107	164	57	7.296593E+00	2.525052E+05	2.525611E+05	1.261614E+02
12	Bh	270	107	163	56	7.299442E+00	2.515722E+05	2.516280E+05	1.246177E+02
13	Hs	278	108	170	62	7.251689E+00	2.590423E+05	2.590986E+05	1.432848E+02
14	Hs	277	108	169	61	7.255759E+00	2.581088E+05	2.581652E+05	1.413378E+02
15	Hs	275	108	167	59	7.268007E+00	2.562409E+05	2.562972E+05	1.363384E+02
16	Hs	273	108	165	57	7.278576E+00	2.543734E+05	2.544297E+05	1.318465E+02
17	Ds	275	110	165	55	7.245400E+00	2.562444E+05	2.563019E+05	1.409894E+02
18	Ds	282	110	172	62	7.218340E+00	2.627783E+05	2.628357E+05	1.544015E+02
19	Cn	279	112	167	55	7.202836E+00	2.599829E+05	2.600414E+05	1.546022E+02
20	Cn	286	112	174	62	7.183875E+00	2.665149E+05	2.665734E+05	1.661045E+02
21	Uut	285	113	173	60	7.168579E+00	2.665179E+05	2.665770E+05	1.696960E+02
22	Uut	284	113	172	59	7.173791E+00	2.655841E+05	2.656431E+05	1.673079E+02
23	Uut	283	113	171	58	7.174276E+00	2.646515E+05	2.647106E+05	1.662726E+02
24	Uut	282	113	170	57	7.178497E+00	2.637179E+05	2.637770E+05	1.641808E+02
25	Uut	281	113	169	56	7.177952E+00	2.627857E+05	2.628448E+05	1.634417E+02
26	Fl	283	114	169	55	7.160960E+00	2.637216E+05	2.637812E+05	1.683609E+02
27	Fl	290	114	176	62	7.148446E+00	2.702520E+05	2.703116E+05	1.783625E+02
28	Uup	290	115	175	60	7.130962E+00	2.702558E+05	2.703159E+05	1.826495E+02
29	Uup	289	115	174	59	7.135262E+00	2.693221E+05	2.693823E+05	1.804667E+02
30	Uup	288	115	173	58	7.134916E+00	2.683898E+05	2.684499E+05	1.796303E+02
31	Uup	287	115	172	57	7.138300E+00	2.674564E+05	2.675165E+05	1.777225E+02
32	Lv	294	116	178	62	7.112522E+00	2.739896E+05	2.740503E+05	1.910493E+02
33	Lv	293	116	177	61	7.112366E+00	2.730572E+05	2.731179E+05	1.901364E+02
34	Lv	292	116	176	60	7.117242E+00	2.721233E+05	2.721840E+05	1.877537E+02
35	Lv	291	116	175	59	7.116469E+00	2.711911E+05	2.712518E+05	1.870244E+02
36	Lv	290	116	174	58	7.120447E+00	2.702575E+05	2.703182E+05	1.849159E+02
37	Uuo	293	118	175	57	7.078260E+00	2.730645E+05	2.731263E+05	1.985633E+02
38	Uuo	294	118	176	58	7.080706E+00	2.739963E+05	2.740581E+05	1.988371E+02
39	Uuo	295	118	177	59	7.077515E+00	2.749297E+05	2.749915E+05	2.007692E+02
40	Uuo	296	118	178	60	7.079352E+00	2.758617E+05	2.759235E+05	2.012193E+02
41	Uuo	297	118	179	61	7.075598E+00	2.767953E+05	2.768571E+05	2.033261E+02
42	Uuu119	295	119	176	57	7.057279E+00	2.749344E+05	2.749967E+05	2.059557E+02
43	Uuu119	296	119	177	58	7.055425E+00	2.758674E+05	2.759298E+05	2.075185E+02
44	Uuu119	297	119	178	59	7.057551E+00	2.767993E+05	2.768616E+05	2.079030E+02
45	Uuu120	295	120	175	55	7.034902E+00	2.749397E+05	2.750025E+05	2.117737E+02
46	Uuu120	296	120	176	56	7.038956E+00	2.758710E+05	2.759339E+05	2.116103E+02
47	Uuu120	297	120	177	57	7.037373E+00	2.768040E+05	2.768668E+05	2.131127E+02
48	Uuu120	298	120	178	58	7.040808E+00	2.777355E+05	2.777984E+05	2.131231E+02
49	Uuu120	299	120	179	59	7.038653E+00	2.786687E+05	2.787315E+05	2.147980E+02

Table C.6: Predicted binding energies, nuclear and atomic masses, and mass excess for the recently discovery nuclei at the DGFRS separator based on fusion reactions of  $^{48}\text{Ca}$  with  $^{238}\text{U}$ - $^{249}\text{Cf}$  target nuclei [13].

