

## B Intermediate lived nuclei included in cross-section calculations in DRAGON2

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^2\text{H}$	$^{11}\text{Li}$ (0.013) $^6\text{He}$ (0.01)		
$^3\text{H}$	$^{11}\text{Li}$ (0.014) $^8\text{He}$ (0.9)		
$^4\text{He}$	$^8\text{B}$ (200.0) $^{11}\text{Li}$ (1.0) $^6\text{He}$ (0.01)		
$^6\text{Li}$	$^6\text{He}$ (99.9)		
$^7\text{Li}$	$^{11}\text{Be}$ (2.9) $^8\text{He}$ (16.0)	$^{11}\text{Li}$ (8.07)	
$^9\text{Be}$	$^9\text{Li}$ (49.2) $^{11}\text{Li}$ (4.1)	$^{11}\text{Li}$ (0.013)	
$^{10}\text{Be}$	$^{11}\text{Li}$ (84.9)		
$^{10}\text{B}$	$^{10}\text{C}$ (100.0)		
$^{11}\text{B}$	$^{11}\text{C}$ (100.0) $^{11}\text{Be}$ (97.1) $^{12}\text{Be}$ (0.52)	$^{11}\text{Li}$ (8.07)	
$^{12}\text{C}$	$^{13}\text{O}$ (10.9) $^{12}\text{N}$ (96.5) $^{12}\text{B}$ (98.4) $^{13}\text{B}$ (0.279)	$^{12}\text{Be}$ (99.48) $^{14}\text{Be}$ (5.0) $^{14}\text{Be}$ (81.0)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)			
	1st generation	2nd generation	3rd generation	
$^{13}\text{C}$	$^{13}\text{N}$ (100.0)	$^{17}\text{Ne}$ (2.7) $^{13}\text{O}$ (89.1)		
	$^{17}\text{N}$ (0.01)	$^{17}\text{C}$ (71.59) $^{18}\text{C}$ (31.5) $^{19}\text{C}$ (7.0)	$^{17}\text{B}$ (22.1)	
	$^{13}\text{B}$ (99.72)		$^{19}\text{B}$ (100.0)	
	$^{14}\text{B}$ (6.04)	$^{14}\text{Be}$ (81.0)		
	$^{15}\text{B}$ (0.4)	$^{14}\text{Be}$ (14.0)		
	$^{17}\text{B}$ (0.4)			
	<hr/>			
	$^{14}\text{C}$	$^{18}\text{N}$ (12.2)	$^{18}\text{C}$ (68.5) $^{19}\text{C}$ (47.0)	$^{19}\text{B}$ (100.0)
$^{14}\text{B}$ (93.36)		$^{14}\text{Be}$ (14.0)		
$^{15}\text{B}$ (93.6)				
$^{17}\text{B}$ (3.5)				
<hr/>				
$^{14}\text{N}$	$^{14}\text{O}$ (100.0)			
<hr/>				
$^{15}\text{N}$	$^{15}\text{O}$ (100.0)	$^{15}\text{B}$ (6.0)		
	$^{15}\text{C}$ (100.0)	$^{17}\text{B}$ (11.0)		
	$^{16}\text{C}$ (97.9)	$^{17}\text{B}$ (63.0)		
	<hr/>			
$^{16}\text{O}$	$^{20}\text{Na}$ (25.0)	$^{20}\text{Mg}$ (97.0)		
	$^{17}\text{Ne}$ (96.0)			
	$^{16}\text{N}$ (100.0)	$^{16}\text{C}$ (2.1)	$^{17}\text{B}$ (63.0)	
		$^{17}\text{C}$ (28.41)	$^{17}\text{B}$ (22.1)	
	$^{17}\text{N}$ (95.0)	$^{17}\text{C}$ (71.59) $^{18}\text{C}$ (31.5) $^{19}\text{C}$ (7.0)	$^{17}\text{B}$ (22.1)	
			$^{19}\text{B}$ (100.0)	
	<hr/>			

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)			
	1st generation	2nd generation	3rd generation	
$^{17}\text{O}$	$^{17}\text{F}$ (100.0)	$^{21}\text{Mg}$ (0.5)	$^{22}\text{Si}$ (32.0)	
		$^{17}\text{Ne}$ (1.3)		
		$^{17}\text{N}$ (4.99)	$^{17}\text{C}$ (71.59)	$^{17}\text{B}$ (22.1)
	$^{18}\text{C}$ (31.5)		$^{19}\text{B}$ (100.0)	
	$^{19}\text{C}$ (7.0)			
	$^{18}\text{N}$ (10.9)		$^{18}\text{C}$ (68.5)	$^{19}\text{B}$ (100.0)
		$^{19}\text{C}$ (47.0)		
	$^{18}\text{O}$	$^{18}\text{N}$ (76.9)	$^{18}\text{C}$ (68.5)	$^{19}\text{B}$ (100.0)
			$^{19}\text{C}$ (47.0)	
$^{19}\text{N}$ (54.6)		$^{19}\text{C}$ (46.0)	$^{19}\text{B}$ (100.0)	
		$^{20}\text{C}$ (72.0)		
$^{18}\text{F}$	$^{18}\text{Ne}$ (100.0)			
$^{19}\text{F}$	$^{19}\text{Ne}$ (100.0)	$^{20}\text{Mg}$ (3.0)	$^{19}\text{C}$ (46.0)	
		$^{19}\text{O}$ (100.0)		$^{20}\text{C}$ (72.0)
		$^{19}\text{N}$ (45.4)	$^{20}\text{C}$ (28.0)	
		$^{20}\text{N}$ (56.99)		
$^{20}\text{Ne}$	$^{22}\text{Al}$ (2.5)	$^{22}\text{Si}$ (68.0)		
	$^{24}\text{Al}$ (0.0349)	$^{24}\text{Si}$ (92.0)		
	$^{21}\text{Mg}$ (32.6)	$^{22}\text{Si}$ (32.0)		
	$^{20}\text{Na}$ (75.0)	$^{20}\text{Mg}$ (97.0)		
	$^{20}\text{F}$ (100.0)	$^{20}\text{O}$ (100.0)	$^{20}\text{N}$ (43.0)	
			$^{21}\text{N}$ (80.0)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)			
	1st generation	2nd generation	3rd generation	
$^{21}\text{Ne}$	$^{21}\text{Na}$ (100.0)	$^{22}\text{Al}$ (0.8)	$^{22}\text{Si}$ (68.0)	
		$^{21}\text{Mg}$ (66.9)	$^{22}\text{Si}$ (32.0)	
	$^{21}\text{F}$ (100.0)	$^{21}\text{O}$ (100.0)	$^{21}\text{N}$ (20.0)	
		$^{22}\text{O}$ (22.0)	$^{22}\text{N}$ (35.0)	
		$^{22}\text{N}$ (65.0)		
	$^{22}\text{F}$ (11.0)	$^{22}\text{O}$ (78.0)	$^{22}\text{N}$ (65.0)	
		$^{23}\text{O}$ (58.0)	$^{23}\text{N}$ (100.0)	
	$^{22}\text{Ne}$	$^{22}\text{F}$ (89.0)	$^{22}\text{O}$ (78.0)	$^{22}\text{N}$ (65.0)
			$^{23}\text{O}$ (58.0)	$^{23}\text{N}$ (100.0)
$^{23}\text{F}$ (14.0)		$^{23}\text{O}$ (42.0)	$^{23}\text{N}$ (100.0)	
		$^{24}\text{O}$ (57.99)		
$^{22}\text{Na}$	$^{23}\text{Al}$ (8.0)	$^{23}\text{Si}$ (100.0)		
	$^{22}\text{Mg}$ (100.0)	$^{22}\text{Al}$ (96.7)	$^{22}\text{Si}$ (68.0)	
$^{23}\text{Na}$	$^{24}\text{Al}$ (0.0159)	$^{24}\text{Si}$ (92.0)		
		$^{23}\text{Si}$ (8.0)		
	$^{23}\text{Mg}$ (100.0)	$^{23}\text{Al}$ (92.0)	$^{23}\text{Si}$ (100.0)	
	$^{23}\text{Ne}$ (100.0)	$^{23}\text{F}$ (86.0)	$^{23}\text{O}$ (42.0)	
			$^{24}\text{O}$ (57.99)	
		$^{24}\text{F}$ (5.9)	$^{24}\text{O}$ (42.01)	
$^{24}\text{Na}$	$^{24}\text{Ne}$ (100.0)	$^{24}\text{F}$ (94.1)	$^{24}\text{O}$ (42.01)	
		$^{25}\text{F}$ (24.0)		

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{24}\text{Mg}$	$^{26}\text{P}$ (1.0) $^{25}\text{Si}$ (36.8) $^{24}\text{Al}$ (99.95)	$^{24}\text{Si}$ (92.0)	
$^{25}\text{Mg}$	$^{25}\text{Al}$ (100.0)  $^{25}\text{Na}$ (100.0)	$^{27}\text{S}$ (2.0) $^{26}\text{P}$ (0.9) $^{25}\text{Si}$ (63.19)  $^{25}\text{Ne}$ (100.0)  $^{26}\text{Ne}$ (0.13)	$^{25}\text{F}$ (76.0) $^{26}\text{F}$ (32.0)  $^{30}\text{Na}$ (0.5) $^{26}\text{F}$ (68.0)
$^{26}\text{Mg}$	$^{26}\text{Na}$ (100.0)  $^{27}\text{Na}$ (0.13)	$^{26}\text{Ne}$ (99.87)  $^{27}\text{Ne}$ (2.0)  $^{27}\text{Ne}$ (98.0)  $^{28}\text{Ne}$ (22.0)	$^{30}\text{Na}$ (0.5) $^{26}\text{F}$ (68.0)  $^{27}\text{F}$ (100.0)  $^{27}\text{F}$ (100.0)
$^{28}\text{Mg}$	$^{28}\text{Na}$ (99.421) $^{29}\text{Na}$ (25.91) $^{30}\text{Na}$ (1.17)	$^{28}\text{Ne}$ (78.0) $^{29}\text{Ne}$ (100.0)  $^{30}\text{Ne}$ (100.0)	$^{29}\text{F}$ (100.0)
$^{26}\text{Al}$	$^{27}\text{P}$ (0.07) $^{26}\text{Si}$ (100.0)	$^{27}\text{S}$ (98.0)  $^{26}\text{P}$ (98.1)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{27}\text{Al}$	$^{28}\text{P}$ (0.01)		
	$^{27}\text{Si}$ (100.0)	$^{28}\text{S}$ (79.3)	
		$^{28}\text{S}$ (20.7)	
		$^{27}\text{P}$ (99.93)	$^{27}\text{S}$ (98.0)
	$^{27}\text{Mg}$ (100.0)		
		$^{27}\text{Na}$ (99.87)	$^{27}\text{Ne}$ (98.0)
		$^{28}\text{Na}$ (0.579)	$^{28}\text{Ne}$ (22.0)
		$^{28}\text{Ne}$ (78.0)	
$^{28}\text{Si}$	$^{31}\text{Ar}$ (2.1)		
	$^{32}\text{Cl}$ (0.054)		
	$^{29}\text{S}$ (46.4)	$^{32}\text{Ar}$ (56.99)	
	$^{28}\text{P}$ (99.99)		
	$^{28}\text{Al}$ (100.0)	$^{28}\text{S}$ (79.3)	
$^{29}\text{Si}$	$^{29}\text{P}$ (100.0)		
		$^{31}\text{Ar}$ (2.48)	
		$^{29}\text{S}$ (53.6)	
	$^{29}\text{Al}$ (100.0)		
		$^{29}\text{Mg}$ (100.0)	$^{29}\text{Na}$ (74.09)
			$^{30}\text{Na}$ (30.0)
		$^{30}\text{Na}$ (68.33)	
		$^{31}\text{Na}$ (37.95)	
$^{30}\text{Si}$	$^{30}\text{P}$ (100.0)		
		$^{31}\text{Cl}$ (0.7)	
			$^{31}\text{Ar}$ (40.4)
		$^{30}\text{S}$ (100.0)	
			$^{31}\text{Ar}$ (55.0)
	$^{30}\text{Al}$ (100.0)		
		$^{30}\text{Mg}$ (99.94)	$^{30}\text{Na}$ (68.33)
			$^{31}\text{Na}$ (37.95)
		$^{31}\text{Mg}$ (1.7)	$^{31}\text{Na}$ (62.05)
			$^{33}\text{Na}$ (12.0)
$^{31}\text{Al}$ (1.6)			
	$^{31}\text{Mg}$ (98.3)	$^{31}\text{Na}$ (62.05)	
		$^{33}\text{Na}$ (12.0)	
	$^{32}\text{Mg}$ (2.4)	$^{33}\text{Na}$ (52.0)	
		$^{34}\text{Na}$ (50.0)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)			
	1st generation	2nd generation	3rd generation	
$^{31}\text{Si}$	$^{31}\text{Al}$ (98.4)	$^{31}\text{Mg}$ (98.3)	$^{31}\text{Na}$ (62.05) $^{33}\text{Na}$ (12.0)	
		$^{32}\text{Mg}$ (2.4)	$^{33}\text{Na}$ (52.0) $^{34}\text{Na}$ (50.0)	
	$^{32}\text{Al}$ (0.7)	$^{32}\text{Mg}$ (97.6)	$^{33}\text{Na}$ (52.0) $^{34}\text{Na}$ (50.0)	
		$^{33}\text{Mg}$ (17.0)	$^{33}\text{Na}$ (36.0) $^{34}\text{Na}$ (15.0)	
	$^{32}\text{Si}$	$^{32}\text{Al}$ (99.3)	$^{32}\text{Mg}$ (97.6)	$^{33}\text{Na}$ (52.0) $^{34}\text{Na}$ (50.0)
			$^{33}\text{Mg}$ (17.0)	$^{33}\text{Na}$ (36.0) $^{34}\text{Na}$ (15.0)
$^{33}\text{Al}$ (8.5)		$^{33}\text{Mg}$ (83.0)	$^{33}\text{Na}$ (36.0) $^{34}\text{Na}$ (15.0)	
$^{31}\text{P}$	$^{32}\text{Cl}$ (0.026)	$^{32}\text{Ar}$ (56.99)	$^{31}\text{Ar}$ (40.4)	
	$^{31}\text{S}$ (100.0)			$^{32}\text{Ar}$ (43.01) $^{31}\text{Cl}$ (99.3)
$^{33}\text{P}$	$^{33}\text{Si}$ (100.0)	$^{33}\text{Al}$ (91.5)	$^{33}\text{Mg}$ (83.0)	
		$^{34}\text{Al}$ (12.5)	$^{34}\text{Mg}$ (100.0) $^{35}\text{Mg}$ (52.0)	
$^{32}\text{S}$	$^{36}\text{K}$ (0.012)	$^{36}\text{Ca}$ (43.2)		
	$^{33}\text{Ar}$ (38.65) $^{32}\text{Cl}$ (99.92)			
		$^{32}\text{Ar}$ (56.99)		

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{33}\text{S}$	$^{33}\text{Cl}$ (100.0)	$^{33}\text{Ar}$ (61.35)	
$^{34}\text{S}$	$^{34}\text{Cl}$ (100.0)	$^{35}\text{K}$ (0.37)	$^{35}\text{Ca}$ (100.0)
	$^{34}\text{P}$ (100.0)	$^{34}\text{Ar}$ (100.0)	
		$^{34}\text{Si}$ (100.0)	$^{34}\text{Al}$ (87.5)
		$^{35}\text{Si}$ (5.26)	$^{35}\text{Al}$ (26.0)
			$^{35}\text{Al}$ (74.0)
			$^{36}\text{Al}$ (31.0)
$^{35}\text{S}$	$^{35}\text{P}$ (100.0)	$^{35}\text{Si}$ (94.74)	$^{35}\text{Al}$ (74.0)
		$^{36}\text{Si}$ (12.0)	$^{36}\text{Al}$ (31.0)
			$^{36}\text{Al}$ (69.0)
$^{36}\text{S}$	$^{36}\text{P}$ (100.0)	$^{36}\text{Si}$ (88.0)	$^{36}\text{Al}$ (69.0)
		$^{37}\text{Si}$ (17.0)	$^{37}\text{Al}$ (100.0)
$^{35}\text{Cl}$	$^{36}\text{K}$ (0.048)	$^{36}\text{Ca}$ (43.2)	
	$^{35}\text{Ar}$ (100.0)	$^{36}\text{Ca}$ (56.8)	
		$^{35}\text{K}$ (99.63)	$^{35}\text{Ca}$ (100.0)
$^{37}\text{Cl}$	$^{37}\text{S}$ (100.0)	$^{37}\text{P}$ (100.0)	$^{37}\text{Si}$ (83.0)
		$^{38}\text{P}$ (12.0)	
$^{36}\text{Ar}$	$^{40}\text{Sc}$ (0.02)	$^{40}\text{Ti}$ (57.0)	
	$^{37}\text{Ca}$ (74.5)		
	$^{36}\text{K}$ (99.94)	$^{36}\text{Ca}$ (43.2)	
$^{37}\text{Ar}$	$^{37}\text{K}$ (100.0)	$^{37}\text{Ca}$ (25.5)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{38}\text{Ar}$	$^{38}\text{K}$ (100.0)	$^{38}\text{Ca}$ (100.0)	$^{39}\text{Ti}$ (85.0)
			$^{38}\text{P}$ (88.0)
	$^{38}\text{Cl}$ (100.0)	$^{38}\text{S}$ (100.0)	$^{39}\text{P}$ (26.0)
$^{39}\text{Ar}$	$^{39}\text{Cl}$ (100.0)	$^{39}\text{S}$ (100.0)	$^{39}\text{P}$ (74.0)
			$^{40}\text{P}$ (30.0)
$^{40}\text{Ar}$	$^{40}\text{Cl}$ (100.0)	$^{40}\text{S}$ (100.0)	$^{40}\text{P}$ (70.0)
			$^{41}\text{P}$ (30.0)
$^{41}\text{Ar}$	$^{41}\text{Cl}$ (100.0)	$^{41}\text{S}$ (100.0)	$^{41}\text{P}$ (70.0)
			$^{42}\text{P}$ (50.0)
		$^{42}\text{S}$ (4.0)	$^{42}\text{P}$ (50.0)
			$^{43}\text{P}$ (100.0)
$^{42}\text{Ar}$	$^{42}\text{Cl}$ (100.0)	$^{42}\text{S}$ (96.0)	$^{42}\text{P}$ (50.0)
			$^{43}\text{P}$ (100.0)
		$^{43}\text{S}$ (40.0)	
$^{39}\text{K}$	$^{40}\text{Sc}$ (0.48)	$^{40}\text{Ti}$ (57.0)	
	$^{39}\text{Ca}$ (100.0)		$^{40}\text{Ti}$ (43.0)
$^{43}\text{K}$	$^{43}\text{Ar}$ (100.0)	$^{43}\text{Cl}$ (100.0)	$^{43}\text{S}$ (60.0)
			$^{44}\text{S}$ (18.0)
		$^{44}\text{Cl}$ (8.0)	$^{44}\text{S}$ (82.0)
			$^{45}\text{S}$ (54.0)

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{40}\text{Ca}$	$^{41}\text{Ti}$ (100.0) $^{40}\text{Sc}$ (99.5)	$^{40}\text{Ti}$ (57.0)	
$^{41}\text{Ca}$	$^{41}\text{Sc}$ (100.0)	$^{43}\text{Cr}$ (6.0)	$^{45}\text{Fe}$ (70.0)
$^{42}\text{Ca}$	$^{42}\text{Sc}$ (100.0)	$^{42}\text{Ti}$ (100.0)	$^{43}\text{Cr}$ (23.0)
$^{44}\text{Ca}$	$^{44}\text{K}$ (100.0)	$^{44}\text{Ar}$ (100.0)	$^{44}\text{Cl}$ (92.0) $^{45}\text{Cl}$ (24.0)
$^{45}\text{Ca}$	$^{45}\text{K}$ (100.0)	$^{45}\text{Ar}$ (100.0)	$^{45}\text{Cl}$ (76.0) $^{46}\text{Cl}$ (60.0)
$^{46}\text{Ca}$	$^{46}\text{K}$ (100.0)	$^{46}\text{Ar}$ (100.0) $^{47}\text{Ar}$ (1.0)	$^{46}\text{Cl}$ (40.0) $^{47}\text{Cl}$ (3.0) $^{47}\text{Cl}$ (97.0)
$^{47}\text{Ca}$	$^{47}\text{K}$ (100.0) $^{48}\text{K}$ (1.14)	$^{47}\text{Ar}$ (99.0) $^{48}\text{Ar}$ (100.0)	$^{47}\text{Cl}$ (97.0)
$^{48}\text{Ca}$	$^{48}\text{K}$ (98.86) $^{49}\text{K}$ (86.0)	$^{48}\text{Ar}$ (100.0) $^{49}\text{Ar}$ (100.0)	
$^{43}\text{Sc}$	$^{43}\text{Ti}$ (100.0)	$^{44}\text{Cr}$ (7.0)	
$^{44}\text{Ti}$	$^{45}\text{Cr}$ (27.0) $^{44}\text{V}$ (100.0)	$^{44}\text{Cr}$ (93.0)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{45}\text{Ti}$	$^{45}\text{V}$ (100.0)	$^{46}\text{Mn}$ (22.0) $^{45}\text{Cr}$ (73.0)	$^{46}\text{Fe}$ (100.0)
$^{46}\text{Ti}$	$^{46}\text{V}$ (100.0)	$^{47}\text{Mn}$ (3.4) $^{46}\text{Cr}$ (100.0)	$^{47}\text{Fe}$ (100.0) $^{46}\text{Mn}$ (78.0)
$^{47}\text{Ti}$	$^{47}\text{V}$ (100.0)	$^{48}\text{Mn}$ (0.03) $^{47}\text{Cr}$ (100.0)	$^{48}\text{Fe}$ (96.4) $^{48}\text{Fe}$ (3.6) $^{47}\text{Mn}$ (96.6)
$^{49}\text{Ti}$	$^{49}\text{Sc}$ (100.0)	$^{49}\text{Ca}$ (100.0)	$^{49}\text{K}$ (14.0) $^{50}\text{K}$ (29.0)
$^{50}\text{Ti}$	$^{50}\text{Sc}$ (100.0)	$^{50}\text{Ca}$ (100.0)	$^{50}\text{K}$ (71.0) $^{51}\text{K}$ (47.0) $^{52}\text{K}$ (21.0)
$^{49}\text{V}$	$^{49}\text{Cr}$ (100.0)	$^{49}\text{Mn}$ (100.0)	$^{49}\text{Fe}$ (48.0)
$^{51}\text{V}$	$^{51}\text{Ti}$ (100.0)	$^{51}\text{Sc}$ (100.0)	$^{51}\text{Ca}$ (100.0) $^{52}\text{Ca}$ (2.0)
$^{48}\text{Cr}$	$^{49}\text{Fe}$ (52.0) $^{48}\text{Mn}$ (99.7)	$^{48}\text{Fe}$ (96.4)	
$^{50}\text{Cr}$	$^{50}\text{Mn}$ (100.0)	$^{50}\text{Fe}$ (100.0)	

Stable or long lived nucleus	Intermediate lived nuclei (branching ratio in %)		
	1st generation	2nd generation	3rd generation
$^{51}\text{Cr}$	$^{51}\text{Mn}$ (100.0)	$^{51}\text{Fe}$ (100.0)	
$^{52}\text{Cr}$	$^{52}\text{V}$ (100.0)	$^{52}\text{Ti}$ (100.0)	$^{52}\text{Sc}$ (100.0)
$^{53}\text{Cr}$	$^{53}\text{V}$ (100.0)	$^{53}\text{Ti}$ (100.0)	$^{53}\text{Sc}$ (100.0)
$^{54}\text{Cr}$	$^{54}\text{V}$ (100.0)	$^{54}\text{Ti}$ (100.0)	$^{54}\text{Sc}$ (100.0)
$^{53}\text{Mn}$	$^{53}\text{Fe}$ (100.0)		
$^{55}\text{Mn}$	$^{55}\text{Cr}$ (100.0)	$^{55}\text{V}$ (100.0)	$^{55}\text{Ti}$ (100.0)
$^{56}\text{Mn}$	$^{56}\text{Cr}$ (100.0)	$^{56}\text{V}$ (100.0)	$^{56}\text{Ti}$ (100.0)
$^{57}\text{Fe}$	$^{57}\text{Mn}$ (100.0)	$^{57}\text{Cr}$ (100.0)	$^{57}\text{V}$ (100.0)
$^{58}\text{Fe}$	$^{58}\text{Mn}$ (100.0)	$^{58}\text{Cr}$ (100.0)	$^{58}\text{V}$ (100.0)
$^{59}\text{Fe}$	$^{59}\text{Mn}$ (100.0)	$^{59}\text{Cr}$ (100.0)	$^{59}\text{V}$ (100.0)
$^{60}\text{Fe}$	$^{60}\text{Mn}$ (100.0)	$^{60}\text{Cr}$ (100.0)	$^{60}\text{V}$ (100.0)