

	80%				50%				20%			
	SRCC	KRCC	AUC <sub>ca</sub>	$\Delta$ MOS	SRCC	KRCC	AUC <sub>ca</sub>	$\Delta$ MOS	SRCC	KRCC	AUC <sub>ca</sub>	$\Delta$ MOS
PSNR	0.882	0.702	5.073	36.364	0.879	0.694	5.022	36.380	0.879	0.693	5.022	36.408
IW-PSNR	<b>0.934</b>	<b>0.787</b>	<b>5.458</b>	<b>38.579</b>	<b>0.931</b>	<b>0.781</b>	<b>5.403</b>	<b>38.559</b>	0.931	0.780	5.392	38.588
SSIM	<b>0.947</b>	<b>0.800</b>	<b>5.588</b>	<b>38.690</b>	<b>0.947</b>	<b>0.797</b>	<b>5.539</b>	<b>38.750</b>	0.948	0.796	5.619	38.782
IW-SSIM	0.957	0.824	5.723	39.565	0.957	0.820	5.696	39.248	0.957	0.819	5.687	39.274
MS-SSIM	0.950	0.807	5.657	39.202	0.950	0.803	5.631	39.239	0.950	0.803	5.627	38.993
FSIM	0.963	0.838	5.798	39.622	0.963	0.834	5.777	39.620	0.962	0.834	5.767	39.665
BIQI	0.784	0.582	4.195	32.591	0.730	0.556	3.804	30.724	0.626	0.446	3.064	26.744
BLIINDS II	<b>0.925</b>	<b>0.759</b>	<b>5.362</b>	<b>38.154</b>	0.901	0.727	5.127	37.410	0.851	0.665	4.662	35.526
BRISQUE	<b>0.925</b>	<b>0.765</b>	<b>5.374</b>	<b>38.399</b>	0.908	0.740	5.188	37.806	0.833	0.647	4.498	35.286
DIIVINE	0.900	0.726	5.170	37.243	0.885	0.720	5.032	36.616	0.808	0.621	4.411	33.683
NFERM	<b>0.933</b>	<b>0.789</b>	<b>5.472</b>	<b>38.645</b>	0.921	0.784	5.356	38.425	0.902	0.734	5.160	37.608
M3	0.951	0.824	5.659	39.222	<b>0.942</b>	<b>0.796</b>	<b>5.622</b>	<b>38.967</b>	<b>0.906</b>	<b>0.737</b>	<b>5.235</b>	<b>38.077</b>
TCLT	<b>0.942</b>	<b>0.802</b>	<b>5.642</b>	<b>38.883</b>	<b>0.927</b>	<b>0.791</b>	<b>5.445</b>	<b>38.747</b>	<b>0.910</b>	<b>0.746</b>	<b>5.213</b>	<b>37.906</b>