

IESN -		0.00	0.00	0.05	0.00	0.00	0.41	0.00	0.00	0.14	0.48	0.00	0.00	0.00	0.00	0.01	0.00	0.00
omESN	-0.00		0.02	0.09	0.80	0.02	0.00	0.71	0.06	0.03	0.00	0.33	0.06	0.02	0.97	0.30	0.65	0.19
rmESN	-0.00	0.02		0.00	0.03	0.99	0.00	0.04	0.60	0.00	0.00	0.15	0.62	0.97	0.02	0.00	0.00	0.27
bi-IESN	-0.05	0.09	0.00		0.05	0.00	0.27	0.04	0.00	0.66	0.22	0.01	0.00	0.00	0.08	0.50	0.20	0.00
bi-omESN	-0.00	0.80	0.03	0.05		0.03	0.00	0.91	0.10	0.02	0.00	0.47	0.10	0.03	0.82	0.19	0.48	0.30
bi-rmESN	-0.00	0.02	0.99	0.00	0.03		0.00	0.04	0.61	0.00	0.00	0.16	0.63	0.99	0.02	0.00	0.00	0.27
dr-IESN (ReLU)	-0.41	0.00	0.00	0.27	0.00	0.00		0.00	0.00	0.50	0.91	0.00	0.00	0.00	0.00	0.07	0.02	0.00
dr-omESN (ReLU)	-0.00	0.71	0.04	0.04	0.91	0.04	0.00		0.13	0.01	0.00	0.54	0.12	0.04	0.74	0.16	0.41	0.35
dr-rmESN (ReLU)	-0.00	0.06	0.60	0.00	0.10	0.61	0.00	0.13		0.00	0.00	0.37	0.97	0.62	0.06	0.00	0.02	0.56
dr-IESN (Max)	-0.14	0.03	0.00	0.66	0.02	0.00	0.50	0.01	0.00		0.43	0.00	0.00	0.00	0.03	0.27	0.09	0.00
dr-IESN (KAF)	-0.48	0.00	0.00	0.22	0.00	0.00	0.91	0.00	0.00	0.43		0.00	0.00	0.00	0.00	0.06	0.01	0.00
dr-omESN (Max)	-0.00	0.33	0.15	0.01	0.47	0.16	0.00	0.54	0.37	0.00	0.00		0.35	0.16	0.34	0.04	0.15	0.75
dr-omESN (KAF)	-0.00	0.06	0.62	0.00	0.10	0.63	0.00	0.12	0.97	0.00	0.00	0.35		0.64	0.06	0.00	0.02	0.54
dr-rmESN (Max)	-0.00	0.02	0.97	0.00	0.03	0.99	0.00	0.04	0.62	0.00	0.00	0.16	0.64		0.02	0.00	0.00	0.28
dr-rmESN (KAF)	-0.00	0.97	0.02	0.08	0.82	0.02	0.00	0.74	0.06	0.03	0.00	0.34	0.06	0.02		0.28	0.63	0.20
LSTM	-0.01	0.30	0.00	0.50	0.19	0.00	0.07	0.16	0.00	0.27	0.06	0.04	0.00	0.00	0.28		0.55	0.02
GRU	-0.00	0.65	0.00	0.20	0.48	0.00	0.02	0.41	0.02	0.09	0.01	0.15	0.02	0.00	0.63	0.55		0.08
DTW-1NN	-0.00	0.19	0.27	0.00	0.30	0.27	0.00	0.35	0.56	0.00	0.00	0.75	0.54	0.28	0.20	0.02	0.08	
	IESN -	omESN -	rmESN -	bi-IESN -	bi-omESN -	bi-rmESN -	dr-IESN (ReLU) -	dr-omESN (ReLU) -	dr-rmESN (ReLU) -	dr-IESN (Max) -	dr-IESN (KAF) -	dr-omESN (Max) -	dr-omESN (KAF) -	dr-rmESN (Max) -	dr-rmESN (KAF) -	LSTM -	GRU -	DTW-1NN -