

# Universal Text Representation from BERT: An Empirical Study (Appendix)

Anonymous ACL submission

## A Sentence Embedding Performance of [CLS]-pooling BERT Activations

Table 1 presents the raw values of sentence embedding evaluation on downstream and probing tasks. The embeddings are extracted from different BERT layers using [CLS]-pooling.

Dataset	Metric	Layer -1	Layer -2	Layer -3	Layer -4	Layer -5	Layer -6	Layer -7	Layer -8	Layer -9	Layer -10	Layer -11	Layer -12
STS12	Pearson Average	0.2758	0.2527	0.255	0.2631	0.2564	0.2874	0.3438	0.397	0.4337	0.2791	0.2835	0.1813
STS13	Pearson Average	0.2252	0.1878	0.1854	0.1888	0.1715	0.1841	0.2471	0.3013	0.325	0.1582	0.1523	0.0864
STS14	Pearson Average	0.2563	0.2765	0.2583	0.2599	0.2531	0.2796	0.3015	0.3846	0.4142	0.166	0.1905	0.1118
STS15	Pearson Average	0.3211	0.3449	0.2931	0.2864	0.2705	0.3163	0.3112	0.3914	0.3941	0.1507	0.1947	0.1076
STS16	Pearson Average	0.4269	0.4043	0.3625	0.3555	0.3367	0.3798	0.4572	0.5131	0.4939	0.1974	0.2272	0.0944
MR	Accuracy	81.75	81.14	79.64	79.15	76.02	71.48	66.49	68.35	65.99	62.8	63.73	53.95
CR	Accuracy	86.67	86.44	85.53	83.23	79.66	77.99	72	69.75	67.57	65.57	67.39	64.19
MPQA	Accuracy	87.34	87.58	87.22	88.06	85.53	85.76	85.57	85.15	83.93	82.89	81.71	81.3
SUBJ	Accuracy	94.96	94.93	94.24	94.22	94.08	93.6	93.54	92.62	90.1	88.34	89.2	80.21
SST-Binary	Accuracy	86.99	85.23	84.24	83.8	81.77	82.21	80.29	76.94	76.06	74.9	76.88	68.97
SST-Finegrained	Accuracy	46.06	44.66	42.81	40.9	42.76	40.81	42.31	39.59	35.79	34.52	38.55	32.71
TREC	Accuracy	89.6	89.2	84.2	87.6	86	87.4	82.4	81.8	75.4	72.2	75	66
MRPC	F1	79.69	79.18	79.89	80.63	80.85	81.09	81.22	81.64	78.62	81.44	77.1	80.07
SICK-Entailment	Accuracy	65.52	70.27	72.44	73.29	71.26	72.58	73.74	72.3	75.85	74.61	68.54	68.58
SICK-Relatedness	Pearson	0.6964	0.6694	0.6447	0.6776	0.6630	0.6950	0.7651	0.7869	0.7889	0.7514	0.7407	0.7170
STSBenchmark	Pearson	0.5052	0.4100	0.4565	0.4803	0.4961	0.4995	0.5764	0.6577	0.6768	0.5421	0.5284	0.4806
Length Classification	Accuracy	59.9	62.3	66.6	63.5	69.6	72.4	72.6	83.3	85.5	89.6	89.6	84.9
Word Content Classification	Accuracy	31.5	20.3	12.4	11	6.7	12.9	8	10.5	9.8	1.7	2.1	0.5
Depth Classification	Accuracy	28.2	29.4	29.3	28.2	27.7	28.9	30.5	30.2	27.4	27.8	29.8	27.9
Top Constituents Classification	Accuracy	67.3	69	65.8	70.3	75.7	73.1	70.7	67	49.2	47.1	51	47.9
Bigram Shift Classification	Accuracy	86	85.4	85.3	85.2	80.5	78.8	80.3	78.9	64.2	51.3	51.2	50
Tense Classification	Accuracy	88.9	89.4	89.3	89	89.3	88.8	88.5	88	85.7	85.5	83.7	78
Subj-number Classification	Accuracy	81.2	83	84.2	86.2	85.5	85.5	85.7	82.1	79.5	78.8	79.7	72
Obj-number Classification	Accuracy	77.2	76.1	75.5	77.9	78.5	79.5	78.3	78	77.5	77.2	73.9	71.1
Odd Man Out Classification	Accuracy	62.6	62.4	61.8	60	60.6	58.6	58.9	55.6	55.5	53.7	51.2	49.9
Co-Ordination Inversion	Accuracy	71.1	72.5	73.7	73.2	69.7	69.5	61.6	52.9	52.2	52.8	51.5	50

Table 1: Raw values of sentence embedding evaluation. Embeddings are extracted from a pre-trained BERT using [CLS]-pooling method. Layer -1 is the top encoder layer, layer -12 is the bottom layer. A logistic regression layer is added on top of the embeddings for each task classifier.

## B Sentence Embedding Performance of Mean-pooling BERT Activations

Figure 1 presents a heatmap plot of sentence embedding performance. Embeddings are extracted using Mean-pooling layer-wise BERT activation from a pre-trained BERT. Table 2 are the raw values of the evaluation.




Figure 1: Sentence embedding performance of Mean-pooling layer-wise BERT activations. A color value of 1 corresponds to the best performance on a given task. Numbers on the x-axis represent the pooling layer with -1 being the top encoder layer, -12 being the bottom layer.

Dataset	Metric	Layer -1	Layer -2	Layer -3	Layer -4	Layer -5	Layer -6	Layer -7	Layer -8	Layer -9	Layer -10	Layer -11	Layer -12
STS12	Pearson Average	0.4687	0.4729	0.4803	0.4754	0.5165	0.5258	0.5299	0.5391	0.5488	0.5588	0.5661	0.5705
STS13	Pearson Average	0.5277	0.4956	0.5153	0.4566	0.459	0.4616	0.4605	0.4851	0.4901	0.5352	0.5615	0.5748
STS14	Pearson Average	0.5715	0.5605	0.5668	0.5418	0.5673	0.5764	0.5765	0.5867	0.5857	0.6048	0.6246	0.6409
STS15	Pearson Average	0.6347	0.6202	0.6353	0.6243	0.6329	0.6415	0.6401	0.6445	0.6396	0.6578	0.6712	0.6881
STS16	Pearson Average	0.6451	0.6337	0.636	0.5954	0.609	0.6209	0.6112	0.6099	0.6038	0.631	0.6506	0.6651
MR	Accuracy	80.12	80.73	81.11	80.06	79.11	78.16	77.76	75.9	75.37	74.53	75.18	74.86
CR	Accuracy	85.83	86.94	86.73	86.25	83.84	83.37	81.24	80.71	77.75	78.31	77.8	78.28
MPQA	Accuracy	87.51	87.64	87.82	88.06	88.31	88.25	87.44	87.67	87.19	87.24	87.93	88.04
SUBJ	Accuracy	94.72	94.99	95.49	94.85	94.04	94.67	94.43	94.24	93.64	93.31	92.5	92.5
SST-Binary	Accuracy	85.17	85.01	85.45	85.83	83.53	82.54	81.6	81.05	80.72	80.18	79.52	76.66
SST-Finegrained	Accuracy	47.38	46.29	46.11	44.71	44.8	42.31	44.25	44.34	42.81	40.27	40.86	42.58
TREC	Accuracy	89.8	90.8	88.4	92.2	90.8	91.4	92.4	90.8	91.4	88.2	89.6	89.2
MRPC	F1	79.26	77.27	81.69	78.91	79.5	77.01	78.39	79.8	78.05	74.25	82.01	76.54
SICK-Entailment	Accuracy	78.83	77.13	75.79	78.83	77.17	77.23	76.07	79.24	78.85	79.64	79.34	79.32
SICK-Relatedness	Pearson	0.8057	0.8076	0.8062	0.7972	0.8042	0.8037	0.8017	0.8076	0.8172	0.8248	0.8299	0.8345
STSBenchmark	Pearson	0.6540	0.6341	0.6463	0.6423	0.6604	0.6675	0.6784	0.6731	0.6760	0.6800	0.6915	0.6956
Length Classification	Accuracy	78.3	80.4	83.4	85	88.2	89.2	91.5	92.9	94.2	93.7	94.8	96
Word Content Classification	Accuracy	46.3	51.9	54.1	55.8	60.1	64.5	67.8	70.5	74.4	83.2	88	90.7
Depth Classification	Accuracy	33.4	34	34.5	35.4	38.3	38.8	38.8	37.9	37.2	36.2	35.2	34
Top Constituents Classification	Accuracy	65.5	69.3	70.3	76.6	76.9	73.7	75.5	76	75.8	76	69.7	63.4
Bigram Shift Classification	Accuracy	88.2	88.9	89	90.1	90.8	89.7	88.3	87.6	85.5	82.2	69.7	54.7
Tense Classification	Accuracy	88.8	89.3	89.2	89.4	89.3	88.9	88	88.7	87.7	87.5	87	84.9
Subj-number Classification	Accuracy	84.1	84.6	85.9	86	85.7	86.3	84.8	84.3	82.7	81.8	80.4	80.1
Obj-number Classification	Accuracy	81	80.2	82.2	82.5	83.7	84.4	84.4	83.4	83.5	83.2	82	81.4
Odd Man Out Classification	Accuracy	66	65	64.8	65.7	65.5	64.6	62.5	60.1	59.5	55.4	52.5	52.4
Co-Ordination Inversion	Accuracy	67.9	69.4	69	69.2	69.7	68.4	64.4	61.6	58.4	58.1	56.2	52.6

Table 2: Raw values of sentence embedding evaluation. Embeddings are extracted from a pre-trained BERT using Mean-pooling method. Layer -1 is the top encoder layer, layer -12 is the bottom layer. A logistic regression layer is added on top of the embeddings for each task classifier.

## C Comparison Across Models

Table 3 presents the raw values of sentence embedding evaluation on downstream and probing tasks. The BERT sentence embeddings are extracted using Mean-pooling.

## D Statistics of Question-Answering Datasets

The basic statistics of the four question-answering datasets used in the experiments are presented in Table 4

Dataset	Metric	PT (t)	MNLI (t)	SNLI (t)	PT (t+b)	MNLI (t+b)	SNLI (t+b)	GloVe	USE	InferSent
STS12	Pearson Average	0.4687	0.5602	0.6341	0.5466	0.591	0.63	0.5223	0.6257	0.6178
STS13	Pearson Average	0.5277	0.5788	0.639	0.5736	0.6065	0.6351	0.496	0.6181	0.5596
STS14	Pearson Average	0.5715	0.6384	0.6945	0.6313	0.6667	0.6916	0.546	0.695	0.6896
STS15	Pearson Average	0.6347	0.6668	0.7012	0.6967	0.7207	0.7301	0.5626	0.748	0.724
STS16	Pearson	0.6451	0.6558	0.6949	0.6848	0.6957	0.714	0.5141	0.737	0.717
MR	Accuracy	80.12	80.46	80.95	79.71	79.8	80.32	76.93	79.6	75.42
CR	Accuracy	85.83	87.63	86.46	86.41	86.73	85.43	78.36	85.3	82.44
MPQA	Accuracy	87.51	89.47	88.61	89.15	90	89.69	87.66	86.69	88.59
SUBJ	Accuracy	94.72	93.78	93.61	95.31	94.78	94.32	91.18	93.97	91.97
SST-Binary	Accuracy	85.17	85.72	86.49	86.05	87.1	87.86	79.68	86.71	83.69
SST-Finegrained	Accuracy	47.38	44.98	47.96	45.88	44.71	47.01	43.8	47.65	45.57
TREC	Accuracy	89.8	90.8	86.2	92	93.8	89.6	82.6	93.6	89.8
MRPC	F1	79.26	79.35	82.77	76.79	81.52	81.77	81.69	79.23	81.1
SICK-Entailment	Accuracy	78.83	80.78	84.09	80.62	83.05	84.94	78.69	81.53	85.43
SICK-Relatedness	Pearson	0.8057	0.8153	0.8639	0.8516	0.8593	0.8830	0.7992	0.8686	0.8857
STSBenchmark	Pearson	0.6540	0.7030	0.7594	0.6903	0.7201	0.7510	0.6479	0.7874	0.7692
Length Classification	Accuracy	78.3	75.6	73.2	94.1	94.9	95.2	59.3	57.6	72.9
Word Content Classification	Accuracy	46.3	39.5	41.7	69.6	72.6	72.2	74.8	43.7	37.3
Depth Classification	Accuracy	33.4	33.5	32.7	35.6	36.2	36	30.2	26.7	32.6
Top Constituents Classification	Accuracy	65.5	61.4	61.9	71.5	67.8	69.5	61.5	62	69.2
Bigram Shift Classification	Accuracy	88.2	81.9	84.3	88.7	82	84.2	50	59.1	53.4
Tense Classification	Accuracy	88.8	88.1	86	89	88.2	87.2	83.7	86.5	86.7
Subj-number Classification	Accuracy	84.1	84.2	83.6	85.2	83.8	84.2	78	77.6	84.3
Obj-number Classification	Accuracy	81	81.2	81.1	82.9	83.3	83	76.5	75.1	79
Odd Man Out Classification	Accuracy	66	63.8	64.4	64.5	63.6	62.6	49.8	56.4	52.7
Co-Ordination Inversion	Accuracy	67.9	68.3	68.3	68.2	67.1	67.7	53.6	59	63

Table 3: Comparison across models. “PT” stands for pre-trained BERT. “MNLI” and “SNLI” stand for BERT fine-tuned on MNLI, SNLI, representatively. Letters in parentheses represent BERT pooling layers. “t” means top layer, “b” means bottom layer. Mean-pooling is used for all BERT embedding extraction. Logistic regression layer is added on top of the embeddings.

Dataset	WikiPassageQA	InsuranceQA	Quasar-t	SearchQA
Type	non-factoid	non-factoid	factoid	factoid
Number of Questions	4,165	16,889	43,012	140,961
Number of Answer Passages	244,136	27,413	4.3 million	7.5 million
Answers per Question	59	500	100	50
Avg. Answer Passage Length (tokens)	133	67	100	100

Table 4: Statistics of question-answering datasets