

G L O B K

Reference Manual

Global Kalman filter VLBI and GPS  
analysis program

Release 10.6

**T. A. Herring, M. A. Floyd, R. W. King, S. C. McClusky\***  
**Department of Earth, Atmospheric, and Planetary Sciences**  
**Massachusetts Institute of Technology**

\* Now at Australian National University



## Table of Contents

1. Introduction.....	1
1.1 Description and applications of the software.....	1
1.2 Overview of globk processing .....	3
2. Preparing the Input Files .....	4
2.1 <i>htoglb</i> .....	4
2.2 <i>apr_file</i> .....	9
3. Running <i>glred</i> , <i>globk</i> , and <i>glorg</i> .....	12
3.1 <i>globk</i> command file.....	15
3.2 <i>glorg</i> command file.....	34
3.3 Defining a reference frame for the analysis .....	38
3.4 Examples for GPS analysis.....	40
Testing coordinate repeatabilities .....	40
Estimating repeatabilities and velocities from several surveys.....	43
Use of stochastic noise for stations and orbits.....	45
3.5 Examples of <i>globk</i> and <i>glorg</i> output.....	48
3.6 Error messages .....	62
<i>globk/glred</i> error messages.....	62
<i>glorg</i> error messages.....	64
4. Rapid Prototyping of GLOBK solutions.....	65
5. Plotting Utilities .....	70
6. Auxilliary Programs.....	75
6.1 <i>glist</i> .....	75
6.2 <i>glsave</i> .....	76
6.3 <i>xysum</i> , <i>blsum</i> , <i>bcsun</i> , <i>ensum</i> , <i>enfit</i> .....	76
6.4 <i>extract</i> , <i>exbrk</i> .....	80
6.5 <i>getrel</i> .....	83
6.6 <i>swaph</i> , <i>hfupd</i> , <i>htoh</i> .....	83
6.7 <i>glbtog</i> .....	85
6.8 <i>glbtosnx</i> .....	86
6.9 <i>corcom</i> , <i>cvframe</i> , <i>velrot</i> .....	87
6.10 <i>plate</i> .....	90



## 1. INTRODUCTION

### 1.1 Description and applications of the software

*Globk* is a Kalman filter whose primary purpose is to combine solutions from the processing of primary data from space-geodetic or terrestrial observations. It accepts as data, or "quasi-observations" the estimates and associated covariance matrices for station coordinates, earth-rotation parameters, orbital parameters, and source positions generated from analyses of the primary observations. These primary solutions should be performed with loose a priori uncertainties assigned to the global parameters, so that constraints can be applied uniformly in the combined solution. Although *globk* has been developed as an interface with GAMIT (for GNSS) and CALC/SOLVE (for VLBI), there is little intrinsic to this pairing in its structure. We have used *globk* successfully to combine solution files generated by other GNSS software (e.g. Bernese and GIPSY), as well as for terrestrial and SLR observations.

There are three common modes, or applications, in which *globk* is used:

- (1) Combination of individual sessions (e.g., days) of observations to obtain an estimate of station coordinates averaged over a multi-day experiment. For GNSS analyses, orbital parameters can be treated as stochastic, allowing either short- or long-arc solutions.
- (2) Combination of experiment-averaged (from (1)) estimates of station coordinates obtained from several years of observations to estimate station velocities.
- (3) Independent estimation of coordinates from individual sessions to generate time series assessment of measurement precision over days or years.

Some things *globk* cannot do.

- (1) *Globk* assumes a linear model. Therefore any large adjustments to either station positions or orbital parameters (>10 m for stations and >100 m for satellite orbits) need to be iterated through the primary processing software to produce new quasi-observations.
- (2) *Globk* cannot correct deficiencies in the primary (phase) analysis due to missed cycle slips, "bad" data, and atmospheric delay modeling errors. You cannot eliminate the effect of a particular satellite or station at the *globk* stage of processing, though *globk* can be useful in isolating a session which is not consistent with the ensemble and in some cases the effect of a station on the *globk* solution can be reduced.
- (3) *Globk* cannot resolve phase ambiguities: the primary GPS solution must be strong enough on its own to accomplish this. The need to combine sessions for ambiguity resolution is the one reason you might want to perform a multi-session solution with primary observations.

Strategies The combination of quasi-observations to estimate station positions and velocities is described most completely in *Dong, Herring, and King*, Estimating regional

deformation from a combination of space and terrestrial geodetic data, *J. Geodesy*, 72, 200–214, 1998. The basic algorithms and a description of Kalman filtering are given in *Herring, Davis, and Shapiro*, Geodesy by Radio Interferometry: The Application of Kalman filtering to the analysis of very long baseline interferometry data, *J. Geophys. Res.*, 95, 12561–12581, 1990.

We use the name "globk" to refer loosely to the ensemble of programs collected in the /kf ("Kalman filter") directory of our software distribution. The most important of these are *htoglb*, which converts the solution files from analysis of primary observations into binary *h-files* used by the *kf* software; *globk* and its near twin *glred*, which use these *h-files* as input to a Kalman filter to produce a combined solution; and *glorg*, which applies generalized constraints to the combined solution. *Glred* differs from *globk* only in treating the *h-files* from each day independently, providing a method for generating coordinate repeatabilities which is more efficient than a rigorous Kalman back solution performed by *globk*. Also included in the /kf suite are programs to plot coordinate or baseline repeatabilities, compare estimates of coordinates or velocities from different solutions, and relate velocities to plate rotations.

In the next section we describe briefly the steps involved in obtaining a time series and/or velocities from quasi-observations using *htoglb*, *glred*, *globk*, and *glorg*. We then summarize for experienced users recent changes in the software. Chapter 2 gives details of file preparation using *htoglb*. Chapter 3 describes in depth the *globk/glred* and *glorg* commands and gives example command files for common applications. Chapter 4 describes the shell scripts and programs used to plot the time series, and Chapter 5 most of the auxiliary programs that might be useful in your analysis.

Much of the documentation contained here is available on-line and will be displayed automatically when you type the name of the program with no arguments. To obtain help files in this way you need to set (e.g., in *.login* or *.cshrc*) an environment variable:

```
% setenv HELP_DIR /mydir/help
```

Where *mydir* is the directory on your system containing *com*, *libraries*, *kf*, *gamit*, and *help*. Omission of this command will cause an error message of the form `IOSTAT error 118 occurred opening <program name.hlp>` when you attempt to invoke the help. If you intend to create SINEX files for distribution outside of your institution, you should also set a second environment variable

```
% setenv INSTITUTE my-lab
```

where *my-lab* is the name, up to 4 characters, of your institution.

## 1.2 Overview of globk processing

At the start of processing the analyst has available an ensemble of quasi-observation (h- or SINEX) files from prior processing of primary data from GPS, VLBI, SLR, or terrestrial observations. The first step is to convert the ASCII quasi-observation files into binary h-files that can be read by *globk*. This is accomplished via the program *htoglb*, described in Chapter 2.

For GNSS processing (the main emphasis of this manual), the second step is usually to run *glred* for all of the (binary) h-files from a survey or period of continuous observations to obtain a time series of station coordinates, which can then be plotted and examined for outliers and the appropriate scaling to obtain reasonable uncertainties. When outliers are found, you may need to repeat your processing of the primary observations (e.g., using GAMIT) for certain days or to remove the h-files from these days from further analysis. Once you have obtained a clean data set, you repeat the processing, this time with *globk* instead of *glred*, to combine the daily h-files into a single h-file that represents your estimate of station positions for the survey or a period of continuous observations. The *globk* estimates themselves are usually produced with loose constraints, but as part of this run (or separately) you can run *glorg* to define a reference frame by applying constraints on the coordinates of a selected group of stations. The script *sh\_glred*, described in the *Introduction to GAMIT/GLOBK* manual, combines these initial steps, invoking in turn *htoglb*, *glred*, and plotting of time series.

Once you have estimates (h-files) of station coordinates for continuous observations or several surveys spanning a year or more, you can run *glred* and *globk* again, using these combined h-files as input to obtain a time series (from *glred*) and/or estimates of station velocities (from *globk*) for the entire period spanned by your data. As with the daily combinations, the *globk* estimates are usually obtained with loose constraints, and *glorg* is run to impose reference frame constraints. Strategies for obtaining time series and velocities are discussed in Chapter 4 of *Introduction to GAMIT/GLOBK*.

*Globk* does not require any particular directory structure, but the one used by *sh\_gamit* and *sh\_glred* works well, with the following directories at the same level as the day directories for your GNSS data:

- `glbf` for the binary h-files;
- `gsoln` for running solutions, and containing the command files, lists of binary h-files, and experiment list files, and *globk* output files;
- `tables` for files of a priori station coordinates and satellite Markov parameters.

Parallel or reprocessing of the same data can be accommodated by adding additional solution directories, e.g., `asoln`, `bsoln`, ... If you are processing a series of campaigns then you may want to put this structure at the level of the campaign directories.

## 2. PREPARING THE INPUT FILES

There are three classes of input to the software: 1) Quasi-observations, or solution files, are contained in a binary *h-* or *global* file which must be created from the output of the primary processing program (GAMIT, FONDA, etc.). These are produced by program *htoglb*, described below. 2) A priori values for station coordinates, satellite initial conditions and parameters, and Earth orientation values are given in the tables whose formats are described below. 3) Each of the major programs uses a command file which specifies controls the type of solution, parameters estimated, and constraints applied. These are explained in detail in Chapter 3.

### 2.1 *htoglb*

This is the program that converts to *globk* binary h-files the ASCII solution files from a variety of GNSS, VLBI, and SLR analysis programs. The following file types are currently supported:

- (a) GAMIT h-files.
- (b) Solution Independent Exchange (SINEX) files for GPS (and other space-geodetic) analyses.
- (c) FONDA h-files.
- (d) JPL Stacov files. Note that these files may have no ancillary information associated with them and caution should be exercised in their use. In particular, it is not possible to rotate their coordinate system using the `in_pmu` command because they do not contain enough information about the time to which their polar motion/UT1 values (if present in the estimated parameters) are referred. When these files are converted, it is assumed that quantities are referred to 12:00 hrs UTC on the day given in the first line of the file.
- (e) SLR/GSFC files for station positions and velocities (e.g., SL8.6.cov files). We have no information about the stability of the formats of these files and again caution should be exercised in their use.
- (f) VLBI/GSFC covariance files for station positions and velocities. Again we have no information about the stability of the format of these files.

Runstring:

```
htoglb [dir] [ephemeris file] <input files ..... >
```

where [dir] is the directory for the output files,

[ephemeris file] is the name of the file for output of the satellite ephemerides,  
and

```
<input files ... > is a list of input files with optional constraints of the form  
-C=<constraint> for SINEX files.
```



The output binary h-files are named with the time and date of the mid-point of the solution and a 4-character solution name, plus a 3-character extent that identifies the type of input solution:

```
hyymddhhmm_XXXX.[ext]
```

For GAMIT h-files, the solution name ( xxxx ) is the same as input h-file; for SINEX it is first 3 characters plus the character before the last '.' in the name. GAMIT files have extents which depend on the type of analysis—normally *glr* for biases-free or *glx* for biases-fixed from the loosely constrained solutions. Extents for constrained solutions and for h-files produced by GAMIT releases prior to 9.2 (Mar 92) are explained below.

To replace the a priori constraints in SINEX files the `-C=<new constraint>` option may be used preceding the SINEX file name, where `<new constraint>` is the constraint in meters (only station coordinates are allowed at present). If `-C=0` is used the constraints are left unchanged. This form may be used multiple times in the runstring and stays in effect until changed; .e.g.,

```
% htoglb svsinex -C=10 emr08177.snz emr08187.snz -C=0.1 cod08177.snz
```

replaces the constraints in the EMR files with 10 m, and the COD file with 0.1 m. For some SINEX files there can be numerical problems if the new constraint is made too large. Note also that constraints are changed only if they are smaller in the SINEX file.

If the outputs are required in the current directory then the directory name can be given as '.' or './'. The / at the end of the directory name is optional. (It will added if it is omitted.)

All of the binary files can be produced by *htoglb* in one run. If you have your directories set up as indicated in Section II, then to create binary files, for example, for days 51–59 of 1993 you could type from your *soln* directory

```
% htoglb ../glbf ../tables/svs_myexp.svs ../05[1-9]/h*a.9305[1-9]
```

where the first argument is the output directory, the second is the file for writing out ephemeris and a priori coordinate information, and third is the input file(s). All of the Unix wild cards work for the names of the files to be input to *htoglb*. The above case would put the *globk* binary files in directory *../glbf*, and the ephemeris and station-coordinate information would be appended to *../tables/svs\_myexp.svs*, and the 'a' series *h-files* in directories 051,052,...,059 would be converted. If you not wish to extract ephemeris information—no longer needed by *globk* since the introduction of the *make\_svs* command—and you don't need to extract coordinates for new stations, you can substitute */dev/null* for the file name in the second argument. To see which files will be used by *htoglb*, you can just use `'ls ../05[1-9]/h*a.05[1-9]'`. It is not critical if a non-*h file* is input to *htoglb*. The program can quickly detect if the file type is not correct

Since GAMIT *h-files* can and usually do contain multiple solutions, *globk* files are produced for each solution by changing extents. Although it's possible to write into the *h-file* both the constrained and loose solutions, the normal *H-files* will contain just the bias-free and bias-fixed loose solutions. *Htogl* will name the output binary *h-files* with the date of the observations plus an extent identifying the solution, *glr* for the bias-free solution and *glx* for the bias-fixed solution (e.g. *h08110706a.glx* for the bias-fixed solution for 7 November 2008). If the ambiguities were reliably resolved then the *glx* file should be used in *globk*.

Although the nrms scatter of the double difference residuals from the *solve* run is passed in the *h-file*, this information is not used; that is, *globk* does not automatically scale the covariance matrix from *solve* during the processing. It is possible, however, to explicitly rescale the matrix by adding the scale factor to the input list of *h-files* as described in Chapter 3.

### ***htoglb online help file***

*(may differ from current online version)*

HTOGLB: Converts GAMIT *hfiles* and SINEX files to binary input files for the GLOBK kalman filter.

Runstring:

```
% htoglb [dir] [ephemeris file] <input files ..... >
```

where [dir] is the directory for the output files, and  
 [ephemeris file] Name of the file for output of the ephemeris for the satellites. Can then be used as input to GLOBK.  
 <input files ... > is a list of input files with and optional constraints of the form -C=<constraint> for sinex files.

The output naming scheme is:

yyymmddhhmm\_XXXX.g[l/c][r/x] for GAMIT *h-files*

yyymmddhhmm\_XXXX.gls for SINEX files

where yyymmddhhmm is the year, month, day, hour min of the mid-point of the GPS data in the solution,

XXXX is the four character code from the *m-file* name *i* (i.e., *mXXXXa.ddd*). For SINEX files, the XXXX is the first 3 characters plus the character before the last '.' in the name

and .g[l/c][r/x] or .gc[r/x] is the type depending on the type of analysis.  
 [l/c] for loose or constrained analyses;  
 [r/x] for biases free or fixed.

To replace the apriori constraints in SINEX files the -C=<new constraint> may be used preceding the SINEX file name where <new constraint> is the constraint in meters. (Only station coordinates). If -C=0 is used the constraints are left unchanged. This form may be used multiple times in the runstring and stays in effect until changed.

e.g., % htoglb . svsinex -C=10 emr08177.sn timer08177.sn -C=0.1 cod08177.sn replaces the constraints in the emr files with 10 meters, and the cod file with 0.1. For some SINEX files there can be numerical problems if the new constraint is made too large.

NOTES: Constraints are changed only if they are smaller in the SINEX file.

If the outputs are required in the current directory then the directory name can be given as '.' or './'. The '/' at the end of the directory name is optional. (It will be put there if it is not there.)

**htoglb output**

(may differ from current online version: see *htoglb.hlp*)

As *htoglb* runs it produces summary information about the solutions it finds in the *h-files*. This information includes the number of stations (and a list of these), the number of satellites (and a list), and the number of parameters estimated. At the end of processing each *h-file*, the number of solutions in the *h-file* is printed. The output from *htoglb* can be re-directed to a file, and this file can be kept as a record of the processing of the data.

A sample run of *htoglb* is given here:

```
meinesz[180] htoglb . svx_gotex.apr /data3/tah/gotexh/h*a.???.gm
```

```
-----
Processing file  1 h-file /data3/tah/gotexh/hgotxa.312.gm
There are 20 stations in /data3/tah/gotexh/hgotxa.312.gm
  Name      Full name
  1 ARGE     Buenos_Aires
  2 AROG     Algonquin_TI
  ...
  20 YKNF    YELLOWKNIFE
There are 7 satellites in /data3/tah/gotexh/hgotxa.312.gm
  Name
  1 PRN_06
  2 PRN_09
  3 PRN_11
  4 PRN_13
  5 PRN_12
  6 PRN_03
  7 PRN_08
Found 123 parmeters estimated in solution
There are 20 stations in /data3/tah/gotexh/hgotxa.312.gm
  Name      Full name
  1 ARGE     Buenos_Aires
  2 AROG     Algonquin_TI
  ...
  20 YKNF    YELLOWKNIFE
There are 7 satellites in /data3/tah/gotexh/hgotxa.312.gm
  Name
  1 PRN_06
  2 PRN_09
  3 PRN_11
  4 PRN_13
  5 PRN_12
  6 PRN_03
  7 PRN_08
Found 123 parmeters estimated in solution
  2 Solutions extracted from /data3/tah/gotexh/hgotxa.312.gm

-----
Processing file  2 h-file /data3/tah/gotexh/hgotxa.313.gm
There are 21 stations in /data3/tah/gotexh/hgotxa.313.gm
  Name      Full name
  1 AROG     Algonquin_TI
  2 ARGE     Buenos_Aires
  ...
  21 YKNF    YELLOWKNIFE
There are 7 satellites in /data3/tah/gotexh/hgotxa.313.gm
  Name
  1 PRN_06
  2 PRN_09
  3 PRN_11
  4 PRN_13
  5 PRN_12
  6 PRN_03
  7 PRN_08
```

```

Found 126 parameters estimated in solution
There are 21 stations in /data3/tah/gotexh/hgotxa.313.gm
  Name      Full name
  1 AROG     Algonquin_TI
  2 ARGE     Buenos_Aires
  ...
  21 YKNF    YELLOWKNIFE
There are 7 satellites in /data3/tah/gotexh/hgotxa.313.gm
  Name
  1 PRN_06
  2 PRN_09
  3 PRN_11
  4 PRN_13
  5 PRN_12
  6 PRN_03
  7 PRN_08
Found 126 parameters estimated in solution
  2 Solutions extracted from /data3/tah/gotexh/hgotxa.313.gm

```

The output continues in this fashion until all of the input files have been processed.

The binary h-files produced to this point were

h88110706a.glb h88110706a.glc h88110806a.glb h88110806a.glc

The empheris file from *htoglb* looks like this. The example below is from one of the TREX experiments. (The output has been modified slightly to fit on the page. Any line with a non-blank character in column one is treated as a comment.)

```

* EPHEMERIS INFORMATION FROM /data3/mhm/gpsh/hsv5f7.265
X BLHL -2669008.5659 -4471671.5708 3670491.1942 0.00 0.00 0.00 1987.8
X CENT -2627155.4893 -4596024.6926 3546190.0445 0.00 0.00 0.00 1987.8
X CHUR -236417.0285 -3307611.9855 5430055.7005 0.00 0.00 0.00 1987.8
X FTOR -2697026.6796 -4354393.3301 3788077.5930 0.00 0.00 0.00 1987.8
X MOJA -2356214.5670 -4646734.0343 3668460.4064 0.00 0.00 0.00 1987.8
X OVRO -2410422.3635 -4477802.6741 3838686.7002 0.00 0.00 0.00 1987.8
X PLAT -1240708.0338 -4720454.3507 4094481.6430 0.00 0.00 0.00 1987.8
X PVER -2525452.7058 -4670035.6907 3522886.7474 0.00 0.00 0.00 1987.8
X SCRW -2637874.3720 -4584071.7860 3553275.8946 0.00 0.00 0.00 1987.8
X VNDN -2678071.5492 -4525451.7896 3597427.3893 0.00 0.00 0.00 1987.8
X WSGD 1492233.0781 -4458091.6469 4296045.8718 0.00 0.00 0.00 1987.8
X YKNF -1224064.4364 -2689833.2061 5633432.5576 0.00 0.00 0.00 1987.8
1987 9 22 19 PRN_03 -10842805.007 24243980.669 -3831150.136 -1760766.514 -269167.793 3395719.912 1. 0. 0.
1987 9 22 19 PRN_06 -26388532.444 -36870.803 -2515352.661 316091.153 -1697082.150 -3476692.138 1. 0. 0.
1987 9 22 19 PRN_08 -2360574.007 -16647057.910 20711471.760 2401791.966 -2486239.881 -1710717.332 1. 0. 0.
1987 9 22 19 PRN_09 -21900797.485 7386881.149 12962283.044 -2220086.711 -1310718.902 -2903249.941 1. 0. 0.
1987 9 22 19 PRN_11 -12163772.008 -2711902.697 23667026.292 1647771.210 -3451673.884 409341.317 1. 0. 0.
1987 9 22 19 PRN_12 -7079308.878 11797055.590 22974615.291 -3705252.412 -310016.283 -967240.583 1. 0. 0.
1987 9 22 19 PRN_13 -16347959.701 15918699.005 13536254.127 -235747.117 -2638855.996 2832298.920 1. 0. 0.
* EPHEMERIS INFORMATION FROM /data3/mhm/gpsh/hsv5f7.265
X BLHL -2669008.5659 -4471671.5708 3670491.1942 0.00 0.00 0.00 1987.8
X CENT -2627155.4893 -4596024.6926 3546190.0445 0.00 0.00 0.00 1987.8
X CHUR -236417.0285 -3307611.9855 5430055.7005 0.00 0.00 0.00 1987.8
X FTOR -2697026.6796 -4354393.3301 3788077.5930 0.00 0.00 0.00 1987.8
X MOJA -2356214.5670 -4646734.0343 3668460.4064 0.00 0.00 0.00 1987.8
X OVRO -2410422.3635 -4477802.6741 3838686.7002 0.00 0.00 0.00 1987.8
X PLAT -1240708.0338 -4720454.3507 4094481.6430 0.00 0.00 0.00 1987.8
X PVER -2525452.7058 -4670035.6907 3522886.7474 0.00 0.00 0.00 1987.8
X SCRW -2637874.3720 -4584071.7860 3553275.8946 0.00 0.00 0.00 1987.8
X VNDN -2678071.5492 -4525451.7896 3597427.3893 0.00 0.00 0.00 1987.8
X WSGD 1492233.0781 -4458091.6469 4296045.8718 0.00 0.00 0.00 1987.8
X YKNF -1224064.4364 -2689833.2061 5633432.5576 0.00 0.00 0.00 1987.8
1987 9 22 19 PRN_03 -10842805.007 24243980.669 -3831150.136 -1760766.514 -269167.793 3395719.912 1. 0. 0.
1987 9 22 19 PRN_06 -26388532.444 -36870.803 -2515352.661 316091.153 -1697082.150 -3476692.138 1. 0. 0.
1987 9 22 19 PRN_08 -2360574.007 -16647057.910 20711471.760 2401791.966 -2486239.881 -1710717.332 1. 0. 0.
1987 9 22 19 PRN_09 -21900797.485 7386881.149 12962283.044 -2220086.711 -1310718.902 -2903249.941 1. 0. 0.
1987 9 22 19 PRN_11 -12163772.008 -2711902.697 23667026.292 1647771.210 -3451673.884 409341.317 1. 0. 0.
1987 9 22 19 PRN_12 -7079308.878 11797055.590 22974615.291 -3705252.412 -310016.283 -967240.583 1. 0. 0.
1987 9 22 19 PRN_13 -16347959.701 15918699.005 13536254.127 -235747.117 -2638855.996 2832298.920 1. 0. 0.

```

### ***htoglb error messages***

*Htoglb* generates only a few error messages. The most common of these is that it can't find an *h file* (if the name is explicitly given, for example), or that a selected file is not a *h file* (in this case the first line in the file did not match the expected pattern is printed). This error may be generated if the version of GAMIT producing the *h file* is inconsistent with the version of *htoglb* being used.

File errors generated by *htoglb* (and most of the other programs in the suite) are of the form:

```
<Type> error <nnn> occurred <action>ing <file> in <module name>
```

and then possibly, depending on the severity of the error,

```
Program terminating in <module name>
stop in report_error
where
```

<Type> is the type of error. This will usually be:

```
IOSTAT          for standard fortran input/output errors,
FmpOpen/Read/Write for binary file manipulation errors, and in some cases
VREAD/VWRITE   for large binary file manipulations.
```

<nnn> is the error number. For IOSTAT errors, these can be found in the Fortran manuals.

<action> is the action being carried out when the error occurred. These generally fall into the classes of opening, reading, writing, decoding with the last of these usually used only for string manipulation.

<file> is the name of the file being worked on at the time, or for decoding errors, the string (or part of it) which was being manipulated.

<module name> is the name of the subroutine where the error occurred. This is sometimes as general utility routine (such as *read\_line* or *multiread*) and it could be difficult to determine exactly where the error occurred. In these cases either the string or the file name is useful for isolating the error.

### ***2.2 apr\_file***

The file specified by the *apr\_file* command for *globk* or *glorg* specifies the a priori coordinates and velocities to be used for the sites in the solution and has the same form as the Cartesian version of the GAMIT L-file. It is not necessary to include all of the sites in the *apr\_file* since *globk* can extract the a priori coordinates from the h-file. However, a priori values are useful, and sometimes necessary whenever a site is renamed, has its velocity linked to a nearby site, or is used in defining the reference frame. Precise values for IGS/ITRF sites are provided in the *apr* files found in *gg/tables* or the */tables*

directory of `incremental_updates` (e.g. `itr08_comb.apr`). After an initial solution, the coordinates of new stations can be added to this file (or used as a supplementary file—see the `apr_file` command in Section 3.1) by extracting them from the print (`.prt` or `.org`) output of `globk` or `glorg`. Specifically the print file includes a listing of the estimated Cartesian coordinates and velocities at the midpoint time of the solution in `apr_file` format but with the character string 'Apr.' in the first four columns; hence the command `grep 'Apr.' [apr file name] > temp.apr` will write these coordinates to the file `temp.apr`; to complete the task, you need to remove 'Apr.' from the first columns of the output.

It is also possible to have non-secular terms for the apriori coordinates of the stations. These terms are added using a additional lines in the `apr-file`, detected by `EXTENDED` being the first token on the line. The additional terms can be periodic, exponential, or logarithmic or changes in the position and rate. The format of the new lines is as follows:

```
EXTENDED <Site Name> <Type> <YY MM DD HR MN> <Parameter> <Coefficients for NEU>
```

where `EXTENDED` should be preceded by at least one blank. The line is not case sensitive.

The following <Types> are allowed

**EXP** Exponential variations: The exponential starts at the time given by <YY MM DD HR MN> and the <Parameter> is the decay time, in days, for the exponential (ie.  $\exp[-\text{dtime}/\text{Parameter}]$  where `dtime` is time after the start time. The coefficients are the amplitudes for North, East and Up. Units meters. Example:

```
EXTENDED JPLM_GPS EXP 1992 6 28 0 0 30.0 0.010 0.005 0.00
```

results in 30 day exponential with amplitude of 10 mm North, 5 mm East and zero for the height

**LOG** Logarithm variations: The logarithmic function is applied after date <YY MM DD HR MN> and the <Parameter> is time normalization value in days (ie.,  $\log(\text{dtime}/\text{Parameter})$  where `dtime` is time from the start time. The coefficients are the amplitudes for North, East and Up. Units meters. Note: No data should be included that is within the normalization parameter of the start time (i.e.,  $\log(0) = -\text{infinity}$ ). Example

```
EXTENDED JPLM_GPS LOG 1992 6 28 0 0 300.0 0.010 0.005 0.00
```

Results in 300 day logarithmic with amplitude of 10 mm North, 5 mm East and zero for the height

**PERIODIC** periodic variations: Applied to all dates. The <YY MM DD HR MN> is the zero phase time of the periodic signals and the <Parameter> is the period in days (i.e.,  $\cos(2*\pi*\text{dtime}/\text{Parameter})$  where `dtime` is time from <YY MM DD HR MN>. The coefficients are paired as the cosine and sine coefficients for North, East and Up. Units meters. Example

```
EXTENDED JPLM_GPS Periodic 2000 1 1 0 0 365.25 0.0 0.0 0.0 0.0 0.001 0.009
```

results in annual signal in height with cosine amplitude of 1 mm and Sine amplitude of 9 mm.

**OFFSET** Episodic change in position and velocity. Applied after <YY MM DD HR MN> <Parameter> in this case is not used (value of 0.0 should be given). The coefficients are paired as offset and rate changes applied after the start date (i.e.,  $\text{offset} + \text{dtime}*\text{rate}$  where `dtime` is time after

start time. Units: offset meters, rate meters/year. Example:

```
EXTENDED JPLM_GPS Offset 1992 6 28 0 0 0.0    0.003 0.001  0.004 0.004 0.000 0.000
```

results in north position and velocity change of 3 mm and 1 mm/yr,  
East position and velocity change fo 4 mm and 4 mm/yr. No change in height.

Each of the terms given should be unique. If duplicates (in terms of epoch, type and parameter) are given, the last one read will be used. This extended model is meant for use with time series analysis. The non-secular terms are not saved in any output binary h-file. The position estimates and adjustment output by *globk* and *glorg* include these terms evaluated at the epoch of the output solution. Finally, note that the EXTENDED feature of the *apr\_file* differs in the way it handles position changes from *hfupd* (Section 5.6) and the *eq\_file* rename feature (Section 3.1). The *eq\_file* rename changes the "observed" station position in the input hfile whereas the EXTENDED feature in the *apr\_file* changes the "modeled" position. Thus, the signs are opposite to achieve the same effect. To correct erroneous heights in h-files, *hfupd* is now the preferred means. the EXTENDED offset feature in the *apr\_file* should only be used with *glred* for repeatability runs to account for coseismic offsets and rate changes, whereas the *eq\_file* feature and *hfupd* are used in *globk* runs when velocities are to be estimated.

### 3. RUNNING *GLRED*, *GLOBK*, AND *GLORG*

To run *glred* or *globk* you will need a file with a list of quasi-observation (binary h-) files to process, a file of a priori coordinates and velocities for the stations, a table of Earth orientation parameter values for the times of your data, and *globk* and *glorg* command files. Conventionally the list files are given with a *.gdl* extent (global directory list) but the name is arbitrary. For daily time-series analysis, the *sh\_glred* script will generate a *gdl*-file for each day automatically, but all other cases, when you are running *glred* directory or *globk*, you will need to generate this list manually. The easiest method is to use the *ls* command. For example, to generate a *gdl*-file for the biases-fixed h-files you have created (with *htoglb*) for the 1996 Eastern Mediterranean survey, you might run from the *emed/1996/gsoln* directory

```
% ls ../glbf/h*.glx > emed96.gdl
```

or, to create a *gdl* file from multiday combinations over several years, you might run from the *emed/vsoln* directory

```
% ls ../????/gsoln/h*.GLX > emed.gdl
```

The *gdl*-file may optionally contain additional parameters following each h-file name to indicate reweighting and coupling; e.g.

```
h9609061159_igs1.glx 1.0 +
h9609061159_igs2.glx 1.0 +
h9609061159_emed96.glx 4.0
```

where the numbers indicate the relative weighting of the estimates and covariance matrix in the solution (e.g., the third h-file is to be downweighted by 4.0 in variance [a factor of 2 in uncertainty]); and the + specified for the first two files links all three together. There is an optional additional value that can be included on each line to rescale the diagonal terms of the covariance matrix. It is given in parts per million to be added to 1.0 and is useful primarily for stabilizing SINEX files which have had their constraints removed. An example of the use of this parameter is

```
h980126_stan.glx 4. 2 +
```

which would scale the covariance matrix by 4.0 and the diagonal elements additionally by  $(1.0 + 2 \times 10^{-6})$ .

The command file is either created by editing the templates (*globk\_comb.cmd*) in *gg/tables* or copied from a previous example (such as those given in Section 3.4). The command file controls the actions of *globk* through the use of commands of three types:

- (1) Names of files: the scratch files used by the program, and the files containing a priori station positions, satellite ephemeris information, and earthquake/rename commands.
- (2) Output options which can be used to tailor the output for a desired run. (This becomes a means for eliminating output that will not be needed.)



- (3) Specification of the uncertainties and the stochastic nature of the parameters in the solution. These commands also determine which parameters are estimated, and how the information in h-files is treated.

For commands of types (1) and (2), if a file or option is not mentioned, it will not be used. Thus, for example, to invoke *glorg* from within *globk*, you must include *org\_cmd* with the name of the *glorg* command file; and to get a *globk* back solution, you must include *bak\_file* with the name of the back solution print file.

Commands of type (3) are more complicated since they depend on how the parameter was treated in the analysis that produced the h-file and in some cases on combination of parameters estimated. For parameters estimated in the previous analysis (i.e., present on the h-file) entering a non-zero value in the *apr\_* command assigns an a priori standard deviation of that value to the parameter. If the parameter has been constrained in the previous solution, that constraint is not removed or altered, but rather the new value is added to it. Thus, we recommend that you do not apply constraints any earlier than you need to—only at the very last stage (*glorg*) for station coordinates and at the time of daily combination for orbital and Earth orientation parameters. Markov commands (*mar\_*) add process noise with each new h-file, so that they have the effect of loosening the a priori (*apr\_*) value over time. Station coordinate and orbital parameters must be present on the input h-file in order to be used in the solution or have constraints applied. For station velocities, Earth orientation parameters (EOPs), and translation and rotation parameters, however, *globk* can generate partial derivatives and add these to the solution even if they were not on the h-file.

If a value of zero is entered for a parameter or if the parameter is not mentioned in the command file (no *apr\_* command), the result depends on whether it was on the input h-file and whether it is coupled to other parameters that are estimated. In most cases (station parameters and velocities, orbital parameters) entering zero or omitting an entry means to ignore the parameter and take no action. This means that if a parameter is included in an input h-file and you don't mention it in the command file, it will implicitly retain the constraints that it had originally while not being listed explicitly in the solution. For example, if the h-file from the primary data analysis was created (e.g., by GAMIT) with loose constraints on orbital parameters and you omit the *apr\_svs* command, the orbits remain implicitly loose in the *globk* solution; if the orbit was constrained in an earlier solution, those constraints implicitly remain (through the station coordinates and EOPs) even though the orbital parameters no longer appear in the solution. A special case arises when estimating EOPs since they are directly coupled to station coordinates. In this case, entering zero for any station coordinate will cause it to be fixed and used to determine the EOPs.

In some cases, we want to explicitly fix a parameter without relying on the implicit rules used in *globk*. In these cases, the letter F can be used for the a priori uncertainty of a parameter. (Giving zero for the a priori sigma will not work because zero would generate the same action, or lack thereof, as not saying anything about the parameter.) F for an uncertainty will be interpreted as zero uncertainty in the a priori value of the parameter

(i.e., fixed) but the parameter will be given parameter space and included in the output of the program. (This latter feature is useful for keeping a record of the exact values of the parameter used in the solution.)

In summary, the basic rules of *globk*'s interpreter are (consult the example command file below for commands):

(1) The apriori values of parameters (station positions and velocities, and satellite orbit information) are taken from the files given by the *apr\_file* and the *svs\_file*. If some quantity does not appear in these files, then the apriori value will be the apriori value from *solve* (post 3.2 versions of *htoglb*) or the estimate of the parameter from its last occurrence in the input global files. (If the parameter was originally fixed in *solve*, then this value will be used.)

(2) If any parameter that does not explicitly depend on other parameters is given zero uncertainty (either explicitly or by neglect), it will not be constrained at all, and it will not appear in the output of the solution. (Use of the *all* option for station and satellite names allows easy assignment of uncertainties to all parameters.)

(3) If any parameter that does explicitly depend on other parameters that are being estimated, is given zero uncertainty (either explicitly or by neglect), it will be fixed to its apriori value (independent of where this value comes from, see 1). Even though it is fixed, its value will not appear in the output. If you want to explicitly control *globk* use the *F* option for the uncertainty of a parameter you wish to fix.

If the three rules above are kept in mind, then it should not be difficult to get *globk* to perform the solution you want. Since *globk* solutions usually take only a few minutes to run for a typical GPS campaign, and less than half an hour for a complete sequence of experiments, it is recommended that you play a little with the options and the implicit rules just to be sure that you understand them.

Orbits are treated somewhat differently from other parameters in *globk*. The integration epoch of the orbit (i.e., the epoch to which the orbital elements refer) is passed from *arc* through the *h-files* to *globk* and *globk* keeps track of this quantity. While the IC epoch remains the same, the stochastic parameters associated with the orbital arcs are used. However, when the IC epoch changes, the uncertainties that were given for the apriori values of the orbital elements are reimposed on the estimates, thus effectively breaking the multiday orbital arc. Whenever, the IC epoch changes, *globk* prints a message to *std* out and the *globk* log file saying that it is updating the IC epoch. These messages should be checked when data are first processed to ensure that the correct multiday orbital arcs are being used. (For example, an incorrect reference to a *t-file* could cause a break in the middle of a multiday orbit arc.) The parameters representing satellite antenna offsets, though associated with the orbital parameters, are not treated on an arc-by-basis, but rather globally, so that that a single set of parameters is used for each satellite for a solution.

To run *globk* you type:

```
% GLOBK <std out> <print file> <log file> <experlist> <command file> <option>
```

where

<std out> is a numerical value (if 6 is typed then output will be sent to current window, any other numerical value will send output to a file fort.mn)

<print file> is a numerical value or the name for the output print file with the solution in it. If the print file already exists, then the solution will be appended to it unless ERAS is specified for prt\_opt. For output to your current window, 6 may be used.

<log file> is a numerical value for the log file that contains the running time for the program and the profit  $c^2$  per degree of freedom value for each input covariance matrix file. If the log file already exists, then the new log will be appended to it. For output to your current window, 6 may be used.

<exper list> is a list of *binary h-files* to process. Any file name may be used but convention is to end it with .gdl.

<command file> is a list of commands controlling the solution.

<option> designates a string that may begin in the first column for a subset of commands in the the command-file indicating that this command is to be used in the run (and would be ignored if the command-line string doesn't match the string in the command file).

The next two sections describe in detail the commands of the *globk/glred* and *glorg* command files. Following these, in Section 3.3, we describe in both theoretical and practical terms the various approaches you might take to defining a reference frame for GNSS data analysis. Section 3.4 gives examples for analyzing daily solutions to obtain a time series for error analysis and for combining multi-year solutions to obtain a time series or velocities. The last two sections of this chapter give examples of *glred/globk* and *glorg* outputs and error messages.

### 3.1 *globk* command file

```
*****
* Annotated example of a GLOBK command file *
* (used for the analysis of GPS Data).      *
*****
*
* General rules:
* -----
* (1) All commands start with a blank in column one except when the
* 'option' feature is invoked. All other lines, including blank
* lines are considered comments and are ignored. This rule also
* applies to apriori station (except for EXTENDED entries) and
* satellite position files. Comments may also be added at the end
* of any command line by using the ! or # character as a delimiter.
* (2) Only the minimum redundant set of characters for commands, site
* names or satellite names are needed. For example, if only 4 characters
* of a site name are given, all 8-character versions of the site
```

\* are implied by the command. For clarity, it is recommended  
 \* that the full command or name be given. This also avoids problems  
 \* with future releases of the software where the minimum redundant  
 \* sequences may change when new commands are introduced

\* (3) Satellite names are of the form PRN\_nn where nn is the PRN number  
 \* of the satellite. These names are generated by htoglb. (Most of  
 \* the time individual satellite names are not needed.)

\* (4) In general the order in which commands are given has no effect ex-  
 \* cept that the second issuance of a command overwrites the effects  
 \* of the first (for the specific case given, see below for an example  
 \* of the application of this feature with station coordinates).  
 \* However, There are three commands that will have no effect  
 \* unless they are issued before all others. They are the COM\_FILE,  
 \* SRT\_FILE, SRT\_DIR, MAKE\_SVS, and EQ\_FILE commands, as described  
 \* below.

\* (5) Blank lines are ignored, and may be used to structure the command  
 \* file.

\* (6) All file names may be absolute or relative (i.e., ../tables/glb.apr)  
 \* and are limited in length to 128 characters.

\* (7) Case is not important. All strings (except file names and  
 \* descriptors are converted to upper case.)

\* (8) Groups of commands that are shared between different globk (or  
 \* glorg) input files can be included via the SOURCE command, which  
 \* can be issued one or more times after the required initial files  
 \* describe in (4). For example, source site\_constraints could be  
 \* used to insert a set of apr\_site commands (see below) contained  
 \* in the file 'site\_constraints'.

\* Start the command file

\* =====

\*

\* The following five commands, if present, must be issued before all  
 \* others or they will have no effect:

\*

\* Set the names for the "scratch files".

```
com_file  glbcom.bin  ! Contains the globk common blocks
srt_file  glbsrt.bin  ! Contains direct access time-ordered list
*                               ! of global files
```

\* These files do not need to exist before hand, they are simply used to \* save  
 \* intermediate results. The com\_file is used to store information  
 \* that is needed to rerun the output program *glout* and the reference-  
 \* frame-fixing program *glorg*. If you are not calling *glorg* from within  
 \* *glred* in performing daily solutions, you can save time by omitting  
 \* the com\_file command and hence not writing out the solution. (Program  
 \* *globk* currently writes the com\_file automatically whether you specify  
 \* a name or not, but this will be changed in the future.) Note that the  
 \* com file is not backward compatible between versions of the software.

\* If you want the data processed in reverse time order, then uncomment  
 \* the line below. If this is done the station coordinates, Earth  
 \* rotation parameters, and satellite orbit parameter will refer to the  
 \* first epoch of data and not the last as it does in the default case

```

# srt_dir -1

*
* The preferred method for generating the a priori values of satellite
* parameters now is to read them from the input binary h-files and write
* them to a file specified at the top of the command file:

make_svs svs.apr [ Z ]

* When h-files from the same day are combined, the elements from
* the first hfile read will be used. If the svs file already exists, it
* will be overwritten. If the make_svs command is missing, globk will
* look for the svs_file command which was formerly used to specify a
* list of apriori* satellite parameters written by htoglb or unify_svs:
*   apr_svs <filename>
* If the optional Z is specified after the file name then the radiation
* parameters are set such that the direct radiation is 1.0 and all
* the other radiation pressure parameters are zero. This option is
* useful for stabilizing orbital solutions but can have adverse
* consequences if you tightly constrain a parameter that has been
* correctly adjusted to a non-zero value. When the rad_rese command is
* used, it is recommended that the Z-option be invoked. The default is
* not to invoke it.

* If you have one or more earthquake files, necessary for earthquake
* parameters and station renames, they must be entered here:

eq_file landers.eq

* Additional commands in any order:
* =====

* Now start the commands which do not depend on order. (When the first
* of these commands is issued, the program will first read all of the
* input global files and build up the list of stations and satellites to
* be used in the analysis.

* One more scratch file is needed. This file contains the covariance
* matrix for the solution, and if a back solution is to be run then
* contains the covariance of each global file in the solution. (In
* this latter case the file can get very large. Generally it is less
* than 1 Mbyte per global file, but for VLBI with over 1000 experiments
* is over a Gbyte.)

sol_file glbsol.bin

* Filtering input data
* =====

* You can have glred or globk automatically exclude from its solution
* h-files that contain corrupted data or a station for which you have
* no reasonable a priori coordinates using the command

MAX_CHII <max chi**2 Increment> <max prefit difference> <max rotation>

```

where the three arguments give tolerances on the chi-square increment, change in a priori parameter values, and allowable pre-solution rotations of a network before combining a new h-file.

<max chi\*\*2 Increment> gives the maximum allowable increment in the chi\*\*2 when a new h-file is combined in the solution. In this version of globk these data will not be added to the solution and the solution will continue to run. The same procedure will happen with negative chi\*\*2 increments (which result from numerical insatabilities and can be solved often by tightening the apriori constraints and reducing the magnitudes of process noise on the stochastic parameters. More detail diagonistic information is now output to the log file if a negative chi\*\*2 increment occurs. The default value of max\_chi is 100.0.

<max prefit difference> is maximum difference in the prefit residual for station coordinates. This value also sets the limits for other parameters in globk but with the input value internally scaled to provide comparably reasonable tolerances for the other parameters. For EOP, the prefit tolerance is 10 times the surface rotation implied by the station coordinates, and for orbital initial position and velocity, 1000 times the station tolerance. If the prefit difference exceeds this limit, then the estimate for this parameter is not included (row and column removed from the covariance matrix), or in the case of a station coordinate, all three coordinates are excluded. The default is 10,000, corresponding to 10 km for a station position. When the aprioris are well known, this value can be set small (e.g., 0.1 for global networks with good orbits, corresponding to 10 cm for station position, 32 mas for EOP, and 100 in orbital initial position).

<max rotation> sets the tolerance for a rotation of the prefit station coordinates before they are compared with the current solution. This check complements the new feature of globk in which an orientation difference between the stations of the input h-file and the current is computed. If this value exceeds <max rotation>, then the rotation is removed from the station coordinates and added to the EOP parameter estimates and a message is written to the screen. The purpose of this feature is to avoid having to set the Markov values of the EOP parameters inordinately large to handle a few h-files for which the EOPs of the phase processing had large errors. For global networks, the rotation can be determined well from data, so setting a small <max rotation> value (e.g. 20 mas) is useful to maintain small Markov values. For regional networks, the rotation is poorly determined, so the tolerance should be kept large to avoid erroneous rotations that can cause numerical problems. The default is 10,000 mas.

\* Station coordinate file

\* =====

\* File containing a list of a priori station coordinates and velocities  
\* to be used in the solution file (input). The file is free format, but  
\* must contain:

\*  
\* Site\_name        X    Y    Z    Xdot Ydot Zdot Epoch  
\*

\* where XYZ are Cartesian geocentric coordinates in meters,

\* Xdot Ydot Zdot are rates of change of these coordinates (m/yr)  
 \* and Epoch is year and fractional year (i.e., 1990.27) to which the  
 \* coordinates refer.

apr\_file grece.apr

\* Reissuing the apr\_file will result in additional files being read,  
 \* with the coordinates for a station taken from the last file in which  
 \* that station appeared.

\* A priori Earth-rotation table

\* =====

\* Command to allow the polar motion/UT1 series used in the analysis to  
 \* be updated. Form:

\*

\* in\_pmu <file name>

\*

\* where <file name> is a file containing the new series. The pole  
 \* position and UT1 values must be uniformly spaced, and the UT1 should  
 \* NOT be regularized. The format of the file (matches the IRIS format)  
 \* is

yyyy	mm	dd	hh	min	X-pole (asec)	+-	Y-Pole (asec)	+-	UT1-AT (tsec)	+-
1980	1	1	0	0	0.1290	0.001	0.2510	0.001	-18.3556	0.0001
1980	1	6	0	0	0.1250	0.001	0.2420	0.001	-18.3682	0.0001
etc										

\*

\* NOTE: The sigmas on the values are not used in globk.

\* Performing a back solution

\* =====

\*

\* The bak\_file command invokes a Kalman back solution, allowing you to  
 \* see the estimates for stochastic parameters, e.g., in testing  
 \* repeatability of coordinates or baselines. The name of the back-  
 \* solution file is arbitrary, but has .bak as an extent. If this file  
 \* exists, it will be appended by subsequent runs, so you should usually  
 \* delete previous versions before running. Running a back  
 \* solution will generally treble the run time for the solution, and is  
 \* not needed unless you want to extract the values obtained for the  
 \* markov elements (e.g., orbits, polar motion, UT1-AT). It is not  
 \* necessary to run the back solution if you are only interested in  
 \* station positions and velocities for example. If the back solution  
 \* is to be run, then the DESCRIPT command should also be given so that  
 \* you don't get nulls as the first line of output file. When a back  
 \* solution is run, you have the option of generating post fit parameter  
 \* residuals using the comp\_res command. For the very loose GPS  
 \* solutions used at the moment this is not a particularly useful feature  
 \* It also doubles the length of time needed to do the back solution.  
 \* Currently it is recommended that this command not be used. (The  
 \* command is commented out below)

bak\_file grece\_fxd.bak

descript Test run of network with orbits and station DDDD fixed.

```
# comp_res yes

* The form bak_file @.bak may also be used for the file name in which
* case the @ is replaced by corresponding characters from the experiment
* list file. i.e., for the case above, if grece_fxd.gdl was the
* experiment list, the bak file name would be grece_fxd.bak.

*
* Print commands
* =====
*
* The output from globk is normally produced twice, once to your screen
* and once to your print (prt) file specified in the runstring. If a
* back solution has been commanded by specifying a bak_file, then a
* second file output is produced. The quantities to be written to the
* two files and the screen are specified separately with the prt_opt,
* bak_opt, and crt_opt commands, respectively. The specification is
* made with either a 4-character keyword or a binary-coded (bit mapped)
* integer value. The keywords, corresponding bits, and their meanings are
* as follows:
*
* CODE  BIT  Decimal Meaning
* ----  ---  -
* CORR  0    1    Output correlation matrix
* BLEN  1    2    Output baseline lengths and components
* BRAT  2    4    Output baseline lengths and components rates
*        of change.
* CMDS  3    8    Write a summary of the globk command file to the
*        globk and glorg output files.
* VSUM  4    16   Write the short version of the velocity field
*        information (one line per station)
*        5-9   32-512 NO LONGER USED (see POS_ORG and RATE_ORG below.
* RAFX  10   1024  Fix the Right ascension origin of the system.
* MOUT  11   2048  Only output baselines if both stations are Markov.
*        (Used to limit output in large back solutions)
* COVA  12   4096  Output full precision covariance matrix.
* PSUM  13   8192  Output position adjustments in summary form
* GDLF  14   16384 Output the contents of the GDL files used
* DBUG  15           Output matrix details when there are negative
*        variances and negative chi**2 increments
* ERAS  16           Erase the output file before writing solution
* NOPR  17           Do not output the file (either crt, prt or org
*        depending on opt set).
* SDET  18           Output details of the stabilization calculations in glorg
* RNRP  19           Report the statistics of the differences in positions and
*        velocities of renamed sites. Also generates equate lines
*        that can be filtered with shell script sh_exeqs. The
*        equate lines are written to file <org root>.eqs
* FIXA  20           Automatically fixes differences in aprioris when equates
*        are made (except for positions that differ by more than 1 m)
* PLST  21           Report the list of parameters to be estimated to the log
*        file before running the globk filter. (If list is not the
*        expected groups of stations, the globk run can killed, the
*        globk command file fixed and the run re-started.
* GEOD  24           Output GEOD coordinates (WGS84) (sh_exglk -g option)
* UTM   25           Output UTM coordinates (WGS84) (sh_exglk -u option)
```



```

* SMAR  26          Report site proccess noise in globk output
* PBOP  27          Sets position and velocity line output for PBO processing
*          (needed to generate time series files with tssum)
* MIDP  28          Sets the output and binary hfiles to be referenced to
*          the mid-point epoch of the combined data (See discussion
*          in globk.hlp).

```

```

* For example, to write to the print file baseline lengths, baseline rates,
* and a summary velocity field, set

```

```

    prt_opt blen brat vsum

```

```

* or, equivalently, prt_opt = 22

```

```

* A value of -1 will print everything. This is not recommended since
* there are coordinate rank deficiency handling routines which are
* invoked when all bits are set. If no command is given, then only the
* parameter estimates, adjustments, and sigmas will be output.

```

```

* In the back solution, only printing of baseline length and components
* is implemented.

```

```

    bak_opt blen

```

```

* For back solutions there is an additional print command that allows
* the user to specify which stations should always be printed in the
* bak_file. It has the form

```

```

*   bak_prts clear all <list of stations>

```

```

* where the CLEAR is optional and should normally not be used since
* it will override the internal rules for outputting a station. ALL
* will select all stations. The following rules apply for outputting:

```

```

* --Site positions--:

```

```

* All and only sites that are Markov (i.e. mar_neu or mar_site command *
* used) or are affected by an earthquake (see eq_file command) will be
* output unless CLEAR is used in the bak_prts commands, in which case
* only those sites listed in the bak_prts command will be printed
* independently of whether they are Markov or affected by an earthquake.
* In all cases, only sites that were observed on the day being output
* will be printed.

```

```

* --Baselines and baseline components--:

```

```

* In general, for a baseline to be printed, both sites in the baseline
* need to pass the criteria to be output. For baselines to be printed
* bak_opt bit 1 (decimal value 2) must be set. If only bak_opts 2 is
* set all baselines between sites observed on the day will be printed.
* (This can become a long list). Restrictions can be placed on the
* baselines printed using bak_opt 2050, where bits 2 and 11 have been
* set to restrict the baselines to only those affected by an earthquake,
* (including pre and post-seismic intervals extended by 2 days) or are
* Markov. Use of bak_prts allows additional sites to be printed that do
* not pass the earthquake or Markov rules.

```

```

    bak_prts eeee ffff          ! Always output these two sites

```

```

* Creating a combined h-file

```

```

* =====
*
* The OUT_GLB command allows a binary h-file to be generated with globk.
* This feature is typically used to combine all the data collected in a
* single experiment into a single h-file for later processing
*
  out_glb com_@.GLX
*
* where @ takes in the characters from the experiment list file, .e.g.
* if the experiment list was exp_June92.gdl then the output global file
* would be com_June92.GLX. If glred is used to invoke globk, for example
* when combining a specified set of h-files using the + feature, the name
* of the out_glb file can be set to the date (YYMMDD) using

  out_glb H-----_expt.GLX

* If you forget to set out_glb in your globk run, you can create an output
* binary h-file from the globk com_file using the program glsave

*
* Selecting stations
* =====
*
* A station may be excluded from the analysis by name, geographical
* region, or the number of times it appears in the input h-files. The
* default is to include all stations that appear in the h-files. To
* select by name, use the USE_SITE command, either starting with CLEAR
* to exclude all, and then adding the names of those you wish to include,
* or starting with ALL (default) and subtracting those you wish to
* exclude:
*
*   use_site clear
*   use_site sit4 sit5 sit6 ...etc.
*
* or
*
*   use_site -sit1 -sit2 -sit3
*
* If a 4-character name is used all renamed versions of this site will be
* selected; to select only some versions, use the full 8-character name.
*
* To select by region, use the USE_POS command to define a box
* within which you want to include or exclude stations:
*
*   use_pos < +/- > <Lat LL> <Long LL> <Lat UR> <Long UR>
*
* where + indicates inclusion and - exclusion of stations within
* the box defined by the latitude and longitude (positive east) of
* its lower-left (LL), and upper-right (UR) corners. Thus the command
*
*   use_pos - 30.0 -125 35.0 -115.
*
* specifies exclusion of stations between 30 and 35 degrees north
* and 115 and 125 degrees west (i.e., southern California). This
* command is used in conjunction with use_site. If use_site clear
* is initially specified, the use_pos + can add stations within a
* defined region; conversely, if use_site all is initially specified,

```

```

* use_pos - can remove stations with a region. The use_site command
* can be issued after use_pos to add or remove specific stations by
* name.
*
* To select stations on the basis of the number of times they have
* been observed, use the USE_NUM command followed by an integer
* specifying the minimum number of times a station must appear in the
* h-files in order to be included in the analysis. The command is
* applied after all 'use' options have been processed, so that it
* affects only stations that are otherwise included.

*
* Selecting and constraining parameters to be estimated
* =====
*
* For each type of parameter in the solution there are commands
* to specify the a priori sigmas. Since a Kalman filter requires
* some level of a priori constraint, if these commands are omitted
* for a particular group of parameters, these parameters will be
* ignored in the the input binary h-files. This is equivalent to
* allowing the parameter to freely vary between sessions of the data.
*
* You can also allow parameters to vary stochastically between
* observations (i.e., h-files) by specifying Markov process noise to
* be added. Specifically, the variations are modeled as random walks
* with a specified power spectral density (PSD) of the white noise
* noise process driving the random walk. Since the variance of the
* difference between two values in a random walk is given by PSD*dT
* where dT is the time difference in the units of the PSD time argument,
* you can easily compute how a given value will affect the solution.
* For example, a PSD value of 36500 m**2/yr for station coordinates
* will constrain the station position to +/-10 meters (one sigma) between
* sessions separated by a day. Specifying stochastic variation of
* of parameters is an effective way of absorbing errors due to
* unmodeled behavior, such as the effects of non-gravitational forces
* on satellites, errors in a priori Earth-rotation information, post-
* seismic motion of stations. It is also a useful way of handling
* apparent changes in station position due to changes in instrumentation
* or blunders in measuring antenna heights. Finally, allowing
* stochastic variation of station coordinates and running a Kalman back
* solution may be used to test the repeatability of the values in a set
* of data, though for most data sets this can be done more efficiently
* by treating each day (h-file) independently and running glred instead
* of globk (see section III.d below).

* Station coordinates and velocities
* -----
*
* Apriori constraints on site positions and velocities are expressed as
* one-standard-deviation uncertainties. If an apr_file command has been
* used then these refer to the values in that file, otherwise they are
* are the estimated values found in the global files. The constraints
* may be specified either in Cartesian coordinates x, y, z, using the
* command apr_site, or north, east, up, using apr_neu. The units are
* meters for position and meters/year for velocities. In the case
* below, there are no velocity sigmas given, so velocities will not be

```

\* estimated. An efficient way to enter the constraints is to first  
 \* set the default using "all", and then follow with overriding values  
 \* for specific stations.

```
apr_neu all      100   100   100   0 0 0
apr_neu ssss     .01   .01   .05   0 0 0
```

\* Warning: If both apr\_site and apr\_neu are entered, the a priori  
 \* sigmas will be combined (added quadratically). This is true even  
 \* if "all" is used for one of the commands, so be careful.

\*  
 \* To absolutely fix a station (as opposed to heavily constraining  
 \* it, you can use "F" for the a priori sigma. This will set aside  
 \* parameter space for the site, but the site position will be given an  
 \* a priori position uncertainty of zero. Fixing with local coordinates  
 \* is not recommended since globk works internally in Cartesian  
 \* coordinates, and the zero value can lead to (small) negative variances  
 \* at the end of the solution.

```
apr_site dddd    F   F   F   0 0 0
```

\* To add (random) noise to the coordinates of individual stations, you  
 \* may use the command  
 \* sig\_new <station> <hf code> <NEU sigmas> <start date> <end date>  
 \* where <station> is the leading 4- or full 8-character site code,  
 \* <hfcode> is string of H-file names to be searched, <NEU sigmas> are  
 \* the noise sigmas in meters, and the last two entries give the calendar  
 \* dates of the range, in YYYY MM DD HH MM. For example, to add 20 mm  
 \* of vertical noise to all Auckland (AUCK\_) stations between 1 February  
 \* and 1 March, 1999, use

```
sig_neu auck .0 .0 .02 1999 2 1 0 0 1999 3 1 0 0
```

\* Both the H-file name and time span entries are optional. There is  
 \* a 1-minute (inclusive) tolerance on the time entries. You can apply  
 \* noise to a group of renamed stations using @[string];\* e.g., @\_BAD  
 \* would match all stations renamed to end in \_BAD.  
 \* All entries which apply to a station are used (in a variance sum)>

\* To add Markov (time-dependent) noise to the coordinates of stations,  
 \* the form is similar to the apr\_ commands but with units of m\*\*2./yr.  
 \* We turn off the Markov process at one station so that the system will  
 \* have a fixed origin:

```
mar_site all      36500 36500 36500 0 0 0
mar_site dddd      0      0      0 0 0 0
mar_neu  eeee      0      0 36500 0 0 0 ! Markov height only at
*                                           ! this station.
```

\*  
 \* Be careful not to try estimating velocities for stations when  
 \* the coordinates have non-negligible Markov process noise. Although we  
 \* do not usually input Markov constraints for velocities, this can be  
 \* done, with the result that the process is assumed to be a random walk  
 \* in velocity (as for all parameters) and therefore an integrated random  
 \* walk in position (see the discussion in Herring et al.[1990]). Wildcards  
 \* (@) can be used with these commands (e.g. mar\_neu gold@, @\_gla).

\* Satellite orbital parameters

\* -----

\*

\* Satellite parameters are defined in the same way as in GAMIT, but  
 \* the units for the initial conditions are different--here meters  
 \* and millimeters/second. The change in units (from GAMIT) is needed  
 \* because Kalman filters suffer fewer rounding error problems when all  
 \* the units generate similar size numerical values.

```
apr_svs all 200 200 200 20 20 20
apr_rad all 1. 1. .02 .02 .02 .02 .02 .02 .02 .02 .02 .02 .02
apr_svan all .01 .01 .01
```

\* The second token in these commands can be 'all' to refer to all  
 \* satellites, or the name of an individual satellite, e.g., prn\_01.  
 \* The constraints for non-gravitational parameters (dimensionless) refer  
 \* to the 14 parameters now allowed by GAMIT and must be in the following  
 \* order: DRAD YRAD ZRAD BRAD XRAD DCOS DSIN YCOS YSIN BCOS BSIN.  
 \* X1SN, X3SN, Z1SN (see gamit/arc/ertorb.f for definitions). Normally,  
 \* you would have used a consistent 3-, 6-, or 9-parameters model, so  
 \* that only subsets of these would be meaningful. For example, for the  
 \* Berne (1994) model (DRAD YRAD BRAD DCOS DSIN YCOS YSIN BCOS BSIN),

```
apr_rad all 1. 1. 0 .02 0 .02 .02 .02 .02 .02 .02
```

\* would set direct and y-bias sigmas at 100%, and the b-axis and once-  
 \* per-rev sigmas at 2%. The values for the unused z-axis and x-axis  
 \* parameters are set here to zero but would be ignored by globk  
 \* since they do not appear in the binary h-files. If different  
 \* sets of parameters are used in different solutions, you should set  
 \* realistic sigmas for all 14 parameters. The non-gravitational  
 \* parameter sigmas can also be added to the apr\_svs command line  
 \* (after the 6 for position and velocity of the satellite).

\* The third set of satellite parameters are for SV antenna offsets and  
 \* have units of meters.

\* A priori values constraints for the Initial conditions, radiation  
 \* pressure, and SV antenna offset parameters can be entered on a single  
 \* line as apr\_svs, an option that is more feasible with a new feature  
 \* that allows a short cut:

```
apr_svs prn_09 10 10 10 1 1 1 1 0.01R 5A
```

\* where the first seven parameters (initial conditions and direct  
 \* radiation pressure are specified explicitly, the "R" appended to the  
 \* next entry indicates that all other radiation pressure parameters are  
 \* to have this constraint (1%), and the "A" appended to the last entry  
 \* indicates that all SV antenna offsets are to have this constraint (5m)

\*

\* If no apr\_svs command is given, the effect is the same as specifying  
 \* zeroes for the a priori constraints; i.e., whatever constraints were  
 \* present in the input h-file will be used and the orbital parameters  
 \* will be suppressed in the output. This approach will produce a  
 \* quicker solution than weakly constraining the orbits (as above) and

\* specifying large Markov variations (see below). To suppress the  
 \* orbital output while fixing the orbits (tight constraints), set  
 \* the values to F F F etc.  
 \*  
 \* For allowing random-walk variation of orbital parameters the units  
 \* are m\*\*2/year for XYZ; (mm/sec)\*\*2/year for Xdot, Ydot, and Zdot,  
 \* (dimless)\*\*2/year for non-gravitational parameters, and m\*\*2/yr for  
 \* SV antenna offsets.

```
mar_svs all 365 365 365 3.65 3.65 3.65
mar_rad all 037 .037 0 .0004 0 .0004 .0004 .0004 .0004 .0004
mar_svan all .0365 .0365 .0365
```

\* The case above constrains changes in orbital parameters over 1 day  
 \* (1/365 of a year) to  
 \* +- 1 m for XYZ,  
 \* +- 0.1 mm/sec for Xdot, Ydot, and Zdot,  
 \* +- 1% for the the direct and y-bias non-gravitational parameters,  
 \* +- 0.1% for the b-axis bias and once-per-rev parameters  
 \* +- 1 cm for SV antenna offsets  
 \* Except for the SV antenna offsets, the Markov PSD's are not used across  
 \* ephemeris boundaries (i.e., where the orbit integration epoch  
 \* changes. In this case the apriori orbital element sigmas are  
 \* reimposed. As for a priori constraints, the non-gravitational and SV  
 \* antenna offset parameters may be set by adding them to the mar\_svs  
 \* command. If initial condition but not radiation-pressure Markov  
 \* values are set with either the mar\_svs or rad\_svs commands, globk will  
 \* issue a warning.  
 \*  
 \* Associated with the mar\_svs command is the sv\_smarf file which allows  
 \* the Markov process on a particular set of satellites to be experiment  
 \* dependent. The form of the command is

```
svs_marf <file name>
```

\* where <file name> is the name of a file containing new Markov  
 \* information satellites (will be used instead of the values given in  
 \* the mar\_svs command.) The format of the file is:  
 \* YY MM DD HR Dur PRN Mar X Y Z Mar Xdot Ydot Zdot Mar SRP Y- Z-bias  
 \* (days) (units as above)  
 \* 90 10 12 6 2.5 PRN\_12 36500 36500 36500 365 365 365 365 0 0  
 \* where Dur is the duration in days over which this alternative set of  
 \* markov parameters should apply. As many as entries as desired can be  
 \* put into the file.

\* The rad\_reset command allows you to link radiation parameters across  
 \* all days in the solution, estimating an average value for each  
 \* for each satellite from all the days combined in a solution. The  
 \* default is to estimate separate values, corresponding to each set of  
 \* initial conditions, but you can force common values by setting

```
rad_reset no
```

\* This command normally used in conjunction with the Z option of the  
 \* make\_svs command, which forces the direct radiation pressure parameter  
 \* to 1.0 and all others to zero. If the Z option is not specified, the  
 \* a priori value for each parameter will be taken from the values on the

\* first h-file read in, and the adjustments will be the average from  
 \* this value.

\*

\* The val\_svan command allows you to change the a priori values of the  
 \* antenna offsets:

```
val_svan <prn/all> <x> <y> <z>
```

\* where <x>, <y>, <z> are the new offsets in meters. If DEF is used  
 \* for a numeric value, then the default value (i.e., the value used in  
 \* GAMIT will be retained; e.g., val\_svan prn\_13 def def 2.0 would  
 \* change just the Z component to 2 meters.

\* Earth rotation parameters

\* -----

\*

\* To estimate Earth orientation parameters in the form of UT1 and pole  
 \* position and their rates of change, use the commands

```
apr_wob 100 100 10 10
apr_ut1 100 10
```

\* The entries for pole (wob) are x and y, x-dot and y-dot, and for  
 \* axial rotation, UT1 and its rate. Both pole and UT1 have units of  
 \* milli-arcseconds (mas) and mas/day. The need for pole position  
 \* estimates is dictated by how well you know the positions of any  
 \* heavily constrained stations coordinate system defined by the  
 \* a priori Earth rotation tables. Also note that if all orbital elements  
 \* are estimated, then UT1 can be arbitrarily given zero a priori sigma,  
 \* since any UT1 error will be absorbed in the longitudes of the nodes of  
 \* the satellite orbits (though we normally put a non-zero value in order  
 \* to monitor rotations of the orbits).

\*

\* The units of random-walk variations of Earth rotation parameters are  
 \* mas\*\*2/yr for offsets and (mas/day)\*\*2/yr for rates. The example  
 \* below allows +/-1 mas between sessions separated by one day.

```
mar_wob 365 365 365 365
mar_ut1 365 365
```

\* The need for these parameters is determined by how well you think  
 \* your a priori Earth rotation series remains fixed to your system  
 \* of coordinates. The Markov constraints are implemented in such a way  
 \* that the coupling between angles and rates is accounted for; that is  
 \* the constraint applied to rates as a random walk (RW) becomes an  
 \* integrated random walk (IRW) constraint on angles, applied in addition  
 \* to the explicit random walk constraint applied for the angles  
 \* themselves. See the discussion in Herring et al. [1990]. Note that  
 \* in version 5.02 the formulation of the IRW was changed from one used  
 \* in earlier versions, which seemed to couple angles and their rates  
 \* too strongly, to one that is more statistically correct (and closer to  
 \* the one described in Herring et al. [1990]). If you wish to retain  
 \* temporarily, for consistency, the more strongly coupled model, you can  
 \* use the command 'irw\_mod old' .

\* For global analyses in which you want to extract pole and UT1

\* estimates for each day of a multiday analysis (for example, the weekly SINEX combinations of the IGS Analysis Centers), you should use the mul\_pmu command:

```
mul_pmu <number> <spacing> <start> <option>
```

\* where <number> is the number of entries to introduce  
 \* <spacing> is the spacing in days between the values  
 \* <start> is the start epoch for the values, entered either as a calendar date (year month day hr min) or a GPS week and day-of-week  
 \* <option> specifies how the values are to be treated:  
 \* IND each day is independent; i.e., the apr\_wob and apr\_ut1 values apply to each day and the mar\_wob and mar\_ut1 values are not used; if omitted, Markov values are used  
 \* NOUT ignore the UT1 entries in the input files  
 \* WARN print warning messages for h-file PMU epochs that do not fall on the mul\_pmu boundaries

\* Sometimes it is necessary to estimate rotations and rotation rates independently of the pole and UT1 parameters. This can occur, for example, with SINEX or h-files that have inconsistent EOP and no EOP values in their headers (if EOP values are present, globk can remove the inconsistency). The command syntax for the arbitrary rotation parameters is

```
apr_rot <xig X> <sig Y> <sig Z> <sig Xrate> <sig Yrate> <sig Zrate>
```

\* where the first three entries are for rotations about the X, Y, and Z \* axes in units of mas, and the second three for rate rates in mas/yr.

```
mar_rot <RW X> <RW Y> <RW Z> <IRW X> <IRW Y> <IRW Z> <WN X> <WN Y> <WN Z>
```

\* where the first three entries are for the random walk process in units of mas\*\*2/yr, the second three for an integrated random walk process in units of (mas/yr)\*\*2/yr, and the last three for a white noise process in units of mas\*\*2. The white noise values, not available with the mar\_wob and mar\_ut1 commands, allows you to specify a process for which the noise level is not dependent on the spacing of the observations.

\* Translation and scale

```
* -----  
*
```

\* Two other sets of parameters allow for constant or stochastic estimation of translation and scale of your solution as a whole.

```
apr_tran .01 .01 .01 .1 .1 .1  
mar_tran 3.65 3.65 3.65 0 0 0
```

\* where the first three values are the sigmas in x, y, and z, and the last three sigmas of their rates in units of meters and meter/yr or for Markov m\*\*2/yr.



```

    apr_scale  1. 1..
    mar_scale  365 0
* where the units are parts per billion (ppb), ppb/yr, and ppb**2/yr.

* Correcting models
* -----
*
* In principle a number of effects included or omitted in the original
* processing can be corrected at the globk stage, provided their signature
* can be modeled by changes in the quasi-observations. The two examples
* currently implemented are the pole tide and (non-tidal) atmospheric
* loading.

* To apply the pole tide in globk or correct a model that may have been
* applied by an older version of GAMIT, use command

    app_ptid  < list of h-file codes / ALL >

* where < list of h-file codes > is a list of strings that should appear
* in the h-file name for any data to which you wish the pole tide
* applied. For GAMIT-produced h-files, you may safely include this
* command all the time since globk will detect from the headers the
* model applied in the phase processing and apply the appropriate correction.

* app_atm
*
* Another "model" change that can be made is a station's antenna offset
* from the monument. This change, accomplished along with corrections
* to other receiver and antenna information, is performed by utility
* hfupd by reading station.info (see Section 5.10).

* Defining earthquakes and renaming stations
* =====
*
* The eq_file commands given at the beginning of the command file
* include a series of commands that tell globk how to handle
* earthquakes or other discontinuities in the observation series.
* The eq_file command must be read first since the commands within
* it affect the names of the stations that will be used in interpreting
* subsequent commands. In this file is also a general command for
* renaming stations (useful for un-doing htoh runs used in the past to
* account for earthquakes).
*
* Within the eq_file the following commands may be used: (They can NOT
* be used in the globk command file). An example of the eq_file is
* given below. In the standard version (parameter max_eq in
* kalman_param.h), parameters for 128 earthquakes can be specified in a
* single run.

    eq_def <Code> <Lat> <Long> <Radius> <Depth> <epoch>

* This command defines the earthquake. <Code> is a two letter code which
* is used (optionally) in renaming sites and identifying this earthquake
* in subsequent commands. The code cannot be the same as the last two
* (7th and 8th) letters of any station affected by the earthquake.
* Specifically PS can never be used as a code since _GPS forms the last

```

\* four characters of all GPS stations. This command must be issued  
 \* BEFORE others referring to the Earthquake and the same code may not be  
 \* used twice. <Lat> and <Long> are the geodetic latitude and longitude  
 \* of the center of rupture plane (approximately) in decimal degrees for  
 \* the WGS84 ellipsoid. <Radius> is the radius in km over which the  
 \* Earthquake is assumed to have some effect. Radii are computed as the  
 \* chord distance from the lat, long and depth of the Earthquake to the  
 \* station. For an earthquake to have an effect, the radius must be  
 \* greater than the depth. <Depth> is the "depth" in km to the earthquake.  
 \* No station will (in general) be closer to the earthquake than its  
 \* depth. The depth is the negative of the ellipsoid height of the  
 \* Earthquake (i.e., the value is positive). The Depth is used for scaling  
 \* the spatially dependent quantities discussed below. <epoch> is the  
 \* time of the earthquake, entered as year month day hour min (all separ-  
 \* ated by blanks. The experiment epoch of the data is used to test if  
 \* the data are before or after the earthquake. (For one-day hfiles, the  
 \* experiment epoch is the middle of the data; for combined global files  
 \* it is usually the middle of the last day of data in the combined file.  
 \* If srt\_dir -1 was used in the globk run generating the combined file,  
 \* the experiment epoch will be at the start of the data set.)

eq\_renam <Code>

\* This command tells globk to rename the stations affected by the earth-  
 \* quake by replacing the last two letters of the station name by the  
 \* code for the Earthquake. This command can be used in conjunction with  
 \* the stochastic options discussed below. For generating apriori  
 \* coordinate files, this is the preferred option. If no apriori  
 \* coordinate and velocity is in the apr\_file for globk for the renamed  
 \* station, the values for the original station will be used.

eq\_cosei <Code> <Static Sigmas NEU> <Spatially dependent Sigmas NEU>

\* The command specifies the stochastic treatment of sites affected by  
 \* the earthquake. If the command is not issued there will be no  
 \* stochastic variations at the time of the Earthquake. If the sites are  
 \* renamed then this command is not needed, but can still be used to  
 \* achieve the effect discussed below. <Code> is the 2-character code  
 \* for the earthquake (to get the parameters in the eq\_def command.  
 \* <Static Sigmas NEU> are three values separated by spaces that give the  
 \* standard deviation of the displacements (in meters) expected at the  
 \* time of the earthquake (i.e., apriori standard deviation of the  
 \* coseismic displacements). These values will be applied to all sites.  
 \* <Spatially dependent Sigmas NEU> are three values separated by spaces  
 \* that give the spatially dependent standard deviations. The standard  
 \* deviation of a site is computed using  $Sig = SigSpatial * (depth/dist)^2$   
 \* where Sig is the computed sigma, SigSpatial is the sigma given in the  
 \* command, depth is the depth of the earthquake, and dist is the  
 \* distance the station is from the earthquake. The units on all sigmas  
 \* are meters.

\* It is important to consider the consequences when the rename and  
 \* coseismic features are used together. In this case, the covariance  
 \* matrix elements and solution for the station name before the  
 \* earthquake (which itself may have been renamed from previous  
 \* earthquakes) are copied to the new station name before the coseismic  
 \* standard deviations are added. The coseismic sigmas are not applied

\* to the old station name. The apriori coordinates and velocities of  
 \* the two station names should be the same unless you are want to con-  
 \* strain the incremental adjustment, to a dislocation model for example.  
 \* If the renamed station does not appear in the apriori file, then globk  
 \* will automatically do this. For all sites used only after an earth-  
 \* quake,\* a **\*\*NOTE\*\*** may be printed during the globk run saying that the  
 \* original station name of a renamed site could not be found. The note  
 \* can be ignored if you know this to be the case.

eq\_pre <Code> <dur> <Static Markov NEU> <Spatially dependent Markov NEU>

\* This command allows the specification of random walk parameters to be  
 \* applied before the earthquake. <Code> is the 2-character earthquake  
 \* code. <dur> is the number of days before the earthquake to start the  
 \* process noise. The estimates will be output for up to 2 days before  
 \* the start of the process when a back solution is run.  
 \* <Static Markov NEU> are three values that give the random walk process  
 \* noise (mm<sup>2</sup>/day) in North, East and Up to be applied equally to all  
 \* stations. <Spatially dependent Markov NEU> are three values that give  
 \* the process noise parameters in North, East and Up to be applied in a  
 \* spatially dependent fashion. They have the same spatial dependence as  
 \* the coseismic displacements except squared since the variance is  
 \* specified in the process noise.) Note that when the rename feature is  
 \* the preseismic process noise is not applied to the new station name  
 \* (i.e., the station name used after the earthquake).

eq\_post <Code> <dur> <Static Markov NEU> <Spatially dependent Markov NEU>

\* This command allows the specification of random walk parameters to be  
 \* applied after the earthquake. The command and specifications are  
 \* exactly the same as eq\_pre except this process is applied after the  
 \* earthquake. If the rename option is used then the process noise will  
 \* not be applied to the old station name.

eq\_log <Code> <tau (days)> <static NEU sigma (m)> <spatial sigma NEU>

\* This command allows the specification of a log parameter fit to the  
 \* position estimates after an earthquake with code <code>. the model  
 \* used is the same as the one in enfit and tsview. The parametric  
 \* form is  $\ln(1+dt/\tau)$  where dt is the time after the earthquake. The  
 \* interpretation of the sigmas is the same as for eq\_cosei. The positions  
 \* output by globk have the log contribution included (and therefore give)  
 \* the instantaneous position). Log terms are extracted as part of the  
 \* apriori model when sh\_exglk is used with the -apr option. Normally eq\_post  
 \* would not be used when eq\_log is used. The log terms can be extracted  
 \* with the sh\_exglk with the -log option. (The log term lines in the globk  
 \* output all start with the string LOG.

break <4-character site code> [hfile code] [epoch] [new extent]  
 rename <Orig 8-char site> <new site code> [hfile code] [epoch range] [Position change]

\* These command, which also goes in the \*earthquake file\*, NOT the globk  
 \* command file, rename stations in the solution to account for discontinuities,  
 \* distinguish duplicative 4-character site names (e.g. from different  
 \* institutions, or to exclude data. With the break command, globk will assign  
 \* the new 4-character extent, taking in to account earthquakes and replacing  
 \* the 6<sup>th</sup> character (usually "G") with "1", "2", etc. Renaming a station

\* to end in \_XPS will cause it to be removed from any velocity solution but  
 \* retain it in time series; \_XCL will cause it to be removed from both.  
 \* <Orig Site name> is the site name that appears in the binary h-files;  
 \* and <New site name> is the name you wish to use in the current  
 \* solution. It should not conflict other names in the binary h-files.  
 \* The following arguments are optional:  
 \* [hfile code] is a string that must appear in the name of  
 \* the h-file for the rename to be applied. This argument may be omitted  
 \* since globk can distinguish whether the third argument is a string or  
 \* a number (epoch range); however, you cannot use a string that is  
 \* entirely numerical. <epoch range> is range of time over which the  
 \* rename will be applied, specified as a pair of year month day hour min  
 \* values (all separated by spaces). Any hfile in which the start date  
 \* is after the first date and the end date in before the second date  
 \* given will have the station renamed. <Position change> is the change  
 \* in position to accompany the name change. It is given in either XYZ  
 \* or NEU (three values) followed by a type declaration (XYZ or NEU). If  
 \* no type is given, XYZ is assumed. Units are meters and the change  
 \* should move the station from the original position to the new position.  
 \* North, East and Up (NEU) are defined as North along (the ellipsoidal)  
 \* meridian direction at the a priori coordinate of the new site name,  
 \* East along the East longitude direction, and ellipsoidal height. The  
 \* rotation matrix is defined by these directions and the NEU are rotated  
 \* to XYZ using this rotation matrix. NOTE: The renames are applied  
 \* before any earthquake processing, so names generated from earthquakes  
 \* use the new station name.

-----

\* Example of eq\_file entries

\* The following renames fix duplicates and earlier mistakes

```
rename mojave1b mojave12
rename gold_gps ds10_gps
rename reun_gps reun_igs
```

\* The following account for discontinuities in time series

```
break ALGO 1994 2 17 0 0 ! antenna swap
break ALGO 1997 1 16 0 0 ! antenna swap

rename ALGO_GPS ALGO_1PS 1994 2 17 0 0 1997 1 16 0 0 ! antenna swap
rename ALGO_GPS ALGO_2PS 1997 1 16 0 0 ! antenna swap
```

\* Example of moving a GPS site to a VLBI site location

```
rename aron_gps algopark 92 5 1 0 0 92 8 30 0 0 -94.7630 -61.0170 -6.6660 XYZ
```

\* Example to allow heights to be estimated independently for a station  
 \* in the SOPAC and MIT solutions (horizontal coordinates to be equated)

```
rename math_gps math_aps igs 93 4 14 0 0 94 11 10 00
rename math_gps math_aps pggg 93 4 14 0 0 94 11 10 00
```

\* The Landers earthquake. Here are using the spatially dependent  
 \* versions. The coseismic displacement sigma 100 km from the earthquake  
 \* origin is 72 mm horizontal and 28 mm vertical in this case. For the  
 \* Markov process the values correspond to 1.6 mm<sup>2</sup>/day for all three  
 \* components. (The parameters here were computed approximately from  
 \* dislocation models of Landers). Landers/Big Bear has a moment of  
 \* 1x10<sup>20</sup> N-m, and Ms 7.5)

\*

```

eq_def    LA  34.45 -116.50  500   20  92  6  28  12  0
eq_renam  LA
eq_cosei  LA    0.000 0.000 0.000    1.8    1.8    0.7
eq_pre    LA  30 0.000 0.000 0.000  1000.0 1000.0 1000.0
eq_post   LA  30 0.000 0.000 0.000  1000.0 1000.0 1000.0

```

\* Other earthquakes could be defined here. If pre-seismic or  
 \* post-seismic process noise overlap from different earthquakes  
 \* then both sets of process noise are added.

\*

\* Running *glorg* from within *globk* or *glorg*

\* =====

\*

\* Although running *glorg* separately from *globk* can be useful  
 \* and efficient in refining the analysis, it is more convenient  
 \* in the initial velocity solution—and essential in time series  
 \* analysis, to invoke *glorg* from within *globk*. This is accomplished  
 \* with the command

```
org_cmd <glorg command file name>
```

\* where <glorg command file name> is the name of the command file with  
 \* the *glorg* commands in it (see section III.f or online *glorg.hlp*).  
 \* This command is usually accompanied by

```
org_opt <options list>
```

\* where <options list> is the list of options to control the *glorg*  
 \* output. The most commonly used are PSUM (output NEU coordinate  
 \* adjustments), VSUM (output NEU velocities), BRAT (output baseline  
 \* component rates), CMDS (echo the *globk* and *glorg* command files),  
 \* GDLF (list the H-files and their chi-square increments), and FIXA (fix  
 \* differences in a priori positions and velocities for equates).

\* Optionally, you may also used

```
org_out <File name>
```

\* where <File name> is the name of the output file. If this is not  
 \* given then the output goes to file name generated by replacing the  
 \* characters after the last period (.) in the print file name with  
 \* 'org'. If there is no last period, then.org is appended.

### 3.2 *glorg* command file

*Glorg* is the origin (translation and rotation) fixing program for the data analysis. It allows the reference frame of the solution to be specified after all of the data have been combined by *globk* (with loose constraints). Thus, many realizations of the frame may be tested quickly by fixing different combinations of coordinates and velocities. Translation, rotation, and scale may be estimated by a minimization of the deviations between horizontal positions and velocities given in the apriori station position file. *Glorg* also allows you impose other constraints such as forcing the velocity adjustments of nearby stations to be equal. The chi-square increment from each constraint is shown in the output file so that you may evaluate its affect on the solution. The *apr\_file* used for *glorg* need not be the one used for *globk*. (In this way, for example, you could run *globk* with velocities which represent your best estimates, but then display differences to a standard plate motion model.) *Glorg* may be invoked from within *globk/gfred*, as is typically done to generate daily solutions to examine repeatability, or executed as a separate program following combination of data from many days or years. Examples of each of these applications are given in Section 3.4.

The run-string and commands used are documented below. A current version of this documentation may be found in the on-line help for *glorg*.

GLORG: Origin resolution program for the GLOBK.

Runstring:

```
% glorg <output> <options> <command_file> <com_file>
```

where <output> is the name of the output file (may be 6 for output to current window.

<options> are the print options for the output file, specified by the same 4-character codes as for *globk* except that there are additional options specific to *glorg*:

- SDET : output the details of the stabilization calculations
- FIXA : automatically fix differences in a priori positions or velocities
- RNRP : report statistics of the differences In the positions and velocities of renamed sites; also generates equate lines that can be filtered with script *sh\_exeps*.

If *glorg* is invoked from within *globk*, the options are given by the *org\_opt* command in the *globk* command file. If *glorg* is run alone, they must appear in the command line separated by colons or equal signs; e.g. *glorg test.org blen:psum glorg.cmd test.com*

<command file> is the name of the command file for *glorg*.

<com\_file> is the name of *globk* common file used in the analysis.

The commands are:

APR\_FILE Gives the name of the new apriori position and velocity file.

The command may be issued multiple times, with the last values read for a station taking precedence

**EQUATE** Forces adjustments to parameters to be made equal. The parameters may be listed by number

```
equate n1 n2 n3 n4
```

in which case the numbers must be in ascending order; or for station names, the station-code and keywords for the parameters may be used,

```
equate west_gps xdot hays_gps xdot.
```

The acceptable parameter names are xpos, ypos, zpos, npos, epos, upos for position and xdot, ydot, zdot, ndot, edot, udot for velocities. (Local\_eq determines if global cartesian or local coordinates will be used for equates. If a station name is given which is not in the solution then error messages warning about decoding errors will be printed. These may be ignored.

**CONSTRA** Similar to EQUATE except that the standard deviation of the constraint is specified:

```
constrai <sigma> n1 n2 ..
```

where sigma is in units of the parameters.

**FORCE** Will force the adjustment to a parameter to a specific values. Forms are similar to equate in that parameter numbers or station name and component may be used:

```
force n1 <value> <sigma>
force west_gps xdot value sigma
```

where n1 is a parameter number, value is the value of the adjustment to which this parameter is to be forced, and sigma is the constraint level in mm.

**EQ\_DIST** Allows equates to be specified for all stations within the set distance.

```
eq_dist <dist (m)> <equate type>
```

where equate type is defined under equate. e.g.,

```
eq_dist 2000 ndot
```

equates the north velocity adjustments for all stations within 2 km of each other.

**UNEQUATE** Is used to override the equates set with eq\_dist. The form is same as equate, and any parameter specified in the equate will be removed from the equate lists.

```
unequate gras_085 ndot gras_085 edot
```

would remove gras\_085 north and east velocity parameters from any from any equates in which they appeared.

**LOCAL\_EQ** Used in conjunction with EQUATE and FORCE. The default is now to apply these constraints in local (NEU) coordinates, but XYZ may be used by setting LOCAL\_EQ N. Command may be issued only once and applies to all forces and equates.

**POS\_ORG** Sets the parameters to be used in setting the origin, rotation and scale of the coordinate system. Arguments are the parameters to be used: viz., xtran, ytran and ztran for translation; xrot, yrot, and zrot for rotations; and scale for scale factor. E.g.,

```
pos_org xrot yrot zrot
```

would only allow rotations in setting the coordinate system. Used with use\_site to set which stations are used in the definition.

**RATE\_ORG** Similar to pos\_org but for rates. Same arguments may be used.

**COND\_SIG** Sigmas to be assigned to the translation, rotation, and scale parameters in pos\_org and rate\_org commands. Six values are specified: translation sigma (m), rotation sigma (mas), scale sigma (ppb), translation rate (m/yr), rotation rate (mas/yr) and scale rate (ppb/yr). When the parameters are given, the origin of the system to defined to only within these sigmas. The command is useful for minimizing numerical stability problems and/or have the site position and rate sigmas account for uncertainties in realizing the reference frame. E.g.,

```
cond_sig 0.01 0.1 0.1 0.01 0.1 0.1
```

sets the origin to 10 mm, orientation to 0.1 mas, and scale to 0.1 ppb, the origin rates are 10 mm/yr, 0.1 mas/yr and 0.1 ppb/yr.

**STAB\_SITE** List of candidate stations to be used in the origin definition. Default is ALL so usually start with with CLEAR to avoid using bad or weak stations or set the tolerances sufficiently tight with the cnd\_hgtv, stab\_min, and stab\_ite commands to have these eliminated automatically. Stab\_site may be invoked multiple times. It was called use\_site until version 5.01 and may still be invoked with this name. Wild cards (@) are allowed to get multiple renames of a site.

**CND\_HGTV** Used to determine from the height sigmas which of the stations in the stab\_site list are retained defining the reference frame. Four values are given. The first two are the variance factors applied to heights and height rates relative to the horizontal components in estimating the origin position and velocity. The second two set limits on the sigmas of the height and height rates of station to be used. They are meant to exclude stations with



large uncertainties and are specified in terms of heights because an indeterminate reference frame will cause the uncertainties of the horizontal coordinates to be artificially large. Specifically they set a limit on the following ratio:  $(h-hmed)/(hmed-hbest)$  where  $h$  is the variance of the height or height rate of a station,  $hmed$  is the median variance for all stations used for the origin definition, and  $hbest$  is the best (smallest) variance of the stations being used. Default values of `cn_d_hgtv` are 10. 10. 3. 3.. An alternative way to apply the height-sigma criteria is now available with the `stab_min` command described below.

**STAB\_ITE** Sets characteristics of coordinate system stabilization. The command format is:

```
stab_ite [# iterations] [Site Relative weight] [n-sigma]
```

[# iterations] is the number of iterations. The default is 2, which works fine in well behaved cases but the iterations are quick, so allowing 4, e.g., is usually safer.

[Site Relative weight] indicates how the site sigmas are used in stabilization. If it is set to 0.0, all sites are weighted equally throughout all iterations of the stabilization process; if set to 1.0, the weight is determined by the coordinate sigmas in the previous iteration; if set to an intermediate value, say 0.5 (default), the coordinate sigmas from the previous iteration are allowed only 50% weight (vs constant). The number of iterations must be > 1 for this feature to be invoked. In this computation, as in the overall stabilization, height sigmas are downweighted with respect to the horizontal sigmas by `CND_HGTV` (1st two arguments).

[n-sigma] is an editing condition to eliminate sites that are discordant with the aprioris. (Iterations must be greater than 1 for this to be used). The value applies to the ratio of the root-sum-square of the north, east, up residual (calculated with up down-weighted) to the site's relative weight (displayed in the output) times the overall rms of the stabilization fit (also displayed). The default is 4.0.

**STAB\_MIN** Allows the user to set the minimum values for the `cn_d_hgtv` limits on heights sigmas of sites to be used in the stabilization, and on the minimum RMS to be used in postfit rms editing. The command format is:

```
stab_min [dHsig min pos] [Min RMS pos] [dHsig min rates] [Min RMS rate]
```

[dHsig min pos] is minimum difference between best and median height sigma for position (default 0.005 m)

[Min RMS pos] is minimum postfit RMS in position to be used. (default 0.003 m)

[dHsig min rates] is same as [dHsig min pos] except for rates (default 0.005 mm/yr)

[Min RMS rate] is same as [Min RMS pos] except for for rates (default 0.003 m/yr).

If only two arguments are given then these values will be used for both position and velocity. Example:

```
stab_min 0.005 0.003 0.005 0.003
```

FIRST\_EQ Sets mode in which the equates and forces will be applied before the origin fixing constraints (as discussed above) are applied. No arguments.

PLATE Allows estimation of the rotation vector (Euler pole) of a Selected set of stations with respect to the frame defined by the stabilization. The following commands are used to define one or more “plates

```
plate <plate name> <..list of stations ... >
```

where <plate name> is the name of the plate. The rotation vector is given in the *glorg* print (.org) file. If more than one plate is defined, the the relative rotation vectors (Euler poles) are also given. A station should not be specified on more than one plate, nor should two 8-character versions of the same station (e.g. ALGO\_GPS, ALGO\_1PS) be used if their velocities have been equated. When the plate command is used, the horizontal adjustments (but not the values) of velocities in the org file are replaced by the residuals with respect to the plate with which it has been associated. A cleaner way to see the plate residuals is to run *sh\_org2vel* to generate velocities of all stations with respect to the plate given in the command line.

NOPLATETRAN Turns off (re-) estimation of translation parameters during estimation of the plate rotation vector. In global solutions, not estimating the translation can bias the rotation-vector (Euler pole) estimation if the reference frame realized by the stabilization is translated relative to the geo-center. For regional solutions, however, using NOPLATETRAN will improve the stability of the solution without introducing biases that are important for determine relative rotations among regional blocks.

### 3.3 Defining a reference frame for the analysis

Conceptionally, the simplest approach to frame definition is to apply finite constraints to station coordinates (positions and velocities), orbital parameters, and Earth orientation parameters (EOPs) at the level at which you think you know their values. This is the method used by GAMIT, and in *globk* involves the use of the *apr*-commands for each parameter type. Optionally changes in the values over time (e.g. for EOPs) can also be constrained using the Markov commands. In practice, using finite constraints for the primary frame definition is rarely the best approach since overconstraining coordinates will distort the network and may mask errors in its a priori value or the data associated with the station, and underconstraining coordinates may leave the frame less well determined than is justified. Hence we prefer to use the “generalized constraint” method of *glorg*, in which up to seven Helmut parameters( 3 translation, 3 rotation, and 1 scale) are estimated such that adjustments to a priori values of the coordinates of a group of stations are minimized. Applying generalized constraints properly can sometimes be tricky since the parameters estimated can depend on the accuracy of the satellites’ orbits and both the number and spatial extent of the reference stations available. The strategy and trade-offs for frame definition are discussed in Chapter 4 of the *Introduction to GAMIT/GLOBK* manual. Here we present the rules for *globk* and *glorg* commands that must be followed to implement these strategies correctly.

For global- or continental-scale networks, you may (and usually should) estimate translation and rotation (scale is not so clear---see *Dong et al.* [1998]) and include as reference (“stabilization”) sites a distributed set of stations (at least 10, preferably more) for which you have both good a priori values and good data. In this case both site coordinates and EOPs should be left free in the *globk* command file:

```
apr_neu all 1 1 1 .1 .1 .1
apr_wob 100 100 10 10
apr_ut1 100 10
mar_wob 36500 36500 365 365
mar_ut1 36500 365
```

and both translation and rotation specified for *glorg* stabilization:

```
pos_org xtran ytran ztran xrot yrot zrot
rate_org xtran ytran ztran xrot yrot zrot
```

(In a *glred* solution for a single epoch, you would set the velocity entries to zero in the *apr\_* commands, omit both the *mar\_* commands, and *rate\_org*.) would be omitted in a *glred* solution for a single epoch as would the *mar\_* commands.) For a global analysis orbital parameters would usually be kept free

```
apr_svs all 100 100 100 10 10 10
apr_rad all 1. 1. .02 .02 .02 .02 .02 .02 .02 .02 .02 .02
```

whereas for a continental-scale analysis they might be constrained or fixed if the GAMIT processing used sufficiently accurate orbits:

```
apr_svs all .1 .1 .1 .01 .01 .01
apr_rad all F F F F F F F F F
```

For a local or regional analysis in which you do not have a large number of well-distributed reference stations, you may be able to estimate robustly in *glorg* only a translation of the network. In this case you must constrain the rotation in *globk*:

```
apr_wob .25 .25 .1 .1
apr_ut1 .25 .1
mar_wob 22.8 22.8 3.65 3.65
mar_ut1 22.8 3.65
```

These values are realistic for IERS rapid or final values and limit rotations to 0.25 mas and 0.1 mas/day, equivalent to 0.3 mm, 0.1 mm/day over a 2000-km baseline.

The reference frame for your solution is realized by data you have for the sites specified in the stabilization list (*stab\_site*) and the a priori coordinates you specify (*apr\_file* in *glorg*). In realizing the frame, *glorg* performs an iterative procedure to determine whether the data from stabilization sites are consistent with the coordinates of the *apr\_*

file. This procedure is described and illustrated with an example in Section 3.5. If you have defined one or more stable blocks for with respect to which you want to view the velocities (plate command) *glorg* will follow the stabilization with estimation of rotation vectors (Euler poles) for these blocks, which you can use (*sh\_org2vel*) to obtain the velocities of the sites with respect to each block.

### 3.4 Examples for GPS analysis

Although quasi-observations from a variety of geodetic measurements can be analyzed by *globk*, by far the most common use is for the combination of solution files from GPS surveys to estimate station coordinates and velocities. In this section we present examples of the *glred*, *globk*, and *glorg* runs needed to obtain a successful analysis. The most important files and control structures used to drive the software are included in simple form, with reference to Sections 3.1 and 3.2 for details. For the most current examples of these files, see the `.cmd` and `run_` files in the `/templates` directory.

#### *Testing coordinate repeatabilities*

The first step in GPS post-processing is usually to generate a time series of station coordinates using *glred* to identify and remove any surveys or stations which are outliers. For a global analysis, the reference frame may be constrained on each day using in *glorg* a stabilization list that includes a reliable set of IGS stations. For a regional analysis in which you include in *globk* only a few IGS stations, obtaining the best time series usually requires an iterative process. First you generate time series (with *glred*) using the IGS stations to define the frame. Then remove obvious outliers and perform a combined (*globk*) solution to obtain a consistent set of coordinates for all of the stations. Finally, run *glred* again, this time using all of the stations in the *glorg* stabilization. This procedure effectively defines a regional frame of reference, allowing you to remove common-mode errors without choosing a single reference station.

For an analysis using both global and regional data the `.gdl` file will have the form

```
h9609061159_igs1.glr 1.0 +
h9609061159_igs2.glr 1.0 +
h9609061159_emed96.glx 1.0
h9609071159_igs1.glr 1.0 +
h9609071159_igs2.glr 1.0 +
h9609071159_emed96.glx 1.0
...
```

(or with the 1.0 scale-factors omitted) where the h-file names for each day indicate the two global subnetworks analyzed by SOPAC and an h-file from an analysis of regional data from the 1996 Eastern Mediterranean survey. *Glred* treats each input h-file independently, but adding the + symbol to the first two of each triplet of h-files for each day forces the parameters to be the same for the three solutions, thus tying together the orbital and Earth orientation parameters, as well as any common stations, from the global and regional solutions. The number following the h-file name is a variance factor (relative weight) for the file.

Then run *glred*

```
glred 6 globk_rep.prt globk_rep.log emed96.gdl globk_rep.cmd
```

with the command file

```
* Globk command file for daily repeatabilities and combination
*
* Required files (usually temporary)
make_svs ../tables/sat.apr
com_file globk_rep.com
srt_file globk_rep.srt
sol_file globk_rep.sol
* Optional additional command file
eq_file rename.eq
*
* A priori station coordinates and Earth orientation table
apr_file ../tables/emed96.apr
apr_file /ftp/pub/gps/updates/sites/itrf96.apr
in_pmu /ftp/pub/gps/updates/tables/pmu.bull_b
*
* Input data filter - chi2 and a.p. tolerances high to pass most data
max_chi2 20. 10000. 10000
*
* Commands to estimate parameters
apr_neu all 20 20 20.0 0 0
apr_svs all 100 100 100 10 10 10 1 1 .02 .02 .02 .02 .02 .02 .02 .02 .02
apr_wob 100 100 10 10
apr_ut1 100 10
*
* Print options - minimal for globk since using glorg output
prt_opt GDLF
*
* glorg command file, print options, and output file
org_cmd glorg_rep.cmd
org_opt BLEN CMDS PSUM
org_out globk_rep.org
```

Execution of *glred* with this command file will generate a loose solution, recorded in *emed96.prt*, and will invoke *glorg* to generate a constrained solution, recorded in *emed96.org*. The *glorg* command file (*glorg.cmd*) will look something like the following:

```
* Glorg command file for daily repeatabilities and combination
*
* A priori station coordinates
apr_file ../tables/emed96.apr
apr_file /ftp/pub/gps/updates/sites/itrf96.apr
*
* Use IGS core minus hart and sant
stab_site clear onsa_gps kosg_gps wtzr_gps trom_gps yell_gps gold_gps
stab_site kokb_gps tidb_gps yar1_gps algo_gps madr_gps
*
* Estimate orientation and translation
pos_org xtran ytran ztran xrot yrot zrot
```

In the *glorg* command file, we have specified that the reference frame is to be defined by minimizing the position deviations of 11 IGS core stations (Hartebeesthoek and Santiago are omitted because of poor data during this period) while estimating a translation and orientation.

If you have a small regional network and want to maintain the orientation of the reference frame through the IGS orbit and IERS Earth orientation values, without introducing global h-files or tracking data, the bottom of the *glred* command file would look like the following:

```
* Commands to estimate parameters
apr_neu all 20 20 20.0 0 0
apr_svs all .1 .1 .1 .01 .01 .01 F F F F F F F F F
apr_wob .25 .25 0 0 0 0 0 0
apr_ut1 .25 0 0 0 0 0
*
* Print options
prt_opt BLEN CMDS PSUM
```

and the *glorg stab\_site* command for the initial run might contain only 3–6 stations whose coordinates are well known a priori. If there are only a few stabilization stations, and/or the spatial scale of the network is small, then you should estimate only translation parameters in *glorg*:

```
* Estimate translation only
pos_org xtran ytran ztran
```

After running *glred*, you can plot the time series using the scripts described at the end of this section. Then you would remove problematic data, either by renaming the station for a particular span (e.g., rename *SSSS\_GPS* *SSSS\_XCL* in the *eq\_rename* file) or commenting out (with #) the h-file in the *gd1* file. In the case of a regional analysis (with or without the inclusion of the global h-files), the next step is to run *globk* to obtain a self-consistent set of coordinates for all the stations. For this run, use the same command file as for the initial *glred* run, except that you need to allow for time-changes in the EOP values :

```
* Markov EOP for global analysis
x mar_wob 36500 36500 365 365 0 0 0 0
x mar_ut1 36500 365 0 0 0 0
* Markov EOP for regional analysis
mar_wob 22.8 22.8 3.65 3.65 0 0 0 0
mar_ut1 22.8 3.65 0 0 0 0
```

If time span is longer than a single survey, you may also need to estimate a velocity for each of the stations:

```
apr_neu all 20 20 20 1 1 1
```

After inspecting the *globk* run for consistency (chi-square values in the log file and rms of the *glorg* stabilization), you should now extract the coordinates for a new apr file from

the *glorg* print file using `grep 'Unc.'` as described in Section 2.2. This new apr file will become the sole reference in *glorg* for the *glred* runs to generate the final time series (it doesn't matter what apr file you use in the *glred* command file). For this run, the *glred* command file will be the same as before, but the *glorg* command file will look like the following:

```
* Glorg command file for daily repeatabilities and combination

* A priori station coordinates
apr_file ../tables/soln_emed96.apr

* Use IGS core minus hart and sant
stab_site all
stab_site -marm

* Estimate translation only
pos_org xtran ytran ztran
```

To plot coordinate repeatabilities from your *glred* solutions for a single survey using GMT, execute

```
sh_plot_pos -f globk_rep.org
```

This script invokes *tssum* to scan the solution file (*globk\_rep.org*) for the north, east, and up coordinates in PBO format estimated for each day and generate PBO-style pos files, which will then be used with GMT to produce time series for each of the stations and a pair of histograms showing the distribution of weighted and normalized rms repeatabilities. If the data extend over several years, then you should specify the start and stop times using `-t1` and `-t2` and have a trend removed by specifying `-o 1`. See the *sh\_plot\_pos* help for the full list of options. An alternative plotting scheme, which will be phased out after 2015, is to use script *sh\_plotcrd* to invoke *ensum* and *multibase* to produce *mb\_* files for plotting by GMT. Since either script will create a large number of files (one per station), you may want to have these put into a separate directory (e.g. *gsoln/plots*). With *sh\_plot\_pos*, this can be done automatically with the `-d` option; with *sh\_plotcrd*, you would create the */plots* directory manually and then execute the script from that directory (e.g., `-f ../soln/globk_rep.org`.)

### ***Estimating repeatabilities and velocities from several surveys***

Multi-year solutions are best accomplished by first combining the h-files from individual sessions into a single h-file. This is not only more efficient in terms of processing time and disk storage, but allows you to generate statistics for long-term repeatability without mixing in the short-term scatter. To combine the data from a single survey, run *globk* using the command file described in the last section but add a line specifying the output file name:

```
out_glb EMED96.GLX
```

The uppercase file name is not required but is a useful convention to denote a combined h-file. Optionally, at this point you can perform a second *globk* run in which you use the output h-file (EMED96.GLX) as sole input in the `.gdl` list, specify a new output

```
out_glb  EMED96.GLN
```

and suppress the orbital parameters by commenting out the `apr_svs` line. Since the orbital information has now been incorporated into the estimates and covariances of the station coordinates, there is no reason to carry them forward to the multi-year solution. On the other hand, they do no harm beyond the additional disk space needed to store them, so you may want to skip this step, at least until you are sure that the combined h-file is the one that you wish to store for future use. (Future versions of *globk* may allow use and then suppression of orbital parameters in a single run, thereby avoiding this additional step.)

To obtain a multi-year solution, your `.gdl` file will contain only the combined files from each survey:

```
EMED96.GLX
EMED97.GLX
EMED98.GLX
```

```
...
```

To get velocities, run *globk* with the same command file except the `apr_neu` line now specifies that velocities as well as positions are to be estimated

```
apr_neu  all 20 20 20 1 1 1
```

Earth orientation and the reference frame can be specified in the same way except that you must now constrain velocities as well as position. In the *globk* command file set

```
org_opt BRAT CMDS PSUM VSUM
```

The BRAT print option for *glorg* is necessary if you want to see directly the values and uncertainties of relative velocities between the stations in your network. For large networks this can increase the size of the print (`.org`) file considerably, so if geocentric velocities are well determined, as is often the case with global analyses within the last few years, or if you have performed a regional stabilization, you may want to omit BRAT from the print options.

In the *glorg* command file you now need to specify parameters for both position and velocity stabilization:

```
pos_org xrot yrot zrot xtran ytran ztran
rate_org xrot yrot zrot xtran ytran ztran
```

To create a velocity map from your solution ( e.g. `globk_vel.org` ), execute

```
sh_plotvel  -f globk_vel.org -maxsigma 5
```



where `maxsigma` gives maximum uncertainty in millimeters of sites to plot. Chapter 4 and the on-line help describe additional options for `sh_plotvel` that will allow you to produce journal-quality velocity maps including topography, tectonic features, and customized labels.

### *Use of stochastic noise for stations and orbits*

There are a variety of reasons why you may want to treat station coordinates, orbital parameters, and Earth orientation parameters stochastically in your `globk` analysis. The classic method for analyzing the day-to-day or year-to-year variability of station coordinates or baseline components is to treat a subset of them stochastically and run both a forward and backward Kalman filter with the data. By performing both the forward and back solution, you obtain the best estimates of the coordinates and velocities of the stations treated deterministically at the same time as obtaining the variability of the stations treated stochastically. This approach has several disadvantages, however. The most obvious is the difficulty of deciding which stations to make deterministic and which to make stochastic. To retain nearly the full strength of the velocity solution, you would want to make only a few stations stochastic at a time, requiring many runs to see all of the repeatabilities. On the other hand, making deterministic a station for which there are outliers corrupts the solution and the apparent repeatability of other stations. A better approach to determining repeatabilities is to use `glred` to estimate all coordinates independently for each session or survey, with the reference frame maintained by `glorg` stabilization with as many stations as possible, as discussed in the previous section. With this approach the network can translate and rotate from solution to solution, but any internal distortions represent real problems with the stations exhibiting them.

A more common current use of stochastic station coordinates is to account for time-correlated sources of error in the estimates of station position, including monument instability and signatures in global time series that may be due to errors in modeling the orbits or atmosphere. For example, to include random-walk noise at the level of 2 mm/yr in the horizontal coordinates, the `globk` command file entry would be

```
mar_neu all 4.e-6 4.e-6 0 0 0 0
```

Prior to `globk` 5.05, Markov noise was also used to decouple erratic fluctuations in the estimates of vertical coordinates due to tropospheric noise, antenna changes, or blunders in entering the height of the antenna. The time-dependent nature of Markov noise makes it a poor proxy for these fluctuations, however. A better approach is to add random noise to the height estimates via the (new) `neu_sig` command. For example, to allow for 10 cm fluctuations in the vertical component for Kokee Park, the entry would be

```
neu_sig kokb 0 0 .10
```

(If there are identifiable steps in the estimate of heights, you should rename the station at the time of the step [e.g., rename `KOKB_GPS` `KOKB_APS`] then equate the horizontal but not the vertical coordinate adjustments in `glorg`.)

UT1 and pole position are defined as single (global) parameters in *globk*, so to allow day-to-day variation you must specify for them a Markov process. The level of constraint depends on the precision and stability of your a priori Earth rotation series as described in Section 3.3.

For orbital parameters, stochastic variations are used in conjunction with multi-day arcs, most valuable prior to 1994 when the global tracking network was not strong enough to produce few part-per-billion orbital accuracy from a single day's observations. There is considerable flexibility in *globk*'s use of stochastic parameters for orbits, allowing different levels of Markov constraint for each element of each satellite for each survey period. The difficulty, however, is determining in an efficient and objective manner what level to use. The analyst is forced to experiment with different values, using the chi-square increments between days from a *globk* non-stochastic forward solution and the day-to-day variations of the parameter estimates from a *gfred* or back solution as a guide to choosing the optimal values. As a starting point, we discuss three levels, which we will designate "loose", "moderate", and "tight" orbital Markov constraints.

"Loose" constraints would allow about 10 m/day (36500 m<sup>2</sup>/yr) variation in satellite initial position and 1 mm/s/day ( 365 (mm/s)<sup>2</sup>/yr) variation in initial velocity, and 2–100 %/day (0.15–365 /yr) variation in non-gravitational ("radiation-pressure") parameters:

```
mar_svs all 36500 36500 36500 365 365 365
mar_rad all 365 365 .15 .15 .15 .15 .15 .15 .15
```

Remember that "loose" is defined with respect to the uncertainties you would obtain with a single-day's data with your actual data set, so these values can only be considered a guide. More study is needed to determine the relative weighting of initial conditions and non-gravitational-acceleration parameters to absorb a given degree of mis-modeling of the satellites' motion. In the example shown, we have allowed a relatively large "reset" of initial conditions each day, a large adjustment of the direct-radiation and y-bias parameters, and only a small (2%) change in the other non-gravitational acceleration parameters (the constant along the "B" axis and the once-per-rev coefficients in the Berne model; see Section 7.2 of the GAMIT manual). An alternate strategy would be to keep the initial condition variations small but allow large variations in all of the non-gravitational acceleration parameters. Values of the Markov constraints much looser than the ones shown here would completely decouple the orbits from day to day, effectively estimating the orbital motion in single-day arcs even though you have formally used a multi-day T-file with a single set of initial conditions. With loose Markov parameters for the orbits, if you are combining more than one h-file for each day (e.g., with regional and global observations), *it is essential in this case to have the centers of the h-file data spans (the center of the X-file) match*. Otherwise, you will decouple the orbital parameters estimated from the two h-files.

An example of "moderate" constraints would allow variations of 1 m/day (365 m<sup>2</sup>/yr), 0.1 m/s/day (3.65 (mm/s)<sup>2</sup>/yr), and 2–10 %/day (0.15–3.65 /yr) in initial position, initial velocity, and non-gravitational acceleration:

```
mar_svs all 365 365 365 3.65 3.65 3.65
mar_rad all 3.65 3.65 .15 .15 .15 .15 .15 .15 .15 .15
```

An example of "tight" constraints would allow variations of 0.1 m/day (3.65 m<sup>2</sup>/yr), .01 mm/s/day (0.0365 (mm/s)<sup>2</sup>/yr), and 1 %/day (.0365 /yr) in the orbital parameters:

```
mar_svs all 3.65 3.65 3.65 .0365 .0365 .0365
mar_rad all .04 .04 .04 .04 .04 .04 .04 .04 .04 .04
```

To invoke the Markov process for an individual satellite the command is, e.g.,

```
mar_svs prn_02 3.65 3.65 3.65 .0365 .0365 .0365
mar_rad prn_02 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04
```

You can allow different values to be applied for different period of time by specifying in the *globk* command file an auxiliary file:

```
svs_marf svs.emed_markov
```

where *svs.emed\_markov* is the name of file, and it contains, e.g.,

```
* YY MM DD HR Dur PRN
*      (days)
  94  9 12  6  5 PRN_02 3.65 3.65 3.65 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04
  94 10  1  0 10 PRN_02 365 365 365 3.65 3.65 3.65 3.65 3.65 .04 .04 .04 .04 .04 .04 .04 .04
  94 10  2  0  5 PRN_05 365 365 365 3.65 3.65 3.65 3.65 3.65 .04 .04 .04 .04 .04 .04 .04 .04
```

where *Dur* is the duration in days over which this alternative set of Markov parameters should apply. As many as entries as desired can be put into the file.

### ***Use of apr files in globk and glorg***

The rules and requirements for setting a priori coordinates and velocities in GAMIT and GLOBK analyses can be quite confusing because the needs are different at different stages and in different contexts. The most important concept to keep in mind is that reliable estimation of precise coordinates from both the phase data (GAMIT/*solve*) and loosely constrained coordinates and their covariances (*globk* or *glorg*) assumes that the adjustment from the (original, GAMIT) a priori is “small”, that is that there is insignificant non-linearity in the adjustments. Just how small the adjustment of a particular parameter needs to be depends on the functional dependence of the parameter and its correlation with other parameters. A conservative assumption for station coordinates is a convergence rate of 1:1000; that is., the adjustments need to be less than 0.5 m to achieve 0.5 mm precision in the estimated value. Hence, it is imperative that you iterate your phase solution (using, for example, the AUTCLN Postfit = R option in the GAMIT sestbl.) so that the a priori used for the solution written into the H-file differs from the final estimate by no more than a few decimeters.

If you use decimeter-level coordinates in GAMIT and are performing a straightforward *globk/glogr* solution from single-day H-files, it should not be necessary to include an apr file in the command files except for those stations used to define your reference frame (*stab\_site* list). For a velocity solution, this can usually be accomplished with the *apr\_file* specified in *glogr*, thereby avoiding rerunning the *globk* stack each time you try difference sets of stabilization sites. However, for time series, you are almost always faced with the situation of a station having changed instrumentation over time or being displaced by an earthquake, so that there are multiple listings of the same site with different 8-character names in the apr file over time. In this case, you must put the final apr file into the *globk* command file along with an *eq\_file* that specifies the dates of the renames. The best initial approach then is to use the *itr08\_comb.apr* and *itr08\_comb.eq* files that are kept up-to-date on the MIT web site.

There are two utilities that are quite helpful in handling a priori coordinates. The first is *glist* (see Section 5.1) which will check the a priori coordinates for sites in each h-file in a *gdl* list with those from the first file in which the site appears, or with those from a specified apr file. For this reason (and many others) you should always run *glist* before running *glred* or *globk*. The second helpful utility is *unify\_apr*, which allows you to merge apr files while reconciling velocities of renamed or nearby sites so that they are all the same in an output apr file.

### 3.5 Examples of *globk* and *glogr* output

There are two types of output produced in running *globk/glred*. The first is the "log" file, which contains the effect on the solution (usually loosely constrained) as each new h-file is added. The second is the "print" file, generated also by *glogr*, which contains the estimated parameter values. To illustrate the interpretation of these output files, we use as examples first the combination of regional and global data for a 10-day survey in the Salton Trough / Riverside County ("STRC") region of southern California from March, 1991, and then its combination with data from other GPS surveys and VLBI observations acquired between 1984 and 1997.

The log file for the STRC91 survey is shown below. Because the global tracking network was sparse in 1991, it is particularly advantageous to estimate initial conditions and parameters of the GPS orbits by combining the data from several days. In this case, we estimated parameters for three overlapping arcs, each using data from 4 or 5 (24-hr) days. Within each arc we allowed the initial conditions and radiation-pressure parameters to have stochastic (Markov) variations from day to day. This scheme is illustrated by the grouping of h-files in the log file below, in which we have combined h-files representing 24 hrs of global data and 10 hrs (20:44-08:40 UTC) of regional data. The first orbital arc (GAMIT T-file) spanned days 66–69 (7–11 March) with IC epoch 12h UTC on day 67 (year 91.1814). Data used to estimate the initial conditions and parameters included global data (h-files named *\_glob* with the mid-point time 11:59) from days 66–69 and 10-

hr regional data (h-files named \_strc with mid-point time 02:43) from days 66–68 (the latter ending at 08:40 on day 69).

```

Updating SV ephemeris epoch by 91.1814 years
Global 1 using 3.7 Mb. Running time 2.00 Scaling by 1.000 1.00000000
For mgloba.066 GlbF ../glbf/glob1/h9103071159_glob.glr Chi**2 NP 249 is 0.370
Orient_adj. (mas) 1991 3 7 0.50 91.25 -0.46 92.29 0.8 94.48
Global 2 using 2.9 Mb. Running time 8.00 Scaling by 1.000 1.00000000
For mstrca.066 GlbF ../glbf/local/h9103080243_strc.glx Chi**2 NP 177 is 0.293
Orient_adj. (mas) 1991 3 8 -1.95 88.15 -3.07 84.33 2.2 91.33
Global 3 using 3.7 Mb. Running time 11.00 Scaling by 1.000 1.00000000
For mgloba.067 GlbF ../glbf/glob1/h9103081159_glob.glr Chi**2 NP 249 is 1.094
Orient_adj. (mas) 1991 3 8 -3.39 86.86 6.81 82.66 -4.2 90.48
Global 4 using 3.0 Mb. Running time 17.00 Scaling by 1.000 1.00000000
For mstrca.067 GlbF ../glbf/local/h9103090243_strc.glx Chi**2 NP 183 is 0.603
Orient_adj. (mas) 1991 3 9 0.91 85.37 -6.22 78.47 -2.3 89.08
Global 5 using 3.8 Mb. Running time 21.00 Scaling by 1.000 1.00000000
For mgloba.068 GlbF ../glbf/glob1/h9103091159_glob.glr Chi**2 NP 258 is 0.902
Orient_adj. (mas) 1991 3 9 1.55 83.62 -4.13 77.46 -8.0 88.43
Global 6 using 2.9 Mb. Running time 26.00 Scaling by 1.000 1.00000000
For mstrca.068 GlbF ../glbf/local/h9103100243_strc.glx Chi**2 NP 168 is 1.110
Orient_adj. (mas) 1991 3 10 1.10 82.96 -5.79 75.64 -11.2 87.87
Global 7 using 3.8 Mb. Running time 30.00 Scaling by 1.000 1.00000000
For mgloba.069 GlbF ../glbf/glob1/h9103101057_glob.glr Chi**2 NP 258 is 0.696

Updating SV ephemeris epoch by 0.0082 years
Global 8 using 3.8 Mb. Running time 36.00 Scaling by 1.000 1.00000000
For mgloba.069 GlbF ../glbf/glob2/h9103101159_glob.glr Chi**2 NP 258 is 0.428
Orient_adj. (mas) 1991 3 10 0.19 81.73 -4.11 74.75 -5.8 84.78
Global 9 using 2.9 Mb. Running time 41.00 Scaling by 1.500 1.00000000
For mstrca.069 GlbF ../glbf/local/h9103110243_strc.glx Chi**2 NP 171 is 0.836
Orient_adj. (mas) 1991 3 11 -0.16 77.23 -4.98 70.60 -6.8 73.90
...
Global 14 using 3.5 Mb. Running time 66.00 Scaling by 1.000 1.00000000
For mgloba.072 GlbF ../glbf/glob2/h9103131057_glob.glr Chi**2 NP 234 is 0.756
Orient_adj. (mas) 1991 3 13 -0.45 75.35 -0.30 66.68 -12.4 72.16

Updating SV ephemeris epoch by 0.0110 years
Global 15 using 3.5 Mb. Running time 71.00 Scaling by 1.000 1.00000000
For mgloba.072 GlbF ../glbf/glob3/h9103131159_glob.glr Chi**2 NP 237 is 0.375
Orient_adj. (mas) 1991 3 13 -4.27 74.06 -1.72 66.06 -4.4 68.84
Global 16 using 2.8 Mb. Running time 76.00 Scaling by 2.000 1.00000000
For mstrca.072 GlbF ../glbf/local/h9103140243_strc.glx Chi**2 NP 162 is 1.687
Orient_adj. (mas) 1991 3 14 -3.56 73.97 -1.19 65.76 -7.9 68.84
...
Global 23 using 3.1 Mb. Running time 109.00 Scaling by 1.000 1.00000000
For mgloba.076 GlbF ../glbf/glob3/h9103171159_glob.glr Chi**2 NP 198 is 1.884
Orient_adj. (mas) 1991 3 17 -2.08 72.17 3.15 62.62 1.0 66.71

```

There are three lines for each h-file used in the solution. The first gives the sequence number, size, run-time, and scale factors for the file. The second line is the most useful for evaluating the solution. It includes the GAMIT m-file name (which includes, conveniently, the day number), the binary h-file name (constructed from the GAMIT file name but with the date given as year, month, day, hour, minute), the number of parameters (NP) and the chi-square increment per degree of freedom when the data are added to the solution. If no tight constraints have been placed on the a priori values of the parameters, the first file should have a small chi-square value. As subsequent data are added, the values will increase to reflect the level of incompatibility between the newly added data and the solution from data previously included (see *Dong et al.*, [1998] for the formulas used and a detailed discussion). An anomalously large chi-square increment in the log file is the most obvious indication that you have included erratic or poorly modeled data in your solution. If this occurs you should either omit the h-file (by commenting it out in the .gdl file) or return to the phase processing to find the source of the problem. If there is a

consistent incompatibility between the global and regional h-files, there may be a model inconsistency between the two analyses (e.g., different antenna heights or antenna phase-center models). The third line gives the adjustment to Earth-orientation parameters as the data are added. The order is x-pole, x-pole sigma, y-pole, y-pole sigma, UT1, UT1 sigma, all in milli-arcseconds (mas). In this example, the uncertainties are all large because we have not yet defined the orientation of the frame (done later with *glorg*), but the adjustments are nevertheless small, indicating that the a priori orientation of the satellite orbits is consistent with the x, y, and UT1 values in the *in\_pmu* file. Whenever the reference epoch of the initial conditions changes, there is an extra line (Updating SV ephemeris..) with the time since the last set of ICs, given in years. Thus the transition to the second arc (epoch 12h on day 70, 3 days or 0.0082 years later than the epoch of the first arc) is indicated by the first line of the next group of h-files:

Note that one of the regional h-files in each of the last two groupings has been downweighted (rescaled) to reflect poor consistency with the rest of the solution. These (approximate) weightings were determined from the nrms values of the GAMIT solutions, the day-to-day repeatability of coordinates (*glred* analysis), and the (*globk*) chi-square increments from an initial (unweighted) combination. In this solution, we have also varied the level of Markov perturbations allowed for individual satellites for specific spans (using an *svs\_marf* file) based on the differences in initial conditions estimated for each day from the global h-files (also in a *glred* analysis). With the h-file rescaling and chosen level of Markov perturbations, we have achieved a near-unity level of chi-square increments for all of the files input to the solution.

The second type of output from the run will be a summary of the final solution, including estimates and uncertainties of the parameters and various representations of these parameters (e.g. baseline components). If you invoke *glorg* from within *globk* to define the reference frame, as suggested in Sections 3.3 and 3.4, then you will get two versions of the solution file—one from the *globk* solution (the *.prt* file in the *globk* command-line arguments) and one from the *glorg* solution (the *.org* file in the *globk* command file). Since the *globk* output (in this scheme) is loosely constrained, only the height and baseline length components have small enough uncertainties to be useful for careful evaluation. Examining the *globk* output is useful mainly if the *glorg* output indicates a problem with the solution and you want to determine if the source is in the data or the constraints. Thus, in this mode, you should normally keep the *globk* output to a minimum (setting no options for *prt\_opt*—see Section 3.1) or suppressing it entirely using *prt\_opt* NOPR. For purposes of illustration, however, we show below some detail of both the *globk* (*prt*) and *glorg* (*org*) outputs:

```
-----
GLOBK Ver 4.16S, Global solution
-----
Solution commenced with: 1991/ 3/ 6 23:59    (1991.1780)
Solution ended with      : 1991/ 3/17 23:59    (1991.2081)
Solution refers to       : 1991/ 3/17 11:59    (1991.2067) [Seconds tag 45.000]
Satellite IC epoch       : 1991/ 3/15 12: 0 0.00
GPS System Information   : Time GPST Frame J2000 Precession IAU76 Radiation model BERNE
Run time                 : 1998/ 4/ 2 9:34 23.00

There were      23 exps from      23 global files in the solution
```

There were 670124 data used, 0 data not used and 670124 data total  
 There were 441 global parameters estimated  
 There were 72 stations, 0 radio sources, and 15 satellites

The prefit chi\*\*2 for 5070 input parameters is 0.902

LIST file : strc91.gdl  
 COMMON file : glob.com  
 MARKOV file : globk\_cmb.cmd  
 GLORG CMD file : glorg.cmd  
 APRIORI file : /data8/rwk/scec\_pre/soln/preland\_nafd.apr  
 NUTATION file :  
 PLANETARY file :  
 SD ORIENT file :  
 PMU file : /data3/tah/tables/vlbi\_84.1\_95.11.dat  
 BACK SOLN file :  
 OUTGLOBAL file : strc91.glx  
 SVS EPHEM file : ../../tables/sat.apr:A  
 SVS MARKOV file : ../gsoln/svs.mar  
 EARTHQUAKE file : /data9/ftp/pub/gps/scec/scec\_eq\_v1.5

There were 205 site renames applied

#	Orig	New	Specific	Period from	----->	To	Position change (m)			Type	
1	WETT_GPS->	WETI_GPS		1987/11/12	0: 0	1989/ 7/23	0: 0	0.0000	0.0000	0.0000	XYZ
2	RIC1_GPS->	RICM_GPS		1989/ 2/ 5	0: 0	1992/12/31	0: 0	0.0000	0.0000	0.0000	XYZ
3	WES1_GPS->	WSFM_GPS		1989/ 2/ 5	0: 0	1999/12/31	0: 0	0.0000	0.0000	0.0000	XYZ
4	TSUK_GPS->	TSU1_GPS		1988/ 7/10	0: 0	1991/12/17	0: 0	0.0000	0.0000	0.0000	XYZ
5	TSU0_GPS->	TSU1_GPS		1989/11/ 9	0: 0	1989/11/28	0: 0	0.0000	0.0000	0.0000	XYZ
...											
204	MAYO_GPS->	MAYR_GPS		1997/ 3/ 3	0: 0	1997/ 3/20	0: 0	0.0000	0.0000	0.0000	XYZ
205	USUD_GPS->	USUD_DUP		1997/ 1/ 6	0: 0	1997/ 8/24	0: 0	0.0000	0.0000	0.0000	XYZ

There were 2 earthquakes

#	CODE	Lat (deg)	Long (deg)	Radius (km)	Depth (km)	Date	Rename?
1	LA	34.4500	243.5000	500.0000	20.0000	1992/ 6/28 12: 0	YES
2	NR	34.2800	241.4400	150.0000	9.7200	1994/ 1/17 12:31	YES

COSEISMIC characteristics

#	CODE	Static sigma			Spatial Sigma (Depth/Dist)^2		
		North	East	Height (m)	North	East	Height (m)
1	LA	1.0000	1.0000	1.0000	1.8000	1.8000	0.7000
2	NR	1.0000	1.0000	1.0000	1.8000	1.8000	0.7000

PRE-SEISMIC characteristics

#	CODE	Dur (days)	Static Process			Spatial Process (Depth/Dist)^2		
			North	East	Height	North	East	Height
1	LA	0.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2	NR	0.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

POST-SEISMIC characteristics

#	CODE	Dur (days)	Static Process			Spatial Process (Depth/Dist)^2		
			North	East	Height	North	East	Height
1	LA	0.0	0.1000	0.1000	0.1000	1.8000	1.8000	0.7000
2	NR	0.0	0.1000	0.1000	0.1000	1.8000	1.8000	0.7000

SITES WITH NO UPDATED APRIORI COORDINATES:

ENDD\_GPS 1109\_GPS SAND\_GPS DS40\_GPS ANKT\_GPS

Summary of Markov file globk\_cmb.cmd

-----

- \* GLOBK command file for combining STRC regionals with multiday orbits
- \* This version uses loose constraints all stations to get output combined file  
make\_svs ../../tables/sat.apr
- \* earthquake and site rename  
eq\_file /data9/ftp/pub/gps/scec/scec\_eq\_v1.5  
com\_file glob.com  
srt\_file glob.srt  
out\_glb strc91.glx
- \* Station apr files  
apr\_file /data8/rwk/scec\_pre/soln/preland\_nafd.apr  
in\_pmu /data3/tah/tables/vlbi\_84.1\_95.11.dat  
max\_chi 100. 10000.

```

desc STRC91 combination with multi-day stochastic orbits
prt_opt CMDS GDLF
* select the stations you want to retain in the solution
* keep all for these solutions
use_site clear all
*Loose here--for combination
apr_neu all 20.0 20.0 20.0 0 0 0
* Markov height for mojm and wetm to accout for 10 cm / 1.5 m height error between GIG ties and strc
* --allow 4 m**2/0.1 yr or 40 m**2/yr
mar_neu mojm 0 0 40 0 0 0
mar_neu wetm 0 0 40 0 0 0
* Estimate translation and scale explicitly -- not needed: see notes 970826
* Loosely constrain all satellite initial condition parameters
*
X Y Z XDOT YDOT ZDOT DRAD YRAD ZRAD BRAD XRAD DCOS DSIN YCOS YSIN BCOS BSIN
apr_svs all 100 100 100 10 10 10 1. 1. F 1.0 F 0.05 0.05 0.05 0.05 0.05 0.05
mar_svs all 3.65 3.65 3.65 .0365 .0365 .0365
mar_rad all .01 .01 .01 .01 .01 .01 .01 .01 .01
svs_marf ../gsoln/svs.mar
* For a small network, constrain EOP with the IERS values to 0.25 mas, 0.1 mas/day
* Network is global but weak, so keep tight constraints
apr_wob 100 100 10 10 0 0
apr_ut1 100 10 0 0 0 0
mar_wob 22.8 22.8 3.65 3.65 0 0 0 0
mar_ut1 22.8 3.65 0 0 0 0
org_cmd glorg.cmd
org_opt CMDS PSUM GDLF
org_out glred.org

```

-----

EXPERIMENT LIST from glob.srt

#	Name	SCALE	Diag	Scale	Status
1	../glbf/glob1/h9103071159_glob.glr	1.000	1.00000000		USED
2	../glbf/local/h9103080243_strc.glx	1.000	1.00000000		USED
...					
22	../glbf/local/h9103170243_strc.glx	1.000	1.00000000		USED
23	../glbf/glob3/h9103171159_glob.glr	1.000	1.00000000		USED

PARAMETER ESTIMATES FROM GLOBK Vers 4.165

#	PARAMETER	Estimate	Adjustment	Sigma				
1.	MADR_GPS X coordinate (m)	4849202.4060	-0.0849	1.3602				
2.	MADR_GPS Y coordinate (m)	-360329.5954	-0.3645	2.0938				
3.	MADR_GPS Z coordinate (m)	4114913.4997	0.4670	1.7218				
Unc.	MADR_GPS	4849202.4060 -360329.5954 4114913.4997	0.0096	0.0219	-0.0034	1991.207	1.3602	
		2.0938 1.7218						
Loc.	MADR_GPS N coordinate (m)	4500553.9009	0.3929	2.2526				
Loc.	MADR_GPS E coordinate (m)	30144706.2943	-0.3698	2.0295				
Loc.	MADR_GPS U coordinate (m)	829.7021	0.2589	0.0746				
	NE,NU,EU position correlations	0.6318	0.1334	0.0530				
...								
43.	BLAC_GPS X coordinate (m)	-2306307.1398	-0.1456	0.4557				
44.	BLAC_GPS Y coordinate (m)	-4787914.6736	-0.3193	0.9200				
45.	BLAC_GPS Z coordinate (m)	3515736.8095	0.3829	1.5413				
Unc.	BLAC_GPS	-2306307.1398 -4787914.6736 3515736.8095	0.0008	0.0107	-0.0045	1991.207	0.4557	
		0.9200 1.5413						
Loc.	BLAC_GPS N coordinate (m)	3747431.5165	0.1242	1.8469				
Loc.	BLAC_GPS E coordinate (m)	22632945.3672	0.0074	0.1222				
Loc.	BLAC_GPS U coordinate (m)	489.9158	0.5043	0.0597				
	NE,NU,EU position correlations	-0.0021	0.1126	-0.0001				
...								
208.	WETM_GPS X coordinate (m)	4075551.8219	-0.6872	1.8916				
209.	WETM_GPS Y coordinate (m)	931825.2518	-0.4090	2.1268				
210.	WETM_GPS Z coordinate (m)	4801588.9993	-0.1141	1.4156				
Unc.	WETM_GPS	4075551.8219 931825.2518 4801588.9993	0.0012	0.0193	-0.0079	1991.207	1.8916	
		2.1268 1.4156						
Loc.	WETM_GPS N coordinate (m)	5470746.8267	0.5011	2.1440				
Loc.	WETM_GPS E coordinate (m)	937807.2799	-0.2456	2.3413				
Loc.	WETM_GPS U coordinate (m)	659.3243	-0.5842	0.1647				
	NE,NU,EU position correlations	0.4957	0.0610	0.0173				
Eph. #IC	91 74 12 0 0	GPST J2000 IAU76 BERNE						
211.	PRN_02 Inert. X (m)	22367188.9177	-0.1123	2.8273				
212.	PRN_02 Inert. Y (m)	9712914.6475	0.2035	6.4919				
213.	PRN_02 Inert. Z (m)	11050733.3763	0.6933	0.3662				
...								



436.	X-pole position	(mas)	-199.2422	-2.0837	72.1698
437.	Y-pole position	(mas)	227.0541	3.1497	62.6152
438.	X-pole rate	(ms/d)	-1.9267	-0.1917	0.1982
439.	Y-pole rate	(ms/d)	3.2171	-0.0188	0.2018
440.	UT1-AT	(mts)	-25551.1550	0.0692	4.4475
441.	UT1-AT rate	(ms/d)	-3.0222	0.0238	0.0733
	Pole/UT1 correlations: XY, XU, YU		0.1664	0.4639	0.2534
	...				

The first part of the file summarizes the input data and commands, including a list of the station renames and earthquakes specified (but not necessarily applied) by the `eq_file`. The renames listed in the example are changes made necessary by inconsistencies between the original (GAMIT) processing and the current solution. We also commonly use this feature to remove a station for one or more days (e.g., `ALGO_GPS -> ALGO_BAD`, where `ALGO_BAD` would be excluded from the solution by the `use_site` command). This section also includes the final chi-square per degree of freedom for the solution before constraints are added. Next, if the `PSUM` print option is set, would be the north, east, and up adjustments to station positions. These are omitted here in the loose `globk` print but are discussed below for the `glorg` print file. Always printed are the parameter adjustments. The coordinate estimates are given both in Cartesian and local representation. Both here and in the station or baseline summary sections, the north and up adjustments are computed conventionally; i. e., north is the product of the adjustment in geodetic latitude by the semi-major axis of the ellipsoid (see `kf/includes/const_param.h` for ellipsoid definition) and up is the adjustment in geodetic height. The east adjustment, however, is unconventional: the adjustment in longitude (measured east from Greenwich) is multiplied by the radius of the small circle at the nearest 1 degree latitude line of the station. This scheme keeps the adjustment in the east value from being affected by changes in latitude. The estimates of orbital and Earth rotation parameters (EOPs) are self-explanatory, but note that in a `globk` solution to combine many days of data, in which new initial conditions and EOPs are estimated for each day, the estimates represent the solution from only the last day and are therefore of limited value. The final sections of the print file express the coordinate estimates in terms of baseline length and components. These appear only if `BLEN` has been set in `prt_opt` and are again omitted in this example.

Shown below is the `glorg` print file for the same run. It begins with a report of application of generalized constraints to establish the reference frame ("stabilization"). Recall that `glorg` is minimizing, in an iterative scheme, the departure from a priori values of the coordinates of a selected set of stations while estimating a rotation and translation of the frame. The first four lines echo the parameters used to decide whether a station is retained at each iteration of the stabilization scheme. The first line indicates that only 50% of the weight for a station may be altered in iteration, thus preventing the ratio of weights from becoming too high. The third line indicates that heights are downweighted by a factor of 10 relative to horizontal coordinates. The second line and the second column of the fourth line indicate that a station is removed if its residual becomes more than 4 times the rms of the fit (after application of relative weights) but not if its residual is within 12 mm (4 times the `Min Position` value of 3 mm). The first column of the fourth line establishes a floor for the ratio tolerance (2.0 here) used to remove a station which has a larger-than-average height uncertainty (see the `cmd_hgtv` command). Height

sigma is used as the primary condition at the first iteration since the horizontal coordinates will not be well determined until after initial stabilization.

STRC91 combination with multi-day stochastic orbits

```
+++++
+ GLORG                               Version 4.04S +
+++++
```

Stabilization with 50.0% constant, 50.0% site dependent weighting.  
Delete sites with 4.0-sigma condition.  
Height variance factor 10.00 Position, 10.00 Velocity  
Min dH sigma Position 0.0050 m; Min Position RMS 0.0030 m  
Min dH sigma Velocity 0.0050 m/yr; Min Velocity RMS 0.0030 m/yr

```
=====
Starting stabilization iteration 1
For 8 sites in origin, min/max height sigma 59.16 87.33 mm; Median 67.11 mm, Tol 7.94 mm
Removing YELL_GPS from origin condition, height sigma 87.33 mm, Ratio Tol 2.000

Position system stabilization results
-----
X Rotation (mas) 6.48985 +- 1.76907 Iter 1
Y Rotation (mas) 5.51514 +- 2.83950 Iter 1
Z Rotation (mas) -2.78903 +- 0.61673 Iter 1
X Translation (m) 0.04711 +- 0.04285 Iter 1
Y Translation (m) -0.40873 +- 0.05498 Iter 1
Z Translation (m) 0.30527 +- 0.04604 Iter 1
Condition Sigmas used 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Sites and relative sigmas used in stabilization
MADR_GPS 1.00 BLAC_GPS 1.00 OCOT_GPS 1.00 MONU_GPS 1.00 PIN2_GPS 1.00 MOJM_GPS 1.00
DRAO_GPS 1.00
For 21 Position Iter 1 Pre RMS 0.1371 m; Post RMS 0.0139 m
=====
```

```
=====
Starting stabilization iteration 2
For 7 sites in origin, min/max height sigma 59.16 76.20 mm; Median 60.01 mm, Tol 5.00 mm
Removing MADR_GPS from origin condition, height sigma 73.96 mm, Ratio Tol 2.000
Removing MOJM_GPS from origin condition, height sigma 73.52 mm, Ratio Tol 2.000
Removing DRAO_GPS from origin condition, height sigma 76.20 mm, Ratio Tol 2.000

Position system stabilization results
-----
X Rotation (mas) 11.06531 +- 20.27055 Iter 2
Y Rotation (mas) 67.38129 +- 23.49500 Iter 2
Z Rotation (mas) -90.01800 +- 28.36285 Iter 2
X Translation (m) 2.14026 +- 0.94660 Iter 2
Y Translation (m) -2.46450 +- 0.58658 Iter 2
Z Translation (m) -1.06836 +- 0.62717 Iter 2
Condition Sigmas used 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Sites and relative sigmas used in stabilization
BLAC_GPS 0.90 OCOT_GPS 0.94 MONU_GPS 0.94 PIN2_GPS 0.90
For 12 Position Iter 2 Pre RMS 0.1181 m; Post RMS 0.0036 m
Rotating into local coordinates for equates
Checking covariance matrix after equate and force
STRC91 combination with multi-day stochastic orbits
=====
```

In this example, we have allowed two iterations of the reference frame solution (there is little harm, and often gain in allowing three or four). There were initially 8 stations specified in the *glorg* *stab\_site* list. Yellowknife (YELL\_GPS) is removed prior to the first solution because the difference between its height uncertainty (87.33 mm) and the median uncertainty (67.11) was more than twice the difference between the median and minimum (59.16 mm) values. With 7 stations remaining, the rms fit is 13.9 mm. At the next iteration, three additional stations—one within California (MOJM) and two outside (MADR and DRAO)—are removed because their heights uncertainties are now more than twice the difference between the median and minimum values. This has reduced the rms

of the fit to 3.6 mm, but the frame is now defined by only four regional stations. This result is not what we desired, and it could have been prevented by setting a value of at least 8 mm for the first argument of the `stab_min` command (since the difference of the height sigmas of these stations and the median is 16 mm and the ratio tolerance is 2.).

Next in the `glorg` print file is a repeat of the files and command used in the `globk` run. In the earthquake list, however, only those used are listed (i.e., those with epochs before the data epoch, none in this case).

```
-----
GLOBK Ver 4.17S, Global solution
-----

Solution commenced with: 1991/ 3/ 6 23:59 (1991.1780)
Solution ended with : 1991/ 3/17 23:59 (1991.2081)
Solution refers to : 1991/ 3/17 11:59 (1991.2067) [Seconds tag 45.000]
Satellite IC epoch : 1991/ 3/15 12: 0 0.00
GPS System Information : Time GPST Frame J2000 Precession IAU76 Radiation model BERNE
Run time : 1998/ 4/ 2 9:34 23.00

There were 23 exps from 23 global files in the solution
There were 670124 data used, 0 data not used and 670124 data total
There were 441 global parameters estimated
There were 72 stations, 0 radio sources, and 15 satellites

The prefit chi**2 for 5070 input parameters is 0.902

LIST file : strc91.gdl
COMMON file : glob.com
MARKOV file : globk_cmb.cmd
GLORG CMD file : glorg.cmd
APRIORI file : /data8/rwk/scec_pre/soln/preland_nafd.apr
APRIORI file :
APRIORI file : /data8/rwk/scec_pre/soln/preland_nafd.apr (glorg)
NUTATION file :
PLANETARY file :
SD ORIENT file :
PMU file : /data3/tah/tables/vlbi_84.1_95.11.dat
BACK SOLN file :
OUTGLOBAL file : strc91.glx
SVS EPHEM file : ../../tables/sat.apr:A
SVS MARKOV file : ../gsoln/svs.mar
EARTHQUAKE file : /data9/ftp/pub/gps/scec/scec_eq_v1.5

There were 205 site renames listed. Renames used are:
# Orig New Specific Period from ----> To Position change (m) Type
6 TSUK_GPS->TSU2_GPS 1991/12/17 0: 0 1993/12/15 0: 0 0.0000 0.0000 0.0000 XYZ
14 DS42_GPS->TIDB_GPS 1989/12/10 0: 0 1999/12/31 0: 0 0.0000 0.0000 0.0000 XYZ
22 JPL1_GPS->JPLM_GPS 1990/ 4/ 2 0: 0 1999/12/31 0: 0 0.0000 0.0000 0.0000 XYZ
...
182 MAYO_GPS->MAYR_GPS 1995/ 2/ 7 0: 0 1995/ 2/20 0: 0 0.0000 0.0000 0.0000 XYZ

There were 2 earthquakes listed. Earthquakes used are:
# CODE Lat (deg) Long (deg) Radius (km) Depth (km) Date Rename?

SITES WITH NO UPDATED APRIORI COORDINATES:
ENDD_GPS 1109_GPS SAND_GPS DS40_GPS ANKT_GPS

Summary of Markov file globk_cmb.cmd
-----
* GLOBK command file for combining STRC regionals with multiday orbits
..
-----

EXPERIMENT LIST from glob.srt
# Name SCALE Diag PPM Forw Chi2 Back Chi2 Status
1 ../glbf/glob1/h9103071159_glob.glr 1.000 0.000 0.375 -1.000 USED
2 ../glbf/local/h9103080243_strc.glx 1.000 0.000 0.293 -1.000 USED
```

```

3 ../glbf/glob1/h9103081159_glob.glr 1.000 0.000 1.077 -1.000 USED
...
23 ../glbf/glob3/h9103171159_glob.glr 1.000 0.000 1.884 -1.000 USED

```

For the *glorg* print we have specified PSUM as an option, so we get a more readable table of the adjustments and uncertainties of the east, north, and up coordinates for each station. This table is the most useful for evaluating the solution and contains the values later extracted by *ensum* (invoked by *sh\_globk\_scatter*) in order to generate statistics and plot station-coordinate repeatabilities. The column marked RHO in the coordinate adjustments (Rne in the baseline component estimates) gives the correlation between the north and east estimates; this is necessary to compute horizontal uncertainty ellipses. As elsewhere in *globk*, the stations are ordered by longitude, so that (usually) nearby stations are grouped together in the list:

```

SUMMARY POSITION ESTIMATES FROM GLOBK Ver 4.17S
Long.   Lat.   dE adj.  dN adj.  dE +-   dN +-   RHO   dH adj.  dH +-   SITE
(deg)   (deg)   (mm)     (mm)     (mm)    (mm)
355.750 40.429  295.7    214.8    120.1   149.2   0.894 -182.4   48.7   MADR_GPS
288.507 42.613    3.3     329.1    13.1    109.0   0.125 -131.4   25.6   WSFM_GPS
279.616 25.614   105.6    308.3    40.5    90.8   0.954   5.2     19.2   RICM_GPS
245.519 62.481 -314.4    44.2     89.4    10.2   -0.468 -180.7   26.9   YELL_GPS
245.519 34.044   313.5   -147.7    5.3     5.9   -0.286  201.7   13.7   ENDD_GPS
245.193 30.931    18.1     3.7     10.9    4.9   0.614   81.4    16.1   SFBC_GPS
244.280 33.664   -2.4     3.5     0.8     1.6   0.128   21.5    2.4   BLAC_GPS*
244.236 33.834   -57.0    47.6    1.3     1.8   -0.104  290.3    7.2   JTRE_GPS
244.204 32.790   -2.3    -1.3     3.2     2.8   -0.438  -27.2    3.1   OCOT_GPS*
243.590 33.039   -49.1    38.9    3.5     2.7   0.123   315.9   12.9   SD16_GPS
243.577 32.892    0.0     2.3     2.7     1.9   -0.043   32.6    3.7   MONU_GPS*
243.569 33.870   -61.0    38.8    1.3     1.6   0.043   281.0    7.6   EDOM_GPS
243.542 33.612    4.5    -4.4     0.9     1.4   -0.527  -26.6    2.9   PINZ_GPS*
243.511 33.839   -60.8    34.3    1.2     1.7   0.016   284.5    6.5   PSAR_GPS
...
18.938 69.663  457.0    159.4   141.2   113.7   0.910  -270.5   50.1   TROM_GPS
12.879 49.145  494.5    202.6   144.6   127.7   0.877 -1082.8  151.8  WETM_GPS

```

The stations marked by an asterisk (\*) are those used in stabilization. Note that since the reference frame stabilization used only stations within California, only stations in this region (longitudes 243–245) have small horizontal uncertainties. Following the position summary is a list of all the parameter adjustments, as in the *globk* print file:

```

PARAMETER ESTIMATES FROM GLOBK Vers 4.17S
#   PARAMETER           Estimate      Adjustment      Sigma
1.  MADR_GPS X coordinate (m)      4849202.2333   -0.2576         0.0881
2.  MADR_GPS Y coordinate (m)     -360328.9148    0.3161         0.1266
3.  MADR_GPS Z coordinate (m)     4114913.0778    0.0451         0.1236
Unc. MADR_GPS 4849202.2333 -360328.9148  4114913.0778  0.0096  0.0219 -0.0034 1991.207  0.0881
0.1266 0.1236
Loc. MADR_GPS N coordinate (m)      4500553.7237    0.2161         0.1492
Loc. MADR_GPS E coordinate (m)     30144706.9592    0.2962         0.1201
Loc. MADR_GPS U coordinate (m)       829.2590       -0.1841         0.0487
NE,NU,EU position correlations      0.8939         0.1922        -0.1166

```

The line beginning with Unc. contains the values of the coordinates for the epoch at which the position and velocity are uncorrelated—the "weighted" midpoint of the data span if there are no a priori constraints applied to the velocity components. In this single-survey solution, in which no velocities are estimated, the values on the Unc. line are the same as the lines above. Note that *grep*'ing on the lines beginning with Unc., and then removing these characters from the output will produce a list of coordinates (and velocities) in the appropriate format for the *apr\_file*. Script *sh\_org2vel* will also generate an *apr\_file* from the *glorg* output.

To illustrate stabilization and the output table obtained when velocities are estimated, we shown below the *glorg* print file for a combination of all of the GPS and VLBI data acquired in southern California, and the coincident global tracking between 1974 and 1997:

```

SCEC 86.5 - 97.5

+++++
+ GLORG                Version 4.04S +
+++++

Stabilization with 50.0% constant, 50.0% site dependent weighting.
Delete sites with 4.0-sigma condition.
Height variance factor 1000.00 Position, 1000.00 Velocity

=====
Starting stabilization iteration 1
For 12 sites in origin, min/max height sigma 107.04 120.55 mm; Median 115.30 mm

Position system stabilization results
-----
X Rotation (mas)      0.56251 +- 0.04259
Y Rotation (mas)      1.27414 +- 0.04574
Z Rotation (mas)     -1.81402 +- 0.04225
X Translation (m)     -0.01197 +- 0.00141
Y Translation (m)     -0.02895 +- 0.00132
Z Translation (m)      0.16177 +- 0.00130
Scale (ppb)           2.02083 +- 3.31595
Condition Sigmas used 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Sites and relative sigmas used in stabilization
MADR_GPS 1.00 ALGO_GPS 1.00 RCMS_GPS 1.00 YELL_GPS 1.00 FAIR_GPS 1.00 KOKB_GPS 1.00
TIDB_GPS 1.00 YAR1_GPS 1.00 TROM_GPS 1.00 WETT_GPS 1.00 ONSA_GPS .00 KOSG_GPS 1.00
For 36 Position Iter 1 Pre RMS 0.0592 m; Post RMS 0.0023 m
Deleting ALGO_GPS Position error 0.0099 m, relative variance 0.43 Nsigma 6.53

For 12 sites in origin, min/max dh/dt sigma 6.61 15.88 mm/yr; Median 11.53 mm/yr

Velocity system stabilization results
-----
X Rotate (mas/yr)     0.95825 +- 0.01261
Y Rotate (mas/yr)     0.98218 +- 0.01355
Z Rotate (mas/yr)     0.14656 +- 0.01251
X Trans (m/yr)        0.01682 +- 0.00042
Y Trans (m/yr)       -0.01377 +- 0.00039
Z Trans (m/yr)       -0.01316 +- 0.00039
Condition Sigmas used 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Sites and relative sigmas used in stabilization
MADR_GPS 1.00 ALGO_GPS 1.00 RCMS_GPS 1.00 YELL_GPS 1.00 FAIR_GPS 1.00 KOKB_GPS 1.00
TIDB_GPS 1.00 YAR1_GPS 1.00 TROM_GPS 1.00 WETT_GPS 1.00 ONSA_GPS 1.00 KOSG_GPS 1.00
For 36 Velocity Iter 1 Pre RMS 0.0143 m/yr; Post RMS 0.0007 m/yr
Deleting ALGO_GPS Velocity error 0.0026 m/yr, relative variance 0.55 Nsigma 5.07

=====
Starting stabilization iteration 2
For 11 sites in origin, min/max height sigma 107.04 120.55 mm; Median 116.08 mm

Position system stabilization results
-----
X Rotation (mas)      0.55654 +- 0.03806
Y Rotation (mas)      1.24449 +- 0.04249
Z Rotation (mas)     -1.75096 +- 0.03390
X Translation (m)     -0.01094 +- 0.00131
Y Translation (m)     -0.02846 +- 0.00118
Z Translation (m)      0.16182 +- 0.00105
Scale (ppb)           3.90049 +- 2.62134
Condition Sigmas used 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Sites and relative sigmas used in stabilization
MADR_GPS 1.12 RCMS_GPS 1.19 YELL_GPS 0.63 FAIR_GPS 0.94 KOKB_GPS 0.76 TIDB_GPS 1.25

```

```

YAR1_GPS 1.21 TROM_GPS 1.13 WETT_GPS 1.12 ONSA_GPS 0.78 KOSG_GPS 0.93
For 33 Position Iter 2 Pre RMS 0.0599 m; Post RMS 0.0019 m

For 11 sites in origin, min/max dh/dt sigma 6.60 15.88 mm/yr; Median 11.67 mm/yr

```

#### Velocity system stabilization results

```

-----
X Rotate (mas/yr) 0.95797 +- 0.01208
Y Rotate (mas/yr) 0.97666 +- 0.01353
Z Rotate (mas/yr) 0.13164 +- 0.01101
X Trans (m/yr) 0.01652 +- 0.00042
Y Trans (m/yr) -0.01376 +- 0.00037
Z Trans (m/yr) -0.01299 +- 0.00034
Condition Sigmas used 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Sites and relative sigmas used in stabilization
MADR_GPS 1.06 RCM5_GPS 1.09 YELL_GPS 0.73 FAIR_GPS 0.97 KOKB_GPS 0.84 TIDB_GPS 1.24
YAR1_GPS 1.21 TROM_GPS 1.07 WETT_GPS 1.06 ONSA_GPS 0.86 KOSG_GPS 0.98
For 33 Velocity Iter 2 Pre RMS 0.0131 m/yr; Post RMS 0.0006 m/yr

```

In this solution we have defined the reference frame using 11 global stations for which we have GPS and/or VLBI data over much of the period covered. When we are estimating velocities, the position results are of secondary importance (and don't affect the velocity estimates very strongly; see *Feigl et al.* [1993]). The 3-dimensional (with vertical downweighted) rms of the velocity residuals of the 11 stations (essentially the 22 horizontal components) with respect to ITRF96 is 0.6 mm/yr, an excellent fit. The stabilization wrms and nrms for each component is given as part of the velocity and position summaries farther down in the file. With recent data from the 20–50 IGS core stations, you should be able to obtain a fit at the level of less than 1 mm/yr in horizontal velocity and 2–7 mm for position with appropriate selection of stations and editing of the quasi-observations.

For this solution we have equated the horizontal velocities of most of the collocated GPS and VLBI stations. The list of chi-square increments from applying each equate gives you a good idea of where in your data set there are inconsistencies:

#### Rotating into local coordinates for equates

```

Equating parameters: 384 Equates to be applied
# Sigma dChi**2 List of parameters
1: 0.02000 0.00 FTOR7266 NP FTOR_GPS NP
2: 0.02000 0.30 FTOR7266 EP FTOR_GPS EP
...
217: 0.00000 0.37 BLKB7269 ND BLAC_GPS ND
218: 0.00000 0.42 BLKB7269 ED BLAC_GPS ED
219: 0.00000 0.42 BLAC_GPS ND BLAC_GLA ND
220: 0.00000 3.57 BLAC_GPS ED BLAC_GLA ED
...
383: 0.00000 18.61 OVRO_130 ND OVRO_GPS ND
384: 0.00000 0.01 OVRO_130 ED OVRO_GPS ED
Total change in Chi**2/f is 2.19 for 384 equates, and 392 conditions
Solution chi**2/f now 0.44 with 2228 degrees of freedom
Checking covariance matrix after equate and force
SCEC 86.5 - 97.5

```

If an equate is used to tie together the velocity of two stations, one of which has only one epoch of observations (as, e.g., a renamed station after an earthquake), then the chi-square increment will always be small. If there are two stations, each with a long span of independent data, as for example the Owens Valley VLBI (OVRO\_130) and GPS (OVRO\_GPS) stations in this solution, the chi-square increment may be large and indicates

the level of inconsistency between the two data sets. The small chi-square increment for the equating of the Black Butte VLBI (BLKB7209) and GPS (BLAC\_GPS) stations indicates that the estimates are consistent (though the GPS estimate in this solution is relatively weak). There is an apparent inconsistency between the pre-Landers velocity (now representing both the VLBI and GPS data) and the velocity estimated from only post-Landers GPS data (BLAC\_GLA, renamed from BLAC\_GPS automatically as a result of the eq\_def command). At the bottom of the equate list is the chi-square per degree of freedom for the solution after the equates have been applied. If your noise model is correct, this value should be close to unity.

The next section of the print file is again the globk solution summary:

```
-----
GLOBK Ver 4.16S, Global solution
-----

Solution commenced with: 1980/ 4/12 16:20   (1980.2811)
Solution ended with      : 1997/ 8/23 23:58   (1997.6434)
Solution refers to       : 1992/ 5/28 18:22   (1992.4073) [Seconds tag  8.000]
Satellite IC epoch       : 1992/ 5/26 20:30   7.00
GPS System Information : Time GPST Frame J2000 Precession IAU76 Radiation model BERNE
Run time                  : 1998/ 4/21 14: 9 53.00

There were      4090 exps from          3 global files in the solution
There were 101934748 data used,  353912 data not used and 102288660 data total
There were      2778 global parameters estimated
There were    499 stations,  481 radio sources, and   32 satellites

The prefit chi**2 for  2228 input parameters is    0.444

LIST file      : combined.gdl
COMMON file    : combined.com
MARKOV file    : globk_vel.cmd
GLORG CMD file : glorg_vel.cmd
APRIORI file   : scec_nafd.apr
APRIORI file   :
APRIORI file   : scec_nafd.apr (glorg)
NUTATION file  :
PLANETARY file :
SD ORIENT file :
PMU file       :
BACK SOLN file :
OUTGLOBAL file :
SVS EPHEM file :
SVS MARKOV file:
EARTHQUAKE file: scec_eq_v1.5

There were 210 site renames applied
#  Orig  New  Specific Period from  ---->  To  Position change (m)  Type
1  WETT_GPS->WETI_GPS  1987/11/12 0: 0  1989/ 7/23 0: 0  0.0000  0.0000  0.0000 XYZ
2  RIC1_GPS->RICM_GPS  1989/ 2/ 5 0: 0  1992/12/31 0: 0  0.0000  0.0000  0.0000 XYZ
...
210 USUD_GPS->USUD_DUP  1997/ 1/ 6 0: 0  1997/ 8/24 0: 0  0.0000  0.0000  0.0000 XYZ

There were 3 earthquakes
#  CODE  Lat (deg)  Long (deg)  Radius (km)  Depth (km)  Date  Rename?
1  JT     33.9600   243.7000   60.0000     14.4000  1992/ 4/23 4:50  YES
2  LA     34.4500   243.5000   500.0000    20.0000  1992/ 6/28 12: 0  YES
3  NR     34.2800   241.4400   150.0000     9.7200  1994/ 1/17 12:31  YES

COSEISMIC characteristics
#  CODE  Static sigma  Spatial Sigma (Depth/Dist)^2
      North  East  Height (m)  North  East  Height (m)
1  JT    0.1000  0.1000  0.1000    0.1000  0.1000  0.1000
2  LA    1.0000  1.0000  1.0000    1.8000  1.8000  0.7000
3  NR    1.0000  1.0000  1.0000    1.8000  1.8000  0.7000
```

## PRE-SEISMIC characteristics

#	CODE	Dur (days)	Static Process			Spatial Process (Depth/Dist) <sup>2</sup>		
			North	East	Height	North	East	Height
			(mm <sup>2</sup> /day)			(mm <sup>2</sup> /day)		
1	JT	0.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2	LA	0.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
3	NR	0.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

## POST-SEISMIC characteristics

#	CODE	Dur (days)	Static Process			Spatial Process (Depth/Dist) <sup>2</sup>		
			North	East	Height	North	East	Height
			(mm <sup>2</sup> /day)			(mm <sup>2</sup> /day)		
1	JT	0.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2	LA	0.0	0.1000	0.1000	0.1000	1.8000	1.8000	0.7000
3	NR	0.0	0.1000	0.1000	0.1000	1.8000	1.8000	0.7000

## SITES WITH NO UPDATED APRIORI COORDINATES:

HOFN7635	AZOR7609	FORTLEZA	OHIGGINS	SC-VLBA	HN-VLBA	GGA07108	NRA085_1	NRA085WV	VLBA85WV
WIDE85_3	WIDE85WV	NL-VLBA	MILE7038	LA-VLBA	KP-VLBA	YLOW7296	BORD_GLA	ONYX_GLA	MOJAVLBA
MOJAVE1B	MATH_BLA	OV-VLBA	OV-VLBA	USC1_GLA	OVR_7853	BR-VLBA	VNDN72LP	FORD72LP	PRES72LP
PTR_72LP	WHTH72GA	YAK_72GA	SOUR72GA	MK-VLBA	KOKEE	MIZNA010	NOBEY_6M	USSURISK	CRIMEA
NOT_VLAT	KARL7632	MV2ONSLA	ONSALA85	NYALES20	HOHN7630	TOUL7608			

## Summary of Markov file globk\_vel.cmd

```

* Globk command file for pre- and post-Landers combination velocities
* last modified by rwk 980416
*
eq_file sceceq_v1.5
com_file @.com
srt_file @.srt
srt_dir -1
sol_file @.sol
apr_file scece_nafd.apr
desc SCEC 86.5 - 97.5
prt_opt cmds psum vsum gdlf eras
max_chi 30 25 2000.0
* sites to use pre-selected in pre- and post- solutions
use_site clear all
* remove problematic, poorly determined sites, and redundant sites
use_site -herx -wetx -trox -madx -golx -tmgx -citx -city -clay -hary
...
use_site -hale7120 -ussurisk -urumqi -mets7601 -not_vlat -mv20nsla -onsala85 -nyales20 -hohn7600 -
grse7605 -toul7608
*Allow the network to be loose
apr_neu all 10 10 10 10 10 10
org_cmd glorg_vel.cmd
org_opt CMDS PSUM VSUM GDLF ERAS
orout globk_vel.org

```

## EXPERIMENT LIST from combined.srt

#	Name	SCALE	Diag	Scale	Status
1	/data30/simon/scece_post/soln/SCEC_POST.GLX	1.000	1.00000000	USED	
2	/data11/tah/soln/vlbi_9501.RED.GLB	1.000	1.00000000	USED	
3	/data8/rwk/scece_pre/soln/SCEC_PRE.GLX	1.000	1.00000000	USED	

The experiment list here gives an example of intermediate combination of h-files and also the use of inverse sorting (`srt_dir -1`). The first file listed has all of the GPS data after the Landers earthquake (i.e., 1992.5–1998.0); the second the VLBI data (1980.0–1994.5; and the third, the GPS data prior to Landers (1986.4–1992.5). We stacked them in reverse time order so that the strongest data would be accumulated first, a procedure that enhances numerical stability. When velocities are estimated, their summary table appears first in the output of results:



## SUMMARY VELOCITY ESTIMATES FROM GLOBK Ver 4.16S

Long. (deg)	Lat. (deg)	E & N Rate (mm/yr)		E & N Adj. (mm/yr)		E & N +- (mm/yr)			RHO	H Rate (mm/yr)	H adj.	+-	SITE
355.751	40.429	21.66	-7.32	-0.89	0.37	0.23	0.23	-0.135		-0.70	-4.55	13.02	ROBLED32
355.750	40.429	21.66	-7.33	-0.89	0.36	0.23	0.23	-0.138		2.03	-1.81	9.08	MADR_GPS*
355.749	40.427	21.66	-7.34	-0.89	0.35	0.23	0.23	-0.139		4.66	0.82	1.06	DSS65
...													
288.512	42.623	1.24	-1.42	0.10	0.44	0.17	0.16	0.138		0.47	1.87	0.24	HAYSTACK
288.512	42.623	1.24	-1.39	0.10	0.47	0.17	0.35	0.064		-8.94	-7.54	93.44	HAYS_GPS
288.507	42.613	1.23	-1.45	0.10	0.41	0.17	0.35	0.064		10.09	11.49	92.78	WSFM_GPS
288.507	42.613	1.23	-1.42	0.10	0.45	0.17	0.36	0.062		-1.07	0.33	96.41	WSFD_GPS
288.506	42.613	1.23	-1.42	0.10	0.44	0.17	0.16	0.138		0.27	1.67	0.23	WESTFORD
...													
244.280	33.664	-3.81	-0.06	0.15	-1.91	0.50	0.55	-0.097		2.95	13.77	7.06	BLKB7269
244.280	33.664	-3.81	0.03	0.15	-1.82	0.50	0.62	-0.086		-25.05	-14.23	91.02	BLAC_GPS
244.280	33.664	-3.81	-0.04	0.15	-1.88	0.50	0.55	-0.097		-4.61	6.21	19.68	BLAC_GLA
...													
5.810	52.178	17.74	-8.02	0.12	-0.26	0.31	0.24	-0.001		0.63	-0.15	8.18	KOSG_GPS*
1.483	43.559	77.45	64.52	77.45	64.52	368.26	367.15	0.007		14.47	14.47	374.41	TOUL7608

The E & N Rate and E & N Adj. columns give, respectively, the total horizontal velocity in the defined frame and the adjustments from the a priori values. If the plate or assign\_p commands have been used, however, the adjustment columns no longer give the adjustments with respect to the values (frame) of the apr\_file, but rather residuals with respect to the plate defined for that site.

## SUMMARY POSITION ESTIMATES FROM GLOBK Ver 4.16S

Long. (deg)	Lat. (deg)	dE adj. (mm)	dN adj. (mm)	dE +- (mm)	dN +- (mm)	RHO	dH adj. (mm)	dH +- (mm)	SITE
355.751	40.429	-26.9	14.5	13.7	13.5	-0.003	7.6	109.5	ROBLED32
355.750	40.429	1.2	-1.5	1.5	1.3	0.023	7.6	44.7	MADR_GPS*
355.749	40.427	14.4	-11.7	13.5	13.4	0.013	-10.9	14.0	DSS65
...									
288.512	42.623	7.2	-3.7	10.2	10.0	-0.007	-13.3	13.4	HAYSTACK
288.512	42.623	290.2	152.4	34.8	22.1	0.196	-859.2	829.6	HAYS_GPS
288.507	42.613	43.6	11.9	3.8	2.3	0.052	-2.0	17.7	WSFM_GPS
288.507	42.613	100.5	46.8	21.8	15.3	-0.172	-343.2	970.4	WSFD_GPS
288.506	42.613	5.7	-3.7	10.2	10.0	-0.007	-5.4	13.4	WESTFORD
...									
244.280	33.664	-2.8	-12.6	1001.6	1001.6	0.000	74.1	1001.1	BLKB7269
244.280	33.664	62.2	-27.8	2.9	2.0	0.023	-81.4	130.6	BLAC_GPS
244.280	33.664	100.6	-43.7	2.7	2.8	-0.052	67.4	98.3	BLAC_GLA
...									
5.810	52.178	-1.7	0.8	1.2	0.9	-0.002	20.0	33.6	KOSG_GPS*
1.483	43.559	-681.0	244.6	21.6	21.4	0.014	-14.3	28.9	TOUL7608

The small adjustments ( $< 0.5$  mm/yr) away from the a priori (ITRF96) values for the Westford/Haystack stations, which were not used in stabilization, is a comforting check on the reference frame and the solution as a whole. Note that all of the stations for which horizontal velocities were equated have the same adjustments and estimated values. If this is not true, then most likely you have failed to make the a priori values of velocity the same in the apr\_file.

In this multiyear solution we have allowed the heights of some of the stations to be stochastic in order to render the estimates of horizontal positions and velocities insensitive to blunders in recording the heights of antennas. This causes the sigmas on height rates to be large ( $\sim 90$  mm/yr in the example). Allowing stochastic heights compromises your ability to detect problems in the solution but does not weaken significantly the estimates of horizontal positions and velocities. It should be avoided if possible but used if necessary. Downweighting the heights at the offending epochs using the sig\_neu command is a more robust alternative to stochastic noise.

### 3.6 Error messages

#### *globk/glred error messages*

Several categories of error messages are generated by *globk*. The first are system errors associated with missing or incorrectly formatted files. These have the form

```
GLOBK/update_glorg_apr: IOSTAT error opening file /data1/sites/itr96.apr ERROR 1018
```

and can usually be traced to an incorrect path or filename in the command file.

The second type of error results from the inability of the program to decode an entry in the command file; e.g.,

```
GLOBK/multiread: IOSTAT error decoding file apr_wob 100 100 10 10 0 0 ERROR -1
```

This highly generic message generated by *multiread* can indicate a misspelling of the command, a station mentioned in the command not being present in the solution, or an unexpectedly short list of tokens. In the example, shown the problem is the last of these—the *apr\_wob* command requires 8 arguments and has only 6. In this case, no harm is done since the last two are unused and can be ignored. In some cases, there are traps coded that prevent the *multiread* message from occurring. For example, if you do not include a priori constraints for all the possible radiation pressure parameters (9) in the *apr\_svs* or *mar\_svs* command, *globk* recognizes that you might have entered them separately with the *apr\_rad* or *mar\_rad* commands:

```
**WARNING** 11 arguments missing from MAR_SVS command. OK if MAR_RAD used
**WARNING** 2 arguments missing from APR_RAD command. OK if APR_SVS used
```

All of the errors mentioned so far are most likely to occur at the beginning of a run, when *globk* scans the command file and the input h-files. One other potential problem can also be detected at this stage—a station included in the h-files for which you have no entry in the *apr\_file*:

```
**WARNING** ENDD_GPS not in apr_files
```

If a station is missing from the *apr\_file*, *globk* will use a priori values of the coordinates those on the first h-file, so this message need not cause alarm. However, if you plan to equate adjustments of the coordinates or velocities with those of another station, or use the station in *glorg* to define the reference frame, then you should make sure that the *apr\_file* has correct and matching entries for the station(s).

Once the filtering of the data has started, there are warnings, sometimes accompanied by action, whenever the h-file being read is inconsistent with the Kalman filter estimates up to that point or with the a priori values of the parameters. Before adding the new data, *globk* first compares the estimated values of the parameters in the h-file with the a priori.

If they differ by more than the tolerance set by the second argument of `max_chi_i` (see Section 3.1), *globk* will print a message of the form

```
BAD PREFIT coordinates for site HART_GPS Diffs from apriori  -14.911  7.236  -2.139 m
```

This usually means that the value in the `apr_file` is wrong. If the differences are of order tens of meters and the coordinates are not being constrained or used in *glogr* for stabilization of the reference frame, then no harm may be done. It's a good idea to update the coordinates in the `apr_file`, however, from the results of your solution. A similar message can be generated for Earth orientation values, indicating an error in the `in_pmu` table. An example is

```
BAD PREFIT EOP parameter LOD      Difference from apriori  -5996.46536
```

With the new scheme of generating a priori values for the satellite parameters directly from the h-files (`make_svs` command), you should never get a warning about inconsistencies in the orbital parameters.

After checking for parameter consistency, *globk* calculates a (3-parameter) rotation between the coordinates on the h-file (estimated by GAMIT) and the coordinates of the running solution. If the rotation is smaller than the tolerance given by the third argument of `max_chi_i`, *globk* will apply a rotation to the h-file values to make them consistent with the solution. If the difference is too large, however, the rotation will not be applied. The warning messages are

```
Large Rotation removed: Input EOP estimates  204.192  -87088.429  -417.227 (Xp,Yp,UT mas)
                        dPosition estimates 42249.248  221.837  143786.203 (Xp,Yp,UT mas)
Rotation T00 Large removing. Tolerance  10000.00 mas
Rots (XYZ, mas)  87088.29 -41823.63-144732.24 Trans (m)  20.472976-20.499412 -9.428049
Large Rotation removed: Input EOP estimates -86884.236 87088.288 41832.021 (Xp,Yp,UT mas)
                        dPosition estimates -41823.627 144008.041 -144732.244 (Xp,Yp,UT mas)
```

Finally, after checking parameters and applying (or not) a rotation, *globk* computes the chi-square increment that would occur if the data from the new h-file were added to the solution. If this value exceeds the tolerance given by the first `max_chi_i` argument, the data are not included. This feature allows the solution to continue uncorrupted by outliers among the input h-files. The warning message has the form

```
GLOBK/glfor: Not used chi**2 increment too large (Name ../glbf/h9103081159_glob.glr)
```

The large chi-square increment indicates either a problem with your primary-data solution (e.g., from GAMIT) or an overly tight constraint on one or more of the input parameters. If the *globk* solution has been run with loose constraints on all of the parameters (as you would do, for example, if you are combining global and regional h-files), then the problem must be with the data. If, on the other hand, you have constrained either the station coordinates or orbits, then these constraints may be too tight. To isolate the problem, try repeating the run first with the `apr_file` command commented out (forcing *globk* to use the values on the h-files themselves) and then with

the `apr_svs` and `mar_svs` command commented out, making the orbits effectively loose. You can also check the adjustments to coordinates and orbits in the print file from the original solution to see which station(s) or satellite(s) is causing the problem.

As a general warning, Kalman filters are notorious for rounding error, and the particular formulation used in *globk* is among the worst. (The motivation for the choice of form used was driven by the ease of vectoring the computations. On the original computer on which *globk* was developed this was critical for generating timely solutions.) The effects of rounding error can be greatly minimized by not underconstraining parameters (i.e., do not make the uncertainties of the a priori values of the parameters too large). As discussed in *Herring et al.* [1990] and *Dong et al.* [1998], when a priori constraints are applied, the critical quantity is the ratio of the a posteriori to a priori variances of a parameter estimate. The error in adjustment to a parameter value due to the constraint is given approximately by the adjustment times this variance ratio if the correlations among the parameters are small. Thus, if station position is determined to 0.01 m and the a priori constraint was 10 m, then the error in the adjustment due to the constraint is approximately  $10^{-6}$  times the adjustment. Thus even a kilometer error in the a priori position will only bias the estimate by 1 mm in this case. In practice, the sensitivity is somewhat larger due to correlations, but is probably bounded at  $n$  times larger, where  $n$  is the number of parameters estimated. The easiest way to assess the effects is just to apply different constraints and see what happens. Files containing a priori values can also be updated if the adjustments are large.

### ***glorg error messages***

Error messages are usually associated with not finding files. If a `VREAD -1` (premature end-of-file found) error occurs it usually means that either *globk* did not complete successfully or that the file containing the solution has been overwritten by another solution.

Like *globk*, the *glorg* command interpreter will issue a generic warning whenever it does not understand a command, and again this can occur because of a misspelling, missing station, or too few tokens. The most situation is a command file with equates or renames for stations that are not present in the current data set. This situation will be noted by the message

```
** Error decoding parameter token MONP      . Either non-existent station or parameter
** Error decoding parameter token NPOS     . Either non-existent station or parameter
```

#### 4. RAPID PROTOTYPING OF GLOBK SOLUTIONS

Recently tools have been developed that allow rapid testing of GLOBK solutions using approximate methods that are much faster than GLOBK itself (mainly due to not using full covariance matrices). Analyses of 1000 stations with data spanning a decade can be carried out in a few minutes, thus allowing many iterations for setting up and testing the solutions. There are two new programs that are used for prototyping solutions are:

- (1) *tscon* which converts a variety of data formats into the PBO .pos format while allowing a new reference frame realization using techniques similar to *glorg* stabilization.
- (2) *tsfit* which fits time series with a variety of models some of which can be specified in a GLOBK eq-file format.

The general idea of the solution prototyping is to generate an earthquake file and a list of stabilization sites that can be used in both velocity and time series analysis in *globk* and *glred* runs. *Tsfit* can also be used to generate apriori coordinate files for use in *tscon* and *globk/glred*. Both *tscon* and *tsfit* can read standard *globk* earthquake and apriori coordinate files (including EXTENDED entries). The programs do not manipulate covariance matrices, so it assumed that an initial time-series solution exists with stabilized coordinates (i.e., the output of a *glred* run with stabilization).

To use these new programs, the basic sequence is to first run *glred/glorg* to generate time series with the PBO print option set. This solution might for example use ITRF2008 sites for stabilization, or for more regionally focused networks, *globk* might be used for a velocity solution and the good sites from this analysis used as the stabilization sites in the *glred /glorg* run. There is a "catch-22" here in that knowing which sites are well behaved requires generating time series first, so these approaches tend to be iterative with the list of good sites being determined from their behavior in different analyses. Once the initial time-series are generated, *tscon* can be used to generate new time-series with different stabilization sites and with different apriori coordinate models than those used in the original run. Analyses of these time series can be carried out using *tsfit* to estimate new apriori coordinate models and additional parameters associated with seasonal variations, earthquake post-seismic deformations and jumps in the time series due to antenna and the instrument changes and earthquakes. The statistics of the fits to the time series are generated by *tsfit* and used to judge the quality of the analyses. The summary file output by *tsfit* can be used in *sh\_gen\_stats* with the `-ts` option. Removal of outlier data using an n-sigma condition can also be preformed by *tsfit* with the output in standard eq-file format. The new coordinate apriori files from *tsfit* can be used in a new reference frame realization using *tscon*. Finally the newly generated time series can be used to refine the analysis more using *tsfit*. Iterating the reference frame in this manner could lead to some systematic behaviors and it is ideally best to generate the reference frame with a *globk/glorg* solution.

At the completion of the *tscon/tsfit* process, there should be available an earthquake file that contains earthquakes, renames for offsets and editing (renames to \_XPS), and an

apriori coordinate file with optional EXTENDED entries that should provide a good match to the behavior of the time series. A refined list of reference frame sites and process noise models may also have been generated. The earthquake and apriori file and other information can be used in an updated *globk* velocity solution or in *glred* repeatability time series run. These final *globk* and *glred* analyses should run with no major problems and would be used to generate final results.

### ***tscon program notes***

The program *tscon* is used to convert time series acquired from other groups to the PBO .pos format used for time series analysis by *tsview*, *tssum*, and *ts\_plot.py*. It also allows conversion and refinement of the original reference frame via a 're-stabilization'. Input format currently accepted are 'XYZ' files generated for the REASON project by JPL and SIO, csv files generated by SCEC for earthquake simulation, and PBO csv files. There is utility program *xyzsave* that can be used to produce XYZ-file for *tscon* from one or more *glred/glogr* print file if you have failed to set the PBO print option in running GLOBK. *Tscon* assumes that the position time series are reported at regular 1-day intervals; missing days are ok, but not a sub-daily shift in the epochs of the values. (If the PBO print option was set, *tssum* can be used to extract the PBO lines from the prt/org files.)

The command line for *tscon* is:

```
tscon <dir> <prod_id> <cmd file> <files/file-with-list>
```

where

<dir> is the directory to put the time series files in.

<prod\_id> is product id with the form cen.series\_frame.type, where cen is a 3-character name of the center generating the time series (e.g. jpl or sio) or a special product code (e.g. aug for Augustine volcano), series denotes the orbits (rapid or final), frame is a 5-character name for the reference frame (e.g. frame, igs05, snf01), and type is 5- to 9-character extent describing the solution (maybe omitted or be the same as series.) Examples are jpl.final\_frame, pbo\_final\_snf01.suppl.

<cmd file> is name of command file to allow frame realization. Optional, use '' if no command file. (If no command file is given, the files are simply converted to pbo-format.)

<files/file-with-list> is one or more input files ( wildcards allowed), or a the name of a single file ending in .lst containing a list of files. As with gdl-files, # or \* in column 1 of the lst file denotes a comment. Only three types of files are currently allowed:

- (1) POS-files are standard PBO time series positions files generated with *tssum* from *glogr* output with the PBO print option, assumed to end in .pos
- (2) XYZ files, which are assumed to have names of the form *aaaaRaw.xyz* where *aaaa* is the 4- character site code
- (3) csv (comma-separated) files of the type generated by PBO or SCEC, giving reference positions, adjustments, and possibly uncertainties, assumed to end in .cvs. PBO has positions, dN, dE dU and sigmas; SCEC has dE dN dU and no sigmas.

The output files will be named with the PROD\_ID plus the extent .pos.

Summary of commands:

```
eq_file <file name> (maybe issued mutliple times)
apr_file <apriori coordinate file> (may be issued multiple times)
stab_site <list of stablization sites> (multiple times)
pos_org <xtran> <ytran> <ztran> <xrot> <yrot> <zrot> <scale>
stab_ite [# iterations] [Site Relative weight] [n-sigma]
stab_min [dHsig min pos] [dNEsig min pos]
cnd_hgtv [Height variance] [Sigma ratio]
time_range [Start] [End] (each in the form YYYY MM DD HH MM)
```

Description of *tscon* commands (similar to *glorg*; non-blank column1 denotes a comment)

```
eq-file <file name>
```

Standard eq-file for *globk* with earthquake definitions and site renames for breaks and for deleting data (\_XPS and \_XCL). As in GLOBK, may be issued multiple times.

```
apr_file <apriori coordinate file>
```

Standard *globk* a priori coordinates file with EXTENDED lines. As in *globk* may be given multiple times.

```
stab_site <list of stablization sites> List of sites to be used in the stabilization.
Only 4-character codes can be used and these will match all forms of a station name.
This form may be used multiple time; however, the restricted forms
```

```
stab_site +NAME R <start Y M D H M> <end Y M D H M>
stab_site -NAME R <start Y M D H M> <end Y M D H M>
```

used to include or exclude sites during the specified spans can only be used once per site in *tscon* (but multiple times in *glorg*).

```
pos_org <xtran> <ytran> <ztran> <xrot> <yrot> <zrot> <scale>
```

specifies the parameters to be estimated (same as *glorg*).

```
stab_site [# iterations] [Site Relative weight] [n-sigma]
```

specifies the number of iterations to be performed and the n-sigma editing condition to be used to determine if a site should be deleted from the stabilization list. Site relative weight is not used (in *glorg*, it sets the ratio of constant to site dependent weight; since the sigmas are already known here, this parameter is not meaningful).

```
stab_min [dHsig min pos] [dNEsig min pos]
```

Sets the minimum sigmas to be used in deciding if a site's sigmas are too large to be included in the stabilization (see *cnd\_hgtv* below)

`cnd_hgtv` [Height variance] [Sigma ratio]

Sets the height variance relative to horizontal variances in estimating the transformation parameters. When the height variance is set large, potentially large errors in the vertical component will have little effect on the determination of the transformation parameters. Sigma ratio is the multiplier of median-best sigma difference used to decide if the sigma of a site position is too large for the site to be used in the stabilization.

`time_range` [Start] [End] (each in the form YYYY MM DD HH MM)

Allows the time range of data to be specified. The new time series have only this duration of data in them. NOTE: These times need to match the central epochs of the timeseries entries to within a few minutes. For normal processing, this means HH MM are 12 00.

### ***tsfit program notes***

*Tsfit* is a program to fit times series to a variety of parameters (steps, linear rates, sinusoids, and exponentials). The program reads a PBO-format input file, a command file, and an GLOBK eq-file containing site renames for earthquakes and other discontinuities. The outputs are a summary file with estimates and statistics and (optionally) apr- and eq-files that may be input to GLOBK.

The command line is

```
tsfit <cmd file> <summary file> <list of files/file containing list>
```

The string NONE may be substituted for the name of the command file if you have no eq-file and wish to estimate only linear rates. As with *tscn*, the last entry may be one or more files or a file containing a list of files.

`eq_file` <File Name>

Name of a *globk* earthquake file. This file can contain `eq_exp` commands to estimate exponential decay after earthquakes (This form is not part of standard the *globk* earthquake file.). Editing (through `_XPS` and `_XCL` renames) and breaks are implemented. Complete renaming of site such that the lead 4-character code is changed is not implemented. Unlike the current version of *globk*, this command may be issued multiple times to read more than one eq-file.

`periodic` <Period>

commands *tsfit* to estimates sine and cosine terms with the period specified in days. This command may be issued multiple times to estimate signals with different periods.

`nsigma` <nsigma limit>

Edit the time series based on a n-sigma condition.

`max_sigma` <Sig N> <Sig E> <Sig U> meters

Allows limit to be set on sigma of data included in the solutions. Default values are 0.1 in all three coordinates.



`time_range [Start] [End]` (each in the form YYYY MM DD HH MM)

limits the time range of data to be considered; the end date is optional.

`detroot <det_root>`

String used to name the files generate with parameter estimates, statistics, and editing reports for each site (one file per site); default is `ts_`. Use `[dir]/det_root` to have the files written into a sub-directory; NONE (upper case) to suppress altogether the writing of these files.

`rep_edits <rename file>`

Set to have site edits (rename commands) written into a single file for use in *globk* (in addition to the site-dependent files generated with the `det_root` command.)

`real_sigma`

Apply the *tsview/ensum* realistic-sigma algorithm to generate statistics needed needed to account for temporal correlations in the data and write them into the summary file, which can be input to *sh\_gen\_stats*

`velfile <vel file name>`

Name of an output file containing velocity estimates in the standard *globk* velocity file format.

`out_aprf <file name>`

Specifies name of a *globk* a priori coordinate file to be generated from the fits. This file contains EXTENDED entries if needed and can be used directly in *globk* or *tscon*.

`out_eqroot <root for Earthquake files> <out days>`

Specifies the root part of the name for an output file containing estimates of offsets, and exponential- and/or logarithmic-decay coefficients for earthquakes specified in the eq-file. If the `<out days>` argument is included the total post-seismic motion is computed that many days after each of the earthquakes. If exponential and log terms are estimated for the same event (same `eq_def` code) then they are summed and correlations accounted for in computing the sigmas of the total motion. The outputs are in *globk* vel-file format and can be used with *sh\_plotvel* and *velview*. The outputs are in *globk* vel-file format and can be used with *sh\_plotvel* and *velview*

## 5. PLOTTING UTILITIES

There are two varieties of plotting scripts and programs available for analyzing time series and velocity fields. One group (*sh\_plot\_pos*, *sh\_plotcrd*, *sh\_plotvel*, *sh\_velhist*) is static and uses the public domain Generic Mapping Tools (GMT) available from the University of Hawaii (<http://gmit.soest.hawaii.edu>), the other (*tsview*, *velview*) is interactive and uses Matlab executables that are distributed with GAMIT/GLOBK (a few features will work properly only with a full Matlab installation, which requires purchase of a Matlab license). Use of the GMT scripts is documented briefly in Section 3.4, more extensively here and in the on-line help available by typing the name of the script. The Matlab programs are described here briefly but documented more fully on the GAMIT/GLOBK webpage (<http://www-gpsg.mit.edu/~tah/GGMatlab>).

### *sh\_plot\_pos*

This script invokes program *tssum* to extract coordinates from the *glorg* print file (.org) and save them in the form of .pos files (PBO format) for plotting by GMT. For plotting daily repeatabilities from short survey, it can be invoked with minimal arguments as

```
sh_plot_pos -f *.org
```

to read all of the *glorg* print files in the directory (created, e.g. by *sh\_glred*) and use the default settings to plot residuals by day-of-year after removing a mean. To remove a linear slope in horizontal but mean-only in vertical, add the arguments '-o 1 -u'. To plot a long-period time-series from a *glred* run you might use

```
sh_plot_pos -f globk_rep.org -o 1 -res -t1 2006-01-01 -t2 2012-12-31
```

By default the pos files are erased after plotting, but they can be kept with the *-k* option. Plotting the wrms and nrms histograms of residuals is invoked with *-h*. See the help file for additional arguments to use a *tsfit* command file, plot from pos files, and control the inclusion and display of values.

### *sh\_plotcrd*

This is an older script for plotting time series, extracting the values using *ensum* and creating *mb\_* files for plotting using *multibase*, and plotting with *sh\_baseline*. The basic usage is similar to *sh\_plot\_pos*

```
sh_plotcrd -f <files>
```

but the specific options for controlling the plots are different in many cases. When invoked from *sh\_glred* (E option), the defaults are appropriate. For generating long-term repeatabilities, a reasonable sequence might be

```
sh_plotcrd -f globk_rep.org -s long -res -o 1 -vert -minnum 3 -col 1 -x 2006.0 2012.0
```

See the help file for a complete set of options. For now, both *sh\_gfred* and *tsview* will create/accept *mb\_* files used by, *ensum/multibase*, but this option will be phased out in favor of *pos* files after 2015.

### ***multibase***

Multibase reads the "values" file created by *ensum* or *bcsun* (called by *sh\_globk\_scatter*) and creates separate (*mb.\**) files for each component of each station so that *sh\_baseline* can direct them easily to the GMT plotting scripts. To avoid creating plots for stations you don't want to see (though this is dangerous!) or to keep the number of baseline plots to a reasonable level, you can specify the stations you want using a list, specified in a "sites" file. The stations are simply listed, singly or in pairs (case-independent, with column one blank):

```
SITE1           | plot all combinations with SITE1
SITE2 SITE3    | plot SITE2-SITE3
SITE3 SITE6    | plot SITE3-SITE6
```

For example, if the sites file is named *baselines*, and you want to plot the output of *sh\_baseline\_scatter*:

```
multibase val.* -s baselines -d
```

where *-d* indicates that the time argument is days (*-y* selects years). The output files are named *mb\_[SITE].datn*, where *n* is 1, 2, 3, 4 for north, east, up, and length, respectively.

### ***sh\_baseline***

*Sh\_baseline* reads the *mb.\** files created by *multibase* and calls GMT programs to create time-series plots.

Basic usage :

```
sh_baseline -f mb*
```

```
-f files      : Files from multibase to be plotted; all begin with mb_
```

```
or -F filename : where filename is a file containing a list of specific mb_ files
```

The following additional options are available for producing custom plots:

- erase : Erase all psbase files in the directory (default is to overwrite only those that match the names of new ones)
- res : Plot residuals to polynomial fit
- u : Scale factor for uncertainties; default = 1.
- com file : Creates length file from *bcsun* output com-file (component) and gets baseline lengths. If not issued, the value from values-file is passed to the plot.
- sol file : Creates length file. from prt/glorg file. Try to avoid -sol (takes long time) and use -com. If not issued, the value from values-file is passed to the plot.
- estimate file : Forward solution prt/glorg file to obtain the estimated velocities. This provides a comparison between stochastic and deterministic solution. Activated when -com is issued. If -unc\_scale issued, uncertainties of estimates will be scaled by this factor
- u[nc\_scale] # : Scale all uncertainties with this number. Default is 1.
- o[order] # : Polynomial to be fit to the estimates: 0 for mean, 1 for velocity, -1 to remove neither
- vert : No velocity estimation for vertical component. Sets -o to 0.
- y[scale] min max : Vertical scale. If not issued it will be calculated.
- x[scale] min max : Horizontal scale. If not issued it will be calculated.
- xt[type] : Turn on year ( year.decimal day ); default is day.
- n[row] : Rows per column. Default is 4 (N, E, U, L).
- cols value : Columns per page, 1 or 2 (default 2)
- frame value : GMT border frame ticks (default 2)
- anot value : GMT border label intervals (default 1)
- header : Turn off page and owner line. Good for thesis.
- ps extension : Extent for psbase GMT file name (is not necessary)
- c[omment] text : Comment entry. Anything other than - as first character of a word. Use \_ instead. ( \> for > )
- p[rinter] printer : If system PRINTER is defined something else.

Once *sh\_baseline* has been run, the postscript files created ( *psbase.\** ) can be viewed on the screen using *ghostscript* or *pageview*, or sent to a laser printer.

### *sh\_plotvel*

*Sh\_plotvel* is an extremely versatile script that can be used to create velocity maps from *globk/glorg* solutions, admitting most of the features available in GMT to create an instructive background map. In its simplest mode, the script allows GMT to determine the map dimensions based on the coordinates of the stations and creates a velocity map on a plain background, optionally including political borders for reference. To create a more elaborate background, you invoke the *sh\_plotvel* with the name of another script that you have customized for your area of study.

Basic usage :

```
sh_plotvel -f <file> -s <site> -ps <filename>
```

where *<file>* is the input *globk/glorg* print file or *getrel* output

*<site>* is the 4-char station id of reference site for velocities (if omitted, plot absolute velocities); and

*<filename>* is the name given to the output postscript file.

The most important options for specifying the velocities are the following:

- maxsigma value : Limits stations to those with sigmas less than this value
- u value : Scale the uncertainties by this value
- i[interval] value : Confidence interval for error ellipses (default 95%)
- factor value : Scale the physical size of the velocity arrow by this value
- d site1 site2 .. : Remove the sites listed (case insensitive)
- D file : Remove the sites listed in the file (single column)

Other options, detailed in the script, allow you to site labels, page orientation, error ellipses, and arrow scale. *Sh\_plotvel* will also allow you to superimposed, in different colors, velocity fields from several solutions.

To underlay the velocity field with topographic or tectonic features, you can specify inclusion of one or more specific maps (*-map <map1> <map2> .*, or *-maplist <file>*) or create for yourself a script that will generate all of the features you need:

`-mapscript file` : Execute the shell script [file] to produce the map

Templates for this shell script can be found in /com as `sh_map_calif`, `sh_map_china`, `sh_map_tien`, and `sh_map_turk`. Within these scripts you prescribe the topography file, whether or not you want color or a gray-scale, and files for tectonic features and labels. Separately, for maximum flexibility, you can specify the range (lat/lon) for the map:

`-maprange type`

which tells `sh_plotvel` to call script `sh_map_elements` with the keyword `<type>` to select a pre-set region (e.g. europe) There are 13 regions already defined, and you can as many of your own as you wish. You can also specify a region explicitly using the GMT range command in the calling sequence; e.g, `-R130/170/40/80`.

Finally, you can also add to your map specialized features such as an Euler pole and small-circle describing relative plate motion; and the epicenter, focal mechanism, and/or slip vector from an earthquake.

Examples :

```
sh_plotvel -f turkey.prt -s yigi -mapscript sh_map_turk
sh_plotvel -f tibet_001115b.org -ps 000115b -mapscript sh_map_chinatopo -
maprange yunnan2 -maxsigma 10 -u 1 -factor 0.40 -page P -sitefont 8 -arrow_value
20 -D remsite.yunnan
```

## 6. AUXILLIARY PROGRAMS

### 6.1 *glist*

*Glist* was designed originally to produce a list of stations included in all of the h-files in a .gdl list, allowing an easy assessment of the data distribution. It can now accept all of the files and controls used by *globk*, allowing you to quickly test a long *globk* run before submitting it. Specifically, you can check the coordinates in the h-files against one or more *apr\_file(s)* using one or more *eq\_file(s)* under the control of a *use\_site* list, thus allowing you to catch conflicts and mistakes in station names. It can also be used to generate an output .gdl file in time-sorted order for use with *glred*. When executed via script *sh\_glist\_gmt*, the station time summary may be displayed in graphical form.

Runstring:

```
GLIST <gdl-file> <out-file> <sort-dir> <eq_files> <out-gdl> <apr-files> <use_cmds>
```

where <gdl-file> is the name of the file containing the list of global files to be included in the solution.

<Out-file> is the optional name of an output file (Default is user's terminal).

<sort-dir> optional value which determines in which order the data will be time sorted. The default is +1 meaning sort in ascending time order. -1 may be specified to have data sorted in decending time order.

<eq-files> one or more *eq\_files* constaining renames and earthquake definitions; if ore then one, they are separated by :, +, or =. Adding :A (upperscase) will list the renames in the order they are applied. RESET may be used as a file name to reset all site extents to \_GPS (RESET may also be used in an *eq-file*).

<out-gdl> Output GDL file sorted in time order according to *sort\_direction*

<apr-files> one or more *apr\_file(s)*, separated by :, +, or =, used to check the coordinates in the h-files.

<use\_cmds> specifies the name of a file with *use\_site*, *use\_num*, and *use\_pos* commands.

Example of a *glist* output for the Transverse Ranges Experiments.

```
airy[93] glist t.gdl
```

```
GLIST: Summarize global solution contents
```

```
Starting to read input data list
```

```
Global 32
```

```
Time to sort epochs 0.00 second
```

```
Summary of SITE occurences in t.gdl
```

```
Use of sites for 36 sites
```

```
86 12 29 2 31 30 20 13 16 32 27 23 10 6 28 /data3/mhm/gpsht/h861229116.gld
86 12 30 2 5 31 30 20 4 13 16 32 19 27 23 6 28 1 /data3/mhm/gpsht/h861230106.gld
87 1 6 2 5 12 4 21 16 32 19 8 10 6 11 24 15 29 1 /data3/mhm/gpsht/h870106107.gld
87 1 7 2 5 12 4 21 16 32 19 26 8 10 6 11 24 15 28 /data3/mhm/gpsht/h870107107.gld
87 5 25 5 30 20 8 10 11 28 1 7 /data3/mhm/gpsht/h870525027.gld
87 9 23 30 20 4 32 8 10 6 11 22 28 1 7 /data3/mhm/gpsht/h870923197.gld
```

```
89 3 31 31 30 20 16 9 33 19 27 23 8 36 10 11 34 28 35 7 /data3/mhm/gpsht/h890331059.gld
90 3 28 2 30 20 9 8 10 11 3 28 1 /data3/mhm/gpsht/h900328040.gld
```

#### SUMMARY of occurrences

1. WSFD	26	1987.0-1990.2	3.24	2. ALGO	18	1987.0-1990.2	3.24
3. RICH	7	1988.2-1990.2	2.03	4. CHUR	18	1987.0-1988.2	1.22
5. AUST	8	1987.0-1987.4	0.41	6. PLAT	18	1987.0-1988.2	1.22
7. YKNF	13	1987.4-1989.2	1.85	8. MOJA	23	1987.0-1990.2	3.24
9. JPL1	8	1989.2-1990.2	1.00	10. OVRO	30	1987.0-1990.2	3.24
11. PVER	27	1987.0-1990.2	3.23	12. BRSH	5	1987.0-1987.0	0.01
13. COTR	5	1987.0-1987.0	0.01	14. CHAF	1	1987.0-1987.0	0.00
15. SOLI	4	1987.0-1987.0	0.01	16. FIBR	18	1987.0-1989.2	2.25
17. TWIN	4	1988.2-1988.2	0.01	18. SCRE	1	1987.7-1987.7	0.00
21. DEVL	4	1987.0-1987.0	0.01	22. SCRW	3	1987.7-1987.7	0.01
23. MADC	13	1987.0-1989.2	2.25	24. SOLE	5	1987.0-1987.0	0.01
25. GAVI	3	1987.0-1987.0	0.01	26. MILL	1	1987.0-1987.0	0.00
27. LOSP	11	1987.0-1989.2	2.25	28. VNDN	30	1987.0-1990.2	3.24
29. VSLR	1	1987.0-1987.0	0.00	30. BLHL	27	1987.0-1990.2	3.24
31. BLAN	13	1987.0-1989.2	2.25	32. FTOR	19	1987.0-1988.2	1.22
33. KOKE	4	1989.2-1989.2	0.01	34. TROM	7	1988.2-1989.2	1.04
35. WETT	4	1989.2-1989.2	0.01	36. ONSA	4	1989.2-1989.2	0.01

The error messages associated with *glist* are usually file related. Warnings about the apriori values not matching will also be printed when this program is run.

## 6.2 *glsave*

This program creates a combined binary h-file from the *com\_file* output of a *globk* run. It provides an alternative to the *out\_glb* command in *globk*.

```
glsave <com file> [out global name] [description]
```

where <com file> is the *globk* common file name (given in the *com\_file* command).

[out global name] is an optional output file name.

[description] is an optional description for the solution. If there are blanks the description must be enclosed in single quotes (e.g., 'Week 819 run')

## 6.3 *xysum*, *blsum*, *bcsun*, *ensum*, *enfit*

These five programs provide a convenient means for extracting coordinate and baseline information from the print files for *globk* (usually produced by *glred* runs) and from back solution output files. (See also *extract* and *exbrk* for more general extraction software, and *multiplot* and *plot* for display software). The program *xysum* is a utility for getting or updating coordinate values for the *.apr* file and the time-distribution of the stations; *bcsun*, *blsum*, and *ensum* generate files for plotting; *enfit* allows you to estimate functions describing post-seismic behavior and plot the residuals. Specifically:

*xysum* — extracts and averages the cartesian estimates of station coordinates and velocities, producing an *apr* file, a values file for plotting, and a summary file giving the time distribution of each station in the solution.

*blsum* — extracts baselines lengths only and produces a summary file with baselines, wrms scatters about the means, rates of changes and wrms scatters about the rates; and a values file which contains all baselines length determinations



(sorted by baseline). This latter file may be used in *multiplot* to produce plots of the time evolutions of all baseline lengths.

- bcsun* — extracts baselines and the north, east and up components of the baselines and produces a summary file, similar to *blsum*, for each baseline with four entries per baselines, one each for baseline length, north component, east component, and up component; and values file which contains the time evolution of baseline lengths and the baseline components. This file may be used as input to *multiplot*.
- ensun* — extracts the North, East and Up components of station positions and produces a summary file and values file similar to *blsum*. The values file can be input to *multiplot* and all components will be plotted.
- enfit*— extracts the North, East, and Up component of station positions and performs a fit to the time series for each station, allowing estimation of an offset, rate, and one or more exponential and periodic functions. This program is useful for error analysis and also for studying post-seismic relaxation.

For these programs to be used, output options with bit 1 set (i.e, 2 decimal) must be used during the *globk* runs.

NOTE: The summary files and values files are overwritten by these programs if they already exist.

The runstrings for each of these programs is shown below from on-line help files.

**XYSUM:** Generate *globk* apriori, summary, and a file containing all site XYZ values sorted by site and possibly time.

Runstring:

```
xysun <options> <apriori_file> <summary_file> <values_file> <Input solution files>
```

where <options> There are two options that may be passed:

(1) controls the sorting and limits on the number of values needed for an output to be made. If option contains a numerical value, then this gives the minimum number of estimates need to produce an output. If this numerical value is negative then the baseline entries will be time sorted before being output to the values file. (The default value is 0 i.e. all entries are output to summary file)

<apriori\_file> is the name of a *globk* style apriori file.

<summary\_file> is the name of the summary file (one line per site and component)

<values\_file> is the name of file where all the individual site components are written sorted by site and component, and optionally by time.

<Input solution files> is a list of input files. These may be generated by *globk*, *glbak*, *solvk* or may be previously obtained values files with the line:

```
VALUES_FILE
as the first line of the file.
```

BLSUM: Generate summary and a file containing all the baseline length values sorted by baseline and possibly time.

Runstring:

```
blsum <option> <summary_file> <values_file> <Input solution files.>
```

where <option> controls the sorting and limits on the number of values needed for an output to be made. If option contains a numerical value, then this gives the minimum number of estimates need to produce an output. If this numerical value is negative then the baseline entries will be time sorted before being output to the values file. (The default value is 0 i.e. all entries are output to summary file)

<summary\_file> is the name of the summary file (one line per baseline)

<values\_file> is the name of file where all the individual baseline lengths are written, sorted by baseline and optionally by time.

<Input solution files> is a list of input files. These may be generated by globk, glbak, solvk or may be previously obtained values files with the line:

```
VALUES_FILE
as the first line of the file.
```

The help file for *ensum* is similar to that for *blsum*, and will not be given. *Bcsum* has an extra output file:

BCSUM: Generate summary and a file containing all the baseline length values sorted by baseline and possibly time.

Runstring:

```
% bcsum <option> <summary_file> <values_file> <component summary> \
<Input solution files.>
```

where <option>, <summary\_file>, <values\_file>, and <input solution files> are the same as for *blsum*, and

<component summary> is the file containing the summaries for length (L), North (N), East (E) and height (U).

ENFIT: Generate multiparameter fits to time series data generated with globk/glred or from values files produced by *ensum*

Runstring:

```
enfit <option> <-f cmd_file> <summary_file> <values_file> <Input solution files>
```

where <option> has the same meaning as in *ensum*. A positive numeric value sets the minimum number of measurements needed for a time series to be included.

<-f cmd\_file> specifies name of command file used to set the parameters to be estimated  
 <summary\_file> is summary output file  
 <values\_file> is list of input values, residuals and model values from parameter estimates  
 <Input solution files> are globk/glred output files or values files from ensum (name must start with va).

The cmd\_file contains the commands for the parameter estimates.

#### Exponential function

-----

EXP <date> <tau> <apriori sigma> [tau sigma]  
 where <date> is yy mm dd hh min for start of exponential,  
 <tau> is the decay time in days  
 <apriori sigma> is apriori constraint to apply to estimate in mm.

This command may be issued multiple times to generate results for multiple decay times.

[tau sigma] is an optional apriori standard deviation for the time constant. If this argument is included, the time constant will be estimated in a iterative solution.

#### Periodic function

-----

PER <Period> <apriori sigma>  
 where <Period> is the period in days. The terms have zero time at 2000/01/01  
 <apriori sigma> is apriori constraint to apply to estimate in mm.

This command may be issued multiple times to generate results for multiple periodic terms.

#### Output at specific times

-----

OUT <name> <times....>  
 where <name> is name of output file. If the form xx@ is used then the @ is replaced by the corresponding characters from the summary file name.  
 <times....> is a list of days after the epoch of first exponential function to output values. Values can be specified in form <nn>x<dd> where <nn> is a number of values to output and <dd> is a spacing in days, e.g., 10x100.0 would output values 100,200,300...1000 days after the epoch of the first

## 6.4 *extract*, *exbrk*

*Extract* and *exbrk* are general utility programs for extracting information which have some type of repeating structure. They allow information to be obtained from multiple lines in the input and then output on a single line. The two programs are the same except that *exbrk* will output a status report if any key on your terminal is touched while it is running. In response to this status, you have the option of continuing if everything looks good or aborting the run so that the input control file to *extract* can be modified. Since *extract/exbrk* can extract a number of different types of information for each run, you also have the option of skipping to next classs of information to be extracted. These features are very useful when new *extract* commands file are being developed. They quickly let you see if the commands are working OK, and which lines the program is having trouble finding. Because of this key press sensivity, *exbrk* cannot be run in background (the program will immediately stop in state waiting for input from your terminal). Even when run in foreground, the feature also poses a problem if the program is executed under script control, since any key pressed at any time during the script execution will cause the status to be printed and the program to wait for response when *exbrk* is executed. For these reasons, it is recommened that *exbrk* be used to check the *extract* command files, and then when you want to use these commands in general processing that *extract* be used.

EXTRACT : Program to extract information from ASCII files

Runstring:

CI> EXTRACT <command file> [input file] [output file]

where <command file> is the name of a file or LU with commands for extract. (See below)

[Input file] is an optional name of a file to be decoded. If not given the runstring then name should be given in the command file (see INPUT command)

[Output file] is an optional name for the output file. If not given here or in the command file (See OUTPUT command) then LU 1 will be the output device.

EXTRACT Commands

(Note: all commands may be truncated to minimum unique length, and all commands must be preceeded by at least one blank)

```

END      -- Tells program to stop reading the command file (EOF has
          the same effect)
INPUT    -- Name of the input file. Must be given here or in the runstring.
          Usage: INPUT my_input_file.txt
OUTPUT   -- Name of the output file. Defaults to users terminal. Multiple
          input files may be read for output to the same output file
          by giving new INPUT commands between RUN commands (see below)
          without re-giving the OUTPUT command.
DESCRIP-- Allows the specification of the header record describing each
          each of the fields extracted. Note: the description is enclosed
          in double quotes ("").
          Usage: DESCRIPT <field #> "<description>" or
          where field # is the number of the field to which the description
          applies. (See field command below)
TITLE    -- Allows a title to be given to the output file. This line will
          appear as the first line in the output file.
          Usage: TITLE "<title>" OR
          TITLE <nn>
          where <title> is the string to be output and must be enclosed

```

in double quotes.  
 <nn> is an alternative form and line NN of the input file will be used as the title. NOTE: No field information will extract until after the <nn> line of the input file is read.

FIELD -- Tells the program about the information to be extracted from the data file. This is a complex command which gives the user a great deal of flexibility in the information extracted. The format of the command is:

```
FIELD # "<descriptor>" #_args type {Format 0/1 "(format)" or
                                   {Readline 0/1 <entries>
OR
FIELD # CLEAR.
```

where:

- # is the field number. EXTRACT allows the user to specify upto to 10 fields of information to be extracted. There three types of field (See type below also).
  - Character -- only one string per field (upto 64 characters long)
  - Integer\*2 -- Upto 32 integer values per field
  - Real\*8 -- Upto 8 real\*8 number per field.
 If these numbers of arguments are not large enough then you can extract the information using a number of fields.
- <descriptor> is an Ascii string which tells extract the EXACT string which must be found in the input file for it to extract the field data from the rest of the string.
- #\_args is the number of arguments in the field to be extracted (see above for limits)
- type is the type of field. Type may CH for character, I2 for integer\*2, R8 for real\*8. (see restrictions on number of arguments given above).

The next string may be either:

- FORMAT to extract the field data using a FTN77 format statement OR
- READLINE to extract the field data using free format reads

Independent of the use of Format or Readline, the next argument 0/1 tells extract whether to get the data from the line immediately following the <descriptor> (option 0), or from the start of the line (option 1).

When FORMAT is used the 0/1 is followed by the FTN77 format enclosed in double quotes(don't forget the parentheses around the format,

When READLINE is used the 0/1 is followed by #\_args values which tell EXTRACT which values for the rest of the line should be used. For example, if your input line looked like:

```
string 120 baseline 200 10 20 0.110 -- Line
      1   2   3   4 5 6   7 -- Item numbers
```

then Items 2 4 5 6 and 7 could be read with R8 or I2 (although item 7 would be zero in I2 format). Any of the items 1-7 could be extracted with a character field (although only one item per field.) [If you wanted a character field with the complete line above, then FORMAT would be the only choice.

The other option for the field command is CLEAR which will clear the information about the field. Thus this field will no longer be searched for.

BEGIN -- Allows the specification of strings which must be found before a field will be searched for.  
 Usage: BEGIN # number "<string>"  
 where # is the field number to which the begin applies, number is the number of the begin when more than one string must be found. Number is currently limited to two ie. upto two different string can be specified before the field will be extracted.  
 <string> is the EXACT string to be found (enclosed in double quotes.

FINISH -- Allows the specification of a string which will cause EXTRACT to stop searching for a field and to reset the field as being no yet found.

```

Usage: FINISH # "<string>"
where # is the field number and
      <string> is the EXTRACT string to be found( again enclosed
      in double quotes.
NOTE: Since extract will only output the field data when all
fields have been found, the FINISH strings should all appear
after all of the FIELD strings in the input file.
NORESET -- Allows the specifications of fields which should not have
there found status set False after the field data has been
output.
Useage: NORESET nn nn nn OR
        NORESET CLEAR
where nn are a list of field numbers to not be reset, the
CLEAR option will clear all previously set NORESET values.
OUTFORM -- Allows the user to specify the output format for each of the
fields.
Usage: OUTFORM # "(format)"
where # is the field field number, and
      (format) is the FTN77 format to be used. (Enclosed in
      double quotes.) NOTE: when strings are output trailing
      blanks will be deleted during the output.

RUN      -- Tells extract to process the input file with the current
field information. THIS COMMAND MUST BE GIVEN OR ELSE EXTRACT
WILL DO NOTHING.

```

## NOTES:

```

-----
EXTRACT defaults to field 1 searching for EXPERIMENT DATE: with
the date read with a format. This is used for extracting information
from the SOLVK and GLBAK solution files. This field is also set
for NORESET so that the same exeriment date can be used for many items
from a SOLVK solution.

```

```

EXTRACT will resond to a break issued from a system prompt, by
summarizing its progress so far i.e., number of lines read and written, and
current status of fields and begins being found. (NOTE: usually a
field will appear as not found, since it is reset after each output).
The user then has the option of Aborting (stopping EXTRACT immediately),
of stopping the processing of the current run, or continuing with
the current processing.

```

```

EXAMPLE: The following extract command file will extract the statistics
. form a SOLVK solution file. NOTE: Any character in column one will
. cause the line to be treated as a comment
. Line below is a comment but could be used to get pre-fit statistics
. instead of postfit. If we wanted to we could do both together.
.field 2  "pre-fit Chi**2/f is" 1 CH readline 0 1

```

```

. Note we are extracting two things from the same line.
field 2  "All baselines"        1 CH format 0 "(7x,a20)"
field 3  "All baselines"        1 CH format 0 "(34x,a20)"

```

```

. This will get total number of data (see SOLVK output)
field 4  "From"                 1 R8 readline 0 1
field 5  "DATA file"            1 CH Readline 0 1

```

```

outform 2  "(a20)"
outform 3  "(2x,a20)"
outform 4  "(1x,I5)"
outform 5  "(2x,a12)"

```

```

run      ! NOTE COMMAND NEEDED

```

```

. There are a number of other examples in the /SOLUTIONS/ directory
. which contain extract command files. (All have .EXT extensions)

```

In response to pressing a key *exbrk* will respond as follows. (The text below shows the program run line as well.) In this example, the program was allowed to continue after the first break, and then aborted.

```

chandler[52] exbrk UT1.ext /data5/tah/soln/sk901120.prt UT1_901120.dat
EXTRACT STATUS: Line 422 in input, Line 2 in output
Field 1 Label EXPERIMENT date : Field found T Starts found
Field 2 Label UT1 Diurnal Cosine Field found F Starts found
Field 3 Label UT1 Diurnal Sine Field found F Starts found
Field 4 Label UT1 SemiDiurnal Cosi Field found F Starts found
Field 5 Label UT1 SemiDiurnal Sine Field found F Starts found
Field 6 Label Solution Field found T Starts found T
Field 7 Label DATA file Field found T Starts found
Last line written to output
1985 1 4 6 3 -1.120 41.303 0.267 41.714 -0.557 75.160 -0.734 75.160 1 ../ko_eor/k850103i.kal
Option: A-Abort EXTRACT, S-stop this search, C-continue ? c
EXTRACT STATUS: Line 764 in input, Line 3 in output
Field 1 Label EXPERIMENT date : Field found T Starts found
Field 2 Label UT1 Diurnal Cosine Field found F Starts found
Field 3 Label UT1 Diurnal Sine Field found F Starts found
Field 4 Label UT1 SemiDiurnal Cosi Field found F Starts found
Field 5 Label UT1 SemiDiurnal Sine Field found F Starts found
Field 6 Label Solution Field found T Starts found T
Field 7 Label DATA file Field found T Starts found
Last line written to output
1985 1 9 5 57 -0.693 41.299 0.018 41.712 -0.525 75.160 -0.443 75.160 1 ../ko_eor/k850108i.kal
Option: A-Abort EXTRACT, S-stop this search, C-continue ? a
STOP: EXTRACT Terminated : At break
chandler[53]

```

## 6.5 *getrel*

*Getrel* is a program which allows the relative velocities of stations to be extracted from a *globk* solution in such a way that they can be plotted using *plot* with error ellipses. To use *getrel*, velocities must be estimated and *glorg* run with the output options `brat:svel` set. This output will produce the summary of station velocities and the velocities of the baseline components. Since the baseline components are output for the western directed baselines only, *getrel* will reverse the direction on the baseline to make the velocity components relative to station specified in the input runstring to the program. The instructions for using *getrel* are given in the online help file. Any example of a *plot* control file to plot the output from *getrel* is also given below.

GETREL: Program to extract station specific relative velocities

This program will get the relative velocities of a group of stations and print the results in a format comparable to the standard NE velocity output from GLOBK.

Runstring is:

```
% getrel <site> <input file> <max_sigma>
```

where <site> is the name of the station the velocities are to be given relative to.  
 <input file> in the name of the file output from GLOUT or GLORG. Output options `brat:svel` should be set  
 <max\_sigma> is the size of the maximum sigma to be output. (Default is to output all)

## 6.6 *swaph, hfupd*

These two programs alter existing h-files to achieve binary byte-order compatibility or to change incorrect information. The first program, *swaph*, is used to change from BIG-ENDIAN (HP, Sun) binary to little-endian (PC, DEC) binary:

```
swaph < h-files >
```

where < h-files > is the names of the files to be changed, with standard Unix wild-cards allowed (i.e., `swaph h*` ). The program will sense the type of machine you are on and change the bytes only if necessary to be compatible with that machine's architecture. The files are rewritten in place, and the version number of the h-file, stored internally, is changed to indicate the te bytes have been swapped.

Program *hfupd* compares the entries on an h-file with those on a current GAMIT station.info file or a SINEX file and changes all that do not agree. Because of the high cost in storage and cpu to read and write a large number of h-files, *hfupd* is designed to make the changes in place (taking advantage of a direct-access read/write), overwriting the old h-file. Since the results of *hfupd* are non easily reversible, you can/should run it initially without the -u (update) option to be sure that you know what changes will be made. .

```
hfupd <options> <list of hfile names>
```

Options:

```
-s <sinex file/station.info>
```

Use the named sinex file or station.info file to check antenna type and eccentricities. The program reads the complete station.info file so expect the program to stop for any errors in station.info. (A Gamit standard routine is used which generates a fatal error, so you will need to find the problems one-at-a-time). When station.info is used, antmod.dat and rcvant.dat must be available, either in the local directory or \$HOME/gs/tables.

```
-e <edit file>
```

Edit the site/satellites based on list contained in <edit file>. This option is the equivalent to use\_site -<name> is globk. Sites may be restored later provided the a new hfile has not been generated with the edited h-file. The renames are applied before checking the headers. So when station.info is used, sites can be renames to end in \_GPS which are the only ones checked when station.infois used.

```
-r Report the contents of the sinex/station.info file given with the -s option
```

```
-u Update the hfile. This option must be given for the hfile to be updated. The hfile is re-written in place so the changes are permanent.
```

```
-d Report only the differences between the hfile and sinex/station.info file headers.
```

```
-p <hf/pmu file>
```



Apply the pole-tide correction. The file will be marked as having the pole tide applied and so it will not be reapplied in globk. If -p hf used then the hfile values for pole position will be used. The recommended form is -p <pmu file name> which will use pmu file values for pole positions.

-h [list:]

Update headers only and not the solution vector. The [list:] includes a : separated list of quantities to be updated.  
 ant -- Antenna information  
 ptd -- Mark file as having pole tide applied without actually applying the pole tide. These features are useful for correcting inconsistent information, especially from sinex files (rather than ascii hfiles which contain information consistent with the solution). With the pole tide, the sinex file has no information to indicate that it has been applied. Analysis center reports must be relied upon for this information.

EDIT FILE options:

The following entries may be included in the edit file. All entries start with at least one blank character. All options are optional except the site name (and rename site for rename command).

```
UNWEIGHT <NAME> <HF code> <Epoch range>
RESTORE  <NAME> <HF code> <Epoch range>
RENAME   <OLD NAME> <NEW NAME> <HF code> <Epoch range>
  where <NAME> is the full name of the site
        <HF code> is a character string that must appear in the hfile name
                (16 characters max, optional, must not be all numeric)
        <Epoch range> specified as start yr, mth, day, hr, min and
                end yr, mth, day, hr, min
        <OLD NAME> is the old name of a site
        <NEW NAME> is the new name of a site
```

The edit file does not allow positions to be changed directly. Such changes should be made through the appropriate sinex header antenna information.

## 6.7 glbtog

This program will read a globk print file or bak file and generate a series of g-files that can be used in GAMIT processing.

```
glbtog: Make g-files from GLOBK/GLBAK output
-----
```

PROGRAM GLBTOG: make G-files from Globk output

This program will read either globk output files or glbak output files and generate GAMIT G-files for all the ephemeris elements that it finds.

The runstring is:

```
% glbtog <globk/glbak file> [4-5 character code] ['Comment line']
```

where <globk/glbak file> is the name of the globk output or  
glbak file and

[4-5 character code] is an optional 4 or 5 character code  
to be used in the G-file name. If four characters are given  
the fifth will be the last digit of the year. If no name is  
given then 'glbkY' will be used where Y is the last digit  
of the year.

['Comment line'] is an optional comment line. If the comment  
includes blanks then it must be enclosed in single quotes ('')

**\*\* WARNINGS \*\***

- + This program will overwrite existing gfiles with the same name as those generated by the program
- + If multiple G-files will be produced then an end numerical value will be added to the name.
- + Since GLOBK/GLBAK only output orbital elements for those SV's with data, the gfile produced here may need to be edited to add those satellites in the xfile headers for which there is no data.
- + Be careful with multiday, stochastic orbits. When these g-files are used again in GAMIT and globk used to process the output files, globk will not know that the orbits are not fully dynamic.
- + This program produces warnings if the radiation parameters deviations are greater than 30%. It is not recommended for these orbits to be re-integrated.
- + In addition to the IC values, the sigmas from the Globk solution are also added to the file. The units of the sigmas are the same as globk units (meters, mm/sec and unitless). The sigma units are different to the orbital element units.

The runstring is:

```
% glbtog <globk/glbak file> [4-5 character code] ['Comment line']
```

## 6.8 *glbtosnx*

This program will read *globk* ver 1.0 and greater binary h-files and write out IGS standard Solution INdependent EXchange (SINEX) files. The runstring is

```
glbtosnx <dir> <comments file> <input binary hfile> <output file name>
```

where <dir> is the directory to write files to (use . for the current directory).

<comments files> is a file containing comments for SINEX file. If no name is given (i.e., ' ' is used) then a default name head.snx will be tried. If the file is not available no comments will be written to the sinex file. (The file will still be valid).

<input binary hfile> is the input binary file.

<output file name> is the output file name or root. If nothing is specified then the name will be  
<owner><gps week><gps day of week>.snx  
if one character is given <gps day of week> is replaced with that character. In the full name: ##### will be replaced by

<gps week><gps day of week> and ### will be replaced by <gps week>.

The format of the comments file is similar to the SINEX itself. An example is given in head.snx in the \$(HELP\_DIR) directory. We have augmented the current SINEX format by entries to allow the DOMES numbers to be defined. These are also given in head.snx.

## 6.9 corcom, cyframe, velrot

There are three programs available to compare coordinates or velocities estimated in different reference frames. *Corcom* uses the cartesian coordinates and velocities in an apr file transforms them between pairs of frames related by an Euler vector. Transformations built into the program include those relating the ITRF or NUVEL-1A no-net-rotation frame to frames attached to each of the major plates, using the NUVEL-1A Euler poles and rates. *Cyframe* does the same thing but uses the velocity summary (vel file) in east, north, and up from a *globk* or *glorg* print file. *Velrot* reads a pair of vel files and estimates transformation parameters relating them. Hence it can be used to bring into a single reference frame velocity solutions from different analyses, even those provided by outside groups. In all three programs, it is possible to exclude or downweight height in performing the transformation.

CORCOM: Program for the comparison of station coordinates estimated by difference systems.

The runstring of the program is:

```
corcom <sys1> <frame1> <sys2> <frame2> <outname> <out_frame> \  
      <ties> <fundamental sites> <height wght> <scale>
```

where <sys 1> is the name of the file containing the stations and their coordinates and velocity in system 1  
 <frame 1> is the frame for this first system. (See frames below.)  
 <sys 2> is the second (comparison) system. Sys 1 will be rotated and translated into this frame. Differences will be given between sys1 and sys2 in this frame.  
 <frame 2> is the frame for this second system. Same choices as above. Default NAFD\_1990.0 where the end characters are the epoch of the frame to be used. (Only used for the out\_frame)  
 <outname> is name of file for output of frame (overwritten)  
 <out\_frame> is the frame for the output field (as above)  
 <ties> if the file containing station ties. The file is interpreted as using the second station name in the tie to generate the position of the first tie. The ties are only applied to the stations in sys 1. (May be neglected in runstring---no ties will be used)  
 <fundamental sites> names of stations to be used for rotation and translation (names after ties have been applied)  
 If not given then all stations are used. ALL may be given as name and all common stations will be used.  
 A '-' in front of name will stop it being used.  
 <height wght> Weight to be given to heights in the

transformation determination. If 1 then equal weight given. If 0 then no weight is given (default is not to used heights)  
 <scale> indicates that scale should be estimated (Y will cause scale to be estimated, unless height weight is zero, in which case scale can not be estimated. is zero, in which case scale can not be estimated.

The following frame names are supported: PCFC, COCO, NAZC, CARB, SAFD, ANTA, INDI, AUST, AFRC, ARAB, EURA, NAFD, JUAN, PHIL, NUV-NNR, AM-02, ITRF93, ITRF94. E.g. NAFD\_1993.4 for the output frame would North America fixed with coordinates aligned at 1993.4. The rates are calculated using NUVEL-1A unless a ":0" is added to the name (e.g. NAFD:0), in which case NUVEL-1 will be used.

CVFRAME: Program to change velocity reference frame in .vel files

The runstring of the program is

```
cvframe <in vel> <out vel> <inframe> <outframe>
```

where <in vel> is the input velocity field file  
 <out vel> is the output velocity field generated by this program  
 <inframe> is the reference frame for the input field  
 <outframe> is the reference frame for the output field or an Euler pole vector passed as three values for wx, wy, wz (deg/Myr units). Values must be enclosed in ' '.

The Frame names follow the PLATE program convention.

VELROT: Program to combine velocity fields

Usage:

```
velrot <sys1> <frame1> <sys2> <frame2> <outname> <out_frame> \  

  <link file> <height weight> <param_opt>
```

where <sys1> Globk velocity file for System 1  
 <frame1> Reference frame for system 1. See corcom help for list of available frames.  
 <sys2> Globk velocity file for System 2. System 1 will transformed into System 2 (reference system)  
 <frame2> Reference frame for System 2  
 <outname> Output file name containing the combined velocity field  
 <out\_frame> Reference frame for output system  
 <link file> File containing options for sites to be used in linking the velocity fields. If the option is not given, all sites with the same name will be used.  
 <height weight> Weight to be given to the height velocity  
 <param\_opt> Options for parameters to be estimated to transform the two fields. They are:  
 T - Translation  
 R - Rotation  
 S - Scale

L - Local 2-parameter transformation  
 (should only be by itself)  
 The option is specified as single string.  
 The default is TR)

Only the first two arguments are required.

#### Program operation and output

-----  
 The two input systems are transformed to the output frame and, based on the options given in the link file, "common" stations are used to transform System 1 to best match System 2. The options in the link file are (all lines start with at least one blank.):

eq\_dist <distance (m)>  
 Finds all sites separated by less than the distance given and uses these sites to align the frames. Sites can occur multiple times in these lists. Normally, this command is given first.

cp\_dist <distance (m)>  
 For comparison/evaluation purposes, can be set so that all sites separated by less than this distance are marked in the output with an \* at the end of the site name. If option is not used, eq\_dist is used.

+site\_name +-site\_name  
 Lines of this type allow specific sites to be included or excluded from the list of sites used in the alignment. Preceding a site name with a - will exclude it from the list, a + or no symbol will cause it be included. If only one site name appears, then the second site name is assumed to be the same. Nominally, the first name applies to system 1 sites, and the second name to system 2. The comparison of names is done with casefolded strings.

Example link\_file:

```
* Set the nominal separation of sites to be 1 km.
  eq_dist 1000
*
* Exclude list
* Any occurrence of g005_gps in the alignment sites from
* system 1 will be removed
  -g005_gps
* Any occurrence of c100_bas in System 1 alignment sites, and
* newp_gps in System 2 alignment sites are removed
  -c100_bas -newp_gps

* Include list
* If jplm_gps occurs in both systems include in the alignment
* sites (note: in this file this will result in the site being
* used twice)
  jplm_gps
* If e200_bas and egan_gps occur in both files, add to the
* alignment list. (+ at beginning of name is not needed)
  +e200_bas +egan_gps
```

Height\_weight - The weight of the height velocities to be used in transforming between the systems can be specified with this argument. Default is height\_weight = 1 (weight is applied to velocity covariance matrix based on the sigmas in the velocity files. Setting the weight to 0 will cause the height velocities not to be used at all in the alignment.

Param\_opt - Options for the parameters to be estimated in transforming between the systems. If this argument is not given the default TR parameters are used. To have no parameters estimated, use a values other then TRSL, e.g., X.

#### Output

-----

The output file first contains the statistics of the alignment of the systems and the residuals of the sites used in the alignment. These residual lines start with the letter A (for grepping).and contain the residual velocities at the alignment sites (dN, dE, dU), the combined sigma of the pairs of velocity estimates in the residuals (sN, sE, sU), and the contributions of the transformations uncertainties at these sites (sTN, sTE, sTU).

The second block of the output contains the velocities from System 1 given in the System 2 frame. The sigmas given here include the contribution from the uncertainty in the trans-formation parameters.

The final block gives the velocities of the sites in System 2. If a site name here matches exactly a name from System 1, 3. the entry has a - symbol in the first column (thus is 4. made a comment).

In both outputs, sites in different systems which are separated by less than cp\_dist will be marked with a \* for System 1 and a '+' for System 2 at the end of the site name. To see which sites will be used for alignment, the following sequence can be used:

comb.list contains

```
cp_dist 10000
```

Then

```
% velrot sys1,vel nafd sys2,vel nuv-nnr sysout,vel pcfc comb.list
% grep '*$' sysout,vel >! t1,vel
% grep '+$' sysout,vel | awk '{print " " substr($0,2)}' >! t2,vel
% sh_plotvel -f t1,vel -line 0 -f2 t2,vel -line2 0 -color -sitefont 10
generates a plot with only the common sites on it.
```

NOTE: It may be necessary to remove the '-' form the start of the System 2 lines if the site names match between the two files. We have done this above with the awk command.

## 6.10 plate

Program to generate a *globk* apriori station position file from an existing one with the velocities replaced by plate motion velocities. The input plate velocity file contains the rotational velocities of the poles for each station. If a station appears in the apriori file but not in the plate file, its entry is copied directly to the output file unchanged.

PROGRAM PLATE:

This program reads an apriori global apr file and a file containing site names and velocity vectors and outputs a new file with the velocities included. The velocity field is also output in a format used by sh\_plotvel for plotting velocity fields.

NOTE: No attempt is made to correct the station positions for the new velocity. The positions are assumed to be given at epoch which makes them uncorrelated with velocity. (The Unc. values in the GLOBK output are of this nature.)

Runstring:

```
% plate <plate file> <Input .apr file> <output .apr file> \  
    [velocity file] [Reference frame]
```

where <plate file> is a file containing site name and rotation vectors (wx,wy,wz- rads/Myrs) or the names of plate (see below)

<Input .apr file> is a standard globk site apriori file

<output .apr file> is the output file with new velocities in the format of standard globk site apriori file.

[velocity file] is an optional name of the velocity file.

If not name is given, then the velocities are output to "<output .apr file>.vel"

[Reference frame] is the reference frame to use if plate names are given in the plate file (see list below). If :A is added to the reference frame name then Nuvel-1A plate velocities will be used (default is Nuvel-1) Default is NUV-NNR.

\* Example of plate file (normally would be one line per station).

\* Rotation vectors are NA fixed.

\* [This form is no longer recommended].

```
*          wx          wy          wz  
*          (rad/Myr)(rad/Myr) (rad/Myr)  
MADR_GPS -0.001296  0.001259  0.003457  Eurasia  
KOUR_GPS -0.001355  0.002180 -0.000750  South America  
WSFM_GPS  0.000000  0.000000  0.000000  North America  
KOKR_GPS -0.001849  0.008826 -0.010267  Pacific  
BAHR_GPS  0.006721  0.003219  0.007229  Arabian  
MCMU_GPS -0.001499  0.002328  0.004014  Antarctic (from AM0-2)  
PAMA_GPS -0.001849  0.008826 -0.010267  Pacific  
MASP_GPS  0.000662  0.000523  0.004326  African
```

\*

\* Alternatively plate names may be used from the list below with

\* the option of intermediate velocities between two plates:

```
pie1_gps  nafd  
mojm_gps  nafd  0.25 pcfc
```

\* The latter form using NAFD velocity plus 25% of the difference

\* between PCFC and NAFD. (nafd 1.0 pcfc is the same as pcfc)

The following frame names are supported:

PCFC, COCO, NAZC, CARB, SAFD, ANTA, INDI, AUST, AFRC, ARAB,  
EURA, NAFD, JUAN, PHIL, NUV-NNR, AM-02, ITRF93

Adding a :A to the name will scale the rate to the NUVEL\_1A model.