

Certificate of Conformity

Certification Number: C0020642-108

Certification Period: 04/01/2014 - 12/31/2024

NSF Certification, LLC recognizes

Herman Miller, Inc

Spring Lake, MI

Meridian[®] Storage^[1]

Restrictions: [1] Metal base and metal base with laminate top or fronts only.

As complying with LEVEL[®] for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and all applicable requirements for achievement of:

LEVEL 3 Certification

Signed on behalf of NSF Certification, LLC

reresa Bellist

Senior Managing Director Global Commercial Water Systems

> Certificate Number: C0020642-108 Date: 08/04/2023



NSF Certification, LLC 789 N. Dixboro Road, Ann Arbor, MI 48105 USA

This certificate remains the property of NSF Certification, LLC and must be returned upon request

For the most current and complete information, please access NSF's website (www.nsf.org)



the BIFMA sustainability standard



BIFMA LEVEL® v2019 Scorecard

LEVEL 1 = 32-48 points LEVEL 2 = 49-68 points LEVEL 3 = 69-111 points

Meridian[®] Storage: LEVEL 3 Certified 3rd-party certified by: NSF Certification, LLC Certificate #: C0020642-108 Certification Term: 04/01/2014 - 12/31/2024

Prereq 6.1.2 Design Credit 6.2 Produc 6.2 6.2 6.2 6.2 Credit 6.3 Materi 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	1.1 Product Safety and Performance Standards 1.2 Design for Durability, Repair, Retroft, Remanufacturing, Recycling 1.3 Extended Product Responsibility 1.3 Specifications 1.1 Optimized Sourcing – Multiple Environmental Attributes 1.2 Desiburged Non-Wood Renewable Materials 1.3.1 25% of the Product Weight 1.3.2 Solve of the Product Weight 1.3.3 Inventory and Bio-based Data Submittal 1.4.1 30% Recycled Content 1.4.2 Sol% Recycled Content 1.4.3 Recycled Content 1.5 Responsible Packaging	Y 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Y Y 2 1 1 1 1 1 1
Prereq 6.1 Energy Prereq 6.1.2 Design Credit 6.2 Product 6.2 6.2 Credit 6.3 Matern 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 <th>n for Environment Policy tt Design 1.1 Product Safety and Performance Standards 2.2 Design for Durability, Repair, Retrofit, Remanufacturing, Recycling 3.3 Extended Product Responsibility 1al Specifications 1.0 Optimized Sourcing – Multiple Environmental Attributes 2.2 Bio-based Non-Wood Renewable Materials 3.3 Optimized Sourcing – Multiple Environmental Attributes 3.3 Log Sow of the Product Weight 3.3 Log Sow of the Product Weight 3.3 Inventory and Bio-based Data Submittal 3.4.1 30% Recycled Content 4.4.3 30% Recycled Content 4.4.3 Soexycled Content 4.4.3 Recycled Content 4.4.3 Recycled Content 5.4.3 Recycled Content 4.4.3 Recy</th> <th>Y 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</th> <th>1</th>	n for Environment Policy tt Design 1.1 Product Safety and Performance Standards 2.2 Design for Durability, Repair, Retrofit, Remanufacturing, Recycling 3.3 Extended Product Responsibility 1al Specifications 1.0 Optimized Sourcing – Multiple Environmental Attributes 2.2 Bio-based Non-Wood Renewable Materials 3.3 Optimized Sourcing – Multiple Environmental Attributes 3.3 Log Sow of the Product Weight 3.3 Log Sow of the Product Weight 3.3 Inventory and Bio-based Data Submittal 3.4.1 30% Recycled Content 4.4.3 30% Recycled Content 4.4.3 Soexycled Content 4.4.3 Recycled Content 4.4.3 Recycled Content 5.4.3 Recycled Content 4.4.3 Recy	Y 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
Prereq 6.1.2 Design Credit 6.2 Produc 6.2 6.2 6.2 6.2 Credit 6.3 Materi 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	n for Environment Policy tt Design 1.1 Product Safety and Performance Standards 2.2 Design for Durability, Repair, Retrofit, Remanufacturing, Recycling 3.3 Extended Product Responsibility 1al Specifications 1.0 Optimized Sourcing – Multiple Environmental Attributes 2.2 Bio-based Non-Wood Renewable Materials 3.3 Optimized Sourcing – Multiple Environmental Attributes 3.3 Log Sow of the Product Weight 3.3 Log Sow of the Product Weight 3.3 Inventory and Bio-based Data Submittal 3.4.1 30% Recycled Content 4.4.3 30% Recycled Content 4.4.3 Soexycled Content 4.4.3 Recycled Content 4.4.3 Recycled Content 5.4.3 Recycled Content 4.4.3 Recy	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
6.2 6.2 Credit 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3	1.1 Product Safety and Performance Standards 2.2 Design for Durability, Repair, Retroft, Remanufacturing, Recycling 2.3 Extended Product Responsibility als Specifications 1.1 Optimized Sourcing – Multiple Environmental Attributes 2.2 Disobased Non-Wood Renewable Materials 3.3 Loss of the Product Weight 3.3.1 25% of the Product Weight 3.3.2 S0% of the Product Weight 3.3.3 Inventory and Bio-based Data Submittal 3.4.1 30% Recycled Content 3.4.3 Recycled Content 4.3.3 Recycled Content 4.3.4 Recycled Content 4.3.5 Responsible Packaging tional Efficiency 1.1.1 Material Efficiency of 70% 1.1.2 Material Efficiency of 80% 1.1.3 Material Efficiency Data Submittal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
6.2 Credit 6.3 Materi 6.3 6.4	1.2 Design for Durability, Repair, Retrofit, Remanufacturing, Recycling 1.3 Extended Product Responsibility ial Specifications 1.0 Optimized Sourcing – Multiple Environmental Attributes 1.2 Bio-based Non-Wood Renewable Materials 1.3.1 25% of the Product Weight 1.3.2 50% of the Product Weight 1.3.3 Inventory and Bio-based Data Submittal 1.4.1 30% Recycled Content 1.4.3 Solw Recycled Content 1.4.3 Recycled Content Data Submittal 1.5.7 Responsible Packaging tional Efficiency 1.11 Material Efficiency of 70% 1.12 Material Efficiency Oata Submittal 1.3 Material Efficiency Data Submittal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
6.2 Credit 6.3 Mater 6.3 6.4 <	1.3 Extended Product Responsibility 1al Specifications 1.1 Optimized Sourcing – Multiple Environmental Attributes 2.2 Bio-based Non-Wood Renewable Materials 3.3 Izeston Product Weight 3.3.1 25% of the Product Weight 3.3.2 50% of the Product Weight 3.3.3 Inventory and Bio-based Data Submittal 1.4.1 30% Recycled Content 1.4.2 50% Recycled Content 5.4.3 Recycled Content 1.4.3 Recycled Content Data Submittal 1.5.4 Recycled Content 1.6.7 Material Efficiency of 70% 1.1.1 Material Efficiency of 80% 1.1.3 Material Efficiency Data Submittal	1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Credit 6.3 Materi 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3	ial Specifications 1.1 Optimized Sourcing – Multiple Environmental Attributes 1.2 Bio-based Non-Wood Renewable Materials 1.3 2 Six-off the Product Weight 1.3.1 25% of the Product Weight 1.3.3 Inventory and Bio-based Data Submittal 1.4.3 Six Recycled Content 1.4.2 Six Recycled Content 1.4.3 Six Recycled Content Data Submittal 1.4.3 Recycled Content Data Submittal 1.5 Responsible Packaging 1.1 Material Efficiency of 70% 1.1.2 Material Efficiency of 80% 1.1.3 Material Efficiency of Sax Submittal 1.3 Material Efficiency Data Submittal	1 1 1 1 1 1 1 1 1 1 1 1 1	
6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3	1.1 Optimized Sourcing – Multiple Environmental Attributes 1.2 Bio-based Non-Wood Renewable Materials 1.3.1 25% of the Product Weight 3.2 50% of the Product Weight 3.3.2 50% of the Product Weight 1.3.3 Inventory and Bio-based Data Submittal 1.3.4 130% Recycled Content 1.4.2 50% Recycled Content 4.3.3 Recycled Content 4.3.4 Recycled Content 4.3.5 Responsible Packaging tional Efficiency 1.1.1 Material Efficiency of 70% 1.1.2 Material Efficiency of 80% 1.1.3 Material Efficiency Data Submittal	1 1 1 1 1 1 1 1 1	1
6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3	1.2 Bio-based Non-Wood Renewable Materials 1.3.1 25% of the Product Weight 1.3.2 So% of the Product Weight 1.3.3 Inventory and Bio-based Data Submittal 1.4.1 30% Recycled Content 1.4.2 50% Recycled Content 1.4.3 Recycled Content 1.4.4 Soft Recycled Content 1.4.5 Responsible Packaging tional Efficiency 1.1 Material Efficiency of 70% 1.1 Material Efficiency Oata Submittal 1.2 Material Efficiency Oata Submittal	1 1 1 1 1 1 1 1 1	1
6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3	1.3.1 25% of the Product Weight .3.2 50% of the Product Weight .3.3 Inventory and Bio-based Data Submittal .4.1 30% Recycled Content .4.2 50% Recycled Content .4.3 Recycled Content .4.3 Recycled Content .4.4 Solw Recycled Content .4.5 Responsible Packaging tional Efficiency .1.1 Material Efficiency of 70% .1.2 Material Efficiency of 80% .1.3 Material Efficiency Data Submittal	1 1 1 1 1 1 1	1
6.3 6.3 6.3 6.3 6.3 6.4 0perat 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	1.3.3 Inventory and Bio-based Data Submittal 1.4.1 30% Recycled Content 1.4.2 50% Recycled Content 1.4.3 Recycled Content Data Submittal 1.5 Responsible Packaging tional Efficiency 1.1 Material Efficiency of 70% 1.2 Material Efficiency of 80% 1.3 Material Efficiency Data Submittal	1 1 1 1 1	1
6.3 6.3 6.3 Credit 6.4 0perat 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	14.1 30% Recycled Content 4.2 50% Recycled Content 4.3. Recycled Content Data Submittal 5. Responsible Packaging tional Efficiency 1.1 Material Efficiency of 70% 1.2 Material Efficiency of 80% 1.3 Material Efficiency Data Submittal	1 1 1 1	1
6.3 6.3 6.3 Credit 6.4 Operation 6.4	14.2 50% Recycled Content 14.3 Recycled Content Data Submittal 15. Responsible Packaging tional Efficiency 1.1 Material Efficiency of 70% 1.2 Material Efficiency of 80% 1.3 Material Efficiency Data Submittal	1 1 1	1
6.3 6.3 Credit 6.4 Operat 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	1.4.3 Recycled Content Data Submittal 1.5 Responsible Packaging tional Efficiency 1.1 Material Efficiency of 70% 1.2 Material Efficiency of 80% 1.3 Material Efficiency Data Submittal	1	1
6.3 Credit 6.4 Operat 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	1.5 Responsible Packaging tional Efficiency 1.1.1 Material Efficiency of 70% 1.2.2 Material Efficiency of 80% 1.3 Material Efficiency Data Submittal	1	1
Credit 6.4 Operal 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	tional Efficiency 1.1.1 Material Efficiency of 70% 1.2.2 Material Efficiency of 80% 1.3. Material Efficiency Data Submittal		
6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	I.1.1 Material Efficiency of 70% I.1.2 Material Efficiency of 80% I.1.3 Material Efficiency Data Submittal	1	
6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	I.1.2 Material Efficiency of 80% I.1.3 Material Efficiency Data Submittal		
6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	1.1.3 Material Efficiency Data Submittal	1	
6.4 6.4 6.4 6.4 6.4 6.4 6.4	1.2.1 Solid Waste Inventory, Allocation, and Data Submittal	1	
6.4 6.4 6.4 6.4 6.4 6.4		1	1
6.4 6.4 6.4 6.4	1.2.2 Solid Waste Diversion	1	
6.4 6.4 6.4	1.2.3 Hazardous Waste Inventory, Allocation, Data Submittal	1	1
6.4 6.4	1.2.4 Hazardous Waste Reduction	1	
6.4	3.1 Air Emission Inventory	1	1
	I.3.2 Air Emission Reduction I.4.1 Water Inventory, Allocation, Data Submittal	1	1
<u>1 n 4</u>	.4.1 Water Inventory, Allocation, Data Submittal .4.2 Process Water/Wastewater Discharge Reduction	1	1
Credit 6.5 Energy		1	
	1. Energy Management System	1	1
	2 Environmental Management System	2	_
	3.3.1 Energy Inventory of 75% of Organizational Boundary	1	1
	.3.2 Scope 1 and 2 Greenhouse Gas Emission Inventory for 75% of the Organizational Boundary	1	1
6.5	i.3.3 Scope 3 Greenhouse Gas Emission Inventory	1	1
	.4.1 Reducing Energy Usage by 5%	1	1
	A.2. Reducing Greenhouse Gas Emissions	2	2
	.5. Greenhouse Gas Reporting	1	1
	5.6 Clean and Renewable Energy died Energy of the Product	2	2
	and a new yor and a construct a set of the s	2	2
	1.1. Gale-to-gate Product Level Level pregy Inventory for Or Materials in the Product and Data Submittal	1	1
	5.1.3 Transportation Energy Inventory and Primary/Secondary Data Submittal	2	2
	3.1.4 Cradle to End User Embodied Energy Data Submittal	1	1
6.6	5.2.1 5% Reduction	1	
6.6	5.2.2 10% Reduction	1	
6.6	5.2.3 Transportation Impact Reduction	1	1
	rcle Assessment (LCA)		
	1. Gate-to-gate Inventory	1	1
	.2 Cradle-to-grave Inventory	1	1
	 .3 Complete a Life Cycle Assessment Utilizing ISO 14040 and ISO 14044 .4 Independent Third-party LCA Review 	1	1
	A independent interparty tex neview Servironmental Product Declaration (EPD)	1	1
	6 Demostrating Impact Reduction	2	-
7.0 Health and Wellness Impa		_	
	nstration of Compliance	Y	Y
	nemical and Risk Policies		Y
	cal Management Plan (CMP)	1	1
	ical Impact Reduction Strategy and Alternative Assessment		
	1.1 Chemical Impact Reduction Strategy	1	1
	1.2.1 Assessing Chemicals for Informed Substitution	1	
	I.2.2 Assessing Chemicals for Informed Substitution ory Specific Advances (3 points available)	1	
	I.1 Ergonomics (1 point)	5	
	Ergonomics (Epoint) 2. Lighting to Mitigate Health Risks (1 point)		
	3 Infrared Lighting (1 point)		
	A Targeted Chemical Elimination (1 point)	1	1
	ct Level Chemical Inventory, Assessment and Optimization		
	0.1.1 Chemical Assessment	8	
	.1.2 Product Optimization GreenScreen* / Cradle to Cradle Certified™ Material Health Assessment Methodology	10	
	1.1.3 Product Optimization GHS Classification		
7.5	2.2.1 Inventory and Assess – Intermediate Level	4	4
	5.2.2 Inventory and Assess – Advanced Level 5.2.3 Product Optimization	4	4
	3.3 Product Optimization	8	8
7.5		4	4
7.5	rear 7.6.1 Low Emitting Furniture		Y
7.5 7.5 Credit 7.6 Low Er		1	1
7.5 7.5 Credit 7.6 Low Er Pre	5.2 Low Emitting Furniture – Intermediate	1	1
7.5 7.5 Credit 7.6 Low Er <i>Pre</i> 7.6	5.2 Low Emitting Furniture – Intermediate 5.3 Low Emitting Furniture – Advanced		· +
7.5 7.5 Credit 7.6 Lov Er Pre 7.6 7.6			1
7.5 7.5 Credit 7.6 Low Er 7.6 7.6 7.6 Credit 7.7 Manuf	3.3 Low Emitting Furniture – Advanced	1	1
7.5 7.5 Credit 7.6 <i>Lov Er</i> 7.6 7.6 Credit 7.7 Mauf 7.7 7.7	5.3 Low Emitting Furniture – Advanced facturing Chemical Inventory, Assessment, and Optimization 1.1.1 Maintenance/Operations Chemical Identification and Assessment 1.2. Reductions of Maintenance/Operations Chemical	1 1	1
7.5 7.5 Credit 7.6 Low Er 7.6 7.6 Credit 7.7 Manuf 7.7 7.7 7.7	5.3 Low Emitting Furniture – Advanced facturing Chemical Inventory, Assessment, and Optimization /1.1 Maintenance/Operations Chemical Identification and Assessment		

	8.1.1 Employee Health and Safety Management	Y	
	8.1.2 Labor and Human Rights	Y	
	8.1.3 Community Outreach and Engagement	Y	
Credit 8.2 Policy on Social Responsibility		1	
Credit 8.3	Safety Performance		
	8.3.1 External Health and Safety Management Standard	1	
	8.3.2 Reduction of Injury Rate	1	
	8.3.3 Employee Wellness Program	1	
Credit 8.4	Inclusiveness	1	
Credit 8.5	Community Outreach and Engagement		
	8.5.1 Outreach and Engagement Efforts	1	
	8.5.2 Employee Volunteer Program	1	
	8.5.3.1 Community Resiliency	1	
	8.5.3.2 Community Resiliency	1	
Credit 8.6	Social Responsibility Reporting		
	8.6.1 Basic Level	1	
	8.6.2 Advanced Level	2	
Credit 8.7	Supply Chain		
	8.7.1 Supply Chain Basic Level	1	
	8.7.2.1 Implementation of Supplier Self-assessment Tool	2	
	8.7.2.2 Supplier Code of Conduct	1	
	8.7.2.3 Assessing High-Risk Suppliers	1	
Credit 8.8	Company-wide Social and Environmental Impact Assessment	1	
Credit 8.9	Recognition of Excellence		
	8.9.1 Social Responsibility Recognition	1	
	8.9.2 Sustainable Building Recognition	2	

NOTE: LEED's Pilot Credit 112 for Certified Multi-Attribute Praducts and Materials (MRpc112) provides 1 point for encouraging the use of products and materials for which life-cycle information is available and that have environmentally, economically, and socially preferable life-cycle impacts, such as those certified through the BiFMA's LEVEL program. Pilot Credit 112 may be found at the following link: https://www.usgbc.org/node/10399220?return-/pilotcredits/Commercial-Interiors/all