
Actor-Attention-Critic for Multi-Agent Reinforcement Learning

Shariq Iqbal¹ Fei Sha^{1,2}

Abstract

Reinforcement learning in multi-agent scenarios is important for real-world applications but presents challenges beyond those seen in single-agent settings. We present an actor-critic algorithm that trains decentralized policies in multi-agent settings, using centrally computed critics that share an attention mechanism which selects relevant information for each agent at every timestep. This attention mechanism enables more effective and scalable learning in complex multi-agent environments, when compared to recent approaches. Our approach is applicable not only to cooperative settings with shared rewards, but also individualized reward settings, including adversarial settings, as well as settings that do not provide global states, and it makes no assumptions about the action spaces of the agents. As such, it is flexible enough to be applied to most multi-agent learning problems.

1. Introduction

Reinforcement learning has recently made exciting progress in many domains, including Atari games (Mnih et al., 2015), the ancient Chinese board game, Go (Silver et al., 2016), and complex continuous control tasks involving locomotion (Lillicrap et al., 2016; Schulman et al., 2015; 2017; Heess et al., 2017). While most reinforcement learning paradigms focus on single agents acting in a static environment (or against themselves in the case of Go), real-world agents often compete or cooperate with other agents in a dynamically shifting environment. In order to learn effectively in multi-agent environments, agents must not only learn the dynamics of their environment, but also those of the other learning agents present.

To this end, several approaches for multi-agent reinforce-

ment learning have been developed. The simplest approach is to train each agent independently to maximize their individual reward, while treating other agents as part of the environment. However, this approach violates the basic assumption underlying reinforcement learning, that the environment should be stationary and Markovian. Any single agent’s environment is dynamic and nonstationary due to other agents’ changing policies. As such, standard algorithms developed for stationary Markov decision processes fail.

At the other end of the spectrum, all agents can be collectively modeled as a single-agent whose action space is the joint action space of all agents (Buşoniu et al., 2010). While allowing coordinated behaviors across agents, this approach is not scalable as the size of action space increases exponentially with respect to the number of agents. It also demands a high degree of communication during execution, as the central policy must collect observations from and distribute actions to the individual agents. In real-world settings, this demand can be problematic.

Recent work (Lowe et al., 2017; Foerster et al., 2018) attempts to combine the strengths of these two approaches. In particular, a critic (or a number of critics) is centrally learned with information from *all* agents. The actors, however, receive information only from their corresponding agents. Thus, during testing, executing the policies does not require the knowledge of other agents’ actions. This paradigm circumvents the challenge of non-Markovian and non-stationary environments during learning. Despite these progresses, however, algorithms for multi-agent reinforcement learning are still far from being scalable (to larger numbers of agents) and being generically applicable to environments and tasks that are cooperative (sharing a global reward), competitive, or mixed.

Our approach¹ extends these prior works in several directions. The main idea is to learn a centralized critic with an attention mechanism. The intuition behind our idea comes from the fact that, in many real-world environments, it is beneficial for agents to know what other agents it should pay attention to. For example, a soccer defender needs to pay attention to attackers in their vicinity as well as the player with the ball, while she/he rarely needs to pay attention to

¹Department of Computer Science, University of Southern California (USC) ²On leave at Google AI (fsha@google.com). Correspondence to: Shariq Iqbal <shariqiq@usc.edu>.

¹Code available at: <https://github.com/shariqiqbal2810/MAAC>

the opposing team’s goalie. The specific attackers that the defender is paying attention to can change at different parts of the game, depending on the formation and strategy of the opponent. A typical centralized approach to multi-agent reinforcement learning does not take these dynamics into account, instead simply considering *all* agents at *all* time-points. Our attention critic is able to dynamically select which agents to attend to at each time point during training, improving performance in multi-agent domains with complex interactions.

Our proposed approach has an input space linearly increasing with respect to the number of agents, as opposed to the quadratic increase in a previous approach (Lowe et al., 2017). It is also applicable to cooperative, competitive, and mixed environments, exceeding the capability of prior work that focuses only on cooperative environments (Foerster et al., 2018). We have validated our approach on three simulated environments and tasks.

The rest of the paper is organized as follows. In section 2, we discuss related work, followed by a detailed description of our approach in section 3. We report experimental studies in section 4 and conclude in section 5.

2. Related Work

Multi-Agent Reinforcement Learning (MARL) is a long studied problem (Buşoniu et al., 2010). Topics within MARL are diverse, ranging from learning communication between cooperative agents (Tan, 1993; Fischer et al., 2004) to algorithms for optimal play in competitive settings (Littman, 1994), though, until recently, they have been focused on simple gridworld environments with tabular learning methods.

As deep learning based approaches to reinforcement learning have grown more popular, they have, naturally, been applied to the MARL setting (Tampuu et al., 2017; Gupta et al., 2017), allowing multi-agent learning in high-dimensional/continuous state spaces; however, naive applications of Deep RL methods to MARL naturally encounter some limitations, such as nonstationarity of the environment from the perspective of individual agents (Foerster et al., 2017; Lowe et al., 2017; Foerster et al., 2018), lack of coordination/communication in cooperative settings (Sukhbaatar et al., 2016; Mordatch & Abbeel, 2018; Lowe et al., 2017; Foerster et al., 2016), credit assignment in cooperative settings with global rewards (Rashid et al., 2018; Sunehag et al., 2018; Foerster et al., 2018), and the failure to take opponent strategies into account when learning agent policies (He et al., 2016).

Most relevant to this work are recent, non-attention approaches that propose an actor-critic framework consisting of centralized training with decentralized execution (Lowe

et al., 2017; Foerster et al., 2018), as well as some approaches that utilize attention in a fully centralized multi-agent setting (Choi et al., 2017; Jiang & Lu, 2018). Lowe et al. (2017) investigate the challenges of multi-agent learning in mixed reward environments (Buşoniu et al., 2010). They propose an actor-critic method that uses separate centralized critics for each agent which take in all other agents’ actions and observations as input, while training policies that are conditioned only on local information. This practice reduces the non-stationarity of multi-agent environments, as considering the actions of other agents to be part of the environment makes the state transition dynamics stable from the perspective of one agent. In practice, these ideas greatly stabilize learning, due to reduced variance in the value function estimates.

Similarly Foerster et al. (2018) introduce a centralized critic for cooperative settings with shared rewards. Their method incorporates a “counterfactual baseline” for calculating the advantage function which is able to marginalize a single agent’s actions while keeping others fixed. This method allows for complex multi-agent credit assignment, as the advantage function only encourages actions that directly influence an agent’s rewards.

Attention models have recently emerged as a successful approach to intelligently selecting contextual information, with applications in computer vision (Ba et al., 2015; Mnih et al., 2014), natural language processing (Vaswani et al., 2017; Bahdanau et al., 2015; Lin et al., 2017), and reinforcement learning (Oh et al., 2016).

In a similar vein, Jiang & Lu (2018) proposed an attention-based actor-critic algorithm for MARL. This work follows the alternative paradigm of centralizing policies while keeping the critics decentralized. Their focus is on learning an attention model for sharing information between the policies. As such, this approach is complementary to ours, and a combination of both approaches could yield further performance benefits in cases where centralized policies are desirable.

Our proposed approach is more flexible than the aforementioned approaches for MARL. Our algorithm is able to train policies in environments with any reward setup, different action spaces for each agent, a variance-reducing baseline that only marginalizes the relevant agent’s actions, and with a set of centralized critics that dynamically attend to the relevant information for each agent at each time point. As such, our approach is more scalable to the number of agents, and is more broadly applicable to different types of environments.

3. Our Approach

We start by introducing the necessary notation and basic building blocks for our approach. We then describe our

ideas in detail.

3.1. Notation and Background

We consider the framework of Markov Games (Littman, 1994), which is a multi-agent extension of Markov Decision Processes. They are defined by a set of states, S , action sets for each of N agents, A_1, \dots, A_N , a state transition function, $T : S \times A_1 \times \dots \times A_N \rightarrow P(S)$, which defines the probability distribution over possible next states, given the current state and actions for each agent, and a reward function for each agent that also depends on the global state and actions of all agents, $R_i : S \times A_1 \times \dots \times A_N \rightarrow \mathbb{R}$. We will specifically be considering a partially observable variant in which an agent, i receives an observation, o_i , which contains partial information from the global state, $s \in S$. Each agent learns a policy, $\pi_i : O_i \rightarrow P(A_i)$ which maps each agent’s observation to a distribution over its set of actions. The agents aim to learn a policy that maximizes their expected discounted returns, $J_i(\pi_i) = \mathbb{E}_{a_1 \sim \pi_1, \dots, a_N \sim \pi_N, s \sim T} [\sum_{t=0}^{\infty} \gamma^t r_{it}(s_t, a_{1t}, \dots, a_{Nt})]$, where $\gamma \in [0, 1]$ is the discount factor that determines how much the policy favors immediate reward over long-term gain.

Policy Gradients Policy gradient techniques (Sutton et al., 2000; Williams, 1992) aim to estimate the gradient of an agent’s expected returns with respect to the parameters of its policy. This gradient estimate takes the following form:

$$\nabla_{\theta} J(\pi_{\theta}) = \nabla_{\theta} \log(\pi_{\theta}(a_t|s_t)) \sum_{t'=t}^{\infty} \gamma^{t'-t} r_{t'}(s_{t'}, a_{t'}) \quad (1)$$

Actor-Critic and Soft Actor-Critic The term $\sum_{t'=t}^{\infty} \gamma^{t'-t} r_{t'}(s_{t'}, a_{t'})$ in the policy gradient estimator leads to high variance, as these returns can vary drastically between episodes. Actor-critic methods (Konda & Tsitsiklis, 2000) aim to ameliorate this issue by using a function approximation of the expected returns, and replacing the original return term in the policy gradient estimator with this function. One specific instance of actor-critic methods learns a function to estimate expected discounted returns, given a state and action, $Q_{\psi}(s_t, a_t) = \mathbb{E}[\sum_{t'=t}^{\infty} \gamma^{t'-t} r_{t'}(s_{t'}, a_{t'})]$, learned through off-policy temporal-difference learning by minimizing the regression loss:

$$\mathcal{L}_Q(\psi) = \mathbb{E}_{(s,a,r,s') \sim D} [(Q_{\psi}(s, a) - y)^2] \quad (2)$$

where $y = r(s, a) + \gamma \mathbb{E}_{a' \sim \pi(s')} [Q_{\bar{\psi}}(s', a')]$

where $Q_{\bar{\psi}}$ is the target Q-value function, which is simply an exponential moving average of the past Q-functions and D is a replay buffer that stores past experiences.

To encourage exploration and avoid converging to non-optimal deterministic policies, recent approaches of maximum entropy reinforcement learning learn a soft value

function by modifying the policy gradient to incorporate an entropy term (Haarnoja et al., 2018):

$$\nabla_{\theta} J(\pi_{\theta}) = \mathbb{E}_{s \sim D, a \sim \pi} [\nabla_{\theta} \log(\pi_{\theta}(a|s)) (-\alpha \log(\pi_{\theta}(a|s)) + Q_{\psi}(s, a) - b(s))] \quad (3)$$

where $b(s)$ is a state-dependent baseline (for the Q-value function). The loss function for temporal-difference learning of the value function is also revised accordingly with a new target:

$$y = r(s, a) + \gamma \mathbb{E}_{a' \sim \pi(s')} [Q_{\bar{\psi}}(s', a') - \alpha \log(\pi_{\bar{\theta}}(a'|s'))] \quad (4)$$

While an estimate of the value function $V_{\phi}(s)$ can be used as a baseline, we provide an alternative that further reduces variance and addresses credit assignment in the multi-agent setting in section 3.2.

3.2. Multi-Actor-Attention-Critic (MAAC)

The main idea behind our multi-agent learning approach is to learn the critic for each agent by selectively paying attention to information from other agents. This is the same paradigm of training critics centrally (to overcome the challenge of non-stationary non-Markovian environments) and executing learned policies distributedly. Figure 1 illustrates the main components of our approach.

Attention The attention mechanism functions in a manner similar to a differentiable key-value memory model (Graves et al., 2014; Oh et al., 2016). Intuitively, each agent queries the other agents for information about their observations and actions and incorporates that information into the estimate of its value function. This paradigm was chosen, in contrast to other attention-based approaches, as it doesn’t make any assumptions about the temporal or spatial locality of the inputs, as opposed to approaches taken in the natural language processing and computer vision fields.

To calculate the Q-value function $Q_i^{\psi}(o, a)$ for the agent i , the critic receives the observations, $o = (o_1, \dots, o_N)$, and the actions, $a = (a_1, \dots, a_N)$, for all agents indexed by $i \in \{1 \dots N\}$. We represent the set of all agents *except* i as $\setminus i$ and we index this set with j . $Q_i^{\psi}(o, a)$ is a function of agent i ’s observation and action, as well as other agents’ contributions:

$$Q_i^{\psi}(o, a) = f_i(g_i(o_i, a_i), x_i) \quad (5)$$

where f_i is a two-layer multi-layer perceptron (MLP), while g_i is a one-layer MLP embedding function. The contribution from other agents, x_i , is a weighted sum of each agent’s value:

$$x_i = \sum_{j \neq i} \alpha_j v_j = \sum_{j \neq i} \alpha_j h(V g_j(o_j, a_j))$$

where the value, v_j is a function of agent j 's embedding, encoded with an embedding function and then linearly transformed by a shared matrix V . h is an element-wise nonlinearity (we have used leaky ReLU).

The attention weight α_j compares the embedding e_j with $e_i = g_i(o_i, a_i)$, using a bilinear mapping (ie, the query-key system) and passes the similarity value between these two embeddings into a softmax

$$\alpha_j \propto \exp(e_j^T W_k^T W_q e_i) \quad (6)$$

where W_q transforms e_i into a ‘‘query’’ and W_k transforms e_j into a ‘‘key’’. The matching is then scaled by the dimensionality of these two matrices to prevent vanishing gradients (Vaswani et al., 2017).

In our experiments, we have used multiple attention heads (Vaswani et al., 2017). In this case, each head, using a separate set of parameters (W_k, W_q, V), gives rise to an aggregated contribution from all other agents to the agent i and we simply concatenate the contributions from all heads as a single vector. Crucially, each head can focus on a different weighted mixture of agents.

Note that the weights for extracting selectors, keys, and values are shared across all agents, which encourages a common embedding space. The sharing of critic parameters between agents is possible, even in adversarial settings, because multi-agent value-function approximation is, essentially, a multi-task regression problem. This parameter sharing allows our method to learn effectively in environments where rewards for individual agents are different but share common features. This method can easily be extended to include additional information, beyond local observations and actions, at training time, including the global state if it is available, simply by adding additional encoders, e . (We do not consider this case in our experiments, however, as our approach is effective in combining local observations to predict expected returns in environments where the global state may not be available).

Learning with Attentive Critics All critics are updated together to minimize a joint regression loss function, due to the parameter sharing:

$$\mathcal{L}_Q(\psi) = \sum_{i=1}^N \mathbb{E}_{(o,a,r,o') \sim D} \left[(Q_i^\psi(o, a) - y_i)^2 \right], \text{ where} \\ y_i = r_i + \gamma \mathbb{E}_{a' \sim \pi_{\bar{\theta}}(o')} [Q_i^{\bar{\psi}}(o', a') - \alpha \log(\pi_{\bar{\theta}_i}(a'_i | o'_i))] \quad (7)$$

where $\bar{\psi}$ and $\bar{\theta}$ are the parameters of the target critics and target policies respectively. Note that Q_i^ψ , the action-value estimate for agent i , receives observations and actions for




Figure 1. Calculating $Q_i^\psi(o, a)$ with attention for agent i . Each agent encodes its observations and actions, sends it to the central attention mechanism, and receives a weighted sum of other agents encodings (each transformed by the matrix V)

all agents. α is the temperature parameter determining the balance between maximizing entropy and rewards. The individual policies are updated by ascent with the following gradient:

$$\nabla_{\theta_i} J(\pi_\theta) = \mathbb{E}_{o \sim D, a \sim \pi} [\nabla_{\theta_i} \log(\pi_{\theta_i}(a_i | o_i)) (-\alpha \log(\pi_{\theta_i}(a_i | o_i)) + Q_i^\psi(o, a) - b(o, a_{\setminus i}))] \quad (8)$$

where $b(o, a_{\setminus i})$ is the multi-agent baseline used to calculate the advantage function described in the following section. Note that we are sampling all actions, a , from all agents’ current policies in order to calculate the gradient estimate for agent i , unlike in the MADDPG algorithm Lowe et al. (2017), where the other agents’ actions are sampled from the replay buffer, potentially causing overgeneralization where agents fail to coordinate based on their current policies (Wei et al., 2018). Full training details and hyperparameters can be found in the supplementary material.

Multi-Agent Advantage Function As shown in Foerster et al. (2018), an advantage function using a baseline that only marginalizes out the actions of the given agent from $Q_i^\psi(o, a)$, can help solve the multi-agent credit assignment problem. In other words, by comparing the value of a specific action to the value of the average action for the agent, with all other agents fixed, we can learn whether said action will cause an increase in expected return or whether any increase in reward is attributed to the actions of other agents. The form of this advantage function is shown below:

$$A_i(o, a) = Q_i^\psi(o, a) - b(o, a_{\setminus i}), \text{ where} \\ b(o, a_{\setminus i}) = \mathbb{E}_{a_i \sim \pi_i(o_i)} [Q_i^\psi(o, (a_i, a_{\setminus i}))] \quad (9)$$

Using our attention mechanism, we can implement a more general and flexible form of a multi-agent baseline that, unlike the advantage function proposed in Foerster et al. (2018), doesn't assume the same action space for each agent, doesn't require a global reward, and attends dynamically to other agents, as in our Q-function. This is made simple by the natural decomposition of an agent's encoding, e_i , and the weighted sum of encodings of other agents, x_i , in our attention model.

Concretely, in the case of discrete policies, we can calculate our baseline in a single forward pass by outputting the expected return $Q_i(o, (a_i, a_{\setminus i}))$ for every possible action, $a_i \in A_i$, that agent i can take. We can then calculate the expectation exactly:

$$\mathbb{E}_{a_i \sim \pi_i(o_i)} \left[Q_i^\psi(o, (a_i, a_{\setminus i})) \right] = \sum_{a'_i \in A_i} \pi(a'_i | o_i) Q_i(o, (a'_i, a_{\setminus i})) \quad (10)$$


In order to do so, we must remove a_i from the input of Q_i , and output a value for every action. We add an observation-encoder, $e_i = g_i^o(o_i)$, for each agent, using these encodings in place of the $e_i = g_i(o_i, a_i)$ described above, and modify f_i such that it outputs a value for each possible action, rather than the single input action. In the case of continuous policies, we can either estimate the above expectation by sampling from agent i 's policy, or by learning a separate value head that only takes other agents' actions as input.

4. Experiments


4.1. Setup

We construct two environments that test various capabilities of our approach (MAAC) and baselines. We investigate in two main directions. First, we study the scalability of different methods as the number of agents grows. We hypothesize that the current approach of concatenating all agents' observations (often used as a global state to be shared among agents) and actions in order to centralize critics does not scale well. To this end, we implement a cooperative environment, Cooperative Treasure Collection, with partially shared rewards where we can vary the total number of agents without significantly changing the difficulty of the task. As such, we can evaluate our approach's ability to scale. The experimental results in sec 4.3 validate our claim.

Secondly, we want to evaluate each method's ability to attend to information relevant to rewards, especially when the relevance (to rewards) can dynamically change during an episode. This scenario is analogous to real-life tasks such as the soccer example presented earlier. To this end, we implement a Rover-Tower task environment where randomly paired agents communicate information and coordinate.



(a) Cooperative Treasure Collection. The small grey agents are "hunters" who collect the colored treasure, and deposit them with the correctly colored large "bank" agents.



(b) Rover-Tower. Each grey "Tower" is paired with a "Rover" and a destination (color of rover corresponds to its destination). Their goal is to communicate with the "Rover" such that it moves toward the destination.

Figure 2. Our environments

Finally, we test on the Cooperative Navigation task proposed by Lowe et al. (2017) in order to demonstrate the general effectiveness of our method on a benchmark multi-agent task.

All environments are implemented in the multi-agent particle environment framework² introduced by Mordatch & Abbeel (2018), and extended by Lowe et al. (2017). We found this framework useful for creating environments involving complex interaction between agents, while keeping the control and perception problems simple, as we are primarily interested in addressing agent interaction. To further simplify the control problem, we use discrete action spaces, allowing agents to move up, down, left, right, or stay; how-

²<https://github.com/openai/multiagent-particle-envs>

Table 1. Comparison of various methods for multi-agent RL

	Base Algorithm	How to incorporate other agents	Number of Critics	Multi-task Learning of Critics	Multi-Agent Advantage
MAAC (ours)	SAC [‡]	Attention	N	✓	✓
MAAC (Uniform) (ours)	SAC	Uniform Attention	N	✓	✓
COMA*	Actor-Critic (On-Policy)	Global State + Action Concatenation	1		✓
MADDPG [†]	DDPG**	Observation and Action Concatenation	N		
COMA+SAC	SAC	Global State + Action Concatenation	1		✓
MADDPG+SAC	SAC	Observation and Action Concatenation	N		✓

Heading Explanation *How to incorporate other agents*: method by which the centralized critic(s) incorporates observations and/or actions from other agents (MADDPG: concatenating all information together. COMA: a global state instead of concatenating observations; however, when the global state is not available, all observations must be included.) *Number of Critics*: number of separate networks used for predicting Q_i for all N agents. *Multi-task Learning of Critics*: all agents’ estimates of Q_i share information in intermediate layers, benefiting from multi-task learning. *Multi-Agent Advantage*: cf. Sec 3.2 for details.

Citations: *(Foerster et al., 2018), [†](Lowe et al., 2017), [‡](Harnoja et al., 2018), ** (Lillicrap et al., 2016)

ever, the agents may not immediately move exactly in the specified direction, as the task framework incorporates a basic physics engine where agents’ momentums are taken into account. Fig. 2 illustrates the two environments we introduce.

Cooperative Treasure Collection The cooperative environment in Figure 2a) involves 8 total agents, 6 of which are “treasure hunters” and 2 of which are “treasure banks”, which each correspond to a different color of treasure. The role of the hunters is to collect the treasure of any color, which re-spawn randomly upon being collected (with a total of 6), and then “deposit” the treasure into the correctly colored “bank”. The role of each bank is to simply gather as much treasure as possible from the hunters. All agents are able to see each others’ positions with respect to their own. Hunters receive a global reward for the successful collection of treasure and all agents receive a global reward for the depositing of treasure. Hunters are additionally penalized for colliding with each other. As such, the task contains a mixture of shared and individual rewards and requires different “modes of attention” which depend on the agent’s state and other agents’ potential for affecting its rewards.

Rover-Tower The environment in Figure 2b involves 8 total agents, 4 of which are “rovers” and another 4 which are “towers”. At each episode, rovers and towers are randomly paired. The pair is negatively rewarded by the distance of the rover to its goal. The task can be thought of as a navigation task on an alien planet with limited infrastructure and low visibility. The rovers are unable to see in their surroundings and must rely on communication from the towers, which are able to locate the rovers as well as their destinations and can send one of five discrete communication messages to their paired rover. Note that communication is

highly restricted and different from centralized policy approaches (Jiang & Lu, 2018), which allow for free transfer of continuous information among policies. In our setup, the communication is integrated into the environment (in the tower’s action space and the rover’s observation space), rather than being explicitly part of the model, and is limited to a few discrete signals.

4.2. Baselines

We compare to two recently proposed approaches for centralized training of decentralized policies: MADDPG (Lowe et al., 2017) and COMA (Foerster et al., 2018), as well as a single-agent RL approach, DDPG, trained separately for each agent.

As both DDPG and MADDPG require differentiable policies, and the standard parametrization of discrete policies is not differentiable, we use the Gumbel-Softmax reparametrization trick (Jang et al., 2017). We will refer to these modified versions as MADDPG (Discrete) and DDPG (Discrete). For a detailed description of this reparametrization, please refer to the supplementary material. Our method uses Soft Actor-Critic to optimize. Thus, we additionally implement MADDPG and COMA with Soft Actor-Critic for the sake of fair comparison, referred to as MADDPG+SAC and COMA+SAC.

We also consider an ablated version of our model as a variant of our approach. In this model, we use uniform attention by fixing the attention weight α_j (Eq. 6) to be $1/(N - 1)$. This restriction prevents the model from focusing its attention on specific agents.

All methods are implemented such that their approximate total number of parameters (across agents) are equal to our method, and each model is trained with 6 random seeds




Figure 3. (Left) Average Rewards on Cooperative Treasure Collection. (Right) Average Rewards on Rover-Tower. Our model (MAAC) is competitive in both environments. Error bars are a 95% confidence interval across 6 runs.

Table 2. Average rewards per episode on Cooperative Navigation

MAAC	MAAC (Uniform)	MADDPG+SAC	COMA+SAC
-1.74 ± 0.05	-1.76 ± 0.05	-2.09 ± 0.12	-1.89 ± 0.07

each. Hyperparameters for each underlying algorithm are tuned based on performance and kept constant across all variants of critic architectures for that algorithm. A thorough comparison of all baselines is summarized in Table 1.

4.3. Results and Analysis

Fig. 3 illustrates the average rewards per episode attained by various methods on our two environments, and Table 2 displays the results on Cooperative Navigation (Lowe et al., 2017). Our proposed approach (MAAC) is competitive when compared to other methods. We analyze in detail in below.

Impact of Rewards and Required Attention Uniform attention is competitive with our approach in the Cooperative Treasure Collection (CTC) and Cooperative Navigation (CN) environments, but not in Rover-Tower. On the other hand, both MADDPG (Discrete) and MADDPG+SAC perform well on Rover-Tower, though they do not on CTC. Both variants of COMA do not fare well in CTC and Rover-Tower, though COMA+SAC does reasonably well in CN. DDPG, arguably a weaker baseline, performs surprisingly well in CTC, but does poorly in Rover-Tower.

In CTC and CN, the rewards are shared across agents thus an agent’s critic does not need to focus on information from specific agents in order to calculate its expected rewards. Moreover, each agent’s local observation provides enough information to make a decent prediction of its expected rewards. This might explain why MAAC (Uniform) which

attends to other agents equally, and DDPG (unaware of other agents) perform above expectations.

On the other hand, rewards in the Rover-Tower environment for a specific agent are tied to another single agent’s observations. This environment exemplifies a class of scenarios where dynamic attention can be beneficial: when subgroups of agents are interacting and performing coordinated tasks with separate rewards, but the groups do not remain static. This explains why MAAC (Uniform) performs poorly and DDPG completely breaks down, as knowing information from another specific agent is *crucial* in predicting expected rewards.

COMA uses a single centralized network for predicting Q-values for all agents with separate forward passes. Thus, this approach may perform best in environments with global rewards and agents with similar action spaces such as Cooperative Navigation, where we see that COMA+SAC performs well. On the other hand, the environments we introduce contain agents with differing roles (and non-global rewards in the case of Rover-Tower). Thus both variants of COMA do not fare well.

MADDPG (and its Soft Actor-Critic variant) perform well on RT; however, we suspect their low performance in CTC is due to this environment’s relatively large observation spaces for all agents, as the MADDPG critic concatenates observations for all agents into a single input vector for each agent’s critic. Our next experiments confirms this hypothesis.

Scalability In Table 3 we compare the average rewards attained by our approach and the next best performing baseline (MADDPG+SAC) on the CTC task (normalized by the range of rewards attained in the environment, as differing the number of agents changes the nature of rewards

Table 3. MAAC improvement over MADDPG+SAC in CTC

# Agents	4	8	12
% Improvement	17	98	208




Figure 4. Scalability in the Rover-Tower task. Note that the performance of MAAC does not deteriorate as agents are added.

in this environment). We show that the improvement of our approach over MADDPG+SAC grows with respect to the number of agents. As suspected, MADDPG-like critics use all information non-selectively, while our approach can learn which agents to pay more attention through the attention mechanism and compress that information into a constant-sized vector. Thus, our approach scales better when the number of agents increases. In future research we will continue to improve the scalability when the number of agents further increases by sharing policies among agents, and performing attention on sub-groups (of agents).

In Figure 4 we compare the average rewards per episode on the Rover-Tower task. We can compare rewards directly on this task since each rover-tower pair can attain the same scale of rewards regardless of how many other agents are present. Even though MADDPG performed well on the 8 agent version of the task (shown in Figure 3), we find that this performance does not scale. Meanwhile, the performance of MAAC does not deteriorate as agents are added.

As a future direction, we are creating more complicated environments where each agent needs to cope with a large group of agents where selective attention is needed. This naturally models real-life scenarios that multiple agents are organized in clusters/sub-societies (school, work, family, etc) where the agent needs to interact with a small number of agents from many groups. We anticipate that in such complicated scenarios, our approach, combined with some advantages exhibited by other approaches will perform well.

Visualizing Attention In order to inspect how the attention mechanism is working on a more fine-grained level,




Figure 5. Attention weights over all Towers for a Rover in Rover-Tower task. As expected, the Rover learns to attend to the correct tower, despite receiving no explicit signal to do so.

we visualize the attention weights for one of the rovers in Rover-Tower (Figure 5), while fixing the tower that said rover is paired to. In this plot, we ignore the weights over other rovers for simplicity since these are always near zero. We find that the rover learns to strongly attend to the tower that it is paired with, without any explicit supervision signal to do so. The model implicitly learns which agent is most relevant to estimating the rover’s expected future returns, and said agent can change dynamically without affecting the performance of the algorithm.

5. Conclusion

We propose an algorithm for training decentralized policies in multi-agent settings. The key idea is to utilize attention in order to select relevant information for estimating critics. We analyze the performance of the proposed approach with respect to the number of agents, different configurations of rewards, and the span of relevant observational information. Empirical results are promising and we intend to extend to highly complicated and dynamic environments.

Acknowledgments We thank the reviewers for their helpful feedback. This work is partially supported by NSF IIS-1065243, 1451412, 1513966/ 1632803/1833137, 1208500, CCF-1139148, DARPA Award#: FA8750-18-2-0117, DARPA-D3M - Award UCB-00009528, Google Research Awards, an Alfred P. Sloan Research Fellowship, gifts from Facebook and Netflix, and ARO# W911NF-12-1-0241 and W911NF-15-1-0484.

References

Ba, J., Mnih, V., and Kavukcuoglu, K. Multiple object recognition with visual attention. In *International Conference*

- on *Learning Representations*, 2015.
- Bahdanau, D., Cho, K., and Bengio, Y. Neural machine translation by jointly learning to align and translate. In *International Conference on Learning Representations*, 2015.
- Buřoniu, L., Babuška, R., and De Schutter, B. Multi-agent reinforcement learning: An overview. In *Innovations in multi-agent systems and applications-1*, pp. 183–221. Springer, 2010.
- Choi, J., Lee, B.-J., and Zhang, B.-T. Multi-focus attention network for efficient deep reinforcement learning. *arXiv preprint arXiv:1712.04603*, December 2017.
- Fischer, F., Rovatsos, M., and Weiss, G. Hierarchical reinforcement learning in communication-mediated multi-agent coordination. In *Proceedings of the Third International Joint Conference on Autonomous Agents and Multi-agent Systems-Volume 3*, pp. 1334–1335. IEEE Computer Society, 2004.
- Foerster, J., Assael, I. A., de Freitas, N., and Whiteson, S. Learning to communicate with deep multi-agent reinforcement learning. In *Advances in Neural Information Processing Systems*, pp. 2137–2145, 2016.
- Foerster, J., Nardelli, N., Farquhar, G., Afouras, T., Torr, P. H. S., Kohli, P., and Whiteson, S. Stabilising experience replay for deep multi-agent reinforcement learning. In *Proceedings of the 34th International Conference on Machine Learning*, volume 70 of *Proceedings of Machine Learning Research*, pp. 1146–1155, International Convention Centre, Sydney, Australia, 06–11 Aug 2017.
- Foerster, J., Farquhar, G., Afouras, T., Nardelli, N., and Whiteson, S. Counterfactual multi-agent policy gradients. In *AAAI Conference on Artificial Intelligence*, 2018.
- Graves, A., Wayne, G., and Danihelka, I. Neural Turing machines. *arXiv preprint arXiv:1410.5401*, 2014.
- Gupta, J. K., Egorov, M., and Kochenderfer, M. Cooperative multi-agent control using deep reinforcement learning. In *Autonomous Agents and Multiagent Systems*, Lecture Notes in Computer Science, pp. 66–83. Springer, Cham, May 2017.
- Haarnoja, T., Zhou, A., Abbeel, P., and Levine, S. Soft actor-critic: Off-policy maximum entropy deep reinforcement learning with a stochastic actor. In *Proceedings of the 35th International Conference on Machine Learning*, volume 80 of *Proceedings of Machine Learning Research*, pp. 1861–1870, Stockholmssan, Stockholm Sweden, 10–15 Jul 2018.
- He, H., Boyd-Graber, J., Kwok, K., and Daumé III, H. Opponent modeling in deep reinforcement learning. In *International Conference on Machine Learning*, pp. 1804–1813, 2016.
- Heess, N., Sriram, S., Lemmon, J., Merel, J., Wayne, G., Tassa, Y., Erez, T., Wang, Z., Eslami, A., Riedmiller, M., et al. Emergence of locomotion behaviours in rich environments. *arXiv preprint arXiv:1707.02286*, 2017.
- Jang, E., Gu, S., and Poole, B. Categorical reparameterization with gumbel-softmax. In *International Conference on Learning Representations*, 2017.
- Jiang, J. and Lu, Z. Learning attentional communication for multi-agent cooperation. *arXiv preprint arXiv:1805.07733*, 2018.
- Konda, V. R. and Tsitsiklis, J. N. Actor-critic algorithms. In *Advances in Neural Information Processing Systems*, pp. 1008–1014, 2000.
- Lillicrap, T. P., Hunt, J. J., Pritzel, A., Heess, N., Erez, T., Tassa, Y., Silver, D., and Wierstra, D. Continuous control with deep reinforcement learning. In *International Conference on Learning Representations*, 2016.
- Lin, Z., Feng, M., Santos, C. N. d., Yu, M., Xiang, B., Zhou, B., and Bengio, Y. A structured self-attentive sentence embedding. In *International Conference on Learning Representations*, 2017.
- Littman, M. L. Markov games as a framework for multi-agent reinforcement learning. In *Machine Learning Proceedings 1994*, pp. 157–163. Elsevier, 1994.
- Lowe, R., Wu, Y., Tamar, A., Harb, J., Abbeel, O. P., and Mordatch, I. Multi-agent actor-critic for mixed cooperative-competitive environments. In *Advances in Neural Information Processing Systems*, pp. 6382–6393, 2017.
- Mnih, V., Heess, N., Graves, A., et al. Recurrent models of visual attention. In *Advances in Neural Information Processing Systems*, pp. 2204–2212, 2014.
- Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Bellemare, M. G., Graves, A., Riedmiller, M., Fidjeland, A. K., Ostrovski, G., et al. Human-level control through deep reinforcement learning. *Nature*, 518(7540): 529, 2015.
- Mordatch, I. and Abbeel, P. Emergence of grounded compositional language in multi-agent populations. In *AAAI Conference on Artificial Intelligence*, 2018.
- Oh, J., Chockalingam, V., Lee, H., et al. Control of memory, active perception, and action in minecraft. In *International Conference on Machine Learning*, pp. 2790–2799, 2016.

- Rashid, T., Samvelyan, M., Schroeder, C., Farquhar, G., Foerster, J., and Whiteson, S. QMIX: Monotonic value function factorisation for deep multi-agent reinforcement learning. In *Proceedings of the 35th International Conference on Machine Learning*, volume 80 of *Proceedings of Machine Learning Research*, pp. 4295–4304, Stockholm, Stockholm Sweden, 10–15 Jul 2018.
- Schulman, J., Levine, S., Abbeel, P., Jordan, M., and Moritz, P. Trust region policy optimization. In *International Conference on Machine Learning*, pp. 1889–1897, 2015.
- Schulman, J., Wolski, F., Dhariwal, P., Radford, A., and Klimov, O. Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347*, 2017.
- Silver, D., Huang, A., Maddison, C. J., Guez, A., Sifre, L., Van Den Driessche, G., Schrittwieser, J., Antonoglou, I., Panneershelvam, V., Lanctot, M., et al. Mastering the game of go with deep neural networks and tree search. *Nature*, 529(7587):484–489, 2016.
- Sukhbaatar, S., Fergus, R., et al. Learning multiagent communication with backpropagation. In *Advances in Neural Information Processing Systems*, pp. 2244–2252, 2016.
- Sunehag, P., Lever, G., Gruslys, A., Czarnecki, W. M., Zambaldi, V., Jaderberg, M., Lanctot, M., Sonnerat, N., Leibo, J. Z., Tuyls, K., and Graepel, T. Value-decomposition networks for cooperative multi-agent learning based on team reward. In *Proceedings of the 17th International Conference on Autonomous Agents and MultiAgent Systems, AAMAS '18*, pp. 2085–2087, Richland, SC, 2018. International Foundation for Autonomous Agents and Multiagent Systems.
- Sutton, R. S., McAllester, D. A., Singh, S. P., and Mansour, Y. Policy gradient methods for reinforcement learning with function approximation. In *Advances in Neural Information Processing Systems*, pp. 1057–1063, 2000.
- Tampuu, A., Matiisen, T., Kodelja, D., Kuzovkin, I., Korjus, K., Aru, J., Aru, J., and Vicente, R. Multiagent cooperation and competition with deep reinforcement learning. *PLoS One*, 12(4):e0172395, April 2017.
- Tan, M. Multi-agent reinforcement learning: independent versus cooperative agents. In *Proceedings of the Tenth International Conference on International Conference on Machine Learning*, pp. 330–337. Morgan Kaufmann Publishers Inc., 1993.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., and Polosukhin, I. Attention is all you need. In *Advances in Neural Information Processing Systems*, pp. 6000–6010, 2017.
- Wei, E., Wicke, D., Freelan, D., and Luke, S. Multiagent soft q-learning. *arXiv preprint arXiv:1804.09817*, 2018.
- Williams, R. J. Simple statistical gradient-following algorithms for connectionist reinforcement learning. In *Reinforcement Learning*, pp. 5–32. Springer, 1992.