

COLOSSUS MOD A Note #3

From: N. Brodeur
 Date: 9 October 1968

The following items were implemented in COLOSSUS revision 240.

<u>Anomaly #</u>	<u>Test Required</u>	<u>Responsible Person</u>
Col 20	Force new abort sequence	P. Rye
Col 22	Exercise V93	M. Hamilton
Col 29	Take uncalled for mark & check MRKBUF1	N. Brodeur
Col 32	Pipa pulses lost during call to New Phase	E. Grace
Col 34	INTVAR triple precision correction	S. Jennings

<u>PCR/PCN #</u>	<u>Test Required</u>	<u>Responsible Person</u>
584	Rerun level 4 tests	J. Saponaro <i>Com 5</i>
588	Force ARCCOS-ARCSIN Abort	M. Hamilton <i>Com. 5</i>

<u>ACB #</u>	<u>Test Required</u>	<u>Responsible Person</u>
IMUZERO terminates task properly	Yes	E. Grace
Mark Reject problem	Yes	N. Brodeur

The following items cannot be considered closed until testing has been reported complete:
 Col 3, Col 4, Col 5, Col 9, Col 17, Col 18 and the above listed tests.

Please check off test status on chart on M. Hamilton's door.

The following anomalies are still pending action:
 Col 8, Col 27, Col 30, Col 31.

Distribution:

- | | |
|---------------|--------------|
| N. Brodeur | E. Denniston |
| M. Hamilton | A. Engel |
| J. Kernan | E. Grace |
| D. Lickly | D. Millard |
| F. Martin | S. Jennings |
| W. Ostanek | J. Goode |
| <u>P. Rye</u> | |
| J. Saponaro | |