

Rye
221K

COLOSSUS MOD A NOTE #4

From: N. Brodeur

Date: October 14, 1968

The following items were implemented in Colossus revision 241 and revision 242.

<u>Anomaly#</u>	<u>Test Required</u>	<u>Responsible Person</u>
Col 27	Yes	R. Bairnsfather
Col 40	Yes	R. Bairnsfather
Col 35	Yes	N. Smith
Col 38	Yes	N. Smith
Col 39	Yes	N. Smith
Col 37	Yes	S. Zeldin
Col 44	Yes	P. Rye

<u>PCR/PCN #</u>	<u>Test Required</u>	<u>Responsible Person</u>
262	Yes	A. Engel

<u>ACB#</u>	<u>Test Required</u>	<u>Responsible Person</u>
Bit 7 of OPTMODE is not set after V35 or an error reset.	Yes	M. Hamilton
Channel resetting in software restart.	Yes	P. Rye

The following items cannot be considered closed until testing has been

reported complete or not applicable: Col 17, Col 18, Col 20, Col 27,
Col 32, Col 33, Col 34, Col 35, Col 37, Col 38, Col 39, Col 40, Col 44.

Please check off test status on chart on M. Hamilton's door.

The following anomalies are still pending action: Col 8, Col 30, Col 31,
Col 36, Col 41, Col 42, Col 43.

Distribution:

N. Brodeur
M. Hamilton
J. Kernan
D. Lickly
F. Martin
W. Ostanek
P. Rye ✓
J. Saponaro
A. Engel
E. Grace
D. Millard
S. Jennings
R. Bairnsfather
N. Smith
S. Zeldin