

# Errata for *Tables of Integrals, Series, and Products* (8<sup>th</sup> edition)

by I. S. Gradshteyn and M. Ryzhik

Edited by Daniel Zwillinger and Victor Moll

Academic Press, 2015

ISBN 0-12-384933-5

THIS UPDATE: May 27, 2024

## NOTES

- The home page for this book is <http://www.mathtable.com/gr>
- The latest errata are available from <http://www.mathtable.com/errata/>
- The lead editor can be reached at [ZwillingerBooks@gmail.com](mailto:ZwillingerBooks@gmail.com)
- This edition of the errata includes the large number of corrections in the paper: Dirk Veestraeten, *Some remarks, generalizations and misprints in the integrals in Gradshteyn and Ryzhik*, SCIENTIA, Series A: Mathematical Sciences, Vol. 26 (2015), pages 115–131. A special thanks is extended to him for all his efforts.
- This document contains 18 pages of new material (starting below). After the new materials are corrections to the 8th edition. Many of the corrections are relatively minor (e.g., changing parameter bounds) and do not change the structural form of an evaluation.
- The updates since the last set of errata posted to the web (on April 2021) are shown with the date in the margin, as this line has.

xx/2024

**NEW MATERIAL (TO BE ADDED TO THE 9th EDITION)**

1. On page xxxviii add the following entry before “Weber function”

$$E_p(z) \quad \text{Exponential Integral} \quad 8.27$$

2. On page 220 add the following integral

$$\begin{aligned} 2.641.13 \int \frac{x^2 \cos(xb)}{a^2 + x^2} e^{-cx^2} dx \\ = \frac{\sqrt{\pi}}{2\sqrt{c}} e^{-b^2/(4c)} + \frac{a\pi}{4} e^{a^2 c} \left\{ -e^{-ab} - e^{ab} + \operatorname{erf}\left(\frac{2ac - b}{2\sqrt{c}}\right) + e^{ab} \operatorname{erf}\left(\frac{2ac + b}{2\sqrt{c}}\right) \right\} \end{aligned}$$

DO

3. On page 247, add section 2.9 Other Elementary Functions

4. On page 247, add section 2.91 Minimum & Maximum

$$2.91.1 \iint_{[a,b]^n} f(\min x_i, \max x_i) d\mathbf{x} = n(n-1) \int_a^b dv \int_a^v f(u, v)(v-u)^{n-2} du \quad \text{MAR2007}$$

$$\begin{aligned} 2.91.2 \iint_{[a,b]^n} f(\mathbf{x}, \min x_i, \max x_i) d\mathbf{x} \\ = \sum_{\substack{j,k=1 \\ j \neq k}}^n \int_a^b dv \int_a^v du \iint_{[u,v]^{n-2}} f(\mathbf{x}, u, v \mid x_j = u, x_k = v) \prod_{i \in [n] \setminus \{j,k\}} dx_i \end{aligned}$$

MAR2007

5. Add section 2.92 Floor Function

The floor of a number is the largest integer that is less than or equal to the number. For example  $\lfloor 2.345 \rfloor = 2$  and  $\lfloor 5 \rfloor = 5$ .

$$2.92.1 \underbrace{\int_0^1 \cdots \int_0^1}_n f(\lfloor x_1 + \cdots + x_n \rfloor) dx_1 \cdots dx_n = \sum_{k=0}^n \langle n \rangle_k \frac{f(k)}{n!} \quad \text{GR1994, #6.65, p 316, 557}$$

where the  $\langle n \rangle_k$  are Eulerian numbers

6. Add section 2.93 Fractional Part of Numbers

The fractional part of a number is  $\{x\} = x - \lfloor x \rfloor$ . For example  $\{2.345\} = 0.345$  and  $\{5\} = 0$ .

$$2.93.1 \int_a^{a+n} \{x\} dx = \frac{n}{2} \quad [a > 0, \quad n = 1, 2, 3, \dots] \quad \text{FUR2013, 2.42}$$

$$2.93.2 \int_0^1 \{kx\} dx = \frac{1}{2} \quad [k = 1, 2, 3, \dots] \quad \text{FUR2013, 2.28}$$

$$2.93.3 \int_0^1 \{nx\}^k dx = \frac{1}{k+1} \quad [k > -1, \quad n = 1, 2, 3, \dots] \quad \text{FUR2013, 2.44}$$

2.93.4	$\int_0^1 (x - x^2)^k \{nx\} dx = \frac{(k!)^2}{2(2k+1)!}$	$[k = 0, 1, 2, \dots, n = 1, 2, 3, \dots]$	FUR2013, 2.48
2.93.5	$\int_1^\infty \frac{\{x\}}{x^2} dx = 1 - \mathbf{C}$		WOFP
2.93.6	$\int_1^\infty \frac{\{x\}}{x^{k+1}} dx = \frac{1}{k-1} - \frac{\zeta(k)}{k}$	$[k = 2, 3, 4, \dots]$	FUR2013, 2.9
2.93.7	$\int_1^\infty \frac{\{x\} - \frac{1}{2}}{x} dx = -1 + \log(\sqrt{2\pi})$		
2.93.8	$\int_0^1 (\{ax\} - \frac{1}{2}) (\{bx\} - \frac{1}{2}) dx = \frac{1}{12ab}$	$[\operatorname{Re} a > 0, \operatorname{Re} b > 0]$	OLD
2.93.9	$\int_0^1 \left\{ \frac{1}{x} \right\} dx = 1 - \mathbf{C}$		WOFP
2.93.10	$\int_0^1 \left\{ \frac{q}{x} \right\} dx = \begin{cases} q(1 - \mathbf{C} - \log q) & [0 < q \leq 1] \\ q \left( 1 + \frac{1}{2} + \dots + \frac{1}{1+\lfloor q \rfloor} - \mathbf{C} - \log q + \frac{\lfloor q \rfloor (\{q\}-1)}{q(1+\lfloor q \rfloor)} \right) & [q > 1] \end{cases}$		FUR2013, 2.5b
2.93.11	$\int_0^1 x^m \left\{ \frac{1}{x} \right\} dx = \frac{1}{m} - \frac{\zeta(m+1)}{m+1}$	$[m > 0]$	FUR2013, 2.20
2.93.12	$\int_0^1 \frac{x}{1-x} \left\{ \frac{1}{x} \right\} dx = \mathbf{C}$		FUR2013, 2.15
2.93.13	$\int_0^1 \left\{ \frac{1}{x} \right\}^2 dx = \log(2\pi) - 1 - \mathbf{C}$		QIN2011
2.93.14	$\int_0^1 \left\{ \frac{k}{x} \right\}^2 dx = k \left( \log(2\pi) - \mathbf{C} + 1 + \frac{1}{2} + \dots + \frac{1}{k} + 2k \log k - 2k - 2 \log k! \right)$	$[k = 1, 2, 3, \dots]$	FUR2013, 2.6
2.93.15	$\int_0^1 \left\{ \frac{1}{x} \right\} \left\{ \frac{1}{1-x} \right\} dx = 2\mathbf{C} - 1$		QIN2011
2.93.16	$\int_0^{1/2} \left\{ \frac{1}{x} \right\} \left\{ \frac{1}{1-x} \right\} dx = \int_{1/2}^1 \left\{ \frac{1}{x} \right\} \left\{ \frac{1}{1-x} \right\} dx = \mathbf{C} - \frac{1}{2}$		FUR2013, 2.10
2.93.17	$\int_0^1 \left\{ \frac{1}{x} \right\}^2 \left\{ \frac{1}{1-x} \right\} dx = \frac{5}{2} - \mathbf{C} - \log(2\pi)$		FUR2013, 2.12
2.93.18	$\int_0^1 \left\{ \frac{1}{x} \right\}^2 \left\{ \frac{1}{1-x} \right\}^2 dx = 4 \log(2\pi) - 4\mathbf{C} - 5$		QIN2011
2.93.19	$\int_0^1 \left\{ \frac{1}{x} \right\}^3 \left\{ \frac{1}{1-x} \right\}^3 dx = 6\mathbf{C} + 2 - \zeta(2) - 3 \log(2\pi) - \frac{18\zeta'(2)}{\pi^2}$		QIN2011
2.93.20	$\int_0^1 x^m \left\{ \frac{1}{x} \right\}^m dx = 1 - \frac{\zeta(2) + \zeta(3) + \dots + \zeta(m+1)}{m+1}$	$[m = 1, 2, 3, \dots]$	FUR2013, 2.21

**2.94**

- 2.94.1  $\int_0^1 \left\{ \frac{1}{\sqrt[k]{x}} \right\} dx = \frac{k}{k-1} - \zeta(k) \quad [k = 2, 3, 4, \dots]$  FUR2013, 2.7
- 2.94.2  $\int_0^1 \left\{ \frac{k}{\sqrt[k]{x}} \right\} dx = \frac{k}{k-1} - k^k \left( \zeta(k) - \frac{1}{1^k} - \frac{1}{2^k} - \dots - \frac{1}{k^k} \right) \quad [k = 2, 3, 4, \dots]$  FUR2013, 2.8
- 2.94.3  $\int_0^1 \left\{ \frac{1}{k\sqrt[k]{x}} \right\} dx = \frac{1}{k-1} - \frac{\zeta(k)}{k^k} \quad [k = 2, 3, 4, \dots]$  FUR2013, 2.9

**2.95** Combination of fractional part and other functions

- 2.95.1  $\int_0^1 \left\{ (-1)^{\lfloor \frac{1}{x} \rfloor} \frac{1}{x} \right\} dx = 1 + \log \frac{2}{\pi}$  FUR2013, 2.13
- 2.95.2  $\int_0^1 x \left\{ \frac{1}{x} \right\} \left\lfloor \frac{1}{x} \right\rfloor dx = \frac{\pi^2}{12} - \frac{1}{2}$  FUR2013, 2.14a
- 2.95.3  $\int_0^1 \{ \log x \} x^m dx = \frac{e^{m+1}}{(m+1)(e^{m+1}-1)} - \frac{1}{(m+1)^2} \quad [m > -1]$  FUR2013, 2.16

**2.96** Multiple integrals

- 2.96.1  $\int_0^1 \int_0^1 \left\{ k \frac{x}{y} \right\} dx dy = \frac{k}{2} \left( 1 + \frac{1}{2} + \dots + \frac{1}{k} - \log k - C \right) + \frac{1}{4} \quad [k = 1, 2, 3, \dots]$  FUR2013, 2.28
- 2.96.2  $\int_0^1 \int_0^1 \left\{ \frac{mx}{ny} \right\} dx dy = \frac{m}{2n} \left( \log \frac{n}{m} + \frac{3}{2} - C \right)$    
 [m and n are integers with m ≤ n] FUR2013, 2.29
- 2.96.3  $\int_0^1 \int_0^1 \left\{ \frac{x^k}{y} \right\} dx dy = \frac{2k+1}{(k+1)^2} - \frac{C}{k+1} \quad [k \geq 0]$  FUR2013, 2.30
- 2.96.4  $\int_0^1 \int_0^1 \left\{ \frac{x}{y} \right\} \left( \frac{y}{x} \right)^k dx dy = 1 - \frac{\zeta(2) + \zeta(3) + \dots + \zeta(k+1)}{2(k+1)}$    
 [k = 1, 2, 3, …] FUR2013, 2.33
- 2.96.5  $\int_0^1 \int_0^1 \left\{ \frac{x}{y} \right\} \frac{y^k}{x^p} dx dy = \frac{1}{k-p+1} - \frac{\zeta(2) + \zeta(3) + \dots + \zeta(k+1)}{(k+2-p)(k+1)}$    
 [k is an integer, p is real, k - p > -1] FUR2013, 2.34
- 2.96.6  $\int_0^1 \int_0^1 \left\{ \frac{x}{y} \right\} \left\{ \frac{y}{x} \right\} dx dy = 1 - \frac{\pi^2}{12}$  FUR2013, 2.36
- 2.96.7  $\int_0^1 \int_0^1 \left\{ \frac{x}{y} \right\}^2 dx dy = \frac{\log(2\pi)}{2} - \frac{1}{3} - \frac{C}{2}$  FUR2013, 2.31
- 2.96.8  $\int_0^1 \int_0^1 x^m y^n \left\{ \frac{x}{y} \right\} \left\{ \frac{y}{x} \right\} dx dy = \frac{1}{m+n+1} \left( \frac{1}{n+1} + \frac{1}{m+1} - \frac{\zeta(n+2)}{n+2} - \frac{\zeta(m+2)}{m+2} \right)$    
 [m > -1, n > -1] FUR2013, 2.37
- 2.96.9  $\int_0^1 \int_0^1 (xy)^n \left\{ \frac{x}{y} \right\} \left\{ \frac{y}{x} \right\} dx dy = \frac{1}{(n+1)^2} - \frac{\zeta(n+1)}{(n+1)(n+2)}$    
 [n > -1] FUR2013, 2.38

2.96.10 $\int_0^1 \int_0^1 \left\{ \frac{x}{y} \right\}^m \left\{ \frac{y}{x} \right\}^m dx dy = 1 - \frac{\zeta(2) + \zeta(3) + \dots + \zeta(m+1)}{m+1}$ $[m = 1, 2, 3, \dots]$	FUR2013, 2.40
2.96.11 $\int_0^1 \int_0^1 \left\{ \frac{2x}{y} \right\} \left\{ \frac{2y}{x} \right\} dx dy = \frac{49}{6} - \frac{2\pi^2}{3} - 2\log 2$	FUR2013, 2.39
2.96.12 $\int_0^1 \int_0^1 \left\{ \frac{x-y}{x+y} \right\} dx dy = \int_0^1 \int_0^1 \left\{ \frac{x+y}{x-y} \right\} dx dy = \frac{1}{2}$	FUR2013, 2.51
2.96.13 $\int_0^1 \int_0^1 \left\{ \frac{k}{x-y} \right\} \left\{ \frac{1}{x} \right\} \left\{ \frac{1}{y} \right\} dx dy = \frac{1}{2}(1-\mathbf{C})^2 \quad [k > 0]$	FUR2013, 2.52
2.96.14 $\int_0^1 \int_0^1 x \left\{ \frac{1}{1-xy} \right\} dx dy = 1 - \frac{\zeta(2)}{2} = 1 - \frac{\pi^2}{12}$	FUR2013, 2.23
2.96.15 $\int_0^1 \int_0^1 \left\{ \frac{1}{x+y} \right\}^m dx dy = \begin{cases} 2\log 2 - \frac{\pi^2}{12} & m=1 \\ \frac{5}{2} - \log 2 - \mathbf{C} - \frac{\pi^2}{12} & m=2 \end{cases}$	FUR2013, 2.24
2.96.16 $\iint_{0 \leq x, y \leq 1} \left\{ \frac{1}{x+y} \right\}^m dx dy = \begin{cases} 2\log 2 - \frac{\pi^2}{12} & m=1 \\ \frac{3}{2} - \frac{\pi^2}{12} - \log 2 - \mathbf{C} & m=2 \end{cases}$	QIN2011, 3.1
2.96.17 $\int \int \int_{0 \leq x, y, z \leq 1} \left\{ \frac{1}{x+y+z} \right\}^m dx dy dz = \begin{cases} \frac{9}{2} \log 3 - \frac{13}{24} - \frac{19}{4} \log 2 - \frac{\zeta(3)}{3} & m=1 \\ \frac{53}{24} + 4 \log 2 - 3 \log 3 - \frac{\zeta(3)}{3} - \frac{\pi^2}{12} & m=2 \end{cases}$	QIN2011, 3.2
2.96.18 $\int_0^{a_1} \cdots \int_0^{a_n} \{k(x_1 + x_2 + \dots + x_n)\} dx_n \cdots dx_1 = \frac{1}{2} a_1 a_2 \cdots a_n$	FUR2013, 2.42b

7. On page 358 add the following integral

$$3.415.8 \int_0^\infty \frac{x dx}{(x^2 + b^2)^4 (e^{2\pi x} - 1)} = -\frac{1}{12b^6} - \frac{5}{64b^7} + \frac{1}{32b^5} \psi'(b) - \frac{1}{32b^4} \psi''(b) + \frac{1}{96b^3} \psi'''(b)$$

$[\operatorname{Re} b > 0]$

(Thanks to Richard J. Mathar for suggesting this integral.)

8. On page 572 add the following integral

$$4.318.3 \int_0^1 \frac{\log[(1+x^a)(1+x^{1/a})]}{1+x} dx = (\log 2)^2 \quad [a > 0]$$

9. On page 574 add the following integrals

$$4.325.13 \int_0^1 \frac{\log(\log x)}{1+x^2} dx = \frac{\pi}{4} \left( i\pi + \log \left( \frac{4\pi^3}{\Gamma^4(\frac{1}{4})} \right) \right)$$

$$4.325.14 \int_0^\infty \frac{\log(\log x)}{1+x^2} dx = \frac{\pi}{4} \left( i\pi + \log \left( \frac{4\pi^2 \Gamma^4(\frac{3}{4})}{\Gamma^4(\frac{1}{4})} \right) \right)$$

REY1 (13)

(Thanks to Robert Reynolds for suggesting the inclusion of these evaluations.)

10. On page 583 add the following integrals

4.374.3  $\int_0^\infty \ln(1+x^2) \ln \left( \tanh \left( \frac{\pi x}{4} \right) \right) dx = \pi - 4G$  REY3 (18)

Here,  $G \approx 0.915$  is Catalan's constant.

4.374.4  $\int_0^\infty \frac{\ln \left( \tanh \frac{ax}{2} \right)}{b^2 + x^2} dx = \frac{\pi}{2b} \ln \left( \frac{ab}{2\pi} \frac{\Gamma \left( \frac{\pi+ab}{2\pi} \right)}{\Gamma \left( \frac{2\pi+ab}{2\pi} \right)} \right)$  [Re  $a > 0$ , Re  $b > 0$ ] REY3 (19)

4.374.5  $\int_0^\infty \frac{1-3x^2}{(1+x^2)^3} \ln \left( \tanh \frac{\pi x}{4} \right) dx = \frac{\pi}{4}(1-2G)$  REY3 (20)

Here,  $G \approx 0.915$  is Catalan's constant.

(Thanks to Robert Reynolds for suggesting the inclusion of these evaluations.)

11. On page 611 add the following integrals

4.592.1  $\int_0^\infty \frac{\arctan(x)}{x \log^2(-x)} dx = -i \frac{4-\pi}{2}$  REY2 (11)

4.592.2  $\int_0^\infty \frac{\arctan(x)}{x \log^3(-x)} dx = 2 \frac{C-1}{\pi}$  REY2 Table

Here,  $C$  is Catalan's constant.

4.592.3  $\int_0^\infty \frac{\arctan(x)}{x \log^2(ix)} dx = -i \log 2$  REY2 (15)

4.592.4  $\int_0^\infty \frac{\arctan(x)}{x \log^3(ix)} dx = -\frac{\pi}{24}$  REY2 Table

(Thanks to Robert Reynolds for suggesting the inclusion of these evaluations.)

12. On page 615 add the following integral

4.620.8  $\int_{-\infty}^\infty \int_{-\infty}^\infty \frac{dx dy}{\sqrt{(x^2+y^2+a^2)^3} [(x-u)^2+(y-v)^2+b^2]} = \frac{2\pi}{a \sqrt{(a+b)^2+u^2+v^2}}$  AMM12247  
 $[a > 0, b > 0, u > 0, v > 0]$

(Thanks to Mo Li suggesting the inclusion of this integral.)

13. On page 615 add the following integral

4.620.8  $\int_{-\infty}^\infty \int_{-\infty}^\infty \frac{dx dy}{\sqrt{(x^2+y^2+a^2)^3} [(x-u)^2+(y-v)^2+b^2]} = \frac{2\pi}{a \sqrt{(a+b)^2+u^2+v^2}}$  AMM12247  
 $[a > 0, b > 0, u > 0, v > 0]$

(Thanks to Mo Li suggesting the inclusion of this integral.)

14. On page 617 add the following integral

4.626.16  $\int_0^1 \int_0^1 [-\log(1-st)]^n dt ds = (n+1)! - n! \sum_{j=2}^{n+1} \zeta(j)$  BUS  
for  $n = 0, 1, 2, \dots$  and  $\zeta()$  is the Riemann zeta function.

15. On page 617, add section 4.6261 Quadruple and Higher Dimension Integrals

xx/2024

Victor: Where should this new section go? Is my choice correct?

(Thanks to Mo Li suggesting the inclusion of 4.626.1)

(Thanks to Robert Reynolds for suggesting the inclusion of 4.626.2-5)

4.626.1

$$\iiint_{\substack{x+y+z=1 \\ x \geq 0 \\ y \geq 0 \\ z \geq 0}} dS \iiint_{\substack{\xi+\eta+\zeta=1 \\ \xi \geq 0 \\ \eta \geq 0 \\ \zeta \geq 0}} \frac{d\Sigma}{\sqrt{(x-\xi)^2 + (y-\eta)^2 + (z-\zeta)^2}} = \frac{3 \ln 3}{\sqrt{2}}$$

4.626.2

$$\begin{aligned} & \int_0^\infty \int_0^\infty \int_0^\infty \int_0^\infty (t+z)^{-m} (x+y)^{m-1} e^{-p(x+z)-q(t+y)} \log^k \left( \frac{a(x+y)}{t+z} \right) dx dy dz dt \\ &= \frac{1}{(p-q)^2} (2\pi i)^{k+1} e^{im\pi} p^{-m-1} q^{-m-1} \left( -p^m q^m \Phi(e^{2m\pi i}, -k, \frac{\pi - i \log a}{2\pi}) \right. \\ &+ qp^{2m} \Phi(e^{2m\pi i}, -k, \frac{\pi - i \log a - i \log p + i \log q}{2\pi}) \\ & \left. + qp^{2m} \Phi(e^{2m\pi i}, -k, \frac{\pi - i \log a + i \log p - i \log q}{2\pi}) \right) \end{aligned}$$

REY4 (14)

4.626.3

$$\begin{aligned} & \int_0^\infty \int_0^\infty \int_0^\infty \int_0^\infty \frac{e^{-p(x+z)-q(t+y)} \log^k \left( \frac{a(x+y)}{t+z} \right)}{\sqrt{t+z} \sqrt{x+y}} dx dy dz dt \\ &= \frac{1}{pq(p-q)^2} i^k 2^{2k+1} \pi^{k+1} \left( (p+q)\zeta(-k, \frac{\pi - i \log a}{4\pi}) - (p+q)\zeta(-k, \frac{3\pi - i \log a}{4\pi}) \right. \\ &+ \sqrt{p}\sqrt{q} \left[ -\zeta(-k, \frac{-i \log a + i \log p - i \log q + \pi}{4\pi}) + \zeta(-k, \frac{-i \log a + i \log p - i \log q + 3\pi}{4\pi}) \right. \\ & \left. - \zeta(-k, \frac{-i \log a - i \log p + i \log q + \pi}{4\pi}) + \zeta(-k, \frac{-i \log a - i \log p + i \log q + 3\pi}{4\pi}) \right] \right) \end{aligned}$$

REY4 (15)

4.626.4

$$\begin{aligned} & \int_0^\infty \int_0^\infty \int_0^\infty \int_0^\infty (t+z)^{-m} (x+y)^{m-1} e^{-p(x+z)-q(t+y)} dx dy dz dt \\ &= -\frac{\pi p^{-m-1} q^{-m-1} \csc(m\pi) (p^m - q^m) (qp^m - pq^m)}{(p-q)^2} \end{aligned}$$

REY4 (16)

4.626.5

$$\begin{aligned}
& \int_0^\infty \int_0^\infty \int_0^\infty \int_0^\infty \frac{(t-x-y+z)}{\sqrt{t+z}(x+y)^{3/2}} e^{-p(x+z)-q(t+y)} \log^k \left( \frac{x+y}{t+z} \right) dx dy dz dt \\
&= \frac{1}{p^{3/2} q^{3/2} (p-q)^2} i^k 2^{2k+1} \pi^{k+1} (p+q) \left( -2\sqrt{p}\sqrt{q}\zeta(-k, \frac{1}{4}) + 2\sqrt{p}\sqrt{q}\zeta(-k, \frac{3}{4}) \right. \\
&\quad + p\zeta(-k, \frac{i\log p - i\log q + \pi}{4\pi}) - p\zeta(-k, \frac{i\log p - i\log q + 3\pi}{4\pi}) \\
&\quad \left. + q\zeta(-k, \frac{-i\log p + i\log q + \pi}{4\pi}) - q\zeta(-k, \frac{-i\log p + i\log q + 3\pi}{4\pi}) \right)
\end{aligned}$$

REY4 (18)

16. On page 617, just before 6.631 add the following text:

See also: 2.91.1, 2.91.2, 2.92.1, 2.96.18

17. On page 622 add the new section 4.65 Multiple integrals of exponentials of linear functions

Notation:  $k = |\mathbf{k}|$ ,  $r = |\mathbf{r}|$ ,  $\hat{\mathbf{k}} = \frac{\mathbf{k}}{|\mathbf{k}|}$ ,  $\hat{\mathbf{r}} = \frac{\mathbf{r}}{|\mathbf{r}|}$ , and  $\int d^n k = \int_{\mathbb{R}^n} d\mathbf{k} = \underbrace{\int_{-\infty}^{\infty} \cdots \int_{-\infty}^{\infty}}_n dk_1 \cdots dk_n$ .

$$4.65.1 \int \frac{d^n k}{(2\pi)^n} e^{i\mathbf{k}(\mathbf{x}-\mathbf{y})} = \delta^n(\mathbf{x} - \mathbf{y}) \quad \text{WIKIQ}$$

$$4.65.2 \int \frac{d^3 k}{(2\pi)^3} \frac{\exp(i\mathbf{k} \cdot \mathbf{r})}{k^2} = \frac{1}{4\pi r} \quad \text{WIKIQ}$$

$$4.65.3 \int \frac{d^3 k}{(2\pi)^3} \frac{\exp(i\mathbf{k} \cdot \mathbf{r})}{k^2 + m^2} = \frac{e^{-mr}}{4\pi r} \quad \text{WIKIQ}$$

$$4.65.4 \int \frac{d^3 k}{(2\pi)^3} (\hat{\mathbf{k}} \cdot \hat{\mathbf{r}})^2 \frac{\exp(i\mathbf{k} \cdot \mathbf{r})}{k^2 + m^2} = \frac{e^{-mr}}{4\pi r} \left[ 1 + \frac{2}{mr} - \frac{2}{(mr)^2} (e^{mr} - 1) \right] \quad \text{WIKIQ}$$

$$4.65.5 \int \frac{d^3 k}{(2\pi)^3} [\hat{\mathbf{k}} \hat{\mathbf{k}}] \frac{\exp(i\mathbf{k} \cdot \mathbf{r})}{k^2 + m^2} = \frac{1}{2} \frac{e^{-mr}}{4\pi r} \left( (\mathbf{1} - \hat{\mathbf{r}} \hat{\mathbf{r}}) + \left[ 1 + \frac{2}{mr} - \frac{2}{(mr)^2} (e^{mr} - 1) \right] (\mathbf{1} + \hat{\mathbf{r}} \hat{\mathbf{r}}) \right) \quad \text{WIKIQ}$$

$$4.65.6 \int \frac{d^3 k}{(2\pi)^3} [\mathbf{1} - \hat{\mathbf{k}} \hat{\mathbf{k}}] \frac{\exp(i\mathbf{k} \cdot \mathbf{r})}{k^2 + m^2} = \frac{1}{2} \frac{e^{-mr}}{4\pi r} \left[ -\frac{2}{mr} + \frac{2}{(mr)^2} (e^{mr} - 1) \right] (\mathbf{1} + \hat{\mathbf{r}} \hat{\mathbf{r}}) \quad \text{WIKIQ}$$

$$4.65.7 \int_{\mathbb{R}^n} e^{i\mathbf{x} \cdot \mathbf{r}} \frac{\sin[t\sqrt{r^2 + m^2}]}{\sqrt{r^2 + m^2}} d\mathbf{r} \quad \text{GLAS}$$

$$= \pi^{(n+1)/2} \left( \frac{m}{2} \right)^{(n-1)/2} (t^2 - k^2)^{(1-n)/4} J_{(1-n)/2} \left( m\sqrt{t^2 - k^2} \right) H(t - k)$$

where  $r = |\mathbf{r}|$ ,  $k = |\mathbf{x}|$ ,  $H$  is the unit step function, and  $0 < n < 3$ .

18. On page 622 add the new section 4.66 Multiple integrals of exponentials of powers

Notation:  $\int d^n x = \int_{\mathbb{R}^n} d\mathbf{x} = \underbrace{\int_{-\infty}^{\infty} \cdots \int_{-\infty}^{\infty}}_n dx_1 \cdots dx_n$ .

4.66.1	$\int_{\mathbb{R}^n} \exp\left(-\frac{1}{2}\mathbf{x}^T A \mathbf{x} + \mathbf{b}^T \mathbf{x}\right) d\mathbf{x} = \sqrt{\frac{(2\pi)^n}{\det A}} \exp\left(\frac{1}{2}\mathbf{b}^T A^{-1} \mathbf{b}\right)$	WIKIQ
4.66.2	$\int_{\mathbb{R}^n} \exp\left(-\frac{1}{2}\mathbf{x}^T A \mathbf{x} + i\mathbf{b}^T \mathbf{x}\right) d\mathbf{x} = \sqrt{\frac{(2\pi)^n}{\det A}} \exp\left(-\frac{1}{2}\mathbf{b}^T A^{-1} \mathbf{b}\right)$	WIKIQ
4.66.3	$\int_{\mathbb{R}^n} \exp\left(-\frac{i}{2}\mathbf{x}^T A \mathbf{x} + i\mathbf{b}^T \mathbf{x}\right) d\mathbf{x} = \sqrt{\frac{(2\pi i)^n}{\det A}} \exp\left(-\frac{i}{2}\mathbf{b}^T A^{-1} \mathbf{b}\right)$	WIKIQ

19. On page 622 add the new section 4.70 Multiple integrals and the omega calculus

In the Omega calculus, the Omega operator is defined by  $\overset{\lambda}{\Omega} \sum_{\alpha_1=-\infty}^{\infty} \cdots \sum_{\alpha_n=-\infty}^{\infty} A_{\alpha} \lambda^{\alpha} = A_0$  when  $A_{\alpha} \in \mathbb{C}^{n \times n}$  for  $\alpha \in \mathbb{Z}^n$  and  $\lambda^{\alpha} = \lambda_1^{\alpha_1} \cdots \lambda_n^{\alpha_n}$ ,

$$\begin{aligned} 4.70.1 \quad & \int_0^t \int_0^{s_1} \cdots \int_0^{s_{k-2}} e^{(t-s_1)A_{1,1}} A_{1,2} e^{(s_1-s_2)A_{2,2}} A_{2,3} e^{(s_2-s_3)A_{3,3}} A_{3,4} \cdots \\ & e^{(s_{k-2}-s_{k-1})A_{k-1,k-1}} A_{k-1,k} e^{s_{k-1}A_{k,k}} ds_1 \cdots ds_{k-1} \\ & = \overset{\mu}{\Omega} e^{\mu t} B_{1,1} \frac{A_{1,2}}{\mu} B_{2,2} \frac{A_{2,3}}{\mu} B_{3,3} \cdots B_{k-1,k-1} \frac{A_{k-1,k}}{\mu} B_{k,k} \\ & \text{where } A_{ij} \text{ are matrices, } B_{i,i} = \left(I - \frac{A_{i,i}}{\mu}\right)^{-1}, \text{ and } \overset{\lambda}{\Omega} \text{ is the Omega operator.} \\ 4.70.2 \quad & \int_0^t e^{sA} B ds = \overset{\mu}{\Omega} e^{\mu t} \left(I - \frac{A}{\mu}\right)^{-1} \frac{B}{\mu} \quad \text{where } A \text{ and } B \text{ are matrices} \end{aligned} \quad \text{NETO}$$

20. On page 632 add the new section 5.24 Generalized Exponential Integral

21. On page 632 add the new section 5.24.1 General Index

Add the following integrals

5.24.1.1	$\int_z^{\infty} E_{p-1}(t) dt = E_p(z) \quad [ \arg z  < \pi]$	DLMF 8.19.23
5.24.1.2	$\int_0^{\infty} e^{-ax} E_n(x) dx = \frac{(-1)^{n-1}}{a^n} \left( \ln(1+a) + \sum_{k=1}^{n-1} \frac{(-1)^k a^k}{k} \right) \quad [n = 1, 2, \dots, \text{Re } a > -1]$	DLMF 8.19.24
5.24.1.3	$\int_0^{\infty} e^{-ax} x^{b-1} E_p(x) dx = \frac{\Gamma(b)(1+a)^{-b}}{p+b-1} F\left(1, b; p+b; \frac{a}{1+a}\right) \quad [\text{Re } a > -1, \text{Re } (p+b) > 1]$	DLMF 8.19.25
5.24.1.4	$\int_0^{\infty} E_p(x) E_q(x) dx = \frac{L(p) + L(q)}{p+q-1} \quad [p > 0, q > 0, p+q > 1]$ where $L(p) = \int_0^{\infty} e^{-t} E_p(t) dt = \frac{1}{2p} F(1, 1; 1+p; \frac{1}{2})$	DLMF 8.19.26
5.24.1.5	$\int_0^z x^{\lambda} E_{\nu}(x^{\mu}) dx = \frac{\gamma\left(\frac{1+\lambda}{\mu}, z^{\mu}\right) + z^{1+\lambda} E_{\nu}(z^{\mu})}{1+\lambda+\mu(\nu-1)} \quad [\mu > 0, z \geq 0, \lambda > \max(-1, -1-\mu(\nu-1))]$	CIO2020

22. On page 632 add the new section 5.24.2 Indefinite Exponential Integrals of Index 1

Add the following indefinite integrals

$$5.24.2.1 \int E_1(ax) dx = x E_1(ax) - \frac{1}{a} e^{-ax} \quad [a > 0] \quad \text{GEL (4.1-1)}$$

$$5.24.2.2 \int x E_1(ax) dx = \frac{1}{2} x^2 E_1(ax) - \frac{1}{2a^2} (1 + ax) e^{-ax} \quad [a > 0] \quad \text{GEL (4.1-4)}$$

$$5.24.2.3 \int x^p E_1(ax) dx = \frac{x^{p+1}}{p+1} E_1(ax) + \frac{1}{(p+1)a^{p+1}} \gamma(p+1, ax) \quad [a > 0, \quad p > -1] \quad \text{GEL (4.1-14)}$$

$$5.24.2.4 \int e^{-ax} E_1(bx) dx = \frac{1}{a} (E_1[(a+b)x] - e^{-ax} E_1(bx)) \quad [a > 0, \quad b > 0] \quad \text{GEL (4.2-1)}$$

$$5.24.2.5 \int e^{ax} E_1(bx) dx = -\frac{1}{a} (E_1[(b-a)x] - e^{ax} E_1(bx)) \quad [b > a > 0] \quad \text{GEL (4.2-2)}$$

$$5.24.2.6 \int x e^{-ax} E_1(bx) dx = \frac{1}{a^2} \left( E_1[(a+b)x] - (1+ax)e^{-ax} E_1(bx) + \left( \frac{a}{a+b} \right) e^{-(a+b)x} \right) \quad [a, b, c > 0] \quad \text{GEL (4.2-10)}$$

$$5.24.2.7 \int x e^{cx} E_1(ax+b) dx = \frac{1}{c} \left( x - \frac{1}{c} \right) e^{cx} E_1(ax+b) - \frac{e^{(a-c)x+b}}{c(a-c)} + \frac{(a+bc)e^{-bc/a}}{ac^2} E_1 \left( \frac{(a-c)(ax+b)}{a} \right) \quad [a > c > 0, \quad b > 0] \quad \text{GEL (4.2-13)}$$

$$5.24.2.8 \int \frac{e^{-x}}{x} E_1(ax) dx = -\frac{1}{2} [E_1(ax)]^2 \quad [a > 0] \quad \text{GEL (4.2-30)}$$

$$5.24.2.9 \int \ln x E_1(ax) dx = \frac{1}{a} [(1 - \ln x) e^{-ax} - (1 + ax - ax \ln x) E_1(ax)] \quad [a > 0] \quad \text{GEL (4.4-1)}$$

$$5.24.2.10 \int E_1(ax) E_1(bx) dx = x E_1(ax) E_1(bx) + \left( \frac{1}{a} + \frac{1}{b} \right) E_1([a+b]x) - \frac{1}{a} e^{-ax} E_1(bx) - \frac{1}{b} e^{-bx} E_1(ax) \quad [a, b > 0] \quad \text{GEL (4.6-1)}$$

23. On page 632 add the new section 5.24.3 Definite Exponential Integrals of Index 1

Add the following definite integrals

$$5.24.3.1 \int_0^\infty E_1(ax) dx = \frac{1}{a} \quad [a > 0] \quad \text{GEL (4.1-3)}$$

$$5.24.3.2 \int_0^\infty x^p E_1(ax) dx = \frac{\Gamma(p+1)}{(p+1)a^{p+1}} \quad [a > 0, \quad p > -1] \quad \text{GEL (4.1-15)}$$

$$5.24.3.3 \int_0^\infty e^{-ax} E_1(bx) dx = \frac{1}{a} \ln \left( 1 + \frac{a}{b} \right) \quad [a > 0, \quad b > 0] \quad \text{GEL (4.2-3)}$$

$$5.24.3.4 \int_0^\infty e^{ax} E_1(bx) dx = -\frac{1}{a} \ln \left( 1 - \frac{a}{b} \right) \quad [b > a > 0] \quad \text{GEL (4.2-4)}$$

$$5.24.3.5 \int_0^\infty x^p e^{ax} E_1(bx) dx = \frac{\Gamma(p+1)}{b^{p+1}(p+1)} {}_2F_1 \left( p+1, p+1; p+2; \frac{a}{b} \right) \quad [b > a > 0, \quad p > -1] \quad \text{GEL (4.2-21)}$$

- 5.24.2.6  $\int_{-\infty}^{\infty} e^{ax} e^{-ibx} E_1(ax) dx = \frac{b\pi}{b+ia}$  [a, b > 0] GEL (4.2-34)
- 5.24.2.7  $\int_0^{\infty} x^n \ln x E_1(ax) dx = -\frac{n!}{(n+1)a^{n+1}} \left[ \gamma + \ln a + \frac{1}{n+1} - \sum_{m=1}^n \frac{1}{m} \right]$  [n = 1, 2, ..., a > 0] GEL (4.4-7)
- 5.24.2.8  $\int_0^{\infty} \sin(bx) e^{cx} E_1(ax) dx = \frac{1}{b^2+c^2} \left[ \frac{b}{2} \ln \left( \frac{(a-c)^2+b^2}{a^2} \right) + c \tan^{-1} \left( \frac{b}{a-c} \right) \right]$  [a ≥ c > 0, b > 0] GEL (4.3-10)
- 5.24.2.9  $\int_0^{\infty} \cos(bx) e^{cx} E_1(ax) dx = \frac{1}{b^2+c^2} \left[ -\frac{c}{2} \ln \left( \frac{(a-c)^2+b^2}{a^2} \right) + b \tan^{-1} \left( \frac{b}{c-a} \right) \right]$  [a ≥ c > 0, b > 0] GEL (4.3-13)
- 5.24.2.10  $\int_0^{\infty} x E_1(ax) E_1(bx) dx = \frac{1}{2} \left( \frac{1}{a^2} + \frac{1}{b^2} \right) \ln(a+b) - \frac{1}{2a^2} \ln b - \frac{1}{2b^2} \ln a - \frac{1}{2ab}$  [a, b > 0] GEL (4.6-8)
- 5.24.2.11  $\int_0^{\infty} E_1(x) J_0(ax) dx = \frac{\operatorname{arcsinh} a}{a}$  [a > 0] GEL (4.7-1)

24. On page 634 add the new section 5.57 Bessel Function Combinations

Add the following integrals

- 5.57.1  $\int \frac{dx}{x J_p^2(x)} = \frac{\pi}{2} \frac{Y_p(x)}{J_p(x)}$  WA (pg 133)
- 5.57.2  $\int \frac{dx}{x J_p(x) Y_p(x)} = \frac{\pi}{2} \log \frac{Y_p(x)}{J_p(x)}$  WA (pg 133)
- 5.57.3  $\int \frac{dx}{x Y_p^2(x)} = -\frac{\pi}{2} \frac{J_p(x)}{Y_p(x)}$  WA (pg 133)

(Thanks to Brady Metherall for suggesting the inclusion of these evaluations.)

25. On page 634 add the new section 5.58 Bessel Function Convolutions

Add the following integrals

xx/2024

- 5.58.1  $\int_0^x J_\mu(t) J_\nu(x-t) dt = 2 \sum_{n=0}^{\infty} (-1)^n J_{\mu+\nu+2n+1}(x)$  WA 380 (2) xx/2024
- 5.58.2  $\int_0^x J_\mu(t) J_\nu(x-t) \frac{dt}{t} = \frac{J_{\mu+\nu}(x)}{\mu}$  [Re μ > 0, Re ν > -1] WA 380 (3) xx/2024
- 5.58.3  $\int_0^x J_\mu(t) J_{-\mu}(x-t) dt = \sin x$  [-1 < Re μ < 1] WA 380 (4a) xx/2024
- 5.58.4  $\int_0^x J_\mu(t) J_{1-\mu}(x-t) dt = J_0(x) - \cos x$  [-1 < Re μ < 2] WA 380 (4b) xx/2024
- 5.58.5  $\int_0^x \frac{J_\mu(t)}{t} \frac{J_\nu(x-t)}{x-t} dt = \left( \frac{1}{\mu} + \frac{1}{\nu} \right) \frac{J_{\mu+\nu}(x)}{x}$  [Re μ > 0, Re ν > 0] WA 380 (5) xx/2024
- 5.58.5  $\int_0^x J_0(t) \cos(x-t) dt = x J_0(x)$  WA 380 (1) xx/2024

---


$$5.58.6 \int_0^x J_0(t) \sin(x-t) dt = x J_1(x)$$

xx/2024

26. On page 635, create new section 5.8 Lambert W-function

$$5.8.1 \int W(x) dx = x W(x) - x + e^{W(x)} \quad \text{COR1 (3.14)}$$

$$5.8.2 \int x W(x) dx = \frac{1}{2} (W(x) - \frac{1}{2}) (W^2(x) + \frac{1}{2}) e^{2W(x)} \quad \text{COR1 (3.15)}$$

$$5.8.3 \int \frac{W(x)}{x} dx = \int e^{-W(x)} dx = \frac{1}{2} W^2(x) + W(x)$$

$$5.8.4 \int \frac{W(x)}{x^2} dx = Ei(-W(x)) - e^{-W(x)}$$

$$5.8.5 \int x \sin(W(x)) dx = \frac{1}{2} \left( x + \frac{x}{W(x)} \right) \sin(W(x)) - \frac{x}{2} \cos(W(x)) \quad \text{COR2}$$

$$5.8.6 \int W(ae^{bx}) dx = \frac{W(ae^{bx})^2}{2b} + \frac{W(ae^{bx})}{b}$$

(Thanks to Brady Metherall for suggesting the inclusion of many of these evaluations.)

27. On page 640 add the following integrals

$$6.142.3 \int_0^1 \frac{k \mathbf{K}(k)}{(z+k^2)^{n+3/2}} dk = \frac{(-2)^n}{(2n+1)!!} \frac{d^n}{dz^n} \left( \frac{\arccot(\sqrt{z})}{\sqrt{z(z+1)}} \right) \quad z > 0 \text{ and } n = 0, 1, 2, \dots \quad \text{CIO2019}$$

$$6.142.4 \int_0^1 \frac{k \mathbf{K}(k)}{(1+k^2)^{3/2}} dk = \frac{\pi}{4\sqrt{2}} \quad \text{CIO2019}$$

$$6.142.5 \int_0^1 \frac{k \mathbf{K}(k)}{(1+k^2)^{5/2}} dk = \frac{4+3\pi}{24\sqrt{2}} \quad \text{CIO2019}$$

$$6.142.6 \int_0^1 \frac{k \mathbf{K}(k)}{(1+k^2)^{7/2}} dk = \frac{40+19\pi}{240\sqrt{2}} \quad \text{CIO2019}$$

$$6.142.7 \int_0^1 \frac{k \mathbf{K}(k)}{(1+k^2)^{9/2}} dk = \frac{484+189\pi}{3360\sqrt{2}} \quad \text{CIO2019}$$

(Thanks to Luca Ciotti for suggesting the inclusion of these integrals.)

28. On page 680 add the following two additional evaluations to 6.541:

$$\begin{aligned} &= \frac{\delta(b-a)}{a} - c^2 I_\nu(bc) K_\nu(ac) \quad [n = -1, \nu = 0, 1, \dots, \operatorname{Re} c > 0, 0 < b < a] \\ &= \frac{\delta(b-a)}{a} - c^2 I_\nu(ac) K_\nu(bc) \quad [n = -1, \nu = 0, 1, \dots, \operatorname{Re} c > 0, 0 < a < b] \end{aligned}$$

(Thanks to Peter J. Hobson for suggesting the inclusion of these evaluations.)

29. On page 715 add the following integrals:

$$6.633.6 \int_0^\infty xe^{-ax^2} J_1(x) Y_1(x) dx = -\frac{1}{\pi} + \frac{e^{-1/2a}}{2a\pi} K_1\left(\frac{1}{2a}\right) \quad \text{MCP (19)}$$

$$6.633.7 \int_0^\infty xe^{-ax^2} J_2(x) Y_2(x) dx = -\frac{2(1-2a)}{\pi} - \frac{e^{-1/2a}}{2a\pi} K_2\left(\frac{1}{2a}\right) \quad \text{MCP (20)}$$

30. On page 717 add the following integral

$$6.645.4 \int_{-1}^1 (1-x^2)^{\frac{1}{2}\nu} e^{-\alpha x} I_\nu\left(\beta\sqrt{1-x^2}\right) dx = \sqrt{2\pi} \beta^\nu (\alpha^2 + \beta^2)^{-\frac{1}{2}\nu - \frac{1}{4}} I_{\nu+\frac{1}{2}}\left(\sqrt{\alpha^2 + \beta^2}\right) \quad [\nu \geq 0]$$

(Thanks to Christoph Gierull for suggesting the inclusion of this integral.)

31. On page 726, create a new section 6.6711

32. On page 726 add the following integral

$$6.6711.1 \int_0^1 J_0(ax) \arccos(x) dx = \frac{\text{Si}(a)}{a} \quad [\text{Re}(a) > 0] \quad \text{MA}$$

(Thanks to Luca Ciotti for suggesting the inclusion of this integral.)

33. On page 738 add the following extra cases to the existing integrals

$$6.699.1 \text{ integral} = \frac{2^{\nu-1} \Gamma\left(-\frac{1}{2} - \lambda\right) \Gamma\left(\frac{3}{2} + \frac{1}{2}\lambda + \frac{1}{2}\nu\right)}{a^{\lambda+1} \Gamma(\nu - \lambda) \Gamma\left(\frac{1}{2} - \frac{1}{2}\lambda - \frac{1}{2}\nu\right)} \quad [b = a, \quad a > 0, \quad -1 < \text{Re } \nu < \text{Re}(1 + \lambda) < \frac{1}{2}] \quad \text{ET 1 6.8(10)}$$

$$6.699.2 \text{ integral} = \frac{2^{\nu-1} \Gamma\left(-\frac{1}{2} - \lambda\right) \Gamma\left(1 + \frac{1}{2}\lambda + \frac{1}{2}\nu\right)}{a^{\lambda+1} \Gamma\left(\frac{1}{2}\lambda - \frac{1}{2}\nu\right) \Gamma(\nu - \lambda)} \quad [b = a, \quad a > 0, \quad -\text{Re } \nu < \text{Re}(1 + \lambda) < \frac{1}{2}] \quad \text{ET 1 6.8(11)}$$

(Thanks to Shenhui Liu for suggesting the inclusion of these evaluations.)

34. On page 749, add the following integral

$$6.737.7 \int_0^\infty x \frac{\sin(b\sqrt{x^2 - a^2})}{\sqrt{x^2 - a^2}} J_0(cx) dx = \frac{1}{\sqrt{b^2 - c^2}} \cosh\left(a\sqrt{b^2 - c^2}\right) \quad [b > c] \quad \text{ROB21}$$

(Thanks to Peter A. Robinson for suggesting this integral.)

35. On page 760, create new section 6.791 Spherical Bessel Functions with the text

The spherical, or half-order, Bessel functions are given by  $j_k(x) = \sqrt{\frac{\pi}{2x}} J_{k+1/2}(x)$ .

Victor: What do you think of these? Is this section in the correct location?

Then add the following integrals

$$6.791.1 f_{\ell_1, \ell_2, \ell_3}(r_1, r_2, r_3; p) = \int_0^\infty x^2 e^{-px^2} j_{\ell_1}(xr_1) j_{\ell_2}(xr_2) j_{\ell_3}(xr_3) dx \quad \text{CS (1)}$$

$$6.791.2 \quad f_{\ell_1, \ell_2+1, \ell_3} = \left( \frac{r_1}{r_2} \right) \left( \frac{2\ell_2 + 1}{2\ell_1 + 1} \right) (f_{\ell_1-1, \ell_2, \ell_3} + f_{\ell_1+1, \ell_2, \ell_3}) - f_{\ell_1, \ell_2-1, \ell_3} \quad \text{CS (3)}$$

$$6.791.3 \quad f_{\ell_1, 0, 0} = -\frac{(-i)^{\ell_1+1}}{4r_1 r_2 r_3} [Q_{\ell_1}(R_{--}) - Q_{\ell_1}(R_{-+}) - Q_{\ell_1}(R_{+-}) + Q_{\ell_1}(R_{++})] \\ \left[ r_1 \neq 0, \quad R_{\pm\pm} = \frac{1}{r_1} (-ip^2 \pm r_2 \pm r_3) \right] \quad \text{CS (9)}$$

$$6.791.3 \quad f_{\ell_1, -1, 0} = -\frac{(-i)^{\ell_1}}{4r_1 r_2 r_3} [Q_{\ell_1}(R_{--}) - Q_{\ell_1}(R_{-+}) + Q_{\ell_1}(R_{+-}) - Q_{\ell_1}(R_{++})] \\ \left[ r_1 \neq 0, \quad R_{\pm\pm} = \frac{1}{r_1} (-ip^2 \pm r_2 \pm r_3) \right] \quad \text{CS (11)}$$

$$6.791.4 \quad f_{\ell_1, -1, -1} = \frac{(-i)^{\ell_1+1}}{4r_1 r_2 r_3} [Q_{\ell_1}(R_{--}) + Q_{\ell_1}(R_{-+}) + Q_{\ell_1}(R_{+-}) + Q_{\ell_1}(R_{++})] \\ \left[ r_1 \neq 0, \quad R_{\pm\pm} = \frac{1}{r_1} (-ip^2 \pm r_2 \pm r_3) \right] \quad \text{CS (12)}$$

36. On page 852, add the following integrals

$$7.741.6 \quad \int_0^\infty e^{-x^2/4} \cos(bx) [D_{2\nu-1/2}(x) + D_{2\nu-1/2}(-x)] dx = \sqrt{2\pi} e^{-b^2/2} b^{2(\nu-1/4)} \sin[\pi(\nu + \frac{1}{4})] \\ [\operatorname{Re} \nu > \frac{1}{4}, \quad b \text{ real}] \quad \text{MAR2022 (12)}$$

$$7.741.7 \quad \int_0^\infty e^{-ax^2} \cos(bx) [D_{2\nu-1/2}(x) + D_{2\nu-1/2}(-x)] dx \\ = \frac{2^{\nu-1/4}\pi}{\Gamma(\frac{3}{4}-\nu)} \frac{(a-\frac{1}{4})^{\nu-1/4}}{(a+\frac{1}{4})^{\nu+1/4}} e^{-b^2/(4a+1)} \Phi\left(-\nu + \frac{1}{4}, \frac{1}{2}; -\frac{2b^2}{(4a+1)(4a-1)}\right) \\ [\operatorname{Re} \nu > \frac{1}{4}, \quad a > \frac{1}{4}, \quad b \text{ real}] \quad \text{MAR2022 (8)}$$

(Thanks to Richard J. Mathar for suggesting these integrals.)

37. On page 875, add section 7.9 Lambert W-function

$$7.9.1 \quad \int_0^\infty W(x)x^{-3/2} dx = \sqrt{8\pi}$$

$$7.9.2 \quad \int_0^e W(x) dx = e - 1$$

$$7.9.3 \quad \int_0^e \frac{x}{W(x)} dx = \frac{3e^2}{4}$$

38. On page 900, add section 8.27: Generalized Exponential Integral

8.271 Definition

$$8.271.1 \quad E_p(z) = z^{p-1} \Gamma(1-p, z) = z^{p-1} \int_z^\infty \frac{e^{-t}}{t^p} dt \quad \text{DLMF 8.19.2}$$

$$8.271.2 \quad E_p(z) = \int_a^\infty \frac{e^{-zt}}{t^p} dt \quad [|\arg z| < \frac{1}{2}\pi] \quad \text{DLMF 8.19.3}$$

$$8.271.3 \quad E_p(z) = \frac{z^{p-1} e^{-z}}{\Gamma(p)} \int_0^\infty \frac{t^{p-1} e^{-zt}}{1+t} dt \quad [|\arg z| < \frac{1}{2}\pi, \quad \operatorname{Re} p > 0] \quad \text{DLMF 8.19.3}$$

8.271.4	$E_0(z) = z^{-1}e^{-z}$	$[z \neq 0]$	DLMF 8.19.5
8.271.5	$E_p(0) = \frac{1}{p-1}$	$[\operatorname{Re} p > 1]$	DLMF 8.19.6
8.271.6	$E_1(-x \pm i0) = -\operatorname{Ei}(x) \mp i\pi$		DLMF 6.5.1
8.271.7	$E_p(x) = \begin{cases} \frac{e^{-x} - x E_{p-1}(x)}{p-1} & p \neq 1 \\ \frac{e^{-x} - p E_{p+1}(x)}{z} & p = 1 \end{cases}$		

39. On page 945, add section 8.5181: The series  $\sum J_{k+\nu}(x)J_{k+\mu}(x)$

$$\begin{aligned} 8.5181.1 \quad & \sum_{k=0}^{\infty} J_{k+\nu}(x)J_{k+\mu}(x) = K(\mu, \nu) \quad [\mu \text{ and } \nu \text{ are real}] \\ & K(\mu, \nu) = \frac{(x/2)^{\mu+\nu}}{\Gamma(\mu+1)\Gamma(\nu+1)} {}_2F_3 \left[ \frac{\mu+\nu}{2}, \frac{\mu+\nu+1}{2}; \mu+1, \nu+1, \mu+\nu; -x^2 \right] \\ 8.5181.2 \quad & \sum_{k=L}^M J_{k+\nu}(x)J_{k+\mu}(x) = K(\mu+L, \nu+L) - K(\mu+M+1, \nu+M+1) \\ 8.5181.3 \quad & \sum_{k=0}^{\infty} J_k(x)J_{k+\mu}(x) = \frac{x}{2\mu} \left[ J_0(x)J_{\mu-1}(x) + J_1(x)J_{\mu}(x) \right] \quad [\mu \text{ is real}] \\ 8.5181.4 \quad & \sum_{k=0}^{\infty} J_k(x)J_{k+1}(x) = \frac{x}{2} \left[ J_0^2(x) + J_1^2(x) \right] \\ 8.5181.5 \quad & \sum_{k=0}^{\infty} J_k(x)J_{k+2}(x) = \frac{x}{4} \left[ J_0(x)J_1(x) + J_1(x)J_2(x) \right] = \frac{1}{2} J_1^2(x) \\ 8.5181.6 \quad & \sum_{k=0}^{\infty} J_k(x)J_{k+3}(x) = \frac{x}{6} \left[ J_0(x)J_2(x) + J_1(x)J_3(x) \right] \end{aligned}$$

(Thanks to David A. Kessler for suggesting the inclusion of these sums.)

40. On page 945, add section 8.5182: The series  $\sum a_k J_k^2(x)$

$$\begin{aligned} 8.5182.1 \quad & \sum_{k=0}^{\infty} k J_k^2(x) = \frac{x^2}{2} \left[ J_0^2(x) + J_1^2(x) \right] - \frac{x}{2} J_0(x)J_1(x) \\ 8.5182.2 \quad & \sum_{k=0}^{\infty} k^2 J_k^2(x) = \frac{x^2}{4} \\ 8.5182.3 \quad & \sum_{k=1}^{\infty} [J_{k-1}^2(k\nu) + J_{k+1}^2(k\nu)] = \frac{1}{\sqrt{1-\nu^2}} \quad [0 \leq \nu < 1] \quad \text{BL2 B.1} \end{aligned}$$

(Thanks to David A. Kessler for suggesting the inclusion of these sums.)

(Thanks to Cameron Bunney for suggesting the inclusion of 8.158.3.)

41. On pages 1105–1108 add the following references:

- AR Juan Arias De Reyna, *True Value of an Integral in Gradshteyn and Ryzhik's Table*, 29 Jan 2018, <https://arxiv.org/pdf/1801.09640.pdf>
- BL2 C. R. D. Bunney and J. Louko, “Circular motion analogue Unruh effect in a  $2 + 1$  thermal bath: robbing from the rich and giving to the poor,” *Classical and Quantum Gravity*, 40, 2023, 155001.
- BUS R. G. Buschman, ‘Two Integrals Evaluated by Zeta Functions”, Problem 94-4 in “Problems and Solutions,” Eds. C. C. Rousseau and O. G. Ruehr, *SIAM Review*, Vol 37, No. 1, pages 110–112, March 1995.
- CIO2019 L. Ciotti, *On a family of curious integrals suggested by stellar dynamics*, 24 Nov 2019, <https://arxiv.org/abs/1911.10480>.
- CIO2020 L. Ciotti, *A family of Exponential Integrals suggested by Stellar Dynamics*, 14 Sep 2020, <https://arxiv.org/abs/2009.06452>.
- COR1 R. M. Corless, G. H. Gonnet, D. E. G. Hare, D. J. Jeffrey, and D. E. Knuth, *On the Lambert W Function*, <https://cs.uwaterloo.ca/research/tr/1993/03/W.pdf> (accessed April 23, 2021).
- COR2 R. M. Corless and D. J. Jeffrey, *On the Lambert W Function*, 1996, <https://www.uwo.ca/apmaths/faculty/jeffrey/pdfs/W-adv-cm.pdf>, (accessed April 23, 2021).
- CS J. Chellino1 and Z. Slepian, *Triple-Spherical Bessel Function Integrals with Exponential and Gaussian Damping: Towards An Analytic N-Point Correlation Function Covariance Model*, 2023, <https://arxiv.org/pdf/2308.01955.pdf> (accessed Sept 15, 2021).
- DO V. Dobrushkin, *MATHEMATICA TUTORIAL for the Second Course. Part VI: Fourier Transform*, <http://www.cfm.brown.edu/people/dobrush/am34/Mathematica/ch6/hfourier.html> (accessed 1 Jan 2021).
- EK R. C. Elliott and W. A. Krzymień, “Corrections, Improvements, and Comments on Some Gradshteyn and Ryzhik Integrals,” <https://arxiv.org/pdf/2307.14546.pdf> (accessed 18 Aug 2023).
- FUR2013 O. Furdui, *Limits, Series, and Fractional Part Integrals: Problems in Mathematical Analysis*, Springer, 2013.
- GEL M. Geller and E. W. Ng, “A Table of Integrals of the Exponential Integral,” *JOURNAL OF RESEARCH of the National Bureau of Standards -B. Mathematics and Mathematical Science*, Vol. 73B, No. 3, July–September 1969, [https://nvlpubs.nist.gov/nistpubs/jres/73B/jresv73Bn3p191\\_A1b.pdf](https://nvlpubs.nist.gov/nistpubs/jres/73B/jresv73Bn3p191_A1b.pdf).
- GLAS M. L. Glasser “An  $n$ -Space Integral,” Problem 88-9 in “Problems and Solutions”, Ed. M. S. Klamkin, *SIAM Review*, Vol 31, No. 2, pages 328–329, June 1989.
- GR1994 R. L. Graham, D. E. Knuth, and O. Patashnik, *Concrete Mathematics*, Second Edition, 1994, <https://www.csie.ntu.edu.tw/~r97002/temp/Concrete%20Mathematics%202e.pdf>.
- INT31 D. Chen, *et al.*, “The integrals in Gradshteyn and Ryzhik. Part 31: Forms containing binomials,” *SCIENTIA, Series A: Mathematical Sciences*, (2021).
- AMM12247 *American Mathematical Monthly*, problem 12247, Vol. 128, April 2021.
- MAR2022 R. J. Mathar, *Erratum to "Tables of Integral Transforms" by A. Erdelyi, W. Magnus, F. Oberhettinger, and F. G. Tricomi (1953)*, p. 61 (4), <https://vixra.org/abs/2207.0148> (accessed July 22, 2023).

xx/2024

xx/2024

xx/2024

- MAR2007 Jean-Luc Marichal, *Multivariate integration of functions depending explicitly on the minimum and the maximum of the variables*, 13 Oct 2007, <https://arxiv.org/abs/0710.2614>.
- MCP R. C. McPhedran, D. H. Dawes, and Tony Scott, “On a Bessel Function Integral,” *MapleTech: The Maple Technical Newsletter*, Issue 8, Fall 1992.
- NETO A. F. Neto, *Matrix Analysis and Omega Calculus*, SIAM Rev., 62(1), 2020, pages 264–280.
- QIN2011 H. Qin and Y. Lu, “Integrals of Fractional Parts and Some New Identities on Bernoulli Numbers”, *Int. J. Contemp. Math. Sciences*, Vol. 6, 2011, no. 15, 745–761, <http://m-hikari.com/ijcms-2011/13-16-2011/luyouminIJCMS13-16-2011.pdf>.
- REY1 R. Reynolds and A. Stauffer, ‘‘A Definite Integral Involving the Logarithmic Function in Terms of the Lerch Function.’’ *Mathematics*, 2019, 7, 1148.
- REY2 R. Reynolds and A. Stauffer, ‘‘Definite Integral of Arctangent and Polylogarithmic Functions Expressed as a Series.’’, *Mathematics*, 2019, 7, 1099.
- REY3 R. Reynolds and A. Stauffer, ‘‘Derivation of Logarithmic and Logarithmic Hyperbolic Tangent Integrals Expressed in Terms of Special Functions’’, *Mathematics*, 2020, 8, 687.
- REY4 R. Reynolds and A. Stauffer, ‘‘A Quadruple Definite Integral Expressed in Terms of the Lerch Function.’’ *Symmetry*, 2021, 13, 1638.
- ROB21 P. A. Robinson, “Integrals and series related to propagators of neural and haemodynamic waves,” *R. Soc. Open Sci.*, 2021, 8, 211562.
- VE2015 D. Veestraeten, “Some remarks, generalizations and misprints in the integrals in Gradshteyn and Ryzhik,” *SCIENTIA, Series A: Mathematical Sciences*, Vol. 26 (2015), pages 115–131.
- OLD MHB Oldtimer, *Integral involving fractional part*, 18 Sep 2014, <https://mathhelpboards.com/threads/integral-involving-fractional-part.12237/> (accessed April 20, 2021).
- WIKIQ Wikipedia contributors, ”Common integrals in quantum field theory,” Wikipedia, The Free Encyclopedia, [https://en.wikipedia.org/w/index.php?title=Common\\_integrals\\_in\\_quantum\\_field\\_theory&oldid=978095681](https://en.wikipedia.org/w/index.php?title=Common_integrals_in_quantum_field_theory&oldid=978095681) (accessed April 20, 2021).
- WIKIW Wikipedia contributors, ”Lambert W function,” Wikipedia, The Free Encyclopedia, [https://en.wikipedia.org/w/index.php?title=Lambert\\_W\\_function&oldid=1019399859](https://en.wikipedia.org/w/index.php?title=Lambert_W_function&oldid=1019399859) (accessed April 20, 2021).
- WOFP Wolfram, *Fractional Part*, <https://mathworld.wolfram.com/FractionalPart.html> (accessed April 20, 2021).

**ERRATA FOR THE 8th EDITION**

1. On pages xix–xxiii, **Acknowledgements**, add the following names:

- |                             |  |
|-----------------------------|--|
| • Mohammad S. Alhassoun     | • Dr. Mo Li                                |
| • Dr. Carlos Maña Barrera   | • Dr. Wenzhi Luo                           |
| • Dominik Beck              | • Dr. Paolo Maccallini                     |
| • Dr. Elliot Blackstone     | • Dr. Matt Majic                           |
| • Dr. Sam Blake             | • Dr. Brady Metherall                      |
| • Dr. Guillem Blanco        | • Dr. Agostino Migliore                    |
| • Dr. Farid Bouttout        | • Dr. J. P. Balthasar Müller               |
| • Dr. Adriana Brancaccio    | • Dr. Mungon Nam                           |
| • Dr. Michael Brideson      | • Dr. Antonio Francisco Neto               |
| • Peter Brown               | • Dr. Travis Porco                         |
| • Dr. Patrick Bruno         | • Dr. Donato Posa                          |
| • Cameron Bunney            | • Steven Reyes                             |
| • Dr. Michele Cappellari    | • Dr. Robert Reynolds                      |
| • Dr. Luca Ciotti           | • Dr. Peter A. Robinson                    |
| • Mark Coffey               | • Lasse Schmieding                         |
| • Bruno Daniel              | • Dr. Julius Seeger                        |
| • Dr. Christophe De Beule   | • Clement Staelen                          |
| • Dr. Gerald Edgar          | • Dr. Allan Stauffer                       |
| • Dr. Robert C. Elliott     | • Allen Stenger                            |
| • Dr. Joseph Gangestad      | • Claudio Severi                           |
| • Dr. Howard Haber          | • Dr. Michael James Ungs                   |
| • Mariam Mousa Harb         | • Dr. Martin Venker                        |
| • Mr. Aaron Hendrickson     | • Dr. Michal Wierzbicki                    |
| • Dr. Peter J. Hobson       | • Dr. Hongjun Xiang                        |
| • Richard Hunt              | • Dr. Hideshi Yamane                       |
| • Dr. Ramakrishna Janaswamy | • Dr. Shotaro Yamazoe                      |
| • Dr. David A. Kessler      | • Dr. Junggi Yoon                          |
| • Martin Kreh               | • The Bogazici (Turkey) Physics seniors of |
| • Yakov Landau              | 2018                                       |
| • Leland Langston           |  |

xx/2024

- (a) The name “Dr. M. A. F. Sanjun” is incorrect; it should be “Dr. Miguel A. F. Sanjuan.”
- (b) The name “Dr. D. Rudermann” is incorrect; it should have been “Dr. Dan Ruderman.”
- (c) The name “Richard Marthar” should be removed. The correct spelling (“Richard J. Mathar”) is already present.

xx/2024

2. Page xxxvii, Index of Special Functions: After the  $\psi$  entry add the following entry

$\Psi(\alpha, \gamma; z)$	Confluent hypergeometric function	9.210
---------------------------	-----------------------------------	-------

(Thanks to Lasse Schmieding for correcting this error.)

3. Page 9, Formula 0.232.3 the entire right hand side should be multiplied by  $b^a$ . That is the evaluation

$$\text{begins } \frac{b^a}{(b-1)^{a+1}} \sum_{i=1}^a$$

(Thanks to J. P. Balthasar Müller for correcting this error.)

4. Page 24, Formula 0.435: replace  $\frac{d^n(y^3)}{dx^n}x^n$  with  $\frac{d^n(y^3)}{dx^n}$

(Thanks to Steven Reyes for correcting this error.)

5. Page 32, Formula 1.323.6: replace “cosh” with “cos”

(Thanks to Farid Bouttout for correcting this error.)

6. Page 68, Integral 2.110.7: The evaluation is incorrect. When corrected, in variables consistent with the other integrals in this section, we have

$$\int x^b(a + bx^k)^m dx = \frac{b^m}{k} \sum_{i=0}^m \frac{(-1)^i m! \Gamma\left(\frac{b+1}{k}\right) \left(x^k + \frac{a}{b}\right)^{m-i}}{(m-i)! \Gamma\left(\frac{b+1}{k} + i + 1\right)} x^{b+1+ki}$$

7. Page 71, Integral 2.124: The first evaluation is incorrect; replace  $x\sqrt{\frac{ab}{a}}$  with  $x\sqrt{\frac{b}{a}}$ .

(Thanks to Leland Langston for correcting this error.)

8. Page 75, Integral 2.144.1: The auxiliary functions are incorrect. They should have been

$$P_k = \frac{1}{2} \ln \left( x^2 - 2x \cos \frac{2k\pi}{n} + 1 \right), \quad Q_k = \arctan \left( \frac{x - \cos \frac{2k\pi}{n}}{\sin \frac{2k\pi}{n}} \right)$$

Additionally, the reference should be changed to be INT31.

9. Page 75, Integral 2.144.2: The integral evaluation is incorrect. It should have been

$$\int \frac{dx}{1-x^n} = -\frac{1}{n} \ln(1-x) - \frac{2}{n} \sum_{k=1}^{\frac{n-1}{2}} P_k \cos \frac{2k\pi}{n} + \frac{2}{n} \sum_{k=1}^{\frac{n-1}{2}} Q_k \sin \frac{2k\pi}{n}$$

Additionally, the reference should be changed to be INT31.

10. Page 79, Integral 2.172: The evaluation is improved by replacing  $\left(\frac{b+2cx}{\sqrt{-\Delta}}\right)$  with  $\left(\frac{\sqrt{-\Delta}}{b+2cx}\right)$  for the case  $\Delta < 0$ . Since  $\operatorname{arctanh} z$  is equal to  $\operatorname{arctanh} \frac{1}{z}$  plus a constant, the evaluation is structurally the same. However, complex constants are avoided since the arctanh argument does not exceed one.

(Thanks to Leland Langston for this improvement.)

11. Page 90, Integral 2.245.2: The differential is currently “dz”, which is is incorrect; it should be “dx”.

12. Page 105, Constraints in 2.292-2 and 2.292-3.

The constraints for integrals 2.292-2 and 2.292-3 should be written as

2.292-2       $z = \frac{\sqrt{x(1-x)(1-k^2x)}}{1-x}$

2.292-3       $z = \frac{\sqrt{x(1-x)(1-k^2x)}}{1-k^2x}$

The current statements are incorrect since they made simplifications such as  $\frac{\sqrt{y}}{y} = \frac{1}{\sqrt{y}}$  which is only sometimes true, because of branch cuts.

(Thanks to Sam Blake for correcting these errors.)

13. Page 109, Integral 2.33.16: replace “exp” with “erf”.

(Thanks to Aaron Hendrickson for correcting this error.)

14. Page 148, Integral 2.479.1:

*xx/2024*

The current reference is (see **4.477** 2) which is incorrect.

The correct reference is (see **2.477** 2)

15. Page 163, Integral 2.534.1:

*xx/2024*

The current reference is Pe which is incorrect.

The correct reference is PE

16. Page 163, Integral 2.534.2:

*xx/2024*

(a) The current evaluation is  $-2i \int \frac{z^{p+n-1}}{1-z^{2n}} dz$  which is incorrect.

The correct evaluation is  $-2i \int \frac{z^{p+n-1}}{1+z^{2n}} dz$

(b) The current reference is Pe which is incorrect.

The correct reference is PE

17. Page 182, Integral 2.575.4:

*xx/2024*

The current reference is (291.01) which is incomplete.

The correct reference is BY (291.01)

18. Page 184, line 7: Disregard the spurious text “ndexsquare roots”

19. Page 184, integral 2.581.1

To correct this integral, in the first line of the evaluation change

$[m + n - 2(m + r - 1)k^2]$  to

$[(m + n - 2) + (m + r - 1)k^2]$ .

(Thanks to Peng Zhang for correcting this error.)

20. Page 194, integral 2.584.63.

The last term in the evaluation is incorrect; the power of  $\Delta$  in the denominator should be  $\Delta^3$  (not  $\Delta$ ).

That is, the last term should be  $\frac{k^2(2k^2 - 1) \sin^2 x - 3k^2 + 2}{3k^2 \Delta^3} \sin x \cos x$

(Thanks to Michael James Ungs for correcting this error.)

21. Page 218, Integral 2.637.4: replace the first  $\frac{3}{2}$  (in the parentheses) with  $-\frac{3}{2}$  and replace  $\frac{1}{54}$  with  $-\frac{1}{54}$ .

22. Page 219, Integral 2.639.3: remove one of the (duplicated) “dx” terms

(Thanks to Allen Stenger for correcting this error.)

23. Page 223, Integral 2.645.6, is missing the “dx” term

24. Page 224, Integral 2.647.6: replace  $\frac{\pi}{2}$  with  $\frac{x}{2}$ .

25. Page 255, expressions in 3.112: the two expansions are each missing a plus sign.  
They should be (the additional plus signs are shown boxed):

$$g_n(x) = b_0 x^{2n-2} \boxed{+} b_1 x^{2n-4} + \cdots + b_{n-1},$$

$$h_n(x) = a_0 x^n \boxed{+} a_1 x^{n-1} + \cdots + a_n,$$

(Thanks to Mo Li for correcting these errors.)

26. Page 255, Integrals in 3.112

3.112.1 The correct evaluation is  $(-1)^{n+1} \frac{\pi i}{a_0} \frac{M_n}{\Delta_n}$

(The first term was missing.)

Additionally, add the following text after the two determinants:

The matrices for  $n = 5$  are:

$$\Delta_5 = \begin{vmatrix} a_1 & a_3 & a_5 & 0 & 0 \\ a_0 & a_2 & a_4 & 0 & 0 \\ 0 & a_1 & a_3 & a_5 & 0 \\ 0 & a_0 & a_2 & a_4 & 0 \\ 0 & 0 & a_1 & a_3 & a_5 \end{vmatrix}, \quad M_5 = \begin{vmatrix} b_0 & b_1 & b_2 & b_3 & b_4 \\ a_0 & a_2 & a_4 & 0 & 0 \\ 0 & a_1 & a_3 & a_5 & 0 \\ 0 & a_0 & a_2 & a_4 & 0 \\ 0 & 0 & a_1 & a_3 & a_5 \end{vmatrix}$$

3.112.3 The correct evaluation is  $\frac{-a_2 b_0 + a_0 b_1 - \frac{a_0 a_1 b_2}{a_3}}{a_0(a_0 a_3 - a_1 a_2)}$

(There were two operators missing.)

(Thanks to Hongjun Xiang for correcting these errors.)

27. Page 264, Integral 3.137.7: replace the evaluation with the following:

$$\frac{2}{(b-r)\sqrt{a-c}} \left[ \frac{b-a}{a-r} \Pi \left( \mu, \frac{b-r}{a-r}, q \right) + F(\mu, q) \right]$$

(Thanks to Elliot Blackstone for correcting this error.)

28. Page 277, Integral 3.145.3(2): change the first integral from  $\int_u^a$  to  $\int_u^\alpha$ .

(Thanks to Dominik Beck for correcting this error.)

## 29. Page 326, Integral 3.248.5

When integral 3.248.5 in the 6th edition was found to be incorrect the entry was removed; neither the 7th or 8th edition had an entry for 3.248.5. The correct evaluation was determined in the paper AR.

The integral (6th edition, page 321) is

$$\int_0^\infty \frac{dx}{(1+x^2)^{3/2}} \frac{1}{\sqrt{\phi(x) + \sqrt{\phi(x)}}} = \frac{\pi}{2\sqrt{6}} \quad \boxed{\text{incorrect}}$$

which is incorrect. It should have been

$$\int_0^\infty \frac{dx}{(1+x^2)^{3/2}} \frac{1}{\sqrt{\phi(x) + \sqrt{\phi(x)}}} = \frac{\sqrt{3}-1}{\sqrt{2}} \Pi\left(\frac{\pi}{2}, k, 3^{-1/2}\right) - \frac{1}{\sqrt{2}} F\left(\alpha, 3^{-1/2}\right)$$

with  $\phi(x) = 1 + \frac{4}{3} \left(\frac{x}{1+x^2}\right)^2$ ,  $k = 2 - \sqrt{3}$ , and  $\alpha = \arcsin \sqrt{k}$  and the reference AR.

## 30. Page 326, add new Integral 3.248.7

In the search for the correct evaluation of 3.248.5 (see note above), a small variation of the integral was found (in an unpublished paper by Juan Arias de Reyna, Petr Blaschke, and Victor H. Moll). This, perhaps, explains the original typographic error in 3.248.5.

$$\int_0^\infty \frac{dx}{(1+x^2)^{3/2}} \frac{1}{\sqrt{\phi(x) + \sqrt{\phi(x)^3}}} = \frac{\pi}{2\sqrt{6}}$$

with  $\phi(x) = 1 + \frac{4}{3} \left(\frac{x}{1+x^2}\right)^2$ .

- 31. Page 329, Integral 3.252.11: replace  $(\beta^2 - 1)$  with  $(1 - \beta^2)$ .
- 32. Page 336, Integral 3.311.1: add the constraint  $\operatorname{Re} p > 0$ ; add the reference VE2015
- 33. Page 336, Integral 3.311.5: replace  $\operatorname{Re} \nu < 1$  with  $\operatorname{Re} \nu < 0$ ; add the reference VE2015
- 34. Page 337, Integral 3.312.1: replace  $\operatorname{Re} \nu > 0$  with  $\operatorname{Re} \nu > 1$ ; add the reference VE2015
- 35. Page 338, Integral 3.318.2: replace  $\sqrt{\pi e^{\nu}}$  with  $\sqrt{\pi} e^{\nu}$ ; add the reference VE2015
- 36. Page 338, Integral 3.321.3: replace  $\frac{\sqrt{\pi}}{2q}$  [ $q > 0$ ] with  $\frac{\sqrt{\pi}}{2\sqrt{q^2}}$  [ $\operatorname{Re} q^2 > 0$ ]; add the reference VE2015
- 37. Page 339, Integral 3.322.1: remove  $\operatorname{Re} \beta > 0$ ,  $u > 0$ ; add the reference VE2015
- 38. Page 339, Integral 3.323.2: replace  $\frac{\sqrt{\pi}}{p}$  with  $\frac{\sqrt{\pi}}{\sqrt{p^2}}$ ; add the reference VE2015
- 39. Page 339, Integral 3.323.3: add the constraint  $[\operatorname{Re} a > 0]$ ; add the reference VE2015

40. Page 339, Integral 3.323.4: add the constraint  $[\operatorname{Re} \beta^2 > 0, \operatorname{Re} \gamma^2 > 0]$ ; add the reference VE2015

xx/2024

41. Page 343, Integral 3.352.7

The current evaluation of the integral is incorrect. The correct evaluation is

$$= \begin{cases} e^{iap} [\pi i - \log(-a) + \log(a)] & \text{if } \operatorname{Im}(a) \neq 0 \\ 0 & \text{if } \operatorname{Re}(a) = 0 \text{ and } \operatorname{Im}(a) < 0 \\ 2\pi i e^{iap} & \text{if } \operatorname{Re}(a) = 0 \text{ and } \operatorname{Im}(a) > 0 \end{cases}$$

(Thanks to Agostino Migliore for correcting this error.)

42. Page 344, Integral 3.354.5: replace  $\frac{\pi}{a}$  with  $\frac{\pi}{|a|}$ ; add the reference VE2015

43. Page 350, Integral 3.383.5

The evaluation of the integral is incorrect. The correct evaluation is

$$= \frac{\pi^2}{p^q \Gamma(\nu) \sin[\pi(q-\nu)]} \left[ \left( \frac{p}{a} \right)^\nu \frac{L_{-\nu}^{\nu-q} \left( \frac{p}{a} \right)}{\sin(\pi\nu) \Gamma(1-q)} - \left( \frac{p}{a} \right)^q \frac{L_{-q}^{q-\nu} \left( \frac{p}{a} \right)}{\sin(\pi q) \Gamma(1-\nu)} \right]$$

(Thanks to Mohammad S. Alhassoun for correcting this error.)

44. Page 351, Integral 3.385

(a) The evaluation of the integral is incorrect; the term

$$\Phi_1(\nu, \varrho, \lambda + \nu, -\mu, b)$$

should be  
 $\Phi_1(\nu, \varrho, \lambda + \nu, b, -\mu)$

(b) The reference is incorrect. It is now “ET 1 39(24)”, it should be “ET 1 139(24)”.

(Thanks to Travis Porco for correcting these errors.)

45. Page 358, Integral 3.415.4: remove the constraint  $[\operatorname{Re} \mu > 0]$

xx/2024

(Thanks to Richard J. Mathar for correcting this error.)

46. Page 358, Integral 3.416.3: replace  $2^{2^n}$  with  $2^{2n}$ ; add the reference VE2015

47. Page 358, Integral 3.417.1:

$$\begin{aligned} \text{replace } & \frac{\pi}{2ab} \ln \left( \frac{b}{a} \right) \quad [ab > 0] \\ \text{with } & \frac{\pi}{2|ab|} \ln \left( \left| \frac{b}{a} \right| \right) \quad [a \neq 0, b \neq 0]; \\ \text{add the reference } & \text{VE2015} \end{aligned}$$

48. Page 361, Integral 3.426.2

The numerator of the integrand is incorrect; the term “ $(e^x - ae^{-x})$ ” should be “ $(e^x + ae^{-x})$ ”.

xx/2024

49. Page 361, Integral 3.461.7

The integrand is currently  $\exp(-a\sqrt{x^2 + b^2})$  which is incorrect.

The integrand should have been  $x^2 \exp(-a\sqrt{x^2 + b^2})$

(Thanks to Mungon Nam for correcting this error.)

50. Page 369, Integral 3.462.22: replace “ $K_1(ab)$ ” with “ $K_2(ab)$ ”.

(Thanks to Peter Brown for correcting this error.)

51. Page 369, Integral 3.462.25: replace  $\operatorname{Re} b > 0$  with  $\operatorname{Re} p > 0$ ; add the reference VE2015

52. Page 369, Integral 3.466.1: expand the evaluation with

$$\begin{aligned}[1 - \Phi(b\mu)] \frac{\pi}{2b} e^{b^2\mu^2} &\quad [\operatorname{Re} b > 0, \quad |\arg \mu| < \frac{\pi}{4}] \\ -[1 + \Phi(b\mu)] \frac{\pi}{2b} e^{b^2\mu^2} &\quad [\operatorname{Re} b < 0, \quad |\arg \mu| < \frac{\pi}{4}]\end{aligned}$$

and add the reference VE2015

53. Page 369, Integral 3.468.2: the  $u$  should have been a  $\mu$ ; but it better to write the integral using a single parameter

$$\int_0^\infty \frac{xe^{-\beta^2 x^2}}{\sqrt{1+x^2}} dx = \frac{\sqrt{\pi}}{2\beta} e^{\beta^2} [1 - \Phi(\beta)] \quad [\operatorname{Re} \beta^2 > 0]$$

54. Page 374, Integral 3.512.2

(a) Replace  $\frac{1}{2} B\left(\frac{\mu+1}{2}, \frac{\nu-\boxed{1}}{2}\right)$  with  $\frac{1}{2} B\left(\frac{\mu+1}{2}, \frac{\nu-\mu}{2}\right)$

(b) Replace the constraints with  $[\operatorname{Re}(\nu) > \operatorname{Re}(\mu) > -1]$

(Thanks to Shotaro Yamazoe for correcting this error.)

55. Page 382, Integral 3.527.13: in the denominator of the integrand replace “ $\cosh^2 x$ ” with “ $\sinh^2 x$ ”.

56. Page 384, Integral 3.536.2: in the denominator of the integrand replace “ $\cosh^2 x$ ” with “ $\cosh x^2$ ”.

57. Page 419, Integral 3.691.2: replace  $S(\sqrt{a})$  with  $S\left(\sqrt{\frac{2a}{\pi}}\right)$ ; add the reference VE2015

58. Page 419, Integral 3.691.3: replace  $C(\sqrt{a})$  with  $C\left(\sqrt{\frac{2a}{\pi}}\right)$ ; add the reference VE2015

59. Page 419, for Integrals 3.691.4 and 3.691.6: replace  $C\left(\frac{b}{\sqrt{a}}\right)$  with  $C\left(b\sqrt{\frac{2}{a\pi}}\right)$  and replace  $S\left(\frac{b}{\sqrt{a}}\right)$  with  $S\left(b\sqrt{\frac{2}{a\pi}}\right)$ ; add the reference VE2015

60. Page 419, for Integrals 3.691.8 and 3.691.9: replace  $C\left(\frac{a}{2b}\right)$  with  $C\left(\frac{a}{b\sqrt{2\pi}}\right)$  and replace  $S\left(\frac{a}{2b}\right)$  with  $S\left(\frac{a}{b\sqrt{2\pi}}\right)$ ; add the reference VE2015 xx/2024

61. Page 429, Integral 3.725.3: the evaluation of the integral should be changed to the following

$$\begin{aligned}
 \gamma_1 & [Re \beta > 0, \quad 0 < a < b] \\
 \gamma_1 & [Re \beta > 0, \quad a < 0 < b] \\
 -\gamma_1 & [Re \beta < 0, \quad b < a < 0] \\
 \gamma_2 & [Re \beta < 0, \quad 0 < a < b] \\
 \gamma_2 & [Re \beta < 0, \quad a < 0 < b] \\
 -\gamma_2 & [Re \beta > 0, \quad b < a < 0] \\
 \gamma_3 & [Re \beta > 0, \quad 0 < b < a] \\
 \gamma_3 & [Re \beta > 0, \quad b < 0 < a] \\
 -\gamma_3 & [Re \beta < 0, \quad a < b < 0] \\
 \gamma_4 & [Re \beta < 0, \quad 0 < b < a] \\
 \gamma_4 & [Re \beta < 0, \quad b < 0 < a] \\
 -\gamma_4 & [Re \beta > 0, \quad a < b < 0]
 \end{aligned}$$

where

$$\begin{aligned}
 \gamma_1 &= \frac{\pi}{2\beta^2} e^{-b\beta} \sinh(a\beta) \\
 \gamma_2 &= -\frac{\pi}{2\beta^2} e^{b\beta} \sinh(a\beta) \\
 \gamma_3 &= -\frac{\pi}{2\beta^2} e^{-a\beta} \cosh(b\beta) + \frac{\pi}{2\beta^2} \\
 \gamma_4 &= -\frac{\pi}{2\beta^2} e^{a\beta} \cosh(b\beta) + \frac{\pi}{2\beta^2}
 \end{aligned}$$

and add the reference VE2015

62. Page 439, Integral 3.755.1: add the constraint  $Re b > 0$ ; add the reference VE2015
63. Page 447, Integral 3.772.5: replace “ET I 12(4)” with “read ET I 12(14)”; add the reference VE2015
64. Page 489, Integrals 3.891.1 and 3.891.2.

In each case the results are correct, but only when  $m$  and  $n$  are non-negative integers. The result when  $m$  and  $n$  can be any integers are:

$$\begin{aligned}
 3.891.1 \int_0^{2\pi} e^{imx} \sin nx dx &= \begin{cases} 0 & |m| \neq |n| \text{ or } m = n = 0 \\ \pi i & m = n \neq 0 \\ -\pi i & m = -n \neq 0 \end{cases} \\
 3.891.2 \int_0^{2\pi} e^{imx} \cos nx dx &= \begin{cases} 0 & |m| \neq |n| \\ \pi & |m| = n \neq 0 \\ 2\pi & m = n = 0 \end{cases}
 \end{aligned}$$

(Thanks to Guillem Blanco for correcting these errors.)

65. Page 495, Integral 3.914.6:

- (a) change the reference from “ET I 175(35)” to “ET I 75(35)” to  
 (b) add the constraints [Re  $\beta > 0$ , Re  $\gamma > 0$ ]

(Thanks to Claudio Severi and Howard Haber for correcting these errors.)

66. Page 495, Integral 3.914.9: add the constraints [Re  $\beta > 0$ , Re  $\gamma > 0$ ]

(Thanks to Howard Haber for correcting this error.)

67. Pages 499-500, Section 3.932.

xx/2024

- (a) For **3.932.1** add [ $m > 0$ ] EK (31)  
 Additionally, indicate the the integral is 0 when  $m = 0$ .  
 (b) For **3.932.2** add [ $m > 0$ ] EK (32)  
 Additionally, indicate the the integral is  $\pi$  when  $m = 0$ .

(Thanks to Robert C. Elliott for correcting these errors.)

68. Page 500, Section 3.936.

xx/2024

- At the beginning of the section, include the text  
 “In **3.936.1–3**, if  $p = m = 0$  then  $p^m = 0^0$  has the value 1.”
- For **3.936.1** add the reference EK (33)
- For **3.936.2** remove the constraint [ $p > 0$ ] and add the reference EK (37)
- For **3.936.3** remove the constraint [ $p > 0$ ] and add the reference EK (38)
- For **3.936.4** add the constraint [ $m = 0, 1, 2, \dots$ ]

(Thanks to Robert C. Elliott for correcting these errors.)

69. Page 500, Section 3.937.

xx/2024

- Replace all the text in this **Notation** section with the following

In formulas **3.937.1** and **3.937.2**, define the following

$$\begin{aligned} A_1 &= \frac{p_R + a_I - q_I + b_R}{2}, & A_2 &= \frac{p_R - a_I + q_I + b_R}{2}, \\ B_1 &= \frac{p_I - a_R + q_R + b_I}{2}, & B_2 &= \frac{p_I + a_R - q_R + b_I}{2}, \\ C_1 &= \frac{1}{4} \left[ (p_R + a_I)^2 + (q_R + b_I)^2 - (p_I - a_R)^2 - (q_I - b_R)^2 \right] \\ C_2 &= \frac{1}{4} \left[ (p_R - a_I)^2 + (q_R - b_I)^2 - (p_I + a_R)^2 - (q_I + b_R)^2 \right] \\ D_1 &= \frac{1}{2} \left[ (p_I - a_R)(p_R + a_I) + (q_I - b_R)(q_R + b_I) \right] \\ D_2 &= \frac{1}{2} \left[ (p_I + a_R)(p_R - a_I) + (q_I + b_R)(q_R - b_I) \right] \end{aligned}$$

where, for the complex variables  $\{a, b, p, q\}$ , the subscripts “ $R$ ” and “ $I$ ” denote the real and imaginary parts. Also, if  $m = 0$  in these two integrals then  $0^0$  appears and it should be given the value “1.”

- Replace the right hand side of **3.937.1** with the following

$$\frac{i\pi}{m!} [(A_1 + iB_1)^m {}_0F_1(; m+1, C_1 + iD_1) - (A_2 + iB_2)^m {}_0F_1(; m+1, C_2 + iD_2)]$$

EK (25)

- Replace the right hand side of **3.937.2** with the following

$$\frac{\pi}{m!} [(A_1 + iB_1)^m {}_0F_1(; m+1, C_1 + iD_1) + (A_2 + iB_2)^m {}_0F_1(; m+1, C_2 + iD_2)]$$

EK (26)

- Replace the right hand side of **3.937.3** with the following

$$= \frac{2\pi}{m!} (p^2 + q^2)^{m/2} \sin [m \arg(p + iq)] \quad [m > 0, \quad p \text{ and } q \text{ are real}] \quad \text{EK (45b)}$$

$$= \frac{i\pi}{m!} [(p - iq)^m - (p + iq)^m] \quad [m > 0, \quad p \text{ and } q \text{ are complex}] \quad \text{EK (46c)}$$

- Replace the right hand side of **3.937.4** with the following

$$= \frac{2\pi}{m!} (p^2 + q^2)^{m/2} \cos [m \arg(p + iq)] \quad [m > 0, \quad p \text{ and } q \text{ are real}] \quad \text{EK (45b)}$$

$$= \frac{\pi}{m!} [(p - iq)^m + (p + iq)^m] \quad [m > 0, \quad p \text{ and } q \text{ are complex}] \quad \text{EK (47c)}$$

(Thanks to Robert C. Elliott for correcting these errors.)

70. Page 525, Integral 4.124.2: delete the current integral and replace with the following

$$\int_0^u \frac{\cos px \cosh(q\sqrt{u^2 - x^2})}{\sqrt{u^2 - x^2}} dx = \frac{\pi}{2} J_0(u\sqrt{p^2 - q^2}) \quad [u > 0]$$

(Thanks to Mark Coffey for correcting this error.)

71. Page 535, Integral 4.22.8: delete the current evaluation and replace it with the following

$$\int_0^\infty \ln(1 + ax)x^b e^{-x} dx = - \sum_{k=0}^b \frac{b!}{(b-k)!} \frac{1}{(-a)^{b-k}} \times \left[ e^{1/a} \text{Ei}\left(-\frac{1}{a}\right) - \sum_{j=1}^{b-k} (j-1)! (-a)^j \right] \quad [a > 0, \quad b > 0 \text{ an integer}]$$

72. Page 535, Integral 4.224.12: remove the evaluation for  $a^2 \geq 1$ ; remove the reference

(Thanks to Martin Kreh and Richard Hunt for correcting these errors.)

73. Page 535, Integral 4.224.12 (1)

The integrand has the exponent of “2” in the wrong place. The evaluation is correct. That is, replace the current entry with

$$\int_0^\pi \ln(1 + a \cos x)^2 dx = \begin{cases} 2\pi \ln\left(\frac{1 + \sqrt{1 - a^2}}{2}\right) & \text{for } a^2 \leq 1 \\ 2\pi \ln\left(\frac{|a|}{2}\right) & \text{for } a^2 \geq 1 \end{cases}$$

And add the reference “BI (330)(1)”.

(Thanks to Martin Kreh and Richard Hunt for correcting these errors.)

74.

75. Page 539, Integral 4.231.19

The correct evaluation of this integral is (the “2” should be a “12”)

$$\int_0^1 \frac{x \log x}{1+x} dx = -1 + \frac{\pi^2}{12}$$

(Thanks to Kendall Richards for correcting this error.)

76. Page 539, Integral 4.232.1

For consistency with other entries, the term “log” appearing in the output should be “ln”.

77. Page 558, Integral 4.283.9

The correct evaluation of this integral is as follows (the  $q$  was missing from the integrand and the evaluation had switched  $a$  and  $q$ )

$$\int_0^1 \left[ x^q + \frac{1}{a \ln x - 1} \right] \frac{dx}{x \ln x} = \ln \left( \frac{q}{a} \right) + C$$

78. Page 564, Integral 4.295.12

xx/2024

The integrand is currently

$$\ln^2(1-x^2) \frac{dx}{x^2}$$

which is incorrect. It should have been

$$\ln|1-x^2| \frac{dx}{x^2}$$

79. Page 565, Integral 4.295.22

xx/2024

The expression that is currently written is

$$\int_0^\infty \frac{\log(1+p^2x^2)}{r^2+q^2x^2} dx = \int_0^\infty \frac{\log(p^2+x^2)}{q^2+r^2x^2} dx = \frac{\pi}{qr} \ln \frac{q+pr}{r}$$

However, the two integrals are not the same. The correct statements are:

- $\int_0^\infty \frac{\log(1+p^2x^2)}{r^2+q^2x^2} dx = \frac{\pi}{qr} \ln \left( \frac{q+pr}{q} \right)$
- $\int_0^\infty \frac{\log(p^2+x^2)}{q^2+r^2x^2} dx = \frac{\pi}{qr} \ln \left( \frac{q+pr}{r} \right)$

(Thanks to Carlos Maña Barrera for correcting this error.)

80. Page 572, Integral 4.319.1, replace the current evaluation with

$$-\frac{\pi}{2} \left( 2a + \ln \left( \frac{\Gamma^2(a+1)}{2\pi a^{2a+1}} \right) \right) \quad \text{Re}(a) > 0$$

REY3 (16)

81. Page 572, Integral 4.319.2, replace the current evaluation with

$$-\pi \left( a + \ln \left( \frac{\Gamma(a + \frac{1}{2})}{a^a \sqrt{2\pi}} \right) \right) \quad \text{Re}(a) > 0 \quad \text{REY3 (15)}$$

(Thanks to Robert Reynolds correcting this error.)

82. Page 579, Integral 4.356.7

xx/2024

The current evaluation is  $K_0(2\sqrt{ab})$ , which is incorrect.

The correct evaluation is  $2K_0(2\sqrt{ab})$ .

(Thanks to Paolo Maccallini for correcting this error.)

83. Page 580, Integral 4.358.2: replace  $\zeta(2, \nu - 1)$  with  $\zeta(2, \nu)$ ; add the reference VE2015

84. Page 590, Integral 4.391.3

xx/2024

The reference has “Zsurround7” when it should have had “(7)”

(Thanks to Allen Stenger for correcting this error.)

85. Page 598, Integral 4.442 (1) and (2)

xx/2024

There is a missing “x” in each integral. They should have been

- $\int \ln(x) \sin(ax) x^{\mu-1} = \dots$
- $\int \ln(x) \cos(ax) x^{\mu-1} = \dots$

(Thanks to Allen Stenger for correcting this error.)

86. Page 634, Integral 5.54.3: for the evaluation, replace  $\frac{x^4}{4}$  with  $\frac{x^2}{4}$

(Thanks to Adriana Brancaccio and Brady Metherall for (independently) correcting this error.)

87. Page 634, Integral 5.54.3: add the reference WA 134(10)

(Thanks to Brady Metherall for correcting this error.)

88. Page 654, Integral 6.282.2: add the constraint  $\text{Re } \mu > 0$ ; add the reference VE2015

89. Page 654, Integral 6.283.1: replace “ $\text{Re } \alpha > 0$ ” with “ $\text{Re } \beta < 0$ ”; add the reference VE2015

90. Page 654, Integral 6.285.1: expand the evaluation by replacing

$$\frac{\arctan \mu}{\sqrt{\pi} \mu} \quad [\text{Re } \mu > 0]$$

with

$$\frac{\arctan \sqrt{\mu^2}}{\sqrt{\pi} \sqrt{\mu^2}} \quad [\text{Re } \mu^2 > 0]$$

Add the reference VE2015

91. Page 654, Integral 6.285.2: change sign of result by replacing  $-\frac{1}{2ai\sqrt{\pi}}$  with  $\frac{1}{2ai\sqrt{\pi}}$ ; add the reference VE2015
92. Page 655, Integral 6.291: replace  $\frac{\mu}{a}$  with  $\frac{\mu}{4}$ ; add the reference VE2015
93. Page 655, Integral 6.295.2: replace  $-\frac{1}{\mu^2}$  with  $-\frac{1}{\mu}$ ; add the reference VE2015
94. Page 656, Integral 6.296: replace “ $a > 0$ ” with “ $a$  real”; add the reference VE2015
95. Page 656, Integral 6.297.1: add the constraint  $\operatorname{Re}(\gamma^2 - \mu) < 0$ ; add the reference VE2015
96. Page 656, Integral 6.297.2: replace “ $a > 0, b > 0, \operatorname{Re} \mu > 0$ ” with “ $b > 0, \operatorname{Re}(\mu^2 - a^2) > 0$ ”; add the reference VE2015
97. Page 656, Integral 6.297.3: remove  $a > 0$ ; add the reference VE2015
98. Page 656, Integral 6.298: replace the constraint with “[ $b > 0, \operatorname{Re} \mu > 0, \operatorname{Re}(\mu - a^2) > 0$ ]”; add the reference VE2015
99. Page 656, Integral 6.299: replace  $K_\nu(a^2)$  with  $K_\nu(\frac{1}{2}a^2)$ ; add the reference VE2015
100. Page 656, Integral 6.311: generalize the evaluation to be

$$\begin{aligned} \frac{1}{b} \left( 1 - e^{-b^2/4a^2} \right) &\quad [a > 0, \quad b \neq 0] \\ \frac{1}{b} \left( 1 + e^{-b^2/4a^2} \right) &\quad [a < 0, \quad b \neq 0] \end{aligned}$$

and add the reference VE2015

101. Page 656, Integral 6.312: expand the evaluation, and correct the constraint, with

$$\begin{aligned} \frac{1}{4\sqrt{2\pi b}} \left[ \ln \left( \frac{b + a^2 + a\sqrt{2b}}{b + a^2 - a\sqrt{2b}} \right) + 2 \arctan \left( \frac{a\sqrt{2b}}{b - a^2} \right) \right] &\quad [a > 0, \quad b > 0, \quad a < \sqrt{b}] \\ \frac{1}{4\sqrt{2\pi b}} \left[ \ln \left( \frac{b + a^2 + a\sqrt{2b}}{b + a^2 - a\sqrt{2b}} \right) + 2 \arctan \left( \frac{a\sqrt{2b}}{b - a^2} \right) + 2\pi \right] &\quad [a > 0, \quad b > 0, \quad a > \sqrt{b}] \end{aligned}$$

and add the reference VE2015

102. Page 657, Integral 6.314.1: the integral and its solution should be replaced by

$$\int_0^\infty \sin(bx) \Phi \left( \sqrt{\frac{a}{x}} \right) dx = \frac{1}{b} \left( 1 - \cos(\sqrt{2ab}) \exp^{-\sqrt{2ab}} \right) \quad [\operatorname{Re} a > 0, \quad \operatorname{Re} b > 0]$$

and add the reference VE2015

103. Page 657, Integral 6.314.2: the integral and its solution should be replaced by

$$\int_0^\infty \cos(bx) \Phi \left( \sqrt{\frac{a}{x}} \right) dx = \frac{1}{b} \sin(\sqrt{2ab}) \exp^{-\sqrt{2ab}} \quad [\operatorname{Re} a > 0, \quad \operatorname{Re} b > 0]$$

and add the reference VE2015

104. Page 657, Integral 6.315.3: replace  $b > 0$  with  $b \neq 0$ ; add the reference VE2015
105. Page 657, Integral 6.315.4: replace  $\text{Ei}\left(\frac{p}{4a^2}\right)$  with  $\text{Ei}\left(-\frac{p}{4a^2}\right)$  and replace  $p > 0$  with  $p \neq 0$ ; add the reference VE2015
106. Page 657, Integral 6.315.5: expand the evaluation, and correct the constraint, with

$$\frac{1}{2\sqrt{2\pi}b} \left[ \ln \left( \frac{b + a\sqrt{2b} + a^2}{b - a\sqrt{2b} + a^2} \right) + 2 \arctan \left( \frac{a\sqrt{2b}}{b - a^2} \right) \right] \quad [a > 0, \quad b > 0, \quad a < \sqrt{b}]$$

$$\frac{1}{2\sqrt{2\pi}b} \left[ \ln \left( \frac{b + a\sqrt{2b} + a^2}{b - a\sqrt{2b} + a^2} \right) + 2 \arctan \left( \frac{a\sqrt{2b}}{b - a^2} \right) + 2\pi \right] \quad [a > 0, \quad b > 0, \quad a > \sqrt{b}]$$

and add the reference VE2015

107. Page 657, Integral 6.317: expand the evaluation, and correct the constraint, with

$$\frac{i}{a} \frac{\sqrt{\pi}}{2} e^{-\frac{b^2}{4a^2}} \quad [\operatorname{Re} a^2 > 0, \quad b > 0]$$

$$-\frac{i}{a} \frac{\sqrt{\pi}}{2} e^{-\frac{b^2}{4a^2}} \quad [\operatorname{Re} a^2 > 0, \quad b < 0]$$

and add the reference VE2015

108. Page 657, Integral 6.318: the correct evaluation is

$$\frac{1}{2p} \left( e^{-p^2} - 1 \right) + \frac{\sqrt{\pi}}{2} \Phi(p) \quad [\operatorname{Re} p > 0]$$

and add the reference VE2015

109. Page 668, Integral 6.511.7: generalize the result to

$$\int_0^a J_1(xy) dx = \frac{1}{y} [1 - J_0(ay)] \quad [a > 0, \quad y \neq 0]$$

and add the reference VE2015

110. Page 668, Integral 6.511.9: remove the constraint; add the reference VE2015
111. Page 668, Integrals 6.511.12 and 6.511.13: add the missing  $dx$   
(Thanks to Donato Posa for correcting these errors.)
112. Page 669, Integral 6.512.9: replace  $b > 0$  with  $b \neq 0$ ; add the reference VE2015
113. Page 669, Integral 6.512.10: replace the constraint with  $[a > 0, \quad b \neq 0, \quad a > |b|]$ ; add the reference VE2015
114. Page 671, Integral 6.516.1: include the additional evaluation

$$-\frac{1}{b} J_\nu \left( \frac{a^2}{4b} \right) \quad [a > 0, \quad b < 0, \quad \operatorname{Re} \nu > -\frac{1}{2}]$$

and add the reference VE2015

115. Page 671, Integral 6.516.4: add the constraint  $\operatorname{Re} \nu > -\frac{1}{2}$ ; add the reference VE2015
116. Page 673, Integral 6.521.2: replace the constraint with  $[\operatorname{Re}(a \pm ib) > 0, \operatorname{Re} \nu > -1]$ ; add the reference VE2015
117. Page 673, Integrals 6.521.5–6.521.15: add the missing  $dx$   
(Thanks to Donato Posa for correcting these errors.)
118. Page 673, Integral 6.521.7: remove  $b > 0$ ; add the reference VE2015
119. Page 673, Integral 6.521.8: replace the constraint with  $[a > |b| \geq 0]$ ; add the reference VE2015
120. Page 673, Integral 6.521.9: replace the constraint with  $[a > |b| \geq 0]$ ; add the reference VE2015
121. Page 673, Integral 6.521.12: remove  $b > 0$ ; add the reference VE2015
122. Page 673, Integral 6.521.13: replace the constraint with  $[a > 0]$ ; add the reference VE2015
123. Page 673, Integral 6.521.14: replace the constraint with  $[a > |b| \geq 0]$ ; add the reference VE2015
124. Page 673, Integral 6.521.15: replace the constraint with  $[a > |b| \geq 0]$ ; add the reference VE2015
125. Page 674, Integral 6.522.4: in the first constraint remove  $c > 0$ ; in the second constraint remove  $a > 0$ ; add the reference VE2015
126. Page 674, Integral 6.522.5: remove the constraint  $c > 0$  (in 2 places); add the reference VE2015
127. Page 676, Integral 6.524.2: in the evaluation replace “ $a$ ” with “ $|a|$ ”; replace the constraint with  $[a \neq 0, b > 0]$ ; add the reference VE2015
128. Page 676, Integral 6.525.1: replace the first constraint with  $[\operatorname{Re} b > |\operatorname{Im} a|]$ ; replace the second constraint with  $[\operatorname{Re} a > |\operatorname{Im} b|]$ ; add the reference VE2015
129. Page 676, Integral 6.525.2: remove the constraint  $c > 0$ ; add the reference VE2015
130. Page 676, Integral 6.525.3: replace  $K_0(bx)$  with  $K_1(bx)$ ; replace the constraints with  $[\operatorname{Re} b > 0]$ ; add the reference VE2015
131. Page 676, Integral 6.526.1: replace “ $(2a)^{-1}$ ” with “ $(2|a|)^{-1}$ ”; replace the constraints with  $[a \neq 0, b \geq 0, \operatorname{Re} \nu > -1]$ ; add the reference VE2015
132. Page 679, Integral 6.532.4: expand the evaluation with

$$\begin{aligned} K_0(ak) &\quad \text{if } [a > 0, \operatorname{Re} k > 0] \text{ or } [a < 0, \operatorname{Re} k < 0] \\ K_0(-ak) &\quad \text{if } [a > 0, \operatorname{Re} k < 0] \text{ or } [a < 0, \operatorname{Re} k > 0] \end{aligned}$$

and add the reference VE2015

133. Page 679, Integral 6.532.5: expand the evaluation with

$$\begin{aligned} -\frac{K_0(ak)}{k} &\quad [a > 0, \operatorname{Re} k > 0] \\ \frac{K_0(-ak)}{k} &\quad [a > 0, \operatorname{Re} k < 0] \end{aligned}$$

and add the reference VE2015

134. Page 679, Integral 6.532.6: expand the evaluation with

$$\begin{aligned} \frac{\pi}{2k} [I_0(-ak) - \mathbf{L}_0(-ak)] &\quad [a < 0, \quad \operatorname{Re} k > 0] \\ -\frac{\pi}{2k} [I_0(-ak) - \mathbf{L}_0(-ak)] &\quad [a > 0, \quad \operatorname{Re} k < 0] \\ -\frac{\pi}{2k} [I_0(ak) - \mathbf{L}_0(ak)] &\quad [a < 0, \quad \operatorname{Re} k < 0] \end{aligned}$$

and add the reference VE2015

135. Page 697, Integral 6.533.3: expand the evaluation with

$$\begin{aligned} -\frac{b}{4} \left[ 1 + 2 \ln \left( \left| \frac{a}{b} \right| \right) \right] &\quad \text{if } (a + b < 0) \text{ and } ([0 < b < a] \text{ or } [a < b < 0] \text{ or } [a < 0 < b]) \\ -\frac{b}{4} \left[ 1 + 2 \ln \left( \left| \frac{a}{b} \right| \right) \right] &\quad [a + b > 0, \quad b < 0 < a] \\ -\frac{a^2}{4b} &\quad \text{if } (a + b > 0) \text{ and } ([0 < a < b] \text{ or } [b < a < 0] \text{ or } [a < 0 < b]) \\ -\frac{a^2}{4b} &\quad [a + b < 0, \quad b < 0 < a] \end{aligned}$$

and add the reference VE2015

136. Page 683, Integral 6.554.1: expand the evaluation with

$$\begin{aligned} y^{-1} e^{ay} &\quad [y > 0, \quad \operatorname{Re} a < 0] \\ -y^{-1} e^{ay} &\quad [y < 0, \quad \operatorname{Re} a > 0] \\ -y^{-1} e^{-ay} &\quad [y < 0, \quad \operatorname{Re} a < 0] \end{aligned}$$

and add the reference VE2015

137. Page 687, Integral 6.566.2: the evaluation is also valid for the constraints  $[a < 0, \operatorname{Re} b < 0, -1 < \operatorname{Re} \nu < \frac{3}{2}]$ ; add the reference ET II 23(12)

138. Page 687, Integral 6.566.3: expand the evaluation with

$$\begin{aligned} \frac{\pi^2 b^{\nu-1}}{4 \cos \nu \pi} [\mathbf{H}_{-\nu}(ab) - Y_{-\nu}(ab)] &\quad [a > 0, \quad \operatorname{Re} b > 0, \quad \operatorname{Re} \nu > -\frac{1}{2}] \\ \frac{\pi^2 (-b)^{\nu-1}}{4 \cos \nu \pi} [\mathbf{H}_{-\nu}(-ab) - Y_{-\nu}(-ab)] &\quad [a > 0, \quad \operatorname{Re} b < 0, \quad \operatorname{Re} \nu > -\frac{1}{2}] \end{aligned}$$

and add the reference VE2015

139. Page 687, Integral 6.566.4: expand the evaluation with

$$\begin{aligned} \frac{\pi^2}{4b^{\nu+1} \cos \nu \pi} [\mathbf{H}_\nu(ab) - Y_\nu(ab)] &\quad [a > 0, \quad \operatorname{Re} b > 0, \quad \operatorname{Re} \nu < \frac{1}{2}] \\ \frac{\pi^2}{4(-b)^{\nu+1} \cos \nu \pi} [\mathbf{H}_\nu(-ab) - Y_\nu(-ab)] &\quad [a > 0, \quad \operatorname{Re} b < 0, \quad \operatorname{Re} \nu < \frac{1}{2}] \end{aligned}$$

and add the reference VE2015

140. Page 687, 6.566.5: expand the evaluation with

$$\begin{aligned} &\frac{\pi}{2b^{\nu+1}} [I_\nu(ab) - \mathbf{L}_\nu(ab)] \quad [a > 0, \quad \operatorname{Re} b > 0, \quad \operatorname{Re} \nu > -\frac{5}{2}] \\ &-\frac{\pi}{2(-b)^{\nu+1}} [I_\nu(-ab) - \mathbf{L}_\nu(-ab)] \quad [a < 0, \quad \operatorname{Re} b > 0, \quad \operatorname{Re} \nu > -\frac{5}{2}] \\ &\frac{\pi}{2(-b)^{\nu+1}} [I_\nu(-ab) - \mathbf{L}_\nu(-ab)] \quad [a > 0, \quad \operatorname{Re} b < 0, \quad \operatorname{Re} \nu > -\frac{5}{2}] \\ &\frac{\pi}{2(-b)^{\nu+1}} [I_\nu(-ab) + \mathbf{L}_\nu(-ab)] \quad [a < 0, \quad \operatorname{Re} b < 0, \quad \operatorname{Re} \nu > -\frac{5}{2}] \end{aligned}$$

and add the reference VE2015

141. Page 699, Integral 6.592.7: replace  $\sqrt{\pi} \sec(\nu\pi)$  with  $\pi \sec(\frac{1}{2}\nu\pi)$ ; add the constraint  $a \neq 0$ ; add the reference VE2015
142. Page 702, Integral 6.611.2: replace the constraints with  $[\operatorname{Re}(\alpha \pm ib) > 0, \quad |\operatorname{Re} \nu| < 1]$ ; replace the references with VE2015
143. Page 703, Integral 6.611.9:

(a) replace the “ $a$ ” in the constraints with “ $\alpha$ ”

(b) replace the correct  $\frac{1}{\sqrt{\alpha^2 - b^2}} \ln \left( \frac{\alpha}{b} + \sqrt{\frac{\alpha^2}{b^2} - 1} \right)$  with the simpler  $\frac{1}{\sqrt{\alpha^2 - b^2}} \operatorname{arccosh} \left( \frac{\alpha}{b} \right)$

(Thanks to Angelo Melino for correcting the error and suggesting the simplification.)

144. Page 704, Integral 6.612.4: the current evaluation is incorrect; the correct evaluation is

$$\frac{1}{b\pi\sqrt{1 + \frac{\alpha^2}{4b^2}}} K \left( \frac{1}{1 + \frac{\alpha^2}{4b^2}} \right)$$

(Thanks to the Bogazici Physics seniors of 2018 for correcting this error.)

145. Page 705, Integral 6.613: add the constraint  $\operatorname{Re} z \geq 0$ ; add the reference VE2015

146. Page 714, Integral 6.633.2: replace “ $a > 0$ ” with “ $a$  real”; add the reference VE2015

147. Page 718, Integral 6.648: replace  $\left( \frac{a + be^x}{ae^x + b} \right)$  with  $\left( \frac{a + be^x}{ae^x + b} \right)^\nu$ ; add the reference VE2015

148. Page 725, Integral 6.671.4

The term “ $+ \cot(\nu\pi)$ ” is incorrect and should have been “ $\cot(\nu\pi)$ ”; that is, there should be a multiplication here and not an addition.

Correcting this, and simplifying the terms results in the following evaluation

$$= -\frac{\sin(\frac{\nu\pi}{2})}{\sqrt{b^2 - a^2}} \left\{ \frac{a^\nu \cot(\nu\pi)}{\left( b + \sqrt{b^2 - a^2} \right)^\nu} + \frac{\left( b + \sqrt{b^2 - a^2} \right)^\nu}{a^\nu \sin(\nu\pi)} \right\}$$

(Thanks to Junggi Yoon for correcting this error.)

149. Page 725, Integral 6.671.7: add the evaluation of “∞” when  $a = b$ ; add the reference VE2015

150. Page 731, Integrals 6.681.5 and 6.681.6: add the constraint  $[n = 0, 1, 2, \dots]$  for each of these.

(Thanks to Jim Morehead for correcting this error.)

151. Page 732, Integral 6.681.12: replace  $\frac{\pi}{2}$  with  $\frac{\pi^2}{4}$ ; add the constraint  $a \neq 0$ ; add the reference VE2015

xx/2024

152. Page 732, Integral 6.683.1:

(a) The constraint is now  $[\operatorname{Re} \nu > \operatorname{Re} \mu > -1]$  which is incorrect.

It should have been  $[\operatorname{Re} \mu > \operatorname{Re} \nu > -1]$

(b) The reference is now WA 407(4) which is incorrect.

It should have been WA 374(4)

(Thanks to Hideshi Yamane for correcting these errors.)

xx/2024

153. Page 732, Integral 6.683.2:

The reference is now WA 410(1) which is incorrect.

It should have been WA 376(1)

(Thanks to Hideshi Yamane for correcting this error.)

xx/2024

154. Page 732, Integral 6.683.4:

The reference is now WA 407(2) which is incorrect. The reference should be deleted.

(Thanks to Hideshi Yamane for correcting this error.)

xx/2024

155. Page 732, Integral 6.683.5:

The reference is now WA 407(3) which is incorrect.

It should have been WA 374(3)

(Thanks to Hideshi Yamane for correcting this error.)

156. Page 734, Integral 6.686.5: replace the constraints with  $[a \neq 0, b \neq 0]$ ; add the reference VE2015

157. Page 738, Integral 6.699.1 add the evaluation for the case  $a = b$

$$\frac{\cos((\nu + \lambda)\frac{\pi}{2}) \Gamma(\nu + \lambda + 1) \Gamma(-\lambda - \frac{1}{2})}{\sqrt{\pi}(2a)^{\lambda+1} \Gamma(\nu - \lambda)} \quad [b = a, \quad a \geq 0, \quad \operatorname{Re} \lambda < -\frac{1}{2}, \quad \operatorname{Re}(\nu + \lambda) > -2]$$

158. Page 738, Integral 6.699.2, add the evaluation for the case  $a = b$

$$\frac{(-1)^{1-\lambda/2} \Gamma(-\lambda - \frac{1}{2}) \Gamma(1 + \nu + \lambda)}{\sqrt{\pi}(2a)^{\lambda+1} \Gamma(\nu - \lambda)} \sin(\frac{1}{2}\nu\pi) \quad [b = a, \quad a \geq 0, \quad \operatorname{Re} \nu > -\lambda - 1, \quad \lambda = -2, -4, \dots]$$

$$\frac{(-1)^{(3-\lambda)/2} \Gamma(-\lambda - \frac{1}{2}) \Gamma(\nu + \lambda + 1)}{\sqrt{\pi}(2a)^{\lambda+1} \Gamma(\nu - \lambda)} \cos(\frac{1}{2}\nu\pi) \quad [b = a, \quad a \geq 0, \quad \operatorname{Re} \nu > -\lambda - 1, \quad \lambda = -1, -3, \dots]$$

159. Page 748, Integral 7.737.1, add the text

For  $b = 0$  see 6.699.5.

xx/2024

(Thanks to Peter A. Robinson for this suggestion.)

160. Page 754, 6.772.1: expand the evaluations to be

$$\begin{aligned} -\frac{1}{a} [\ln(2a) + \mathbf{C}] &\quad [a > 0] \\ \frac{1}{a} [\ln(-2a) + \mathbf{C}] &\quad [a < 0] \end{aligned}$$

and add the reference VE2015

161. Page 754, Integral 6.772.2: expand the evaluations to be

$$\begin{aligned} -\frac{1}{a} \left[ \ln\left(\frac{a}{2}\right) + \mathbf{C} \right] &\quad [a > 0] \\ -\frac{1}{a} \left[ \ln\left(-\frac{a}{2}\right) + \mathbf{C} \right] &\quad [a < 0] \end{aligned}$$

and add the reference VE2015

162. Page 754, Integral 6.772.3: replace  $\frac{2}{b} (K_0(ab) + \ln a)$  with  $\frac{2}{b} (K_0(|ab|) + \ln |a|)$ ; add the constraints  $[a \neq 0, b \neq 0]$ ; add the reference VE2015

163. Page 754, Integral 6.772.4: expand the evaluations to be

$$\begin{aligned} \frac{2}{x} \ker(x) &\quad x > 0 \\ \frac{2}{x} \ker(-x) &\quad x < 0 \end{aligned}$$

and add the reference VE2015

164. Page 755, Integral 6.784.1: the solution is wrong. The correct solution is

$$\frac{1}{2\sqrt{\pi}} \left(\frac{b}{2}\right)^\nu \frac{1}{a^{2\nu+2}} \frac{\Gamma\left(\nu + \frac{3}{2}\right)}{\Gamma(\nu + 2)} \Phi\left(\nu + \frac{3}{2}, \nu + 2; -\frac{b^2}{4a^2}\right)$$

In the constraints, replace  $b > 0$  with  $b \neq 0$ ; add the reference VE2015

165. Page 758, Integral 6.794.9

The current evaluation is

$$\frac{\pi^{3/2} a}{\boxed{2^{5/2} \sqrt{b}}} \exp\left(-b - \frac{a^2}{8b}\right)$$

which is incorrect. The correct evaluation is

$$\frac{\pi^{3/2} a}{2^{7/2} \sqrt{b}} \exp\left(-b - \frac{a^2}{8b}\right)$$

(Thanks to Angelo Melino for correcting this error.)

166. Page 760, Integral 6.812.1: expand the evaluations to be

$$\begin{aligned} \frac{\pi}{2a} [I_1(ab) - \mathbf{L}_1(ab)] & \quad [\operatorname{Re} a > 0, \quad b > 0] \\ \frac{\pi}{2a} [I_1(-ab) - \mathbf{L}_1(-ab)] & \quad [\operatorname{Re} a > 0, \quad b < 0] \\ -\frac{\pi}{2a} [I_1(-ab) - \mathbf{L}_1(-ab)] & \quad [\operatorname{Re} a < 0, \quad b > 0] \\ -\frac{\pi}{2a} [I_1(ab) - \mathbf{L}_1(ab)] & \quad [\operatorname{Re} a < 0, \quad b < 0] \end{aligned}$$

and add the reference VE2015

167. Page 761, Integral 6.812.2: replace  $\frac{a^2 b^2}{2}$  with  $\frac{a^2 b^2}{4}$ ; add the reference VE2015
168. Page 761, Integral 6.813.4: replace  $a > 0$  with  $a \neq 0$ ; add the reference VE2015
169. Page 761, Integral 6.813.5: replace  $a > 0$  with  $a \neq 0$ ; add the reference VE2015
170. Page 770, Integral 6.876.1: replace “ $x \operatorname{kei} x J_1(ax)$ ” with “ $\operatorname{kei}(x) J_1(ax)$ ”; replace  $a > 0$  with  $a \neq 0$ ; add the reference VE2015
171. Page 770, Integral 6.876.2: replace “ $x \operatorname{ker} x J_1(ax)$ ” with “ $\operatorname{ker}(x) J_1(ax)$ ”; replace  $a > 0$  with  $a \neq 0$ ; add the reference VE2015
172. Page 779, Integral 7.132.1: replace  $\Gamma(\lambda + \frac{1}{2}\nu + 1)$  with  $\Gamma(\lambda + \frac{1}{2}\nu + \frac{1}{2})$ .  
(Thanks to Bruno Daniel for correcting this error.)
173. Page 798, Integral 7.226.3: replace the current constraints  
[ $|p| < 1$ ] with [ $p > -1, \quad m = 0, 1, 2, \dots$ ]  
(Thanks to Clement Staelen for correcting this error.) xx/2024

174. Page 799, Integral 7.233: replace  $\Gamma(\mu + n)$  with  $\Gamma(\mu + n + 1)$   
(Thanks to Ramakrishna Janaswamy for correcting this error.)

175. Page 801, Formula 7.249 2:

- (a) change  $\sum_{t=0}^{t-1}$  to  $\sum_{r=0}^{t-1}$   
(b) change [ $t > n$ ] to [any integer  $t > n$ ]

(Thanks to Matt Majic for correcting this error.)

176. Page 801, Integral 7.251.3: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

177. Page 802, Integral 7.251.7: replace  $\Gamma(\frac{1}{2} + \frac{1}{2}\nu - n)$  with  $\Gamma(\frac{1}{2}\mu + \frac{1}{2}\nu - n)$   
(Thanks to Ramakrishna Janaswamy for correcting this error.)

178. Page 810, Integral 7.354.1: replace  $J_{2n+1}(x)$  with  $J_{2n+1}(z)$ .

(Thanks to Farid Bouttout for correcting this error.)

179. Page 810, Integral 7.355.1: remove the constraint  $a > 0$ ; add the reference VE2015
180. Page 810, Integral 7.355.2: remove the constraint  $a > 0$ ; add the reference VE2015
181. Page 811, Integral 7.374.4: the correct evaluation is  $\sqrt{\pi}2^{n-1} \frac{(2m+n)!}{m!} (a^2 - 1)^m a^n$
182. Page 811, Integral 7.374.7: replace  $L_n^{n-m}(-2y^2)$  with  $L_m^{n-m}(-2y^2)$ ; remove the constraint  $m \leq n$ ; add the reference VE2015
183. Page 812, Integral 7.376.3: replace  $\Gamma\left(\frac{\nu+1}{2}\right)$  with  $\Gamma\left(\frac{\nu}{2} + 1\right)$ ; add the reference VE2015
184. Page 812, Integral 7.377: replace  $y^{n-m}$  with  $z^{n-m}$   
 (Thanks to Christophe De Beule for correcting this error.)
185. Page 819, Integral 7.421.1: remove  $y > 0$ ; add the reference VE2015
186. Page 821, Integral 7.512.6
- (a) The evaluation of the integral is incorrect.  
 The evaluation should be  $= \frac{B(\lambda, \beta - \lambda)}{(1-z)^\alpha} = \frac{\Gamma(\beta - \lambda) \Gamma(\lambda)}{\Gamma(\beta)} \frac{1}{(1-z)^\alpha}$   
 (b) The additional constraint  $\operatorname{Re} \lambda > 0$  needs to be added  
 (Thanks to Gerald Edgar for correcting this error.)
187. Page 821, Integral 7.512.6: replace
188. Page 821, Integral 7.521.9: replace  $(1-z)^\sigma$  with  $(1-z)^{-\sigma}$   
 (Thanks to Gerald Edgar for correcting this error.)
189. Page 822, Integral 7.522.1  
 The current evaluation, which is incorrect, is
- $$\frac{\Gamma(\delta)\lambda^{-\gamma}}{\Gamma(\alpha)\Gamma(\beta)} E(\alpha; \beta : \gamma; \delta : \lambda)$$
- The correct evaluation, which only differs in the “punctuation” is
- $$\frac{\Gamma(\delta)\lambda^{-\gamma}}{\Gamma(\alpha)\Gamma(\beta)} E(\alpha, \beta, \gamma : \delta : \lambda)$$
- (Thanks to Aaron Hendrickson for correcting this error.)
190. Page 825, Integral 7.531.1: add the constraint  $c > 0$ ; add the reference VE2015
191. Page 840, Integral 7.662.4: the solution for  $[a < 0, \quad \operatorname{Re} y > 0, \quad \operatorname{Re} \mu > -\frac{1}{2}]$  is the negative of the solution shown. add the reference VE2015
192. Page 851, Integral 7.731.1: replace  $\operatorname{Re}^2 a > 0$  with  $\operatorname{Re} a^2 > 0$ ; add the reference VE2015

193. Page 852, Integral 7.741.5 The current evaluation is incorrect, it should be replaced with

$$\frac{\sqrt{2}\pi}{\Gamma(\frac{3}{4}-\nu)} \left(\frac{2}{3}\right)^{\nu+\frac{1}{4}} e^{-b^2/3} \Phi\left(-\nu + \frac{1}{4}; \frac{1}{2}; -\frac{2b^2}{3}\right)$$

Also, replace the constraints with

[Re  $\nu > \frac{1}{4}$ ,  $b$  real]

and add the reference

MAR2022 (22)

(Thanks to Richard J. Mathar for correcting this error.)

194. Page 853, Integral 7.751.1: replace the constraint with  $[y \neq 0, a \neq 0, n = 1, 3, 5, 7, \dots]$ ; add the reference VE2015

195. Page 853, Integral 7.751.2: replace the constraint with  $[y \neq 0, a \neq 0]$ ; add the reference VE2015

196. Page 853, Integral 7.751.3

xx/2024

The current integrand can be slightly generalized, and the evaluation simplified, as follows:

$$\int_0^\infty J_0(xy) D_\nu(ax) D_{\nu+1}(ax) dx \\ = \begin{cases} -\frac{1}{y} \left[ D_\nu\left(\frac{y}{a}\right) D_{\nu+1}\left(-\frac{y}{a}\right) - \frac{\sqrt{\pi}}{\sqrt{2}\Gamma(-\nu)} \right] & [y \neq 0, a > 0] \\ -\frac{1}{y} D_\nu\left(\frac{y}{a}\right) D_{\nu+1}\left(-\frac{y}{a}\right) & [y \neq 0, a \neq 0, \nu = 0, 1, 2, \dots] \end{cases}$$

add the reference VE2015 (3.6)

This should replace the current value in the 8th edition (which corresponds to the value  $a = 1$ ).

197. Page 853, Integral 7.752.1: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

198. Page 853, Integral 7.752.3: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

199. Page 853, Integral 7.752.4: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

200. Page 853, Integral 7.752.5: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

201. Page 854, Integral 7.752.10: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

202. Page 854, Integral 7.752.12: replace  $y > 0$  with  $y \neq 0$ ; add the reference VE2015

203. Page 856, Integral 7.755.1: replace  $y > 0$  with  $y \neq 0$ ; replace  $2^{-3/2}$  with  $2^{-1/2}$ ; add the reference VE2015

204. Page 857, Integral 7.771: add  $\beta > 0$  to each constraint, replace “ET II 298(22)” with “ET II 398(22)”

xx/2024

205. Page 879, Table in 8.151.3: below the table are many reference to WH. Combine them all together so that the row below the table only has SI 19, SI 18(13), WH

206. Page 897, Integral 8.250.5: add the constraint [Re  $p > 0$ ,  $y > 0$ ]; add the reference VE2015

207. Page 897, Integral 8.250.8: replace  $\Phi\left(-\frac{x^2}{2}\right)$  with  $\Phi\left(-\frac{p^2}{2}\right)$ ; add the reference VE2015

208. Page 897, Integral 8.250.9

- (a) The evaluation is missing a minus sign; the result should be  $-\sqrt{\pi}\Phi(a)\Phi(b)$
- (b) add the reference VE2015

209. Page 898, Formula 8.253.1: replace “ $F_1$ ” with “ $_1F_1$ ”; add the reference VE2015

210. Page 898, Formula 8.254: replace “ $|\arg(-z)|$ ” with “ $|\arg(z)|$ ”.

(Thanks to Martin Venker for correcting this error.)

211. Page 900, Integral 8.258.5: replace “ $1 - \arctan(\sqrt{\beta})$ ” with “ $\arctan(\sqrt{\beta})$ ”; add the reference VE2015

xx/2024

212. Page 902, Formula 8.314: replace  $\sum_{n=0}^{\infty}$  with  $\sum_{k=0}^{\infty}$

(Thanks to Angelo Melino for correcting this error.)

213. Page 909, Formula 8.352.3: replace  $\sum_{k=1}^m$  with  $\sum_{k=1}^n$ .

(Thanks to Mariam Mousa Harb for correcting this error.)

214. Page 909, Integral 8.352.7: replace  $e^{-z}$  with  $e^{-x}$ .

(Thanks to Mariam Mousa Harb for correcting this error.)

215. Page 912, After 8.361.8, replace “**4.482 5**” with “**4.282 5**”

(Thanks to Allen Stenger for correcting this error.)

216. Page 916, Relation 8.375.1

- (a) The evaluation on the right hand side is incorrect. The correct evaluation is obtained by replacing

$$\sum_{k=0}^{\lfloor \frac{q-1}{2} \rfloor} \quad \text{with} \quad 2 \sum_{k=0}^{\lfloor \frac{q-1}{2} \rfloor}$$

- (b) The comment says (See also **6.362 5–7**)  
which is incorrect. It should be (See also **6.363 5–7**)

(Thanks to Allen Stenger for correcting these errors.)

217. Page 950, Text 8.544

xx/2024

The text currently includes:

Suppose also that  $y_\nu$  is the smallest positive zero of the function  $Y_\nu(z)$ . Then,  $x_\nu < y_\nu < x'_\nu$ .

which is incorrect. The correct (and expanded) statement should be

Suppose also that  $y_\nu$  and  $y'_\nu$  are the smallest positive zeros of the functions  $Y_\nu(z)$  and  $Y'_\nu(z)$ . Then,  $x'_\nu < y_\nu < y'_\nu < x_\nu$ .

Additionally, the reference DLMF 10.21.3 should be added.

(Thanks to Julius Seeger for correcting this error.)

#### 218. Page 984, Relation 8.816

The evaluation on the right hand side is incorrect.

The correct evaluation is obtained by replacing “ $(-1)^m$ ” with “ $(-i)^m$ ”.

(Thanks to Joseph Gangstad for correcting this error.)

#### 219. Page 985, Relation 8.820.7

For clarity, replace with (this keeps some of the terms and removes others)

$$P_\nu(z) = P_{-\nu-1}(z)$$

(Thanks to Angelo Melino for suggesting this clarification.)

#### 220. Page 985, Relation 8.822.1

For clarity, replace the constraint with (this keeps some of the terms and removes others)

$$\left[ \operatorname{Re} z > 0 \right]$$

(Thanks to Angelo Melino for suggesting this clarification.)

#### 221. Page 997, Relations in 8.922

(a) (8.922.1) For clarity, change the summation upper limit from  $\infty$  to  $n$

(b) (8.922.2) For clarity, change the summation upper limit from  $\infty$  to  $n$

(c) (8.922.1) Add the additional evaluation

$$z^{2n} = \sum_{k=0}^n 2^{2n-2k+1} (4n - 4k + 1) \frac{(2n)!(2n-k+1)!}{k!(4n-2k+2)!} P_{2n-2k}(z)$$

(d) (8.922.2) Add the additional evaluation

$$z^{2n+1} = \sum_{k=0}^n 2^{2n-2k+2} (4n - 4k + 3) \frac{(2n+1)!(2n-k+2)!}{k!(4n-2k+4)!} P_{2n-2k+1}(z)$$

(Thanks to Patrick Bruno for correcting these errors.)

#### 222. Page 1004, Integral 8.949.7: replace $(1 - x^2)^{c\frac{1}{2}}$ with $(1 - x^2)^{\frac{1}{2}}$ .

(Thanks to Farid Bouttout for correcting this error.)

#### 223. Page 1008, Relation 8.961.1

While correct, the relation is not in its most general form.

The current

$$P_n^{(\alpha,\alpha)}(-x) = (-1)^n P_n^{(\alpha,\alpha)}(x)$$

should be replaced with

$$P_n^{(\alpha,\beta)}(-x) = (-1)^n P_n^{(\beta,\alpha)}(x)$$

(Thanks to Michal Wierzbicki for this observation.)

224. Page 1019, Formula 9.136.3: the left hand side of this expression is incorrect; it should have been:

$$4\sqrt{\pi} \frac{\Gamma(\alpha + \beta - \frac{1}{2})}{\Gamma(\alpha - \frac{1}{2})\Gamma(\beta - \frac{1}{2})} \sqrt{z} F\left(\alpha, \beta, ; \frac{3}{2}; z\right)$$

(Thanks to Jerome Benoit for this correction.)

225. Page 1021, Formula 9.153.3, the first summation in the expansion of  $u_2$  is incorrect. Within the first summation, there should be a factor of  $\frac{1}{k!}$

(Thanks to Yanky Landau for this correction.)

226. Page 1034, Integral 9.221: add the constraint  $\operatorname{Re}(\mu \pm \lambda) > -\frac{1}{2}$ ; add the reference VE2015

227. Page 1037, Formula 9.237.1: replace  $\Psi$  (representing the confluent hypergeometric function) with  $\psi$  (representing the psi function, the logarithmic derivative of the gamma function).

(Thanks to Lasse Schmieding for correcting this error.)

228. Page 1038, Formula 9.245.1: replace “ $x$  is real” with “ $x \geq 0$ ”; add the reference VE2015

229. Page 1066, Formula 10.618.1: replace “ $x_1 = \sqrt{\dots}$ ” with “ $x_1 = u_3 \sqrt{\dots}$ ”. (Thanks to Michele Cappellari for correcting this error.)

230. Page 1107, line 13, Reference LI:

(a) Author should be C. F. Lindman, not C. E. Lindeman

(b) “Amsterdam 1867” is part of the title, not the place and date of publication (that is, it should be included in the italicized part)

(Thanks to Allen Stenger for correcting this error.)

xx/2024