An upper bound on the dimension of the voting system of the European Union Council under the Lisbon rules

Yuming Chen, Wai Shun Cheung and Tuen Wai Ng[∗]

July 24, 2019

Abstract

The voting rules of the European Council (EU) under the Treaty of Lisbon became effective on 1 November 2014. Kurz & Napel (2015) showed that the dimension of this voting system is between 7 and 13, 368. The lower bound 7 actually sets a new world record for the dimension of the real-world voting bodies. In this article, by finding a new way to represent the union of two weighted games as an intersection of certain weighted games (Theorem 1), we greatly reduce the upper bound 13, 368 to just 25. We also consider what will happen to our upper bound and Kurz & Napel's lower bound if the United Kingdom is no longer a member of the European Union Council.

[∗]Department of Mathematics, The University of Hong Kong, Pokfulam, Hong Kong. E-mail address:chenym@connect.hku.hk, cheungwaishun@gmail.com, ntw@maths.hku.hk

1 Introduction

The voting rules used in the European Council (EU) under the Treaty of Lisbon (which became effective on 1 November 2014) is quite unique within the current, global range of electoral systems. It not only requires a "qualified majority" of both the number of member states supporting a proposal and the population of the supporting member states, but also specifies a "blocking minority" which can block a proposal if certain condition is satisfied. It is the existence of such a "blocking minority" that makes the system complicated and interesting to study from the mathematical point of view. In fact, Kurz & Napel (2015) showed that this voting system has dimension between 7 and 13368 and therefore this dimension sets a world record of the dimension of the real-world voting bodies. Indeed, the previous record holders are EU under Treaty of Nice and the Legislative Council of Hong Kong and both of them have dimension 3 (see Freixas (2004) and Cheung & Ng (2014)). In this article, we will reduce Kurz & Napel's upper bound to 25 or even 24 (depending on the populations of the countries in EU). This is achieved by finding a new way to represent the union of two weighted games as an intersection of certain weighted games (Theorem 1). It is expected that Theorem 1 will be useful for computing the dimension of other real world voting systems. Finally, assuming that the United Kingdom is no longer a member of the European Union Council, we will show that our upper bound will jump to 1362 while Kurz & Napel's lower bound will only increase to 8.

2 Notations and definitions

Definition 2.1. A simple game is a pair (N, v) where N is the set of players described as $\{1, \ldots, n\}$ and v is the characteristic function which satisfies:

- 1. $v(S) = 0$ or 1, for all $S \subseteq N$;
- 2. $v(S) \le v(T)$ if $S \subseteq T$;
- 3. $v(\emptyset) = 0$ and $v(N) = 1$.

A coalition S is winning if $v(S) = 1$ and losing if $v(S) = 0$ and we let $\mathcal{W}(v)$ be the set of winning coalitions of v.

Definition 2.2. A weighted majority game is a simple game which can be realized by a vector $(w_1, ..., w_n)$ together with a threshold q which makes the representation $[q; w_1, \ldots, w_n]$ so that S is a winning coalition if and only if $\sum_{j\in S} w_j \geq q.$

Definition 2.3. Let v_1, v_2 be two simple games with identical player set N. The intersection of v_1 and v_2 , denoted by $v_1 \wedge v_2$ is the simple game with $W(v_1 \wedge v_2) = W(v_1) \cap W(v_2)$ and the union of v_1 and v_2 , denoted by $v_1 \vee v_2$ is the simple game with $\mathcal{W}(v_1 \vee v_2) = \mathcal{W}(v_1) \cup \mathcal{W}(v_2)$.

Definition 2.4. The dimension of v is the smallest k such that v coincides with the intersection $v_1 \wedge v_2 \cdots \wedge v_k$ of k weighted games.

The codimension of v is the smallest k such that v coincides with the union $v_1 \vee v_2 \cdots \vee v_k$ of k weighted games.

The boolean dimension of v is the smallest k such that v can be represented as unions and intersections of k weighted games.

3 Data sets and the voting rule

Let us first state the rule of the voting game v_{EU} of the EU systems: We numbered the 28 EU members by $1, \ldots, 28$ (see Table 1 or 2). A motion will be passed if

- (1) at least 55% of EU members support the motion (and we let the weighted majority game $v_{16} := [16; 1, 1, \ldots, 1]$ and either
- (2a) the EU members that support the motion represent at least 65% of the total population (and we let $v_{65} := [0.65 \sum w_j; w_1, w_2, \ldots, w_{28}]$ where w_j is the population of the *j*-th country), or
- (2b) no more than four EU members reject the motion (and we let $v_{25} :=$ $[25; 1, \ldots, 1]).$

Therefore $v_{EU} = v_{16} \wedge (v_{65} \vee v_{25})$ and hence the boolean dimension of v_{EU} is 3 (see [\[3\]](#page-12-0)). Note that we also have $v_{EU} = (v_{16} \wedge v_{65}) \vee v_{25}$.

To compute the dimension of v_{EU} , we need to know the populations of the 28 EU members. Here we will use four data sets. The 2014 data (Table 1) is from Kurz & Napel (2015) [\[3\]](#page-12-0), it will provide a clear comparison between their estimation and ours. The 2016, 2017, 2018 data (Table 2,3,4) are taken from<http://ec.europa.eu/eurostat> on 7 March, 2019. Indeed, according to Kurl & Napel (2015), their data set was also taken from http://ec.europa.eu/eurostat, but it seems the website had adjusted the data afterward. Note that the orders of the countries are not the same in the four

tables, as we arranged the countries in descending populations, which will make it easier to study the voting game mathematically.

4 Realization of games as intersection of weighted games

In this section, we explain two constructions which are useful to realize a game as intersections of weighted games.

I) Suppose that we have two simple games v and v' with identical player set N such that $\mathcal{W}(v) \subset \mathcal{W}(v')$. Let F be the set of maximal coalitions which is winning in v' but losing in v. For each $S \in \mathcal{F}$, define v^S to be a weighted game with quota 1 and the weight $w_j^S = 1$ if $j \notin S$ and 0 if $j \in S$. Note that a coalition W is losing in v^S if and only if $W \subseteq S$. Therefore, we have

$$
\mathcal{W}(v) = \mathcal{W}(v') \cap \bigcap_{S \in \mathcal{F}} \mathcal{W}(v^S)
$$

and hence

$$
v = v' \wedge (\bigwedge_{S \in \mathcal{F}} v^S).
$$

Note that if we set $v' = [1; 1, ..., 1]$ then the construction is essentially the proof that every simple game v is the intersection of weighted games.

II) Let $v_A = [q^A; w_1^A, w_2^A, \dots, w_n^A]$ and $v_B = [q^B; w_1^B, w_2^B, \dots, w_n^B]$ be two weighted games. We want to realize $v_A \vee v_B$ as an intersection of k weighted voting systems.

Let $w^I(S) = \sum_{j \in S} w_j^I$ for $I = A$ or B and $\mathcal{D} = \{S \subset \{1, \ldots, n\}$: $w^A(S) < q^A$ but $w^B(S) \geq q^B$.

If $\mathcal{D} = \emptyset$ then $v_A \vee v_B = v_A$ and we are done. Now suppose $\mathcal{D} \neq \emptyset$ and let $u = q^A - \min_{S \in \mathcal{D}} w^A(S)$ and $\mathcal{T} = \cap_{S \in \mathcal{D}} S$.

Suppose that $\mathcal{T} \neq \emptyset$. Then for each $k \in \mathcal{T}$, we define

$$
v^{k} = [q^{A}; w_{1}^{A}, \dots, w_{k-1}^{A}, w_{k}^{A} + u, w_{k+1}^{A}, \dots, w_{n}^{A}].
$$

Note that if S is winning in v_A , then it is winning in v^k for each $k \in \mathcal{T}$. Now suppose S is winning in v_B but not winning in v_A . In this case, $S \in \mathcal{D}$ by the definition of $\mathcal D$ and hence for each $k \in \mathcal{T}$, we have $k \in S$ and $w^k(S) = w^A(S) + u \geq q^A$. Hence S is a winning coalition of v^k .

Therefore $\mathcal{W}(v_A \vee v_B) \subseteq \mathcal{W}(\bigwedge_{k \in \mathcal{T}} v^k)$. If we let $v = v_A \vee v_B$ and $v' = \bigwedge_{k \in \mathcal{T}} v^k$ and apply the construction I, we have

$$
v_A \vee v_B = \left(\bigwedge_{k \in \mathcal{T}} v^k\right) \wedge \left(\bigwedge_{S \in \mathcal{F}} v^S\right).
$$

Note that this method may not yield good results when $\mathcal T$ is not big, as we will see in the next section.

We conclude this section by stating the result we just obtained.

Theorem 1. Let v_A and v_B be two weighted games with the same set of players. Then

$$
v_A \vee v_B = \left(\bigwedge_{k \in \mathcal{T}} v^k\right) \wedge \left(\bigwedge_{S \in \mathcal{F}} v^S\right).
$$

5 Upper bound of the dimension of the EU system.

Recall that $v_{EU} = v_{16} \wedge (v_{65} \vee v_{25})$. Hence the dimension of v_{EU} is 1 plus the dimension of $v_{65} \vee v_{25}$. In this section, we will obtain a two digit upper bound on the dimension of $v_{65} \vee v_{25}$ based on the populations of the EU members in 2014,2016-18 given in Table 1-4 respectively.

5.1 2014 data

Let $v_A = v_{65}$ and $v_B = v_{25}$. For any $S \subset N$, define $S^c = N \backslash S$. Using the populations given in Table 1, one can check that $\mathcal{D} = \{\{1, 2, 3\}^c, \{1, 2, 4\}^c,$ $\{1, 2, 5\}^c, \{1, 2, 6\}^c, \{1, 3, 4\}^c, \{1, 3, 5\}^c, \{1, 3, 6\}^c, \{1, 4, 5\}^c, \{1, 4, 6\}^c, \{2, 3, 4\}^c\}.$ Hence $u = q^A - (w_4 + \cdots + w_{28}) = 33349058, \mathcal{T} = \{7, 8, \ldots, 28\}$ and $\mathcal{F} = \{\{1, 2, 7, 8, \ldots, 28\}\}.$

Apply Theorem 1 to $v_{65} \vee v_{25}$ so that $v_{EU} = v_{16} \wedge (v_{65} \vee v_{25})$ can be realized as the intersection of the following 24 weighted games:

Therefore, the dimension of v_{EU} in 2014 is at most 24.

5.2 A remark

If we take $v_A = v_{25}$ and $v_B = v_{65}$ using 2014 data, then D contains $\{1, 2, 3, 4, 5, 6\}$, $\{3, 4, \ldots, 26\}, \{1, 2, 6, 7, \ldots, 26\}, \{1, 2, 3, 7, \ldots, 27\}$ and hence $\mathcal{T} = \emptyset$ and our method produces no good upper bound.

5.3 2016 data

We take $v_A = v_{65}$ and $v_B = v_{25}$ for the 2016 data set. Just like the 2014 data set, we have $\mathcal{D} = \{\{1, 2, 3\}^c, \{1, 2, 4\}^c, \{1, 2, 5\}^c, \{1, 2, 6\}^c, \{1, 3, 4\}^c, \{1, 3, 5\}^c, \{1, 3, 6\}^c,$ $\{1,4,5\}^c, \{1,4,6\}^c, \{2,3,4\}^c\}$ and $\mathcal{T} = \{7,8,\ldots,28\}$. However, $u = 35656002$ and $\mathcal{F} = \{\{1, 2, 7, 8, \ldots, 28\}, \{1, 3, 7, 8, \ldots, 28\}\}\.$ Hence v_{EU} can be realized as the intersection of the following 25 weighted games:

Therefore, the dimension of v_{EU} in 2016 is at most 25.

5.4 2017 data

For this case, $\mathcal{D} = \{\{1, 2, 3\}^c, \{1, 2, 4\}^c, \{1, 2, 5\}^c, \{1, 2, 6\}^c, \{1, 3, 4\}^c, \{1, 3, 5\}^c,$ $\{1,3,6\}^c, \{1,4,5\}^c, \{1,4,6\}^c, \{2,3,4\}^c, \{2,3,5\}^c\}$ and $u = 35656002$ but we still have $\mathcal{T} = \{7, 8, \ldots, 28\}$ and $\mathcal{F} = \{\{1, 2, 7, 8, \ldots, 28\}, \{1, 3, 7, 8, \ldots, 28\}\}.$

As a result, v_{EU} can be again realized as the intersection of 25 weighted games as in the case for the 2016 data set.

5.5 2018 data

In this case, everything is identical to that of the 2017 data set, except $u = 36226115$. Therefore, the dimension of v_{EU} in 2018 is again at most 25.

5.6 2018 data without UK

The United Kingdom has been seriously considering the possibility of leaving the EU during the preparation of this paper. Therefore, it would be interesting to see what happens to our upper bound if UK is no longer a member of the EU. Using the 2018 data set without UK, we found that $\mathcal{T} = \{16, 17, \ldots, 28\}$ and $|\mathcal{F}| = 1348$. Hence, the upper bound of the dimension of v_{EU} then jumps to 1362.

Also, we would like to point out that Kurz & Napel lower bound of v_{EU} will also change with the absence of UK. Using the similar method introduced in section 5 of the paper by Kurz $\&$ Napel (2015), we find the following set of losing coalitions with the 'pairwise incompatibility property' (see Kurz & Napel (2015), section 4):

 $\{\{1, 2, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28\},$ $\{2, 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28\},$ $\{2, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28\},$ $\{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 25, 27, 28\},\$ $\{1, 5, 6, 7, 9, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 28\},$ $\{1, 4, 6, 8, 9, 11, 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28\},\$ $\{2, 4, 6, 7, 8, 9, 10, 11, 12, 13, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28\}$

where the numbers correspond to each country's population ranking in 2018 data. Note that the number 3 (which represents the UK) is absent. This can be extended by adding the maximal losing coalition $\{1, 2, 4, 5, \ldots, 15\}$ of the 14 largest countries. Therefore, the lower bound of v_{EU} will increase to 8 if UK leaves EU.

6 Conclusion

Kurz & Napel (2015) used integer linear programing to estimate the upper bound of the voting system of EU and gets a large bound 13368. Our estimation made use of the structure of the voting system to get a much smaller upper bound 25. Moreover, our estimation indicates that the dimension is sensitive to the populations of the countries.

In general, our method works best if $\mathcal T$ is close to $\{1,\ldots,n\}$. From the fact that $v_1 \wedge (v_2 \vee v_3) = (v_1 \wedge v_2) \vee (v_1 \wedge v_3)$, one may notice that our method can actually be extended to all simple games.

References

- [1] Cheung, W. S. and Ng, T. W. (2014). A three-dimensional voting system in Hong Kong. European Journal of Operational Research, 236(1), 292- 297.
- [2] Freixas, J. (2004). The dimension for the European Union Council under the Nice rules. European Journal of Operational Research, 156(2), 415- 419.
- [3] Kurz, S., and Napel, S. (2015). Dimension of the Lisbon voting rules in the EU Council: a challenge and new world record. Optimization Letters, 1-12.