

Combined dark matter searches towards dwarf spheroidal galaxies with Fermi-LAT, HAWC, H.E.S.S., MAGIC, and VERITAS

Céline Armand,^{a,i,*} Eric Charles,^b Mattia di Mauro,^b Chiara Giuri,^c J. Patrick Harding,^d Daniel Kerszberg,^e Tjark Miener,^f Emmanuel Moulin,^g Louise Oakes,^h Vincent Poireau,ⁱ Elisa Pueschel,^c Javier Rico,^e Lucia Rinchuso,^g Daniel Salazar-Gallegos,^j Kirsten Tollefson,^j and Benjamin Zitzer^k on behalf of the Fermi-LAT, HAWC, H.E.S.S., MAGIC, and VERITAS Collaborations
(a complete list of authors can be found at the end of the proceedings)

^a*Astronomy Department, University of Geneva, Chemin d'Ecogia 16, 1290 Versoix, Switzerland*

^b*SLAC, USA*

^c*DESY Zeuthen, Germany*

^d*Los Alamos National Laboratory, USA*

^e*IFAE-BIST, Spain*

^f*IPARCOS, Universidad Complutense de Madrid, Spain*

^g*IRFU, CEA, Université Paris-Saclay, F-91191 Gif-sur-Yvette, France*

^h*Humboldt University Berlin, Germany*

ⁱ*Univ. Grenoble Alpes, Univ. Savoie Mont Blanc, CNRS, LAPP, 74000 Annecy, France*

^j*Michigan State University, USA*

^k*McGill University, Canada*

E-mail: celine.armand@lapth.cnrs.fr, echarles@slac.stanford.edu, dimauro.mattia@gmail.com, chiara.giuri@desy.de, jpharding@lanl.gov, dkerszberg@ifae.es, tmiener@ucm.es, emmanuel.moulin@cea.fr, loakes@physik.hu-berlin.de, poireau@lapp.in2p3.fr, elisa.pueschel@desy.de, jrico@ifae.es, lucia.rinchuso@cea.fr, salaza82@msu.edu, ollefson@pa.msu.edu, bzitzer@physics.mcgill.ca

*Presenter

Cosmological and astrophysical observations suggest that 85% of the total matter of the Universe is made of Dark Matter (DM). However, its nature remains one of the most challenging and fundamental open questions of particle physics. Assuming particle DM, this exotic form of matter cannot consist of Standard Model (SM) particles. Many models have been developed to attempt unraveling the nature of DM such as Weakly Interacting Massive Particles (WIMPs), the most favored particle candidates. WIMP annihilations and decay could produce SM particles which in turn hadronize and decay to give SM secondaries such as high energy γ rays. In the framework of indirect DM search, observations of promising targets are used to search for signatures of DM annihilation. Among these, the dwarf spheroidal galaxies (dSphs) are commonly favored owing to their expected high DM content and negligible astrophysical background. In this work, we present the very first combination of 20 dSph observations, performed by the Fermi-LAT, HAWC, H.E.S.S., MAGIC, and VERITAS collaborations in order to maximize the sensitivity of DM searches and improve the current results. We use a joint maximum likelihood approach combining each experiment's individual analysis to derive more constraining upper limits on the WIMP DM self-annihilation cross-section as a function of DM particle mass. We present new DM constraints over the widest mass range ever reported, extending from 5 GeV to 100 TeV thanks to the combination of these five different γ -ray instruments.

1. Introduction

The nature of dark matter (DM) represents a fundamental question for the understanding of our Universe. Observational hints at cosmological and galaxy scales such as the discrepancy between the measured rotation curves of galaxies and their theoretical predictions, the formation of large structures, and the anisotropies of the Cosmic Microwave Background show that DM makes up about 85% of the total matter.

The search for DM has therefore become a priority in the scientific community where a collective effort has been made in indirect, direct, and collider searches in order to unravel its mystery. Its detection would also be a milestone in searches for Physics beyond the Standard Model (SM). In this talk, we focus on the indirect detection using the observations made by five gamma-ray experiments towards twenty dwarf spheroidal galaxies (dSphs). These dSphs represent one of the most promising targets for DM indirect searches due to their high DM content and their negligible astrophysical background [1]. They are all located at high Galactic latitude and no sign of very high energy emission has been detected so far in the dSphs' directions. Gamma rays have the advantage of being neutral and do not get deflected by magnetic fields. Thus, the regions of γ -ray production can be traced back from the incident direction. The observations are therefore performed based on this property where the telescopes are directly pointing to the sources.

This work represents a collective effort between three imaging atmospheric Cherenkov telescope (IACT) arrays H.E.S.S., MAGIC, and VERITAS, the water Cherenkov array HAWC, and the space-borne telescope *Fermi*-LAT, which agreed on sharing their data previously published individually. The goal of our study is to combine the individual upper limits published by each collaboration in order to optimize the statistics and increase the sensitivity to potential DM signals. The combination brings the novelty of extending the upper and lower boundaries of the energy range and the derivation of the upper limits on the DM annihilation cross-section over the widest DM particle mass range ever. In this work, each of the five collaborations performed the analysis of their own data sets using a common DM model to optimize the data handling at different energy, angular resolutions, and sensitive energy ranges of the various instruments. By following this procedure, we also avoid the need for sharing raw data and instrument response functions (IRFs) outside the collaborations. As no significant excess was detected from the selected sources, nor in their combination, we derive upper limits on the DM annihilation cross-section as a function of the DM particle mass by combining the likelihood functions of all dSphs and all experiments.

2. Experiments

2.1 Fermi-LAT

The *Fermi*-Large Area Telescope (*Fermi*-LAT) is the collaboration which operates the pair conversion Large Area Telescope (LAT) carried by the *Fermi* satellite orbiting the Earth at an altitude of 565 km since 2008. The telescope has a wide field of view covering about 20% of the sky and scans the whole sky every 3 hours in the energy range between ~ 20 MeV and 1 TeV. *Fermi*-LAT thus covers the lowest energy region of this study. Detailed descriptions of the detector and its performance can be found in [2].

2.2 HAWC

The High-Altitude Water Cherenkov (HAWC) detector is a high-energy γ -ray telescope located at Sierra Negra, Mexico at 4100 m altitude and consists of an array consisting of 300 water Cherenkov detectors (WCD) covering an area of 22,000 m². The WCD are sensitive to γ -ray events of energies ranging from 300 GeV to a couple hundred TeV [3]. The experiment covers a field of view of 15% of the sky at all times.

2.3 H.E.S.S.

The High Energy Stereoscopic System (H.E.S.S.) experiment is an array consisting of five IACTs designed to detect brief and faint flashes of Cherenkov radiation generated by very high energy γ rays between ~ 30 GeV and ~ 100 TeV. The telescope array is located in central Namibia in the Khomas Highland region at 1,800 m above sea level [4] at 110 km south west of Windhoek. The four small telescopes are equipped with a 12 m reflector while the central one is 28 m. The array collects the γ rays within a field of view of 5°.

2.4 MAGIC

The Major Atmospheric Gamma-ray Imaging Cherenkov (MAGIC) telescope array consists of two telescopes of 17 m diameter reflector situated at the Roque de los Muchachos Observatory on the Canary Island of La Palma, Spain, 2,200 m above sea level. MAGIC is sensitive to very high energy γ -ray events above ~ 50 GeV [5] and is equipped with fast imaging cameras with a field of view of 3.5°.

2.5 VERITAS

The Very Energetic Radiation Imaging Telescope Array System (VERITAS) is an array of four telescopes of 12 m reflector located at the Fred Lawrence Whipple Observatory in Southern Arizona. The telescope array is sensitive to a very high energetic band from ~ 85 GeV up to ~ 30 TeV whose events are recorded within a 3.5° field of view [6].

3. DM signal

The differential flux of γ rays from the self-annihilation of Majorana DM particles is given by:

$$\frac{d^2\Phi(\langle\sigma v\rangle, J)}{dEd\Omega} = \frac{1}{4\pi} \frac{\langle\sigma v\rangle}{2m_\chi^2} \sum_f \text{BR}_f \frac{dN_f}{dE} \times \frac{dJ}{d\Omega}. \quad (1)$$

The first term contains the mass m_χ of the DM particles in GeV and their annihilation cross-section averaged over the velocity distribution $\langle\sigma v\rangle$ in cm³s⁻¹. It also carries the differential spectrum dN_f/dE for a given annihilation channel f . Since we do not assume any specific particle physics model, each channel is treated individually where the branching ratio $\text{BR}_f = 100\%$. The second term, known as the astrophysical J factor, describes the amount of DM annihilations within a source or a region of the sky.

The differential J -factor is defined as the integral of the square of the DM density distribution ρ_{DM} along the line-of-sight (l.o.s.):

$$\frac{dJ}{d\Omega} = \int_{\text{l.o.s.}} \rho_{\text{DM}}^2(r(s, \theta)) ds, \quad (2)$$

where ρ_{DM} is assumed to be spherically symmetric for all considered dSphs and depends on the distance to the center of the source r . This distance can also be expressed in terms of the distance s from Earth along the line of sight, and the angular distance θ with respect to the center of the source, as $r(s, \theta) = (s^2 + d^2 - 2sd \cos \theta)^{1/2}$, where d is the distance between the Earth and the source. The J factor computation is usually performed through a Jeans analysis based on the spherical Jeans equations [7–10]. This technique relies on the spectroscopic data and assumes that the galaxies are in steady-state hydrodynamic equilibrium, have a spherical symmetry, and are non-rotating systems to reconstruct the galactic dynamics. In this work, we use the J factors produced by Geringer-Sameth *et al.* [8].

4. Joint likelihood analysis

4.1 Dataset

Twenty classical and ultrafaint dwarf spheroidal galaxies are selected for the combination. All were observed by one or more instruments and previously published by individual collaborations. Table 1 presents the list of dwarf galaxies used this project and the experiments with which they were observed.

4.2 Combination principle

Our search for DM is carried out using a technique of maximum likelihood in which the profile likelihood ratio λ is a function of the annihilation cross-section $\langle\sigma v\rangle$, *i.e.* the parameter of interest, and reads as:

$$\lambda(\langle\sigma v\rangle | \mathcal{D}_{\text{dSphs}}) = \frac{\mathcal{L}(\langle\sigma v\rangle; \hat{\boldsymbol{\nu}} | \mathcal{D}_{\text{dSphs}})}{\mathcal{L}(\widehat{\langle\sigma v\rangle}; \hat{\boldsymbol{\nu}} | \mathcal{D}_{\text{dSphs}})}, \quad (3)$$

where $\mathcal{D}_{\text{dSphs}}$ is the dataset, $\boldsymbol{\nu}$ represents the nuisance parameters, $\widehat{\langle\sigma v\rangle}$ and $\hat{\boldsymbol{\nu}}$ are the values that maximize \mathcal{L} globally, and $\hat{\boldsymbol{\nu}}$ the values that maximize \mathcal{L} for a given value of $\langle\sigma v\rangle$. The joint likelihood function \mathcal{L} describing all measurements is the product of the individual likelihood functions of all instruments and all dSphs and is given by:

$$\mathcal{L}(\langle\sigma v\rangle; \boldsymbol{\nu} | \mathcal{D}_{\text{dSphs}}) = \prod_{l=1}^{N_{\text{dSphs}}} \mathcal{L}_{\text{dSph},l}(\langle\sigma v\rangle; J_l, \boldsymbol{\nu}_l | \mathcal{D}_{l,\text{measured}}) \times \mathcal{J}_l(J_l | J_{l,\text{obs}}, \sigma_{\log J_l}). \quad (4)$$

The quantity $N_{\text{dSphs}} = 20$ is the total number of dSphs; $\mathcal{D}_{l,\text{measured}}$ is the dataset from gamma-ray observations for the l -th dSph; $\boldsymbol{\nu}_l$ is the set of nuisance parameters associated to the l -th dSph, excluding J_l ; and J_l is the total J factor of the l -th dSph, whose value can be found in Tab. 1 ;

Source name	Experiments	Distance (kpc)	$\log_{10} J$ $\log_{10}(\text{GeV}^2 \text{cm}^{-5} \text{sr})$
Bootes I	<i>Fermi</i> -LAT, HAWC, VERITAS	66	$18.24^{+0.40}_{-0.37}$
Canes Venatici I	<i>Fermi</i> -LAT	218	$17.44^{+0.37}_{-0.28}$
Canes Venatici II	<i>Fermi</i> -LAT, HAWC	160	$17.65^{+0.45}_{-0.43}$
Carina	<i>Fermi</i> -LAT, H.E.S.S.	105	$17.92^{+0.19}_{-0.11}$
Coma Berenices	<i>Fermi</i> -LAT, HAWC, H.E.S.S., MAGIC	44	$19.02^{+0.37}_{-0.41}$
Draco	<i>Fermi</i> -LAT, HAWC, MAGIC, VERITAS	76	$19.05^{+0.22}_{-0.21}$
Fornax	<i>Fermi</i> -LAT, H.E.S.S.	147	$17.84^{+0.11}_{-0.06}$
Hercules	<i>Fermi</i> -LAT, HAWC	132	$16.86^{+0.74}_{-0.68}$
Leo I	<i>Fermi</i> -LAT, HAWC	254	$17.84^{+0.20}_{-0.16}$
Leo II	<i>Fermi</i> -LAT, HAWC	233	$17.97^{+0.20}_{-0.18}$
Leo IV	<i>Fermi</i> -LAT, HAWC	154	$16.32^{+1.06}_{-1.70}$
Leo T	<i>Fermi</i> -LAT	417	$17.11^{+0.44}_{-0.39}$
Leo V	<i>Fermi</i> -LAT	178	$16.37^{+0.94}_{-0.87}$
Sculptor	<i>Fermi</i> -LAT, H.E.S.S.	86	$18.57^{+0.07}_{-0.05}$
Segue I	<i>Fermi</i> -LAT, HAWC, MAGIC, VERITAS	23	$19.36^{+0.32}_{-0.35}$
Segue II	<i>Fermi</i> -LAT	35	$16.21^{+1.06}_{-0.98}$
Sextans	<i>Fermi</i> -LAT, HAWC	86	$17.92^{+0.35}_{-0.29}$
Ursa Major I	<i>Fermi</i> -LAT, HAWC	97	$17.87^{+0.56}_{-0.33}$
Ursa Major II	<i>Fermi</i> -LAT, HAWC, MAGIC	32	$19.42^{+0.44}_{-0.42}$
Ursa Minor	<i>Fermi</i> -LAT, VERITAS	76	$18.95^{+0.26}_{-0.18}$

Table 1: Summary of the relevant properties of the dSphs included in the combination of *Fermi*-LAT, HAWC, H.E.S.S., MAGIC, and VERITAS likelihood functions. The list of the observed dwarf galaxies is presented in column 1 with the instruments that performed the observations in column 2. Their heliocentric distance and J factor with their estimated $\pm 1\sigma$ uncertainties are listed in columns 3 and 4 respectively. The J factors are given for a source extension truncated at the outermost observed star with their estimated $\pm 1\sigma$ uncertainties.

$\log_{10} J_{l,\text{obs}}$ and $\sigma_{\log J_l}$ are obtained from the fit (see Jeans analysis in Sec. 3) of a log-normal function of $J_{l,\text{obs}}$ to the posterior distribution of J_l [11].

4.3 Shared data format

In order to perform the combination of the observations, a table of test statistic (TS) values is provided by each experiment for the annihilation channels, $b\bar{b}$ and $\tau^+\tau^-$, for each set of m_χ and $\langle\sigma v\rangle$. All collaborations agreed on 63 DM masses ranging from 10 GeV to 100 TeV for all continuum channels following the mass spacing of [12] to avoid an interpolation. The $\langle\sigma v\rangle$ range is defined between $10^{-28} \text{ cm}^3 \text{ s}^{-1}$ and $10^{-18} \text{ cm}^3 \text{ s}^{-1}$ and is logarithmically spaced in 1001 values.

4.4 Statistical uncertainty bands

The 68% (1σ) and 95% (2σ) containment bands are derived by individual experiments by performing 300 Poisson realizations of the background events. Each collaboration provides the results of their statistical uncertainties in the same format as for the nominal values which are then combined following the same procedure as the combination of the nominal upper limits.

5. Results and discussion

No significant DM signal has been observed by any of the five instruments. We therefore present the results of the combined upper limits at 95% C.L. on the DM annihilation cross-section $\langle\sigma v\rangle$ in the case of two annihilation channels, $b\bar{b}$ and $\tau^+\tau^-$, using all the data collected towards the twenty dSphs. We note that we selected these hadronic and leptonic channels as the follow up of our previous results presented at ICRC 2019 [13]. We set our upper limits by solving $\text{TS} = -2\ln\lambda(\langle\sigma v\rangle)$ for $\langle\sigma v\rangle$, with $\text{TS} = 2.71$. The value 2.71 represents the 95% confidence level of a one-sided distribution assuming the test statistics behaves like a χ^2 distribution with one degree of freedom. The combination is performed using two independent public analysis software packages, gLike [14] and LklCombiner [15], that provide compatible results. The combined upper limits are presented in Fig. 1 and are given with their 68% (1σ) and 95% (2σ) containment bands. These limits (solid black lines) are expected to be close to the median limit (dashed black lines) as no signal is present. We obtain upper limits within the 2σ expected bands for the two annihilation channels $b\bar{b}$ and $\tau^+\tau^-$. The individual limits produced by each experiment are also indicated in the figures as a comparison to our new combined results. Below ~ 500 GeV, the DM limits are largely dominated by the *Fermi*-LAT experiment. Between ~ 500 GeV to ~ 10 TeV, *Fermi*-LAT continues to dominate for the hadronic DM channel then above ~ 10 TeV, the IACTs (H.E.S.S., MAGIC, and VERITAS) and HAWC take over. In the case of the leptonic channel, both the IACTs and HAWC contribute significantly to the DM limit from ~ 1 TeV to ~ 100 TeV.




Figure 1: Upper limits at 95% confidence level on $\langle\sigma v\rangle$ as a function of the DM mass for the annihilation channels $b\bar{b}$ (left) and $\tau^+\tau^-$ (right), using the set of J factors from Ref. [8]. The black solid line represents the observed combined limit, the black dashed line is the median of the null hypothesis corresponding to the expected limit, while the green and yellow bands show the 68% and 95% containment bands. Combined upper limits for each individual detector are also indicated as solid, colored lines.

We observe that the combined DM constraints from all five telescopes are 2 to 3 times stronger than any individual telescope for multi-TeV DM. The selection of multiple targets increases statistics used to probe these sources and allows us to derive upper limits spanning the largest mass range of any WIMP DM search. We note that these limits depend on the choice of the annihilation channels and are driven by the objects with the highest J factors that can be observed. The ultrafaint dSphs, containing a few tens of bright stars only, can be subject to large systematic uncertainties for the determination of their J -factors such as Segue I. The derivation of upper limits through 6

additional annihilation channels is currently in progress, with 5 other continuum channels and the monoenergetic channel $\gamma\gamma$. A further analysis using a second J factor set derived by [7, 10] is also yet to come in order to study the systematics induced by the choice of J factor.

References

- [1] N. W. Evans, F. Ferrer, and S. Sarkar, “A travel guide to the dark matter annihilation signal,” *Phys. Rev. D*, vol. 69, p. 123501, Jun 2004.
- [2] M. Ackermann *et al.*, “The *Fermi* Large Area Telescope on Orbit: Event Classification, Instrument Response Functions, and Calibration,” *Astrophysical Journal Supplement Series*, vol. 203, p. 4, Nov. 2012.
- [3] A. U. Abeysekara *et al.*, “Observation of the Crab Nebula with the HAWC Gamma-Ray Observatory,” *Astrophys. J.*, vol. 843, no. 1, p. 39, 2017.
- [4] F. Aharonian *et al.*, “Observations of the Crab Nebula with H.E.S.S.,” *Astron. Astrophys.*, vol. 457, pp. 899–915, 2006.
- [5] J. Sitarek *et al.*, “Physics performance of the upgraded MAGIC telescopes obtained with Crab Nebula data,” in *Proceedings, 33rd International Cosmic Ray Conference (ICRC2013): Rio de Janeiro, Brazil, July 2-9, 2013*, p. 0074, 2013.
- [6] N. Park, “Performance of the VERITAS experiment,” in *Proceedings, 34th International Cosmic Ray Conference (ICRC2015): The Hague, The Netherlands, 30th July - 6th August*, vol. 34, p. 771, 2015.
- [7] V. Bonnivard, C. Combet, D. Maurin, and M. G. Walker, “Spherical Jeans analysis for dark matter indirect detection in dwarf spheroidal galaxies - Impact of physical parameters and triaxiality,” *Mon. Not. Roy. Astron. Soc.*, vol. 446, pp. 3002–3021, 2015.
- [8] A. Geringer-Sameth, S. M. Koushiappas, and M. Walker, “Dwarf galaxy annihilation and decay emission profiles for dark matter experiments,” *Astrophys. J.*, vol. 801, no. 2, p. 74, 2015.
- [9] J. Binney and S. Tremaine, *Galactic Dynamics: Second Edition*. Princeton Series in Astrophysics, Princeton University Press, 2011.
- [10] V. Bonnivard *et al.*, “Dark matter annihilation and decay in dwarf spheroidal galaxies: The classical and ultrafaint dSphs,” *Mon. Not. Roy. Astron. Soc.*, vol. 453, no. 1, pp. 849–867, 2015.
- [11] M. Ackermann *et al.*, “Searching for Dark Matter Annihilation from Milky Way Dwarf Spheroidal Galaxies with Six Years of *Fermi* Large Area Telescope Data,” *Physical Review Letters*, vol. 115, p. 231301, Dec. 2015.
- [12] M. Cirelli, “PPPC 4 DM ID: a poor particle physicist cookbook for dark matter indirect detection,” *Journal of Cosmology and Astroparticle Physics*, vol. 2011, 2011.
- [13] L. Oakes *et al.*, “Combined Dark Matter searches towards dwarf spheroidal galaxies with *Fermi*-LAT, HAWC, HESS, MAGIC and VERITAS,” *PoS*, vol. ICRC2019, p. 012, 2021.
- [14] J. Rico, C. Nigro, D. Kerszberg, T. Miener, and J. Aleksic, “gLike: numerical maximization of heterogeneous joint likelihood functions of a common free parameter plus nuisance parameters.” <https://doi.org/10.5281/zenodo.4601451>, Mar. 2021.
- [15] T. Miener and D. Nieto, “LklCom: Combining likelihoods from different experiments.” <https://doi.org/10.5281/zenodo.4597500>, Mar. 2021.

Full Author List

Fermi-LAT

The *Fermi*-LAT Collaboration acknowledges support for LAT development, operation and data analysis from NASA and DOE (United States), CEA/Irfu and IN2P3/CNRS (France), ASI and INFN (Italy), MEXT, KEK, and JAXA (Japan), and the K.A. Wallenberg Foundation, the Swedish Research Council and the National Space Board (Sweden). Science analysis support in the operations phase from INAF (Italy) and CNES (France) is also gratefully acknowledged. This work performed in part under DOE Contract DE-AC02-76SF00515.

HAWC

A.U. Abeysekara⁴⁸, A. Albert²¹, R. Alfaro¹⁴, C. Alvarez⁴¹, J.D. Álvarez⁴⁰, J.R. Angeles Camacho¹⁴, J.C. Arteaga-Velázquez⁴⁰, K. P. Arunbabu¹⁷, D. Avila Rojas¹⁴, H.A. Ayala Solares²⁸, R. Babu²⁵, V. Baghmanyani¹⁵, A.S. Barber⁴⁸, J. Becerra Gonzalez¹¹, E. Belmont-Moreno¹⁴, S.Y. BenZvi²⁹, D. Berley³⁹, C. Brisbois³⁹, K.S. Caballero-Mora⁴¹, T. Capistrán¹², A. Carramiñana¹⁸, S. Casanova¹⁵, O. Chaparro-Amaro³, U. Cotti⁴⁰, J. Cotzomi⁸, S. Coutiño de León¹⁸, E. De la Fuente⁴⁶, C. de León⁴⁰, L. Diaz-Cruz⁸, R. Diaz Hernandez¹⁸, J.C. Díaz-Vélez⁴⁶, B.L. Dingus²¹, M. Durocher²¹, M.A. DuVernois⁴⁵, R.W. Ellsworth³⁹, K. Engel³⁹, C. Espinoza¹⁴, K.L. Fan³⁹, K. Fang⁴⁵, M. Fernández Alonso²⁸, B. Fick²⁵, H. Fleischhack^{51,11,52}, J.L. Flores⁴⁶, N.I. Fraija¹², D. Garcia¹⁴, J.A. García-González²⁰, J. L. García-Luna⁴⁶, G. García-Torales⁴⁶, F. Garfias¹², G. Giacinti²², H. Goksu²², M.M. González¹², J.A. Goodman³⁹, J.P. Harding²¹, S. Hernandez¹⁴, I. Herzog²⁵, J. Hinton²², B. Hona⁴⁸, D. Huang²⁵, F. Hueyotl-Zahuantitla⁴¹, C.M. Hui²³, B. Humensky³⁹, P. Hütemeyer²⁵, A. Iriarte¹², A. Jardin-Blicq^{22,49,50}, H. Jhee⁴³, V. Joshi⁷, D. Kieda⁴⁸, G. J. Kunde²¹, S. Kunwar²², A. Lara¹⁷, J. Lee⁴³, W.H. Lee¹², D. Lennarz⁹, H. León Vargas¹⁴, J. Linnemann²⁴, A.L. Longinotti¹², R. López-Coto¹⁹, G. Luis-Raya⁴⁴, J. Lundeen²⁴, K. Malone²¹, V. Marandon²², O. Martinez⁸, I. Martinez-Castellanos³⁹, H. Martínez-Huerta³⁸, J. Martínez-Castro³, J.A.J. Matthews⁴², J. McEnery¹¹, P. Miranda-Romagnoli³⁴, J.A. Morales-Soto⁴⁰, E. Moreno⁸, M. Mostafá²⁸, A. Nayerhoda¹⁵, L. Nellen¹³, M. Newbold⁴⁸, M.U. Nisa²⁴, R. Noriega-Papaqui³⁴, L. Olivera-Nieto²², N. Omodei³², A. Peisker²⁴, Y. Pérez Araujo¹², E.G. Pérez-Pérez⁴⁴, C.D. Rho⁴³, C. Rivière³⁹, D. Rosa-Gonzalez¹⁸, E. Ruiz-Velasco²², J. Ryan²⁶, H. Salazar⁸, F. Salesa Greus^{15,53}, A. Sandoval¹⁴, M. Schneider³⁹, H. Schoorlemmer²², J. Serna-Franco¹⁴, G. Sinnis²¹, A.J. Smith³⁹, R.W. Springer⁴⁸, P. Surajbali²², I. Taboada⁹, M. Tanner²⁸, K. Tollefson²⁴, I. Torres¹⁸, R. Torres-Escobedo³⁰, R. Turner²⁵, F. Ureña-Mena¹⁸, L. Villaseñor⁸, X. Wang²⁵, I.J. Watson⁴³, T. Weisgarber⁴⁵, F. Werner²², E. Willox³⁹, J. Wood²³, G.B. Yodh³⁵, A. Zepeda⁴, H. Zhou³⁰

¹Barnard College, New York, NY, USA, ²Department of Chemistry and Physics, California University of Pennsylvania, California, PA, USA, ³Centro de Investigación en Computación, Instituto Politécnico Nacional, Ciudad de México, México, ⁴Physics Department, Centro de Investigación y de Estudios Avanzados del IPN, Ciudad de México, México, ⁵Colorado State University, Physics Dept., Fort Collins, CO, USA, ⁶DCI-UDG, Leon, Gto, México, ⁷Erlangen Centre for Astroparticle Physics, Friedrich Alexander Universität, Erlangen, BY, Germany, ⁸Facultad de Ciencias Físico Matemáticas, Benemérita Universidad Autónoma de Puebla, Puebla, México, ⁹School of Physics and Center for Relativistic Astrophysics, Georgia Institute of Technology, Atlanta, GA, USA, ¹⁰School of Physics Astronomy and Computational Sciences, George Mason University, Fairfax, VA, USA, ¹¹NASA Goddard Space Flight Center, Greenbelt, MD, USA, ¹²Instituto de Astronomía, Universidad Nacional Autónoma de México, Ciudad de México, México, ¹³Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, Ciudad de México, México, ¹⁴Instituto de Física, Universidad Nacional

Autónoma de México, Ciudad de México, México, ¹⁵Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland, ¹⁶Instituto de Física de São Carlos, Universidade de São Paulo, São Carlos, SP, Brasil, ¹⁷Instituto de Geofísica, Universidad Nacional Autónoma de México, Ciudad de México, México, ¹⁸Instituto Nacional de Astrofísica, Óptica y Electrónica, Tonantzintla, Puebla, México, ¹⁹INFN Padova, Padova, Italy, ²⁰Tecnologico de Monterrey, Escuela de Ingeniería y Ciencias, Ave. Eugenio Garza Sada 2501, Monterrey, N.L., 64849, México, ²¹Physics Division, Los Alamos National Laboratory, Los Alamos, NM, USA, ²²Max-Planck Institute for Nuclear Physics, Heidelberg, Germany, ²³NASA Marshall Space Flight Center, Astrophysics Office, Huntsville, AL, USA, ²⁴Department of Physics and Astronomy, Michigan State University, East Lansing, MI, USA, ²⁵Department of Physics, Michigan Technological University, Houghton, MI, USA, ²⁶Space Science Center, University of New Hampshire, Durham, NH, USA, ²⁷The Ohio State University at Lima, Lima, OH, USA, ²⁸Department of Physics, Pennsylvania State University, University Park, PA, USA, ²⁹Department of Physics and Astronomy, University of Rochester, Rochester, NY, USA, ³⁰Tsung-Dao Lee Institute and School of Physics and Astronomy, Shanghai Jiao Tong University, Shanghai, China, ³¹Sungkyunkwan University, Gyeonggi, Rep. of Korea, ³²Stanford University, Stanford, CA, USA, ³³Department of Physics and Astronomy, University of Alabama, Tuscaloosa, AL, USA, ³⁴Universidad Autónoma del Estado de Hidalgo, Pachuca, Hgo., México, ³⁵Department of Physics and Astronomy, University of California, Irvine, Irvine, CA, USA, ³⁶Santa Cruz Institute for Particle Physics, University of California, Santa Cruz, Santa Cruz, CA, USA, ³⁷Universidad de Costa Rica, San José, Costa Rica, ³⁸Department of Physics and Mathematics, Universidad de Monterrey, San Pedro Garza García, N.L., México, ³⁹Department of Physics, University of Maryland, College Park, MD, USA, ⁴⁰Instituto de Física y Matemáticas, Universidad Michoacana de San Nicolás de Hidalgo, Morelia, Michoacán, México, ⁴¹FCFM-MCTP, Universidad Autónoma de Chiapas, Tuxtla Gutiérrez, Chiapas, México, ⁴²Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, USA, ⁴³University of Seoul, Seoul, Rep. of Korea, ⁴⁴Universidad Politécnica de Pachuca, Pachuca, Hgo, México, ⁴⁵Department of Physics, University of Wisconsin-Madison, Madison, WI, USA, ⁴⁶CUCEI, CUCEA, Universidad de Guadalajara, Guadalajara, Jalisco, México, ⁴⁷Universität Würzburg, Institute for Theoretical Physics and Astrophysics, Würzburg, Germany, ⁴⁸Department of Physics and Astronomy, University of Utah, Salt Lake City, UT, USA, ⁴⁹Department of Physics, Faculty of Science, Chulalongkorn University, Pathumwan, Bangkok 10330, Thailand, ⁵⁰National Astronomical Research Institute of Thailand (Public Organization), Don Kaeo, MaeRim, Chiang Mai 50180, Thailand, ⁵¹Department of Physics, Catholic University of America, Washington, DC, USA, ⁵²Center for Research and Exploration in Space Science and Technology, NASA/GSFC, Greenbelt, MD, USA, ⁵³Instituto de Física Corpuscular, CSIC, Universitat de València, Paterna, Valencia, Spain

We acknowledge the support from: the US National Science Foundation (NSF); the US Department of Energy Office of High-Energy Physics; the Laboratory Directed Research and Development (LDRD) program of Los Alamos National Laboratory; Consejo Nacional de Ciencia y Tecnología (CONACyT), México, grants 271051, 232656, 260378, 179588, 254964, 258865, 243290, 132197, A1-S-46288, A1-S-22784, cátedras 873, 1563, 341, 323, Red HAWC, México; DGAPA-UNAM grants IG101320, IN111716-3, IN111419, IA102019, IN110621, IN110521; VIEP-BUAP; PIFI 2012, 2013, PROFOCIE 2014, 2015; the University of Wisconsin Alumni Research Foundation; the Institute of Geophysics, Planetary Physics, and Signatures at Los Alamos National Laboratory; Polish Science Centre grant, DEC-2017/27/B/ST9/02272; Coordinación de la Investigación Científica de la Universidad Michoacana; Royal Society - Newton Advanced Fellowship 180385; Generalitat Valenciana, grant CIDEAGENT/2018/034; Chulalongkorn University's CUUniverse (CUAASC) grant; Coordinación General Académica e Innovación (CGAI-UdeG), PRODEP-SEP UDG-CA-499; Institute of Cosmic Ray Research (ICRR), University of Tokyo, H.F. acknowledges support by NASA under award number 80GSFC21M0002. We also acknowledge the significant contributions over many years of Stefan Westerhoff, Gaurang Yodh and Arnulfo Zepeda Dominguez, all deceased members of the HAWC collaboration. Thanks to Scott Delay, Luciano Díaz and Eduardo Murrieta

for technical support.

H.E.S.S.

H. Abdallah¹, R. Adam², F. Aharonian^{3,4,5}, F. Ait Benkhali³, E.O. Angüner⁶, C. Arcaro¹, C. Armand^{7,44}, T. Armstrong⁸, H. Ashkar⁹, M. Backes¹⁰, V. Baghmanyanyan¹¹, V. Barbosa Martins¹², A. Barnacka¹³, M. Barnard¹, Y. Becherini¹⁴, D. Berge¹², K. Bernlöhr³, B. Bi¹⁵, M. Böttcher¹, C. Boisson¹⁶, J. Bolmont¹⁷, M. de Bony de Lavergne⁷, M. Breuhaus³, F. Brun⁹, P. Brun⁹, M. Bryan¹⁸, M. Büchele¹⁹, T. Bulik²⁰, T. Bylund¹⁴, S. Caroff⁷, A. Carosi⁷, S. Casanova^{11,3}, T. Chand¹, S. Chandra¹, A. Chen²², G. Cotter⁸, M. Curylo²⁰, J. Damascene Mbarubucyeye¹², I.D. Davids¹⁰, J. Davies⁸, C. Deil³, J. Devin²³, P. deWilt²⁴, L. Dirson²⁵, A. Djannati-Atai²⁶, A. Dmytriiev¹⁶, A. Donath³, V. Doroshenko¹⁵, C. Duffy²⁷, J. Dyks²⁸, K. Egberts²⁹, F. Eichhorn¹⁹, S. Einecke²⁴, G. Emery¹⁷, J.-P. Ernenwein⁶, K. Feijen²⁴, S. Fegan², A. Fiasson⁷, G. Fichet de Clairfontaine¹⁶, G. Fontaine², S. Funk¹⁹, M. Füßling¹², S. Gabici²⁶, Y.A. Gallant³⁰, G. Giavitto¹², L. Giunti^{26,9}, D. Glawion³¹, J.F. Glicenstein⁹, D. Gottschall¹⁵, M.-H. Grondin²³, J. Hahn³, M. Haupt¹², G. Hermann³, J.A. Hinton³, W. Hofmann³, C. Hoischen²⁹, T. L. Holch³², M. Holler³³, M. Hörbe⁸, D. Horns²⁵, D. Huber³³, M. Jamrozy¹³, D. Jankowsky¹⁹, F. Jankowsky³¹, A. Jardin-Blicq³, V. Joshi¹⁹, I. Jung-Richardt¹⁹, E. Kasai³⁴, M.A. Kastendieck²⁵, K. Katarzyński³⁵, U. Katz¹⁹, D. Khangulyan³⁶, B. Khélifi²⁶, S. Klepser¹², W. Kluźniak²⁸, Nu. Komin²², R. Konno¹², K. Kosack⁹, D. Kostunin¹², M. Kreter¹, G. Lamanna⁷, A. Lemièrre²⁶, M. Lemoine-Goumard²³, J.-P. Lenain¹⁷, C. Levy¹⁷, T. Lohse³², I. Lypova¹², J. Mackey⁴, J. Majumdar¹², D. Malyshev¹⁵, D. Malyshev¹⁹, V. Marandon³, P. Marchegiani²², A. Marcowith³⁰, A. Mares²³, G. Martí-Devesa³³, R. Marx^{31,3}, G. Maurin⁷, P.J. Meintjes³⁷, M. Meyer¹⁹, R. Moderski²⁸, M. Mohamed³¹, L. Mohrmann¹⁹, A. Montanari⁹, C. Moore²⁷, P. Morris⁸, E. Moulin⁹, J. Müller², T. Murach¹², K. Nakashima¹⁹, A. Nayerhoda¹¹, M. de Naurois², H. Ndiyavala¹, F. Niederwanger³³, J. Niemiec¹¹, L. Oakes³², P. O'Brien²⁷, H. Odaka³⁸, S. Ohm¹², L. Olivera-Nieto³, E. de Ona Wilhelmi¹², M. Ostrowski¹³, M. Panter³, S. Panny³³, R.D. Parsons³², G. Peron³, B. Peyaud⁹, Q. Piel⁷, S. Pita²⁶, V. Poireau⁷, A. Priyana Noel¹³, D. A. Prokhorov¹⁸, H. Prokoph¹², G. Pühlhofer¹⁵, M. Punch^{26,14}, A. Quirrenbach³¹, S. Raab¹⁹, R. Rauth³³, P. Reichherzer⁹, A. Reimer³³, O. Reimer³³, Q. Remy³, M. Renaud³⁰, F. Rieger³, L. Rinchiuso⁹, C. Romoli³, G. Rowell²⁴, B. Rudak²⁸, E. Ruiz-Velasco³, V. Sahakian⁴⁰, S. Sailer³, D.A. Sanchez⁷, A. Santangelo¹⁵, M. Sasaki¹⁹, M. Scalici¹⁵, F. Schüssler⁹, H. M. Schutte¹, U. Schwanke³², S. Schwemmer³¹, M. Seglar-Arroyo⁹, M. Senniappan¹⁴, A.S. Seyffert¹, N. Shafi²², K. Shiningayamwe³⁴, R. Simoni¹⁸, A. Sinha²⁶, H. Sol¹⁶, A. Specovius¹⁹, S. Spencer⁸, M. Spir-Jacob²⁶, Ł. Stawarz¹³, L. Sun¹⁸, R. Steenkamp³⁴, C. Stegmann^{29,12}, S. Steinmassl³, C. Steppa²⁹, T. Takahashi⁴¹, T. Tavernier⁹, A.M. Taylor¹², R. Terrier²⁶, D. Tiziani¹⁹, M. Tluczykont²⁵, L. Tomankova¹⁹, C. Trichard², M. Tsirou³⁰, R. Tuffs³, Y. Uchiyama³⁶, D. J. van der Walt¹, C. van Eldik¹⁹, C. van Rensburg¹, B. van Soelen³⁷, G. Vasileiadis³⁰, J. Veh¹⁹, C. Venter¹, P. Vincent¹⁷, J. Vink¹⁸, H.J. Völk³, T. Vuillaume⁷, Z. Wadiasingh¹, S.J. Wagner³¹, J. Watson⁸, F. Werner³, R. White³, A. Wierzcholska^{11,31}, Yu Wun Wong¹⁹, A. Yusafzai¹⁹, M. Zacharias^{1,16}, R. Zanin³, D. Zargaryan^{4,42}, A.A. Zdziarski²⁸, A. Zech¹⁶, S. Zhu¹², J. Zorn³, S. Zouari²⁶, and N. Żywucka¹

¹Centre for Space Research, North-West University, Potchefstroom 2520, South Africa ²Laboratoire Leprince-Ringuet, École Polytechnique, CNRS, Institut Polytechnique de Paris, F-91128 Palaiseau, France ³Max-Planck-Institut für Kernphysik, P.O. Box 103980, D 69029 Heidelberg, Germany ⁴Dublin Institute for Advanced Studies, 31 Fitzwilliam Place, Dublin 2, Ireland ⁵High Energy Astrophysics Laboratory, RAU, 123 Hovsep Emin St Yerevan 0051, Armenia ⁶Aix Marseille Université, CNRS/IN2P3, CPPM, Marseille,

France ⁷Laboratoire d'Annecy de Physique des Particules, Univ. Grenoble Alpes, Univ. Savoie Mont Blanc, CNRS, LAPP, 74000 Annecy, France ⁸University of Oxford, Department of Physics, Denys Wilkinson Building, Keble Road, Oxford OX1 3RH, UK ⁹IRFU, CEA, Université Paris-Saclay, F-91191 Gif-sur-Yvette, France ¹⁰University of Namibia, Department of Physics, Private Bag 13301, Windhoek, Namibia ¹¹Instytut Fizyki Jądrowej PAN, ul. Radzikowskiego 152, 31-342 Kraków, Poland ¹²DESY, D-15738 Zeuthen, Germany ¹³Obserwatorium Astronomiczne, Uniwersytet Jagielloński, ul. Orła 171, 30-244 Kraków, Poland ¹⁴Department of Physics and Electrical Engineering, Linnaeus University, 351 95 Växjö, Sweden ¹⁵Institut für Astronomie und Astrophysik, Universität Tübingen, Sand 1, D 72076 Tübingen, Germany ¹⁶Laboratoire Univers et Théories, Observatoire de Paris, Université PSL, CNRS, Université de Paris, 92190 Meudon, France ¹⁷Sorbonne Université, Université Paris Diderot, Sorbonne Paris Cité, CNRS/IN2P3, Laboratoire de Physique Nucléaire et de Hautes Energies, LPNHE, 4 Place Jussieu, F-75252 Paris, France ¹⁸GRAPPA, Anton Pannekoek Institute for Astronomy and Institute of High-Energy Physics, University of Amsterdam, Science Park 904, 1098 XH Amsterdam, The Netherlands ¹⁹Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen Centre for Astroparticle Physics, Erwin-Rommel-Str. 1, D 91058 Erlangen, Germany ²⁰Astronomical Observatory, The University of Warsaw, Al. Ujazdowskie 4, 00-478 Warsaw, Poland ²¹Department of Physics and Electrical Engineering, Linnaeus University, 351 95 Växjö, Sweden ²²School of Physics, University of the Witwatersrand, 1 Jan Smuts Avenue, Braamfontein, Johannesburg, 2050 South Africa ²³Université Bordeaux, CNRS/IN2P3, Centre d'Études Nucléaires de Bordeaux Gradignan, 33175 Gradignan, France ²⁴School of Physical Sciences, University of Adelaide, Adelaide 5005, Australia ²⁵Universität Hamburg, Institut für Experimentalphysik, Luruper Chaussee 149, D 22761 Hamburg, Germany ²⁶Université de Paris, CNRS, Astroparticule et Cosmologie, F-75013 Paris, France ²⁷Department of Physics and Astronomy, The University of Leicester, University Road, Leicester, LE1 7RH, United Kingdom ²⁸Nicolaus Copernicus Astronomical Center, Polish Academy of Sciences, ul. Bartycka 18, 00-716 Warsaw, Poland ²⁹Institut für Physik und Astronomie, Universität Potsdam, Karl-Liebknecht-Strasse 24/25, D 14476 Potsdam, Germany ³⁰Laboratoire Univers et Particules de Montpellier, Université Montpellier, CNRS/IN2P3, CC 72, Place Eugène Bataillon, F-34095 Montpellier Cedex 5, France ³¹Landessternwarte, Universität Heidelberg, Königstuhl, D 69117 Heidelberg, Germany ³²Institut für Physik, Humboldt-Universität zu Berlin, Newtonstr. 15, D 12489 Berlin, Germany ³³Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität Innsbruck, A-6020 Innsbruck, Austria ³⁴University of Namibia, Department of Physics, Private Bag 13301, Windhoek 10005, Namibia ³⁵Institute of Astronomy, Faculty of Physics, Astronomy and Informatics, Nicolaus Copernicus University, Grudziadzka 5, 87-100 Torun, Poland ³⁶Department of Physics, Rikkyo University, 3-34-1 Nishi-Ikebukuro, Toshima-ku, Tokyo 171-8501, Japan ³⁷Department of Physics, University of the Free State, PO Box 339, Bloemfontein 9300, South Africa ³⁸Department of Physics, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033, Japan ³⁹Institut für Physik, Humboldt-Universität zu Berlin, Newtonstr. 15, D 12489 Berlin, Germany ⁴⁰GRAPPA, Anton Pannekoek Institute for Astronomy, University of Amsterdam, Science Park 904, 1098 XH Amsterdam, The Netherlands ⁴¹Yerevan Physics Institute, 2 Alikhanian Brothers St., 375036 Yerevan, Armenia ⁴²Kavli Institute for the Physics and Mathematics of the Universe (WPI), The University of Tokyo Institutes for Advanced Study (UTIAS), The University of Tokyo, 5-1-5 Kashiwa-no-Ha, Kashiwa, Chiba, 277-8583, Japan ⁴³High Energy Astrophysics Laboratory, RAU, 123 Hovsep Emin St Yerevan 0051, Armenia ⁴⁴Astronomy Department, University of Geneva, Chemin d'Ecogia 16, 1290 Versoix, Switzerland

The support of the Namibian authorities and of the University of Namibia in facilitating the construction and operation of H.E.S.S. is gratefully acknowledged, as is the support by the German Ministry for Education and Research (BMBF), the Max Planck Society, the German Research Foundation (DFG), the Helmholtz Association, the Alexander von Humboldt Foundation, the French Ministry of Higher Education, Research and Innovation, the Centre National de la Recherche Scientifique (CNRS/IN2P3 and CNRS/INSU), the Commissariat à l'énergie atomique et aux énergies alternatives (CEA), the U.K. Science and Technology Facilities Council (STFC), the Knut and Alice Wallenberg Foundation, the National Science Centre, Poland grant no. 2016/22/M/ST9/00382, the South African Department of Science and Technology and National Research Foundation, the

University of Namibia, the National Commission on Research, Science & Technology of Namibia (NCRST), the Austrian Federal Ministry of Education, Science and Research and the Austrian Science Fund (FWF), the Australian Research Council (ARC), the Japan Society for the Promotion of Science and by the University of Amsterdam. We appreciate the excellent work of the technical support staff in Berlin, Zeuthen, Heidelberg, Palaiseau, Paris, Saclay, Tübingen and in Namibia in the construction and operation of the equipment. This work benefitted from services provided by the H.E.S.S. Virtual Organisation, supported by the national resource providers of the EGI Federation.

MAGIC

V. A. Acciari¹, S. Ansoldi^{2,41}, L. A. Antonelli³, A. Arbet Engels⁴, M. Artero⁵, K. Asano⁶, D. Baack⁷, A. Babić⁸, A. Baquero⁹, U. Barres de Almeida¹⁰, J. A. Barrio⁹, I. Batković¹¹, J. Becerra González¹, W. Bednarek¹², L. Bellizzi¹³, E. Bernardini¹⁴, M. Bernardos¹¹, A. Berti¹⁵, J. Besenrieder¹⁵, W. Bhattacharyya¹⁴, C. Bigongiari³, A. Biland⁴, O. Blanch⁵, H. Bökenkamp⁷, G. Bonnoli¹⁶, Ž. Bošnjak⁸, G. Busetto¹¹, R. Carosi¹⁷, G. Ceribella¹⁵, M. Cerruti¹⁸, Y. Chai¹⁵, A. Chilingarian¹⁹, S. Cikota⁸, S. M. Colak⁵, E. Colombo¹, J. L. Contreras⁹, J. Cortina²⁰, S. Covino³, G. D’Amico^{15,42}, V. D’Elia³, P. Da Vela^{17,43}, F. Dazzi³, A. De Angelis¹¹, B. De Lotto², M. Delfino^{5,44}, J. Delgado^{5,44}, C. Delgado Mendez²⁰, D. Depaoli²¹, F. Di Pierro²¹, L. Di Venere²², E. Do Souto Espiñeira⁵, D. Dominis Prester²³, A. Donini², D. Dorner²⁴, M. Doro¹¹, D. Elsaesser⁷, V. Fallah Ramazani^{25,45}, A. Fattorini⁷, M. V. Fonseca⁹, L. Font²⁶, C. Fruck¹⁵, S. Fukami⁶, Y. Fukazawa²⁷, R. J. García López¹, M. Garczarczyk¹⁴, S. Gasparyan²⁸, M. Gaug²⁶, N. Giglietto²², F. Giordano²², P. Gliwny¹², N. Godinović²⁹, J. G. Green³, D. Green¹⁵, D. Hadasch⁶, A. Hahn¹⁵, L. Heckmann¹⁵, J. Herrera¹, J. Hoang^{9,46}, D. Hrupec³⁰, M. Hütten¹⁵, T. Inada⁶, K. Ishio¹², Y. Iwamura⁶, I. Jiménez Martínez²⁰, J. Jormanainen²⁵, L. Jouvin⁵, M. Karjalainen¹, D. Kerszberg⁵, Y. Kobayashi⁶, H. Kubo³¹, J. Kushida³², A. Lamastra³, D. Lelas²⁹, F. Leone³, E. Lindfors²⁵, L. Linhoff⁷, S. Lombardi³, F. Longo^{2,47}, R. López-Coto¹¹, M. López-Moya⁹, A. López-Oramas¹, S. Loporchio²², B. Machado de Oliveira Fraga¹⁰, C. Maggio²⁶, P. Majumdar³³, M. Makariev³⁴, M. Mallamaci¹¹, G. Maneva³⁴, M. Manganaro²³, K. Mannheim²⁴, L. Maraschi³, M. Mariotti¹¹, M. Martínez⁵, D. Mazin^{6,48}, S. Menchiari¹³, S. Mender⁷, S. Mićanović²³, D. Miceli^{2,49}, T. Miener⁹, J. M. Miranda¹³, R. Mirzoyan¹⁵, E. Molina¹⁸, A. Moralejo⁵, D. Morcuende⁹, V. Moreno²⁶, E. Moretti⁵, T. Nakamori³⁵, L. Nava³, V. Neustroev³⁶, C. Nigro⁵, K. Nilsson²⁵, K. Nishijima³², K. Noda⁶, S. Nozaki³¹, Y. Ohtani⁶, T. Oka³¹, J. Otero-Santos¹, S. Paiano³, M. Palatiello², D. Paneque¹⁵, R. Paoletti¹³, J. M. Paredes¹⁸, L. Pavletić²³, P. Peñil⁹, M. Persic^{2,50}, M. Pihet¹⁵, P. G. Prada Moroni¹⁷, E. Prandini¹¹, C. Priyadarshi⁵, I. Puljak²⁹, W. Rhode⁷, M. Ribó¹⁸, J. Rico⁵, C. Righi³, A. Rugliancich¹⁷, N. Sahakyan²⁸, T. Saito⁶, S. Sakurai⁶, K. Satalecka¹⁴, F. G. Saturni³, B. Schleicher²⁴, K. Schmidt⁷, T. Schweizer¹⁵, J. Sitarek¹², I. Šnidarić³⁷, D. Sobczynska¹², A. Spolon¹¹, A. Stamerra³, J. Strišković³⁰, D. Strom¹⁵, M. Strzys⁶, Y. Suda²⁷, T. Suric³⁷, M. Takahashi⁶, R. Takeishi⁶, F. Tavecchio³, P. Temnikov³⁴, T. Terzić²³, M. Teshima^{15,51}, L. Tosti³⁸, S. Truzzi¹³, A. Tutone³, S. Ubach²⁶, J. van Scherpenberg¹⁵, G. Vanzo¹, M. Vazquez Acosta¹, S. Ventura¹³, V. Verguillov³⁴, C. F. Vigorito²¹, V. Vitale³⁹, I. Vovk⁶, M. Will¹⁵, C. Wunderlich¹³, T. Yamamoto⁴⁰, and D. Zarić²⁹

¹ Instituto de Astrofísica de Canarias and Dpto. de Astrofísica, Universidad de La Laguna, E-38200, La Laguna, Tenerife, Spain ² Università di Udine and INFN Trieste, I-33100 Udine, Italy ³ National Institute for Astrophysics (INAF), I-00136 Rome, Italy ⁴ ETH Zürich, CH-8093 Zürich, Switzerland ⁵ Institut de Física d’Altes Energies (IFAE), The Barcelona Institute of Science and Technology (BIST), E-08193 Bellaterra (Barcelona), Spain ⁶ Japanese MAGIC Group: Institute for Cosmic Ray Research (ICRR), The University

of Tokyo, Kashiwa, 277-8582 Chiba, Japan ⁷ Technische Universität Dortmund, D-44221 Dortmund, Germany ⁸ Croatian MAGIC Group: University of Zagreb, Faculty of Electrical Engineering and Computing (FER), 10000 Zagreb, Croatia ⁹ IPARCOS Institute and EMFTEL Department, Universidad Complutense de Madrid, E-28040 Madrid, Spain ¹⁰ Centro Brasileiro de Pesquisas Físicas (CBPF), 22290-180 URCA, Rio de Janeiro (RJ), Brazil ¹¹ Università di Padova and INFN, I-35131 Padova, Italy ¹² University of Lodz, Faculty of Physics and Applied Informatics, Department of Astrophysics, 90-236 Lodz, Poland ¹³ Università di Siena and INFN Pisa, I-53100 Siena, Italy ¹⁴ Deutsches Elektronen-Synchrotron (DESY), D-15738 Zeuthen, Germany ¹⁵ Max-Planck-Institut für Physik, D-80805 München, Germany ¹⁶ Instituto de Astrofísica de Andalucía-CSIC, Glorieta de la Astronomía s/n, 18008, Granada, Spain ¹⁷ Università di Pisa and INFN Pisa, I-56126 Pisa, Italy ¹⁸ Universitat de Barcelona, ICCUB, IEEC-UB, E-08028 Barcelona, Spain ¹⁹ Armenian MAGIC Group: A. Alikhanyan National Science Laboratory, 0036 Yerevan, Armenia ²⁰ Centro de Investigaciones Energéticas, Medioambientales y Tecnológicas, E-28040 Madrid, Spain ²¹ INFN MAGIC Group: INFN Sezione di Torino and Università degli Studi di Torino, I-10125 Torino, Italy ²² INFN MAGIC Group: INFN Sezione di Bari and Dipartimento Interateneo di Fisica dell'Università e del Politecnico di Bari, I-70125 Bari, Italy ²³ Croatian MAGIC Group: University of Rijeka, Department of Physics, 51000 Rijeka, Croatia ²⁴ Universität Würzburg, D-97074 Würzburg, Germany ²⁵ Finnish MAGIC Group: Finnish Centre for Astronomy with ESO, University of Turku, FI-20014 Turku, Finland ²⁶ Departament de Física, and CERES-IEEC, Universitat Autònoma de Barcelona, E-08193 Bellaterra, Spain ²⁷ Japanese MAGIC Group: Physics Program, Graduate School of Advanced Science and Engineering, Hiroshima University, 739-8526 Hiroshima, Japan ²⁸ Armenian MAGIC Group: ICRA Net-Armenia at NAS RA, 0019 Yerevan, Armenia ²⁹ Croatian MAGIC Group: University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture (FESB), 21000 Split, Croatia ³⁰ Croatian MAGIC Group: Josip Juraj Strossmayer University of Osijek, Department of Physics, 31000 Osijek, Croatia ³¹ Japanese MAGIC Group: Department of Physics, Kyoto University, 606-8502 Kyoto, Japan ³² Japanese MAGIC Group: Department of Physics, Tokai University, Hiratsuka, 259-1292 Kanagawa, Japan ³³ Saha Institute of Nuclear Physics, HBNI, 1/AF Bidhannagar, Salt Lake, Sector-1, Kolkata 700064, India ³⁴ Inst. for Nucl. Research and Nucl. Energy, Bulgarian Academy of Sciences, BG-1784 Sofia, Bulgaria ³⁵ Japanese MAGIC Group: Department of Physics, Yamagata University, Yamagata 990-8560, Japan ³⁶ Finnish MAGIC Group: Astronomy Research Unit, University of Oulu, FI-90014 Oulu, Finland ³⁷ Croatian MAGIC Group: Ruđer Bošković Institute, 10000 Zagreb, Croatia ³⁸ INFN MAGIC Group: INFN Sezione di Perugia, I-06123 Perugia, Italy ³⁹ INFN MAGIC Group: INFN Roma Tor Vergata, I-00133 Roma, Italy ⁴⁰ Japanese MAGIC Group: Department of Physics, Konan University, Kobe, Hyogo 658-8501, Japan ⁴¹ also at International Center for Relativistic Astrophysics (ICRA), Rome, Italy ⁴² now at Department for Physics and Technology, University of Bergen, NO-5020, Norway ⁴³ now at University of Innsbruck ⁴⁴ also at Port d'Informació Científica (PIC), E-08193 Bellaterra (Barcelona), Spain ⁴⁵ now at Ruhr-Universität Bochum, Fakultät für Physik und Astronomie, Astronomisches Institut (AIRUB), 44801 Bochum, Germany ⁴⁶ now at Department of Astronomy, University of California Berkeley, Berkeley CA 94720 ⁴⁷ also at Dipartimento di Fisica, Università di Trieste, I-34127 Trieste, Italy ⁴⁸ Max-Planck-Institut für Physik, D-80805 München, Germany ⁴⁹ now at Laboratoire d'Annecy de Physique des Particules (LAPP), CNRS-IN2P3, 74941 Annecy Cedex, France ⁵⁰ also at INAF Trieste and Dept. of Physics and Astronomy, University of Bologna, Bologna, Italy ⁵¹ Japanese MAGIC Group: Institute for Cosmic Ray Research (ICRR), The University of Tokyo, Kashiwa, 277-8582 Chiba, Japan

We would like to thank the Instituto de Astrofísica de Canarias for the excellent working conditions at the Observatorio del Roque de los Muchachos in La Palma. The financial support of the German BMBF, MPG and HGF; the Italian INFN and INAF; the Swiss National Fund SNF; the ERDF under the Spanish Ministerio de Ciencia e Innovación (MICINN) (PID2019-104114RB-C31, PID2019-104114RB-C32, PID2019-104114RB-C33, PID2019-105510GB-C31, PID2019-107847RB-C41, PID2019-107847RB-C42, PID2019-107988GB-C22); the Indian Department of Atomic Energy; the Japanese ICRR, the University of Tokyo, JSPS, and MEXT; the Bulgarian Ministry of Education and Science, National RI Roadmap Project DOI-400/18.12.2020 and the Academy of Finland grant nr. 320045 is gratefully acknowledged. This work was also supported by the Spanish Centro de Ex-

celencia "Severo Ochoa" (SEV-2016-0588, CEX2019-000920-S), the Unidad de Excelencia "María de Maeztu" (CEX2019-000918-M, MDM-2015-0509-18-2) and by the CERCA program of the Generalitat de Catalunya; by the Croatian Science Foundation (HrZZ) Project IP-2016-06-9782 and the University of Rijeka Project 13.12.1.3.02; by the DFG Collaborative Research Centers SFB823/C4 and SFB876/C3; the Polish National Research Centre grant UMO-2016/22/M/ST9/00382; and by the Brazilian MCTIC, CNPq and FAPERJ.

VERITAS

C. B. Adams¹, A. Archer², W. Benbow³, A. Brill¹, J. H. Buckley⁴, M. Capasso⁵, J. L. Christiansen⁶, A. J. Chromey⁷, M. Errando⁴, A. Falcone⁸, K. A. Farrell⁹, Q. Feng⁵, G. M. Foote¹⁰, L. Fortson¹¹, A. Furniss¹², A. Gent¹³, G. H. Gillanders¹⁴, C. Giuri¹⁵, O. Gueta¹⁵, D. Hanna¹⁶, O. Hervet¹⁷, J. Holder¹⁰, B. Hona¹⁸, T. B. Humensky¹, W. Jin¹⁹, P. Kaaret²⁰, M. Kertzman², T. K. Kleiner¹⁵, S. Kumar¹⁶, M. J. Lang¹⁴, M. Lundy¹⁶, G. Maier¹⁵, C. E McGrath⁹, P. Moriarty¹⁴, R. Mukherjee⁵, D. Nieto²¹, M. Nieves-Rosillo¹⁵, S. O'Brien¹⁶, R. A. Ong²², A. N. Otte¹³, S. R. Patel¹⁵, S. Patel²⁰, K. Pfrang¹⁵, M. Pohl^{23,15}, R. R. Prado¹⁵, E. Pueschel¹⁵, J. Quinn⁹, K. Ragan¹⁶, P. T. Reynolds²⁴, D. Ribeiro¹, E. Roache³, J. L. Ryan²², I. Sadeh¹⁵, M. Santander¹⁹, G. H. Sembroski²⁵, R. Shang²², D. Tak¹⁵, V. V. Vassiliev²², A. Weinstein⁷, D. A. Williams¹⁷, and T. J. Williamson¹⁰

¹Physics Department, Columbia University, New York, NY 10027, USA ²Department of Physics and Astronomy, DePauw University, Greencastle, IN 46135-0037, USA ³Center for Astrophysics | Harvard & Smithsonian, Cambridge, MA 02138, USA ⁴Department of Physics, Washington University, St. Louis, MO 63130, USA ⁵Department of Physics and Astronomy, Barnard College, Columbia University, NY 10027, USA ⁶Physics Department, California Polytechnic State University, San Luis Obispo, CA 94307, USA ⁷Department of Physics and Astronomy, Iowa State University, Ames, IA 50011, USA ⁸Department of Astronomy and Astrophysics, 525 Davey Lab, Pennsylvania State University, University Park, PA 16802, USA ⁹School of Physics, University College Dublin, Belfield, Dublin 4, Ireland ¹⁰Department of Physics and Astronomy and the Bartol Research Institute, University of Delaware, Newark, DE 19716, USA ¹¹School of Physics and Astronomy, University of Minnesota, Minneapolis, MN 55455, USA ¹²Department of Physics, California State University - East Bay, Hayward, CA 94542, USA ¹³School of Physics and Center for Relativistic Astrophysics, Georgia Institute of Technology, 837 State Street NW, Atlanta, GA 30332-0430 ¹⁴School of Physics, National University of Ireland Galway, University Road, Galway, Ireland ¹⁵DESY, Platanenallee 6, 15738 Zeuthen, Germany ¹⁶Physics Department, McGill University, Montreal, QC H3A 2T8, Canada ¹⁷Santa Cruz Institute for Particle Physics and Department of Physics, University of California, Santa Cruz, CA 95064, USA ¹⁸Department of Physics and Astronomy, University of Utah, Salt Lake City, UT 84112, USA ¹⁹Department of Physics and Astronomy, University of Alabama, Tuscaloosa, AL 35487, USA ²⁰Department of Physics and Astronomy, University of Iowa, Van Allen Hall, Iowa City, IA 52242, USA ²¹Institute of Particle and Cosmos Physics, Universidad Complutense de Madrid, 28040 Madrid, Spain ²²Department of Physics and Astronomy, University of California, Los Angeles, CA 90095, USA ²³Institute of Physics and Astronomy, University of Potsdam, 14476 Potsdam-Golm, Germany ²⁴Department of Physical Sciences, Munster Technological University, Bishopstown, Cork, T12 P928, Ireland ²⁵Department of Physics and Astronomy, Purdue University, West Lafayette, IN 47907, USA

This research is supported by grants from the U.S. Department of Energy Office of Science, the U.S. National Science Foundation and the Smithsonian Institution, by NSERC in Canada, and by the Helmholtz Association in Germany. This research used resources provided by the Open Science Grid, which is supported by the National Science Foundation and the U.S. Department of Energy's Office of Science, and resources of the National Energy Research Scientific Computing Center

(NERSC), a U.S. Department of Energy Office of Science User Facility operated under Contract No. DE-AC02-05CH11231. We acknowledge the excellent work of the technical support staff at the Fred Lawrence Whipple Observatory and at the collaborating institutions in the construction and operation of the instrument.

Note: Collaborations have the possibility to provide an authors list in xml format which will be used while generating the DOI entries making the full authors list searchable in databases like Inspire HEP. For instructions please go to icrc2021.desy.de/proceedings or contact us under icrc2021proc@desy.de.