



The VLSAT-3 Benchmark Suite

Pierre Bouvier

**TECHNICAL
REPORT**

N° 0516

December 2021

Project-Team CONVECS



The VLSAT-3 Benchmark Suite

Pierre Bouvier

Project-Team CONVECS

Technical Report n° 0516 — December 2021 — 20 pages

Abstract: This report presents VLSAT-3 (an acronym for “Very Large Boolean SATisfiability problems”), the third part of a benchmark suite to be used in scientific experiments and software competitions addressing SAT and SMT (Satisfiability Modulo Theories) solving issues. VLSAT-3 contains 1200 (600 satisfiable and 600 unsatisfiable) quantifier-free first-order logic formulas of increasing complexity, proposed in SMT-LIB format under a permissive Creative Commons license. More than 90% of these benchmarks have been used during the 16th International Satisfiability Modulo Theories Competition (SMT-COMP 2021).

Key-words: benchmark suite, data set, SMT-LIB, Nested-Unit Petri Net, NUPN, Petri Net, Satisfiability Modulo Theories, SMT formula, SMT solver

**RESEARCH CENTRE
GRENOBLE – RHÔNE-ALPES**

Inovallée
655 avenue de l'Europe Montbonnot
38334 Saint Ismier Cedex

Le jeu de tests VLSAT-3

Résumé : VLSAT-3 (acronyme anglais de “très grands problèmes de satisfaisabilité booléenne”) est le troisième volet d’une suite de tests destinée aux expérimentations scientifiques et aux compétitions de logiciels pour la résolution de problèmes SAT et SMT (Satisfaisabilité Modulo des Théories). VLSAT-3 contient 1200 formules logiques (600 satisfaisables et 600 insatisfaisables) du premier ordre sans quantificateur, de complexité croissante, fournies en format SMT-LIB sous une licence Creative Commons permissive. Plus de 90% de ces tests ont été utilisés lors de la 16^{ème} Compétition Internationale de Satisfaisabilité Modulo des Théories (SMT-COMP 2021).

Mots-clés : ensemble de données, formule SMT, Nested-Unit Petri Net, NUPN, réseau de Petri, résolveur SMT, satisfaisabilité modulo des théories, SMT-LIB, suite de tests

1 Benchmark Description

We previously published two test suites, named VLSAT-1 [2] and VLSAT-2 [3], containing SAT formulas. VLSAT-3¹ is a collection of 1200 SMT (Satisfiability Modulo Theories) formulas (i.e., first-order logic formulas), written in six different quantifier-free logic fragments. For each of these logic fragments, 100 satisfiable and 100 unsatisfiable formulas are provided, which results in 12 families containing 100 benchmarks each.

Each formula is provided as a separate file, encoded in the SMT-LIB 2.6 format [1]. Each file is then compressed using bzip2 to save disk space and allow faster downloads. The 1200 formulas require 2.4 gigabytes of disk space and 132 megabytes when compressed using bzip2.

The VLSAT-3 benchmarks are licensed under the CC-BY Creative Commons Attribution 4.0 International License².

2 Scientific Context

Interesting SMT formulas can be generated as a by-product of our recent work [4] on the decomposition of Petri nets into networks of automata, a problem that has been around since the early 70s. Concretely, we developed a tool chain that takes as input a Petri net (which must be ordinary, safe, and hopefully not too large) and produces as output a network of automata that execute concurrently and synchronize using shared transitions. Precisely, this network is expressed as a *Nested-Unit Petri Net* (NUPN) [5], i.e., an extension of a Petri net, in which places are grouped into sets (called *units*) that denote sequential components. A NUPN provides a proper structuring of its underlying Petri net, and enables formal verification tools to be more efficient in terms of memory and CPU time. Hence, the NUPN concept has been implemented in many tools and adopted by software competitions, such as the Model Checking Contest³ [9, 8] and the Rigorous Examination of Reactive Systems challenge⁴ [6, 10, 7]. Each NUPN generated by our tool chain is *flat*, meaning that its units are not recursively nested in each other, and *unit-safe*, meaning that each unit has at most one execution token at a time.

Our tool chain works by reformulating concurrency constraints on Petri nets as logical problems, which can be later solved using third-party software, such as SAT solvers, SMT solvers, and tools for graph coloring and finding maximum cliques, depending on the chosen strategy [4]. When a strategy involving SMT solving is selected, the tool chain produces formulas to be processed by SMT solvers. The tool chain is solver-agnostic and supports six standard SMT logic fragments.

3 Structure of Formulas

Each of our formulas was produced for a particular Petri net. A formula depends on four factors:

- the set P of the places of the Petri net;
- a *concurrency relation* \parallel defined over P , such that $p \parallel p'$ iff both places p and p' may simultaneously have an execution token;

¹<https://cadp.inria.fr/resources/vlsat/3.html>

²License terms available from <http://creativecommons.org/licenses/by/4.0>

³<https://mcc.lip6.fr>

⁴<http://rers-challenge.org>

- a chosen number n of units; and
- a chosen SMT logic fragment, among QF_BV, QF_DT, QF_IDL, QF_UFBV, QF_UFDT, and QF_UFIDL.

A formula checks whether there exists a partition of P into n subsets P_i ($1 \leq i \leq n$) such that, for each i , and for any two places p and p' of P_i , $p \neq p' \implies \neg(p \parallel p')$. A model of this formula is thus an allocation of places into n leaf units, i.e., a valid decomposition of the Petri net. This can also be seen as an instance of the graph coloring problem, in which n colors are to be used for the graph with vertices defined by the places of P and edges defined by the concurrency relation. A formula is only satisfiable if the value of n is large enough (namely, greater than or equal to the chromatic number of the graph), so that at least one decomposition exists.

Notice that if a decomposition having n units exists, it is possible to generate $n! - 1$ another similar decompositions, just by permuting unit numbers. Thus, instead of adding constraints in the formulas to express that each place p belongs to some unit of $1 \dots n$, we break the symmetry between units by constraining each place p to belongs some unit of $1 \dots \min(p, n)$.

More precisely, each formula is generated as follows, depending on the chosen logic fragment:

- The QF_BV fragment corresponds to *quantifier-free bit-vector* logic. It supports fixed-size Boolean vectors, as well as logical, relational, and arithmetical operators on these vectors. Our encoding for QF_BV creates, for each place p , a bit vector b_p of length n such that $b_p[u]$ is true iff place p can belong to unit u . Then, to prevent concurrent places being assigned in the same unit, the following constraint is added: for each pair of places (p_1, p_2) such that $(p_1 \parallel p_2) \wedge (p_1 < p_2)$, $b_{p_1} \& b_{p_2} = 0_{(n)}$, where “&” denotes the bitwise “and” operator, and “ $0_{(n)}$ ” denotes the zero vector of size n . Finally, for each place p , we add the following symmetry-breaking constraint to express that p belongs to at least one unit: $\bigvee_{1 \leq u \leq \min(p, n)} (b_p[1 : u] \neq 0_{(u)})$, where $[i : j]$ denotes the operator that extracts, from a vector, the i^{th} bit to the j^{th} . Notice that there is no constraint requiring that each place belongs to one single unit. Thus, the model returned by the SMT solver may not be a partition of P . Yet, having a partition is necessary to produce a valid decomposition of the Petri net into a flat NUPN. To do so, any model that is not a partition is transformed into a partition using the first-fit-decreasing bin-packing algorithm described in [4].
- The QF_UFBV fragment corresponds to *quantifier-free uninterpreted-function bit-vector* logic. The *uninterpreted function* theory enables the declaration of function symbols, which are given only by their signatures (i.e., the types of their arguments and results). Our encoding for QF_UFBV is based on that of QF_BV but, instead of the b_p variables, we define an uninterpreted function u from the set of bitvectors of size $\lceil \log_2(\text{card}(P)) \rceil$ to the set of bitvectors of size n , each occurrence of b_p being replaced with $u(\lambda(\#p))$ in the constraints, where $\#p$ is a bijection from places numbers to the interval $1 \dots \text{card}(P)$, and where λ is an injection from $1 \dots \text{card}(P)$ to the set of bitvectors of size $\lceil \log_2(\text{card}(P)) \rceil$.
- The QF_DT fragment corresponds to *quantifier-free data-type* logic. It supports the definition of algebraic data types, such as enumerated types, records, lists, trees, etc. Our encoding for QF_DT defines an enumerated type *Unit*, which contains one value per unit. Our encoding also creates, for each place p , one variable x_p of type *Unit*. Then, to prevent concurrent places being assigned to the same unit, the following constraint is added: for each pair of places (p_1, p_2) such that $(p_1 \parallel p_2) \wedge (p_1 < p_2)$, $x_{p_1} \neq x_{p_2}$. Finally, the symmetry is broken by adding, for each variable x_p whose place number $\#p$ is less than n , the constraint $\bigvee_{1 \leq u \leq p} (x_p = u)$.

- The QF_UFDT fragment corresponds to *quantifier-free uninterpreted-function data-type* logic. Our encoding for QF_UFDT is based on that of QF_DT but, instead of the x_p variables, defines both an enumerated type *Place*, which contains one value per place, and an uninterpreted function $u : Place \mapsto Unit$, each occurrence of x_p being replaced with $u(p)$ in the constraints.
- The QF_IDL fragment corresponds to *quantifier-free integer-difference* logic. It supports integer variables and arithmetic constraints on the difference between two variables. The *integer difference logic* theory provides integers, which can also have constraints of the form $(x - y) \text{ op } c$, where x is an integer variable, y is either an integer variable or a constant, op is a comparison operator, and c is an integer constant. Our encoding for QF_IDL is based on that of QF_DT but declares the variables x_p to be of Integer type instead of *Unit*. Since integers are unbounded, each variable x_p whose place number $\#p$ is greater or equal than n must be constrained by adding $\bigvee_{1 \leq u \leq n} (x_p = u)$, since x_p is not subject to a symmetry-break constraint. Notice that we could replace some disjunctive clauses with difference constraints (e.g., $x_3 = 1 \vee x_3 = 2 \vee x_3 = 3$ being replaced with $0 \leq x_3 \leq 3$); this variant was tried, but found to be slower during our early experiments using the Z3 solver, and therefore, not used later.
- The QF_UFIDL fragment corresponds to *quantifier-free uninterpreted-function integer-difference* logic. Our encoding for QF_UFIDL is based on that of QF_IDL, with the same changes as for evolving from QF_BV to QF_UFBV.

4 Selection of Benchmarks

We applied our approach to a large collection of more than 12,000 Petri nets from multiple sources, many of which are related to industrial problems, such as communication protocols, distributed systems, and hardware circuits. We thus generated a large collection of more than 51,000 SMT formulas produced by our tool chain. In this collection, we carefully selected a subset of formulas matching the requirements of the 16th International Satisfiability Modulo Theories Competition (SMT-COMP 2021)⁵.

For our experiments, we used six state-of-the-art solvers: Boolector 3.2.0 (compiled with its “--only-cadical” option), Bitwuzla (the version submitted to the SMT-COMP 2020), CVC4 1.8, MathSAT 5.6.5, Yices 2.6.2, and Z3 4.8.9. These include all the solvers that participated in SMT-COMP 2019 and/or in SMT-COMP 2020 and have been the fastest or the second fastest for any logic fragment supported by our toolchain (i.e., Boolector, Bitwuzla, CVC4, Yices, and Z3), as well as the solvers used for constructing VLSAT-2 [3] and that can solve both SAT and SMT formulas (i.e., MathSAT and Z3).

For each formula ϕ , let $\min(\phi)$ the smallest execution time measured among all the six selected solvers, using a Linux server equipped with a Xeon E5-2630 v3 and 128 GB RAM. We selected the 46,000+ formulas ϕ such that $\min(\phi)$ ranges between 10 seconds and 1 hour. For each of the six supported logic fragments, we created one family of satisfiable formulas and one family of unsatisfiable formulas. We partitioned each family in (at most) 60 classes, by gathering in the same class all formulas ϕ having the same $\min(\phi)$ rounded to the nearest minute. Finally, in each class, we selected a few formulas having a low complexity (measured in terms of SMT-LIB file size), and took the same number (plus or minus one) of formulas in each class, until reaching 100 formulas per family.

⁵<https://smt-comp.github.io/2021/>

5 Resulting Benchmarks

The 12 families of the VLSAT-3 benchmark suite are listed in Table 1, the columns of which have the following meaning:

- Column 1: Letter identifying the corresponding family of formulas.
- Column 2: Satisfiability (SAT or UNSAT); all formulas in a given family have the same satisfiability.
- Column 3: One out of six quantifier-free first-order logic fragment; all formulas in a given family are in the same logic fragment.
- Column 4: Percentage of the formulas in this family that have been selected by the organizers of SMT-COMP 2021.
- Column 5: Percentage of the formulas in this family among all the benchmarks of the corresponding logic in the Single Query Track (SQT) of SMT-COMP 2021.
- Column 6: Percentage of the formulas in this family among all the benchmarks of the corresponding logic in the Model Validation Track (MVT) of SMT-COMP 2021.
- Column 7: Percentage of the formulas in this family among all the benchmarks of the corresponding logic in the Unsat Core Track (UCT) of SMT-COMP 2021.

| family | satisfiability | logic | selection | SQT share | MVT share | UCT share |
|--------|----------------|----------|-----------|-----------|-----------|-----------|
| a | UNSAT | QF_BV | 76 % | 0.86 % | | 2.65 % |
| b | | QF_DT | 100 % | 49.02 % | | 100 % |
| c | | QF_IDL | 100 % | 8.79 % | | 100 % |
| d | | QF_UFBV | 88 % | 29.33 % | | 30.67 % |
| e | | QF_UFDT | 100 % | 49.26 % | | 100 % |
| f | | QF_UFIDL | 100 % | 33.33 % | | 88.50 % |
| g | SAT | QF_BV | 76 % | 0.86 % | 1.05 % | |
| h | | QF_DT | 100 % | 49.02 % | | |
| i | | QF_IDL | 70 % | 6.15 % | 10.13 % | |
| j | | QF_UFBV | 81 % | 27.0 % | 21.6 % | |
| k | | QF_UFDT | 100 % | 49.26 % | | |
| l | | QF_UFIDL | 100 % | 33.33 % | 48.54 % | |

Table 1: List of the 12 families of VLSAT-3 formulas

In a nutshell, 90.9 % of the VLSAT-3 benchmarks have been used by the organizers of SMT-COMP 2021. Additionally, 7.8 % of the benchmarks of the Single Query Track, 2.9 % of the benchmarks of the Model Validation Track, and 14.0 % of the benchmarks of the Unsat Core Track are VLSAT-3 benchmarks.

We now provide 12 tables that describe each family in detail. The first one, Table 2, corresponds to family “a”, and the last one, Table 13, corresponds to family “l”.

Each row of a table corresponds to one benchmark. The columns of these tables contain the following data:

- Column name: Benchmark name, of the form “vlsat3_Fnn.smt2.bz2”, where F is the family letter, and nn is a two-digit number ranging from 00 to 99.
- Column #variables (for QF_BV, QF_DT, and QF_IDL): Number of variables declared in the formula.
- Column card (for QF_BV, QF_DT, and QF_IDL): Cardinality of the type of all variables declared in the formula (or ∞ if the type has an infinite set of values).
- Column card_{in}: (for QF_UFBV, QF_UFDT, and QF_UFIDL): Cardinality of the domain of the uninterpreted function present in the formula (or ∞ if the domain is infinite).
- Column card_{out}: (for QF_UFBV, QF_UFDT, and QF_UFIDL): Cardinality of the codomain of the uninterpreted function present in the formula (or ∞ if the codomain is infinite).
- Column #asserts: Number of assertions in the formula.
- Column #ops: Number of operators in the formula.

Acknowledgements

The experiments presented in this paper were carried out using the GRID’5000⁶ testbed, supported by a scientific interest group hosted by INRIA and including CNRS, RENATER and several universities as well as other organizations.

⁶<https://www.grid5000.fr>

Table 2: Family “a”: List of unsatisfiable VLSAT-3 formulas written in QF_BV logic

| name | #variables | card | #asserts | #ops | name | #variables | card | #asserts | #ops |
|------|------------|----------|----------|---------|------|------------|-----------|----------|-----------|
| a00 | 56 | 2^{11} | 1463 | 7283 | a50 | 140 | 2^{19} | 8750 | 43,614 |
| a01 | 80 | 2^{11} | 3050 | 15,170 | a51 | 114 | 2^{11} | 2465 | 12,177 |
| a02 | 80 | 2^{17} | 3050 | 15,218 | a52 | 90 | 2^{18} | 2808 | 13,996 |
| a03 | 56 | 2^{12} | 1463 | 7291 | a53 | 118 | 2^{18} | 6333 | 31,565 |
| a04 | 120 | 2^{15} | 6975 | 34,747 | a54 | 176 | 2^{11} | 12,053 | 59,993 |
| a05 | 140 | 2^{17} | 8750 | 43,598 | a55 | 47 | 2^{16} | 745 | 3751 |
| a06 | 80 | 2^{18} | 3050 | 15,226 | a56 | 57 | 2^{13} | 1306 | 6512 |
| a07 | 122 | 2^{11} | 6963 | 34,651 | a57 | 106 | 2^{11} | 4140 | 20,568 |
| a08 | 244 | 2^{10} | 16,134 | 80,254 | a58 | 190 | 2^{15} | 13,177 | 65,617 |
| a09 | 80 | 2^{12} | 3050 | 15,178 | a59 | 80 | 2^{13} | 3050 | 15,186 |
| a10 | 112 | 2^{11} | 6064 | 30,176 | a60 | 145 | 2^{13} | 4258 | 21,096 |
| a11 | 164 | 2^{11} | 13,172 | 65,612 | a61 | 418 | 2^{11} | 76,832 | 383,404 |
| a12 | 60 | 2^{15} | 1407 | 7027 | a62 | 274 | 2^{12} | 30,943 | 154,255 |
| a13 | 80 | 2^{16} | 3050 | 15,210 | a63 | 321 | 2^{11} | 46,286 | 230,868 |
| a14 | 138 | 2^{11} | 9282 | 46,214 | a64 | 387 | 2^{11} | 61,385 | 306,231 |
| a15 | 48 | 2^{23} | 1113 | 5645 | a65 | 409 | 2^{11} | 76,216 | 380,342 |
| a16 | 56 | 2^{16} | 1463 | 7323 | a66 | 372 | 2^{11} | 65,248 | 325,576 |
| a17 | 84 | 2^{12} | 1819 | 9015 | a67 | 739 | 2^{11} | 263,743 | 1,317,317 |
| a18 | 87 | 2^{14} | 3180 | 15,830 | a68 | 57 | 2^{12} | 1306 | 6504 |
| a19 | 123 | 2^{15} | 5120 | 25,466 | a69 | 95 | 2^{12} | 4076 | 20,278 |
| a20 | 141 | 2^{11} | 6054 | 30,068 | a70 | 143 | 2^{48} | 9242 | 46,300 |
| a21 | 87 | 2^{14} | 2672 | 13,290 | a71 | 187 | 2^{13} | 15,773 | 78,587 |
| a22 | 101 | 2^{19} | 3524 | 17,562 | a72 | 64 | 2^{14} | 2003 | 9991 |
| a23 | 120 | 2^{16} | 6975 | 34,755 | a73 | 94 | 2^{12} | 4007 | 19,935 |
| a24 | 70 | 2^{17} | 1633 | 8153 | a74 | 214 | 2^{13} | 16,183 | 80,583 |
| a25 | 77 | 2^{16} | 1907 | 9501 | a75 | 341 | 2^{12} | 21,828 | 108,546 |
| a26 | 118 | 2^{15} | 4995 | 24,851 | a76 | 124 | 2^{11} | 3938 | 19,522 |
| a27 | 43 | 2^{15} | 591 | 2981 | a77 | 280 | 2^{13} | 37,240 | 185,736 |
| a28 | 99 | 2^{11} | 4081 | 20,287 | a78 | 80 | 2^{11} | 1642 | 8130 |
| a29 | 128 | 2^{11} | 4185 | 20,749 | a79 | 115 | 2^{12} | 5325 | 26,483 |
| a30 | 56 | 2^{13} | 1463 | 7299 | a80 | 279 | 2^{11} | 33,589 | 167,467 |
| a31 | 85 | 2^{14} | 2077 | 10,319 | a81 | 379 | 2^{11} | 36,702 | 182,832 |
| a32 | 87 | 2^{19} | 2672 | 13,330 | a82 | 438 | 2^{11} | 89,288 | 445,644 |
| a33 | 139 | 2^{11} | 5667 | 28,137 | a83 | 74 | 2^{14} | 1048 | 5196 |
| a34 | 161 | 2^{11} | 6337 | 31,443 | a84 | 513 | 2^{11} | 119,974 | 598,924 |
| a35 | 155 | 2^{14} | 9328 | 46,434 | a85 | 73 | 2^{14} | 1136 | 5638 |
| a36 | 61 | 2^{15} | 1248 | 6230 | a86 | 549 | 2^{11} | 70,640 | 352,182 |
| a37 | 78 | 2^{13} | 2162 | 10,750 | a87 | 455 | 2^{11} | 95,112 | 474,730 |
| a38 | 168 | 2^{20} | 8560 | 42,616 | a88 | 519 | 2^{11} | 63,046 | 314,272 |
| a39 | 44 | 2^{25} | 946 | 4834 | a89 | 398 | 2^{11} | 74,088 | 369,724 |
| a40 | 130 | 2^{15} | 6171 | 30,707 | a90 | 589 | 2^{11} | 83,903 | 418,417 |
| a41 | 224 | 2^{13} | 15,832 | 78,808 | a91 | 444 | 2^{11} | 90,479 | 451,587 |
| a42 | 237 | 2^{14} | 18,611 | 92,685 | a92 | 374 | 2^{11} | 44,026 | 219,462 |
| a43 | 28 | 2^{11} | 224 | 1144 | a93 | 482 | 2^{11} | 107,271 | 535,471 |
| a44 | 58 | 2^{16} | 1555 | 7779 | a94 | 588 | 2^{11} | 144,272 | 720,264 |
| a45 | 139 | 2^{11} | 5449 | 27,047 | a95 | 236 | 2^{11} | 23,702 | 118,118 |
| a46 | 233 | 2^{15} | 20,436 | 101,826 | a96 | 342 | 2^{11} | 50,614 | 252,466 |
| a47 | 45 | 2^{14} | 679 | 3409 | a97 | 440 | 2^{121} | 91,418 | 457,170 |
| a48 | 54 | 2^{16} | 928 | 4652 | a98 | 318 | 2^{11} | 34,220 | 170,544 |
| a49 | 62 | 2^{30} | 1849 | 9353 | a99 | 202 | 2^{11} | 16,451 | 81,931 |

Table 3: Family “b”: List of unsatisfiable VLSAT-3 formulas written in QF_DT logic

| name | #variables | card | #asserts | #ops | name | #variables | card | #asserts | #ops |
|------|------------|------|----------|---------|------|------------|------|----------|-----------|
| b00 | 56 | 16 | 1422 | 4504 | b50 | 74 | 13 | 1844 | 5686 |
| b01 | 164 | 11 | 13,018 | 39,162 | b51 | 141 | 11 | 5923 | 17,877 |
| b02 | 56 | 12 | 1418 | 4384 | b52 | 187 | 11 | 8484 | 25,560 |
| b03 | 120 | 16 | 6870 | 20,848 | b53 | 163 | 14 | 9451 | 28,533 |
| b04 | 118 | 14 | 4890 | 14,850 | b54 | 263 | 11 | 18,641 | 56,031 |
| b05 | 140 | 18 | 8627 | 26,185 | b55 | 108 | 11 | 2849 | 8655 |
| b06 | 155 | 13 | 9185 | 27,709 | b56 | 80 | 19 | 2988 | 9304 |
| b07 | 48 | 21 | 1085 | 3673 | b57 | 173 | 11 | 4966 | 15,006 |
| b08 | 161 | 11 | 6186 | 18,666 | b58 | 259 | 11 | 16,567 | 49,809 |
| b09 | 228 | 11 | 25,444 | 76,440 | b59 | 290 | 12 | 33,862 | 101,716 |
| b10 | 56 | 17 | 1423 | 4539 | b60 | 312 | 14 | 34,861 | 104,763 |
| b11 | 122 | 11 | 3633 | 11,007 | b61 | 100 | 11 | 2539 | 7725 |
| b12 | 120 | 17 | 6871 | 20,883 | b62 | 182 | 12 | 15,492 | 46,606 |
| b13 | 72 | 13 | 1947 | 5995 | b63 | 197 | 12 | 17,102 | 51,436 |
| b14 | 80 | 17 | 2986 | 9228 | b64 | 121 | 12 | 4860 | 14,710 |
| b15 | 249 | 15 | 23,529 | 70,795 | b65 | 146 | 12 | 9804 | 29,542 |
| b16 | 168 | 20 | 8411 | 25,611 | b66 | 218 | 12 | 22,476 | 67,558 |
| b17 | 155 | 14 | 9186 | 27,738 | b67 | 137 | 21 | 7951 | 24,271 |
| b18 | 192 | 11 | 9254 | 27,870 | b68 | 272 | 11 | 18,181 | 54,651 |
| b19 | 70 | 15 | 1577 | 4939 | b69 | 266 | 12 | 33,804 | 101,542 |
| b20 | 71 | 11 | 1859 | 5685 | b70 | 140 | 12 | 7273 | 21,949 |
| b21 | 80 | 13 | 2982 | 9100 | b71 | 142 | 12 | 9392 | 28,306 |
| b22 | 137 | 11 | 4890 | 14,778 | b72 | 154 | 12 | 11,085 | 33,385 |
| b23 | 112 | 12 | 5963 | 18,019 | b73 | 196 | 12 | 18,722 | 56,296 |
| b24 | 231 | 11 | 17,648 | 53,052 | b74 | 265 | 11 | 23,519 | 70,665 |
| b25 | 56 | 13 | 1419 | 4411 | b75 | 271 | 12 | 33,783 | 101,479 |
| b26 | 220 | 15 | 15,636 | 47,116 | b76 | 112 | 12 | 5732 | 17,326 |
| b27 | 366 | 11 | 33,082 | 99,354 | b77 | 161 | 17 | 11,412 | 34,506 |
| b28 | 95 | 14 | 2688 | 8244 | b78 | 287 | 12 | 34,877 | 104,761 |
| b29 | 101 | 19 | 3441 | 10,663 | b79 | 735 | 83 | 265,952 | 804,660 |
| b30 | 164 | 12 | 13,019 | 39,187 | b80 | 735 | 84 | 265,953 | 804,829 |
| b31 | 124 | 14 | 5446 | 16,518 | b81 | 845 | 11 | 207,417 | 622,359 |
| b32 | 140 | 19 | 8628 | 26,224 | b82 | 236 | 11 | 23,476 | 70,536 |
| b33 | 174 | 21 | 9097 | 27,709 | b83 | 575 | 145 | 156,823 | 491,347 |
| b34 | 72 | 14 | 1948 | 6024 | b84 | 735 | 85 | 265,954 | 805,000 |
| b35 | 124 | 11 | 3797 | 11,499 | b85 | 575 | 144 | 156,822 | 491,056 |
| b36 | 118 | 15 | 4891 | 14,881 | b86 | 575 | 146 | 156,824 | 491,640 |
| b37 | 250 | 11 | 16,203 | 48,717 | b87 | 575 | 147 | 156,825 | 491,935 |
| b38 | 265 | 11 | 23,486 | 70,566 | b88 | 575 | 148 | 156,826 | 492,232 |
| b39 | 318 | 11 | 33,912 | 101,844 | b89 | 735 | 86 | 265,955 | 805,173 |
| b40 | 36 | 14 | 387 | 1341 | b90 | 609 | 11 | 149,949 | 449,955 |
| b41 | 128 | 11 | 4067 | 12,309 | b91 | 735 | 89 | 265,958 | 805,704 |
| b42 | 643 | 17 | 27,546 | 82,908 | b92 | 242 | 12 | 23,786 | 71,488 |
| b43 | 244 | 11 | 15,900 | 47,808 | b93 | 575 | 150 | 156,828 | 492,832 |
| b44 | 228 | 12 | 25,445 | 76,465 | b94 | 48 | 31 | 1065 | 4123 |
| b45 | 262 | 12 | 33,713 | 101,269 | b95 | 1026 | 46 | 404,855 | 1,216,633 |
| b46 | 132 | 12 | 8072 | 24,346 | b96 | 575 | 149 | 156,827 | 492,531 |
| b47 | 182 | 11 | 8875 | 26,733 | b97 | 1016 | 81 | 509,749 | 1,535,725 |
| b48 | 313 | 11 | 26,245 | 78,843 | b98 | 1019 | 81 | 512,764 | 1,544,770 |
| b49 | 48 | 22 | 1086 | 3718 | b99 | 717 | 205 | 249,677 | 790,849 |

Table 4: Family “c”: List of unsatisfiable VLSAT-3 formulas written in QF_IDL logic

| name | #variables | card | #asserts | #ops | name | #variables | card | #asserts | #ops |
|------|------------|----------|----------|---------|------|------------|----------|----------|---------|
| c00 | 56 | ∞ | 1463 | 5687 | c50 | 272 | ∞ | 18,443 | 62,243 |
| c01 | 80 | ∞ | 3050 | 10,936 | c51 | 297 | ∞ | 22,683 | 75,613 |
| c02 | 215 | ∞ | 19,420 | 61,226 | c52 | 80 | ∞ | 3050 | 11,596 |
| c03 | 216 | ∞ | 23,436 | 117,176 | c53 | 120 | ∞ | 6975 | 24,523 |
| c04 | 56 | ∞ | 1463 | 5773 | c54 | 136 | ∞ | 8792 | 33,016 |
| c05 | 80 | ∞ | 3050 | 11,072 | c55 | 247 | ∞ | 15,746 | 53,502 |
| c06 | 80 | ∞ | 3050 | 11,206 | c56 | 55 | ∞ | 1026 | 4750 |
| c07 | 194 | ∞ | 18,871 | 67,709 | c57 | 118 | ∞ | 4995 | 18,723 |
| c08 | 84 | ∞ | 1819 | 7765 | c58 | 137 | ∞ | 8068 | 27,856 |
| c09 | 80 | ∞ | 3050 | 11,338 | c59 | 198 | ∞ | 11,362 | 39,076 |
| c10 | 124 | ∞ | 5557 | 20,397 | c60 | 47 | ∞ | 688 | 3388 |
| c11 | 194 | ∞ | 18,871 | 68,359 | c61 | 168 | ∞ | 8560 | 31,420 |
| c12 | 56 | ∞ | 1463 | 5857 | c62 | 240 | ∞ | 13,924 | 48,308 |
| c13 | 112 | ∞ | 6064 | 21,144 | c63 | 306 | ∞ | 24,224 | 80,470 |
| c14 | 132 | ∞ | 8193 | 28,091 | c64 | 42 | ∞ | 599 | 2951 |
| c15 | 164 | ∞ | 13,172 | 43,924 | c65 | 45 | ∞ | 680 | 3352 |
| c16 | 56 | ∞ | 1463 | 6019 | c66 | 142 | ∞ | 4788 | 18,156 |
| c17 | 136 | ∞ | 8792 | 32,796 | c67 | 142 | ∞ | 9523 | 32,617 |
| c18 | 366 | ∞ | 33,438 | 108,254 | c68 | 74 | ∞ | 1906 | 7844 |
| c19 | 262 | ∞ | 33,964 | 108,546 | c69 | 161 | ∞ | 6337 | 23,335 |
| c20 | 56 | ∞ | 1463 | 5939 | c70 | 166 | ∞ | 13,507 | 45,289 |
| c21 | 87 | ∞ | 3180 | 12,082 | c71 | 244 | ∞ | 16,134 | 54,588 |
| c22 | 141 | ∞ | 6054 | 21,412 | c72 | 265 | ∞ | 23,741 | 77,955 |
| c23 | 161 | ∞ | 6337 | 23,039 | c73 | 75 | ∞ | 1805 | 7691 |
| c24 | 71 | ∞ | 1920 | 7448 | c74 | 83 | ∞ | 2524 | 10,120 |
| c25 | 137 | ∞ | 8068 | 27,358 | c75 | 128 | ∞ | 5689 | 21,145 |
| c26 | 166 | ∞ | 13,507 | 44,985 | c76 | 325 | ∞ | 15,332 | 54,912 |
| c27 | 325 | ∞ | 15,332 | 53,662 | c77 | 352 | ∞ | 52,053 | 163,107 |
| c28 | 84 | ∞ | 1819 | 7903 | c78 | 28 | ∞ | 224 | 1272 |
| c29 | 244 | ∞ | 16,134 | 54,124 | c79 | 54 | ∞ | 918 | 4390 |
| c30 | 366 | ∞ | 33,438 | 108,964 | c80 | 129 | ∞ | 2615 | 11,273 |
| c31 | 262 | ∞ | 33,964 | 109,044 | c81 | 148 | ∞ | 5549 | 20,337 |
| c32 | 80 | ∞ | 3050 | 11,468 | c82 | 152 | ∞ | 10,953 | 37,207 |
| c33 | 142 | ∞ | 9523 | 32,361 | c83 | 48 | ∞ | 754 | 3620 |
| c34 | 265 | ∞ | 23,741 | 77,449 | c84 | 250 | ∞ | 16,443 | 55,671 |
| c35 | 228 | ∞ | 25,662 | 83,186 | c85 | 321 | ∞ | 46,286 | 145,186 |
| c36 | 137 | ∞ | 8068 | 27,608 | c86 | 342 | ∞ | 50,614 | 158,590 |
| c37 | 137 | ∞ | 8068 | 29,066 | c87 | 622 | ∞ | 192,992 | 591,324 |
| c38 | 285 | ∞ | 20,436 | 68,014 | c88 | 57 | ∞ | 1306 | 5330 |
| c39 | 228 | ∞ | 25,662 | 83,614 | c89 | 113 | ∞ | 4010 | 15,598 |
| c40 | 226 | ∞ | 14,011 | 47,751 | c90 | 96 | ∞ | 3125 | 12,523 |
| c41 | 215 | ∞ | 18,071 | 61,249 | c91 | 176 | ∞ | 9488 | 34,808 |
| c42 | 285 | ∞ | 20,436 | 68,560 | c92 | 61 | ∞ | 1248 | 5632 |
| c43 | 289 | ∞ | 21,221 | 70,465 | c93 | 508 | ∞ | 89,854 | 284,590 |
| c44 | 139 | ∞ | 5667 | 20,709 | c94 | 520 | ∞ | 135,460 | 677,296 |
| c45 | 112 | ∞ | 6064 | 21,340 | c95 | 52 | ∞ | 1321 | 5527 |
| c46 | 231 | ∞ | 17,869 | 59,455 | c96 | 40 | ∞ | 793 | 3511 |
| c47 | 289 | ∞ | 21,221 | 71,019 | c97 | 118 | ∞ | 3673 | 14,347 |
| c48 | 60 | ∞ | 1407 | 5987 | c98 | 67 | ∞ | 1245 | 5839 |
| c49 | 164 | ∞ | 13,172 | 44,224 | c99 | 159 | ∞ | 5105 | 19,583 |

Table 5: Family “d”: List of unsatisfiable VLSAT-3 formulas written in QF_UFBV logic

| name | card _{in} | card _{out} | #asserts | #ops | name | card _{in} | card _{out} | #asserts | #ops |
|------|--------------------|---------------------|----------|---------|------|--------------------|---------------------|----------|-----------|
| d00 | 2 ⁷ | 2 ¹⁷ | 3050 | 21,142 | d50 | 2 ⁷ | 2 ¹³ | 2508 | 17,319 |
| d01 | 2 ⁸ | 2 ¹⁴ | 8576 | 59,647 | d51 | 2 ⁸ | 2 ¹³ | 7304 | 50,723 |
| d02 | 2 ⁷ | 2 ¹⁶ | 6975 | 48,495 | d52 | 2 ⁶ | 2 ¹³ | 591 | 4032 |
| d03 | 2 ⁸ | 2 ¹⁵ | 8576 | 59,649 | d53 | 2 ⁷ | 2 ¹² | 3741 | 25,891 |
| d04 | 2 ⁷ | 2 ¹² | 1819 | 12,503 | d54 | 2 ⁶ | 2 ²¹ | 1113 | 7687 |
| d05 | 2 ⁷ | 2 ¹⁹ | 3050 | 21,146 | d55 | 2 ⁶ | 2 ²⁴ | 1506 | 10,423 |
| d06 | 2 ⁶ | 2 ¹³ | 1407 | 9693 | d56 | 2 ⁷ | 2 ¹³ | 6363 | 44,223 |
| d07 | 2 ⁶ | 2 ¹⁶ | 1463 | 10,103 | d57 | 2 ⁵ | 2 ¹⁰ | 143 | 953 |
| d08 | 2 ⁷ | 2 ¹¹ | 5833 | 40,515 | d58 | 2 ⁷ | 2 ¹⁰ | 551 | 3734 |
| d09 | 2 ⁸ | 2 ¹¹ | 9282 | 64,580 | d59 | 2 ⁸ | 2 ¹⁰ | 4685 | 32,333 |
| d10 | 2 ⁶ | 2 ¹³ | 1463 | 10,097 | d60 | 2 ⁷ | 2 ¹¹ | 2609 | 17,962 |
| d11 | 2 ⁸ | 2 ¹¹ | 9523 | 66,255 | d61 | 2 ⁸ | 2 ¹¹ | 18,157 | 126,483 |
| d12 | 2 ⁷ | 2 ¹³ | 3050 | 21,134 | d62 | 2 ⁹ | 2 ¹⁰ | 100,629 | 702,915 |
| d13 | 2 ⁸ | 2 ¹¹ | 13,507 | 94,071 | d63 | 2 ⁷ | 2 ¹¹ | 6064 | 42,132 |
| d14 | 2 ⁷ | 2 ¹² | 3050 | 21,132 | d64 | 2 ⁸ | 2 ¹¹ | 10,023 | 69,725 |
| d15 | 2 ⁸ | 2 ¹¹ | 11,362 | 78,960 | d65 | 2 ⁸ | 2 ¹¹ | 13,813 | 96,093 |
| d16 | 2 ⁶ | 2 ¹⁵ | 1463 | 10,101 | d66 | 2 ⁶ | 2 ¹⁴ | 585 | 4001 |
| d17 | 2 ⁷ | 2 ¹³ | 1819 | 12,505 | d67 | 2 ⁸ | 2 ¹¹ | 17,483 | 121,807 |
| d18 | 2 ⁶ | 2 ¹³ | 1306 | 8995 | d68 | 2 ⁹ | 2 ¹⁰ | 59,070 | 412,341 |
| d19 | 2 ⁷ | 2 ¹⁴ | 1487 | 10,240 | d69 | 2 ⁶ | 2 ¹³ | 1321 | 9115 |
| d20 | 2 ⁷ | 2 ¹⁶ | 3050 | 21,140 | d70 | 2 ⁹ | 2 ¹¹ | 58,589 | 408,976 |
| d21 | 2 ⁷ | 2 ¹⁴ | 5557 | 38,553 | d71 | 2 ⁸ | 2 ¹¹ | 17,079 | 118,979 |
| d22 | 2 ⁷ | 2 ¹³ | 3180 | 22,023 | d72 | 2 ⁸ | 2 ¹¹ | 18,431 | 128,419 |
| d23 | 2 ⁸ | 2 ²¹ | 9488 | 65,928 | d73 | 2 ⁸ | 2 ¹⁰ | 22,645 | 157,849 |
| d24 | 2 ⁸ | 2 ¹¹ | 4788 | 33,110 | d74 | 2 ⁷ | 2 ¹⁰ | 2840 | 19,577 |
| d25 | 2 ⁸ | 2 ¹⁰ | 5667 | 39,270 | d75 | 2 ⁶ | 2 ¹³ | 686 | 4688 |
| d26 | 2 ⁶ | 2 ¹⁴ | 688 | 4701 | d76 | 2 ⁹ | 2 ¹¹ | 52,979 | 369,892 |
| d27 | 2 ⁸ | 2 ¹⁷ | 8750 | 60,862 | d77 | 2 ⁹ | 2 ¹⁰ | 93,919 | 656,005 |
| d28 | 2 ⁷ | 2 ¹⁵ | 3050 | 21,138 | d78 | 2 ⁶ | 2 ¹² | 754 | 5156 |
| d29 | 2 ⁸ | 2 ¹² | 15,832 | 110,174 | d79 | 2 ⁷ | 2 ¹⁰ | 1971 | 13,551 |
| d30 | 2 ⁷ | 2 ¹⁵ | 1892 | 13,041 | d80 | 2 ⁷ | 2 ¹¹ | 4803 | 33,335 |
| d31 | 2 ⁷ | 2 ¹⁸ | 3050 | 21,144 | d81 | 2 ⁶ | 2 ¹³ | 599 | 4091 |
| d32 | 2 ⁸ | 2 ¹¹ | 6337 | 43,896 | d82 | 2 ⁷ | 2 ¹⁹ | 1778 | 12,299 |
| d33 | 2 ⁸ | 2 ¹¹ | 13,924 | 96,768 | d83 | 2 ⁶ | 2 ¹⁵ | 946 | 6518 |
| d34 | 2 ⁷ | 2 ¹³ | 4995 | 34,635 | d84 | 2 ⁷ | 2 ¹¹ | 5325 | 36,950 |
| d35 | 2 ⁸ | 2 ¹⁶ | 8576 | 59,651 | d85 | 2 ⁸ | 2 ¹⁰ | 8768 | 60,959 |
| d36 | 2 ⁷ | 2 ¹¹ | 3083 | 21,271 | d86 | 2 ¹⁰ | 2 ¹⁰ | 160,338 | 1,119,945 |
| d37 | 2 ⁷ | 2 ¹⁵ | 6975 | 48,493 | d87 | 2 ⁷ | 2 ¹³ | 2933 | 20,324 |
| d38 | 2 ⁷ | 2 ¹⁵ | 1811 | 12,477 | d88 | 2 ⁷ | 2 ¹² | 3801 | 26,320 |
| d39 | 2 ⁸ | 2 ²⁰ | 9488 | 65,926 | d89 | 2 ⁷ | 2 ¹² | 3285 | 22,741 |
| d40 | 2 ⁷ | 2 ¹³ | 2672 | 18,467 | d90 | 2 ⁷ | 2 ¹¹ | 4380 | 30,362 |
| d41 | 2 ⁷ | 2 ¹⁶ | 3125 | 21,617 | d91 | 2 ⁸ | 2 ¹⁰ | 7927 | 54,793 |
| d42 | 2 ⁶ | 2 ²⁹ | 1140 | 7892 | d92 | 2 ⁸ | 2 ¹⁰ | 7937 | 54,851 |
| d43 | 2 ⁷ | 2 ¹¹ | 4007 | 27,787 | d93 | 2 ⁶ | 2 ³¹ | 1083 | 7497 |
| d44 | 2 ⁶ | 2 ¹² | 679 | 4640 | d94 | 2 ⁷ | 2 ¹⁰ | 3607 | 24,973 |
| d45 | 2 ⁸ | 2 ²⁰ | 8068 | 56,103 | d95 | 2 ⁸ | 2 ¹¹ | 5408 | 37,414 |
| d46 | 2 ⁶ | 2 ¹⁴ | 396 | 2693 | d96 | 2 ⁹ | 2 ¹⁰ | 30,074 | 209,735 |
| d47 | 2 ⁶ | 2 ¹³ | 578 | 3968 | d97 | 2 ⁸ | 2 ¹¹ | 21,311 | 148,543 |
| d48 | 2 ⁷ | 2 ²⁴ | 4346 | 30,180 | d98 | 2 ⁸ | 2 ¹¹ | 22,759 | 158,655 |
| d49 | 2 ⁸ | 2 ¹⁴ | 12,108 | 84,137 | d99 | 2 ⁹ | 2 ¹⁰ | 59,140 | 412,804 |

Table 6: Family “e”: List of unsatisfiable VLSAT-3 formulas written in QF_UFDT logic

| name | card _{in} | card _{out} | #asserts | #ops | name | card _{in} | card _{out} | #asserts | #ops |
|------|--------------------|---------------------|----------|---------|------|--------------------|---------------------|----------|---------|
| e00 | 56 | 16 | 1422 | 7438 | e50 | 74 | 13 | 1844 | 9428 |
| e01 | 80 | 15 | 2984 | 15,205 | e51 | 141 | 11 | 5923 | 29,758 |
| e02 | 80 | 16 | 2985 | 15,253 | e52 | 169 | 11 | 7133 | 35,808 |
| e03 | 56 | 12 | 1418 | 7264 | e53 | 201 | 17 | 12,460 | 62,674 |
| e04 | 164 | 11 | 13,018 | 65,233 | e54 | 41 | 14 | 501 | 2750 |
| e05 | 196 | 11 | 18,721 | 93,748 | e55 | 87 | 14 | 2598 | 13,235 |
| e06 | 70 | 14 | 1576 | 8125 | e56 | 174 | 21 | 9097 | 46,073 |
| e07 | 118 | 14 | 4890 | 24,695 | e57 | 155 | 14 | 9186 | 46,175 |
| e08 | 198 | 10 | 11,173 | 55,980 | e58 | 61 | 16 | 1202 | 6338 |
| e09 | 39 | 14 | 451 | 2500 | e59 | 129 | 12 | 3518 | 17,764 |
| e10 | 57 | 13 | 1261 | 6513 | e60 | 113 | 19 | 3915 | 20,050 |
| e11 | 136 | 28 | 8683 | 44,493 | e61 | 129 | 11 | 4054 | 20,413 |
| e12 | 56 | 17 | 1423 | 7489 | e62 | 100 | 11 | 2539 | 12,838 |
| e13 | 124 | 13 | 5445 | 27,433 | e63 | 118 | 11 | 2611 | 13,198 |
| e14 | 203 | 14 | 13,126 | 65,875 | e64 | 124 | 11 | 2768 | 13,983 |
| e15 | 65 | 14 | 1435 | 7420 | e65 | 135 | 11 | 3118 | 15,733 |
| e16 | 231 | 11 | 17,648 | 88,383 | e66 | 140 | 12 | 7273 | 36,539 |
| e17 | 306 | 11 | 23,928 | 119,783 | e67 | 132 | 12 | 8072 | 40,534 |
| e18 | 34 | 15 | 382 | 2195 | e68 | 182 | 11 | 8875 | 44,518 |
| e19 | 56 | 13 | 1419 | 7303 | e69 | 268 | 13 | 25,434 | 127,378 |
| e20 | 112 | 12 | 5963 | 29,989 | e70 | 96 | 11 | 2523 | 12,758 |
| e21 | 120 | 17 | 6871 | 34,729 | e71 | 176 | 21 | 9332 | 47,248 |
| e22 | 85 | 14 | 2005 | 10,270 | e72 | 628 | 16 | 21,528 | 107,968 |
| e23 | 80 | 17 | 2986 | 15,304 | e73 | 236 | 11 | 23,476 | 117,523 |
| e24 | 220 | 15 | 15,636 | 78,465 | e74 | 137 | 11 | 4890 | 24,593 |
| e25 | 259 | 11 | 16,530 | 82,793 | e75 | 212 | 12 | 10,265 | 51,499 |
| e26 | 122 | 14 | 4662 | 23,555 | e76 | 145 | 13 | 4125 | 20,833 |
| e27 | 118 | 15 | 4891 | 24,740 | e77 | 166 | 12 | 10,260 | 51,474 |
| e28 | 140 | 18 | 8627 | 43,558 | e78 | 182 | 12 | 15,492 | 77,634 |
| e29 | 244 | 11 | 15,900 | 79,643 | e79 | 228 | 12 | 25,445 | 127,399 |
| e30 | 70 | 17 | 1579 | 8269 | e80 | 32 | 13 | 236 | 1388 |
| e31 | 72 | 14 | 1948 | 9985 | e81 | 162 | 12 | 10,199 | 51,169 |
| e32 | 161 | 11 | 6186 | 31,073 | e82 | 222 | 11 | 21,186 | 106,073 |
| e33 | 196 | 12 | 18,722 | 93,784 | e83 | 32 | 14 | 493 | 2710 |
| e34 | 80 | 20 | 2989 | 15,475 | e84 | 61 | 19 | 1735 | 9150 |
| e35 | 127 | 11 | 3885 | 19,568 | e85 | 65 | 12 | 1763 | 8989 |
| e36 | 216 | 11 | 11,924 | 59,763 | e86 | 140 | 12 | 8621 | 43,279 |
| e37 | 310 | 11 | 23,771 | 118,998 | e87 | 67 | 11 | 1545 | 7868 |
| e38 | 49 | 15 | 779 | 4180 | e88 | 245 | 13 | 11,808 | 59,248 |
| e39 | 128 | 11 | 4067 | 20,478 | e89 | 309 | 12 | 21,686 | 108,604 |
| e40 | 124 | 14 | 5446 | 27,475 | e90 | 220 | 14 | 23,406 | 117,275 |
| e41 | 166 | 12 | 13,352 | 66,934 | e91 | 96 | 24 | 4273 | 22,145 |
| e42 | 48 | 13 | 718 | 3798 | e92 | 173 | 11 | 7665 | 38,468 |
| e43 | 156 | 11 | 7050 | 35,393 | e93 | 170 | 12 | 11,340 | 56,874 |
| e44 | 168 | 20 | 8411 | 42,585 | e94 | 241 | 12 | 13,389 | 67,119 |
| e45 | 140 | 19 | 8628 | 43,615 | e95 | 328 | 12 | 25,257 | 126,459 |
| e46 | 37 | 13 | 422 | 2318 | e96 | 546 | 11 | 138,321 | 691,748 |
| e47 | 39 | 15 | 451 | 2540 | e97 | 621 | 43 | 149,152 | 748,383 |
| e48 | 45 | 13 | 646 | 3438 | e98 | 202 | 12 | 16,260 | 81,474 |
| e49 | 79 | 19 | 1960 | 10,275 | e99 | 48 | 31 | 1065 | 6658 |

Table 7: Family “f”: List of unsatisfiable VLSAT-3 formulas written in QF_UFIDL logic

| name | card _{in} | card _{out} | #asserts | #ops | name | card _{in} | card _{out} | #asserts | #ops |
|------|--------------------|---------------------|----------|---------|------|--------------------|---------------------|----------|---------|
| f00 | ∞ | ∞ | 1463 | 9406 | f50 | ∞ | ∞ | 7816 | 43,871 |
| f01 | ∞ | ∞ | 13,172 | 70,315 | f51 | ∞ | ∞ | 1140 | 8560 |
| f02 | ∞ | ∞ | 18,871 | 112,070 | f52 | ∞ | ∞ | 1245 | 8468 |
| f03 | ∞ | ∞ | 3050 | 18,949 | f53 | ∞ | ∞ | 1642 | 10,313 |
| f04 | ∞ | ∞ | 6975 | 39,718 | f54 | ∞ | ∞ | 320 | 2400 |
| f05 | ∞ | ∞ | 8750 | 50,200 | f55 | ∞ | ∞ | 1778 | 11,856 |
| f06 | ∞ | ∞ | 1463 | 9151 | f56 | ∞ | ∞ | 21,296 | 135,145 |
| f07 | ∞ | ∞ | 3050 | 17,770 | f57 | ∞ | ∞ | 716 | 4905 |
| f08 | ∞ | ∞ | 6064 | 33,625 | f58 | ∞ | ∞ | 2465 | 15,380 |
| f09 | ∞ | ∞ | 1463 | 9529 | f59 | ∞ | ∞ | 2609 | 15,596 |
| f10 | ∞ | ∞ | 6975 | 40,033 | f60 | ∞ | ∞ | 1017 | 7738 |
| f11 | ∞ | ∞ | 13,172 | 70,777 | f61 | ∞ | ∞ | 2473 | 15,700 |
| f12 | ∞ | ∞ | 8068 | 47,714 | f62 | ∞ | ∞ | 13,541 | 76,345 |
| f13 | ∞ | ∞ | 8193 | 44,890 | f63 | ∞ | ∞ | 2255 | 13,557 |
| f14 | ∞ | ∞ | 9523 | 51,850 | f64 | ∞ | ∞ | 3491 | 20,145 |
| f15 | ∞ | ∞ | 1306 | 8403 | f65 | ∞ | ∞ | 17,209 | 92,203 |
| f16 | ∞ | ∞ | 5449 | 31,000 | f66 | ∞ | ∞ | 688 | 4787 |
| f17 | ∞ | ∞ | 25,662 | 135,211 | f67 | ∞ | ∞ | 2029 | 12,948 |
| f18 | ∞ | ∞ | 1633 | 10,690 | f68 | ∞ | ∞ | 15,140 | 81,175 |
| f19 | ∞ | ∞ | 8750 | 50,569 | f69 | ∞ | ∞ | 1506 | 10,733 |
| f20 | ∞ | ∞ | 13,507 | 72,514 | f70 | ∞ | ∞ | 3008 | 18,683 |
| f21 | ∞ | ∞ | 1133 | 7750 | f71 | ∞ | ∞ | 17,483 | 93,947 |
| f22 | ∞ | ∞ | 1463 | 9649 | f72 | ∞ | ∞ | 7828 | 43,847 |
| f23 | ∞ | ∞ | 9251 | 56,237 | f73 | ∞ | ∞ | 13,122 | 71,815 |
| f24 | ∞ | ∞ | 3050 | 19,135 | f74 | ∞ | ∞ | 18,528 | 101,246 |
| f25 | ∞ | ∞ | 3460 | 21,283 | f75 | ∞ | ∞ | 2783 | 17,557 |
| f26 | ∞ | ∞ | 17,869 | 95,676 | f76 | ∞ | ∞ | 5350 | 31,205 |
| f27 | ∞ | ∞ | 5890 | 33,876 | f77 | ∞ | ∞ | 12,010 | 68,885 |
| f28 | ∞ | ∞ | 10,953 | 59,310 | f78 | ∞ | ∞ | 1210 | 8552 |
| f29 | ∞ | ∞ | 13,415 | 74,535 | f79 | ∞ | ∞ | 1227 | 8563 |
| f30 | ∞ | ∞ | 476 | 3740 | f80 | ∞ | ∞ | 8750 | 52,015 |
| f31 | ∞ | ∞ | 1487 | 10,063 | f81 | ∞ | ∞ | 756 | 5183 |
| f32 | ∞ | ∞ | 22,639 | 123,370 | f82 | ∞ | ∞ | 45,060 | 234,207 |
| f33 | ∞ | ∞ | 568 | 4325 | f83 | ∞ | ∞ | 46,286 | 241,214 |
| f34 | ∞ | ∞ | 698 | 5151 | f84 | ∞ | ∞ | 9895 | 54,409 |
| f35 | ∞ | ∞ | 4974 | 28,765 | f85 | ∞ | ∞ | 36,971 | 194,630 |
| f36 | ∞ | ∞ | 1287 | 9550 | f86 | ∞ | ∞ | 144,336 | 740,733 |
| f37 | ∞ | ∞ | 1487 | 9913 | f87 | ∞ | ∞ | 51,099 | 267,146 |
| f38 | ∞ | ∞ | 24,224 | 129,551 | f88 | ∞ | ∞ | 1080 | 7680 |
| f39 | ∞ | ∞ | 1248 | 8546 | f89 | ∞ | ∞ | 1321 | 8410 |
| f40 | ∞ | ∞ | 1633 | 11,185 | f90 | ∞ | ∞ | 10,563 | 58,460 |
| f41 | ∞ | ∞ | 16,805 | 93,685 | f91 | ∞ | ∞ | 11,111 | 61,498 |
| f42 | ∞ | ∞ | 599 | 4400 | f92 | ∞ | ∞ | 28,173 | 171,962 |
| f43 | ∞ | ∞ | 1907 | 12,898 | f93 | ∞ | ∞ | 31,647 | 167,323 |
| f44 | ∞ | ∞ | 2318 | 14,684 | f94 | ∞ | ∞ | 31,597 | 167,073 |
| f45 | ∞ | ∞ | 918 | 6595 | f95 | ∞ | ∞ | 36,045 | 212,498 |
| f46 | ∞ | ∞ | 2477 | 15,670 | f96 | ∞ | ∞ | 40,702 | 213,845 |
| f47 | ∞ | ∞ | 16,183 | 88,597 | f97 | ∞ | ∞ | 54,201 | 282,712 |
| f48 | ∞ | ∞ | 1113 | 7942 | f98 | ∞ | ∞ | 24,050 | 127,399 |
| f49 | ∞ | ∞ | 3362 | 19,815 | f99 | ∞ | ∞ | 25,412 | 136,444 |

Table 8: Family “g”: List of satisfiable VLSAT-3 formulas written in QF_BV logic

| name | #variables | card | #asserts | #ops | name | #variables | card | #asserts | #ops |
|------|------------|-----------|----------|---------|------|------------|-----------|----------|---------|
| g00 | 127 | 2^{46} | 7987 | 40,041 | g50 | 273 | 2^{52} | 29,938 | 149,552 |
| g01 | 238 | 2^{27} | 9157 | 45,517 | g51 | 299 | 2^{53} | 38,293 | 191,283 |
| g02 | 160 | 2^{62} | 12,490 | 62,618 | g52 | 353 | 2^{52} | 45,498 | 227,192 |
| g03 | 160 | 2^{63} | 12,490 | 62,626 | g53 | 459 | 2^{47} | 49,154 | 245,220 |
| g04 | 224 | 2^{89} | 15,832 | 79,416 | g54 | 325 | 2^{66} | 52,331 | 261,525 |
| g05 | 192 | 2^{93} | 18,397 | 92,337 | g55 | 120 | 2^{60} | 7029 | 35,377 |
| g06 | 200 | 2^{80} | 19,735 | 98,907 | g56 | 157 | 2^{56} | 12,212 | 61,186 |
| g07 | 233 | 2^{52} | 23,058 | 115,232 | g57 | 248 | 2^{98} | 19,689 | 98,725 |
| g08 | 310 | 2^{40} | 24,071 | 120,047 | g58 | 320 | 2^{65} | 20,421 | 101,977 |
| g09 | 224 | 2^{84} | 24,788 | 124,156 | g59 | 233 | 2^{32} | 23,904 | 119,302 |
| g10 | 273 | 2^{55} | 29,938 | 149,576 | g60 | 273 | 2^{51} | 29,938 | 149,544 |
| g11 | 366 | 2^{41} | 33,438 | 166,778 | g61 | 263 | 2^{32} | 30,228 | 150,862 |
| g12 | 277 | 2^{38} | 34,144 | 170,462 | g62 | 313 | 2^{53} | 37,418 | 186,880 |
| g13 | 313 | 2^{52} | 37,418 | 186,872 | g63 | 421 | 2^{43} | 51,099 | 254,989 |
| g14 | 313 | 2^{57} | 37,418 | 186,912 | g64 | 459 | 2^{48} | 63,423 | 316,573 |
| g15 | 299 | 2^{52} | 38,293 | 191,275 | g65 | 164 | 2^{100} | 13,466 | 67,794 |
| g16 | 353 | 2^{53} | 45,498 | 227,200 | g66 | 216 | 2^{75} | 22,500 | 112,660 |
| g17 | 353 | 2^{54} | 45,498 | 227,208 | g67 | 249 | 2^{86} | 23,764 | 119,002 |
| g18 | 353 | 2^{57} | 45,498 | 227,232 | g68 | 224 | 2^{92} | 15,832 | 79,440 |
| g19 | 385 | 2^{39} | 45,580 | 227,434 | g69 | 200 | 2^{101} | 19,625 | 98,525 |
| g20 | 321 | 2^{44} | 46,286 | 231,132 | g70 | 441 | 2^{21} | 25,411 | 126,333 |
| g21 | 329 | 2^{49} | 52,913 | 264,291 | g71 | 220 | 2^{56} | 23,613 | 118,065 |
| g22 | 451 | 2^{56} | 59,422 | 296,648 | g72 | 374 | 2^{56} | 40,702 | 203,202 |
| g23 | 519 | 2^{53} | 63,046 | 314,608 | g73 | 187 | 2^{79} | 17,173 | 86,115 |
| g24 | 455 | 2^{44} | 85,677 | 427,819 | g74 | 228 | 2^{132} | 25,662 | 128,902 |
| g25 | 138 | 2^{69} | 9282 | 46,678 | g75 | 444 | 2^{47} | 47,338 | 236,170 |
| g26 | 139 | 2^{61} | 9428 | 47,342 | g76 | 549 | 2^{56} | 70,640 | 352,542 |
| g27 | 201 | 2^{79} | 12,645 | 63,447 | g77 | 192 | 2^{91} | 18,397 | 92,321 |
| g28 | 202 | 2^{71} | 15,452 | 77,416 | g78 | 400 | 2^{95} | 74,565 | 372,777 |
| g29 | 194 | 2^{53} | 16,918 | 84,618 | g79 | 159 | 2^{104} | 12,665 | 63,831 |
| g30 | 210 | 2^{73} | 17,096 | 85,636 | g80 | 308 | 2^{107} | 34,025 | 170,357 |
| g31 | 210 | 2^{74} | 17,096 | 85,644 | g81 | 326 | 2^{65} | 40,287 | 201,295 |
| g32 | 305 | 2^{62} | 18,569 | 92,723 | g82 | 315 | 2^{90} | 43,690 | 218,532 |
| g33 | 228 | 2^{76} | 19,386 | 97,074 | g83 | 423 | 2^{50} | 54,201 | 270,551 |
| g34 | 248 | 2^{99} | 19,689 | 98,733 | g84 | 309 | 2^{59} | 17,964 | 89,666 |
| g35 | 341 | 2^{65} | 21,828 | 108,970 | g85 | 313 | 2^{51} | 37,418 | 186,864 |
| g36 | 233 | 2^{54} | 23,058 | 115,248 | g86 | 216 | 2^{72} | 22,500 | 112,636 |
| g37 | 219 | 2^{69} | 23,292 | 116,566 | g87 | 560 | 2^{59} | 75,758 | 378,134 |
| g38 | 252 | 2^{51} | 31,379 | 156,791 | g88 | 194 | 2^{52} | 16,918 | 84,610 |
| g39 | 308 | 2^{106} | 34,025 | 170,349 | g89 | 357 | 2^{38} | 30,391 | 151,537 |
| g40 | 315 | 2^{91} | 43,690 | 218,540 | g90 | 248 | 2^{97} | 19,689 | 98,717 |
| g41 | 415 | 2^{48} | 47,966 | 239,376 | g91 | 308 | 2^{109} | 34,025 | 170,373 |
| g42 | 415 | 2^{49} | 47,966 | 239,384 | g92 | 410 | 2^{83} | 83,441 | 417,041 |
| g43 | 473 | 2^{50} | 53,819 | 268,541 | g93 | 300 | 2^{150} | 44,559 | 223,387 |
| g44 | 365 | 2^{50} | 60,276 | 301,042 | g94 | 250 | 2^{51} | 30,881 | 154,305 |
| g45 | 428 | 2^{44} | 62,937 | 314,173 | g95 | 312 | 2^{108} | 35,160 | 176,032 |
| g46 | 159 | 2^{68} | 11,229 | 56,363 | g96 | 176 | 2^{49} | 13,719 | 68,627 |
| g47 | 160 | 2^{60} | 12,490 | 62,602 | g97 | 304 | 2^{72} | 42,220 | 211,060 |
| g48 | 290 | 2^{59} | 16,805 | 83,909 | g98 | 412 | 2^{83} | 84,259 | 421,127 |
| g49 | 200 | 2^{77} | 19,735 | 98,883 | g99 | 300 | 2^{100} | 44,850 | 224,442 |

Table 9: Family “h”: List of satisfiable VLSAT-3 formulas written in QF_DT logic

| name | #variables | card | #asserts | #ops | name | #variables | card | #asserts | #ops |
|------|------------|------|----------|---------|------|------------|------|----------|-----------|
| h00 | 120 | 84 | 6938 | 27,784 | h50 | 279 | 29 | 17,595 | 53,595 |
| h01 | 138 | 119 | 9497 | 42,531 | h51 | 282 | 31 | 25,260 | 76,708 |
| h02 | 138 | 118 | 9496 | 42,292 | h52 | 244 | 32 | 15,921 | 48,753 |
| h03 | 138 | 113 | 9491 | 41,127 | h53 | 233 | 32 | 23,702 | 72,096 |
| h04 | 215 | 124 | 19,328 | 73,234 | h54 | 172 | 44 | 14,208 | 44,514 |
| h05 | 200 | 129 | 19,553 | 75,169 | h55 | 408 | 407 | 67,406 | 367,458 |
| h06 | 200 | 130 | 19,554 | 75,430 | h56 | 248 | 101 | 19,541 | 68,721 |
| h07 | 194 | 193 | 18,869 | 93,661 | h57 | 500 | 204 | 119,303 | 399,319 |
| h08 | 200 | 137 | 19,561 | 77,313 | h58 | 258 | 30 | 21,170 | 64,378 |
| h09 | 200 | 139 | 19,563 | 77,869 | h59 | 621 | 114 | 149,223 | 460,549 |
| h10 | 194 | 173 | 18,849 | 86,301 | h60 | 233 | 32 | 23,648 | 71,934 |
| h11 | 628 | 210 | 21,722 | 109,054 | h61 | 302 | 210 | 42,839 | 172,405 |
| h12 | 244 | 99 | 22,493 | 77,179 | h62 | 258 | 31 | 21,171 | 64,441 |
| h13 | 155 | 53 | 9225 | 30,429 | h63 | 500 | 202 | 119,301 | 398,503 |
| h14 | 214 | 80 | 16,048 | 54,462 | h64 | 258 | 40 | 21,180 | 65,098 |
| h15 | 237 | 101 | 18,474 | 65,520 | h65 | 293 | 119 | 32,621 | 111,903 |
| h16 | 175 | 35 | 12,096 | 37,476 | h66 | 138 | 69 | 9212 | 32,326 |
| h17 | 263 | 29 | 27,162 | 82,296 | h67 | 316 | 243 | 49,213 | 206,443 |
| h18 | 231 | 37 | 18,499 | 56,827 | h68 | 258 | 39 | 21,179 | 65,017 |
| h19 | 271 | 54 | 33,926 | 104,638 | h69 | 258 | 41 | 21,181 | 65,181 |
| h20 | 231 | 36 | 17,472 | 53,674 | h70 | 284 | 26 | 28,792 | 87,024 |
| h21 | 258 | 43 | 21,183 | 65,353 | h71 | 500 | 207 | 119,306 | 400,558 |
| h22 | 189 | 66 | 10,287 | 35,149 | h72 | 260 | 53 | 13,333 | 42,753 |
| h23 | 296 | 36 | 23,011 | 70,291 | h73 | 500 | 210 | 119,309 | 401,815 |
| h24 | 259 | 32 | 16,551 | 50,643 | h74 | 258 | 33 | 21,173 | 64,573 |
| h25 | 231 | 36 | 18,498 | 56,752 | h75 | 283 | 57 | 32,424 | 100,462 |
| h26 | 157 | 46 | 10,815 | 34,513 | h76 | 319 | 222 | 45,664 | 186,052 |
| h27 | 282 | 162 | 37,101 | 137,383 | h77 | 408 | 124 | 57,697 | 188,341 |
| h28 | 245 | 50 | 11,845 | 37,983 | h78 | 961 | 62 | 446,926 | 1,344,558 |
| h29 | 172 | 44 | 14,142 | 44,316 | h79 | 961 | 72 | 446,936 | 1,345,918 |
| h30 | 180 | 36 | 12,786 | 39,616 | h80 | 333 | 37 | 33,496 | 101,818 |
| h31 | 324 | 37 | 29,130 | 88,720 | h81 | 500 | 228 | 119,327 | 409,735 |
| h32 | 154 | 56 | 11,129 | 36,465 | h82 | 224 | 50 | 21,418 | 66,702 |
| h33 | 154 | 57 | 11,130 | 36,580 | h83 | 500 | 226 | 119,325 | 408,823 |
| h34 | 260 | 259 | 33,463 | 167,209 | h84 | 159 | 68 | 11,137 | 37,965 |
| h35 | 288 | 195 | 37,422 | 150,094 | h85 | 500 | 227 | 119,326 | 409,278 |
| h36 | 266 | 114 | 23,530 | 83,470 | h86 | 501 | 500 | 105,952 | 567,354 |
| h37 | 287 | 117 | 31,277 | 107,401 | h87 | 500 | 225 | 119,324 | 408,370 |
| h38 | 385 | 53 | 45,247 | 138,495 | h88 | 272 | 31 | 18,201 | 55,531 |
| h39 | 323 | 135 | 48,601 | 163,891 | h89 | 467 | 466 | 55,858 | 384,262 |
| h40 | 201 | 79 | 12,522 | 43,726 | h90 | 500 | 218 | 119,317 | 405,255 |
| h41 | 270 | 28 | 31,245 | 94,489 | h91 | 500 | 251 | 119,350 | 420,798 |
| h42 | 143 | 52 | 9150 | 30,100 | h92 | 258 | 34 | 21,174 | 64,642 |
| h43 | 265 | 29 | 23,504 | 71,322 | h93 | 500 | 237 | 119,336 | 413,938 |
| h44 | 261 | 50 | 12,661 | 40,431 | h94 | 258 | 38 | 21,178 | 64,938 |
| h45 | 323 | 129 | 48,595 | 162,295 | h95 | 500 | 238 | 119,337 | 414,415 |
| h46 | 285 | 26 | 29,014 | 87,690 | h96 | 194 | 57 | 16,780 | 53,530 |
| h47 | 292 | 229 | 41,987 | 178,171 | h97 | 258 | 36 | 21,176 | 64,786 |
| h48 | 270 | 29 | 16,946 | 51,648 | h98 | 500 | 229 | 119,328 | 410,194 |
| h49 | 621 | 110 | 149,219 | 459,645 | h99 | 500 | 233 | 119,332 | 412,050 |

Table 10: Family “i”: List of satisfiable VLSAT-3 formulas written in QF_IDL logic

| name | #variables | card | #asserts | #ops | name | #variables | card | #asserts | #ops |
|------|------------|----------|----------|---------|------|------------|----------|----------|-----------|
| i00 | 215 | ∞ | 19,420 | 62,056 | i50 | 704 | ∞ | 245,856 | 1,176,046 |
| i01 | 236 | ∞ | 19,484 | 61,252 | i51 | 802 | ∞ | 309,062 | 1,427,170 |
| i02 | 228 | ∞ | 19,386 | 86,806 | i52 | 800 | ∞ | 314,447 | 1,512,047 |
| i03 | 200 | ∞ | 19,625 | 88,973 | i53 | 252 | ∞ | 31,647 | 139,789 |
| i04 | 160 | ∞ | 12,490 | 53,526 | i54 | 511 | ∞ | 130,476 | 653,056 |
| i05 | 273 | ∞ | 29,938 | 115,552 | i55 | 834 | ∞ | 218,412 | 683,318 |
| i06 | 150 | ∞ | 11,175 | 46,073 | i56 | 813 | ∞ | 300,190 | 1,493,444 |
| i07 | 191 | ∞ | 12,636 | 43,778 | i57 | 926 | ∞ | 378,528 | 1,795,514 |
| i08 | 270 | ∞ | 17,901 | 87,865 | i58 | 224 | ∞ | 24,788 | 104,740 |
| i09 | 159 | ∞ | 11,229 | 50,753 | i59 | 499 | ∞ | 124,750 | 623,748 |
| i10 | 162 | ∞ | 13,122 | 59,128 | i60 | 606 | ∞ | 183,500 | 908,440 |
| i11 | 287 | ∞ | 31,448 | 141,088 | i61 | 444 | ∞ | 47,338 | 181,586 |
| i12 | 244 | ∞ | 19,020 | 62,316 | i62 | 813 | ∞ | 300,190 | 1,520,938 |
| i13 | 315 | ∞ | 47,970 | 197,438 | i63 | 800 | ∞ | 314,447 | 1,482,059 |
| i14 | 489 | ∞ | 55,884 | 214,100 | i64 | 252 | ∞ | 31,597 | 133,105 |
| i15 | 112 | ∞ | 6064 | 27,186 | i65 | 756 | ∞ | 153,961 | 599,233 |
| i16 | 144 | ∞ | 8176 | 30,886 | i66 | 736 | ∞ | 267,936 | 1,288,878 |
| i17 | 159 | ∞ | 12,665 | 60,353 | i67 | 752 | ∞ | 282,287 | 1,391,359 |
| i18 | 252 | ∞ | 31,379 | 117,289 | i68 | 859 | ∞ | 298,000 | 996,732 |
| i19 | 527 | ∞ | 87,908 | 324,356 | i69 | 709 | ∞ | 130,363 | 526,635 |
| i20 | 625 | ∞ | 96,444 | 381,918 | i70 | 622 | ∞ | 192,992 | 941,358 |
| i21 | 584 | ∞ | 84,282 | 324,604 | i71 | 762 | ∞ | 290,182 | 1,451,944 |
| i22 | 584 | ∞ | 84,282 | 335,912 | i72 | 830 | ∞ | 342,480 | 1,672,436 |
| i23 | 480 | ∞ | 92,070 | 290,398 | i73 | 919 | ∞ | 361,735 | 1,362,921 |
| i24 | 249 | ∞ | 23,764 | 106,808 | i74 | 498 | ∞ | 124,202 | 619,214 |
| i25 | 502 | ∞ | 60,716 | 232,602 | i75 | 500 | ∞ | 125,250 | 626,248 |
| i26 | 589 | ∞ | 83,903 | 320,961 | i76 | 520 | ∞ | 135,460 | 677,298 |
| i27 | 559 | ∞ | 77,529 | 301,095 | i77 | 830 | ∞ | 342,480 | 1,717,166 |
| i28 | 579 | ∞ | 78,666 | 300,896 | i78 | 511 | ∞ | 130,449 | 647,427 |
| i29 | 625 | ∞ | 96,444 | 384,100 | i79 | 830 | ∞ | 338,025 | 1,634,371 |
| i30 | 170 | ∞ | 12,010 | 48,068 | i80 | 756 | ∞ | 153,961 | 600,551 |
| i31 | 329 | ∞ | 52,913 | 188,627 | i81 | 802 | ∞ | 321,602 | 1,608,804 |
| i32 | 625 | ∞ | 96,444 | 383,010 | i82 | 818 | ∞ | 324,914 | 1,566,002 |
| i33 | 224 | ∞ | 24,788 | 105,022 | i83 | 250 | ∞ | 30,881 | 115,591 |
| i34 | 498 | ∞ | 124,202 | 619,126 | i84 | 752 | ∞ | 282,437 | 1,413,559 |
| i35 | 498 | ∞ | 124,202 | 619,384 | i85 | 216 | ∞ | 22,500 | 94,064 |
| i36 | 260 | ∞ | 33,465 | 161,933 | i86 | 834 | ∞ | 347,625 | 1,739,261 |
| i37 | 277 | ∞ | 34,144 | 122,076 | i87 | 798 | ∞ | 168,909 | 678,521 |
| i38 | 623 | ∞ | 95,106 | 375,406 | i88 | 549 | ∞ | 70,640 | 270,326 |
| i39 | 623 | ∞ | 95,106 | 376,498 | i89 | 575 | ∞ | 165,568 | 827,900 |
| i40 | 498 | ∞ | 124,202 | 621,104 | i90 | 365 | ∞ | 60,366 | 215,146 |
| i41 | 524 | ∞ | 137,318 | 677,740 | i91 | 1098 | ∞ | 303,971 | 981,191 |
| i42 | 405 | ∞ | 76,926 | 378,694 | i92 | 560 | ∞ | 75,758 | 289,930 |
| i43 | 645 | ∞ | 102,997 | 408,127 | i93 | 804 | ∞ | 293,357 | 1,210,883 |
| i44 | 645 | ∞ | 102,997 | 411,499 | i94 | 490 | ∞ | 120,295 | 601,473 |
| i45 | 219 | ∞ | 23,292 | 94,798 | i95 | 160 | ∞ | 12,490 | 53,328 |
| i46 | 409 | ∞ | 76,114 | 271,068 | i96 | 1081 | ∞ | 451,115 | 1,364,133 |
| i47 | 615 | ∞ | 94,241 | 368,339 | i97 | 1329 | ∞ | 509,080 | 1,540,508 |
| i48 | 164 | ∞ | 13,466 | 63,296 | i98 | 575 | ∞ | 164,438 | 751,882 |
| i49 | 606 | ∞ | 183,500 | 908,240 | i99 | 1324 | ∞ | 497,123 | 1,501,947 |

Table 11: Family “j”: List of satisfiable VLSAT-3 formulas written in QF_UFBV logic

| name | card _{in} | card _{out} | #asserts | #ops | name | card _{in} | card _{out} | #asserts | #ops |
|------|--------------------|---------------------|----------|---------|------|--------------------|---------------------|----------|---------|
| j00 | 2 ⁶ | 2 ³⁰ | 1000 | 6908 | j50 | 2 ¹⁰ | 2 ⁷⁷ | 62,937 | 439,427 |
| j01 | 2 ⁶ | 2 ²⁵ | 1250 | 8648 | j51 | 2 ¹⁰ | 2 ⁷⁸ | 62,937 | 439,429 |
| j02 | 2 ⁶ | 2 ³⁰ | 1280 | 8853 | j52 | 2 ⁹ | 2 ¹⁴ | 73,016 | 509,698 |
| j03 | 2 ⁶ | 2 ³⁰ | 1665 | 11,533 | j53 | 2 ⁹ | 2 ⁵⁶ | 76,114 | 531,681 |
| j04 | 2 ⁶ | 2 ³⁰ | 1719 | 11,911 | j54 | 2 ⁹ | 2 ⁵⁶ | 76,216 | 532,395 |
| j05 | 2 ⁷ | 2 ⁴⁰ | 4770 | 33,168 | j55 | 2 ¹⁰ | 2 ⁶¹ | 77,529 | 541,146 |
| j06 | 2 ¹¹ | 2 ⁹⁸ | 6048 | 42,200 | j56 | 2 ¹⁰ | 2 ⁶³ | 82,118 | 573,207 |
| j07 | 2 ¹¹ | 2 ¹⁰⁸ | 7768 | 54,215 | j57 | 2 ¹⁰ | 2 ⁶² | 83,903 | 585,676 |
| j08 | 2 ⁸ | 2 ⁵¹ | 8610 | 59,968 | j58 | 2 ⁹ | 2 ⁴³ | 85,677 | 598,458 |
| j09 | 2 ⁸ | 2 ³² | 12,394 | 86,226 | j59 | 2 ¹⁰ | 2 ⁶² | 87,124 | 608,163 |
| j10 | 2 ⁸ | 2 ³⁸ | 16,841 | 117,406 | j60 | 2 ⁹ | 2 ²¹ | 93,051 | 650,074 |
| j11 | 2 ⁸ | 2 ⁹³ | 18,397 | 128,387 | j61 | 2 ⁹ | 2 ⁵⁷ | 114,402 | 799,432 |
| j12 | 2 ⁸ | 2 ⁵⁰ | 18,611 | 129,787 | j62 | 2 ⁹ | 2 ⁸¹ | 114,402 | 799,480 |
| j13 | 2 ⁸ | 2 ¹⁰⁰ | 18,675 | 130,323 | j63 | 2 ⁹ | 2 ⁸² | 114,402 | 799,482 |
| j14 | 2 ⁸ | 2 ⁷⁵ | 18,975 | 132,373 | j64 | 2 ⁹ | 2 ⁸³ | 114,402 | 799,484 |
| j15 | 2 ⁸ | 2 ¹²⁰ | 19,495 | 136,013 | j65 | 2 ⁹ | 2 ⁸⁴ | 114,402 | 799,486 |
| j16 | 2 ⁸ | 2 ⁷⁵ | 19,735 | 137,693 | j66 | 2 ⁹ | 2 ⁸⁵ | 114,402 | 799,488 |
| j17 | 2 ⁸ | 2 ¹⁹⁹ | 19,900 | 139,099 | j67 | 2 ⁷ | 2 ³³ | 2178 | 15,112 |
| j18 | 2 ⁹ | 2 ⁶⁸ | 21,399 | 149,153 | j68 | 2 ⁷ | 2 ³⁷ | 2738 | 19,016 |
| j19 | 2 ⁹ | 2 ⁶⁹ | 21,399 | 149,155 | j69 | 2 ⁷ | 2 ⁴⁰ | 2970 | 20,628 |
| j20 | 2 ⁹ | 2 ⁷⁰ | 21,399 | 149,157 | j70 | 2 ¹¹ | 2 ⁸⁸ | 5458 | 38,065 |
| j21 | 2 ⁹ | 2 ⁷¹ | 21,399 | 149,159 | j71 | 2 ⁸ | 2 ⁴¹ | 9962 | 69,388 |
| j22 | 2 ⁹ | 2 ⁶⁴ | 21,696 | 151,341 | j72 | 2 ⁸ | 2 ¹⁰⁴ | 12,665 | 88,384 |
| j23 | 2 ¹² | 2 ⁸¹ | 24,788 | 173,004 | j73 | 2 ⁹ | 2 ³⁰ | 21,399 | 149,077 |
| j24 | 2 ⁹ | 2 ²¹ | 25,411 | 176,594 | j74 | 2 ⁸ | 2 ⁵⁶ | 23,613 | 164,741 |
| j25 | 2 ⁹ | 2 ⁷⁵ | 31,017 | 216,349 | j75 | 2 ⁸ | 2 ¹³² | 25,662 | 179,212 |
| j26 | 2 ⁹ | 2 ¹⁵⁷ | 33,964 | 237,274 | j76 | 2 ⁹ | 2 ⁷² | 42,220 | 294,770 |
| j27 | 2 ⁹ | 2 ⁵¹ | 38,293 | 267,254 | j77 | 2 ⁹ | 2 ¹⁴ | 75,529 | 527,289 |
| j28 | 2 ⁹ | 2 ⁶⁵ | 40,287 | 281,159 | j78 | 2 ¹⁰ | 2 ⁶⁸ | 3548 | 24,715 |
| j29 | 2 ⁹ | 2 ²²⁹ | 43,029 | 300,579 | j79 | 2 ⁷ | 2 ⁴⁵ | 3924 | 27,286 |
| j30 | 2 ⁹ | 2 ²³¹ | 43,029 | 300,583 | j80 | 2 ⁷ | 2 ⁴⁸ | 5848 | 40,694 |
| j31 | 2 ⁹ | 2 ²³² | 43,029 | 300,585 | j81 | 2 ⁸ | 2 ¹⁰⁰ | 13,466 | 93,968 |
| j32 | 2 ⁹ | 2 ²³³ | 43,029 | 300,587 | j82 | 2 ⁷ | 2 ⁵⁰ | 2745 | 19,073 |
| j33 | 2 ⁹ | 2 ²³⁴ | 43,029 | 300,589 | j83 | 2 ⁷ | 2 ⁶⁰ | 7029 | 48,961 |
| j34 | 2 ⁹ | 2 ²³⁵ | 43,029 | 300,591 | j84 | 2 ⁷ | 2 ⁶⁴ | 7680 | 53,502 |
| j35 | 2 ⁹ | 2 ²³⁶ | 43,029 | 300,593 | j85 | 2 ⁸ | 2 ³⁶ | 17,668 | 123,053 |
| j36 | 2 ⁹ | 2 ²³⁷ | 43,029 | 300,595 | j86 | 2 ⁸ | 2 ³⁶ | 18,694 | 130,235 |
| j37 | 2 ⁹ | 2 ²³⁸ | 43,029 | 300,597 | j87 | 2 ⁷ | 2 ⁵³ | 2956 | 20,565 |
| j38 | 2 ⁹ | 2 ²³⁹ | 43,029 | 300,599 | j88 | 2 ⁷ | 2 ³⁸ | 3524 | 24,475 |
| j39 | 2 ⁹ | 2 ²⁴⁰ | 43,029 | 300,601 | j89 | 2 ⁷ | 2 ⁶⁰ | 7200 | 50,158 |
| j40 | 2 ⁹ | 2 ²⁴¹ | 43,029 | 300,603 | j90 | 2 ⁹ | 2 ¹⁵⁰ | 44,559 | 311,311 |
| j41 | 2 ⁹ | 2 ⁵¹ | 43,522 | 303,797 | j91 | 2 ⁸ | 2 ⁷² | 20,264 | 141,342 |
| j42 | 2 ⁹ | 2 ⁹⁰ | 43,690 | 305,063 | j92 | 2 ⁹ | 2 ⁴¹ | 32,521 | 226,344 |
| j43 | 2 ⁹ | 2 ⁴⁴ | 46,286 | 323,125 | j93 | 2 ⁸ | 2 ⁶⁰ | 11,010 | 76,708 |
| j44 | 2 ⁹ | 2 ²¹⁰ | 49,105 | 343,193 | j94 | 2 ¹² | 2 ⁸⁰ | 24,788 | 173,002 |
| j45 | 2 ⁹ | 2 ¹⁰⁸ | 50,382 | 351,916 | j95 | 2 ¹⁰ | 2 ⁴⁴ | 62,937 | 439,361 |
| j46 | 2 ⁹ | 2 ¹⁵⁸ | 60,144 | 420,215 | j96 | 2 ⁷ | 2 ⁵³ | 4518 | 31,445 |
| j47 | 2 ¹⁰ | 2 ⁷³ | 62,937 | 439,419 | j97 | 2 ⁸ | 2 ⁹² | 18,397 | 128,385 |
| j48 | 2 ¹⁰ | 2 ⁷⁴ | 62,937 | 439,421 | j98 | 2 ⁸ | 2 ⁵⁰ | 11,175 | 77,873 |
| j49 | 2 ¹⁰ | 2 ⁷⁵ | 62,937 | 439,423 | j99 | 2 ⁸ | 2 ⁶⁸ | 11,229 | 78,260 |

Table 12: Family “k”: List of satisfiable VLSAT-3 formulas written in QF_UFDT logic

| name | card _{in} | card _{out} | #asserts | #ops | name | card _{in} | card _{out} | #asserts | #ops |
|------|--------------------|---------------------|----------|---------|------|--------------------|---------------------|----------|---------|
| k00 | 138 | 137 | 9515 | 75,249 | k50 | 233 | 32 | 23,648 | 119,664 |
| k01 | 138 | 118 | 9496 | 67,953 | k51 | 185 | 38 | 16,693 | 85,498 |
| k02 | 138 | 115 | 9493 | 66,900 | k52 | 258 | 41 | 21,181 | 108,283 |
| k03 | 164 | 125 | 13,132 | 88,660 | k53 | 400 | 399 | 79,897 | 636,890 |
| k04 | 200 | 126 | 19,550 | 121,123 | k54 | 621 | 95 | 149,204 | 759,225 |
| k05 | 200 | 127 | 19,551 | 121,504 | k55 | 621 | 112 | 149,221 | 764,529 |
| k06 | 200 | 136 | 19,560 | 125,068 | k56 | 201 | 79 | 12,522 | 71,695 |
| k07 | 200 | 137 | 19,561 | 125,479 | k57 | 292 | 225 | 41,798 | 284,140 |
| k08 | 200 | 138 | 19,562 | 125,893 | k58 | 159 | 68 | 11,137 | 62,383 |
| k09 | 258 | 48 | 21,188 | 109,228 | k59 | 245 | 47 | 11,165 | 58,974 |
| k10 | 194 | 174 | 18,850 | 139,055 | k60 | 187 | 38 | 17,059 | 87,328 |
| k11 | 233 | 93 | 20,295 | 114,123 | k61 | 258 | 30 | 21,170 | 107,095 |
| k12 | 258 | 44 | 21,184 | 108,670 | k62 | 233 | 32 | 23,702 | 119,934 |
| k13 | 213 | 41 | 8455 | 44,653 | k63 | 302 | 213 | 42,842 | 281,518 |
| k14 | 155 | 54 | 9226 | 50,315 | k64 | 172 | 44 | 14,208 | 73,790 |
| k15 | 244 | 32 | 15,921 | 81,029 | k65 | 292 | 39 | 21,479 | 109,540 |
| k16 | 241 | 26 | 13,403 | 67,938 | k66 | 256 | 16 | 9280 | 46,728 |
| k17 | 266 | 112 | 23,528 | 136,064 | k67 | 245 | 50 | 11,845 | 62,800 |
| k18 | 167 | 35 | 10,978 | 56,605 | k68 | 258 | 35 | 21,175 | 107,590 |
| k19 | 154 | 57 | 11,130 | 60,324 | k69 | 295 | 27 | 30,957 | 155,784 |
| k20 | 189 | 66 | 10,287 | 57,738 | k70 | 258 | 31 | 21,171 | 107,188 |
| k21 | 258 | 43 | 21,183 | 108,538 | k71 | 316 | 204 | 42,756 | 275,490 |
| k22 | 134 | 53 | 8528 | 46,668 | k72 | 316 | 243 | 49,213 | 333,788 |
| k23 | 249 | 26 | 13,916 | 70,503 | k73 | 150 | 50 | 11,074 | 58,945 |
| k24 | 187 | 65 | 10,000 | 56,110 | k74 | 279 | 29 | 17,595 | 89,135 |
| k25 | 247 | 30 | 15,528 | 78,885 | k75 | 258 | 32 | 21,172 | 107,284 |
| k26 | 259 | 32 | 16,588 | 84,364 | k76 | 258 | 40 | 21,180 | 108,160 |
| k27 | 296 | 35 | 23,010 | 116,765 | k77 | 258 | 42 | 21,182 | 108,409 |
| k28 | 194 | 68 | 10,870 | 61,048 | k78 | 365 | 364 | 65,923 | 527,085 |
| k29 | 265 | 29 | 23,504 | 118,680 | k79 | 261 | 50 | 12,661 | 66,880 |
| k30 | 157 | 46 | 10,815 | 57,088 | k80 | 308 | 125 | 33,841 | 192,205 |
| k31 | 168 | 35 | 11,143 | 57,430 | k81 | 500 | 216 | 119,315 | 665,803 |
| k32 | 154 | 56 | 11,129 | 60,153 | k82 | 500 | 220 | 119,319 | 668,425 |
| k33 | 265 | 29 | 23,537 | 118,845 | k83 | 500 | 229 | 119,328 | 674,500 |
| k34 | 203 | 78 | 13,190 | 74,803 | k84 | 500 | 223 | 119,322 | 670,423 |
| k35 | 292 | 34 | 26,255 | 132,890 | k85 | 500 | 226 | 119,325 | 672,448 |
| k36 | 180 | 36 | 12,786 | 65,748 | k86 | 500 | 218 | 119,317 | 667,108 |
| k37 | 274 | 171 | 35,066 | 218,593 | k87 | 500 | 222 | 119,321 | 669,754 |
| k38 | 208 | 83 | 13,289 | 76,488 | k88 | 315 | 314 | 49,630 | 394,945 |
| k39 | 252 | 201 | 31,545 | 217,623 | k89 | 2317 | 7 | 67,403 | 337,064 |
| k40 | 259 | 32 | 16,438 | 83,614 | k90 | 277 | 53 | 14,251 | 75,283 |
| k41 | 270 | 29 | 16,946 | 85,890 | k91 | 500 | 225 | 119,324 | 671,770 |
| k42 | 282 | 31 | 25,260 | 127,633 | k92 | 451 | 38 | 58,696 | 295,513 |
| k43 | 260 | 216 | 33,420 | 236,328 | k93 | 500 | 241 | 119,340 | 682,978 |
| k44 | 621 | 88 | 149,197 | 757,293 | k94 | 194 | 57 | 16,780 | 88,574 |
| k45 | 621 | 104 | 149,213 | 761,925 | k95 | 435 | 17 | 83,685 | 418,799 |
| k46 | 288 | 197 | 37,424 | 244,644 | k96 | 500 | 243 | 119,342 | 684,433 |
| k47 | 265 | 209 | 34,792 | 238,750 | k97 | 500 | 249 | 119,348 | 688,870 |
| k48 | 282 | 192 | 37,131 | 240,279 | k98 | 500 | 232 | 119,331 | 676,579 |
| k49 | 172 | 44 | 14,142 | 73,460 | k99 | 500 | 242 | 119,341 | 683,704 |

Table 13: Family “I”: List of satisfiable VLSAT-3 formulas written in QF_UFIDL logic

| name | card _{in} | card _{out} | #asserts | #ops | name | card _{in} | card _{out} | #asserts | #ops |
|------|--------------------|---------------------|----------|-----------|------|--------------------|---------------------|----------|-----------|
| 100 | ∞ | ∞ | 19,625 | 144,910 | 150 | ∞ | ∞ | 35,153 | 217,390 |
| 101 | ∞ | ∞ | 19,625 | 145,189 | 151 | ∞ | ∞ | 45,762 | 378,581 |
| 102 | ∞ | ∞ | 19,625 | 147,565 | 152 | ∞ | ∞ | 21,733 | 138,493 |
| 103 | ∞ | ∞ | 19,625 | 153,889 | 153 | ∞ | ∞ | 164,523 | 1,555,162 |
| 104 | ∞ | ∞ | 19,625 | 156,805 | 154 | ∞ | ∞ | 38,293 | 235,745 |
| 105 | ∞ | ∞ | 19,625 | 157,978 | 155 | ∞ | ∞ | 77,738 | 632,091 |
| 106 | ∞ | ∞ | 13,890 | 158,430 | 156 | ∞ | ∞ | 46,406 | 379,702 |
| 107 | ∞ | ∞ | 21,173 | 132,481 | 157 | ∞ | ∞ | 65,043 | 672,530 |
| 108 | ∞ | ∞ | 17,209 | 104,878 | 158 | ∞ | ∞ | 18,443 | 115,570 |
| 109 | ∞ | ∞ | 19,420 | 166,325 | 159 | ∞ | ∞ | 37,418 | 233,652 |
| 110 | ∞ | ∞ | 16,918 | 111,755 | 160 | ∞ | ∞ | 63,936 | 511,060 |
| 111 | ∞ | ∞ | 45,580 | 273,055 | 161 | ∞ | ∞ | 77,738 | 617,841 |
| 112 | ∞ | ∞ | 12,108 | 93,498 | 162 | ∞ | ∞ | 36,990 | 230,767 |
| 113 | ∞ | ∞ | 25,512 | 150,310 | 163 | ∞ | ∞ | 54,201 | 335,497 |
| 114 | ∞ | ∞ | 24,224 | 152,474 | 164 | ∞ | ∞ | 63,423 | 381,370 |
| 115 | ∞ | ∞ | 47,966 | 297,573 | 165 | ∞ | ∞ | 164,523 | 1,553,947 |
| 116 | ∞ | ∞ | 24,725 | 154,603 | 166 | ∞ | ∞ | 22,141 | 621,577 |
| 117 | ∞ | ∞ | 45,580 | 272,023 | 167 | ∞ | ∞ | 55,352 | 451,949 |
| 118 | ∞ | ∞ | 32,105 | 258,500 | 168 | ∞ | ∞ | 9117 | 61,366 |
| 119 | ∞ | ∞ | 47,966 | 299,760 | 169 | ∞ | ∞ | 96,444 | 623,123 |
| 120 | ∞ | ∞ | 32,105 | 250,382 | 170 | ∞ | ∞ | 95,106 | 619,200 |
| 121 | ∞ | ∞ | 32,105 | 261,830 | 171 | ∞ | ∞ | 26,548 | 167,332 |
| 122 | ∞ | ∞ | 5689 | 42,992 | 172 | ∞ | ∞ | 72,225 | 680,480 |
| 123 | ∞ | ∞ | 36,971 | 215,672 | 173 | ∞ | ∞ | 24,071 | 154,593 |
| 124 | ∞ | ∞ | 16,443 | 103,568 | 174 | ∞ | ∞ | 82,118 | 536,371 |
| 125 | ∞ | ∞ | 23,058 | 149,877 | 175 | ∞ | ∞ | 7401 | 56,958 |
| 126 | ∞ | ∞ | 24,071 | 155,403 | 176 | ∞ | ∞ | 12,931 | 81,843 |
| 127 | ∞ | ∞ | 38,293 | 235,010 | 177 | ∞ | ∞ | 56,145 | 466,238 |
| 128 | ∞ | ∞ | 9521 | 59,019 | 178 | ∞ | ∞ | 69,298 | 573,873 |
| 129 | ∞ | ∞ | 18,687 | 118,766 | 179 | ∞ | ∞ | 148,022 | 1,222,049 |
| 130 | ∞ | ∞ | 35,170 | 285,487 | 180 | ∞ | ∞ | 54,241 | 446,019 |
| 131 | ∞ | ∞ | 47,966 | 296,475 | 181 | ∞ | ∞ | 65,248 | 533,565 |
| 132 | ∞ | ∞ | 11,111 | 70,969 | 182 | ∞ | ∞ | 105,954 | 906,016 |
| 133 | ∞ | ∞ | 35,170 | 288,262 | 183 | ∞ | ∞ | 76,532 | 624,755 |
| 134 | ∞ | ∞ | 37,222 | 295,533 | 184 | ∞ | ∞ | 70,279 | 583,885 |
| 135 | ∞ | ∞ | 37,222 | 301,869 | 185 | ∞ | ∞ | 99,132 | 637,527 |
| 136 | ∞ | ∞ | 32,521 | 480,524 | 186 | ∞ | ∞ | 60,423 | 495,192 |
| 137 | ∞ | ∞ | 57,982 | 417,135 | 187 | ∞ | ∞ | 282,437 | 2,260,054 |
| 138 | ∞ | ∞ | 15,332 | 155,238 | 188 | ∞ | ∞ | 60,627 | 512,697 |
| 139 | ∞ | ∞ | 22,683 | 143,005 | 189 | ∞ | ∞ | 77,240 | 649,222 |
| 140 | ∞ | ∞ | 46,406 | 375,310 | 190 | ∞ | ∞ | 102,997 | 667,458 |
| 141 | ∞ | ∞ | 57,982 | 417,990 | 191 | ∞ | ∞ | 17,096 | 130,103 |
| 142 | ∞ | ∞ | 47,970 | 388,525 | 192 | ∞ | ∞ | 64,039 | 615,010 |
| 143 | ∞ | ∞ | 65,043 | 668,252 | 193 | ∞ | ∞ | 245,802 | 1,967,854 |
| 144 | ∞ | ∞ | 12,212 | 85,119 | 194 | ∞ | ∞ | 15,446 | 90,617 |
| 145 | ∞ | ∞ | 43,834 | 363,240 | 195 | ∞ | ∞ | 68,549 | 576,499 |
| 146 | ∞ | ∞ | 16,666 | 106,186 | 196 | ∞ | ∞ | 183,500 | 1,468,046 |
| 147 | ∞ | ∞ | 125,692 | 1,006,204 | 197 | ∞ | ∞ | 10,635 | 67,890 |
| 148 | ∞ | ∞ | 35,624 | 222,364 | 198 | ∞ | ∞ | 321,602 | 2,572,404 |
| 149 | ∞ | ∞ | 47,338 | 295,161 | 199 | ∞ | ∞ | 79,681 | 652,354 |

References

- [1] Clark Barrett, Pascal Fontaine, and Cesare Tinelli. The SMT-LIB Standard: Version 2.6. Technical report, Department of Computer Science, The University of Iowa, Iowa City, Iowa, USA, June 2017. Available from <http://smt-lib.org>.
- [2] Pierre Bouvier and Hubert Garavel. The VLSAT-1 Benchmark Suite. Technical Report RT-0510, INRIA, Grenoble, France, November 2020. Available from <https://hal.inria.fr/hal-03007233> and <https://arxiv.org/abs/2011.11049>.
- [3] Pierre Bouvier and Hubert Garavel. The VLSAT-2 Benchmark Suite. Technical Report RT-0514, INRIA, Grenoble, France, September 2021. Available from <https://hal.inria.fr/hal-03337115> and <https://arxiv.org/abs/2110.06336>.
- [4] Pierre Bouvier, Hubert Garavel, and Hernán Ponce de León. Automatic Decomposition of Petri Nets into Automata Networks – A Synthetic Account. In Ryszard Janicki, Natalia Sidorova, and Thomas Chatain, editors, *Proceedings of the 41st International Conference on Application and Theory of Petri Nets and Concurrency (PETRI NETS'20), Paris, France*, volume 12152 of *Lecture Notes in Computer Science*, pages 3–23. Springer, June 2020.
- [5] Hubert Garavel. Nested-Unit Petri Nets. *Journal of Logical and Algebraic Methods in Programming*, 104:60–85, April 2019.
- [6] Marc Jasper, Maximilian Fecke, Bernhard Steffen, Markus Schordan, Jeroen Meijer, Jaco van de Pol, Falk Howar, and Stephen F. Siegel. The RERS 2017 Challenge and Workshop. In Hakan Erdogmus and Klaus Havelund, editors, *Proceedings of the 24th ACM SIGSOFT International SPIN Symposium on Model Checking of Software (SPIN'17), Santa Barbara, CA, USA*, pages 11–20. ACM, July 2017.
- [7] Marc Jasper, Malte Mues, Alnis Murtovi, Maximilian Schlüter, Falk Howar, Bernhard Steffen, Markus Schordan, Dennis Hendriks, Ramon R. H. Schiffelers, Harco Kuppens, and Frits W. Vaandrager. RERS 2019: Combining Synthesis with Real-World Models. In Dirk Beyer, Marieke Huisman, Fabrice Kordon, and Bernhard Steffen, editors, *Proceedings of the 25th International Conference on Tools and Algorithms for the Construction and Analysis of Systems (TACAS'19), Part III: TOOLympics, Prague, Czech Republic*, pages 101–115. Springer, April 2019.
- [8] Fabrice Kordon, Hubert Garavel, Lom Messan Hillah, Emmanuel Paviot-Adet, Loïc Jezequel, Francis Hulin-Hubard, Elvio Amparore, Marco Beccuti, Bernard Berthomieu, Hugues Evrard, Peter G. Jensen, Didier Le Botlan, Torsten Liebke, Jeroen Meijer, Jiří Srba, Yann Thierry-Mieg, Jaco van de Pol, and Karsten Wolf. MCC'2017 – The Seventh Model Checking Contest. *Transactions on Petri Nets and Other Models of Concurrency*, XIII:181–209, 2018.
- [9] Fabrice Kordon, Hubert Garavel, Lom Messan Hillah, Emmanuel Paviot-Adet, Loïc Jezequel, César Rodríguez, and Francis Hulin-Hubard. MCC'2015 – The Fifth Model Checking Contest. *Transactions on Petri Nets and Other Models of Concurrency*, XI:262–273, 2016.
- [10] Bernhard Steffen, Marc Jasper, Jeroen Meijer, and Jaco van de Pol. Property-Preserving Generation of Tailored Benchmark Petri Nets. In *Proceedings of the 17th International Conference on Application of Concurrency to System Design (ACSD'17), Zaragoza, Spain*, pages 1–8. IEEE Computer Society, June 2017.



**RESEARCH CENTRE
GRENOBLE – RHÔNE-ALPES**

Inovallée
655 avenue de l'Europe Montbonnot
38334 Saint Ismier Cedex

Publisher
Inria
Domaine de Voluceau - Rocquencourt
BP 105 - 78153 Le Chesnay Cedex
inria.fr

ISSN 0249-0803