Aesthetics of Sanskrit Poetry from the Perspective of Computational Linguistics: A Case Study Analysis on Śikṣāṣṭaka

Jivnesh Sandhan¹, Amruta Barbadikar², Malay Maity², Pavankumar Satuluri³, Tushar Sandhan¹, Ravi M. Gupta⁴, Pawan Goyal⁵ and Laxmidhar Behera^{1,6}

> ¹IIT Kanpur, ²University of Hyderabad, ³IIT Roorkee, ⁴Utah State University, ⁵IIT Kharagpur, ⁶IIT Mandi jivneshsandhan@gmail.com,pawang@cse.iitkgp.ac.in

Abstract

Sanskrit poetry has played a significant role in shaping the literary and cultural landscape of the Indian subcontinent for centuries. However, not much attention has been devoted to uncovering the hidden beauty of Sanskrit poetry in computational linguistics. This article explores the intersection of Sanskrit poetry and computational linguistics by proposing a roadmap of an interpretable framework to analyze and classify the qualities and characteristics of fine Sanskrit poetry. We discuss the rich tradition of Sanskrit poetry and the significance of computational linguistics in automatically identifying the characteristics of fine poetry. We also identify various computational challenges involved in this process, including subjectivity, rich language use, cultural context and lack of large labeled datasets. The proposed framework involves a human-in-the-loop approach that combines deterministic aspects delegated to machines and deep semantics left to human experts.

We provide a deep analysis of Siksastaka, a Sanskrit poem, from the perspective of 6 prominent kavyasastric schools, to illustrate the proposed framework. Additionally, we provide compound, dependency, *anvaya* (prose order linearised form), meter, *rasa* (mood), *alańkāra* (figure of speech), and *rīti* (writing style) annotations for *Siksāstaka* and a web application to illustrate the poem's analysis and annotations. Our key contributions include the proposed framework, the analysis of *Siksāstaka*, the annotations and the web application¹ for future research. We aim to bridge the gap between *kāvyasāstra* and computational methods and pave the way for future research.

1 Introduction

Sanskrit literature has a rich and diverse tradition that has played a significant role in shaping the literary and cultural landscape of the Indian subcontinent for centuries (Pollock, 2006; Jamison and Brereton, 2014). With its complex grammatical rules and nuanced vocabulary, the Sanskrit language has provided a fertile ground for poets to craft intricate and evocative stanzas that capture the key elements of human experience (Pollock, 1996). From the ancient epics like the Rāmāyaṇa and the Mahābhārata, to the lyrical works of Kālidasa and Bhartṛhari etc. Sanskrit poetry has embodied the key elements of Indian thought and culture, providing inspiration and contemplation for generations of readers and scholars. However, the researchers in the computational linguistics community have not devoted much attention to uncovering the hidden beauty in Sanskrit poetry (Scharf et al., 2015).

The computational linguistic research community could be interested in identifying fine poetry for various reasons, including the need to evaluate machine-generated poetry (Agarwal and Kann, 2020; Van de Cruys, 2020; Li et al., 2020; Hopkins and Kiela, 2017), translating poetry (Yang et al., 2019; Ghazvininejad et al., 2018; Krishna et al., 2019), to gain a deeper understanding of poetic language (Haider, 2021; Hämäläinen and Alnajjar, 2019; Waltz, 1975), and to develop recommender systems (Zhang et al., 2020; Foley IV, 2019) for readers interested in poetry. By analyzing large corpora of poetry (Haider, 2021; Haider et al., 2020; Gopidi and Alam, 2019; Fairley, 1969) and identifying the most outstanding examples, researchers can improve evaluation metrics for machine-generated poetry (Yi et al., 2018; Liu et al., 2019; Ghazvininejad et al., 2017; Gonçalo Oliveira, 2017), develop new models and techniques for natural language processing (Hu and Sun, 2020), and preserve cultural heritage. Furthermore, personalized recommendations for readers can be developed based on their preferences.

Analyzing and identifying the characteristics of fine poetry automatically presents several computational challenges, including: (1) Subjectivity: The

¹Link for interactive analysis of *Śikṣāṣtaka*: https:// sanskritshala.github.io/shikshastakam/

perception of what makes a poem "good" is subjective and can vary widely among individuals and cultures (Sheng and Uthus, 2020). Developing a computational model that can accurately capture and evaluate the aesthetic qualities of a poem is therefore challenging. (2) Rich language use: Poetry often employs complex language use, including metaphors, similes, allusions, and wordplay, which can be difficult for computational models to understand and generate (Chakrabarty et al., 2021). (3) Cultural context: Poetry is often deeply rooted in cultural and historical contexts (Gopidi and Alam, 2019), which can be challenging for automated systems to comprehend and incorporate. (4) Lack of large labeled datasets: The development of automated systems to identify the characteristics of fine poetry relies on large, labeled datasets, which can be difficult to create due to the subjective nature of poetry and the diversity of cultural and linguistic contexts (Al-Ghamdi et al., 2021; Horváth et al., 2022). Overall, the computational challenges of identifying the characteristics of fine poetry automatically include the development of sophisticated algorithms that can account for the subjective nature of poetry, understand complex language use, incorporate cultural context and work with limited labeled data.

In this article, we aim to address the question of whether we can build an automated and interpretable framework to analyze and classify Sanskrit poetry (kāvya) (Kesarwani et al., 2017) into levels of the characteristics of fine composition. This framework has the potential to answer interesting questions such as given two kāvyas, which one is more beautiful and why. It could also serve as a valuable tool for pedagogical purposes. The kāvyaśāstra provides various perspectives for the analysis of poetry, and we select a Siksāstaka composition² to analyze from these different perspectives. We also aim to discuss whether computational methods can aid in similar analysis and the limitations of existing state-of-the-art methods. Our proposed framework involves a human-in-theloop approach (Zhipeng et al., 2019; Ghazvininejad et al., 2017), where deterministic aspects are delegated to machines, and deep semantics are left to human experts. We hope that with further development, this framework can eventually become fully automated, enhancing the appreciation of Sanskrit

²Refer to the actual piece and its translation in Appendix A.

poetry's inner beauty for neophytes and Sanskrit enthusiasts alike. We believe that this work can serve as a stepping stone, bridging the gap between the tradition of $k\bar{a}vyas\bar{a}stra$ and computational methods, and paving the way for future research.

Our key contributions are as follows:

- 1. We propose a roadmap of human-in-loop and interpretable framework to classify Sanskrit poetry into levels of the characteristics of fine composition (§4).
- 2. We illustrate the proposed framework by providing a deep analysis of *Śikṣāṣṭaka* from the perspective of 6 prominent *kāvyaśāstra* schools (§3).
- We provide compound, dependency, *anvaya*, meter, *rasa*, alankāra, *rīti* annotations for *Śikşāṣṭaka* (§5).
- 4. We also provide web application³ to illustrate our *Śikṣāṣṭaka* analysis and annotations (§5).
- 5. We publicly release our codebase of framework and web-application for future research⁴

2 Background

The 6 main schools of kāvyaśāstra (Poetics): kāvyaśāstra is the traditional Indian science of poetics and literary criticism, which has played a significant role in shaping the development of literature and aesthetics in the Indian subcontinent for over two thousand years. The term "kāvya" refers to poetry or literature, while "Śāstra" means science or knowledge, and kāvyaśāstra is thus the systematic study of the nature, forms, and principles of poetry and literature. The roots of kāvyaśāstra can be traced back to ancient India, where it developed alongside other branches of learning such as philosophy, grammar, and rhetoric. Over time, kāvyaśāstra evolved into a complex and sophisticated system of poetics, encompassing a wide range of concepts and techniques for analyzing and appreciating poetry, such as rasa (mood of poetry), alankāra (the use of rhetorical and figurative devices), dhvani (superiority of suggestive meaning), vakrokti (oblique), aucitya (appropriateness) and rīti (style of writing).

³Link for interactive analysis of *Śikṣāṣṭaka*: https:// sanskritshala.github.io/shikshastakam/

⁴https://github.com/sanskritshala/ shikshastakam

School	Founder	Treatise	Objective	English meaning
rasa	Bharatamunī	nātyaśāstra	na hi rasadṛte kaścidarthaḥ	No meaning proceeds, if
			pravartate	a poetry does not carries <i>rasa</i> .
alaṅkāra	Bhāmaha	Kāvyālaṅkāra	rūpakādiralamkārah tasyānyairvahudhoditah na kāntamapi nirbhūsam vibhāti vanitāmukham	Alankāras are vital for po- etic beauty, just like or- naments for a charming woman's face.
rīti	Vāmana	Kāvyālankāra- sūtravrtti	rītirātmā kāvyasya	Poetic style (<i>rīti</i>) is the soul of poetry.
dhvani	Ānandavardhana	Dhvanyāloka	kāvyasyātmā dhvaniḥ	<i>dhvani</i> is the soul of po- etry.
vakrokti	Kuntaka	<i>vakrokti-</i> jīvitam	vakroktih kāvyajīvitam	<i>vakrokti</i> is the vital ele- ment of the poetry.
aucitya	Kșemendra	<i>aucitya</i> -vicāra- carcā	aucityam rasasiddhasya sthiram kāvyasya jīvitam	Propriety is the stable vi- tal element of the poetry full of <i>rasa</i> .

Table 1: Chronological overview of 6 schools of kāvyaśāstra with founder ācārya, their treatise and objectives.

chandaśśāstra is the traditional Indian science of meter and versification in poetry, dating back to the Vedic period. It involves the systematic study of the principles, forms, and structures of meter and versification in poetry, including the use of various poetic devices and the study of various types of meters and poetic forms. While closely related to kāvyaśāstra, chandaśśāstra is a separate branch of traditional Indian knowledge and is not considered one of the 6 main schools of kāvyaśāstra. Key concepts and techniques include the classification of meters, rhyme and alliteration, and the principles of accentuation and stress. chandaśśāstra has played a significant role in the development of Indian poetics and literary theory, and continues to be a vital part of Indian cultural heritage. By mastering the principles of chandaśśāstra, poets and writers can create verses that are both aesthetically pleasing and technically precise, resulting in some of the most beautiful and evocative poetry in the world.

Efforts put in Computational Linguistics: In the field of computational poetry, researchers have tackled various problems using algorithms and computational methods, such as generating new poetry (Agarwal and Kann, 2020; Van de Cruys, 2020; Li et al., 2020; Hopkins and Kiela, 2017; Krishna et al., 2020), translating poetry (Yang et al., 2019; Ghazvininejad et al., 2018) analyzing emotional tone, analyzing rhyme and meter patterns (Kao and Jurafsky, 2012; Greene et al., 2010; Fang et al., 2009), classifying poetry (Baumann et al., 2018; Kesarwani et al., 2017), and recommending poetry (Zhang et al., 2012; Foley IV, 2019). However, existing work does not focus much on analyzing the characteristics of fine poetry, which is crucial for improving the generation, translation, and recommendation applications. This gap motivates our work, which proposes an interpretable framework to classify Sanskrit poetry into different levels of composition using computational linguistics. We demonstrate the proposed framework by conducting a deep analysis of *Śikṣāṣṭaka*, a Sanskrit poem, from the perspective of 6 well-known kāvyaśāstric schools. The key contributions of our article include the proposed framework, the analysis of *Śikṣāṣṭaka*, the annotations, the web application, and the publicly released codebase for future research.

3 Basics of schools, Computational Aspect, Open Issues and Analysis

This section presents the basics of the 7 schools of $k\bar{a}vyas\bar{a}stra$ and *chandassiastra*. Each subsection provides a comprehensive overview of the respective school's fundamentals, the feasibility of developing a computational system, open issues and future directions. We provide reasoning for choosing the *Siksāstaka* and demonstrate its analysis based on the corresponding school.

Why *Śikṣāṣṭaka*: To facilitate a more thorough and nuanced analysis of $k\bar{a}vya$, we set a few criteria to guide our selection of the most appropriate composition for our study. These criteria are as follows: (1) the composition should be sufficiently small to enable comprehensive scrutiny from diverse $k\bar{a}vyaś\bar{a}stra$ perspectives; (2) the poet who has authored the composition ought not to possess a significant reputation in the $k\bar{a}vyaś\bar{a}stra$ domain to obviate the potential for biases that may arise from establishing the composition as *uttama kāvya*; (3) the composition should have made a substantive contribution to the traditions from a non-literary perspective to explore the role of $k\bar{a}vyas\bar{a}stra$ aspects in its accomplishment.

The Śiksāstaka composition is well-suited for our analysis as it satisfies all three criteria that we have established. First, it meets the requirement of being compact enough to allow for in-depth examination from various kāvyaśāstra perspectives as it consists of only eight stanzas.⁵ Additionally, not all astakas can be considered uttama kāvya (the fine poetry), which further supports its appropriateness as a subject of study. Second, the author of *Šiksāstaka*, Caitanya Mahāprabhu, is not primarily known as a poet or literary figure. Thus, he meets the second criterion of not being a well-established poet in the kāvyaśāstra domain, which helps to minimize the potential biases that could arise from claiming the composition as uttama kāvya. Finally, Śiksāstaka has made significant contributions to the traditions of Gaudīya Vaisnavism from a nonliterary perspective, which satisfies the third criterion. This composition has significantly influenced the lifestyle of the religious community adhering to the principles of Gaudiya Vaishnavism, serving as the fundamental backbone of their philosophy for the past 500 years. The enduring prevalence and practice of these teachings within the community underscore the profound impact of this composition on their way of life. In summary, the Śiksāstaka composition satisfies all three criteria.

3.1 Metrical analysis

Basics: The bulk of Sanskrit literature consists of poetic works that conform to the conventions of Sanskrit prosody, or *chandaśśāstra*, which involves the study of Sanskrit meters, or *chandas*. The primary objective of utilizing *chandas* is to infuse rhythm into the text to facilitate memorization, while also aiding in the preservation of accuracy to some degree (DEO, 2007; Melnad et al., 2015). Pingala is considered to be the father of *chandaśšāstra*. Prominent scholars and their work in this field include Pingala (*Chandaśsūtra*), Bharata Munī (*nāţyaśāstra*), Pingala Bhaṭṭa (*Chandomanjarī*), Vṛttanātha (*Vṛttaratnākara*), Jagannātha Paṇḍita (*rasaganġādhara*), etc. Although approximately 1,398 meters are described in Vrttaratnākara

(Rajagopalan, 2018), not all are widely used.

Computational aspect: In *chandaśāstra*, the classification of each syllable (*akṣara*) in Sanskrit as either *laghu* (short) or *guru* (long) enables the representation of every line of Sanskrit text as a binary sequence comprised of *laghu* and *guru* markers. The identification of specific patterns within these sequences leads to the recognition of various types of *chandas*, thus enabling the deterministic identification of a meter. In recent years, commendable efforts have been made by the computational community to develop user-friendly toolkits for meter identification (Neill, 2023; Rajagopalan, 2018; Terdalkar and Bhattacharya, 2023).

Śiksāstaka analysis: The astaka, which comprises a series of 8 stanzas, is typically composed in a single meter. In the case of the Śikṣāṣtaka, there are 5 meters employed, namely, śārdūlavikrīdita, vasantatilaka, anustup, viyoginī and upajāti (indravamsa and vamsastha). Further details on how to identify meters can be found in the relevant literature (Neill, 2023; Rajagopalan, 2018; Terdalkar and Bhattacharya, 2023). The identification of meters has aided in the identification of typographical errors (tanuja \rightarrow tanūja, dhūli \rightarrow dhūlī, gadagada \rightarrow gadgada) in some of the existing manuscripts of the Śiksāstaka. One may wonder about the use of 5 different meters in the Śiksāstaka. Some scholars, or ācāryas, have argued that the stanzas were not composed in a single sitting. Rather, they were collected in Rupa Goswami's (disciple of the author of Śiksāstaka) Padyāvalī, which is an anthology of compositions by expert poets in the gaudiya Vaisnava tradition. Krsnadas Kaviraj Goswami later compiled and arranged them in a meaningful order in his composition, the Caitanya Caritāmrta. We posit that the use of multiple meters serves as an evidence supporting this claim.

Open issues and future direction: It would be interesting to explore the correlation between the intrinsic mood of the meter and the mood of the poetry. It would also be worthwhile to investigate the relationship between poets and the meters they have employed. This could involve examining patterns in their favorite choices and attempting to identify the poet based on the composition itself. Additionally, there is potential for exploring whether the occurrence of *rasadoṣa* (obstruction in the enjoyment of mellow) can be predicted through automatic identification of the composition's *chandas*.

⁵We encourage readers to go through this composition: https://sanskritshala.github.io/shikshastakam/ shloka.html where word-to-word meanings and translations are given.

These investigations could contribute to a deeper understanding of the relationship between meters, poetry, and emotion in Sanskrit literature.

3.2 alankāra school

Basics: This school focuses on the use of figurative language or literary devices to enhance the beauty and aesthetic appeal of poetry. It includes the study of metaphors, similes, personification, hyperbole, and other literary devices. The most important exponent of this school is Bhāmaha, who wrote the kāvyālankāra, one of the earliest treatises on poetic embellishments. Other notable figures associated with this school include Dandin, Udbhata, Rudrata and so on. There are two broad categories of *alankāras*: (1) *śabdālankāra*: refers to the figure of sound that relies on the pleasing sound or choice of words, which loses its effect when the words are substituted with others of similar meaning. (2) arthālankāra: is the figure of speech that is based on the meaning of words.

Computational aspect: The process of identifying *śabdālankāra* is considered deterministic and involves verifying the occurrence of specific patterns of syllables or words. In contrast, the identification of arthālankāra presents a significant semantic challenge, even for experienced annotators. The feasibility and difficulty of developing supervised systems for this purpose can be better understood through empirical investigations. There is no system currently available for automated alankāra analysis for Sanskrit. To develop a supervised datadriven system, several important questions must be addressed. For instance, it is crucial to determine the amount of data that needs to be annotated, as well as the appropriate methods for marking alankāra annotations, such as whether they should be marked at the level of a complete śloka and a phrase. To address these concerns, it is necessary to develop a standardized scheme for *alankāra* annotation. This would enable researchers to collect and analyze annotated data consistently and systematically, which would facilitate the development of accurate and reliable automated systems for alankāra analysis.

Šikṣāṣṭaka analysis: In our analysis of the *Śikṣāṣṭaka*, we have employed the *alaṅkāra* categorization outlined by Mammaṭa in his influential work "Kāvyaprakāśa". This text provides a comprehensive overview of 67 *alaṅkāras* or literary ornaments that can be utilized to embel-

lish and enhance the expression of poetry. According to the alankāra school, alankāra is considered the soul of poetry, and without its incorporation, a poetic composition lacks vitality. In other words, kāvya without alankāra is likened to a lifeless entity, deemed by some poets of this school to be comparable to a widow.⁶ Furthermore, it is worth noting that certain poets from this tradition place greater emphasis on arthalankara, or figurative language, over śabdālankāra, which deals primarily with sound patterns and word repetition. The Śiksāstaka, a devotional composition in Sanskrit, exhibits the mood of separation (vipralambha-śrngārah) as its primary rasa or mood. The author portrays himself as a devotee, and his beloved is Lord Govinda. The appropriate use of alankāras (figures of speech) in this composition serves to express the rasa without hindrance. The author employs *sabdālankāras* (anuprāsa⁷) and arthālankāras (rūpaka⁸, upamā⁹, vyatireka¹⁰, tulyayogitā¹¹ and viśesokti¹²) in Śiksāstaka. The use of rūpaka (metaphor) and upamā is frequent, with the former appearing 6 times and the latter 4 times. The metaphors are employed to equate two things directly, while similes use "like" or "as" to make comparisons.

In the first stanza, the author uses a series of

When the upameya and the upamāna are not compared based on the similarity possessed by the both is called as Upamā. It is similar to the simile.

¹⁰upamānād yadanyasya vyatirekaļi saļi eva saļi, 10.105, Kāvyaprakāša

¹¹niyatānām sakrddharmah sā punah tulyayogitāl 10.104, Kāvyaprakāśa

A single mention of a property belonging to various other things is Tulyayogitā

¹²višesoktirakhaņdesu kāraņesu phalāvacaļi 10.108, Kāvyaprakāša

The condition in which various reasons are stated but the result is not seen is called viśesokti. There are two types of this figure of speech. 1) - when the reason is specified for the unseen effect it is *uktanimitta-viśesokti* otherwise it is *anuktanimitta-viśesokti*.

⁶*alankārarahitā vidhavaiva sarasvatī* 12.334, Agnipurāņa A poetry which is also a form of goddess Sarasvaī, is not decorated by *alankāras*, looks like a widow women, who is not wearing any ornaments.

⁷varnasāmyamanuprāsahl 9.79, Kāvyaprakāśa

The similarity in the letters used in the poetry is 'Anuprāsa'. It is similar to the alliteration in the English language.

⁸tadrūpakambhedo yah upamānopameyayoh 10.93, Kāvyaprakāśa

Rūpaka is a figure of speech, where the upameya, which is being compared and the upamāna with which is compare are explained as if both are not different from each other. It is similar to the metaphor.

⁹sādharmyamupamā bhede|1.87, Kāvyaprakāśa

If the upameya is said to be having a higher degree of quality than the upamāna, then it is called as vyatireka *alaikāra*.

5 metaphors to describe the victory of Śrikrsna Sankīrtana. The use of these metaphors creates a garland-like effect, which serves as an offering to acknowledge the victory of Śrikrsna Sankīrtana. Additionally, the use of antyānuprāsa Sabdalankāra (a figure of speech where every word ends with a similar suffix) creates a rhythmic effect. In the second stanza, the author expresses his sorrow of not having an attachment to such a glorious Sankīrtana, where the Lord invests all his potencies without keeping any rules and regulations. Although there is every reason to get attached to such Sankīrtana, the author cannot get attached, which is expressed through Uktanimitta visesyokti alankāra. This alankāra is used to denote that all the causes are present for action to happen, yet the action does not occur. In the third stanza, the author talks about the prerequisites of developing attachment for the Sankīrtana: humility and tolerance. The author employs vyatireka alankāra to embellish this stanza by comparing humility with a grass and tolerance with a tree. In this figure of speech, the subject of illustration (upamāna) has higher qualities than the subject of comparison (upameya). Thus, the author says that one should be lower than a grass and more tolerant than a tree. In the fourth stanza, multiple things (wealth, followers, beautiful women and flowery language of Vedas) are coupled with a single property "na kāmaye" (do not desire). This device is called *tulyayogitā alankāra*. In the fifth stanza, the author beautifully couples metaphor and simile to express his eternal servitude to Govinda. The author compares the way water drops fall from a lotus into the mud, similarly, he has fallen from Govinda's lotus feet to the ocean of nescience (material existence) as a dust-like servant. The author requests Govinda to place him back at his lotus feet. In the sixth stanza, again tulyayogitā alankāra is employed to connect different symptoms mentioned to a single property. In the seventh stanza, the author expresses his intense separation from Govinda by deploying three similes (upamā alankāra). The author uses these similes to express his love in the mood of separation. He compares a moment to a great millennium, his eyes to the rainy season, and the entire world to void. This garland of similes (mālopamā alankāra) serves as an offering to express the author's love for Govinda. The final stanza employs the anuktanimitta-viśesokti device, wherein a condition is expressed but the consequent effect is absent, and no explanation is

offered for the lack of effect. This constitutes the *anukatanimitta-viśesokti alańkāra*. The author enumerates several potential causes for being despised, yet the anticipated outcome of animosity does not manifest. Despite hatred conditions, the author maintains devotion to the lord. The rationale for the absence of hatred is not mentioned here. In conclusion, the *Śikṣāṣṭaka* employs a range of alaṅkāras to express its mood (*rasa*) without hindrance. The appropriate use of metaphors, similes, and other figures of speech serves to create a garland-like effect that acknowledges Govinda's glory and expresses the author's devotion and love.

Open issues and future direction: Moving forward, several directions for research on alankāras can be explored. One crucial area is the formulation of the problem of identifying alankāras. Since alankāras can be assigned to complete or partial stanzas, or sequences of syllables or pairs of words, determining the appropriate approach for identifying them is non-trivial. Different formulations, such as sentence classification, sequence labeling, or structured prediction, can be employed. Another interesting direction for research is to investigate which alankāras are more beautiful and how we can compare two compositions based solely on their use of alankāras. Defining a basis for evaluating beauty in poetry is a challenging problem in itself. However, understanding which alankāras contribute more to the aesthetic appeal of a poem and how to measure this appeal can be valuable for poets and scholars alike. Finally, exploring the correlation of alankāra school with other schools of kāvyaśāstra, such as rasa and dhvani, is a promising area for future research. Understanding how these different aspects of poetry interact can provide insight into the complex mechanisms of poetic expression and perception. Overall, these future directions offer exciting opportunities to deepen our understanding of alankāras in poetry.

3.3 rasa school

Basics: The *rasa* school of Indian aesthetics places significant emphasis on the emotional impact of poetry on the reader or audience. Bharata munī, the author of the *nāṭyaśāstra*, is considered the most influential thinker associated with this school. His treatise on Indian performing arts includes a detailed discussion of *rasa* theory, which posits that *rasa* is the soul of poetry. According to Bharata, *rasa* is the ultimate emotional plea-

sure that can be derived from a work of art. *rasa* is the heightened emotional response to the text. Bharata also classified the various emotions depicted in performing arts into eight different *rasas*, or flavors, which are *śṛṅgāra* (romance), *hāsya* (comedy), *karuṇa* (piteous), *raudra* (anger), *vīra* (heroism), *bhayānaka* (fear), *bībhatsa* (disgust), and *adbhuta* (wonder). The ninth emotion, *śānta* (peace) is also enlisted by the other scholars.¹³ The *śānta rasa* is not compatible for dramas but other kinds of poetry can be composed in this *rasa*. The concept of *rasa* theory remains an integral part of Indian culture and has greatly influenced the performing arts in India and beyond.

In Bharata's *nātyaśāstra*, a formula¹⁴ for the arousal of rasa is presented, wherein the combination of vibhāva, anubhāva, and vyabhicārī bhāva *bhāva* is necessary to evoke the experience of *rasa*. The term 'vibhāva' refers to the stimulants of emotions, while 'anubhāva' represents the physical responses that accompany emotional reactions, and 'vyabhicārī bhāva' denotes the transitory emotions. The basic emotions or bhavas of the reader or spectator are activated by the vibhavas, while the anubhāvas and vyabhicārī bhāvas serve to indicate the emotional response experienced. This formula suggests that the experience of rasa is not solely dependent on a single aspect of the literary text or performance, but rather requires the combination of multiple elements to evoke an emotional response.

Computational aspect: Computational identification of *rasa* in poetry is an interesting and challenging research area. One of the main challenges in identifying *rasa* computationally is that the interpretation of *rasa* is subjective. Different readers or critics may have different opinions on the dominant emotion evoked by a particular work of poetry. Another challenge is the complexity of the *vibhāva*, *anubhāva*, and *vyabhicārī-bhāva* that contribute to the formation of *rasa*. These elements are often implicit or subtle in the text, and their identification requires a deep understanding of the cultural and literary context in which the text was produced. To overcome these challenges, possible computational approaches that can be taken include using machine learning algorithms to identify patterns in the text that are associated with particular emotions, and incorporating contextual information such as the author, genre, and historical period. In addition, the use of computational linguistics techniques, such as sentiment analysis and topic modeling, may also be helpful in identifying the dominant emotions expressed in a text. However, it is important to note that while computational systems may be able to identify the dominant rasa of a work of poetry, they may not be able to fully capture the richness and complexity of the vibhāva, anubhāva, and vyabhicārī-bhāva that contribute to the formation of rasa. The identification of these elements requires a deep understanding of the cultural and literary context in which the text was produced, and is likely to remain the purview of human literary critics and scholars. In conclusion, while computational approaches may be able to provide some insight into the identification of rasa in poetry, the complexity and subjectivity of rasa theory poses significant challenges. Further research in this area is needed to develop computational models that can better capture the cultural and literary context of poetic works and the nuances of the vibhāva, anubhāva, and vyabhicārī bhāva that contribute to the formation of *rasa*.

Śiksāstaka analysis: A fundamental aspect of evoking rasa involves combining three elements, namely vibhāva, anubhāva, and vyabhicārī bhāva. The *vibhāvas* activate the basic emotions or *bhāvas* of the reader or spectator, while the anubhāvas and vyabhicārī bhāvas indicate the emotional response experienced. In the composition under discussion, the author assumes the mood of a devotee and reciprocates with his beloved Lord Krsna. The author employs several words to indicate that the vibhāva is krsna, including śrī-krsna-sankīrtanam (congregational chanting of Krsna's holy name), nāmnām (Krsna's holy name), harih (another name of Krsna), nanda-tanuja (Krsna, the son of Nanda Maharaj), tava nāma-grahaņe (chanting Krsna's holy name), Govinda (another name of Krsna), and mat-prāna-nāthah (the master of my life). The anubhāva of the author is evident in the seventh stanza, where he expresses intense feelings of separation. He considers even a moment to be a great millennium, and tears flow from his eyes like torrents of rain. He perceives the entire world as void. The author employs several words to indi-

¹³na yatra duḥkhaṃ na sukhaṃ na dveṣo nāpi matsaraḥl samaḥ sarveṣu bhūteṣu sa śāntaḥ prathito rasaḥ II, nātyaśāstra.

Where there is absence of sorrow, joy, hatred, and jealousy, with existing sense of equality for everyone is the '*sānta rasa*'. ¹⁴*vibhāvānubhāvavyabhicārisamyogādrasanispattiļ*!

[,]nātyašāstra

The *rasa* is the combined effect of *vibhāvā*, *anubhāva*, vyabhicāribhāva

cate the vipralambha srngāra, such as nānurāgah (no attachment to Krsna), a-darśanāna (Krsna not being visible), govinda-virahena (separation from Govinda), and mat-prāna-nāthah (the master of my life). In conclusion, it is evident from our analysis of vibhāva and anubhāva in this composition that the rasa evoked is vipralambha srngāra, which is characterized by intense feelings of separation and longing. The author effectively employs vibhāvas, such as the names and descriptions of Krsna, to activate the basic emotions of the reader or spectator, while his anubhāvas, such as his intense feelings of separation and tears, serve to indicate the emotional response experienced. The composition is a powerful example of how the combination of vibhāva and anubhāva can be used to evoke rasa in Indian classical literature.

Open issues and future direction: The future direction of computational linguistics in identifying rasa in poetry requires a comprehensive approach that covers all the crucial dimensions of the problem. Data annotation is one crucial aspect of the future direction of computational linguistics in identifying rasa in poetry. Data annotation involves the manual tagging of texts with information such as the dominant rasa, vibhāva, anubhāva, and *vyabhicārībhāva*. Possible approaches that can be taken include using supervised machine learning algorithms to identify patterns in the text that are associated with particular emotions. This involves training a model on a labeled dataset of texts annotated with the dominant rasa and associated vibhāva, anubhāva, and vyabhicārībhāva. Another approach is to use unsupervised machine learning algorithms such as clustering and topic modeling to identify the dominant emotions expressed in the text. This approach requires minimal human annotation. In addition, incorporating contextual information such as the author, genre, and historical period can also be useful in identifying the dominant rasa in a text.

3.4 *rīti* school

Basics: In this study, the focus is on the concept of $r\bar{t}i$, also referred to as $m\bar{a}rga$ (way), in poetry. This aspect of poetry has been heavily emphasized by the scholar Vāmana, who considers $r\bar{t}i$ as the soul of poetry. According to Vāmana, there are three $r\bar{t}is$, namely *vaidarbhī*, *gau*dī, and $p\bar{a}nc\bar{a}l\bar{i}$, which were named after the geographical areas from where poets constructed in these styles.

The deterministic elements of *rīti* include the letters, length and quantity of compounds, and the complexity or simplicity of the composition. The *vaidarbhī* style is considered the most delightful style of poetry, consisting of all ten gunas¹⁵ explained by Vāmana. The construction of vaidarbhī contains a shorter compounds. ¹⁶ The gaudī style, dominated by oja and kānti gunas, ¹⁷ and lacks sukumāratā and mādhurya gunas. sukumāratā and mādhurya are the qualities which occur in a construction having less compounds and soft letter combinations are used. But, here in the gaudi, the composition possesses long compounds and too many joint consonants. pāñcālī style has a simple composition having no or less compounds and simple construction.

Vāmana also describes ten qualities of sound and ten qualities of meaning, including *ślesa* (close association), prasāda (simplicity), samatā (uniformity of diction), *mādhurya* (sweetness or pleasantness), sukumaratā (softness), arthavyakti (explicitness), udārata (raciness), oja (floridity), kānti (brilliancy), and *samādhi* (symmetry).¹⁸ These 10 qualities of poetry are compressed into 3 qualities suggested by letters, compounds, and diction. *mādhurya* (pleasantness), which leads to the melting of the mind, is suggestive of the sparsa consonants (k, kh, g, gh, c, ch, j, jh, t, th, d, dh, p, ph, b, bh) with the exception of those in the 'ta' class (t, th, d, dh), combined with nasel consonants (n, ñ, n, m), the consonants 'r' and 'n' when followed by a short vowel, and when there are no or medium length compounds. oja, the cause of lustrous expansion of mind, is suggestive of complex diction consisting of combinations of first consonants of the class (k, c, t, t, p) with the second consonants (kh, ch, th, th, ph) and the third (g, j, d, d, b) with the fourth one gh, jh, dh, dh, bh), any consonant with 'r' in any order, any consonant with itself, the 'ta' class

¹⁵samagraguņopetā vaidarbhī 2.11, Kāvyālankārasūtravītti

The composition style having all the qualities is *vaidarbhī*¹⁶We need to perform empirical analysis of existing anno-

tated poetry to get threshold of length of short compounds.

¹⁷*ojahkāntimatī gaudīyā*l 2.12, Kāvyālankāra-sūtravrtti *oja* and *kānti* are the qualities (*gunas*) that exist in the construction with long compounds and complex arrangement of letters. When these qualities are explicit in the writing style, the *rīti* is called as *gaudī*.

¹⁸ojah prasadaślesasamatāsamādhimādhuryasaukumāryodāratārthavyaktikāntayo bandhagunāh|| 3.4, Kāvyālankāra-sūtravrtti

Śleşa, *prasāda*, Samatā, *mādhurya*, Sukumaratā, Arthavyakti, Udārata, *oja*, Kānti, and Samādhi are the 10 qualities of diction.

without 'n', 'ś' and 's', and consisting of long compounds. *prasāda* is present in all the *rasas* and all kinds of poetries and *rītis* equally. In *prasāda* guņa, words can be comprehended right after the hearing of it. In conclusion, *rīti* plays an essential role in the composition of poetry, as emphasized by Vāmana. *vaidarbhī*, *gaudī*, and *pāñcālī* are the three *rītis*, each having its own unique features and characteristics. Additionally, the ten qualities of sound and ten qualities of meaning and their compression into three *guņas* suggested by letters, compounds, and diction are important elements of *rīti*. The proper deployment of these elements can significantly enhance the impact of poetry on the reader or listener.

Computational aspect: The identification of the rīti of a composition can be considered a deterministic process. kāvyaśāstra provides various clues that enable the classification of a *rīti* category. For instance, if a composition comprises of soft syllables, no joint consonants, and a dearth of compounds or short compounds, it is considered as vaidarbhī rīti. Conversely, if a composition contains more joint consonants, long compounds, the usage of fricatives, and specific combinations of joint syllables, it is considered as gaudī rīti. The remaining compositions, which do not fall into these two categories, are classified as pāñcālī rīti. To the best of our knowledge, currently no computational system exists that can determine the *rīti* of a composition.

Śikṣāṣṭaka analysis: The *Śikṣāṣṭaka* is an example of a composition that embodies the *mādhurya* guṇa and *vaidarbhī rīti*. This is apparent through the simple composition, usage of soft consonants, limited occurrence of long compounds, and the restricted usage of joint consonants. Moreover, the *rasa* of the *kāvya* is *vipralambha śṛngāra*, which is aptly brought out through the use of *vaidarbhī rīti* and *mādhurya guṇa*. The utilization of any other *rīti* would have led to a *rasa doṣa*, highlighting the significance of choosing the appropriate *rīti* to convey the intended *rasa*.

Open issues and future direction: A natural direction for future research would be to consolidate the provided clues and develop a rule-based computational system for the identification of $r\bar{t}i$ in various compositions by different poets. This would enable automated analysis and assessment of $r\bar{t}i$ in $k\bar{a}vya$. An empirical investigation could be carried out to explore the degree to which $r\bar{t}i$ is effective in identifying the *rasa* of a $k\bar{a}vya$. Additionally, further research could explore the correlation of $r\bar{t}i$ school with other $k\bar{a}vyas\bar{a}stra$ schools. Vāmana, the founder of the $r\bar{t}i$ school, maintains that different $r\bar{t}i$ can provide unique experiences for readers. Therefore, it would be of interest to conduct a cognitive analysis of brain signals of readers after exposing them to compositions of different $r\bar{t}is$. This would provide valuable insights into the effect of $r\bar{t}i$ on the reader's cognitive processes and emotional responses to $k\bar{a}vya$.

3.5 dhvani school

Basics: The school of *dhvani*, a prominent school of Indian poetics, is associated with \bar{A} nandavardhana, who authored the seminal work Dhvanyāloka, which expounds on the theory of suggestion in poetry. Other significant figures in this school include Abhinavagupta, Mammata, etc.

. According to the *dhvani* school, poetry's key elements lies in suggestion or *dhvani*, which alludes to the verbal, hidden, and profound aspects of poetry. This school emphasizes the power of suggestion and implication in poetry and argues that a poem's true meaning is not merely in its literal content, but in the emotional response it elicits in the reader through suggestion and implication. The meaning is distinguished in three categories : (1) vācya or literal meaning, (2) laksana or indirect meaning, which is preferred when the literal meaning is inadequate and contradictory, and (3) vyangya or poetic/metaphysical meaning, which is a deeper meaning that does not conflict with the literal meaning and evokes wonder by reaching out to the soul of poetry. When the vyangyārtha is felt more delightful than the other meanings, the vyangyārtha is called as dhvani.¹⁹ Based on the degree of *dhvani*, a poem is classified into three categories that demonstrate high, medium, or low conformity with the standards of fine Sanskrit poetry, as articulated by experts in $k\bar{a}vya\dot{s}\bar{a}stra$: (1) uttama kāvya or high composition, (2) madhyama kāvya or medium composition, and (3) adhama kāvya or low composition. In uttama kāvya, dhvani is present, evoking wonder in the reader. In madhyama kāvya, vyangyārtha is present, but it does

¹⁹yatrārthah sabdo vā tamarthamupasarjanīkṛtasvārthau | vyanktah kāvyaviseṣah sa dhvaniriti sūribhih kathitah|| 1.13, Dhvanyāloka

⁽When the word and its meaning in a poetry, bestow to obtain the suggestive sense, which arouses the pleasure, is called as the *dhvani* by the learned men.)

not evoke wonder compared to *vācyārtha*, while in *adhama kāvya*, *dhvani* is absent. Furthermore, *dhvani* is divided into three broad categories: (1) *vastu-dhvani*, which implies some rare fact or idea, (2) *alankāra-dhvani*, which suggests a figure of speech, and (3) *rasa-dhvani*, which evokes a feeling or mood in the reader.

Computational aspect: Identifying *dhvani* in kāvya computationally is a complex and challenging task due to the subjective nature of literary interpretation and the intricacy of the language. *dhvani*, which encompasses various layers of meaning, including literal, indirect, and metaphoric, presents a challenge to computational identification due to the absence of annotated data. Poetic devices such as simile, metaphor, and alliteration add to the complexity of creating a unified set of features for the identification of dhvani. Furthermore, identifying dhvani requires additional information, such as the context, mood of the composer, his biography, and his other compositions. The cultural and historical context further complicates the identification of dhvani, which often requires scholars' commentaries to decode the layers of meanings. Even humans may not be able to identify dhvani without these inputs, indicating the level of expertise required for such tasks. At present, to the best of our knowledge, no system is available to provide dhvani analysis for Sanskrit poetry.

Śikṣāṣṭaka analysis: The *Śikṣāṣṭaka* is a set of 8 stanzas containing sublime instructions delivered without any specific audience. In contrast to the Bhagavad-gītā, which is directed towards a particular audience, the Śiksāstaka is meant for inner contemplation and self-instruction. We can draw three possible dhvanis from these 8 stanzas. The first dhvani deals with the sambandha, abhidheya, and prayojana for a devotee. sambandha refers to the relation of the subject with the abhidheya of devotion, abhidheya refers to the means of devotion which is being stated, and prayojana refers to the fruit of devotion. The first five stanzas of the Śiksāstaka discuss the sambandha aspect, while the entire set of stanzas serves as the abhidheya. The last three stanzas focus on prayojana, which involves absorption in the remembrance of Krsna and the intense emotions that this experience brings.

The second dhvani presents the higher stages of devotional service. The first five stanzas describe sādhana bhakti, or the devotional service that is

practiced through discipline and rules. The last 3 stanzas discuss prema, the ultimate perfection of devotion. The third dhvani is the biography of the author. In the initial stanza of the Śiksāstaka, the author's proficiency in Sanskrit grammar and poetry is conveyed by the phrase "vidyā-vadhūjīvanam." The Caitanya Caritamrta (CC) further provides a detailed description of the author's logical expertise, wherein he is seen to skillfully refute and reestablish his own arguments, as well as his prowess in teaching devotion to Krsna through grammar. Additionally, CC narrates an incident where the author defeated the great poetry scholar Keśava Kāśmirī. The phrase "param vijayate śrīkrsna-sankīrtanam" illustrates the author's victorious preaching of the message of sankīrtanam, or congregational chanting of the holy names of Krsna. CC even goes on to mention how animals like tigers, deers and elephants were inspired to participate in sankīrtanam, resulting in a blissful embrace between a tiger and a deer. The second stanza of the Śiksāstaka reveals the author's egalitarian nature, as he considered everyone to be eligible to participate in sankīrtanam without any discrimination. The third stanza introduces the author's bija-mantra, which urges one to develop a taste for sankīrtanam and show mercy towards all living entities. The author's adherence to the principle of humility is evident in his desire for devotees to follow the same. The fourth stanza recounts the author's renunciation of wealth, followers, and even his beautiful wife at the age of 24 to embrace the life of a sanyāsī, or a renunciant. The last three stanzas of the Śiksāstaka reflect the author's mood of separation in the last 24 years of his life. The CC provides a vivid description of the same. In summary, the author's teachings in the *Śiksāstaka* are a reflection of his own life experiences and practices.

Open issues and future direction: In future research, it is crucial to address the challenges of identifying suggestive meaning in poetry by formulating a well-defined problem statement. One potential direction is to explore the use of machine learning techniques to identify *dhvani* in $k\bar{a}vya$. This could involve developing annotation schemes that capture different levels of meaning, including literal, indirect, and metaphoric, which can be used to train machine learning models. Evaluation of performance is another important direction for future research. Metrics could be developed to measure the accuracy of the system's predictions of *dhvani*. These metrics could be based on human evaluations or derived automatically by comparing the system's output to expert annotations. One addional aspect that could be explored in future research is the use of multi-lingual and cross-lingual approaches for identifying dhvani. Many works of Sanskrit poetry have been translated into other languages, and it would be interesting to investigate whether the same *dhvani* can be identified across languages, and whether insights from one language can be used to improve the identification of dhvani in another language. Lastly, researchers could explore ways of integrating multiple sources of information to improve the accuracy of dhvani identification. For example, incorporating biographical information about the composer, their other works, and the cultural and historical context of the composition could help to disambiguate multiple possible meanings and identify the intended *dhvani*.

3.6 vakrokti school

Basics: Kuntaka's vakrokti school is a prominent school of Indian poetics that emphasizes the use of oblique expressions in poetry. Kuntaka's seminal work, Vakroktijivita, lays out the principles of this school and classifies the levels of expression of vakrokti into six categories. The first category is phonetic figurativeness, which involves the skillful use of syllables to embellish the sound of the poem. This is closely related to rītis and anuprāsa (alliteration) alankāra, which are types of *śabdalańkāra*. The second category is Lexical figurativeness, which involves the use of oblique expressions at the level of the root word without suffix. The third category is the obliqueness in the suffixes. The fourth category is involves the figurativeness, which involves the use of oblique expressions at the level of the sentence. In this category, one has to rely on a complete sentence to understand the oblique meaning. Different arthalankāras are categoriesed under this category. The fifth category is sectional figurativeness, which involves the twist in the chapter-wise arrangement of the poetry. The sixth category is compositional figurativeness, which involves understanding the oblique meaning by relying on the complete composition. Kuntaka considers vakrokti to be the soul of poetry, and argues that it is the only embellishment possible to the word and its meaning. The use of vakrokti is essential to create effective poetry, and mastery of the six levels of expression is fundamental to the

creation of effective poetry in the vakrokti school.

Computational aspect: Upon analysis of Kuntaka's *vakrokti* school, it becomes apparent that his theory of oblique expression incorporates various elements of the previously established schools of $r\bar{t}ti$, *rasa*, *dhvani*, and *alańkāra*. Despite this, Kuntaka's contribution to the field lies in his systematic classification of 6 levels of oblique expression. However, the computational challenges posed by the deep semantics of this theory are similar to those discussed in the other schools. Therefore, it is difficult to develop a module capable of accurately identifying *vakrokti* in a composition. To date, no computational system exists for computing *vakrokti*, as it remains a complex task.

Śiksāstaka analysis: The present analysis examines the use of oblique expressions in Śikṣāṣṭaka. The study identifies all 6 categories of oblique expressions deployed in the poem. The first category, phonetic figurativeness, concerns the skillful use of syllables to enhance the poetic sound, and we find that Śiksāstaka employs various types of anuprāsa alankāras. The second category, word-root level figurativeness, relates to the use of oblique expressions at the level of individual words, and the poem utilizes rūpak alankāra for this purpose. The third category, sentential figurativeness, focuses on oblique expressions at the level of sentences, and employs several arthalankāras. The fourth category, Contextual Figurativeness, relies on the poem's context and utilizes a series of rūpaka alankāras to create a garland-like effect. The fifth category, compositional figurativeness, involves understanding the oblique meaning by examining the poem's different section. Śiksāstaka uses this category to discuss stages of bhakti and the concept of sambandha, abhidheya, and prayojana in an oblique manner. The final category, refers to the use of complete composition to convey oblique. We find that the author talks about his biography in the entire composition in an oblique manner. Overall, the study reveals that Śiksāstaka employs all six categories of oblique expressions, highlighting the author's mastery of poetic devices and his ability to convey complex spiritual ideas in a highly nuanced and layered manner.

Open issues and future direction: As the field of NLP advances, there is growing interest in exploring the use of oblique expressions in computational models. In particular, the study of oblique expressions can contribute to the development of natural language generation, sentiment analysis, and machine translation systems. One potential area of research is the identification and classification of oblique expressions in large corpora of texts. Machine learning algorithms can be trained to recognize patterns of oblique expression usage and distinguish between different types of oblique expressions, such as the six categories identified in the present analysis of *Śiksāstaka*. This would require the creation of annotated datasets that can be used for training and testing purposes. Another area of research is the development of computational models that can generate oblique expressions in natural language. Such models could be trained to generate oblique expressions based on the context of the text and the intended meaning. This would require a deep understanding of the different types of oblique expressions and their functions, as well as the ability to generate language that is both grammatically correct and semantically appropriate. Despite the potential benefits of using oblique expressions in computational models, there are also several challenges that need to be addressed. One of the main challenges is the ambiguity of oblique expressions, which can make it difficult for computational models to accurately interpret their meaning. Another challenge is the variability of oblique expression usage across different languages and cultural contexts, which requires a more nuanced and context-specific approach.

3.7 aucitya school

Basics: Ksemendra, a renowned poet of the 11th century, introduced the concept of *aucitya* in his seminal work *aucitya*-vicāra-carcā. *aucitya*, meaning appropriateness, suggests that the elements of poetry, such as *rasa*, *alankāra*, and *rīti*, should be used in an appropriate manner.²⁰ *aucitya* is considered the soul of a poem, and appropriateness is regarded as the secret of beautiful composition. This theory has been widely accepted by scholars without any argument and is often referred to as the 'Theory of Coordination' since it regulates all aspects of *nāṭyaśāstra*. *aucitya* is a tool that aids writers in wielding their poem according to their will and effectively delivering their ideas.

Ksemendra categorized *aucitya* into several classes, namely *pada* (word form), *vākya* (sentence), *prabandhanārtha* (meaning of the whole composition), *guṇa*(qualities), *alaṅkāra* (poetic figures), *rasa* (sentiments), etc. In conclusion, Ksemendra's concept of *aucitya* has had a significant impact on the field of poetry. The idea of appropriateness and the use of poetry elements in a balanced manner are essential components of successful composition. The categorization of *aucitya* into multiple classes provides a comprehensive framework for analyzing and understanding the nature of poetry. Therefore, *aucitya* is an invaluable tool for writers, enabling them to deliver their ideas efficiently.

Computational aspect: According to the available literature, no computational system currently exists that provides an analysis of aucitya. In order to develop a module for aucitya analysis, we propose considering the mutual compatibility of *rīti*, rasa, and alankāra in the initial implementation. For instance, vaidarbhī is considered a compatible rīti when deploying the srngāra rasa, while gaudī is appropriate for the vīra rasa. Additionally, certain alankāras are suitable for specific rasas. At a later stage, we may annotate corpora and build data-driven metrics to automatically measure the aucitya of a composition. However, to accomplish this, it is essential to establish standardized data annotation policies in advance. One major challenge in evaluating poetic appropriateness across various languages, cultures, and time periods is the lack of standardized rules or models. Furthermore, the subjective nature of poetic appropriateness makes it challenging to reach a consensus among scholars and experts on the definition of *aucitya*.

Sikṣāṣṭaka analysis: Our analysis suggests that the *Sikṣāṣṭaka* is an exemplary composition that demonstrates *aucitya*. The composition employs the *vipralambha sṛngāra rasa*, and the *vaidarbhī* rīti with the *mādhurya* guṇa, which are perfectly compatible. Additionally, the use of *alaṅkāras* is deployed in an appropriate manner, without overwhelming the expression of the *rasa*. The composition's *rasa* remains consistent and does not change abruptly. Instead, it gradually intensifies throughout the composition, reaching its pinnacle in the last stanza. This uniformity in the *rasa*'s expression contributes to the effectiveness of the composition in evoking the desired emotional response.

²⁰ucitasthānavinyāsādalankṛtiralankṛtiḥ | aucityādacyutā nityaṃ bhavantyeva guṇā guṇāḥ||

⁽The figures are decorative when they do not overpass the appropriateness in the poetry. The qualities can be assumed as qualities in real sense when they follow the validity of appropriteness.) 1.6, aucitya-vicāra-carcā

Open issues and future direction: Moving forward, the development of a computational system for aucitya analysis presents an exciting area of research. In terms of future directions, several questions can be explored. Firstly, the effectiveness of the proposed mutual compatibility approach between rīti, rasa, and alankāra needs to be evaluated by analyzing the performance of the initial module. Furthermore, additional features could be incorporated to improve the accuracy of aucitya analysis, such as word choice, meter, and rhyme patterns. Moreover, there is a need to establish standardized guidelines for the annotation of corpora in different languages and cultural contexts. This would facilitate the creation of a large, diverse dataset that can be used to train the aucitya analysis system. Additionally, research could focus on the development of data-driven metrics that automatically evaluate poetic appropriateness. Another potential direction for research is to investigate the interplay between language, culture, and poetic appropriateness. This involves analyzing the extent to which poetic conventions vary across different languages and cultures and how these variations affect the evaluation of aucitya. The impact of historical and temporal changes on poetic conventions can also be explored to understand the evolution of poetic conventions over time. Finally, collaboration between experts in literature and computer science can help establish a consensus on what constitutes aucitya. This could lead to the development of a standardized set of rules and models for evaluating poetic appropriateness, which could be applied across different languages, cultures, and time.

4 The proposed framework

This section presents the description of a proposed framework for the analysis and classification of poetry. The framework is designed to categorize compositions into 3 classes that demonstrate high, medium, or low conformity with the standards of fine Sanskrit poetry, as articulated by experts in $k\bar{a}vyas\bar{a}stra$. Figure 1 depicts the proposed framework, which employs a hierarchical ensembling architecture consisting of 7 modules. The violet modules are deterministic, while the remaining modules are learning-based and currently supported by human experts. Each module can be trained independently, and the outputs and features of the previous modules are utilized to enhance the performance of the next phase modules. The *aucitya* module is

responsible for learning the weight of each module by employing all their outputs, except the meter module. We illustrate the proposed framework by showing analysis on $Siks\bar{a}staka$ composition.

The first layer of the framework consists of 3 modules namely, rīti, Meter and alankāra module. The *rīti* module is the first module in the proposed framework, and it is responsible for identifying the *rīti* of a composition. This is deterministic, and the classification is enabled by various clues provided by the kāvyaśāstra. The next module, the meter identification module, is also deterministic, and commendable efforts have been made by the SCL community in recent years to develop user-friendly toolkits for the identification of meter (Neill, 2023; Rajagopalan, 2018; Terdalkar and Bhattacharya, 2023). In the alankāra module, the identification of śabdalańkāra is considered deterministic, and it involves verifying the occurrence of specific patterns of syllables or words. In contrast, the identification of arthalankāra presents a significant semantic challenge, even for experienced annotators. The module relies on a supervised paradigm of binary classification to identify whether any arthalankāra is present or not. The rasa and vakrokti (oblique) modules are the next two modules in the framework. For the rasa module, a classification problem with 9 classes of rasas is framed. These rasas are śrngāra (love and beauty), hāsya (comedy), karuņa (piteous), raudra (anger), vīra (heroism), bhayānaka (fear), bībhatsa (disgust), adbhuta (wonder), and śānta (peace). It is argued that *rīti* and meter may be helpful and can serve as auxiliary information to identify rasa; therefore, they are used as features in the rasa module. The vakrokti module is framed as a binary classification problem to identify the presence of oblique. Here, the alankāra module has a strong correlation in contributing to oblique identification. The next layer of the module is the dhvani module, which is also a classification problem with 3 classes: direct meaning, indirect meaning, and suggestive meaning. Suggestive meaning has a strong correlation with rasa, alankāra, and vakrokti. Therefore, these features are plugged into the dhvani module. Finally, the aucitya module learns the weight of each module using a supervised paradigm. These weighted features of all modules are used for the final classification of the composition into three classes that demonstrate high, medium, or low conformity with the stan-




Figure 1: The proposed framework for analysis and classification of poetry using a hierarchical ensembling architecture. It consists of 7 modules, with violet modules being deterministic and the rest being supervised modules, currently supported by human experts. All modules are trained independently. The outputs and features of previous modules are helpful for the next phase modules, and the *aucitya* module learns the weight of each module using all their outputs except the meter module. The composition is finally classified into three classes that demonstrate high, medium, or low conformity with the standards of fine Sanskrit poetry, as articulated by experts in $k\bar{a}vyas\bar{a}stra$. We illustrate the proposed framework by showing analysis on $Siks\bar{a}staka$ composition.

dards of fine Sanskrit poetry, as articulated by experts in $k\bar{a}vyas\bar{a}stra$. In the absence of annotated data, human experts are relied upon for the modules that are supervised modules. In the future, it is hoped that all the modules can be automated, and researchers can consider training these modules in an end-to-end fashion. Overall, the proposed framework presents a systematic approach to analyze and classify poetry into different categories based on various features. The framework has the potential to assist poets, scholars, and critics in the evaluation of compositions and provide insights into the nuances of poetry.

Is Śikṣāṣṭaka an uttama kāvya? The criterion for a composition to be qualified as an uttama kāvya is the presence of dhvani, which evokes wonder in the reader.²¹ dhvani is the soul of a kāvya and is of three types: vastu-dhvani, alaṅkāra-dhvani, and rasa-dhvani. Vastu-dhvani signifies rare facts or ideas; alaṅkāra-dhvani indicates figures of speech, and rasa-dhvani evokes feelings or moods in the reader. In the context of vastu-dhvani, Śikṣāṣṭaka explores the sambandha, abhidheya, and prayojana for a devotee, gradations of devotional service, and the biography of the author. The composition provides an insightful glimpse into the key elements of bhakti and its various stages, making it a source of rare knowledge for the reader. In terms of alankāra-dhvani, Śiksāstaka employs a range of figures of speech such as metaphors, similes, and other literary devices to express its mood (rasa) without hindrance. The appropriate use of these devices creates a garland-like effect that acknowledges Govinda's glory and expresses the author's devotion and love. The composition's poetic beauty is further enhanced by its rhythm and musicality, making it a delight for readers. Moreover, Śiksāstaka is a powerful example of how the combination of vibhāva and anubhāva can be used to evoke vipralambha srngāra rasa, making it an exemplar of rasa-dhvani. The composition conveys the feeling of separation from the divine, which is central to the Vaisnava tradition of bhakti, and generates a deep emotional response in the reader. In conclusion, the evidence presented above establishes that Śiksāstaka is indeed an uttama kāvya. Its exploration of rare knowledge, its alankāra beauty, and its evocation of deep emotions through rasadhvani which renders greater amusement than the other meanings make it a masterpiece of Sanskrit literature.

5 Web Interface

This work employs compound tagging, morphological tagging, *Kāraka* dependency tagging, and

²¹*idamuttamamatiśayini vyangace vācyād dhvanirbudhai*h kathitahl1.4, Kāvyaprakāśa

The highest kind of poetry is the one in which the suggestive meaning dominates the other meanings. In this case, the suggestive meaning is called *dhvani* by scholars.




Figure 2: Web-based interactive modules to illustrate annotations and poetry analysis. Here, we showcase the verse-level analysis for *alankāra* module.

anvaya to annotate the *Śikṣāṣṭaka*. The primary objective of this annotation exercise is to facilitate a literal understanding of the composition. By providing grammatical information, this annotation serves as a baseline to evaluate the *dhvani*, or poetic suggestion, of the composition. The stanzas were annotated by 4 annotators, each an expert in one of the aforementioned tasks. In cases where there was a discrepancy in the annotation process, the annotators discussed and resolved the issue. All annotators hold a minimum academic qualification of a Master in Arts in Sanskrit. The annotations are publicly available via an interactive web-based platform as well as standard text annotation format.

Web-based application Figure 2 shows our web application that offers an interactive module to illustrate annotations and poetry analysis. The motivation to build a web-based application to illustrate poetry analysis (Delmonte, 2015; Delmonte and Prati, 2014) is that it can help to make poetry analysis more accessible, engaging, and effective, providing students with a rich learning experience that encourages deeper understanding and appreciation of this art form. This template can serve as a proxy to illustrate how an automated system should produce the poetry analysis. There are 7 dimensions to our analysis which can be classified into two broad categories, namely, stanza-level (metrical and *alankāra* analysis) and global-level (*rīti*, vakrokti, rasa, dhvani and aucitya analysis). As the names suggest, stanza-level analysis shows the analysis for each stanza and global analysis considers complete composition to provide the respective

analysis. The stanza-level modules are shown in blue color and the rest in purple. Our platform can provide the analysis in two possible ways. First, a user can choose to analyze any stanza through all the modules. Otherwise, the user can also opt for choosing any module and analyzing all the stanzas from the perspective of the chosen module. Our web template leverages the flex module to provide interactive features.

6 Conclusion

In conclusion, this article presents an innovative approach to bridge the gap between Sanskrit poetry and computational linguistics by proposing a framework that classifies Sanskrit poetry into levels of the characteristics of fine composition. The proposed framework takes a human-in-the-loop approach, combining the deterministic aspects delegated to machines and the deep semantics left to human experts. The article provides a deep analysis of Śiksāstaka, a Sanskrit poem, from the perspective of 7 prominent kāvyaśāstra schools to illustrate the proposed framework. The analysis establishes that Siksāstaka is indeed the uttama kāvya composition. Moreover, the article provides compound, dependency, anvaya, meter, rasa, alankāra, and rīti annotations for *Śiksāstaka* and a web application to illustrate the poem's analysis and annotations. The roadmap of the proposed framework opens new possibilities for the automatic analysis and classification of Sanskrit poetry while preserving the rich tradition of Sanskrit poetry.

Ethics Statement

Our work proposes a roadmap framework to evaluate the aesthetic beauty of Sanskrit poetry, which we believe will be valuable to individuals interested in the analysis of Sanskrit poetry. We have taken great care to ensure that our analysis is conducted ethically and responsibly. We do not anticipate any adverse effects of our framework and analysis on any community.

Acknowledgement

We would like to express gratitude to several individuals who contributed to the successful completion of this research project. We are grateful to Chaitanya Lakkundi for his helpful discussions on grammar. We would like to extend appreciation to Dr. Anupama Rayali, Dr. Pavankumar Salutari and Dr. Saurabh Dwivedi (Buddh P G College, Kushinagar, Uttar Pradesh) for their assistance in annotating Śiksāstaka. We are also thankful to Sugyan Kumar Mahanty for providing valuable inputs in their metrical analysis. We thank Hrishikesh Terdalkar for helping us with the metrical analysis and web designing. We acknowledge the support and assistance of Gauranga Darshan Prabhu, Dr. Amba Kulkarni (University of Hyderabad), Leela Govind Prabhu, Sriram Krishnan, Vedantasutra Prabhu and Venu Gopal Prabhu in connecting with different scholars of poetry school. We are also grateful to Shatavadhani R. Ganesh for his insightful discussions on clarifying our doubts. We appreciate the anonymous reviewers for their insightful suggestions that helped in enhancing this work. The work of the first author is supported by the TCS Fellowship under Project TCS/EE/2011191P.

References

- Rajat Agarwal and Katharina Kann. 2020. Acrostic poem generation. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 1230–1240, Online. Association for Computational Linguistics.
- Sharefah Al-Ghamdi, Hend Al-Khalifa, and Abdulmalik Al-Salman. 2021. A dependency treebank for classical Arabic poetry. In Proceedings of the Sixth International Conference on Dependency Linguistics (Depling, SyntaxFest 2021), pages 1–9, Sofia, Bulgaria. Association for Computational Linguistics.
- Timo Baumann, Hussein Hussein, and Burkhard Meyer-Sickendiek. 2018. Analysis of rhythmic phrasing: Feature engineering vs. representation learning for

classifying readout poetry. In Proceedings of the Second Joint SIGHUM Workshop on Computational Linguistics for Cultural Heritage, Social Sciences, Humanities and Literature, pages 44–49, Santa Fe, New Mexico. Association for Computational Linguistics.

- Tuhin Chakrabarty, Arkadiy Saakyan, and Smaranda Muresan. 2021. Don't go far off: An empirical study on neural poetry translation. In *Proceedings of the* 2021 Conference on Empirical Methods in Natural Language Processing, pages 7253–7265, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Rodolfo Delmonte. 2015. Visualizing poetry with SPARSAR – visual maps from poetic content. In *Proceedings of the Fourth Workshop on Computational Linguistics for Literature*, pages 68–78, Denver, Colorado, USA. Association for Computational Linguistics.
- Rodolfo Delmonte and Anton Maria Prati. 2014. SPARSAR: An expressive poetry reader. In Proceedings of the Demonstrations at the 14th Conference of the European Chapter of the Association for Computational Linguistics, pages 73–76, Gothenburg, Sweden. Association for Computational Linguistics.
- ASHWINI S. DEO. 2007. The metrical organization of classical sanskrit verse. *Journal of Linguistics*, 43(1):63–114.
- Irene R. Fairley. 1969. Stylistic analysis of poetry. In International Conference on Computational Linguistics COLING 1969: Preprint No. 62: Collection of Abstracts of Papers, Sånga Säby, Sweden.
- Alex Chengyu Fang, Fengju Lo, and Cheuk Kit Chinn. 2009. Adapting NLP and corpus analysis techniques to structured imagery analysis in classical Chinese poetry. In *Proceedings of the Workshop on Adaptation of Language Resources and Technology to New Domains*, pages 27–34, Borovets, Bulgaria. Association for Computational Linguistics.
- John J Foley IV. 2019. Poetry: Identification, entity recognition, and retrieval.
- Marjan Ghazvininejad, Yejin Choi, and Kevin Knight. 2018. Neural poetry translation. In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 2 (Short Papers)*, pages 67–71, New Orleans, Louisiana. Association for Computational Linguistics.
- Marjan Ghazvininejad, Xing Shi, Jay Priyadarshi, and Kevin Knight. 2017. Hafez: an interactive poetry generation system. In *Proceedings of ACL 2017*, *System Demonstrations*, pages 43–48, Vancouver, Canada. Association for Computational Linguistics.
- Hugo Gonçalo Oliveira. 2017. A survey on intelligent poetry generation: Languages, features, techniques, reutilisation and evaluation. In *Proceedings of the*

10th International Conference on Natural Language Generation, pages 11–20, Santiago de Compostela, Spain. Association for Computational Linguistics.

- Amitha Gopidi and Aniket Alam. 2019. Computational analysis of the historical changes in poetry and prose. In *Proceedings of the 1st International Workshop on Computational Approaches to Historical Language Change*, pages 14–22, Florence, Italy. Association for Computational Linguistics.
- Erica Greene, Tugba Bodrumlu, and Kevin Knight. 2010. Automatic analysis of rhythmic poetry with applications to generation and translation. In *Proceedings of the 2010 Conference on Empirical Methods in Natural Language Processing*, pages 524–533, Cambridge, MA. Association for Computational Linguistics.
- Thomas Haider. 2021. Metrical tagging in the wild: Building and annotating poetry corpora with rhythmic features. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 3715–3725, Online. Association for Computational Linguistics.
- Thomas Haider, Steffen Eger, Evgeny Kim, Roman Klinger, and Winfried Menninghaus. 2020. PO-EMO: Conceptualization, annotation, and modeling of aesthetic emotions in German and English poetry. In *Proceedings of the Twelfth Language Resources and Evaluation Conference*, pages 1652–1663, Marseille, France. European Language Resources Association.
- Mika Hämäläinen and Khalid Alnajjar. 2019. Let's FACE it. Finnish poetry generation with aesthetics and framing. In *Proceedings of the 12th International Conference on Natural Language Generation*, pages 290–300, Tokyo, Japan. Association for Computational Linguistics.
- Jack Hopkins and Douwe Kiela. 2017. Automatically generating rhythmic verse with neural networks. In Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 168–178, Vancouver, Canada. Association for Computational Linguistics.
- Péter Horváth, Péter Kundráth, Balázs Indig, Zsófia Fellegi, Eszter Szlávich, Tímea Borbála Bajzát, Zsófia Sárközi-Lindner, Bence Vida, Aslihan Karabulut, Mária Timári, and Gábor Palkó. 2022. ELTE poetry corpus: A machine annotated database of canonical Hungarian poetry. In *Proceedings of the Thirteenth Language Resources and Evaluation Conference*, pages 3471–3478, Marseille, France. European Language Resources Association.
- Jinyi Hu and Maosong Sun. 2020. Generating major types of Chinese classical poetry in a uniformed framework. In *Proceedings of the Twelfth Language Resources and Evaluation Conference*, pages 4658– 4663, Marseille, France. European Language Resources Association.

- Stephanie W Jamison and Joel P Brereton. 2014. *The Rigveda: the earliest religious poetry of India*, volume 1. South Asia Research.
- Justine Kao and Dan Jurafsky. 2012. A computational analysis of style, affect, and imagery in contemporary poetry. In *Proceedings of the NAACL-HLT 2012 Workshop on Computational Linguistics for Literature*, pages 8–17, Montréal, Canada. Association for Computational Linguistics.
- Vaibhav Kesarwani, Diana Inkpen, Stan Szpakowicz, and Chris Tanasescu. 2017. Metaphor detection in a poetry corpus. In Proceedings of the Joint SIGHUM Workshop on Computational Linguistics for Cultural Heritage, Social Sciences, Humanities and Literature, pages 1–9, Vancouver, Canada. Association for Computational Linguistics.
- Amrith Krishna, Bishal Santra, Ashim Gupta, Pavankumar Satuluri, and Pawan Goyal. 2020. A graph-based framework for structured prediction tasks in Sanskrit. *Computational Linguistics*, 46(4):785–845.
- Amrith Krishna, Vishnu Sharma, Bishal Santra, Aishik Chakraborty, Pavankumar Satuluri, and Pawan Goyal. 2019. Poetry to prose conversion in Sanskrit as a linearisation task: A case for low-resource languages. In Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics, pages 1160– 1166, Florence, Italy. Association for Computational Linguistics.
- Piji Li, Haisong Zhang, Xiaojiang Liu, and Shuming Shi. 2020. Rigid formats controlled text generation. In Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, pages 742–751, Online. Association for Computational Linguistics.
- Zhiqiang Liu, Zuohui Fu, Jie Cao, Gerard de Melo, Yik-Cheung Tam, Cheng Niu, and Jie Zhou. 2019. Rhetorically controlled encoder-decoder for Modern Chinese poetry generation. In Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics, pages 1992–2001, Florence, Italy. Association for Computational Linguistics.
- Keshav Melnad, Peter Scharf, and Pawan Goyal. 2015. Meter identification of sanskrit verse. pages 325 – 346. Sanskrit Syntax.
- Tyler Neill. 2023. Skrutable: Another step toward effective Sanskrit meter identification. In Proceedings of the Computational Sanskrit Digital Humanities: Selected papers presented at the 18th World Sanskrit Conference, pages 97–112, Canberra, Australia (Online mode). Association for Computational Linguistics.
- Sheldon Pollock. 1996. The sanskrit cosmopolis, 300– 1300: Transculturation, vernacularization, and the question of ideology. *Ideology and status of Sanskrit: Contributions to the history of the Sanskrit language*, pages 197–247.

- Sheldon Pollock. 2006. The language of the gods in the world of men: Sanskrit, culture, and power in premodern India. Univ of California Press.
- Shreevatsa Rajagopalan. 2018. A user-friendly tool for metrical analysis of sanskrit verse. page 13. Computational Sanskrit Digital Humanities.
- Peter Scharf, Anuja Ajotikar, Sampada Savardekar, and Pawan Goyal. 2015. Distinctive features of poetic syntax preliminary results. *Sanskrit syntax*, pages 305–324.
- Emily Sheng and David Uthus. 2020. Investigating societal biases in a poetry composition system. In *Proceedings of the Second Workshop on Gender Bias in Natural Language Processing*, pages 93–106, Barcelona, Spain (Online). Association for Computational Linguistics.
- Hrishikesh Terdalkar and Arnab Bhattacharya. 2023. Chandojnanam: A Sanskrit meter identification and utilization system. In Proceedings of the Computational Sanskrit Digital Humanities: Selected papers presented at the 18th World Sanskrit Conference, pages 113–127, Canberra, Australia (Online mode). Association for Computational Linguistics.
- Tim Van de Cruys. 2020. Automatic poetry generation from prosaic text. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 2471–2480, Online. Association for Computational Linguistics.
- D. L. Waltz. 1975. On understanding poetry. In *Theoretical Issues in Natural Language Processing*.
- Zhichao Yang, Pengshan Cai, Yansong Feng, Fei Li, Weijiang Feng, Elena Suet-Ying Chiu, and Hong Yu. 2019. Generating classical Chinese poems from vernacular Chinese. In Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP), pages 6155–6164, Hong Kong, China. Association for Computational Linguistics.
- Xiaoyuan Yi, Maosong Sun, Ruoyu Li, and Wenhao Li. 2018. Automatic poetry generation with mutual reinforcement learning. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3143–3153, Brussels, Belgium. Association for Computational Linguistics.
- Daniel (Yue) Zhang, Bo Ni, Qiyu Zhi, Thomas Plummer, Qi Li, Hao Zheng, Qingkai Zeng, Yang Zhang, and Dong Wang. 2020. Through the eyes of a poet: Classical poetry recommendation with visual input on social media. In *Proceedings of the 2019 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining*, ASONAM '19, page 333–340, New York, NY, USA. Association for Computing Machinery.

Guo Zhipeng, Xiaoyuan Yi, Maosong Sun, Wenhao Li, Cheng Yang, Jiannan Liang, Huimin Chen, Yuhui Zhang, and Ruoyu Li. 2019. Jiuge: A humanmachine collaborative Chinese classical poetry generation system. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics: System Demonstrations*, pages 25–30, Florence, Italy. Association for Computational Linguistics.

A Śikṣāṣṭaka Composition

Stanza 1

ceto-darpaṇa-mārjanaṁ bhava-mahā-dāvāgni-nirvāpaṇaṁ | śreyaḥ-kairava-candrikā-vitaraṇaṁ vidyā-vadhū-jīvanam || ānandāmbudhi-vardhanaṁ prati-padaṁ pūrṇāmṛtāsvādanaṁ | sarvātma-snapanaṁ paraṁ vijayate śrī-kṛṣṇa-saṅkīrtanam ||1||

Synonyms: cetah — of the heart; darpana the mirror; mārjanam — cleansing; bhava of material existence; mahā-dāva-agni — the blazing forest fire; nirvāpaņam — extinguishing; śreyah — of good fortune; kairava — the white lotus; candrikā — the moonshine; vitaraņam spreading; vidyā — of all education; vadhū wife; jīvanam — the life; ānanda — of bliss; ambudhi — the ocean; vardhanam — increasing; prati-padam — at every step; pūrņa-amrta — of the full nectar; āsvādanam — giving a taste; sarva - for everyone; ātma-snapanam - bathing of the self; param — transcendental; vijayate — let there be victory; śrī-kṛṣṇa-saṅkīrtanam — for the congregational chanting of the holy name of Krsna.

Translation: Let there be all victory for the chanting of the holy name of Lord Kṛṣṇa, which can cleanse the mirror of the heart and stop the miseries of the blazing fire of material existence. That chanting is the waxing moon that spreads the white lotus of good fortune for all living entities. It is the life and soul of all education. The chanting of the holy name of Kṛṣṇa expands the blissful ocean of transcendental life. It gives a cooling effect to everyone and enables one to taste full nectar at every step.

Stanza 2

nāmnām akāri bahudhā nija-sarva-śaktis | tatrārpitā niyamitaḥ smaraṇe na kālaḥ || etādṛśī tava kṛpā bhagavan mamāpi |

dur-daivam īdrśam ihājani nānurāgah ||2||

Synonyms: nāmnām — of the holy names of the Lord; akāri — manifested; bahudhā various kinds; nija-sarva-śaktiḥ — all kinds of personal potencies; tatra — in that; arpitā bestowed; niyamitaḥ — restricted; smaraṇe — in remembering; na — not; kālaḥ — consideration of time; etādṛśī — so much; tava — Your; kṛpā mercy; bhagavan — O Lord; mama — My; api — although; durdaivam — misfortune; īdṛśam such; iha — in this (the holy name); ajani — was born; na — not; anurāgaḥ — attachment.

Translation: My Lord, O Supreme Personality of Godhead, in Your holy name there is all good fortune for the living entity, and therefore You have many names, such as "Kṛṣṇa" and "Govinda," by which You expand Yourself. You have invested all Your potencies in those names, and there are no hard and fast rules for remembering them. My dear Lord, although You bestow such mercy upon the fallen, conditioned souls by liberally teaching Your holy names, I am so unfortunate that I commit offenses while chanting the holy name, and therefore I do not achieve attachment for chanting.

Stanza 3

tṛṇād api su-nīcena l taror iva sahiṣṇunā ll amāninā māna-dena l kīrtanīyah sadā harih ||3||

Synonyms: tṛṇāt api — than downtrodden grass; su-nīcena — being lower; taroḥ — than a tree; iva — like; sahiṣṇunā — with tolerance; amāninā without being puffed up by false pride; māna-dena — giving respect to all; kīrtanīyaḥ — to be chanted; sadā — always; hariḥ — the holy name of the Lord.

Translation One who thinks himself lower than the grass, who is more tolerant than a tree, and who does not expect personal honor but is always prepared to give all respect to others can very easily always chant the holy name of the Lord.

Stanza 4

na dhanam na janam na sundarīm | kavitām vā jagad-īśa kāmaye || mama janmani-janmani īśvare | bhavatād bhaktir a-haitukī tvayi ||4|| Synonyms: na — not; dhanam — riches; na not; janam — followers; na — not; sundarīm — a very beautiful woman; kavitām — fruitive activities described in flowery language; vā or; jagat-īśa — O Lord of the universe; kāmaye — I desire; mama — My; janmani — in birth; janmani — after birth; īśvare — unto the Supreme Personality of Godhead; bhavatāt — let there be; bhaktiḥ — devotional service; ahaitukī — with no motives; tvayi — unto You.

Translation: O Lord of the universe, I do not desire material wealth, materialistic followers, a beautiful wife or fruitive activities described in flowery language. All I want, life after life, is unmotivated devotional service to You.

Stanza 5

ayi nanda-tanuja kin-karam | patitam mām viṣame bhava-ambudhau || kṛpayā tava pāda-paṅkaja- | sthita-dhūlī-sadṛśam vicintaya||5||

Synonyms: ayi — O My Lord; nanda-tanuja the son of Nanda Mahārāja, Kṛṣṇa; kiṅkaram the servant; patitam — fallen; mām — Me; viṣame — horrible; bhava-ambudhau — in the ocean of nescience; kṛpayā — by causeless mercy; tava — Your; pāda-paṅkaja — lotus feet; sthita situated at; dhūlī-sadṛśam — like a particle of dust; vicintaya — kindly consider.

Translation: O My Lord, O Kṛṣṇa, son of Mahārāja Nanda, I am Your eternal servant, but because of My own fruitive acts I have fallen into this horrible ocean of nescience. Now please be causelessly merciful to Me. Consider Me a particle of dust at Your lotus feet.

Stanza 6

nayanam galad-aśru-dhārayā | vadanam gadgada-ruddhayā girā || pulakair nicitam vapuḥ kadā | tava nāma-grahaṇe bhavisyati||6||

Synonyms: nayanam — the eyes; galat-aśrudhārayā — by streams of tears running down; vadanam — mouth; gadgada — faltering; ruddhayā — choked up; girā — with words; pulakaiḥ with erection of the hairs due to transcendental happiness; nicitam — covered; vapuḥ — the body; kadā — when; tava — Your; nāma-grahaṇe — in chanting the name; bhaviṣyati — will be. Translation: My dear Lord, when will My eyes be beautified by filling with tears that constantly glide down as I chant Your holy name? When will My voice falter and all the hairs on My body stand erect in transcendental happiness as I chant Your holy name?

Stanza 7

yugāyitam nimeseņa | caksusā prāvrsāyitam || śūnyāyitam jagat sarvam | govinda-viraheņa me ||7||

Synonyms 7: yugāyitam — appearing like a great millennium; nimeṣeṇa — by a moment; cakṣuṣā from the eyes; prāvṛṣāyitam — tears falling like torrents of rain; śūnyāyitam — appearing void; jagat — the world; sarvam — all; govinda — from Lord Govinda, Kṛṣṇa; viraheṇa me — by My separation.

Translation: My Lord Govinda, because of separation from You, I consider even a moment a great millennium. Tears flow from My eyes like torrents of rain, and I see the entire world as void.

Stanza 8

āśliṣya vā pāda-ratām pinaṣṭu mām | a-darśanān marma-hatām karotu vā || yathā tathā vā vidadhātu lampaṭo | mat-prāṇa-nāthas tu sa eva nāparaḥ ||8||

Synonyms: āśliṣya — embracing with great pleasure; vā — or; pāda-ratām — who have fallen at the lotus feet; pinaṣṭu — let Him trample; mām — Me; adarśanāt — by not being visible; marmahatām — brokenhearted; karotu — let Him make; vā — or; yathā — as (He likes); tathā — so; vā — or; vidadhātu — let Him do; lampaṭaḥ — a debauchee, who mixes with other women; mat-prāṇanāthaḥ — the Lord of My life; tu — but; saḥ — He; eva — only; na aparaḥ — not anyone else. Translation: Let Krsna tightly embrace this maid-

servant who has fallen at His lotus feet, or let Him trample Me or break My heart by never being visible to Me. He is a debauchee, after all, and can do whatever He likes, but still He alone, and no one else, is the worshipable Lord of My heart.