

The Brown Dwarf Kinematics Project (BDKP). VI. Ultracool Dwarf Radial and Rotational Velocities from SDSS/APOGEE High-resolution Spectroscopy

CHIH-CHUN HSU  ^{1,2} ADAM J. BURGASSER  ³ CHRISTOPHER A. THEISSEN  ³ JESSICA L. BIRKY  ⁴
 CHRISTIAN AGANZE  ^{2,5} ROMAN GERASIMOV  ⁶ SARAH J. SCHMIDT  ⁷ CULLEN H. BLAKE  ⁸ KEVIN R. COVEY  ⁹
 ELIZABETH MORENO-HILARIO  ¹⁰ CHRISTOPHER R. GELINO  ^{11,12} JAVIER SERNA  ¹³ JOEL R. BROWNSTEIN  ¹⁴ AND
 KATIA CUNHA  ^{15,16}

¹Center for Interdisciplinary Exploration and Research in Astrophysics (CIERA), Northwestern University, 1800 Sherman, Evanston, IL 60201, USA

²Center for Astrophysics and Space Science, Department of Physics, University of California San Diego, La Jolla, CA 92093, USA

³Department of Astronomy & Astrophysics, University of California San Diego, La Jolla, CA 92093, USA

⁴Department of Astronomy, University of Washington, Seattle, WA 98195, USA

⁵Department of Physics, Stanford University, Stanford, CA 94305, USA

⁶Center for Astrophysics and Space Science, University of California San Diego, La Jolla, CA 92093, USA

⁷Leibniz-Institute for Astrophysics Potsdam (AIP), An der Sternwarte 16, D-14482, Potsdam, Germany

⁸University of Pennsylvania Department of Physics and Astronomy, 209 S 33rd St, Philadelphia, PA 19104, USA

⁹Department of Physics & Astronomy, Western Washington University, Bellingham WA 98225-9164, USA

¹⁰Instituto de Astronomía, Universidad Nacional Autónoma de México, Ciudad Universitaria, CDMX, C.P. 04510, Mexico

¹¹NASA Exoplanet Science Institute, Mail Code 100-22, California Institute of Technology, 770 South Wilson Avenue, Pasadena, CA 91125, USA

¹²Infrared Processing and Analysis Center, Mail Code 100-22, California Institute of Technology, 1200 E. California Boulevard, Pasadena, CA 91125, USA

¹³Instituto de Astronomía, Universidad Autónoma de México

Ensenada, B.C, México

¹⁴Department of Physics and Astronomy, University of Utah, 115 S. 1400 E., Salt Lake City, UT 84112, USA

¹⁵Steward Observatory, University of Arizona, 933 North Cherry Avenue, Tucson, AZ 85721-0065, USA

¹⁶Observatório Nacional/MCTIC, R. Gen. José Cristino, 77, 20921-400, Rio de Janeiro, Brazil

Submitted to ApJS

ABSTRACT

We present precise measurements of radial (RV) and projected rotational ($v \sin i$) velocities of a sample of 258 M6 to L2 dwarfs with multi-epoch, high-resolution ($\lambda/\Delta\lambda = 22500$), near-infrared (1.514–1.696 μm) spectroscopic observations reported in the Apache Point Observatory Galactic Evolution Experiment (APOGEE) Data Release 17. The spectra were modeled using a Markov Chain Monte Carlo forward-modeling method which achieved median precisions of $\sigma_{\text{RV}} = 0.4 \text{ km s}^{-1}$ and $\sigma_{v \sin i} = 1.1 \text{ km s}^{-1}$. One-half of our sample (138 sources) are previously known members of nearby young clusters and moving groups, and we identified three new kinematic members of the Argus or Carina Near moving groups, 2MASS J05402570+2448090, 2MASS J14093200+4138080, and 2MASS J21272531+5553150. Excluding these sources, we find that the majority of our sample has kinematics consistent with the Galactic thin disk, and eleven sources are associated with the intermediate thin/thick disk. The field sample has a velocity dispersion of $38.2 \pm 0.3 \text{ km s}^{-1}$, equivalent to an age of $3.30 \pm 0.19 \text{ Gyr}$ based on empirical age-velocity dispersion relations; and a median $v \sin i$ of 17 km s^{-1} . For 172 sources with multi-epoch observations, we identified 37 as having significant radial velocity variations, and determined preliminary orbit parameters for 26 sources with four or more epochs, nine of which are short-period binary candidates. For 40 sources with photometric variability periods from the literature

less than 5 days and $v \sin i > 20 \text{ km s}^{-1}$, we find a decline in projected radii $R \sin i$ with age congruent with evolutionary models. Finally, we also present multi-epoch RV and $v \sin i$ measurements for additional 444 candidate ultracool dwarfs.

Keywords: Brown dwarfs (185), Low mass stars (2050), Radial velocity (1332), Stellar rotation (1629), High resolution spectroscopy (2096), Stellar kinematics (1608)

1. INTRODUCTION

Ultracool dwarfs (UCDs) are stellar and substellar objects with effective temperatures below 3000 K, masses below $0.1 M_{\odot}$, and spectral types spanning the late-M, L, T, and Y dwarf classes (Kirkpatrick 2005; Burgasser et al. 2006; Cushing et al. 2011). Over the past two decades, tens of thousands of UCDs have been discovered through large sky surveys such as the Two Micron All Sky Survey (2MASS; Skrutskie et al. 2006), the Sloan Digital Sky Survey (SDSS; York et al. 2000), the *Wide-field Infrared Survey Explorer* (*WISE*; Cutri & et al. 2012), and *Gaia* (Gaia Collaboration et al. 2018, 2021a). Given such a large sample of UCDs, statistically studies of their physical properties becomes possible, particularly through the use of high-resolution spectroscopy.

High-resolution spectroscopy provides several unique opportunities for characterizing the physical properties of stars. These data provide precise radial velocities (RVs) which combined with proper motions and distances yield 3D kinematics that can be used to determine membership in Galactic populations (thin/thick disk, halo; Bensby et al. 2003) and young clusters and moving groups (Gagné et al. 2018). The dispersion of spatial velocities can also be used to statistically infer population ages (Wielen 1977; Aumer & Binney 2009). Multi-epoch precise RVs enable the identification of single-line or double-line low-mass binaries (e.g. Blake et al. 2010; Burgasser et al. 2016; Triaud et al. 2020; Hsu et al. 2023). Projected rotational velocities trace angular momentum evolution as a function of age and magnetic activity (Zapatero Osorio et al. 2006; Herbst et al. 2007; Irwin et al. 2011; Bouvier et al. 2014) and enable assessment of spin/orbit alignment in binary and exoplanet systems (Rossiter–McLaughlin effect; Rossiter 1924; McLaughlin 1924; Triaud et al. 2010). High-resolution spectroscopy can also be used to measure elemental abundances, including rare species and isotopes (e.g., ^{13}CO ; Tsuji 2016; Souto et al. 2017; Crossfield et al. 2019); and detailed line modeling can be used to measure magnetic fields through Zeeman splitting, wavelength-dependent limb darkening, and map surface structure through Doppler imaging (e.g., Shulyak et al. 2010; Crossfield 2014).

Despite these opportunities, the current sample of reported high-resolution spectroscopy for ultracool dwarfs is limited to a few hundred systems due to their intrinsic faintness and red/infrared spectral energy distributions (SEDs; Hsu et al. 2021). For comparison, the Apache Point Observatory Galactic Evolution Experiment (APOGEE; Majewski et al. 2017; Wilson et al. 2019), part of the Sloan Digital Sky Survey (SDSS; Blanton et al. 2017), provides high-resolution ($\lambda/\Delta\lambda \sim 22,500$) near-infrared spectra (1.514–1.696 μm) of more than 730,000 stars (Abdurro'uf et al. 2022). The single-epoch spectra of APOGEE have provided the chemical abundances for planet hosts (Souto et al. 2017, 2018; Wilson et al. 2018; Souto et al. 2020), Galactic chemical populations (Hayden et al. 2015; Cunha et al. 2015; Bovy et al. 2016; Donor et al. 2020), and cluster kinematics (Ness et al. 2016; Da Rio et al. 2017). The acquisition of multi-epoch spectra has enabled discovery of thousands of binary systems, including $\sim 4,000$ single-lined spectroscopic binary (SB1) companions to giants (Price-Whelan et al. 2018) and $> 7,000$ double-lined spectroscopic binaries (SB2) among Main Sequence stars (Skinner et al. 2018; Kounkel et al. 2021). However, APOGEE does not provide robust RVs and $v \sin i$ s for UCDs, as both the APOGEE Stellar Parameter and Chemical Abundances Pipeline (ASPCAP García Pérez et al. 2016), and a more recent radial velocity pipeline Doppler (Nidever 2021), have difficulties fitting molecule-rich UCD spectra below $T_{\text{eff}} = 3,500 \text{ K}$.

Attempts have been made to model APOGEE spectra through other means. Metallicities and abundances of early-to-mid M dwarfs (M0–M5) have been extensively explored in Schmidt et al. (2016); Souto et al. (2017, 2018); Rajpurohit et al. (2018); Souto et al. (2020, 2021, 2022); Wanderley et al. (2023). APOGEE UCDs were relatively less explored in the literature. For example, (Birky et al. 2020) measured the T_{eff} s, metallicities, and spectral types of 5875 M dwarfs across M0 to M9 using a data-driven approach. Skinner et al. (2018) identified 44 M dwarf double-lined spectral bi-

naries among a sample of 1350 M dwarfs¹. Deshpande et al. (2013) reported RV and $v \sin i$ measurements for 253 M dwarfs with APOGEE data using a forward-modeling approach. However, the sample is dominated by early- to mid-M dwarfs, with only 27 sources falling in the UCD regime². As discussed below, there are in fact hundreds of UCDs with APOGEE data. Additionally, the RVs reported by Deshpande et al. (2013) were determined by χ^2 minimization using BT-Settl models (Allard et al. 1997). As shown in this paper, these older atmosphere models are unable to provide robust RVs and $v \sin i$ s in the UCD regime due to the missing FeH opacities. Gilhool et al. (2018) measured $v \sin i$ for 714 M dwarfs, with 17 M6–M8 in their sample. More recently, Sarmento et al. (2021) analyzed 313 M dwarfs to measure RV and $v \sin i$ using high signal-to-ratio ($S/N > 200$) spectra (but included 37 lower S/N benchmark sources to calibrate and explore their measurement limits). Due to their selection criteria for high S/N spectra, only one UCD, M8e 2MASS J05392474+4038437, was selected in their sample. The availability of several more UCD APOGEE spectra in Data Release 17 (DR17; Abdurro’uf et al. 2022) and improvements in stellar modeling motivate a re-evaluation of these data, with the aim of building a larger and more precise sample of accurate RV and $v \sin i$ for UCDs.

In this article, we present multi-epoch measurements of precise radial and projected rotational velocities for 258 spectroscopically-classified and 444 candidate ultracool dwarfs in the APOGEE sample, using a Markov Chain Monte Carlo forward-modeling method. This approach has been shown to provide precise and robust RV and $v \sin i$ measurements for high-resolution near-infrared spectra of late-M, L, and T dwarfs (Blake et al. 2010; Burgasser et al. 2016; Hsu et al. 2021), and here we apply the method to APOGEE observations of UCDs. In Section 2, we define our sample, including low-resolution optical spectra of twelve sources without prior classifications in the literature. In Section 3, we describe our forward-modeling approach in detail. In Section 4, we discuss our RV and $v \sin i$ measurements, and inferred effective temperatures and surface gravities, based on our fits. In Section 5, we combine our RV measurements with *Gaia* astrometry to determine 3D space motions, and use these to characterize Galactic popu-

¹ Their sample is composed of all early-to-mid M dwarfs except for one M7 SB2 2MASS J03122509+0021585 (a.k.a. LSPM J0312+0021), but the APOGEE data have low quality and were flagged as bad data in DR17.

² These were derived from the $V - J$ colors of their sample, and only 10 of which have independent spectral types of M6 and later.

lations and orbits, cluster memberships, and kinematic ages for the sample. We identify potential spectroscopic binary candidates among sources with multi-epoch observations, and make preliminary orbit fits for 26 sources with four or more epochs of data. We also examine rotational velocity statistics, including trends with spectral type and distributions of projected radii and rotation axis inclinations for sources with published photometric variability periods. We summarize our key results in Section 6.

2. SAMPLE AND OBSERVATIONS

2.1. Sample Construction

Our ultracool dwarf sample was curated from APOGEE DR17 (Abdurro’uf et al. 2022) of SDSS-IV (Blanton et al. 2017) based on observations obtained with the 2.5-meter Sloan Foundation Telescope at the Apache Point Observatory (Gunn et al. 2006) and 2.5-meter du Pont Telescope at the Las Campanas Observatory (Bowen & Vaughan 1973). The majority of our targets were proposed in two SDSS Ancillary Science Programs, SDSS-III Project 176 (PIs Suvrath Mahadevan and Cullen Blake; “A Radial Velocity Survey of Bright M Dwarfs with APOGEE: Companions, $v \sin i$, Fe/H”) and SDSS-IV Project 288 (PI: Adam Burgasser; “APOGEE-2 and eBOSS Observations of the Lowest-Mass Stars and Brown Dwarfs in the Solar Neighborhood”) ³. These programs are well-aligned with one of the main stellar science goals of the APOGEE survey, which is the identification of close binary systems and substellar companions through radial velocity variables (Blanton et al. 2017). We drew all of our sources from the DR17 allStar catalog,⁴ and constructed two UCD samples for our analysis dubbed the “gold” and “full” samples. The analysis in this paper focuses on the gold sample. We present the construction and measurements of the full sample in the Appendix A.

Our “gold” sample was based on sources with classifications of M6 and later as reported in SIMBAD (Wenger et al. 2000), the Late-Type Extension to MoVeRS (LaTE-MoVeRS; Theissen et al. 2016, 2017), Reylé

³ These programs are ‘APOGEE_ANCILLARY’, ‘APOGEE2_ANCILLARY’, ‘APOGEE2.APOKASC’, ‘APOGEE2_CALIB_CLUSTER’, ‘APOGEE2.CIS’, ‘APOGEE2_CNTAC’, ‘APOGEE2.GAIA_OVERLAP’, ‘APOGEE2_GAIA_OVERLAP’, ‘APOGEE2.K2’, ‘APOGEE2.MANGA_LED’, ‘APOGEE2_MDWARF’, ‘APOGEE2.NORMAL_SAMPLE’, ‘APOGEE2_ONEBIN_GT_0_3’, ‘APOGEE2_SFD_DERED’, ‘APOGEE2_SHORT’, ‘APOGEE2_ULTRACOOL’, and ‘APOGEE2_YOUNG_CLUSTER’.

⁴ Available at <https://data.sdss.org/sas/dr17/apogee/spectro/aspcap/dr17/synspec/allStar-dr17-synspec.fits>.

(2018), and Best et al. (2021), or reported in this work. We use the most recent spectroscopic classification as our adopted value. Two sources were rejected from the sample based on classifications earlier than M6 from additional follow-up spectroscopy discussed below. We validated the remaining sources by visually inspecting optical (SDSS) and near-infrared images (2MASS), and confirmed correct placement on color-magnitude and color-color diagrams combining 2MASS and *Gaia* EDR3 (Gaia Collaboration et al. 2021a) photometry and astrometry (Figure 1). We further imposed a limit on the median spectral signal-to-noise ratio (SNR) of the APOGEE data to be >10 . After removal of spectral type earlier than M6 using our optical spectra (Section 2.2) and color-type relation from Kiman et al. (2019), these criteria resulted in a sample of 931 spectra of 258 sources summarized in Table 1, which is the gold sample.

Figure 2 displays the observable properties of our gold and full samples. The distribution of targets across the sky is highly dependent on APOGEE’s survey pointings. Notably, half of the gold sample includes known members of nearby young moving groups (the Upper Scorpius and Taurus young associations), targeted as part of the programs described in Zasowski et al. (2013, 2017); Beaton et al. (2021) and Santana et al. (2021). The spectral types for our gold sample range from M6 to L2, with 252 late-M dwarfs and 6 L dwarfs. For the full sample that is not in the gold sample, the *Gaia* $G - G_{\text{RP}}$ /spectral type relation of Kiman et al. (2019) indicates spectral types of M4 to L4, with 184 late-M dwarfs and 17 L dwarfs. The majority of our gold sample (80%) and full sample (90%) have distances larger than 30 pc, with the M6.5Ve G 51–15 (2MASS J08294949+2646348) being the closest source at a *Gaia* distance of 3.5810 ± 0.0008 pc. The apparent H -band magnitudes of our targets extend to 14.65, which is slightly fainter than the APOGEE magnitude limit of 13.8 for SNR = 100.

The majority of both samples (66% and 51%) have APOGEE spectral observations taken over multiple epochs, enabling more precise determinations of radial velocities and the possibility of measuring radial velocity variations. We defined multi-epoch subsamples in our gold and full samples as those with at least four observations satisfying $\text{SNR} > 10$, each separated by at least 0.85 day. A total of 71 sources in the gold sample and 115 sources in the full sample satisfy these criteria, and the radial velocity variables among the subsample are discussed in Section 5.5.

Finally, we note that the requirement for a *Gaia* detection likely resulted in the rejection of true UCDs in




Figure 1. Color-magnitude properties of the UCD APOGEE sample. The full sample is indicated by grey dots, the gold sample by dots color-coded with spectral type. Blue stars highlight spectroscopic binary candidates. *Top:* M_G versus $G - J$. *Bottom:* M_G versus $J - K$.

the full sample due to sensitivity limitations (Theissen 2018), and APOGEE targeting was not intended to be uniform across the sky (Zasowski et al. 2013). Therefore, our APOGEE UCD sample is not expected to be magnitude- or volume-complete, but rather representative of the broader UCD population.




Figure 2. Distributions of observables for the APOGEE UCD sample. Gold sample sources are indicated by blue lines and symbols, full sample sources are indicated by black lines and symbols. *Top left:* Sky distribution of our samples in Galactic coordinates. Known young sources in our gold sample are highlighted by red squares, and the major two clusters Upper Scorpius (USCO) and Taurus (TAU) are labeled in red texts near the cluster locations. The Galactic latitudes at $\pm 15^\circ$ are shown in grey dashed lines. *Top right:* Spectral type distributions for our samples, and gold sample spectral types drawn from the literature (see Table 1 for references) or observations presented here, and full sample spectral types estimated from the [Kiman et al. \(2019\)](#) $G - G_{\text{RP}}$ /spectral type relation. Dashed line histograms indicate the distributions of sources with four or more observation epochs. *Bottom left:* $Gaia$ EDR3 parallax measurement distributions for our samples. Note that the maximum distance value is 400 pc. The single source within 10 pc ($\pi > 100$ mas) is the M6.5Ve G 51–15 (2MASS J08294949+2646348). *Bottom right:* Apparent 2MASS H -band magnitude distributions for our samples. The SNR limit = 100 ($H \sim 13.8$ mag) is labeled in the vertical black dashed line.

Table 1. APOGEE DR17 Sample

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	SpT Ref	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	μ Ref	π	π Ref
2MASS J00034394+8606422	0.933088	+86.111732	574059045248283008	M6.0	(93)	10	11.738 ± 0.031	175.94 ± 0.04	-25.83 ± 0.04	(99)	30.81 ± 0.03	(99)
2MASS J00312793+6139333	7.866401	+61.639252	430215470915266560	M7	(79, 97)	6	12.483 ± 0.028	369.52 ± 0.07	158.0 ± 0.07	(99)	27.86 ± 0.07	(99)
2MASS J00381273+3850323	9.553082	+38.842308	368514898441866368	M6	(91)	6	12.459 ± 0.033	163.84 ± 0.05	12.5 ± 0.05	(99)	17.21 ± 0.06	(99)
2MASS J0452143+1634446	11.339304	+16.579082	278151513733917711616	L2beta	(44)	3	12.059 ± 0.035	359.07 ± 0.2	-47.91 ± 0.14	(99)	65.41 ± 0.18	(99)
2MASS J0514593-1221458	12.941377	-12.362734	2376328546438257536	M6.1	(93)	2	11.89 ± 0.022	-32.76 ± 0.06	-38.85 ± 0.06	(99)	26.36 ± 0.04	(99)
2MASS J011154176+0059317	18.924037	+0.992157	253527308835573120	M6	(100)	2	12.651 ± 0.027	163.82 ± 0.15	24.1 ± 0.13	(99)	15.77 ± 0.13	(99)
2MASS J01215816+0101007	20.492347	+1.016877	2535133209860543616	M6.5	(100)	2	12.429 ± 0.026	161.94 ± 0.16	-78.8 ± 0.09	(99)	26.49 ± 0.12	(99)
2MASS J01243124-0027556	21.130173	-0.465459	25359466565105570304	M7	(51)	2	11.506 ± 0.029	66.72 ± 0.32	-170.47 ± 0.18	(99)	29.17 ± 0.25	(99)
2MASS J01514363+0046188	27.931833	+0.771889	2510880216734767232	M7	(87)	3	12.431 ± 0.023	126.98 ± 0.12	30.41 ± 0.08	(99)	26.32 ± 0.1	(99)
2MASS J02163612-0544175	34.150527	-5.73821	2487920936478100992	M6.1	(93)	3	11.787 ± 0.029	23.79 ± 0.06	-79.67 ± 0.05	(99)	30.91 ± 0.05	(99)
2MASS J03040207+0045512	46.008629	+0.76423	3266760032372995072	M6	(52)	16	11.216 ± 0.027	251.94 ± 0.06	34.3 ± 0.05	(99)	33.49 ± 0.05	(99)
2MASS J03122509+0021585	48.104563	+0.366251	326683514427611450088	M7V	(51)	4	11.589 ± 0.025	177.94 ± 0.16	-28.39 ± 0.16	(99)	32.07 ± 0.14	(99)
2MASS J03282839-3116273	52.118321	+31.274265	121029704500767488	M6.9	(57)	10	13.927 ± 0.049	6.34 ± 0.23	-9.72 ± 0.17	(99)	3.27 ± 0.12	(99)
2MASS J03284407+3120528	52.183642	+31.348017	12140507412161536	M7.5	(47)	18	13.235 ± 0.037	7.26 ± 0.42	-10.12 ± 0.3	(99)	4.09 ± 0.36	(99)
2MASS J03290413+3056127	52.267212	+30.936874	121008543197280640	M6.1	(93)	17	13.227 ± 0.032	6.78 ± 0.18	-8.49 ± 0.15	(99)	3.86 ± 0.15	(99)
2MASS J03291130-3117175	52.297113	+31.2888221	121392646417033856	M8V	(21)	15	13.371 ± 0.032	7.8 ± 0.27	-9.07 ± 0.2	(99)	3.38 ± 0.23	(99)
2MASS J03293053-3127280	52.377236	+31.457779	121412953022160256	M6.9	(57)	2	13.014 ± 0.034	6.61 ± 0.18	-10.18 ± 0.14	(99)	3.58 ± 0.16	(99)
2MASS J03293773+3122024	52.407227	+31.367357	12140450373111040	M7.6	(57)	19	13.387 ± 0.034	7.51 ± 0.25	-10.22 ± 0.17	(99)	3.56 ± 0.18	(99)
2MASS J03413332+3157417	55.588836	+31.961592	217342872940649600	M6.2	(93)	17	11.322 ± 0.017	104.96 ± 0.24	-154.0 ± 0.18	(99)	25.39 ± 0.21	(99)
2MASS J03413641+3216200	55.401727	+32.272247	21744523061469568	M6.1	(93)	4	14.327 ± 0.052	5.16 ± 0.6	-6.72 ± 0.5	(99)	3.64 ± 0.41	(99)
2MASS J03430194+3144355	55.758096	+31.743196	216572214072479104	M7	(95)	4	13.93 ± 0.041	4.76 ± 0.71	-6.8 ± 0.66	(99)	4.31 ± 0.65	(99)
2MASS J03431389+3147571	55.807895	+31.799208	216572871202364160	M6.4	(93)	5	14.203 ± 0.045	7.13 ± 0.35	-9.74 ± 0.3	(99)	3.16 ± 0.41	(99)
2MASS J03434763+3209025	55.948481	+32.150711	216692335718274816	M7	(37)	4	14.084 ± 0.036	4.72 ± 0.43	-6.53 ± 0.32	(99)	3.49 ± 0.35	(99)
2MASS J03435508+3207145	55.979527	+32.120712	216680369809831552	M6	(45)	1	13.455 ± 0.031	3.92 ± 0.31	-7.09 ± 0.24	(99)	2.91 ± 0.33	(99)
2MASS J03435638+3209591	55.984928	+32.166443	216680722127208320	M7	(45)	1	14.653 ± 0.058	5.03 ± 1.12	-6.49 ± 0.8	(99)	3.74 ± 1.06	(99)
2MASS J03435987+3204414	55.99947	+32.078178	21667932096866944	M6e	(19)	6	13.388 ± 0.032	5.21 ± 0.25	-6.74 ± 0.19	(99)	3.32 ± 0.24	(99)
2MASS J03440291+3152277	56.012148	+31.874367	216667802865507712	M6.0	(95)	12	13.567 ± 0.032	4.55 ± 0.49	-6.81 ± 0.39	(99)	3.71 ± 0.45	(99)
2MASS J03440599+3215321	56.024969	+32.25893	216694603461518208	M6.5	(37)	7	13.783 ± 0.041	4.57 ± 0.35	-6.68 ± 0.24	(99)	3.21 ± 0.28	(99)
2MASS J03441558+3209218	56.064919	+32.156063	216681237532246208	M7.5	(19)	2	13.775 ± 0.031	4.17 ± 0.67	-6.53 ± 0.38	(99)	3.44 ± 0.56	(99)
2MASS J03442798+3205196	56.116591	+32.088802	216677767189697024	M6.3	(93)	1	14.211 ± 0.039	4.44 ± 0.37	-6.2 ± 0.24	(99)	3.71 ± 0.36	(99)
2MASS J03443886+3206364	56.161946	+32.110123	216678007707900416	M6.0	(93)	3	13.261 ± 0.024	5.03 ± 0.3	-6.65 ± 0.18	(99)	3.36 ± 0.26	(99)
2MASS J03505737+1818069	57.739064	+18.30192	50667693128858624	M9	(56)	1	12.213 ± 0.022	179.42 ± 0.14	-37.58 ± 0.1	(99)	27.12 ± 0.12	(99)
2MASS J04104079+1444007	62.669997	+14.73354	3311671955631826944	M6	(91)	2	11.795 ± 0.11	123.83 ± 0.11	-14.95 ± 0.1	(99)	21.98 ± 0.09	(99)
2MASS J04110642+1247481	62.776762	+12.736713	3304478125929665152	M6	(34)	2	12.128 ± 0.038	132.35 ± 0.13	-13.39 ± 0.1	(99)	23.07 ± 0.1	(99)
2MASS J04152409+2910434	63.850415	+29.178741	16480820022316800	M7	(46)	3	12.3882 ± 0.027	12.06 ± 0.28	-18.41 ± 0.19	(99)	6.23 ± 0.22	(99)

Table 1 *continued*

Table 1 (continued)

APOGEE ID	RA (deg)	Dec (deg)	Gaia eDR3 Source ID	SpT	SpT Ref	N_{obs}	2MASS H (mag)	μ_{α} (mas yr $^{-1}$)	μ_{δ} (mas yr $^{-1}$)	μ Ref	π	π Ref
2MASS J04161885+2752155	64.078569	+27.870981	164470794735041152	M8.0	(82)	4	11.78 ± 0.025	8.35 ± 0.15	-24.43 ± 0.1	(99)	7.4 ± 0.11	(99)
2MASS J04185115+2814332	64.713151	+28.242567	164495323291866624	M7.5e	(14)	1	13.241 ± 0.029	8.48 ± 0.25	-24.69 ± 0.18	(99)	7.77 ± 0.22	(99)
2MASS J04201611+2821325	65.067129	+28.350941	164593115404749440	M8.3	(82)	8	13.122 ± 0.033	8.57 ± 0.23	-25.24 ± 0.13	(99)	7.62 ± 0.16	(99)
2MASS J04204796+5624202	65.199861	+56.405624	276870604275149568	M8	(90)	7	12.313 ± 0.023	511.73 ± 0.12	-120.26 ± 0.09	(99)	30.75 ± 0.11	(99)
2MASS J04213965+2649143	65.415211	+26.820639	152284735566828632	M6	(75)	3	11.871 ± 0.025	11.37 ± 0.15	-17.79 ± 0.1	(99)	5.95 ± 0.12	(99)
2MASS J04214435+2024105	65.434833	+20.402943	49131681384221184	M7	(79)	2	12.862 ± 0.027	10.04 ± 0.14	-33.6 ± 0.1	(99)	20.28 ± 0.12	(99)
2MASS J04214631+2659296	65.442978	+26.991558	1522931349405058816	M6IVe	(28)	3	12.734 ± 0.028	11.43 ± 0.32	-18.56 ± 0.21	(99)	6.13 ± 0.22	(99)
2MASS J04214955+1929086	65.456494	+19.485744	48190739948429184	M7+M9.5	(48)	1	12.06 ± 0.022	125.41 ± 0.34	-35.86 ± 0.24	(99)	23.62 ± 0.3	(99)
2MASS J04221644+2549118	65.568501	+25.819956	150501342066641664	M8IVe	(28)	3	12.362 ± 0.027	13.83 ± 0.2	-20.02 ± 0.13	(99)	6.69 ± 0.13	(99)
2MASS J04230607+2801194	65.775303	+28.022081	1525160796383687680	M6	(31)	6	11.611 ± 0.022	8.8 ± 0.11	-26.32 ± 0.07	(99)	7.72 ± 0.14	(99)
2MASS J04242090+2630511	66.087089	+26.51421	1520299924658874560	M6.5	(31)	3	12.808 ± 0.022	9.62 ± 0.19	-27.21 ± 0.13	(99)	7.79 ± 0.16	(99)
2MASS J04242646+2649503	66.110258	+26.8305656	152108882425024128	M6IVe	(28)	6	12.193 ± 0.028	11.38 ± 0.14	-17.64 ± 0.1	(99)	6.33 ± 0.16	(99)
2MASS J04254894+1852479	66.453944	+18.879974	47912529146793472	M6.2	(93)	3	11.363 ± 0.022	30.92 ± 0.12	-59.74 ± 0.09	(99)	20.88 ± 0.16	(99)
2MASS J04262939+2624137	66.622465	+26.40383	151283870746458496	M6e	(14)	3	12.501 ± 0.022	11.28 ± 0.19	-17.67 ± 0.14	(99)	6.36 ± 0.15	(99)
2MASS J04294568+2630468	67.440334	+26.513002	151327159721125888	M7.5e	(14)	3	11.918 ± 0.024	7.4 ± 0.18	-21.02 ± 0.12	(99)	8.02 ± 0.18	(99)
2MASS J04305718+2556394	67.73828	+25.9443	151102790629500288	M8Ve	(14)	1	13.828 ± 0.027	5.4 ± 0.37	-22.3 ± 0.28	(99)	7.82 ± 0.32	(99)
2MASS J04311907+2335047	67.829468	+23.584644	14605005795093632	M8	(30)	3	12.716 ± 0.034	7.67 ± 0.35	-16.08 ± 0.26	(99)	5.99 ± 0.17	(99)
2MASS J04322329+2403013	68.097078	+24.050383	146277553787186648	M8.9	(82)	3	11.691 ± 0.023	7.18 ± 0.13	-21.89 ± 0.09	(99)	7.89 ± 0.14	(99)
2MASS J04330945+2246487	68.289405	+22.70195	145947075527182848	M7	(82)	3	12.142 ± 0.021	12.3 ± 0.36	-17.85 ± 0.28	(99)	5.67 ± 0.31	(99)
2MASS J04340619+2418508	68.525807	+24.314135	1477786354323787008	M8.25	(75)	1	13.491 ± 0.033	6.13 ± 0.3	-20.62 ± 0.24	(99)	7.51 ± 0.36	(99)
2MASS J04350850+2311398	68.78545	+23.194407	14523868706970496	M7IVe	(28)	3	11.938 ± 0.021	7.88 ± 0.09	-20.88 ± 0.06	(99)	7.77 ± 0.16	(99)
2MASS J04351354+2008014	68.806455	+20.133726	341085611239584000	M7.5	(79)	2	12.986 ± 0.021	101.48 ± 0.17	-41.8 ± 0.12	(99)	21.95 ± 0.14	(99)
2MASS J04354183+2234115	68.924331	+22.569885	145133786815830784	M6Ve	(14)	2	12.367 ± 0.021	10.89 ± 0.1	-17.93 ± 0.07	(99)	6.5 ± 0.14	(99)
2MASS J04361038+2259560	69.043281	+22.998896	145220064117853696	M8Ve	(8)	5	12.762 ± 0.022	10.38 ± 0.44	-15.69 ± 0.29	(99)	6.1 ± 0.14	(99)
2MASS J04363893+2258119	69.16224	+22.969973	1452121379763796992	M7.75	(46)	3	12.861 ± 0.024	9.21 ± 0.25	-16.48 ± 0.16	(99)	5.54 ± 0.15	(99)
2MASS J04385871+2323595	69.74464	+23.399878	146709146460303744	M6.5	(30)	3	11.936 ± 0.022	7.21 ± 0.08	-21.33 ± 0.06	(99)	7.99 ± 0.07	(99)
2MASS J0440164+1621324	71.006848	+16.359003	3406128761895775872	M6	(63)	2	12.768 ± 0.022	11.54 ± 0.14	-18.99 ± 0.1	(99)	6.89 ± 0.12	(99)
2MASS J04464498+2436404	71.087455	+24.611223	147258180719392512	M7	(79)	1	12.493 ± 0.024	100.12 ± 0.1	-62.3 ± 0.07	(99)	23.95 ± 0.08	(99)
2MASS J04552333+3027366	73.84721	+30.460171	156915290131026816	M6e	(23)	4	12.384 ± 0.023	4.74 ± 0.14	-24.96 ± 0.1	(99)	6.22 ± 0.13	(99)
2MASS J0455141+2939310	74.2144224	+29.658638	156629039151059328	M7	(77)	4	13.167 ± 0.027	4.94 ± 0.16	-24.65 ± 0.11	(99)	6.61 ± 0.13	(99)
2MASS J05334797-0527385	83.449894	-5.460698	3209422867512318336	M6:	(4)	4	13.566 ± 0.037	0.38 ± 0.33	-1.33 ± 0.3	(99)	2.62 ± 0.39	(99)
2MASS J05350162-0521489	83.75676	-5.363606	...	L0	(26)	2	13.065 ± 0.051	0.0 ± 44.0	0.0 ± 40.0	(68)	2.42 ± 0.04	(33)
2MASS J0532501-0509095	83.854243	-5.152654	3209528111390427776	M6	(41)	4	13.911 ± 0.03	2.33 ± 0.18	-0.81 ± 0.16	(99)	2.89 ± 0.2	(99)
2MASS J0533193-0531477	83.883068	-5.529944	3017347192699387520	M8	(59)	2	14.007 ± 0.043	2.31 ± 0.22	1.03 ± 0.18	(99)	2.55 ± 0.27	(99)
2MASS J0532474+4038437	84.853102	+40.645485	191109281417914880	M8e	(16)	3	10.446 ± 0.021	646.15 ± 0.09	-834.49 ± 0.05	(99)	87.97 ± 0.08	(99)
2MASS J05402570+2448090	85.107108	+24.802505	...	M7	(61)	4	8.384 ± 0.023	107.0 ± 8.0	-376.0 ± 8.0	(58)	97.6 ± 2.8	(64)
2MASS J06154934-0100415	93.955603	-1.01155	3121200807575320448	I2.5	(43)	6	12.984 ± 0.023	198.85 ± 0.25	-56.7 ± 0.24	(99)	44.97 ± 0.23	(99)
2MASS J06521977-2534505	103.082387	-25.580719	2920995300823950720	L0	(43)	3	12.02 ± 0.022	-235.57 ± 0.07	87.92 ± 0.09	(99)	62.26 ± 0.09	(99)

Table 1 continued

Table 1 (continued)

∞

APOGEE ID	RA (deg)	Dec (deg)	Gaia eDR3 Source ID	SpT	SpT Ref	N_{obs}	2MASS H (mag)	μ_{α} (mas yr $^{-1}$)	μ_{δ} (mas yr $^{-1}$)	μ_{Ref}	π	π Ref
2MASS J070925026-6102482	105.70944	-61.046738	5479255432103480320	M6.5e	(22)	1	9.854 ± 0.024	520.13 ± 0.28	597.17 ± 0.24	(99)	57.02 ± 0.2	(99)
2MASS J07140394+3702459	108.516439	+37.046108	898275195732381440	M8	(35)	3	11.252 ± 0.03	-89.02 ± 0.12	-182.52 ± 0.11	(99)	63.41 ± 0.14	(99)
2MASS J07464256+2000321	116.677342	+20.00894	...	L0+L1.5	(78)	2	11.007 ± 0.022	-370.0 ± 4.0	-42.0 ± 1.0	(15)	81.2 ± 0.2	(97)
2MASS J07475737+6653337	116.989056	+66.892715	1096135130646349568	M7	(79)	18	13.599 ± 0.029	23.59 ± 0.08	-0.79 ± 0.14	(99)	16.73 ± 0.16	(99)
2MASS J07552256+2755318	118.844027	+27.955526	874683391345874816	M6	(100)	3	11.616 ± 0.023	-286.55 ± 0.06	-29.3 ± 0.04	(99)	31.17 ± 0.07	(99)
2MASS J07564895+6649395	119.203963	+66.833221	1095345479434185984	M7.5	(79)	17	13.309 ± 0.036	161.93 ± 0.07	-212.0 ± 0.11	(99)	23.5 ± 0.12	(99)
2MASS J08072607+3213101	121.858652	+32.21949	901941452829250560	M8	(35)	4	11.455 ± 0.03	-372.94 ± 0.1	-253.51 ± 0.08	(99)	52.75 ± 0.09	(99)
2MASS J08080189+3157054	122.007879	+31.951508	901922932930351872	M7	(100)	4	12.082 ± 0.018	-23.97 ± 0.09	-139.0 ± 0.08	(99)	38.82 ± 0.09	(99)
2MASS J08185804+2333522	124.741863	+23.564503	677439114220735616	M7e	(6)	4	11.552 ± 0.023	-259.12 ± 0.08	-31.58 ± 0.06	(99)	44.32 ± 0.08	(99)
2MASS J08211639+5658358	125.318327	+56.97662	1034818738715797760	M6.5	(100)	3	12.805 ± 0.019	20.92 ± 0.1	-30.9 ± 0.11	(99)	11.52 ± 0.13	(99)
2MASS J08294949+2646348	127.456242	+26.776339	70379004422850688	M6.5e	(22)	5	7.617 ± 0.018	-1113.69 ± 0.06	-612.19 ± 0.05	(99)	279.25 ± 0.06	(99)
2MASS J08355736+4318310	128.98902	+43.308628	916809289577661824	M7	(40)	2	12.381 ± 0.033	-119.7 ± 0.42	21.86 ± 0.37	(99)	31.23 ± 0.41	(99)
2MASS J08440350+0434356	131.014597	+4.576577	582212198841172928	M9	(51)	2	12.827 ± 0.031	-329.09 ± 0.17	272.84 ± 0.13	(99)	36.38 ± 0.16	(99)
2MASS J08460531+1035309	131.522166	+10.591931	598724625845984256	M7V	(51)	1	13.789 ± 0.041	-66.38 ± 0.19	3.03 ± 0.15	(99)	13.42 ± 0.19	(99)
2MASS J08490052+0220155	132.252168	+2.337659	577960765337401856	M7.3	(65)	9	12.299 ± 0.021	-92.65 ± 0.1	-105.93 ± 0.07	(99)	32.52 ± 0.09	(99)
2MASS J08522464+2540591	133.102704	+25.683105	690896346271732480	M7	(51)	1	11.56 ± 0.031	-205.52 ± 0.31	-74.91 ± 0.22	(99)	24.04 ± 0.21	(99)
2MASS J09020690+0033195	135.528784	+0.555334	5765064189410890752	M6	(2)	2	11.538 ± 0.023	-465.14 ± 0.09	-97.98 ± 0.06	(99)	46.01 ± 0.07	(99)
2MASS J09130162+3037583	138.256788	+30.632866	699795277990242176	M7	(85)	8	12.82 ± 0.025	-109.82 ± 0.1	-224.0 ± 0.09	(99)	17.26 ± 0.41	(99)
2MASS J09373349+5534057	144.389577	+55.568275	1021744377229927040	M6	(51)	20	13.674 ± 0.043	-33.88 ± 0.12	-13.14 ± 0.11	(99)	7.78 ± 0.42	(99)
2MASS J09453388+5458511	146.391184	+54.980881	102178250320236016	M7	(79)	10	13.777 ± 0.037	-14.08 ± 0.14	-35.7 ± 0.15	(99)	13.69 ± 0.15	(99)
2MASS J09472006-0020093	146.833623	-0.335939	3833990796878014720	M7	(87)	2	11.63 ± 0.024	-214.15 ± 0.06	47.85 ± 0.06	(99)	37.29 ± 0.06	(99)
2MASS J09474477+0224327	146.936357	+2.409108	38470241328355801344	M8.2	(65)	2	12.485 ± 0.024	-106.83 ± 0.17	-162.4 ± 0.12	(99)	29.85 ± 0.15	(99)
2MASS J09522188-1924319	148.091198	-19.408888	5671384265738137984	M7e	(9)	3	11.256 ± 0.024	-73.0 ± 0.1	-99.48 ± 0.1	(99)	35.32 ± 0.1	(99)
2MASS J09524622+0620410	148.192586	+6.344746	3850426468488570624	M7.3	(65)	4	11.832 ± 0.022	-87.56 ± 0.11	-67.43 ± 0.12	(99)	25.08 ± 0.09	(99)
2MASS J10031918-0105079	150.829957	-1.085358	3830128624846458752	M7e	(13)	2	11.667 ± 0.023	-498.71 ± 0.09	46.9 ± 0.1	(99)	50.14 ± 0.1	(99)
2MASS J10134315+0004046	153.42981	+0.011291	3831671274019947648	M6	(7)	2	11.953 ± 0.022	323.86 ± 0.06	-281.51 ± 0.07	(99)	27.33 ± 0.07	(99)
2MASS J10225090+0032169	155.712113	+0.538033	3831375157499435648	M8	(85)	3	12.613 ± 0.023	-85.11 ± 0.45	-215.0 ± 0.6	(99)	28.03 ± 0.3	(99)
2MASS J10240997+1815533	156.041547	+18.26482	624312666575349888	M7e	(6)	3	11.62 ± 0.021	-161.85 ± 0.33	-76.98 ± 0.37	(99)	28.76 ± 0.31	(99)
2MASS J10323297+0630074	158.137415	+6.502077	3862117335108574848	M6	(61)	2	9.901 ± 0.022	-232.2 ± 0.03	-193.22 ± 0.03	(99)	51.45 ± 0.03	(99)
2MASS J10372897+3011117	159.370735	+30.186594	73545326471448064	M8	(72)	2	11.286 ± 0.022	-81.976 ± 0.05	-572.97 ± 0.04	(99)	49.84 ± 0.05	(99)
2MASS J10541102-8505023	163.545954	-85.083984	5190838276414527872	M8	(13)	2	12.071 ± 0.024	-427.83 ± 0.14	285.33 ± 0.1	(99)	53.7 ± 0.1	(99)
2MASS J10533666+053467	163.640277	+5.062998	3816081539168125696	L1	(100)	2	12.712 ± 0.022	153.7 ± 0.47	-257.0 ± 0.42	(99)	25.64 ± 0.4	(99)
2MASS J10570380+2217203	164.265858	+22.28899	398894469572883584	M6	(61)	2	10.693 ± 0.02	-154.93 ± 0.04	-131.21 ± 0.03	(99)	37.56 ± 0.03	(99)
2MASS J111194647+0820356	169.943658	+8.343246	3818676249170081408	M8	(51)	3	12.22 ± 0.025	371.4 ± 0.1	-351.6 ± 0.1	(99)	35.64 ± 0.09	(99)
2MASS J11203609+0704135	170.1504	+7.070432	3817502486148556032	M6	(51)	3	12.363 ± 0.025	12.09 ± 0.07	-245.67 ± 0.06	(99)	22.91 ± 0.07	(99)
2MASS J11210854+2126274	170.285592	+21.440952	3990812761663064960	M6	(100)	1	11.105 ± 0.023	-240.04 ± 0.06	-2.85 ± 0.07	(99)	38.18 ± 0.07	(99)
2MASS J11232934+0154040	170.872272	+1.901134	3810750831918988928	M7	(67)	3	11.739 ± 0.026	-168.06 ± 0.35	16.2 ± 0.27	(99)	33.38 ± 0.3	(99)
2MASS J11523430+2057275	178.14294	+20.957663	3976324359505213312	M6.7	(93)	12	13.395 ± 0.027	-92.19 ± 0.15	11.95 ± 0.17	(99)	11.95 ± 0.17	(99)

Table 1 continued

Table 1 (continued)

APOGEE ID	RA (deg)	Dec (deg)	Gaia eDR3 Source ID	SpT	SpT Ref	N_{obs}	2MASS H (mag)	μ_{α} (mas yr $^{-1}$)	μ_{δ} (mas yr $^{-1}$)	μ_{Ref}	π	π Ref
2MASS J12080810+3520281	182.033775	+35.341141	4029757983210057088	M7V	(51)	2	11.791 ± 0.021	-607.68 ± 0.06	-70.85 ± 0.08	(99)	32.19 ± 0.09	(99)
2MASS J12201166+3315379	185.048621	+33.260536	4016348232027455104	M8	(51)	2	12.8 ± 0.022	118.93 ± 0.12	-219.31 ± 0.12	(99)	27.06 ± 0.13	(99)
2MASS J12205439+2525568	185.226666	+25.432447	4008305476265035136	M6	(55)	1	14.309 ± 0.049	-64.98 ± 0.36	1.16 ± 0.27	(99)	11.17 ± 0.32	(99)
2MASS J12215013+4632447	185.458875	+46.545753	...	M8	(100)	2	10.599 ± 0.028	78.0 ± 3.0	-24.0 ± 3.0	(83)	34.0 ± 7.0	(83)
2MASS J1222076+2517082	186.336518	+25.28562	...	M7	(51)	7	13.5 ± 0.039	-82.6 ± 3.1	-26.32 ± 2.55	(94)	51.35 ± 5.09	(76)
2MASS J12261350+5605445	186.556255	+56.095699	1574259759145601152	M6.5	(93)	5	11.82 ± 0.024	-63.23 ± 0.05	-35.01 ± 0.05	(99)	21.37 ± 0.05	(99)
2MASS J12263913+2505546	186.663077	+25.098515	3960284688174156032	M6.8	(93)	8	13.409 ± 0.038	125.78 ± 0.14	-37.79 ± 0.12	(99)	12.85 ± 0.15	(99)
2MASS J12265349+2543556	186.722902	+25.73213	400830655372082688	M6.3	(93)	8	13.526 ± 0.035	22.69 ± 0.11	-6.65 ± 0.11	(99)	9.67 ± 0.11	(99)
2MASS J12270429+2541012	186.767875	+25.683676	3960341892843205248	M6.4	(38)	7	13.395 ± 0.04	-12.31 ± 0.16	-8.11 ± 0.16	(99)	11.22 ± 0.17	(99)
2MASS J12315462+5130389	187.977394	+51.510822	1568728631543924608	M6.5	(17)	1	12.601 ± 0.023	-215.1 ± 0.06	14.56 ± 0.08	(99)	21.37 ± 0.18	(99)
2MASS J12481860-0235560	192.077533	-2.593357	3682554098312128256	M6.6	(93)	14	13.567 ± 0.027	2.82 ± 0.18	-16.28 ± 0.15	(99)	9.71 ± 0.15	(99)
2MASS J12482131-0157194	192.088833	-1.955394	3682671917854976128	M6.1	(93)	2	13.799 ± 0.022	-86.66 ± 0.15	-29.76 ± 0.13	(99)	11.43 ± 0.15	(99)
2MASS J12493960+5255340	192.415014	+52.926117	1569931222385549056	M9	(100)	3	12.857 ± 0.024	-181.71 ± 0.1	-242.0 ± 0.11	(99)	26.19 ± 0.11	(99)
2MASS J12503943+4256124	192.664318	+42.936794	1528698883509296128	M6.4	(93)	1	12.043 ± 0.017	-111.45 ± 0.03	-46.13 ± 0.04	(99)	25.24 ± 0.05	(99)
2MASS J12522354+2528469	193.098115	+25.479712	3958025913333963648	M7	(51)	1	12.592 ± 0.035	-68.92 ± 0.11	-186.66 ± 0.09	(99)	26.79 ± 0.12	(99)
2MASS J13004379+3557591	195.182489	+35.966442	15163746633831829888	M6	(51)	4	11.611 ± 0.02	-345.3 ± 0.02	-7.29 ± 0.03	(99)	27.93 ± 0.04	(99)
2MASS J13022083+3227103	195.586829	+32.452881	1467167257881586816	M6	(51)	3	11.641 ± 0.02	-194.11 ± 0.03	45.95 ± 0.02	(99)	31.57 ± 0.04	(99)
2MASS J13034100-2414020	195.920337	+24.2339	3957137988975049088	M7	(32)	4	12.079 ± 0.031	-349.34 ± 0.1	77.42 ± 0.11	(99)	31.64 ± 0.10	(99)
2MASS J1305141+7056376	196.714226	+70.933779	1686366029137264128	M7	(79)	12	13.585 ± 0.038	186.98 ± 0.14	-103.0 ± 0.12	(99)	19.01 ± 0.11	(99)
2MASS J13093551-023562	197.397968	-2.065614	3684918769866265088	M6	(93)	4	11.019 ± 0.022	-75.24 ± 0.22	-89.5 ± 0.14	(99)	28.32 ± 0.07	(99)
2MASS J13122681+7245338	198.111722	+72.759407	16881667194947054848	M7.7	(93)	10	13.746 ± 0.037	-87.2 ± 0.2	40.96 ± 0.2	(99)	10.3 ± 0.07	(99)
2MASS J13202007+7213140	200.08364	+72.220581	1687938811801144832	M7.5	(79)	12	13.222 ± 0.033	1.72 ± 0.18	-16.7 ± 0.18	(99)	20.2 ± 0.15	(99)
2MASS J13232423+5132272	200.850979	+51.54089	1562758730081761152	M6	(51)	7	11.096 ± 0.022	-163.1 ± 0.06	48.95 ± 0.07	(99)	22.78 ± 0.07	(99)
2MASS J13263545+7140148	201.647724	+71.670792	168711421244014304	M6.0	(93)	16	13.74 ± 0.029	-142.51 ± 0.1	91.42 ± 0.09	(99)	11.82 ± 0.10	(99)
2MASS J13342918+3303043	203.621597	+33.051212	1469086764666230912	M7	(100)	1	11.928 ± 0.033	-657.08 ± 0.05	-36.4 ± 0.04	(99)	35.63 ± 0.08	(99)
2MASS J13355969+4021459	203.998715	+40.362762	150082688220275712	M6.0	(93)	3	10.648 ± 0.023	37.08 ± 0.02	26.91 ± 0.03	(99)	42.32 ± 0.04	(99)
2MASS J13495109+3305136	207.462912	+33.087124	1458294302126099968	M6.1	(61)	13	13.61 ± 0.028	-49.32 ± 0.08	-23.33 ± 0.08	(99)	9.19 ± 0.11	(99)
2MASS J13564148+4342587	209.172854	+43.716324	15025231188143835088	M8	(72)	3	11.043 ± 0.021	-445.85 ± 0.44	45.15 ± 0.5	(99)	46.3 ± 0.58	(99)
2MASS J14005977+3226109	210.249064	+32.436386	145763280844461056	M7	(51)	16	13.562 ± 0.028	-176.56 ± 0.08	23.0 ± 0.1	(99)	14.46 ± 0.12	(99)
2MASS J14093200+4138080	212.38335	+41.635582	149814551517166336	M6	(61)	1	10.187 ± 0.016	-217.32 ± 0.02	72.55 ± 0.02	(99)	40.96 ± 0.03	(99)
2MASS J14320849+08111313	218.035409	+8.192037	1172618435080418176	M6	(61)	3	9.529 ± 0.022	-477.1 ± 0.04	10.06 ± 0.04	(99)	78.56 ± 0.04	(99)
2MASS J14310140+5039480	218.505854	+50.663361	160377017019223368	M7	(79)	9	13.035 ± 0.031	-100.67 ± 0.07	39.9 ± 0.08	(99)	21.34 ± 0.08	(99)
2MASS J14402293+339230	220.09555	+13.656391	1179654519224224640	M7	(51)	3	11.71 ± 0.02	-145.08 ± 0.09	-306.07 ± 0.07	(99)	39.13 ± 0.08	(99)
2MASS J14432796+0316543	220.866533	+3.281762	3655776282891553664	M7	(40)	1	12.632 ± 0.027	-211.74 ± 0.15	7.41 ± 0.13	(99)	32.59 ± 0.12	(99)
2MASS J15010818+2250020	225.284113	+22.8339	126276348230973440	M8.5	(10)	5	11.181 ± 0.03	-43.12 ± 0.11	-65.1 ± 0.14	(99)	93.17 ± 0.14	(99)
2MASS J15041028+0923322	226.042873	+9.3898	1167876585927341184	M7.5	(85)	3	12.5 ± 0.028	-257.35 ± 0.14	64.2 ± 0.13	(99)	20.01 ± 0.12	(99)
2MASS J15210103+5053230	230.254331	+50.889729	1595520568815311744	M7.5	(35)	1	11.327 ± 0.015	54.19 ± 0.07	-173.13 ± 0.08	(99)	62.04 ± 0.06	(99)
2MASS J15211578+3420021	230.315169	+34.333923	127880358216667008	M6.0	(93)	2	11.804 ± 0.032	-325.31 ± 0.19	-81.74 ± 0.29	(99)	19.95 ± 0.24	(99)

Table 1 continued

Table 1 (continued)

APOGEE ID	RA (deg)	Dec (deg)	Gaia eDR3 Source ID	SpT	SpT Ref	N _{obs}	2MASS H (mag)	μ_{α} (mas yr ⁻¹)	μ_{δ} (mas yr ⁻¹)	μ Ref	π	π Ref
2MASS J15242475+2925318	231.103156	+29.425508	1272178319624018816	M7.5	(54)	4	10.535 ± 0.021	-56.77 ± 0.03	-629.24 ± 0.04	(99)	76.46 ± 0.04	(99)
2MASS J15344151+4641313	233.672988	+46.692051	1401008749884689024	M6.8	(93)	1	11.515 ± 0.022	-155.73 ± 0.09	-171.86 ± 0.11	(99)	25.73 ± 0.09	(99)
2MASS J15394922+2831298	234.955121	+28.524946	122478675726596736	M6.1	(93)	5	11.253 ± 0.031	-157.39 ± 0.03	-45.04 ± 0.03	(99)	35.5 ± 0.03	(99)
2MASS J15555600-2045187	238.98336	-20.755199	6246820788606409600	M6.5	(20)	2	12.807 ± 0.023	-13.64 ± 0.18	-22.48 ± 0.12	(99)	6.85 ± 0.15	(99)
2MASS J15560104-2338081	239.004338	-23.635588	6237048305986330624	M6.5	(20)	1	13.242 ± 0.025	-18.69 ± 0.16	-26.98 ± 0.1	(99)	8.14 ± 0.14	(99)
2MASS J15560497-2106461	239.020713	-21.112816	6246606452553143296	M7	(20)	2	13.41 ± 0.033	-13.48 ± 0.23	-22.43 ± 0.2	(99)	6.8 ± 0.22	(99)
2MASS J15582565-1826083	239.60691	-18.435656	6248347391751822208	M6	(42)	1	12.205 ± 0.026	-13.85 ± 0.38	-21.01 ± 0.23	(99)	7.72 ± 0.29	(99)
2MASS J15591135-2338002	239.79733	-23.6334	6237077943051415680	M7e	(5)	1	13.614 ± 0.041	-13.49 ± 0.26	-25.66 ± 0.18	(99)	7.33 ± 0.24	(99)
2MASS J15592591-2305081	239.857994	-23.085611	6237173192548569600	M6e	(12)	2	11.908 ± 0.022	-12.05 ± 0.08	-24.45 ± 0.05	(99)	7.04 ± 0.07	(99)
2MASS J15594439-1928191	239.934967	-19.471992	6247395008547695488	M7.5	(81)	1	13.817 ± 0.068	-10.98 ± 0.38	-21.92 ± 0.19	(99)	6.54 ± 0.25	(99)
2MASS J16001944-2256287	240.081011	-22.941326	6243186456003514752	M8	(20)	2	13.83 ± 0.037	-11.35 ± 0.4	-24.58 ± 0.24	(99)	6.88 ± 0.31	(99)
2MASS J16002844-2209228	240.118537	-22.156357	6243438347235850112	M6	(12)	3	12.847 ± 0.033	-48.21 ± 0.13	-22.0 ± 0.08	(99)	6.75 ± 0.12	(99)
2MASS J16003023-2334457	240.125981	-23.579365	6237098906793775744	M6e	(12)	3	12.203 ± 0.026	-12.7 ± 0.1	-24.57 ± 0.06	(99)	6.97 ± 0.08	(99)
2MASS J16004623-2158415	240.192625	-21.978195	6243446799738207360	M6.5	(92)	1	12.799 ± 0.032	-12.79 ± 0.16	-23.47 ± 0.09	(99)	6.88 ± 0.15	(99)
2MASS J16014955-2351082	240.456488	-23.852278	6236326362439449728	M6e	(5)	1	12.293 ± 0.026	-11.68 ± 0.15	-23.36 ± 0.08	(99)	6.84 ± 0.12	(99)
2MASS J16020429-2050425	240.5179	-20.845158	6243676322792317952	M7e	(5)	5	12.182 ± 0.023	-11.62 ± 0.1	-23.0 ± 0.06	(99)	7.06 ± 0.15	(99)
2MASS J16022585-2414081	240.607737	-24.255594	6230235373548191360	M7.25	(81)	1	13.509 ± 0.032	-13.57 ± 0.33	-24.96 ± 0.2	(99)	7.72 ± 0.28	(99)
2MASS J16025214-2121296	240.717267	-21.358244	624359389478560384	M7.5	(81)	1	13.922 ± 0.033	-9.72 ± 0.38	-22.21 ± 0.23	(99)	6.77 ± 0.29	(99)
2MASS J1604026-2254323	241.167776	-22.908993	6242403771219113216	M6	(81)	1	13.755 ± 0.032	-13.31 ± 0.27	-22.88 ± 0.13	(99)	6.65 ± 0.2	(99)
2MASS J16044303-2318258	241.179317	-23.307194	6242376115935490944	M6.5	(29)	1	13.196 ± 0.03	-11.07 ± 0.15	-25.01 ± 0.08	(99)	6.84 ± 0.14	(99)
2MASS J16045199-224108	241.216658	-22.403019	624326338315559392	M8	(81)	1	13.314 ± 0.028	-9.73 ± 0.27	-23.02 ± 0.16	(99)	6.26 ± 0.2	(99)
2MASS J16045581-2307438	241.232346	-23.128836	6242380239100145280	M6.5	(20)	1	13.164 ± 0.03	-11.57 ± 0.22	-24.8 ± 0.11	(99)	6.96 ± 0.17	(99)
2MASS J16053077-2246200	241.378247	-22.772224	6242499879706526592	M6	(29)	1	13.185 ± 0.03	-11.68 ± 0.18	-22.04 ± 0.1	(99)	6.3 ± 0.14	(99)
2MASS J1605178-2206212	241.465754	-22.10589	624329891123311616	M6	(81)	1	13.34 ± 0.024	-10.99 ± 0.17	-23.44 ± 0.09	(99)	6.53 ± 0.14	(99)
2MASS J16055380+2303058	241.474204	+23.051626	1206719582058487552	M7	(51)	11	12.829 ± 0.031	11.99 ± 0.06	24.02 ± 0.08	(99)	18.83 ± 0.08	(99)
2MASS J16063110-1904576	241.629617	-19.08268	6248770050921318656	M6	(81)	2	13.067 ± 0.027	-9.49 ± 0.18	-24.46 ± 0.14	(99)	7.11 ± 0.15	(99)
2MASS J16063390+4054216	241.64125	+40.906013	13802930191823646720	M6e	(18)	3	10.423 ± 0.015	-716.3 ± 0.04	162.49 ± 0.05	(99)	63.42 ± 0.03	(99)
2MASS J16064818-2230400	241.700787	-22.511122	624249922573721216	M8.0	(49)	1	14.31 ± 0.042	-10.67 ± 0.57	-21.45 ± 0.36	(99)	6.49 ± 0.49	(99)
2MASS J16072883-2757300	241.870148	-27.958345	6042036266902588800	M6	(80)	1	13.43 ± 0.024	-10.93 ± 0.17	-24.68 ± 0.08	(99)	6.54 ± 0.13	(99)
2MASS J16090168-2740521	242.25703	-27.681149	604207031740385304	M6.9	(66)	1	12.332 ± 0.022	-14.84 ± 0.12	-22.03 ± 0.08	(99)	6.31 ± 0.1	(99)
2MASS J16090197-2151225	242.258238	-21.85626	624293377561854848	M6	(81)	1	13.079 ± 0.036	-11.32 ± 0.2	-24.1 ± 0.16	(99)	7.34 ± 0.16	(99)
2MASS J16090451-2224223	242.268814	-22.414553	6242480432095204480	M7	(42)	3	12.363 ± 0.024	-9.88 ± 0.18	-23.86 ± 0.12	(99)	6.86 ± 0.13	(99)
2MASS J16090568-2245166	242.273669	-22.754614	6242453734573995520	M8.25	(81)	1	14.463 ± 0.041	-9.86 ± 0.76	-23.51 ± 0.51	(99)	6.88 ± 0.57	(99)
2MASS J16093019-2059336	242.375792	-20.998228	6243843994913465088	M6	(29)	1	13.354 ± 0.024	-7.04 ± 0.17	-21.68 ± 0.12	(99)	6.76 ± 0.14	(99)
2MASS J16095060-1848521	242.460853	-18.814478	624879220854128640	M7.5	(81)	1	13.618 ± 0.029	-9.69 ± 0.49	-24.17 ± 0.34	(99)	6.92 ± 0.36	(99)
2MASS J16095107-2722418	242.462817	-27.3783	6042503181382356352	M6	(20)	1	12.743 ± 0.028	-13.05 ± 0.19	-25.55 ± 0.13	(99)	6.78 ± 0.13	(99)
2MASS J16095217-2136277	242.46738	-21.607706	6242964045412203776	M7	(42)	2	11.969 ± 0.023	-8.76 ± 0.15	-24.92 ± 0.11	(99)	6.81 ± 0.13	(99)
2MASS J16095307-1948169	242.471133	-19.804707	6245669290391548160	M6	(42)	1	12.167 ± 0.024	-8.48 ± 0.1	-24.3 ± 0.07	(99)	7.07 ± 0.08	(99)

Table 1 continued

Table 1 (continued)

APOGEE ID	RA (deg)	Dec (deg)	Gaia eDR3 Source ID	SpT	SpT Ref	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	μ Ref	π	π Ref
2MASS J16095852-2345186	242.493853	-23.75169	624213628495026176	M6.5	(20)	1	11.996 ± 0.024	-10.47 ± 0.17	-23.85 ± 0.13	(99)	7.14 ± 0.14	(99)
2MASS J16095990-2155424	242.499612	-21.928471	6242943498288490752	M6.5	(29)	1	13.646 ± 0.035	-10.6 ± 0.25	-24.46 ± 0.18	(99)	7.11 ± 0.21	(99)
2MASS J16100541-1919362	242.522567	-19.32674	6245758827871591680	M7	(20)	1	13.431 ± 0.025	-7.96 ± 0.27	-24.5 ± 0.18	(99)	7.05 ± 0.21	(99)
2MASS J16100608-2127440	242.525341	-21.462229	624297345980548608	M8.5	(20)	1	14.15 ± 0.045	-10.06 ± 0.49	-23.29 ± 0.34	(99)	7.09 ± 0.38	(99)
2MASS J16103014-2315167	242.625606	-23.254652	6242235958295024256	M7.5	(20)	1	13.783 ± 0.03	-10.34 ± 0.39	-24.8 ± 0.25	(99)	7.02 ± 0.25	(99)
2MASS J16103232-2249116	242.634684	+22.819895	120654529740917888	M7	(51)	11	13.286 ± 0.032	-21.0 ± 0.13	-22.13 ± 0.14	(99)	12.9 ± 0.15	(99)
2MASS J16103232-1913085	242.634701	-19.219044	6245761404854620416	M8.5-9.5	(60)	1	13.18 ± 0.098	-7.98 ± 0.38	-24.89 ± 0.25	(99)	7.13 ± 0.26	(99)
2MASS J16104714-2239492	242.69642	-22.663685	6242645251461275136	M9	(49)	1	14.573 ± 0.054	-10.79 ± 0.87	-26.76 ± 0.66	(99)	8.08 ± 0.59	(99)
2MASS J16105499-2126139	242.729138	-21.437204	6243064135328474112	M6	(42)	2	12.104 ± 0.023	-10.09 ± 0.1	-23.76 ± 0.07	(99)	7.17 ± 0.08	(99)
2MASS J16111711-2217173	242.821325	-22.28816	6242846535101637248	M7.5	(29)	1	13.738 ± 0.027	-8.01 ± 0.32	-23.15 ± 0.22	(99)	6.27 ± 0.17	ARCG
2MASS J16113837-2307072	242.909892	-23.118687	6242198265623040896	M6.25	(49)	2	13.208 ± 0.029	-11.76 ± 0.18	-24.23 ± 0.13	(99)	6.74 ± 0.16	(99)
2MASS J16114261-2525511	242.927582	-25.430885	6049537169580902272	M7	(81)	2	11.719 ± 0.023	-10.06 ± 0.14	-26.56 ± 0.09	(99)	7.39 ± 0.1	(99)
2MASS J16115436-2157025	242.976537	-21.950722	6242895733955415552	M8.25	(81)	1	13.689 ± 0.026	-9.62 ± 0.36	-24.4 ± 0.24	(99)	6.98 ± 0.18	(99)
2MASS J16115439-2236491	242.976644	-22.613663	6242649340270427404	M6.25	(49)	1	13.608 ± 0.027	-10.94 ± 0.28	-21.43 ± 0.24	(99)	7.01 ± 0.15	(99)
2MASS J16122703-2013250	243.112661	-20.223621	6245446154254329216	M6	(81)	1	12.608 ± 0.023	-9.64 ± 0.11	-22.63 ± 0.07	(99)	7.16 ± 0.15	(99)
2MASS J16124692-2338408	243.195519	-23.864678	6050008553912337280	M6	(29)	1	13.021 ± 0.024	-11.37 ± 0.15	-21.87 ± 0.11	(99)	6.72 ± 0.17	(99)
2MASS J16124726-1903331	243.196557	-19.064766	6245819786343951744	M6e	(12)	2	12.15 ± 0.024	-7.96 ± 0.1	-24.74 ± 0.07	(99)	7.18 ± 0.18	(99)
2MASS J16131211-2305031	243.300491	-23.084219	6242559459492232704	M6.5	(29)	2	13.447 ± 0.044	-9.12 ± 0.19	-22.61 ± 0.15	(99)	6.21 ± 0.16	(99)
2MASS J16131600-22251511	243.316671	-22.86422	6242580247134056448	M6.5	(81)	1	12.984 ± 0.026	-11.1 ± 0.18	-20.66 ± 0.14	(99)	6.42 ± 0.18	(99)
2MASS J16132665-2230348	243.361072	-22.509678	6242661061218878592	M6.25	(49)	1	12.95 ± 0.024	-9.62 ± 0.16	-26.24 ± 0.11	(99)	7.2 ± 0.03	(99)
2MASS J16132809-1924524	243.367055	-19.414564	624560194563400960	M6	(42)	2	12.26 ± 0.024	-7.96 ± 0.12	-23.76 ± 0.09	(99)	7.2 ± 0.04	(99)
2MASS J16134027-2233192	243.417794	-22.55353	624261342228649600	M6.5	(81)	1	12.937 ± 0.033	-9.62 ± 0.15	-24.73 ± 0.1	(99)	6.91 ± 0.1	D
2MASS J16134079-2219459	243.41998	-22.329437	6242671777180877312	M7.5	(49)	1	14.185 ± 0.04	-8.61 ± 0.48	-24.04 ± 0.31	(99)	6.56 ± 0.15	(99)
2MASS J16134264-2301279	243.427696	-23.02442	6242562861106321024	M6.25	(49)	1	13.123 ± 0.023	-9.34 ± 0.16	-22.08 ± 0.11	(99)	6.09 ± 0.13	(99)
2MASS J16141974-2428404	243.582259	-24.477903	6049702710501929600	M6	(29)	2	13.157 ± 0.03	-9.03 ± 0.18	-20.92 ± 0.12	(99)	6.21 ± 0.14	(99)
2MASS J16143287-2242133	243.636959	-22.703707	6242595876516326400	M6.5	(42)	1	13.664 ± 0.033	-8.11 ± 0.23	-23.9 ± 0.16	(99)	6.28 ± 0.18	(99)
2MASS J16152516-2144013	243.854865	-21.7337	6242819219114445696	M6	(80)	1	12.175 ± 0.026	-9.81 ± 0.09	-20.19 ± 0.06	(99)	6.94 ± 0.08	(99)
2MASS J16155507-2444365	243.979497	-24.743473	6049634235811014144	M6	(29)	1	12.745 ± 0.027	-10.77 ± 0.18	-27.6 ± 0.11	(99)	7.57 ± 0.12	(99)
2MASS J16165460-2525529	244.51362	-25.431362	6048832923143380480	M6	(92)	1	12.199 ± 0.022	-7.9 ± 0.12	-26.95 ± 0.09	(99)	7.05 ± 0.1	(99)
2MASS J16174539-2353360	244.439166	-23.893339	6050110354436327168	M6	(29)	1	13.315 ± 0.023	-8.08 ± 0.32	-25.79 ± 0.19	(99)	7.1 ± 0.22	(99)
2MASS J16183314-2530085	244.638101	-25.502386	6048784515212489984	M6	(80)	1	13.592 ± 0.036	-11.73 ± 0.33	-24.27 ± 0.2	(99)	7.79 ± 0.22	(99)
2MASS J16183317-2517504	244.638232	-25.297361	604883833014900992	M6	(20)	2	11.709 ± 0.023	-10.92 ± 0.19	-20.07 ± 0.16	(99)	5.1 ± 0.16	(99)
2MASS J16192988-2440469	244.874508	-24.679714	6049268369046307968	M8	(20)	1	13.429 ± 0.025	-6.02 ± 0.38	-27.9 ± 0.25	(99)	6.99 ± 0.28	(99)
2MASS J16195143-2241332	244.964321	-22.692577	6050500784144963712	M6.75	(81)	2	13.868 ± 0.036	-7.88 ± 0.37	-22.29 ± 0.24	(99)	6.77 ± 0.29	(99)
2MASS J16200757-2359150	245.031557	-23.987507	6050067061167006720	M6	(29)	1	12.482 ± 0.029	-6.16 ± 0.14	-26.68 ± 0.11	(99)	7.31 ± 0.11	(99)
2MASS J16203456-2430205	245.144015	-24.505695	604927789093461120	M9.4	(65)	1	13.222 ± 0.027	-5.09 ± 0.56	-27.39 ± 0.35	(99)	6.77 ± 0.37	(99)
2MASS J16204144-2425491	245.172688	-24.430326	6049278745588783232	M7.5	(20)	1	13.419 ± 0.027	-10.01 ± 0.42	-21.93 ± 0.29	(99)	6.28 ± 0.28	(99)
2MASS J16213591-2355035	245.399627	-23.917662	6050164303519025024	M6	(29)	1	13.195 ± 0.023	-12.03 ± 0.23	-24.08 ± 0.16	(99)	7.91 ± 0.2	(99)

Table 1 continued

Table 1 (continued)

APOGEE ID	RA (deg)	Dec (deg)	Gaia eDR3 Source ID	SpT	SpT Ref	N_{obs}	2MASS H (mag)	μ_{α} (mas yr $^{-1}$)	μ_{δ} (mas yr $^{-1}$)	μ_{Ref}	π	π Ref
2MASS J16222304-2407108	245.59603	-24.119675	6049395706238205440	M6	(81)	1	13.858 ± 0.041	-12.2 ± 0.79	-20.23 ± 0.57	(99)	6.07 ± 0.66	(99)
2MASS J16222521-2405139	245.605058	-24.087208	6049407594709184256	M9+M9.5	(39)	1	13.804 ± 0.049	-15.98 ± 0.34	-24.61 ± 0.24	(99)	7.6 ± 0.29	(99)
2MASS J16235155-2317270	245.964832	-23.290842	6050211681303674368	M8	(29)	1	12.894 ± 0.024	-7.73 ± 0.19	-27.34 ± 0.13	(99)	7.23 ± 0.16	(99)
2MASS J1625470-2438319	245.977945	-24.642214	6049226042146798592	M6	(29)	1	12.491 ± 0.026	-6.13 ± 0.23	-27.49 ± 0.15	(99)	7.57 ± 0.2	(99)
2MASS J16262152-2426009	246.589701	-24.433601	604913743776072216	M7	(70)	1	11.518 ± 0.026	-8.39 ± 0.19	-25.65 ± 0.15	(99)	7.34 ± 0.15	(99)
2MASS J16265619-2213519	246.734162	-22.231096	6051883664832407936	M6	(29)	1	12.838 ± 0.025	-11.29 ± 0.15	-25.31 ± 0.11	(99)	7.55 ± 0.13	(99)
2MASS J16265698+3954482	246.73745	+39.913391	1332811575531596800	M7.5	(17)	12	12.664 ± 0.022	41.76 ± 0.13	-16.75 ± 0.15	(99)	20.89 ± 0.12	(99)
2MASS J16271693-3514132	246.820553	+35.237011	13292731106395583872	M6	(51)	3	12.546 ± 0.025	22.14 ± 0.1	-37.86 ± 0.14	(99)	9.44 ± 0.11	(99)
2MASS J16271825+3538347	246.82605	+35.642998	1329300388227708800	M7	(87)	4	11.73 ± 0.024	-105.33 ± 0.04	162.12 ± 0.05	(99)	36.57 ± 0.04	(99)
2MASS J16272658-2425543	246.860756	-24.431774	6049147667582029568	M8	(25)	1	12.346 ± 0.022	-8.54 ± 0.14	-26.14 ± 0.11	(99)	7.28 ± 0.11	(99)
2MASS J16281707+1334204	247.071157	+13.572345	4460652192992375040	M6	(72)	2	10.997 ± 0.021	-184.05 ± 0.21	-100.99 ± 0.18	(99)	25.38 ± 0.27	(99)
2MASS J16281808-2428358	247.075372	-24.476618	6049104408671418752	M6	(42)	1	11.812 ± 0.024	-6.86 ± 0.15	-28.34 ± 0.1	(99)	7.24 ± 0.12	(99)
2MASS J16293624-2456527	247.401025	-24.94799	6046068382190966784	M6	(42)	1	12.854 ± 0.029	-11.72 ± 0.12	-26.73 ± 0.1	(99)	7.89 ± 0.11	(99)
2MASS J16311879+4051516	247.828309	+40.864334	1332966881549315456	M6	(61)	12	8.869 ± 0.023	-143.43 ± 0.03	306.27 ± 0.03	(99)	88.82 ± 0.03	(99)
2MASS J16402068+6736046	250.086172	+67.601295	16484848685589858544	M7	(61)	1	9.294 ± 0.021	-273.27 ± 0.29	365.31 ± 0.28	(99)	69.82 ± 0.23	(99)
2MASS J16443549+4302572	251.147878	+43.04924	1357393425713188224	M6.1	(93)	1	11.319 ± 0.017	-119.39 ± 0.06	110.85 ± 0.07	(99)	22.87 ± 0.15	(99)
2MASS J16473154+3434554	251.631453	+34.582073	1326893531115617024	M6	(69)	4	9.968 ± 0.017	-383.68 ± 0.03	-383.5 ± 0.03	(99)	84.01 ± 0.63	(99)
2MASS J1640576+4117062	251.774041	+41.285076	1356259176389722112	M6.0	(36)	1	11.512 ± 0.022	-30.65 ± 0.06	293.2 ± 0.08	(99)	41.59 ± 0.13	(99)
2MASS J16485878+3005366	252.244945	+30.093517	1311338590181283584	M6	(84)	2	12.646 ± 0.033	-136.61 ± 0.16	-25.5 ± 0.17	(99)	13.37 ± 0.15	(99)
2MASS J17071830+6439331	256.826282	+64.659203	1632113518378994304	M9V	(11)	1	11.793 ± 0.028	227.06 ± 0.12	-94.32 ± 0.12	(99)	55.32 ± 0.49	(99)
2MASS J17181749+2625541	259.57288	+26.431719	4573681128433698688	M6.8	(93)	2	11.899 ± 0.021	-197.01 ± 0.04	143.82 ± 0.04	(99)	34.87 ± 0.04	(99)
2MASS J19004530-3711480	285.188765	-37.196693	673081924445651584	M8.5	(86)	2	12.342 ± 0.026	5.44 ± 0.17	-28.57 ± 0.14	(99)	6.14 ± 0.16	(99)
2MASS J19013357-3700304	285.389884	-37.00845	6731197442076732928	M6.5	(98)	1	14.526 ± 0.061	5.04 ± 0.37	-27.48 ± 0.3	(99)	6.46 ± 0.3	(99)
2MASS J19015374-3700339	285.473051	-37.009434	673119468900503264	M8.5	(98)	2	13.401 ± 0.033	5.63 ± 0.26	-27.99 ± 0.22	(99)	6.28 ± 0.23	(99)
2MASS J19241634+7533121	291.068089	+75.553368	2289304297045379456	M6	(72)	2	9.28 ± 0.026	369.42 ± 0.02	592.28 ± 0.03	(99)	94.07 ± 0.02	(99)
2MASS J19544358+1801581	298.681615	+18.032827	1821315795663331456	M8	(100)	6	11.517 ± 0.024	-40.2 ± 0.08	-454.0 ± 0.08	(99)	49.91 ± 0.1	(99)
2MASS J20491376-3216514	312.307335	+32.28096	1839954695858413184	M6	(62)	3	11.179 ± 0.021	-158.69 ± 0.03	-268.41 ± 0.04	(99)	42.84 ± 0.04	(99)
2MASS J21272531+553150	321.855489	+55.887512	217787452298559104	M8	(100)	3	11.327 ± 0.018	308.52 ± 0.08	264.0 ± 0.06	(99)	57.55 ± 0.06	(99)
2MASS J21381698+5257188	324.57076	+52.955242	2173367633501430272	M7.5	(79, 97)	3	11.169 ± 0.028	218.43 ± 0.05	26.9 ± 0.05	(99)	55.01 ± 0.05	(99)
2MASS J22021125-1109461	330.546894	-11.162809	2613754712292934656	M6/6.5e	(24)	3	11.713 ± 0.022	130.75 ± 0.09	-188.45 ± 0.08	(99)	35.98 ± 0.08	(99)
2MASS J22400144+0532162	340.006039	+5.537857	2706200898267171328	M6pec	(73)	3	11.087 ± 0.022	113.85 ± 0.12	-130.01 ± 0.09	(99)	29.1 ± 0.09	(99)
2MASS J22551142+442456	343.79761	+14.712685	281627060241797760	M6	(100)	5	12.587 ± 0.023	45.14 ± 0.12	-25.8 ± 0.09	(99)	11.74 ± 0.1	(99)
2MASS J23200703+1150071	350.029308	+11.835315	2810945804767773440	M6.5e	(27)	3	11.815 ± 0.024	406.67 ± 0.13	-433.83 ± 0.09	(99)	37.41 ± 0.09	(99)

Table 1 continued

Table 1 (*continued*)

Lick/KAST spectra were obtained on 2020 August 15 with a low signal-to-noise ratio giving a spectra type of M5.

NOTE—References: (1) Stephenson (1986); (2) Kirkpatrick et al. (1991); (3) Reid et al. (1995); (4) Rebull et al. (2000); (5) Ardila et al. (2000); (6) Gómez et al. (2000); (7) Jahreiß et al. (2001); (8) Martín et al. (2001); (9) McCaughrean et al. (2002); (10) Henry et al. (2002); (11) Hawley et al. (2002); (12) Freibisch et al. (2002); (13) Gizis (2002); (14) Briceño et al. (2002); (15) Monet et al. (2003); (16) Lépine et al. (2003); (17) Cruz et al. (2003); (18) Reid et al. (2003); (19) Luhman et al. (2003); (20) Martín et al. (2004); (21) Wilking et al. (2004); (22) Henry et al. (2004); (23) Luhman (2004); (24) Criado et al. (2005); (25) Wilking et al. (2005); (26) Meeus & McCaughrean (2005); (27) Reid & Gizis (2005); (28) Guieu et al. (2006); (29) Shesnick et al. (2006a); (30) Shesnick et al. (2006b); (31) Luhman et al. (2006); (32) Law et al. (2006); (33) Menten et al. (2007); (34) Cruz et al. (2007); (35) Schmidt et al. (2007); (36) Reid et al. (2007); (37) Muench et al. (2007); (38) Kraus & Hillenbrand (2007); (39) Close et al. (2007); (40) Reid et al. (2008); (41) Peterson et al. (2008); (42) Slesnick et al. (2008); (43) Phan-Bao et al. (2008); (44) Cruz et al. (2009); (45) Currie & Kenyon (2009); (46) Monin et al. (2010); (47) Winston et al. (2010); (48) Konopacky et al. (2010); (49) Lodieu et al. (2011); (50) Faherty et al. (2011); (51) West et al. (2011); (52) Becker et al. (2011); (53) Sicilia-Aguilar et al. (2011); (54) Kirkpatrick et al. (2011); (55) Melnikov & Eisloffel (2012); (56) Deshpande et al. (2012); (58) Zacharias et al. (2012); (59) Hillenbrand et al. (2012); (60) Aller et al. (2013); (61) Newton et al. (2014); (62) Mann et al. (2014); (63) Esplin et al. (2014); (64) Dittmann et al. (2014); (65) Bardalez Gagliuffi et al. (2014); (66) Dawson et al. (2014); (67) Schmidt et al. (2014); (68) Cutri et al. (2014); (69) Alonso-Floriano et al. (2015); (70) Manara et al. (2015); (71) Gagné et al. (2015a); (72) West et al. (2015); (73) Gagné et al. (2015b); (74) Cook et al. (2016); (75) Luhman et al. (2017); (76) Theissen et al. (2017); (77) Esplin & Luhman (2017); (78) Dupuy & Liu (2017); (79) Reyle (2018); (80) Esplin et al. (2018); (81) Luhman et al. (2018); (82) Zhang et al. (2018); (83) Theissen (2018); (84) Bai et al. (2018); (85) Ahmed & Warren (2019); (86) Cazzoletti et al. (2019); (87) Kiman et al. (2019); (88) Lu et al. (2019); (89) Zheng et al. (2019); (90) Cabello et al. (2019); (91) Guo et al. (2019); (92) Luhman & Esplin (2020); (93) Birkby et al. (2020); (94) Tian et al. (2020); (95) Allers & Liu (2020); (96) Sebastian et al. (2021); (97) Best et al. (2021); (98) Espelin & Luhman (2022); (99) Gaia Collaboration et al. (2021a); (100) this work; (100) this work; (100) this work; (100) this work; (100) this work;

2.2. Additional Spectral Observations

The majority of sources in our full sample lack published spectroscopic classifications.⁵ To bolster this sample, we obtained additional low-resolution optical spectra with the Kast Double Spectrograph (Miller & Stone 1994) on the Shane 3-m Telescope at the Lick Observatory over multiple nights between 2018 January 21 and 2022 March 11. We used the 600/7500 grating and 2'' slit to obtain 6000–9000 Å spectra at an average resolution of $\lambda/\Delta\lambda \approx 1800$. Data acquisition included observations of flat-field and arc lamps for pixel response and wavelength calibration, nightly observations of a spectral flux standard from Hamuy et al. (1992, 1994) for relative flux calibration, and observations of a nearby G2 V or A0 V star at similar airmass for telluric absorption and continuum correction. All data were reduced using the `kastredux` package⁶ using default settings. An example spectrum of the M9 dwarf 2MASS J21272531+5553150 (aka LSPM J2127+5553) is shown in Figure 3. Table 2 summarizes the observations and corresponding measurements. Spectral classifications were determined by the closest match to SDSS dwarf spectral templates from Bochanski et al. (2007b); Schmidt et al. (2014), and Kesseli et al. (2017), and indicate types ranging from M5 to M9. Metallicity index (ζ) measurements (Lépine et al. 2007) are uniformly greater than 0.9 and indicate near-solar metallicities for all sources. We detected H α emission in all of the sources, and measured relative H α emission luminosity ($\log_{10} L_{H\alpha}/L_{bol}$) from equivalent widths and the χ factor relations of Douglas et al. (2014) and Schmidt et al. (2014); these values range over $-4.9 < \log_{10} L_{H\alpha}/L_{bol} < -3.8$.

3. APOGEE SPECTRAL ANALYSIS

3.1. Spectral Data

Spectra were drawn from the APOGEE single epoch, individual visit spectra (apVisit) files (Abdurro'uf et al. 2022), covering chips a (1.657–1.696 μm), b (1.585–1.644 μm), and c (1.514–1.581 μm). APOGEE data reduction is described in detail in Nidever et al. (2015); Holtzman et al. (2018); Jönsson et al. (2020); and Abdurro'uf et al. (2022). Each apVisit spectrum underwent dark, flat-field, cosmic ray, flux, sky, and telluric corrections, as well as wavelength calibrations. In particular, the wavelength solutions were derived from a combination of sky lines and ThArNe and UNe hollow-cathode lamps

⁵ High-resolution spectra are not ideal for spectral classifications; see Section 4.4.

⁶ <https://github.com/aburgasser/kastredux>.




Figure 3. Normalized Shane/Kast spectrum of 2MASS J21272531+5553150 (black line) compared to the best-match M9 spectral template from Bochanski et al. (2007b, magenta line). The lower panel compares the difference between these spectra to the measurement uncertainty (grey band). The inset box highlights the region around H α emission at 6563 Å and Li I absorption at 6708 Å.

(Nidever et al. 2015). Bad pixels were masked out using the bit mask for each chip⁷. In order to simultaneously calibrate the wavelength solution imprinted in the spectra, the telluric absorption profile has been retained for each reduced apVisit spectrum (HDU7).

3.2. Forward Modeling

To infer the physical properties of our sources—effective temperature (T_{eff}), surface gravity ($\log g$), radial velocity (RV), and rotational velocity ($v \sin i$)—we employed a Markov Chain Monte Carlo (MCMC) forward-modeling technique that simultaneously models the telluric and stellar absorption present in each APOGEE apVisit spectrum. We used the `Spectral Modeling Analysis and RV Tool` (SMART; Hsu et al. 2021), which follows methods previously described in Blake et al. (2010); Burgasser et al. (2016); Hsu et al. (2021); and Theissen et al. (2022).

⁷ We specifically masked data with integer bit mask values of “0” (BADPIX; bad pixel mask or pixels from strong persistence jump), “1” (CRPIX; cosmic ray contaminated pixel), “2” (SATPIX; saturated pixel), “3” (UNFIXABLE; unfixable pixel), “4” in (BADDARK; bad pixels from dark frames), “5” (BADFLAT bad pixels from flat-field lamp frames), “6” (BADERR; pixels with high error), “12” (SIG_SKYLINE; pixels near the large flux from sky lines), and “14” (NOT_ENOUGH_PSF; less than 50% of point-spread function in good pixels).

Table 2. Shane/Kast Observations of APOGEE Targets

2MASS Source ID	Obs. Date	Airmass	Exp. Time	S/N ^a	SpT ^b	ζ ^c	$\log_{10} L_{H\alpha}/L_{bol}$ ^d
	(UT)		(s)				
2MASS J14554964+0321420	2021 May 15	1.21	2400	73	M5.0	1.195 ± 0.004	-4.81 ± 0.12
2MASS J15042797+0942464	2021 May 15	1.42	3000	47	M5.0	1.093 ± 0.007	-3.75 ± 0.08
2MASS J07552256+2755318	2021 Nov 27	1.02	3000	130	M6.0	1.118 ± 0.002	-4.01 ± 0.09
2MASS J11210854+2126274	2021 May 15	1.05	2400	97	M6.0	1.048 ± 0.002	-4.11 ± 0.09
2MASS J08080189+3157054	2021 Jan 17	1.11	3000	55	M7.0	1.007 ± 0.003	-4.22 ± 0.16
2MASS J12215013+4632447	2018 Jan 21	1.02	2400	156	M7.0	1.008 ± 0.001	-4.17 ± 0.16
2MASS J13342918+3303043	2020 Feb 05	1.02	3600	84	M7.0	1.031 ± 0.002	-4.91 ± 0.12
2MASS J16572919+2448509	2022 Mar 11	1.06	3000	113	M7.0	0.919 ± 0.002	-4.05 ± 0.13
2MASS J21381698+5257188	2020 Dec 14	1.22	3000	85	M7.0	1.005 ± 0.002	-4.17 ± 0.14
2MASS J12493960+5255340	2021 May 16	1.06	3000	16	M9.0	1.506 ± 0.043	-4.93 ± 0.14
2MASS J19544358+1801581	2020 Aug 14	1.07	3600	98	M9.0	1.207 ± 0.003	-4.70 ± 0.11
2MASS J21272531+5553150	2020 Aug 14	1.06	3600	96	M9.0	1.080 ± 0.003	-4.78 ± 0.10

^a Median signal-to-noise ratio in the 7200–7400 Å region.

^b Closest match to the SDSS dwarf spectral templates defined in Bochanski et al. (2007b); Schmidt et al. (2014), and Kesseli et al. (2017).

^c Metallicity index defined in Lépine et al. (2007), where $\zeta > 0.875$ indicates a dwarf (solar) metallicity classification.

^d Relative luminosity in H α emission based on the measured H α equivalent width and χ correction factors compiled by Douglas et al. (2014) and Schmidt et al. (2014).

Each APOGEE spectrum is forward-modeled using the following equation:

$$D[p] = \left(C[p] \times \left[\left(M[p^*(\lambda[1 + \frac{RV^*}{c}]), T_{\text{eff}}, \log g] * \kappa_D(\nu_{\text{micro}}) * \kappa_R(v \sin i) \right) \times T[p^*(\lambda, \text{AM}, \text{PWV})] \right. \right. \\ \left. \left. * \kappa_G(\Delta\nu_{\text{inst}}) \right) + C_{\text{flux}} \right) \quad (1)$$

Here, $D[p]$ is the data model as a function of pixel p ; $C[p]$ is a fifth-order polynomial representing a continuum correction; $M[p]$ is the stellar solar-metallicity atmosphere model parameterized by T_{eff} and $\log g$; $p^*(\lambda)$ is a wavelength-to-pixel conversion function, initially provided by the APOGEE reduction pipeline with an additional constant offset parameter $C_{\Delta\lambda}$ to adjust for chip-to-chip variations; $RV^* = RV + v_{\text{bary}}$ is the radial velocity of the source plus barycentric motion of the Earth at the observed epoch; c is the speed of light; κ_D is a Gaussian convolution kernel that applies a microturbulence velocity broadening ν_{micro} , modeled as $2.478 - 0.325 \times \log g \text{ km s}^{-1}$ (Zamora et al. 2015); κ_R is a rotational line broadening convolution kernel for projected rotational velocity $v \sin i$, with a linear limb-darkening coefficient $\epsilon = 0.6$ (Gray 1992); $T[p]$ is the telluric ab-

sorption model based on the model grid of Moehler et al. (2014) and parameterized by airmass (AM) and precipitable water vapor (PWV); κ_G is a Gauss-Hermite convolution kernel used to account for the instrumental line spread function (LSF), with width ν_{inst} obtained from the APOGEE pipeline (Nidever et al. 2015; Bovy 2016); and C_{flux} is a constant additive flux offset.

The log-likelihood function of our model fit was defined as

$$\ln \mathcal{L} = -0.5 \times \left[\sum \chi^2 / C_{\text{noise}}^2 + \sum \ln(2\pi(C_{\text{noise}}\sigma)^2) \right], \quad (2)$$

where the statistic

$$\chi^2 = \sum_{i=1}^N \frac{(S[p] - \alpha D[p])^2}{\sigma[p]^2} \quad (3)$$

compares the observed spectrum $S[p]$ and uncertainty $\sigma[p]$ to the scaled forward model $D[p]$, with the scale factor α determined to minimize χ^2 . We include the constant scaling factor C_{noise} to account for under estimation of observational noise, as well as systematic errors such as missing line features.

Cool dwarfs have abundant molecular absorption lines in their infrared spectra, and hence careful consideration must be made for the choice of stellar model. We explored synthetic model grids from Baraffe et al. (2015, BT-Settl CIFIST models), Husser et al. (2013,

ACES models), Gustafsson et al. (2008, MARCS models), and Marley et al. (2018, Sonora models). For the lowest-temperature dwarfs (L dwarfs), we found that the Sonora models outperform other model sets, particular redward of $1.58 \mu\text{m}$ where FeH absorption is an important source of opacity (Cushing et al. 2003; Souto et al. 2017), although there are still some missing features in chip c.

For each source and model set, we fit all three chips simultaneously, with the nuisance parameters C_{flux} , $C_{\Delta\lambda}$, and continuum parameters modeled separately for each chip. The 18 continuum parameters, LSF broadening, ν_{micro} , and v_{bary} were fit and applied at the end of the MCMC loop, leaving 13 parameters to be fit by the forward-modeling routine, summarized in Table 3. Priors for these parameters were assumed to be uniformly distributed between bounds based on expected values for late-M and L dwarfs or model parameter limits. We used the `emcee` code (Foreman-Mackey et al. 2013) to run the MCMC with kernel-density estimator (KDE)⁸ moves, which allows efficient convergence of best-fit parameters. We deployed 100 chains of 1000 steps each, with the first 800 steps removed for “burn-in”. At step 600, we used a 3-sigma-clipping mask of data minus model residuals to remove outlying flux values, which were mostly unmasked bad pixels and discrepant opacities. Chains were visually inspected to ensure convergence, and the typical integrated auto-correlation range was ~ 17 steps. We report best-fit parameters as the median of the tails of the chains, with uncertainties derived from the 16% to 84% quantile range.

We note that one-half of our sample are young sources, and hence magnetic emission as traced by the Bracket hydrogen emission series (e.g., Br $16 \rightarrow 4$, $\lambda = 1.556 \mu\text{m}$; Br $15 \rightarrow 4$, $\lambda = 1.571 \mu\text{m}$; Br $13 \rightarrow 4$, $\lambda = 1.611 \mu\text{m}$; Br $11 \rightarrow 4$, $\lambda = 1.681 \mu\text{m}$; see Sullivan et al. 2019) could be present in some sources. None of the models used include hydrogen emission; however, any such emission was much weaker compared to other absorption lines, as verified by visual inspection of each best-fit spectrum⁹.

To assess the quality of these fits, Figures 4, 5 and 6 show the best-fit models using Sonora and BT-Settl models for the L2 β 2MASS J00452143+1634446, the M9 2MASS J08440350+0434356, and the M7+M9.5 binary 2MASS J04214955+1929086, respectively. The Sonora models clearly outperform the other models based on

Table 3. Forward Modeling Parameters

Description	Symbol (unit)	Priors ^a	Bounds
Temperature	T_{eff} (K)	(1800, 4000) ^b	(1200, 7000) ^b
...	...	(1500, 2400) ^c	(200, 2400) ^c
Surface Grav.	$\log g$ (cm s $^{-2}$)	(3.5, 5.5)	(3.5, 5.5)
Rot. Vel.	$v \sin i$ (km s $^{-1}$)	(0, 50)	(0, 100)
Radial Vel.	RV (km s $^{-1}$)	(−100, +100)	(−200, +200)
Flux Offset ^d	C_{flux}	(−0.01, +0.01)	(−10 4 , +10 4)
Wave Offset ^d	$C_{\Delta\lambda}$ (Å)	(−0.1, +0.1)	(−0.5, +0.5)
Airmass	AM	(1.0, 3.0)	(1.0, 3.0)
Water Vapor	PWV (mm)	(0.5, 20.0)	(0.5, 20.0)
Noise Factor	C_{noise}	(1.0, 5.0)	(1.0, 10.0)

^a All priors assume a uniform distribution over range specified

^b T_{eff} range for BT-Settl models

^c T_{eff} range for Sonora models

^d The three APOGEE chips were fit individually.

the residuals and χ^2 fit values, even though the best-fit T_{eff} reaches the T_{eff} limits of the Sonora model grid. The best-fit models of the BT-Settl, ACES, and MARCS models give similar results, with significant residuals redward of $1.58 \mu\text{m}$ driving up χ^2 values. The Sonora models incorporate the Hargreaves et al. (2010) FeH $E^4\Pi - A^4\Pi$ transitions ($1.58263 \mu\text{m}$, $1.59188 \mu\text{m}$, $1.62457 \mu\text{m}$ bandhead covering from 1.58 to $1.75 \mu\text{m}$; Wallace & Hinkle 2001; Cushing et al. 2005), and we thus attribute residuals in the other models to outdated FeH opacities. The other models also yield lower $\log g$ and higher $v \sin i$ values than the Sonora models, which we interpret as compensation for these missing opacities; a similar effect for methane from Yurchenko & Tennyson (2014) has been noted in J -band spectra of T dwarfs (Hsu et al. 2021).

For warmer sources (late-M dwarfs) the BT-Settl models provided superior fits to the Sonora and other models, although telluric absorption strengths are higher for these model fits, again suggesting compensation for missing opacity. Based on these initial fits, we focused our analysis on these two model sets, with an “optimal model” transition, as verified by visual inspection of each fit, around $2700 \text{ K} \lesssim T_{\text{eff}} \lesssim 3000 \text{ K}$. At and below these transition temperatures, the Sonora models yield better fits even at its $T_{\text{eff}} = 2400 \text{ K}$ parameter limit.

⁸ https://docs.scipy.org/doc/scipy/reference/generated/scipy.stats.gaussian_kde.html

⁹ The residual sky lines from the APOGEE pipeline have stronger fluxes compared to possible Bracket hydrogen emission series, but were largely masked out in our sigma clipping process.

4. RESULTS




Figure 4. Spectrum and best-fit forward models for the APOGEE spectrum of the L2 β 2MASS J00452143+1634446 observed on JD of 2456587.736. The APOGEE data are labeled in black, and the best-fit forward models with Sonora and BT-Settl models are labeled in blue and magenta, respectively. The noise and residual (data–model) are depicted in grey-shaded regions and colored lines corresponding to the models, respectively. Parameters values and their uncertainties are listed at the top of the panel.

In this section, we review our RV, $v \sin i$, T_{eff} , and $\log g$ measurements, all of which are compiled in Table 4¹⁰.

4.1. Radial Velocities

Our RV measurements span the range -76.08 km s^{-1} to $+66.68 \text{ km s}^{-1}$ with a median value of -0.78 km s^{-1} and a median measurement uncertainty of 0.32 km s^{-1} . To assess sources of systematic uncertainty, we evaluated the scatter in measurements inferred from 13 epochs of observations of the M2 2MASS J16495034+4745402, one of the RV standards in the Deshpande et al. (2013) APOGEE sample. We compared fits based on MARCS, BT-Settl, and ACES models, which had internal per-epoch scatter of 0.18 km s^{-1} , 0.19 km s^{-1} , and 0.16 km s^{-1} , respectively; and an overall scatter between models of 0.18 km s^{-1} . We therefore conservatively assume an overall systematic RV uncertainty of 0.19 km s^{-1} , which has been added in quadrature to the reported RV measurements for all sources, resulting in a final median RV precision of 0.37 km s^{-1} .

We explored whether this precision could be improved by modeling restricted wavelength regions where strong telluric absorption can be used to improve the wavelength calibration. This experiment was motivated by higher fitting scatter in regions that had by slight mismatches between the observed and modeled spectra, possibly due to offsets in the wavelength calibrations derived from arc lamp lines. We fit regions of strong telluric absorption at 16560 – 16700 \AA on chip a, 15980 – 16160 \AA on chip b, and 15100 – 15500 \AA and 15500 – 16800 \AA on chip c (see Figure 4), and included an additional pixel-to-wavelength zero-point offset term in our model. The resulting variance in RV measurements between these regions, 0.23 – 0.56 km s^{-1} , was worse than fitting all three chips simultaneously, likely due to the lack of strong stellar lines. We conjecture that slight improvements in the APOGEE pipeline wavelength calibration could be realized by combining arc lines, sky emission lines, and telluric absorption lines to compute the overall wavelength calibration.

We quantified the validity of our RV measurements by comparing our measured RVs with those reported in the literature, summarized in Table 5. Excluding published RVs from APOGEE DR16 (Jönsson et al. 2020), A total of 67 sources in our sample have reported RVs in the literature with uncertainties. Figure 7 compares these values. The vast majority (84%) have consistent RVs

to within 3σ deviation, while 11 sources are significant outliers:

- Two of these outliers, 2MASS J08294949+2646348 ($\Delta \text{RV} = 5.5 \text{ km s}^{-1}$), 2MASS J16311879+4051516 ($\Delta \text{RV} = 4.4 \text{ km s}^{-1}$), are based on measurements made with lower-resolution data ($\lambda/\Delta\lambda \approx 2000$) reported in Terrien et al. (2015b), and may reflect underestimated uncertainties.
- Five other outliers, 2MASS J04201611+2821325, 2MASS J04262939+2624137, 2MASS J04294568+2630468, 2MASS J04330945+2246487, and 2MASS J04363893+2258119 are all members of the Taurus Complex star-forming region and have prior APOGEE measurements reported by Kounkel et al. (2019) that are 2 – 3 km s^{-1} lower than our measurements. Cottaar et al. (2014); Cook et al. (2014); and Kounkel et al. (2019) all report a systematic red-shift in RV measurements among the lowest temperature sources in their cluster samples ($T_{\text{eff}} \leq 3400 \text{ K}$), and the last study proposes a systematic correction of $\Delta \text{RV} = 12.84 - 0.0038 \times T_{\text{eff}}$. Accounting for this offset brings our measurements fully in line with RVs reported in Kounkel et al. (2019), but we did not report these corrected values in this work.
- Another young source, the M6 2MASS J16093019–2059536, a reported member of the Upper Scorpius Association (Slesnick et al. 2006a), also has a significantly different RV from our measurements ($\text{RV} = -1.3 \pm 0.6 \text{ km s}^{-1}$) compared to that reported in Dahm et al. (2012, $\text{RV} = -5.1 \pm 0.6 \text{ km s}^{-1}$). The latter is based on optical high-resolution spectra and cross-correlation with the M8 standard VB 10. On the other hand, our measurement is fully consistent with that reported in Jönsson et al. (2020, $-0.98 \pm 0.09 \text{ km s}^{-1}$), using the cross-correlation method with DR16 APOGEE spectra. The variance between these measurements could again be due to the RV offset found among young low-temperature sources, or variability induced by a binary (only one epoch of APOGEE data was available for this source).
- 2MASS J03505737+1818069 (LP 413–53) appears to be the currently known shortest orbital period UCD binary based on the high scatter of individual epoch RV measurements, analyzed in detailed in Hsu et al. (2023).
- The remaining outliers, 2MASS J00034394+8606422 and 2MASS J07140394+3702459, appear to be

¹⁰ While not analyzed for the rest of the manuscript, we also provided measurements for an additional 444 candidate UCDs with 1543 epochs in Table A2.




Figure 5. Same as Figure 4 for the APOGEE spectrum of the M9 2MASS J08440350+0434356 observed on JD of 2458198.659.

poorly fit by BT-Settl models due to a lack of FeH opacities, whereas the Sonora models provide a much better fit, resulting in a shift of 2–4 km s^{−1} (depending on the epoch) and bringing our measurement in line with that from the APOGEE pipeline. As the literature measurement from Deshpande et al. (2013) utilized BT-Settl models, we attribute this difference to modeling systematics.

For completeness, we also compared our measured RVs with those provided by the APOGEE DR17 pipeline Doppler (Nidever 2021), which uses cross-correlation with the The Cannon models (Ness et al. 2015) trained from Synspec (Hubeny & Lanz 2017; Hubeny et al. 2021). While performing well for warmer stars, the pipeline is known to have systematic issues with M dwarfs with $T_{\text{eff}} \lesssim 3500$ K (Abdurro'uf et al. 2022). Indeed, roughly half of the sources in our sample with independent literature measurements show a $>3\sigma$ discrepancy with APOGEE pipeline RVs, and 15 sources in our sample have pipeline RVs > 250 km s^{−1}. We thus consider APOGEE pipeline RVs to be unreliable for these low-temperature objects.

In summary, all of the significant outliers between our APOGEE and literature RV measurements can be explained by methodological or astrophysical causes, and we conclude that our measurements are robust to a median precision of 0.37 km s^{−1}.

4.2. Projected Rotational Velocities

Measured $v \sin i$ values for our sample range from 0.4 km s^{−1} to 92.8 km s^{−1}, with a median value of 17 km s^{−1} (Table 4). The distribution of our measurements is shown in Figure 8. To determine our $v \sin i$ detection limit, we compared this distribution for both the Sonora and BT-Settl models and found a sharp transition at 10 km s^{−1}, which we adopt as our $v \sin i$ detection limit. This limit is more conservative than the 8 km s^{−1} limit reported in Gilhool et al. (2018) and the 5 km s^{−1} limit reported in Deshpande et al. (2013). We adopt their final $\langle v \sin i \rangle$ as 10 km s^{−1} for sources with $\langle v \sin i \rangle < 10$ km s^{−1}. Our median precision of sources with higher $v \sin i$ (> 10 km s^{−1}) values is 0.5 km s^{−1}. In addition to these statistical uncertainties, we compared multi-epoch measurements ($N_{\text{obs}} \geq 3$) for all of our non-RV varying sources, and found that the median standard deviation of $v \sin i$ values per source to be 0.95 km s^{−1}. We adopt this as an estimate of our systematic $v \sin i$ uncertainty and conservatively add it in quadrature to our statistical uncertainties, resulting in a median $v \sin i$ uncertainty of 1.1 km s^{−1}.

We assessed the reliability of our $v \sin i$ measurements by again comparing to literature values (Figure 7). There are 41 sources with literature measurements, three of which are identified as $>3\sigma$ outliers:

- 2MASS J00034394+8606422 (< 10 km s^{−1}; best-fit $v \sin i = 18.8 \pm 1.0$ km s^{−1} vs. 13.2 ± 1.5 km s^{−1} in Deshpande et al. 2013),
- 2MASS J07140394+3702459 (< 10 km s^{−1}; best-fit $v \sin i = 7.3 \pm 1.1$ km s^{−1} vs. 12.8 ± 0.5 km s^{−1} in Deshpande et al. 2013), and
- 2MASS J16311879+4051516 (14.8 ± 1.6 km s^{−1} vs. 7.1 ± 1.5 km s^{−1} in Reiners et al. 2018).

2MASS J00034394+8606422 (LP 2-291) is a known eclipsing binary ($P=13.9182\pm0.0004$ day; Prša et al. 2022), which $v \sin i$ varies at different epochs could be due to the (unresolved) secondary flux. In these three cases, we find that Sonora models provide a much better fit to the APOGEE data, whereas the literature values are based on comparisons to BT-Settl models. We therefore attribute these deviations to systematics associated with model choice, and adopt our measured $v \sin i$ values for this analysis.

The distribution of $v \sin i$ measurements as a function of spectral type is shown in Figure 9. Median values are approximately constant over the M6–L2 range of 17^{+25}_{-6} km s^{−1}, with uncertainties computed from the 84th and 16th percentiles. This values is consistent with trends previously reported in the literature (Crossfield 2014; Tannock et al. 2021); e.g., Hsu et al. (2021) report a median $v \sin i$ of 12.1 km s^{−1} for M4–M9 dwarfs and 16.2 km s^{−1} for M9–L2 dwarfs.

4.3. Fast Rotators

While the majority of our sources have $v \sin i < 40$ km s^{−1}, there are fourteen sources with $v \sin i > 60$ km s^{−1}.

Thirteen are young brown dwarfs:

- M8 2MASS J04311907+2335047 in the 1–2 Myr Taurus molecular clouds (Slesnick et al. 2006b);
- L0 2MASS J05350162–0521489 (V* V2113 Ori) in the 1–2 Myr Orion Nebular Cluster (Meeus & McCaughrean 2005); and
- M7 2MASS J15560497–2106461, M6 2MASS J16003023–2334457, M7.5 2MASS J16025214–2121296, M6.5 2MASS J16044303–2318258, M8 2MASS J16045199–2224108, M6.5 2MASS J16045581–2307438, M6 2MASS J16053077–2246200, M7.5 2MASS J16111711–2217173, M6 2MASS J16124692–2338408, M6.5 2MASS




Figure 6. Same as Figure 4 for the APOGEE spectrum of the M7+M9.5 2MASS J04214955+1929086 observed on JD of 2458820.725.




Figure 7. Comparison of RV (left) and $v \sin i$ (right) measurements from our APOGEE data to previous values reported in the literature (see Table 5). The black dashed line delineates perfect agreement. Sources are color-coded by spectral types. RV outliers are labeled with large symbols indicating binary candidates (star symbol), young sources with systematic RV offsets (Kounkel et al. 2019; square symbol), measurements based on medium-resolution SpeX spectra ($R \sim 2000$; Terrien et al. 2015b, circles), and other issues (diamonds; see Section 4.1 for details). $v \sin i$ outliers are also highlighted by larger symbols, and are largely attributed to the systematic differences between Sonora and BT-Settl models.

J16131600–2251511, and M6 2MASS J16200757–2359150, in the 10 Myr Upper Scorpius moving group (Pecaut & Mamajek 2016).

These sources are in an age range in which they have largely contracted and spun up, but have not had sufficient time to lose angular momentum through magnetized winds (Kawaler 1988; Barnes 2003; Matt et al. 2015).

The other fast rotator is likely a binary. 2MASS J15010818+2250020 (aka TVLM 513-46546) is a source with known periodic radio variability (Hallinan et al. 2006) and a potential giant planet companion identified by radio astrometry (Curiel et al. 2020), which we also identify as an RV variable in our sample ($Gaia$ RUWE = 1.661; $\Delta RV_{\text{max}} \sim 2 \text{ km s}^{-1}$; Section 5.5). While TVLM 513-46546 exhibits H α emission and low surface gravity, it does not show Li I absorption (Burgasser et al. 2015) and has been ruled out as a member of the Argus moving group (Section 5.3).

4.4. Effective Temperatures and Surface Gravities

Our fits also provided best estimates of effective temperature and surface gravity based on the particular model used. Of the 258 spectra modeled, 196 were best-fit by the Sonora models while 62 were best-fit by the BT-Settl models. As noted above, the Sonora grid has a T_{eff} ceiling of 2400 K, which corresponds to




Figure 8. Histogram of $v \sin i$ measurements. The median and 16%/84% quantiles are indicated by vertical dashed lines. Binaries, young cluster members, and overall sample are indicated by stacked yellow, red and blue histograms, respectively. Our minimum $v \sin i$ detection floor at 10 km s^{-1} is indicated in the black arrow.




Figure 9. Distribution of $v \sin i$ measurements as a function of spectral type. Binary candidates are indicated by yellow stars, and young sources are indicated by red squares. Sources with $v \sin i \leq 10 \text{ km s}^{-1}$ (below our measurement limit) are indicated by downward black arrows. The median and the 84th/16th percentiles are shown with solid and magenta lines and shaded regions for M6–M8 and M9–L2 subtypes, respectively.

a spectral type of approximately M9 (Filippazzo et al. 2015). As this encompasses the majority of our sample, all of the inferred temperatures from these model fits were close to the model limit, making any inference of T_{eff} trends impossible. Furthermore, the Sonora model grid is cloudless, with its inferred T_{eff} typically hotter by ~ 300 –500 K compared to the BT-Settl model grid (Hsu et al. 2021), making the inferred $T_{\text{eff}} = 2400 \text{ K}$ for L2 β 2MASS J00452143+1634446 reach (expected $T_{\text{eff}} \sim 2060 \text{ K}$ from Filippazzo et al. 2015). On the other hand, T_{eff} s inferred from BT-Settl models ranged between 2676 K and 3177 K, with a median of 2860 K. Figure 10 shows the T_{eff} trend as a function of spectral type. Ignoring the Sonora fit values, the best-fit T_{eff} s from the BT-Settl models show a general decreasing trend toward later spectral types from M6 to M9.5. The outlier in this trend is the young L0 2MASS J05350162–0521489 ($T_{\text{eff}} = 3162 \pm 13 \text{ K}$) (Meeus & McCaughean 2005). Comparing to empirical spectral type to T_{eff} relations from Pecaut & Mamajek (2013) and Filippazzo et al. (2015), our best-fit BT-Settl T_{eff} s are systematically higher than the empirical T_{eff} s, which we attribute to the model discrepancies.

Figure 11 illustrates fit $\log g$ trends as a function of spectral type. Surface gravities from the Sonora model fits scatter across the full model parameter range of $3.5 \leq \log g \leq 5.5$, with members of young clusters typically (but not consistently) having $\log g$ values close to the minimum. Surface gravities from the BT-Settl model fits have a narrower range of $4.0 \leq \log g \leq 5.5$, with the young cluster members again having values in the bottom half of this range.

Given the limited temperature fit range for the Sonora models, and large scatter in inferred surface gravities for both models, we do not regard these values as realistic estimates, and do not further investigate their trends. However, we verified that variations in T_{eff} and $\log g$ about the optimal values had minimal influence on derived RV and $v \sin i$ values (see also Theissen et al. 2022). Comparing fits between the BT-Settl and Sonora model sets yields equivalent RVs and $v \sin i$ s on average, with standard deviations of 0.9 km s^{-1} and 1.5 km s^{-1} , respectively.




Figure 10. Comparison of our best-fit T_{eff} s as a function of spectral type between the Sonora (blue) and BT-Settl (yellow) models. The young sources and binaries are depicted in square boxes and stars, respectively. Over-plotted is empirical T_{eff} -spectral type relations from Pecaut & Mamajek (2013, red line) and Filippazzo et al. (2015, black line). The young L0 2MASS J05350162–0521489 in the Orion Nebula Cluster is labeled. These model fit parameters are not used in further analysis; see Section 4.4 for details.




Figure 11. Comparison of our best-fit $\log g$ s as a function of spectral type between the Sonora (blue) and BT-Settl (yellow) models. The young sources and binaries are depicted in square boxes and stars, respectively. These model fit parameters are not used in further analysis; see Section 4.4 for details.

Table 4. Spectral Model Fit Parameters

APOGEE ID	Plate	Loc.	Fiber	JD	bary. a	S/N	RV b, c, f	$\langle \text{RV} \rangle b, c, f$	$v \sin i \cdot b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} g$	$\langle T_{\text{eff}} \rangle c, g$	$\log g^g$	$\langle \log g \rangle c, g$	Mdd e
		ID	ID	(day)	(km s $^{-1}$)		(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(K)	(K)	(cm s $^{-2}$)	(cm s $^{-2}$)		
2M0003+8606	5221	4217	275	2455815.921	11.92	33	7.5 $^{+0.4}_{-0.8}$	7.3 $^{+0.3}_{-0.4}$	18.0 $^{+1.0}_{-1.0}$	2399.5 $^{+0.4}_{-0.6}$	2399.6 $^{+0.1}_{-0.2}$	4.63 $^{+0.03}_{-0.03}$	4.65 $^{+0.01}_{-0.01}$	S	
...	5221	4217	227	2455822.934	11.89	18	6.7 $^{+0.6}_{-0.4}$...	24.0 $^{+3.3}_{-1.1}$	2399.3 $^{+0.5}_{-0.6}$...	4.14 $^{+0.04}_{-0.06}$...	S	
...	5221	4217	275	2455841.765	10.97	32	7.1 $^{+0.4}_{-0.3}$...	18.1 $^{+1.9}_{-1.0}$	2399.4 $^{+0.4}_{-0.7}$...	4.61 $^{+0.03}_{-0.03}$...	S	
...	5221	4217	275	2455866.685	7.98	42	7.5 $^{+0.3}_{-0.5}$...	17.9 $^{+1.0}_{-1.0}$	2399.6 $^{+0.3}_{-0.5}$...	4.67 $^{+0.03}_{-0.02}$...	S	
...	5221	4217	227	2455876.687	6.30	39	7.6 $^{+0.3}_{-0.5}$...	19.8 $^{+1.0}_{-1.0}$	2399.5 $^{+0.3}_{-0.7}$...	4.86 $^{+0.02}_{-0.02}$...	S	
...	5221	4217	224	2456653.557	-3.17	42	7.1 $^{+0.3}_{-0.3}$...	17.9 $^{+1.0}_{-1.0}$	2399.6 $^{+0.3}_{-0.8}$...	4.67 $^{+0.04}_{-0.03}$...	S	
...	5221	4217	224	2456654.555	-3.37	40	7.1 $^{+0.2}_{-0.2}$...	17.9 $^{+1.0}_{-1.0}$	2399.7 $^{+0.3}_{-0.5}$...	4.63 $^{+0.02}_{-0.02}$...	S	
...	5221	4217	224	2456655.555	-3.58	33	6.9 $^{+0.3}_{-0.3}$...	18.0 $^{+1.0}_{-1.0}$	2399.6 $^{+0.3}_{-0.6}$...	4.57 $^{+0.03}_{-0.02}$...	S	
...	5221	4217	224	2456656.551	-3.78	44	7.1 $^{+0.3}_{-0.3}$...	18.0 $^{+1.0}_{-1.0}$	2399.6 $^{+0.3}_{-0.6}$...	4.69 $^{+0.02}_{-0.02}$...	S	
...	6104	4217	224	2456902.680	11.76	51	7.7 $^{+0.3}_{-0.3}$...	19.7 $^{+1.0}_{-1.0}$	2399.6 $^{+0.3}_{-0.6}$...	4.65 $^{+0.02}_{-0.01}$...	S	
2M0031+6139	6228	4243	131	2456171.848	16.15	29	-34.5 $^{+0.2}_{-0.4}$	-34.4 $^{+0.3}_{-0.4}$	9.0 $^{+1.0}_{-1.0}$	< 10	2399.6 $^{+0.1}_{-0.2}$	4.73 $^{+0.01}_{-0.01}$	S		
...	6229	4243	134	2456172.852	15.99	28	-34.3 $^{+0.3}_{-0.3}$...	10.3 $^{+1.2}_{-1.8}$	2399.7 $^{+0.3}_{-0.6}$...	4.67 $^{+0.04}_{-0.04}$...	S	
...	6228	4243	122	2456177.838	15.18	32	-34.6 $^{+0.2}_{-0.2}$...	3.5 $^{+1.3}_{-1.7}$	2399.3 $^{+0.5}_{-1.0}$...	5.12 $^{+0.03}_{-0.03}$...	S	
...	6228	4243	125	2456202.709	9.62	28	-34.0 $^{+0.3}_{-0.4}$...	8.6 $^{+1.3}_{-1.0}$	2399.5 $^{+0.4}_{-0.6}$...	4.68 $^{+0.02}_{-0.02}$...	S	
...	6229	4243	137	2456203.752	9.28	34	-34.6 $^{+0.3}_{-0.3}$...	7.9 $^{+1.3}_{-1.4}$	2399.5 $^{+0.3}_{-0.5}$...	4.83 $^{+0.03}_{-0.02}$...	S	
...	6229	4243	137	2456223.734	3.27	27	-34.8 $^{+0.3}_{-0.4}$...	10.6 $^{+1.3}_{-1.0}$	2399.7 $^{+0.2}_{-0.5}$...	4.38 $^{+0.02}_{-0.02}$...	S	
2M0038+3850	10347	5598	38	2458116.564	-24.52	43	6.4 $^{+0.2}_{-0.2}$	6.6 $^{+0.3}_{-0.4}$	7.2 $^{+1.3}_{-1.0}$	< 10	3103.4 $^{+4.4}_{-3.2}$	5.45 $^{+0.02}_{-0.02}$	5.49 $^{+0.0}$	B	
...	10347	5598	44	2458119.576	-24.94	32	6.2 $^{+0.3}_{-0.2}$...	9.2 $^{+1.2}_{-1.1}$	3098.5 $^{+3.7}_{-4.3}$...	5.48 $^{+0.01}_{-0.02}$...	B	
...	10347	5598	38	2458385.812	10.16	14	5.9 $^{+0.3}_{-0.1}$...	10.9 $^{+1.2}_{-1.2}$	3101.5 $^{+6.0}_{-4.3}$...	5.44 $^{+0.03}_{-0.02}$...	B	
...	11207	5598	46	2458386.766	9.87	32	7.3 $^{+0.4}_{-0.4}$...	9.8 $^{+1.2}_{-1.5}$	3100.4 $^{+4.8}_{-3.8}$...	5.49 $^{+0.01}_{-0.01}$...	B	
...	11207	5598	39	2458389.833	8.50	35	7.5 $^{+0.2}_{-0.3}$...	9.2 $^{+1.1}_{-1.1}$	3097.3 $^{+5.9}_{-5.2}$...	5.49 $^{+0.01}_{-0.02}$...	B	
...	6561	4476	125	2456607.662	-15.84	34	3.4 $^{+0.3}_{-0.2}$...	31.2 $^{+1.1}_{-1.0}$	2398.8 $^{+1.0}_{-2.0}$...	5.32 $^{+0.01}_{-0.04}$...	S	
...	6561	4476	131	2456616.665	-19.61	36	3.6 $^{+0.4}_{-0.3}$...	31.2 $^{+1.0}_{-1.0}$	2398.2 $^{+1.2}_{-2.3}$...	5.2 $^{+0.02}_{-0.02}$...	S	
2M0051-1221	8659	5135	61	2457377.556	-28.67	24	15.6 $^{+0.2}_{-0.2}$	15.7 $^{+0.3}_{-0.4}$	16.3 $^{+1.3}_{-1.2}$	15.9 $^{+1.2}_{-1.2}$	3013.8 $^{+7.3}_{-26.0}$	5.46 $^{+0.03}_{-0.08}$	5.49 $^{+0.01}_{-0.01}$	B	
...	8659	5135	61	2457649.853	5.09	16	15.7 $^{+0.5}_{-0.3}$...	15.2 $^{+1.6}_{-1.3}$	3007.4 $^{+11.6}_{-11.6}$...	5.49 $^{+0.01}_{-0.01}$...	B	
...	8659	5135	67	2457652.818	3.74	10	13.6 $^{+0.6}_{-0.6}$...	15.9 $^{+1.6}_{-1.6}$	3049.5 $^{+9.8}_{-11.9}$...	5.48 $^{+0.02}_{-0.03}$...	B	
...	12075	2759	277	2458779.803	-6.49	22	11.4 $^{+0.3}_{-0.4}$	10.8 $^{+0.3}_{-0.6}$	33.0 $^{+1.9}_{-1.0}$	33.7 $^{+1.6}_{-1.1}$	2399.3 $^{+0.5}_{-1.0}$	4.68 $^{+0.09}_{-0.08}$	4.56 $^{+0.02}_{-0.04}$	S	
...	12075	2759	277	2458780.716	-6.74	21	9.1 $^{+0.4}_{-0.6}$...	42.4 $^{+2.2}_{-2.0}$	2399.2 $^{+0.5}_{-1.3}$...	4.54 $^{+0.02}_{-0.05}$...	S	
2M0121+0101	12075	2759	258	2458779.803	-5.72	29	10.3 $^{+0.3}_{-0.2}$	10.3 $^{+0.3}_{-0.4}$	9.0 $^{+1.1}_{-1.1}$	< 10	2399.3 $^{+0.5}_{-1.3}$	5.4 $^{+0.06}_{-0.06}$	5.34 $^{+0.02}_{-0.02}$	S	
...	12075	2759	258	2458780.716	-5.98	28	10.2 $^{+0.3}_{-0.2}$...	9.7 $^{+1.4}_{-1.4}$	2399.0 $^{+1.5}_{-1.7}$...	5.32 $^{+0.02}_{-0.02}$...	S	
2M0124-0027	12075	2759	77	2458779.803	-5.68	49	-3.8 $^{+0.2}_{-0.3}$	-3.9 $^{+0.3}_{-0.5}$	27.4 $^{+1.6}_{-1.0}$	27.7 $^{+1.1}_{-1.0}$	2399.5 $^{+0.2}_{-0.5}$	5.47 $^{+0.02}_{-0.02}$	5.46 $^{+0.02}_{-0.02}$	S	
...	12075	2759	77	2458780.716	-5.93	45	-4.0 $^{+0.3}_{-0.3}$...	30.4 $^{+1.1}_{-1.5}$	2399.6 $^{+0.3}_{-0.8}$...	5.46 $^{+0.02}_{-0.02}$...	S	

Table 4 *continued*

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M0151+0046	12078	2762	283	2455837.620	-26.23	12	13.5 ^{+0.4} _{-0.4}	14.4 ^{+0.3} _{-0.5}	19.7 ^{+1.0} _{-1.0}	18.1 ^{+1.0} _{-1.0}	2399.2 ^{+0.6} _{-0.6}	2399.3 ^{+0.3} _{-0.6}	4.93 ^{+0.03} _{-0.02}	4.83 ^{+0.02} _{-0.02}	S
...	12078	2762	283	2455838.668	-26.61	12	15.0 ^{+0.3} _{-0.3}	18.0 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	4.83 ^{+0.02} _{-0.02}	4.83 ^{+0.02} _{-0.02}	S
...	12078	2762	283	2455840.666	-27.09	10	14.2 ^{+0.5} _{-0.4}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-1.3}	2399.4 ^{+0.5} _{-1.3}	4.58 ^{+0.04} _{-0.04}	4.58 ^{+0.04} _{-0.04}	S
2M0216-0544	8662	5138	49	2457327.781	-4.59	21	0.4 ^{+0.3} _{-0.8}	-0.0 ^{+0.3} _{-0.5}	10.7 ^{+1.2} _{-1.0}	11.5 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.7}	2399.4 ^{+0.2} _{-0.4}	4.65 ^{+0.03} _{-0.03}	4.61 ^{+0.01} _{-0.02}	S
...	8662	5138	55	2457675.834	3.79	25	-0.3 ^{+0.3} _{-0.4}	8.9 ^{+1.5} _{-1.0}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	4.91 ^{+0.04} _{-0.03}	4.91 ^{+0.04} _{-0.03}	S
...	8662	5138	55	2457678.831	2.34	13	-0.0 ^{+0.3} _{-0.3}	12.4 ^{+1.1} _{-1.0}	12.4 ^{+1.1} _{-1.0}	12.4 ^{+1.1} _{-1.0}	2399.3 ^{+0.7} _{-1.0}	2399.3 ^{+0.7} _{-1.0}	4.38 ^{+0.03} _{-0.03}	4.38 ^{+0.03} _{-0.03}	S
2M0304+0045	9193	2394	295	2457691.823	2.91	42	29.6 ^{+0.3} _{-0.2}	29.9 ^{+0.3} _{-0.3}	16.3 ^{+1.6} _{-1.0}	20.0 ^{+1.0} _{-1.0}	2399.5 ^{+0.1} _{-0.7}	2399.5 ^{+0.1} _{-0.7}	5.49 ^{+0.01} _{-0.01}	5.35 ^{+0.0} _{-0.01}	S
...	9193	2394	295	2457692.844	2.34	26	30.3 ^{+0.3} _{-0.3}	19.8 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	4.96 ^{+0.09} _{-0.02}	4.96 ^{+0.09} _{-0.02}	S
...	9193	2394	295	2457693.850	1.82	57	30.0 ^{+0.3} _{-0.3}	16.0 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	5.47 ^{+0.02} _{-0.02}	5.47 ^{+0.02} _{-0.02}	S
...	9193	2394	246	2457776.624	-28.66	33	30.5 ^{+0.3} _{-0.3}	19.7 ^{+1.0} _{-1.0}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	5.2 ^{+0.13} _{-0.04}	5.2 ^{+0.13} _{-0.04}	S
...	9193	2394	246	2457778.616	-28.83	29	30.1 ^{+0.3} _{-0.3}	20.0 ^{+1.9} _{-1.0}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	4.88 ^{+0.07} _{-0.07}	4.88 ^{+0.07} _{-0.07}	S
...	9193	2394	246	2457779.581	-28.82	38	29.9 ^{+0.3} _{-0.3}	20.2 ^{+1.8} _{-1.0}	2399.5 ^{+0.3} _{-0.8}	2399.5 ^{+0.3} _{-0.8}	2399.5 ^{+0.3} _{-0.8}	2399.5 ^{+0.3} _{-0.8}	5.39 ^{+0.06} _{-0.06}	5.39 ^{+0.06} _{-0.06}	S
...	9194	2395	289	2457779.629	-28.94	37	30.2 ^{+0.2} _{-0.2}	19.7 ^{+1.0} _{-1.0}	2399.7 ^{+0.3} _{-0.7}	2399.7 ^{+0.3} _{-0.7}	2399.7 ^{+0.3} _{-0.7}	2399.7 ^{+0.3} _{-0.7}	4.92 ^{+0.02} _{-0.02}	4.92 ^{+0.02} _{-0.02}	S
...	9193	2394	246	2457780.576	-28.88	24	30.3 ^{+0.3} _{-0.4}	25.5 ^{+1.9} _{-1.0}	2399.5 ^{+0.4} _{-1.2}	2399.5 ^{+0.4} _{-1.2}	2399.5 ^{+0.4} _{-1.2}	2399.5 ^{+0.4} _{-1.2}	5.46 ^{+0.02} _{-0.02}	5.46 ^{+0.02} _{-0.02}	S
...	9194	2395	289	2457780.615	-28.98	41	30.4 ^{+0.3} _{-0.3}	18.0 ^{+2.0} _{-1.0}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	5.17 ^{+0.02} _{-0.02}	5.17 ^{+0.02} _{-0.02}	S
...	9194	2395	289	2457782.614	-29.09	38	29.6 ^{+0.3} _{-0.3}	23.5 ^{+1.0} _{-1.0}	2399.6 ^{+0.5} _{-0.5}	2399.6 ^{+0.5} _{-0.5}	2399.6 ^{+0.5} _{-0.5}	2399.6 ^{+0.5} _{-0.5}	4.84 ^{+0.02} _{-0.02}	4.84 ^{+0.02} _{-0.02}	S
...	9194	2395	289	2457783.614	-29.13	38	29.9 ^{+0.2} _{-0.2}	19.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.6}	2399.5 ^{+0.4} _{-0.6}	2399.5 ^{+0.4} _{-0.6}	2399.5 ^{+0.4} _{-0.6}	5.01 ^{+0.08} _{-0.05}	5.01 ^{+0.08} _{-0.05}	S
...	9192	2393	180	2457785.587	-29.12	41	29.6 ^{+0.3} _{-0.2}	17.9 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-1.2}	2399.4 ^{+0.4} _{-1.2}	2399.4 ^{+0.4} _{-1.2}	2399.4 ^{+0.4} _{-1.2}	5.46 ^{+0.02} _{-0.02}	5.46 ^{+0.02} _{-0.02}	S
...	9192	2393	180	2457786.587	-29.13	40	30.1 ^{+0.2} _{-0.2}	17.9 ^{+1.0} _{-1.0}	2399.2 ^{+0.9} _{-0.9}	2399.2 ^{+0.9} _{-0.9}	2399.2 ^{+0.9} _{-0.9}	2399.2 ^{+0.9} _{-0.9}	5.39 ^{+0.03} _{-0.03}	5.39 ^{+0.03} _{-0.03}	S
...	9192	2393	180	2457787.588	-29.14	27	29.6 ^{+0.3} _{-0.4}	19.7 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.7}	2399.6 ^{+0.3} _{-0.7}	2399.6 ^{+0.3} _{-0.7}	2399.6 ^{+0.3} _{-0.7}	4.85 ^{+0.03} _{-0.03}	4.85 ^{+0.03} _{-0.03}	S
...	9192	2393	259	2458014.929	21.00	82	29.5 ^{+0.3} _{-0.2}	16.0 ^{+1.0} _{-1.0}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	5.39 ^{+0.04} _{-0.02}	5.39 ^{+0.04} _{-0.02}	S
...	9192	2393	259	2458015.960	20.58	29	29.5 ^{+0.3} _{-0.3}	15.9 ^{+1.1} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	5.39 ^{+0.01} _{-0.01}	5.39 ^{+0.01} _{-0.01}	S
2M0312+0021	6565	4480	25	2456611.732	-3.79	45	35.4 ^{+0.2} _{-0.2}	15.6 ^{+1.0} _{-1.0}	23.4 ^{+1.0} _{-1.0}	23.4 ^{+1.0} _{-1.0}	2399.1 ^{+0.7} _{-1.1}	2399.4 ^{+0.2} _{-0.4}	5.49 ^{+0.0} _{-0.0}	5.41 ^{+0.0} _{-0.0}	S
...	6565	4480	30	2456616.722	-6.26	14	35.7 ^{+0.4} _{-0.4}	27.1 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.5}	2399.3 ^{+0.5} _{-0.5}	2399.3 ^{+0.5} _{-0.5}	2399.3 ^{+0.5} _{-0.5}	4.42 ^{+0.02} _{-0.02}	4.42 ^{+0.02} _{-0.02}	S
...	6565	4480	25	2456641.664	-17.62	48	34.8 ^{+0.6} _{-0.7}	35.0 ^{+1.9} _{-1.0}	2399.6 ^{+0.3} _{-0.3}	2399.6 ^{+0.3} _{-0.3}	2399.6 ^{+0.3} _{-0.3}	2399.6 ^{+0.3} _{-0.3}	4.86 ^{+0.04} _{-0.04}	4.86 ^{+0.04} _{-0.04}	S
...	6565	4480	109	2456651.624	-21.30	53	35.7 ^{+0.3} _{-0.2}	25.4 ^{+1.0} _{-1.0}	2398.9 ^{+0.7} _{-1.5}	2398.9 ^{+0.7} _{-1.5}	2398.9 ^{+0.7} _{-1.5}	2398.9 ^{+0.7} _{-1.5}	5.48 ^{+0.01} _{-0.01}	5.48 ^{+0.01} _{-0.01}	S
2M0328+3116	6225	4587	55	2456236.727	7.15	10	15.9 ^{+1.3} _{-0.4}	34.7 ^{+1.2} _{-1.7}	30.5 ^{+1.0} _{-1.1}	30.5 ^{+1.0} _{-1.1}	2837.0 ^{+32.6} _{-47.8}	2928.6 ^{+4.3} _{-4.7}	4.18 ^{+0.14} _{-0.14}	4.54 ^{+0.01} _{-0.01}	B
...	6226	4587	234	2456315.637	-26.94	12	14.3 ^{+0.2} _{-0.3}	32.9 ^{+2.0} _{-1.9}	2964.2 ^{+14.0} _{-17.1}	2964.2 ^{+14.0} _{-17.1}	2964.2 ^{+14.0} _{-17.1}	2964.2 ^{+14.0} _{-17.1}	4.51 ^{+0.03} _{-0.02}	4.51 ^{+0.03} _{-0.02}	B
...	6224	4587	222	2456561.814	23.56	10	15.7 ^{+0.5} _{-0.5}	31.3 ^{+1.3} _{-1.6}	2925.3 ^{+18.5} _{-17.6}	2925.3 ^{+18.5} _{-17.6}	2925.3 ^{+18.5} _{-17.6}	2925.3 ^{+18.5} _{-17.6}	4.56 ^{+0.06} _{-0.05}	4.56 ^{+0.06} _{-0.05}	B
...	11425	5925	234	2458447.665	-2.69	10	16.8 ^{+0.3} _{-0.9}	31.9 ^{+1.5} _{-1.4}	2922.9 ^{+13.8} _{-13.8}	2922.9 ^{+13.8} _{-13.8}	2922.9 ^{+13.8} _{-13.8}	2922.9 ^{+13.8} _{-13.8}	4.52 ^{+0.04} _{-0.03}	4.52 ^{+0.04} _{-0.03}	B
...	11425	5925	228	2455527.600	-29.54	13	14.9 ^{+0.3} _{-0.3}	28.4 ^{+1.3} _{-1.3}	2980.5 ^{+12.9} _{-18.4}	2980.5 ^{+12.9} _{-18.4}	2980.5 ^{+12.9} _{-18.4}	2980.5 ^{+12.9} _{-18.4}	4.49 ^{+0.03} _{-0.03}	4.49 ^{+0.03} _{-0.03}	B
...	11425	5925	234	2458744.878	25.67	14	15.9 ^{+1.3} _{-0.3}	30.9 ^{+1.3} _{-1.7}	2916.4 ^{+13.8} _{-17.5}	2916.4 ^{+13.8} _{-17.5}	2916.4 ^{+13.8} _{-17.5}	2916.4 ^{+13.8} _{-17.5}	4.51 ^{+0.04} _{-0.04}	4.51 ^{+0.04} _{-0.04}	B
...	11425	5925	234	245873.830	16.09	12	15.3 ^{+0.3} _{-0.3}	26.7 ^{+1.2} _{-1.2}	2944.3 ^{+9.4} _{-11.4}	2944.3 ^{+9.4} _{-11.4}	2944.3 ^{+9.4} _{-11.4}	2944.3 ^{+9.4} _{-11.4}	4.49 ^{+0.02} _{-0.02}	4.49 ^{+0.02} _{-0.02}	B
...	11425	5925	234	2458796.752	5.45	10	16.0 ^{+0.4} _{-0.4}	30.3 ^{+1.3} _{-1.3}	2924.4 ^{+10.5} _{-12.5}	2924.4 ^{+10.5} _{-12.5}	2924.4 ^{+10.5} _{-12.5}	2924.4 ^{+10.5} _{-12.5}	4.45 ^{+0.05} _{-0.05}	4.45 ^{+0.05} _{-0.05}	B
...	11425	5925	240	2458803.745	1.90	14	16.4 ^{+0.2} _{-0.3}	28.7 ^{+1.2} _{-1.4}	2894.3 ^{+11.4} _{-11.7}	2894.3 ^{+11.4} _{-11.7}	2894.3 ^{+11.4} _{-11.7}	2894.3 ^{+11.4} _{-11.7}	4.5 ^{+0.03} _{-0.02}	4.5 ^{+0.03} _{-0.02}	B
...	11425	5925	234	2458820.666	-6.70	11	15.1 ^{+0.6} _{-0.3}	32.9 ^{+1.6} _{-1.4}	2945.4 ^{+22.6} _{-18.3}	2945.4 ^{+22.6} _{-18.3}	2945.4 ^{+22.6} _{-18.3}	2945.4 ^{+22.6} _{-18.3}	4		

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\theta}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M0328+3120															
...	6225	4587	186	2456236.727	7.19	22	18.2 ^{+0.3} _{-0.4}	17.5 ^{+0.3} _{-0.3}	17.9 ^{+1.0} _{-1.0}	17.1 ^{+1.0} _{-1.0}	2812.7 ^{+7.2} _{-8.4}	2832.3 ^{+2.3} _{-2.5}	4.81 ^{+0.03} _{-0.03}	4.5 ^{+0.01} _{-0.01}	B
...	6226	4587	236	2456315.637	-26.91	22	16.8 ^{+0.3} _{-0.3}	16.8 ^{+0.3} _{-0.3}	18.0 ^{+1.0} _{-1.0}	17.9 ^{+1.1} _{-1.1}	2818.3 ^{+17.5} _{-27.7}	...	4.23 ^{+0.08} _{-0.08}	...	B
...	6224	4587	187	2456561.814	23.58	20	17.5 ^{+0.3} _{-0.2}	17.5 ^{+0.3} _{-0.2}	17.9 ^{+1.1} _{-1.1}	17.9 ^{+1.8} _{-1.8}	2803.1 ^{+5.2} _{-7.2}	...	4.7 ^{+0.04} _{-0.03}	...	B
...	7072	4587	216	2456563.999	22.56	12	17.3 ^{+0.5} _{-0.5}	17.3 ^{+0.5} _{-0.5}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.9} _{-1.6}	2820.9 ^{+19.6} _{-38.8}	...	4.41 ^{+0.12} _{-0.1}	...	B
...	7072	4587	222	2456607.821	4.03	15	18.5 ^{+0.3} _{-0.3}	18.5 ^{+0.3} _{-0.3}	16.6 ^{+1.1} _{-1.2}	16.6 ^{+1.1} _{-1.2}	2799.9 ^{+8.7} _{-7.9}	...	4.69 ^{+0.04} _{-0.04}	...	B
...	7070	4587	217	2456671.555	-24.33	18	18.4 ^{+0.3} _{-0.2}	18.4 ^{+0.3} _{-0.2}	18.0 ^{+1.0} _{-1.1}	18.0 ^{+1.0} _{-1.1}	2866.7 ^{+8.9} _{-10.5}	...	4.35 ^{+0.06} _{-0.07}	...	B
...	7071	4587	181	2456674.559	-25.18	16	17.0 ^{+0.5} _{-0.5}	17.0 ^{+0.5} _{-0.5}	17.9 ^{+1.0} _{-1.1}	17.9 ^{+1.0} _{-1.1}	2810.5 ^{+9.0} _{-14.0}	...	4.13 ^{+0.06} _{-0.08}	...	B
...	11425	5925	192	2458447.665	-2.66	20	18.4 ^{+0.3} _{-0.3}	18.4 ^{+0.3} _{-0.3}	16.2 ^{+1.0} _{-1.1}	16.2 ^{+1.0} _{-1.1}	2819.1 ^{+11.7} _{-13.0}	...	4.51 ^{+0.04} _{-0.05}	...	B
...	11425	5925	234	2458527.600	-29.53	25	16.7 ^{+0.2} _{-0.2}	16.7 ^{+0.2} _{-0.2}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2832.8 ^{+10.4} _{-11.9}	...	4.16 ^{+0.03} _{-0.07}	...	B
...	11425	5925	186	2458744.878	25.68	25	17.2 ^{+0.4} _{-0.4}	17.2 ^{+0.4} _{-0.4}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	2802.7 ^{+16.6} _{-27.2}	...	4.23 ^{+0.04} _{-0.04}	...	B
...	11425	5925	234	2458775.787	15.37	21	17.6 ^{+0.3} _{-0.4}	17.6 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2808.6 ^{+8.2} _{-15.2}	...	4.43 ^{+0.06} _{-0.06}	...	B
...	11425	5925	235	2458791.731	8.04	15	17.3 ^{+0.3} _{-0.3}	17.3 ^{+0.3} _{-0.3}	16.2 ^{+1.1} _{-1.1}	16.2 ^{+1.1} _{-1.1}	2865.5 ^{+12.3} _{-15.3}	...	4.52 ^{+0.04} _{-0.04}	...	B
...	11425	5925	235	2458796.752	5.49	24	18.0 ^{+0.3} _{-0.3}	18.0 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2857.7 ^{+17.1} _{-7.7}	...	4.46 ^{+0.03} _{-0.03}	...	B
...	11425	5925	217	2458803.745	1.94	25	18.2 ^{+0.3} _{-0.3}	18.2 ^{+0.3} _{-0.3}	16.2 ^{+1.0} _{-1.1}	16.2 ^{+1.0} _{-1.1}	2829.2 ^{+17.3} _{-15.3}	...	4.58 ^{+0.05} _{-0.04}	...	B
...	11425	5925	240	2458820.666	-6.66	22	17.1 ^{+0.2} _{-0.2}	17.1 ^{+0.2} _{-0.2}	16.5 ^{+1.1} _{-1.1}	16.5 ^{+1.1} _{-1.1}	2889.7 ^{+30.4} _{-7.3}	...	4.49 ^{+0.04} _{-0.04}	...	B
...	11425	5925	235	2458828.658	-10.62	14	15.7 ^{+0.3} _{-0.3}	15.7 ^{+0.3} _{-0.3}	17.8 ^{+1.6} _{-1.6}	17.8 ^{+1.6} _{-1.6}	2817.3 ^{+13.1} _{-8.9}	...	4.13 ^{+0.05} _{-0.05}	...	B
...	11425	5925	235	2458831.629	-11.99	20	17.0 ^{+0.3} _{-0.3}	17.0 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.1}	16.1 ^{+1.0} _{-1.1}	2904.1 ^{+7.5} _{-8.1}	...	4.49 ^{+0.03} _{-0.01}	...	B
...	11425	5925	235	2458850.559	-20.10	11	16.7 ^{+0.3} _{-0.3}	16.7 ^{+0.3} _{-0.3}	22.0 ^{+1.0} _{-1.5}	22.0 ^{+1.0} _{-1.5}	2894.0 ^{+9.7} _{-9.0}	...	4.53 ^{+0.05} _{-0.04}	...	B
...	11425	5925	240	2459077.978	28.84	11	17.3 ^{+0.4} _{-0.4}	17.3 ^{+0.4} _{-0.4}	18.5 ^{+1.1} _{-1.6}	18.5 ^{+1.1} _{-1.6}	2816.2 ^{+18.5} _{-14.1}	...	4.44 ^{+0.07} _{-0.06}	...	B
...	11425	5925	96	2456236.727	7.18	22	16.4 ^{+0.2} _{-0.2}	15.5 ^{+0.3} _{-0.3}	8.9 ^{+1.0} _{-1.3}	< 10	2802.8 ^{+17.2} _{-6.9}	2809.0 ^{+11.8} _{-1.9}	4.59 ^{+0.07} _{-0.01}	4.39 ^{+0.01} _{-0.01}	B
...	6226	4587	1	2456315.637	-26.96	20	15.8 ^{+0.2} _{-0.2}	15.8 ^{+0.2} _{-0.2}	9.0 ^{+1.0} _{-1.3}	9.0 ^{+1.0} _{-1.3}	2789.3 ^{+6.7} _{-8.2}	...	4.23 ^{+0.05} _{-0.04}	...	B
...	6224	4587	54	2456561.814	23.61	17	15.0 ^{+0.3} _{-0.3}	15.0 ^{+0.3} _{-0.3}	9.6 ^{+1.4} _{-1.4}	9.6 ^{+1.4} _{-1.4}	2815.8 ^{+9.7} _{-8.8}	...	4.76 ^{+0.04} _{-0.04}	...	B
...	7072	4587	43	2456563.999	22.59	10	15.1 ^{+0.3} _{-0.3}	15.1 ^{+0.3} _{-0.3}	7.4 ^{+1.2} _{-1.2}	7.4 ^{+1.2} _{-1.2}	2880.6 ^{+11.3} _{-12.0}	...	4.53 ^{+0.04} _{-0.04}	...	B
...	7072	4587	54	2456607.821	4.02	14	16.5 ^{+0.2} _{-0.2}	16.5 ^{+0.2} _{-0.2}	9.2 ^{+1.2} _{-1.3}	9.2 ^{+1.2} _{-1.3}	2886.0 ^{+15.6} _{-8.6}	...	4.61 ^{+0.07} _{-0.04}	...	B
...	7070	4587	37	2456671.555	-24.37	15	15.3 ^{+0.3} _{-0.3}	15.3 ^{+0.3} _{-0.3}	11.4 ^{+1.3} _{-1.5}	11.4 ^{+1.3} _{-1.5}	2902.0 ^{+11.9} _{-12.1}	...	4.51 ^{+0.01} _{-0.01}	...	B
...	7071	4587	60	2456674.559	-25.23	16	15.4 ^{+0.3} _{-0.3}	15.4 ^{+0.3} _{-0.3}	10.7 ^{+1.0} _{-1.2}	10.7 ^{+1.0} _{-1.2}	2804.3 ^{+10.4} _{-10.5}	...	4.26 ^{+0.04} _{-0.06}	...	B
...	11425	5925	55	2458447.665	-2.68	18	15.6 ^{+0.2} _{-0.2}	15.6 ^{+0.2} _{-0.2}	9.2 ^{+1.1} _{-1.2}	9.2 ^{+1.1} _{-1.2}	2843.0 ^{+9.7} _{-10.7}	...	4.25 ^{+0.05} _{-0.08}	...	B
...	11425	5925	49	2458527.600	-29.58	23	15.1 ^{+0.2} _{-0.2}	15.1 ^{+0.2} _{-0.2}	9.9 ^{+1.6} _{-1.6}	9.9 ^{+1.6} _{-1.6}	2803.1 ^{+4.4} _{-7.8}	...	4.08 ^{+0.04} _{-0.07}	...	B
...	11425	5925	7	2458744.878	25.71	20	15.2 ^{+0.2} _{-0.2}	15.2 ^{+0.2} _{-0.2}	10.2 ^{+1.0} _{-1.4}	10.2 ^{+1.0} _{-1.4}	2794.7 ^{+8.9} _{-5.8}	...	4.04 ^{+0.04} _{-0.07}	...	B
...	11425	5925	49	2458773.830	16.13	23	15.5 ^{+0.3} _{-0.2}	15.5 ^{+0.3} _{-0.2}	9.1 ^{+1.1} _{-1.2}	9.1 ^{+1.1} _{-1.2}	2804.7 ^{+8.1} _{-6.5}	...	4.63 ^{+0.04} _{-0.03}	...	B
...	11425	5925	7	2458775.787	15.38	18	15.6 ^{+0.2} _{-0.2}	15.6 ^{+0.2} _{-0.2}	9.1 ^{+1.1} _{-1.3}	9.1 ^{+1.1} _{-1.3}	2736.2 ^{+13.6} _{-20.9}	...	4.46 ^{+0.06} _{-0.05}	...	B
...	11425	5925	60	2458791.731	8.03	14	15.5 ^{+0.3} _{-0.4}	15.5 ^{+0.3} _{-0.4}	9.0 ^{+1.1} _{-1.2}	9.0 ^{+1.1} _{-1.2}	2840.2 ^{+7.3} _{-10.0}	...	4.6 ^{+0.03} _{-0.03}	...	B
...	11425	5925	60	2458796.752	5.48	19	16.2 ^{+0.3} _{-0.3}	16.2 ^{+0.3} _{-0.3}	8.8 ^{+1.0} _{-1.2}	8.8 ^{+1.0} _{-1.2}	2796.4 ^{+8.2} _{-5.3}	...	4.16 ^{+0.04} _{-0.04}	...	B
...	11425	5925	48	2458803.745	1.93	22	16.3 ^{+0.3} _{-0.3}	16.3 ^{+0.3} _{-0.3}	9.0 ^{+1.3} _{-1.3}	9.0 ^{+1.3} _{-1.3}	2819.0 ^{+13.6} _{-14.5}	...	4.41 ^{+0.09} _{-0.15}	...	B
...	11425	5925	55	2458820.666	-6.68	19	15.3 ^{+0.2} _{-0.3}	15.3 ^{+0.2} _{-0.3}	11.5 ^{+1.4} _{-1.1}	11.5 ^{+1.4} _{-1.1}	2819.6 ^{+12.5} _{-15.4}	...	4.21 ^{+0.06} _{-0.06}	...	B
...	11425	5925	60	2458828.658	-10.65	12	14.6 ^{+0.2} _{-0.2}	14.6 ^{+0.2} _{-0.2}	9.4 ^{+1.2} _{-1.3}	9.4 ^{+1.2} _{-1.3}	2819.4 ^{+8.1} _{-12.0}	...	4.33 ^{+0.05} _{-0.05}	...	B

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>	
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)		(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	11425	5925	49	2458831.629	-12.02	18	15.3 ^{+0.2} _{-0.2}	...	10.7 ^{+1.2} _{-1.1}	...	2801.0 ^{+6.3} _{-6.1}	...	4.16 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	37	2458850.559	-20.15	16	14.8 ^{+0.3} _{-0.3}	...	10.8 ^{+1.0} _{-1.1}	...	2800.5 ^{+3.7} _{-6.3}	...	4.06 ^{+0.04} _{-0.05}	...	B	
2M0329+3117	7072	4587	192	2456563.999	22.59	11	16.1 ^{+0.3} _{-0.2}	16.5 ^{+0.3} _{-0.3}	9.6 ^{+1.4} _{-1.2}	10.2 ^{+1.0} _{-1.0}	2667.6 ^{+8.1} _{-6.7}	2676.3 ^{+1.9} _{-2.4}	4.36 ^{+0.06} _{-0.05}	4.33 ^{+0.01} _{-0.01}	B	
...	7072	4587	228	2456607.821	4.08	16	15.9 ^{+0.4} _{-0.7}	...	10.8 ^{+1.1} _{-1.2}	...	2656.6 ^{+5.4} _{-8.3}	...	4.32 ^{+0.08} _{-0.08}	...	B	
...	7070	4587	192	2456671.555	-24.31	16	16.7 ^{+0.4} _{-0.6}	...	10.6 ^{+1.2} _{-1.1}	...	2651.0 ^{+12.4} _{-23.0}	...	4.29 ^{+0.07} _{-0.07}	...	B	
...	7071	4587	42	2456674.559	-25.17	14	16.9 ^{+0.2} _{-0.3}	...	7.7 ^{+1.3} _{-1.5}	...	2791.5 ^{+8.1} _{-8.1}	...	5.02 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	181	2458447.665	-2.61	18	17.0 ^{+0.3} _{-0.3}	...	10.6 ^{+1.0} _{-1.4}	...	2699.6 ^{+4.8} _{-5.9}	...	4.22 ^{+0.07} _{-0.07}	...	B	
...	11425	5925	192	2458527.600	-29.54	25	15.5 ^{+0.2} _{-0.3}	...	10.9 ^{+1.0} _{-1.1}	...	2676.8 ^{+6.5} _{-9.6}	...	4.23 ^{+0.08} _{-0.08}	...	B	
...	11425	5925	198	2458744.878	25.71	22	16.7 ^{+0.3} _{-0.2}	...	10.8 ^{+1.0} _{-1.2}	...	2673.1 ^{+12.4} _{-9.8}	...	4.11 ^{+0.04} _{-0.06}	...	B	
...	11425	5925	192	2458773.830	16.16	22	16.5 ^{+0.3} _{-0.3}	...	9.1 ^{+1.1} _{-1.3}	...	2656.6 ^{+7.7} _{-9.9}	...	4.16 ^{+0.07} _{-0.09}	...	B	
...	11425	5925	198	2458775.787	15.42	17	16.8 ^{+0.3} _{-0.3}	...	7.4 ^{+1.1} _{-1.1}	...	2683.4 ^{+8.1} _{-12.0}	...	4.7 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	186	2458791.731	8.08	17	17.0 ^{+0.2} _{-0.2}	...	9.6 ^{+1.4} _{-1.4}	...	2699.4 ^{+8.4} _{-19.4}	...	4.44 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	198	2458796.752	5.53	21	18.2 ^{+0.2} _{-0.2}	...	9.0 ^{+1.0} _{-1.2}	...	2659.0 ^{+10.0} _{-11.0}	...	4.26 ^{+0.04} _{-0.06}	...	B	
...	11425	5925	229	2458803.745	1.98	23	16.7 ^{+0.2} _{-0.2}	...	9.9 ^{+1.5} _{-1.5}	...	2652.3 ^{+5.7} _{-7.9}	...	4.42 ^{+0.03} _{-0.06}	...	B	
...	11425	5925	186	2458820.666	-6.62	19	17.0 ^{+0.2} _{-0.2}	...	10.2 ^{+1.6} _{-1.6}	...	2689.4 ^{+14.8} _{-7.1}	...	4.31 ^{+0.04} _{-0.04}	...	B	
...	11425	5925	198	2458828.658	-10.58	12	16.4 ^{+0.6} _{-0.5}	...	10.9 ^{+1.1} _{-1.2}	...	2739.6 ^{+20.7} _{-16.7}	...	4.69 ^{+0.14} _{-0.1}	...	B	
...	11425	5925	229	2458831.629	-11.95	18	15.4 ^{+0.2} _{-0.2}	...	10.8 ^{+1.0} _{-1.1}	...	2710.2 ^{+11.3} _{-10.8}	...	4.35 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	234	2458850.559	-20.08	10	16.7 ^{+0.3} _{-0.3}	...	11.5 ^{+1.3} _{-1.1}	...	2788.8 ^{+11.5} _{-12.2}	...	4.63 ^{+0.04} _{-0.14}	...	B	
...	11425	5925	234	2458907.978	28.85	10	16.6 ^{+0.3} _{-0.3}	...	10.9 ^{+1.2} _{-1.4}	...	2703.4 ^{+4.2} _{-12.1}	...	4.22 ^{+0.08} _{-0.06}	...	B	
...	11425	5925	198	2458828.658	-10.58	12	16.4 ^{+0.6} _{-0.5}	...	10.9 ^{+1.1} _{-1.2}	...	2739.6 ^{+20.7} _{-16.7}	...	4.69 ^{+0.09} _{-0.1}	...	B	
...	11425	5925	198	2458831.629	-11.95	18	15.4 ^{+0.2} _{-0.2}	...	10.8 ^{+1.0} _{-1.1}	...	2710.2 ^{+11.3} _{-10.8}	...	4.35 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	234	2458850.559	-20.08	10	16.7 ^{+0.3} _{-0.3}	...	11.5 ^{+1.3} _{-1.1}	...	2788.8 ^{+11.5} _{-12.2}	...	4.63 ^{+0.04} _{-0.14}	...	B	
...	11425	5925	234	2458907.978	28.85	10	16.6 ^{+0.3} _{-0.3}	...	10.9 ^{+1.2} _{-1.4}	...	2703.4 ^{+4.2} _{-12.1}	...	4.22 ^{+0.08} _{-0.06}	...	B	
2M0329+3127	7070	4587	293	2456671.555	-24.26	19	16.7 ^{+0.5} _{-0.4}	15.8 ^{+0.3} _{-0.5}	15.3 ^{+1.1} _{-1.4}	16.0 ^{+1.0} _{-1.0}	2992.4 ^{+4.8} _{-7.9}	2983.3 ^{+3.8} _{-5.1}	4.49 ^{+0.02} _{-0.03}	4.48 ^{+0.01} _{-0.02}	B	
...	7071	4587	230	2456674.559	-25.12	22	15.5 ^{+0.3} _{-0.3}	...	16.1 ^{+1.1} _{-1.1}	...	2972.4 ^{+6.1} _{-7.7}	...	4.47 ^{+0.02} _{-0.03}	...	B	
...	2M0329+3122	6225	4587	2456236.727	7.29	22	17.2 ^{+0.7} _{-0.3}	17.0 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}	21.5 ^{+1.0} _{-1.0}	2756.9 ^{+13.1} _{-17.2}	2758.5 ^{+2.2} _{-2.2}	4.28 ^{+0.09} _{-0.08}	4.23 ^{+0.01} _{-0.01}	B	
...	6226	4587	156	2456315.637	-26.87	23	16.5 ^{+0.2} _{-0.2}	...	21.7 ^{+1.0} _{-1.0}	...	2741.2 ^{+9.0} _{-7.5}	...	4.09 ^{+0.03} _{-0.03}	...	B	
...	6224	4587	199	2456561.814	23.64	19	16.9 ^{+0.5} _{-0.5}	...	21.3 ^{+1.5} _{-1.0}	...	2718.7 ^{+11.9} _{-12.2}	...	4.15 ^{+0.05} _{-0.06}	...	B	
...	7072	4587	205	2456563.999	22.63	10	16.3 ^{+0.5} _{-0.4}	...	22.9 ^{+1.6} _{-1.3}	...	2767.2 ^{+24.0} _{-35.0}	...	4.4 ^{+0.13} _{-0.13}	...	B	
...	7072	4587	193	2456607.821	4.13	16	16.8 ^{+0.3} _{-0.3}	...	23.8 ^{+1.0} _{-1.1}	...	2704.2 ^{+5.9} _{-8.0}	...	4.36 ^{+0.08} _{-0.06}	...	B	
...	7070	4587	181	2456671.555	-24.27	14	16.9 ^{+0.3} _{-0.3}	...	21.2 ^{+1.5} _{-1.0}	...	2738.3 ^{+13.4} _{-18.6}	...	4.15 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	162	2456674.559	-25.13	17	16.5 ^{+0.4} _{-0.6}	...	21.4 ^{+1.4} _{-1.0}	...	2758.3 ^{+18.8} _{-12.2}	...	4.27 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	210	2458447.665	-2.56	16	17.8 ^{+0.3} _{-0.7}	...	21.7 ^{+1.2} _{-1.0}	...	2817.0 ^{+18.2} _{-14.2}	...	4.56 ^{+0.09} _{-0.09}	...	B	
...	11425	5925	205	2458527.600	-29.53	25	17.0 ^{+0.3} _{-0.3}	...	21.6 ^{+1.0} _{-1.0}	...	2771.6 ^{+6.2} _{-6.5}	...	4.02 ^{+0.02} _{-0.02}	...	B	
...	11425	5925	205	2458744.878	25.73	21	18.1 ^{+0.6} _{-0.3}	...	21.7 ^{+1.0} _{-1.1}	...	2728.6 ^{+10.3} _{-12.2}	...	4.1 ^{+0.06} _{-0.16}	...	B	
...	11425	5925	199	2458773.830	16.21	23	17.6 ^{+0.3} _{-0.3}	...	21.8 ^{+1.0} _{-1.0}	...	2721.2 ^{+12.3} _{-7.5}	...	4.1 ^{+0.05} _{-0.06}	...	B	
...	11425	5925	199	2458775.787	15.46	19	17.3 ^{+0.2} _{-0.3}	...	21.7 ^{+1.0} _{-1.0}	...	2800.8 ^{+9.4} _{-10.1}	...	4.36 ^{+0.04} _{-0.04}	...	B	
...	11425	5925	210	2458791.731	8.13	14	17.5 ^{+0.2} _{-0.2}	...	21.8 ^{+1.0} _{-1.0}	...	2807.0 ^{+9.9} _{-10.3}	...	4.63 ^{+0.05} _{-0.05}	...	B	
...	11425	5925	199	2458796.752	5.59	23	18.2 ^{+0.3} _{-0.3}	...	21.3 ^{+1.1} _{-1.0}	...	2763.7 ^{+6.3} _{-7.7}	...	4.34 ^{+0.09} _{-0.06}	...	B	
...	11425	5925	192	2458803.745	2.04	24	17.1 ^{+0.3} _{-0.3}	...	19.9 ^{+1.0} _{-1.1}	...	2739.3 ^{+11.8} _{-7.3}	...	4.27 ^{+0.04} _{-0.04}	...	B	

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M0341+3157	5925	205	2458820.666	-6.56	19	17.2 ^{+0.2} _{-0.2}	...	21.7 ^{+1.0} _{-1.0}	...	2773.0 ^{+8.9} _{-9.6}	...	4.31 ^{+0.04} _{-0.03}	...	B	
2M0341+3157	5925	205	2458828.658	-10.52	13	17.1 ^{+0.3} _{-0.2}	...	21.7 ^{+1.1} _{-1.1}	...	2774.3 ^{+7.5} _{-14.4}	...	4.08 ^{+0.05} _{-0.08}	...	B	
2M0341+3157	5925	210	2458831.629	-11.90	16	15.9 ^{+0.3} _{-0.2}	...	21.5 ^{+1.7} _{-1.1}	...	2798.7 ^{+9.3} _{-8.3}	...	4.09 ^{+0.07} _{-0.07}	...	B	
2M0341+3157	5925	241	2458850.559	-20.03	13	17.0 ^{+0.3} _{-0.3}	...	20.2 ^{+1.1} _{-1.3}	...	2834.1 ^{+15.7} _{-14.1}	...	4.52 ^{+0.05} _{-0.05}	...	B	
2M0341+3157	7079	4586	11	2456561.990	24.04	31	7.7 ^{+0.3} _{-0.3}	7.4 ^{+0.3} _{-0.3}	11.7 ^{+1.0} _{-1.0}	2399.0 ^{+0.1} _{-0.2}	4.92 ^{+0.13} _{-0.03}	5.2 ^{+0.01} _{-0.0}	S		
2M0341+3157	7073	4586	14	2456669.674	-23.09	57	7.7 ^{+0.3} _{-0.3}	...	9.0 ^{+1.1} _{-1.0}	2399.4 ^{+0.4} _{-0.4}	5.42 ^{+0.03} _{-0.02}	5.42 ^{+0.03} _{-0.02}	S		
2M0341+3157	7073	4586	11	2456673.564	-24.09	53	7.2 ^{+0.2} _{-0.2}	...	9.7 ^{+1.1} _{-1.2}	2399.5 ^{+0.4} _{-0.6}	5.44 ^{+0.03} _{-0.05}	5.44 ^{+0.03} _{-0.05}	S		
2M0341+3157	7074	4586	50	2456675.565	-24.68	57	6.8 ^{+0.2} _{-0.2}	...	11.0 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.4}	5.39 ^{+0.02} _{-0.02}	5.39 ^{+0.02} _{-0.02}	S		
2M0341+3157	7073	4586	59	2456701.589	-29.34	64	7.2 ^{+0.3} _{-0.2}	...	9.6 ^{+1.0} _{-1.4}	2399.4 ^{+0.4} _{-0.4}	5.4 ^{+0.02} _{-0.02}	5.4 ^{+0.02} _{-0.02}	S		
2M0341+3157	7074	4586	59	2456703.590	-29.45	48	6.3 ^{+0.3} _{-0.3}	...	9.2 ^{+1.1} _{-1.0}	2399.1 ^{+0.6} _{-0.8}	5.48 ^{+0.02} _{-0.02}	5.48 ^{+0.02} _{-0.02}	S		
2M0341+3157	7075	4586	5	2456706.602	-29.57	29	7.7 ^{+0.3} _{-0.3}	...	11.9 ^{+1.2} _{-1.5}	2399.3 ^{+0.5} _{-1.5}	4.91 ^{+0.07} _{-0.07}	4.91 ^{+0.07} _{-0.07}	S		
2M0341+3157	10100	5480	218	2458058.938	10.16	55	7.3 ^{+0.3} _{-0.3}	...	10.2 ^{+1.1} _{-1.7}	2399.1 ^{+0.7} _{-1.7}	5.37 ^{+0.03} _{-0.03}	5.37 ^{+0.03} _{-0.03}	S		
2M0341+3157	10100	5480	212	2458061.872	8.87	42	6.7 ^{+0.3} _{-0.2}	...	11.9 ^{+1.1} _{-1.6}	2399.4 ^{+0.4} _{-0.5}	5.06 ^{+0.05} _{-0.05}	5.06 ^{+0.05} _{-0.05}	S		
2M0341+3157	10100	5480	212	2458084.790	-2.67	62	7.6 ^{+0.2} _{-0.2}	...	10.6 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.6}	5.1 ^{+0.02} _{-0.01}	5.1 ^{+0.02} _{-0.01}	S		
2M0341+3157	10100	5480	212	2458085.802	-3.22	78	8.0 ^{+0.2} _{-0.2}	...	10.7 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.3}	5.32 ^{+0.02} _{-0.02}	5.32 ^{+0.02} _{-0.02}	S		
2M0341+3157	10100	5480	236	2458087.800	-4.24	78	8.0 ^{+0.2} _{-0.2}	...	10.6 ^{+1.3} _{-1.0}	2399.6 ^{+0.6} _{-0.6}	5.13 ^{+0.02} _{-0.02}	5.13 ^{+0.02} _{-0.02}	S		
2M0341+3157	12706	5480	17	2458063.987	27.20	27	7.8 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.7}	4.54 ^{+0.03} _{-0.03}	4.54 ^{+0.03} _{-0.03}	S		
2M0341+3157	12706	5480	29	2458066.970	27.68	42	7.7 ^{+0.3} _{-0.2}	...	10.5 ^{+1.4} _{-1.0}	2399.5 ^{+0.4} _{-0.8}	4.98 ^{+0.03} _{-0.02}	4.98 ^{+0.03} _{-0.02}	S		
2M0341+3157	12706	5480	5	2458071.958	28.31	46	7.3 ^{+0.3} _{-0.2}	...	10.5 ^{+1.0} _{-1.0}	2399.2 ^{+0.5} _{-0.5}	5.08 ^{+0.02} _{-0.01}	5.08 ^{+0.02} _{-0.01}	S		
2M0341+3157	12706	5480	5	2458072.989	28.35	35	7.3 ^{+0.2} _{-0.2}	...	12.4 ^{+1.0} _{-1.0}	2399.3 ^{+0.4} _{-0.7}	4.93 ^{+0.03} _{-0.03}	4.93 ^{+0.03} _{-0.03}	S		
2M0341+3157	12706	5480	119	2459146.772	14.15	56	7.7 ^{+0.2} _{-0.2}	...	10.5 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.5}	5.16 ^{+0.01} _{-0.01}	5.16 ^{+0.01} _{-0.01}	S		
2M0341+3157	6218	4586	229	2456168.941	28.76	11	16.3 ^{+0.7} _{-0.7}	18.9 ^{+0.3} _{-0.5}	14.9 ^{+1.0} _{-1.1}	2943.1 ^{+20.8} _{-14.1}	2880.6 ^{+8.3} _{-8.7}	4.49 ^{+0.04} _{-0.04}	4.49 ^{+0.04} _{-0.04}	B	
2M0341+3157	6218	4586	229	2456168.941	28.76	11	16.6 ^{+1.6} _{-0.9}	...	18.2 ^{+1.4} _{-1.2}	2916.4 ^{+24.8} _{-22.4}	4.51 ^{+0.06} _{-0.07}	4.51 ^{+0.06} _{-0.07}	B		
2M0341+3157	6218	4586	223	2456171.974	28.49	11	19.9 ^{+0.4} _{-0.4}	...	16.1 ^{+1.9} _{-1.2}	2860.4 ^{+14.0} _{-17.4}	4.57 ^{+0.04} _{-0.06}	4.57 ^{+0.04} _{-0.06}	B		
2M0341+3157	6218	4586	223	2456171.974	28.49	11	20.0 ^{+0.4} _{-0.4}	...	16.1 ^{+1.4} _{-1.9}	2855.4 ^{+27.1} _{-27.0}	4.61 ^{+0.11} _{-0.06}	4.61 ^{+0.11} _{-0.06}	B		
2M0341+3157	6218	4586	234	2456172.974	28.41	11	16.8 ^{+0.4} _{-0.4}	...	15.7 ^{+1.8} _{-1.2}	2901.1 ^{+15.5} _{-19.7}	4.48 ^{+0.05} _{-0.05}	4.48 ^{+0.05} _{-0.05}	B		
2M0341+3157	6218	4586	234	2456172.974	28.41	11	16.6 ^{+1.6} _{-0.9}	...	18.2 ^{+1.4} _{-1.2}	2897.4 ^{+11.7} _{-11.8}	4.36 ^{+0.09} _{-0.09}	4.36 ^{+0.09} _{-0.09}	B		
2M0341+3157	6221	4586	222	2456235.774	9.03	11	17.0 ^{+0.5} _{-0.5}	...	13.9 ^{+1.6} _{-1.4}	2837.1 ^{+18.7} _{-18.7}	4.92 ^{+0.04} _{-0.04}	4.92 ^{+0.04} _{-0.04}	B		
2M0341+3157	6221	4586	222	2456235.774	9.03	11	17.6 ^{+0.4} _{-0.5}	...	14.2 ^{+1.1} _{-1.0}	2835.4 ^{+15.4} _{-19.7}	4.93 ^{+0.04} _{-0.04}	4.93 ^{+0.04} _{-0.04}	B		
2M0341+3157	6222	4586	224	2456262.681	-4.54	12	17.5 ^{+0.3} _{-0.3}	...	13.7 ^{+1.5} _{-1.3}	2837.1 ^{+15.3} _{-20.8}	4.8 ^{+0.06} _{-0.05}	4.8 ^{+0.06} _{-0.05}	B		
2M0341+3157	6222	4586	224	2456262.681	-4.54	12	17.4 ^{+0.3} _{-0.3}	...	14.4 ^{+1.2} _{-1.0}	2831.2 ^{+13.9} _{-12.5}	4.79 ^{+0.05} _{-0.05}	4.79 ^{+0.05} _{-0.05}	B		
2M0341+3157	6221	4586	216	2458087.800	-4.19	10	16.2 ^{+0.3} _{-0.3}	...	14.0 ^{+1.7} _{-1.2}	2930.3 ^{+13.0} _{-13.7}	4.75 ^{+0.18} _{-0.17}	4.75 ^{+0.18} _{-0.17}	B		
2M0341+3157	6221	4586	216	2458087.800	-4.19	10	16.3 ^{+0.3} _{-0.3}	...	14.5 ^{+1.1} _{-1.0}	2918.0 ^{+11.7} _{-11.1}	4.91 ^{+0.04} _{-0.05}	4.91 ^{+0.04} _{-0.05}	B		
2M0341+3144	6218	4586	103	2456168.941	28.84	13	18.3 ^{+0.3} _{-0.3}	19.5 ^{+0.3} _{-0.5}	13.6 ^{+1.0} _{-1.1}	2859.5 ^{+13.0} _{-17.2}	4.39 ^{+0.07} _{-0.08}	4.39 ^{+0.07} _{-0.08}	B		
2M0341+3144	6220	4586	96	2456171.974	28.57	12	18.6 ^{+0.4} _{-0.3}	...	14.7 ^{+1.1} _{-1.2}	2766.9 ^{+9.2} _{-10.7}	4.06 ^{+0.05} _{-0.05}	4.06 ^{+0.05} _{-0.05}	B		
2M0341+3144	6218	4586	12	2456172.974	28.49	11	17.8 ^{+0.4} _{-0.4}	...	17.6 ^{+1.7} _{-1.2}	2840.9 ^{+22.4} _{-27.0}	4.7 ^{+0.08} _{-0.09}	4.7 ^{+0.08} _{-0.09}	B		

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	6221	4586	54	2456235.774	9.14	12	20.4 ^{+0.4} _{-0.6}	...	11.1 ^{+1.1} _{-1.3}	...	2881.9 ^{+15.5} _{-14.0}	...	5.45 ^{+0.05}	...	B
...	6222	4586	97	2456262.681	-4.46	12	19.0 ^{+0.3} _{-0.3}	...	16.1 ^{+1.1} _{-1.1}	...	2787.5 ^{+11.1} _{-11.9}	...	4.19 ^{+0.1}	...	B
...	6223	4586	102	2456283.624	-14.65	11	18.3 ^{+0.3} _{-0.3}	...	14.2 ^{+1.3} _{-1.3}	...	2848.3 ^{+11.6} _{-13.6}	...	4.67 ^{+0.04}	...	B
...	10100	5480	11	2458085.802	-3.08	11	19.4 ^{+0.7} _{-0.9}	...	13.5 ^{+1.5} _{-2.0}	...	2747.5 ^{+16.7} _{-17.3}	...	4.89 ^{+0.12}	...	B
...	10100	5480	95	2458087.800	-4.11	12	19.5 ^{+0.3} _{-0.3}	...	12.7 ^{+1.0} _{-1.2}	...	2848.9 ^{+13.5} _{-10.1}	...	4.68 ^{+0.06}	...	B
...	12706	5480	114	2459071.958	28.31	11	19.2 ^{+0.3} _{-0.4}	...	14.7 ^{+1.1} _{-1.2}	...	2905.5 ^{+15.7} _{-15.5}	...	4.47 ^{+0.05}	...	B
...	12706	5480	109	2459146.772	14.28	12	19.5 ^{+0.3} _{-0.3}	...	14.5 ^{+1.0} _{-1.1}	...	2804.4 ^{+10.4} _{-10.4}	...	4.82 ^{+0.07}	...	B
2M0343+3147	6218	4586	150	2456168.941	28.84	11	18.1 ^{+0.5} _{-0.5}	19.5 ^{+0.3} _{-0.5}	26.2 ^{+1.3} _{-1.6}	24.6 ^{+1.0} _{-1.1}	2832.6 ^{+16.6} _{-22.2}	2899.8 ^{+5.3} _{-5.3}	4.86 ^{+0.06}	4.74 ^{+0.02}	B
...	6218	4586	96	2456172.974	28.49	12	20.7 ^{+0.4} _{-0.7}	...	25.0 ^{+1.5} _{-1.3}	...	2858.0 ^{+22.9} _{-22.9}	...	4.86 ^{+0.04}	...	B
...	6221	4586	97	2456235.774	9.16	12	20.4 ^{+0.3} _{-0.4}	...	25.4 ^{+1.2} _{-1.2}	...	2814.5 ^{+10.8} _{-13.3}	...	5.0 ^{+0.03}	...	B
...	6222	4586	108	2456262.681	-4.43	12	19.1 ^{+0.3} _{-0.4}	...	22.6 ^{+1.3} _{-1.4}	...	2888.7 ^{+28.7} _{-13.2}	...	5.21 ^{+0.07}	...	B
...	10100	5480	96	2458087.800	-4.08	11	19.0 ^{+0.7} _{-0.7}	...	26.6 ^{+1.3} _{-1.4}	...	2906.8 ^{+8.9} _{-8.9}	...	4.51 ^{+0.02}	...	B
...	12706	5480	108	2459071.958	28.30	10	21.8 ^{+0.1} _{-0.5}	...	23.6 ^{+2.5} _{-2.2}	...	2899.8 ^{+12.9} _{-11.6}	...	4.62 ^{+0.04}	...	B
...	12706	5480	114	2459146.772	14.31	11	19.6 ^{+0.3} _{-0.3}	...	21.6 ^{+1.4} _{-1.3}	...	2918.9 ^{+12.4} _{-11.2}	...	5.26 ^{+0.04}	...	B
2M0343+3209	6221	4586	211	2456235.774	9.25	13	19.5 ^{+1.0} _{-0.4}	17.9 ^{+0.3} _{-0.5}	11.2 ^{+1.2} _{-1.1}	12.5 ^{+1.0} _{-1.1}	2750.7 ^{+9.5} _{-10.4}	2788.0 ^{+5.3} _{-5.1}	4.91 ^{+0.04}	4.58 ^{+0.03}	B
...	6223	4586	181	2456283.624	-14.52	11	17.4 ^{+0.5} _{-0.4}	...	10.3 ^{+1.5} _{-1.3}	...	2817.3 ^{+14.4} _{-12.0}	...	4.84 ^{+0.03}	...	B
...	10100	5480	192	2458085.802	-2.95	11	17.4 ^{+0.4} _{-0.4}	...	14.3 ^{+1.1} _{-1.2}	...	2793.4 ^{+8.9} _{-7.1}	...	4.05 ^{+0.04}	...	B
...	10100	5480	187	2458087.800	-3.97	11	17.8 ^{+0.3} _{-0.3}	...	12.7 ^{+1.0} _{-1.2}	...	2812.7 ^{+11.6} _{-22.1}	...	4.77 ^{+0.04}	...	B
2M0343+3207	6219	4586	50	2456170.900	28.78	12	15.1 ^{+0.2} _{-0.3}	15.1 ^{+0.3} _{-0.3}	27.7 ^{+1.1} _{-1.6}	27.7 ^{+1.1} _{-1.6}	2883.0 ^{+12.1} _{-16.7}	2883.0 ^{+12.1} _{-16.7}	4.57 ^{+0.1}	4.57 ^{+0.07}	B
...	6221	4586	47	2456235.774	9.26	19	17.8 ^{+0.7} _{-0.7}	...	26.2 ^{+1.3} _{-1.5}	...	2935.0 ^{+16.9} _{-17.6}	...	5.2 ^{+0.04}	...	B
2M0343+3204	6218	4586	50	2456168.941	28.82	18	18.6 ^{+0.7} _{-0.4}	18.8 ^{+0.3} _{-0.4}	12.5 ^{+1.3} _{-1.3}	11.7 ^{+1.0} _{-1.1}	2999.1 ^{+6.4} _{-6.9}	2993.0 ^{+3.6} _{-3.6}	4.51 ^{+0.02}	4.52 ^{+0.01}	B
...	6220	4586	38	2456171.974	28.57	18	18.2 ^{+0.3} _{-0.2}	...	11.9 ^{+1.7} _{-1.2}	...	3011.3 ^{+9.7} _{-7.7}	...	4.52 ^{+0.02}	...	B
...	6218	4586	143	2456172.974	28.49	23	18.5 ^{+0.3} _{-0.3}	...	12.1 ^{+1.8} _{-1.8}	...	2924.9 ^{+8.0} _{-8.0}	...	4.49 ^{+0.02}	...	B
...	6222	4586	53	2456262.681	-4.31	18	19.0 ^{+0.2} _{-0.3}	...	10.2 ^{+1.6} _{-1.3}	...	3043.8 ^{+9.2} _{-9.9}	...	4.69 ^{+0.08}	...	B
...	10100	5480	37	2458058.938	10.43	11	19.4 ^{+0.3} _{-0.3}	...	11.0 ^{+1.1} _{-1.2}	...	2961.2 ^{+15.9} _{-14.2}	...	4.67 ^{+0.04}	...	B
...	10100	5480	49	2458084.790	-2.39	15	19.1 ^{+0.3} _{-0.3}	...	10.7 ^{+1.0} _{-1.2}	...	2980.1 ^{+9.1} _{-9.2}	...	4.51 ^{+0.02}	...	B
...	10100	5480	49	2458085.802	-2.94	17	18.9 ^{+0.2} _{-0.2}	...	10.0 ^{+1.6} _{-1.4}	...	2973.7 ^{+7.5} _{-7.1}	...	4.49 ^{+0.03}	...	B
...	10100	5480	48	2458087.800	-3.96	18	18.2 ^{+0.3} _{-0.3}	...	10.0 ^{+1.6} _{-1.4}	...	3002.3 ^{+7.0} _{-5.6}	...	4.42 ^{+0.03}	...	B
2M0344+3152	6218	4586	144	2456168.941	28.84	21	17.8 ^{+0.2} _{-0.2}	17.5 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2834.6 ^{+8.0} _{-9.4}	2889.5 ^{+3.1} _{-3.0}	4.03 ^{+0.05}	4.39 ^{+0.01}	B
...	6219	4586	93	2456170.900	28.80	12	18.1 ^{+0.5} _{-0.5}	...	19.9 ^{+1.1} _{-1.4}	...	2824.6 ^{+17.8} _{-49.4}	...	4.13 ^{+0.1}	...	B
...	6220	4586	144	2456171.974	28.59	19	16.7 ^{+0.3} _{-0.2}	...	16.1 ^{+1.0} _{-1.0}	...	2892.2 ^{+11.7} _{-9.1}	...	4.16 ^{+0.08}	...	B
...	6218	4586	145	2456172.974	28.51	20	17.9 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	2911.0 ^{+11.5} _{-9.5}	...	4.48 ^{+0.03}	...	B
...	6219	4586	100	2456174.926	28.43	10	18.0 ^{+0.4} _{-0.3}	...	16.2 ^{+1.1} _{-1.2}	...	2889.2 ^{+15.1} _{-23.8}	...	4.38 ^{+0.1}	...	B
...	6221	4586	68	2456235.774	9.25	17	19.8 ^{+0.4} _{-0.3}	...	15.3 ^{+1.4} _{-1.4}	...	2867.1 ^{+14.7} _{-12.8}	...	5.3 ^{+0.15}	...	B
...	6222	4586	150	2456262.681	-4.33	19	17.9 ^{+0.3} _{-0.7}	...	16.3 ^{+1.0} _{-1.1}	...	2887.5 ^{+10.2} _{-15.0}	...	4.26 ^{+0.05}	...	B
...	6223	4586	95	2456282.621	-14.07	14	16.7 ^{+0.3} _{-0.3}	...	16.4 ^{+1.0} _{-1.7}	...	2914.9 ^{+12.4} _{-12.4}	...	4.29 ^{+0.03}	...	B

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\theta}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)	
...	6223	4556	95	2456283.624	-14.54	15	16.3 ^{+0.3} _{-0.3}	...	15.3 ^{+1.5} _{-1.1}	...	2916.5 ^{+9.3} _{-7.2}	...	4.39 ^{+0.09} _{-0.04}	...	B
...	10100	5480	139	2458058.938	10.42	10	18.0 ^{+0.3} _{-0.3}	...	16.3 ^{+1.3} _{-1.3}	...	2958.9 ^{+8.9} _{-14.4}	...	4.58 ^{+0.05} _{-0.07}	...	B
...	10100	5480	48	2458084.790	-2.41	14	19.3 ^{+0.3} _{-0.3}	...	14.3 ^{+1.0} _{-1.0}	...	2939.2 ^{+8.3} _{-7.7}	...	4.45 ^{+0.05} _{-0.02}	...	B
...	10100	5480	48	2458085.802	-2.96	17	17.0 ^{+0.2} _{-0.2}	...	14.5 ^{+1.0} _{-1.2}	...	2941.4 ^{+16.8} _{-11.7}	...	4.38 ^{+0.16} _{-0.05}	...	B
...	10100	5480	132	2458087.800	-3.98	15	17.4 ^{+0.4} _{-0.5}	...	15.6 ^{+1.1} _{-1.1}	...	2918.7 ^{+13.2} _{-14.1}	...	4.69 ^{+0.07} _{-0.07}	...	B
...	12706	5480	96	2459066.970	27.63	14	18.4 ^{+0.4} _{-0.4}	...	16.4 ^{+1.0} _{-1.6}	...	2837.6 ^{+11.6} _{-11.4}	...	4.02 ^{+0.03} _{-0.06}	...	B
...	12706	5480	97	2459071.958	28.28	15	17.8 ^{+0.4} _{-0.4}	...	15.9 ^{+1.8} _{-1.0}	...	2880.0 ^{+14.3} _{-22.2}	...	4.41 ^{+0.05} _{-0.04}	...	B
...	12706	5480	97	2459072.989	28.33	11	17.7 ^{+0.5} _{-0.3}	...	15.7 ^{+1.1} _{-1.1}	...	2894.8 ^{+10.4} _{-10.2}	...	4.46 ^{+0.05} _{-0.04}	...	B
...	12706	5480	103	2459446.772	14.39	17	17.8 ^{+0.2} _{-0.2}	...	16.9 ^{+1.3} _{-1.1}	...	2865.8 ^{+12.9} _{-7.4}	...	4.51 ^{+0.02} _{-0.03}	...	B
2M0344+3215	6219	4586	181	2456170.900	28.77	16	19.7 ^{+0.3} _{-0.3}	18.8 ^{+0.3} _{-0.4}	12.6 ^{+1.0} _{-1.0}	10.6 ^{+1.0} _{-1.1}	2804.2 ^{+3.5} _{-3.8}	...	4.57 ^{+0.02} _{-0.02}	...	B
...	6219	4586	204	2456174.926	28.40	11	18.8 ^{+0.4} _{-0.4}	...	12.6 ^{+1.0} _{-1.1}	...	2803.5 ^{+9.2} _{-10.2}	...	4.67 ^{+0.05} _{-0.08}	...	B
...	6221	4586	235	2456235.774	9.29	17	19.8 ^{+0.3} _{-0.3}	...	7.9 ^{+1.4} _{-1.4}	...	2791.8 ^{+5.9} _{-5.9}	...	4.94 ^{+0.08} _{-0.08}	...	B
...	6223	4586	294	2456282.621	-14.01	12	18.7 ^{+0.2} _{-0.2}	...	9.7 ^{+1.3} _{-1.1}	...	2854.5 ^{+20.7} _{-11.5}	...	4.99 ^{+0.04} _{-0.05}	...	B
...	6223	4586	294	2456283.624	-14.47	13	18.2 ^{+0.2} _{-0.2}	...	9.3 ^{+1.1} _{-1.3}	...	2814.1 ^{+9.4} _{-13.5}	...	4.82 ^{+0.03} _{-0.03}	...	B
...	10100	5480	186	2458058.938	10.45	11	19.3 ^{+0.3} _{-0.3}	...	10.0 ^{+1.5} _{-1.5}	...	2801.5 ^{+18.4} _{-13.8}	...	4.62 ^{+0.21} _{-0.13}	...	B
...	10100	5480	186	2458084.790	-2.35	12	18.1 ^{+0.4} _{-0.4}	...	9.6 ^{+1.3} _{-1.3}	...	2809.1 ^{+9.6} _{-11.6}	...	4.23 ^{+0.07} _{-0.09}	...	B
...	10100	5480	186	2458085.802	-2.90	15	18.8 ^{+0.2} _{-0.2}	...	10.7 ^{+1.1} _{-1.2}	...	2810.6 ^{+9.8} _{-18.2}	...	4.29 ^{+0.06} _{-0.1}	...	B
...	10100	5480	186	2458087.800	-3.93	14	18.3 ^{+0.2} _{-0.3}	...	11.0 ^{+1.1} _{-1.3}	...	2799.6 ^{+10.7} _{-9.1}	...	4.29 ^{+0.04} _{-0.04}	...	B
2M0344+3209	6223	4586	198	2456282.621	-14.01	11	16.5 ^{+0.3} _{-0.4}	16.3 ^{+0.5} _{-0.7}	57.3 ^{+2.2} _{-2.2}	54.4 ^{+1.3} _{-1.5}	2399.1 ^{+0.6} _{-1.1}	2399.1 ^{+0.4} _{-0.9}	3.51 ^{+0.01} _{-0.01}	S	
...	6223	4586	198	2456283.624	-14.47	12	16.1 ^{+0.5} _{-0.5}	...	53.4 ^{+1.4} _{-1.8}	...	2399.1 ^{+0.6} _{-1.4}	...	3.51 ^{+0.02} _{-0.01}	S	
2M0344+3205	6221	4586	198	2456235.774	9.32	11	18.3 ^{+0.3} _{-0.3}	18.3 ^{+0.4} _{-0.4}	18.1 ^{+1.2} _{-1.2}	18.1 ^{+1.2} _{-1.2}	2855.8 ^{+12.4} _{-17.3}	...	5.18 ^{+0.06} _{-0.07}	B	
2M0344+3206	7073	4586	199	2456669.674	-22.86	22	17.7 ^{+0.3} _{-0.3}	18.0 ^{+0.3} _{-0.3}	29.1 ^{+1.8} _{-2.2}	29.4 ^{+1.0} _{-1.3}	2811.8 ^{+10.4} _{-14.6}	2812.3 ^{+7.7} _{-10.6}	4.23 ^{+0.05} _{-0.04}	B	
...	7073	4586	181	2456673.564	-23.88	15	18.4 ^{+0.3} _{-0.3}	...	29.3 ^{+1.2} _{-1.2}	...	2804.3 ^{+14.4} _{-21.7}	...	4.41 ^{+0.1} _{-0.1}	...	B
...	7073	4586	210	2456701.589	-29.29	18	18.3 ^{+0.9} _{-0.3}	...	29.4 ^{+1.0} _{-1.8}	...	2825.4 ^{+19.3} _{-21.7}	...	4.15 ^{+0.07} _{-0.07}	...	B
2M0350+1818	12138	6179	19	2459159.856	7.51	26	6.0 ^{+0.2} _{-0.2}	6.0 ^{+0.3} _{-0.3}	12.7 ^{+1.4} _{-1.0}	12.7 ^{+1.4} _{-1.0}	2399.3 ^{+0.5} _{-0.8}	2399.3 ^{+0.5} _{-0.8}	5.49 ^{+0.0} _{-0.0}	S	
2M0410+1444	12145	6186	215	2458803.860	4.75	36	38.2 ^{+0.3} _{-0.3}	38.2 ^{+0.3} _{-0.5}	10.8 ^{+1.0} _{-1.5}	10.8 ^{+1.0} _{-1.0}	2399.2 ^{+1.1} _{-0.6}	2399.2 ^{+0.9} _{-0.4}	5.4 ^{+0.02} _{-0.02}	S	
...	12145	6186	212	2458821.758	-4.45	30	38.3 ^{+0.3} _{-0.3}	...	10.8 ^{+1.0} _{-1.0}	...	2399.3 ^{+1.4} _{-0.5}	2399.3 ^{+1.4} _{-0.5}	5.43 ^{+0.03} _{-0.03}	S	
2M0411+1247	12146	6187	121	2458793.799	9.82	24	39.4 ^{+0.3} _{-0.3}	39.3 ^{+0.3} _{-0.4}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-1.0}	2399.4 ^{+0.5} _{-1.0}	4.91 ^{+0.02} _{-0.01}	S	
...	12146	6187	121	2458796.862	8.15	32	39.0 ^{+0.3} _{-0.4}	...	13.9 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.7}	2399.4 ^{+0.4} _{-0.7}	5.0 ^{+0.06} _{-0.06}	S	
2M0415+2910	11592	5962	229	2455503.684	-23.75	15	19.5 ^{+0.9} _{-0.9}	19.0 ^{+0.3} _{-0.5}	23.2 ^{+1.6} _{-1.1}	21.0 ^{+1.0} _{-1.0}	2398.9 ^{+1.1} _{-0.8}	2399.5 ^{+0.5} _{-0.2}	3.52 ^{+0.01} _{-0.01}	S	
...	11592	5962	181	2458744.995	27.76	26	20.0 ^{+0.4} _{-0.3}	...	19.8 ^{+1.0} _{-1.1}	...	2399.2 ^{+1.0} _{-0.6}	2399.2 ^{+1.0} _{-0.6}	3.62 ^{+0.03} _{-0.03}	S	
...	11592	5962	229	2458854.603	-18.22	18	18.7 ^{+0.2} _{-0.2}	...	21.7 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.6}	2399.6 ^{+0.6} _{-0.6}	5.49 ^{+0.01} _{-0.01}	S	
2M0416+2752	11592	5962	91	2458499.666	-22.43	22	17.9 ^{+0.2} _{-0.2}	18.4 ^{+0.3} _{-0.4}	9.5 ^{+1.4} _{-1.2}	< 10	2799.8 ^{+8.5} _{-1.9}	2800.3 ^{+2.2} _{-1.9}	4.1 ^{+0.04} _{-0.04}	B	
...	11592	5962	96	2458503.684	-23.83	30	18.5 ^{+0.2} _{-0.2}	...	8.9 ^{+1.0} _{-1.2}	...	2798.9 ^{+4.6} _{-4.6}	2798.9 ^{+4.6} _{-4.6}	4.02 ^{+0.02} _{-0.04}	B	
...	11592	5962	103	2458744.995	27.84	45	19.0 ^{+0.2} _{-0.2}	...	8.9 ^{+1.0} _{-1.2}	...	2804.1 ^{+5.0} _{-6.2}	2804.1 ^{+5.0} _{-6.2}	4.2 ^{+0.03} _{-0.02}	B	
...	11592	5962	103	2458854.603	-18.29	31	17.2 ^{+0.2} _{-0.3}	...	9.2 ^{+1.1} _{-1.0}	...	2799.9 ^{+3.1} _{-2.6}	2799.9 ^{+3.1} _{-2.6}	4.05 ^{+0.03} _{-0.02}	B	

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M0418+2814	11592	5962	31	2455744.995	27.93	16	21.1 ^{+0.3} _{-0.4}	21.1 ^{+0.3} _{-0.4}	9.0 ^{+1.2} _{-1.1}	< 10	2798.6 ^{+3.3} _{-4.3}	2798.6 ^{+3.3} _{-4.3}	4.98 ^{+0.02} _{-0.03}	4.98 ^{+0.02} _{-0.03}	B
2M0420+2821	9258	5221	205	2455682.878	18.74	35	19.6 ^{+0.3} _{-0.3}	19.6 ^{+0.3} _{-0.4}	12.3 ^{+1.0} _{-1.0}	13.3 ^{+1.0} _{-1.0}	2399.6 ^{+0.8} _{-0.8}	2399.4 ^{+0.3} _{-0.2}	3.62 ^{+0.02} _{-0.01}	3.53 ^{+0.01} _{-0.01}	S
...	9258	5221	205	245507.942	28.93	20	19.8 ^{+0.2} _{-0.3}	19.8 ^{+0.2} _{-0.3}	13.4 ^{+1.3} _{-1.1}	...	2399.3 ^{+0.9} _{-0.5}	2399.3 ^{+0.5} _{-0.5}	3.51 ^{+0.01} _{-0.02}	3.51 ^{+0.01} _{-0.02}	S
...	9258	5221	205	245509.979	28.64	20	18.4 ^{+0.2} _{-0.4}	18.4 ^{+0.2} _{-0.4}	12.6 ^{+1.0} _{-1.4}	...	2399.3 ^{+0.9} _{-0.6}	2399.3 ^{+0.9} _{-0.6}	3.55 ^{+0.02} _{-0.04}	3.55 ^{+0.02} _{-0.04}	S
...	9258	5221	205	2458010.934	28.62	23	19.8 ^{+0.2} _{-0.2}	19.8 ^{+0.2} _{-0.2}	14.1 ^{+1.8} _{-1.0}	...	2399.4 ^{+0.9} _{-0.5}	2399.4 ^{+0.9} _{-0.5}	3.54 ^{+0.03} _{-0.03}	3.54 ^{+0.03} _{-0.03}	S
...	9258	5221	162	2455036.969	22.60	12	19.1 ^{+0.4} _{-0.5}	19.1 ^{+0.4} _{-0.5}	14.4 ^{+1.0} _{-1.1}	...	2399.3 ^{+1.1} _{-0.5}	2399.3 ^{+1.1} _{-0.5}	3.52 ^{+0.01} _{-0.02}	3.52 ^{+0.01} _{-0.02}	S
...	9258	5221	258	2455039.940	21.67	25	20.1 ^{+0.3} _{-0.3}	20.1 ^{+0.3} _{-0.3}	13.1 ^{+1.2} _{-1.1}	...	2399.5 ^{+0.7} _{-0.3}	2399.5 ^{+0.7} _{-0.3}	3.54 ^{+0.02} _{-0.04}	3.54 ^{+0.02} _{-0.04}	S
...	11592	5962	121	2455503.684	-23.50	12	19.8 ^{+0.6} _{-0.6}	19.8 ^{+0.6} _{-0.6}	12.5 ^{+1.0} _{-1.2}	...	2399.2 ^{+1.0} _{-0.5}	2399.2 ^{+1.0} _{-0.5}	3.52 ^{+0.01} _{-0.02}	3.52 ^{+0.01} _{-0.02}	S
...	11592	5962	90	2455744.995	27.98	21	19.6 ^{+0.3} _{-0.3}	19.6 ^{+0.3} _{-0.3}	10.8 ^{+1.0} _{-1.5}	...	2399.4 ^{+0.9} _{-0.5}	2399.4 ^{+0.9} _{-0.5}	3.57 ^{+0.03} _{-0.05}	3.57 ^{+0.03} _{-0.05}	S
...	11592	5962	90	2455854.603	-17.87	13	19.1 ^{+0.3} _{-0.3}	19.1 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.2}	...	2399.0 ^{+1.2} _{-0.7}	2399.0 ^{+1.2} _{-0.7}	3.52 ^{+0.01} _{-0.03}	3.52 ^{+0.01} _{-0.03}	S
2M0420+5624	6238	4153	293	2456170.993	24.33	10	-29.5 ^{+0.3} _{-0.3}	-29.5 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	14.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.4}	2399.5 ^{+0.4} _{-0.3}	4.63 ^{+0.02} _{-0.03}	4.63 ^{+0.02} _{-0.03}	S
...	6238	4153	293	2456173.956	24.45	12	-29.8 ^{+0.3} _{-0.3}	-29.8 ^{+0.3} _{-0.3}	14.1 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.4}	2399.5 ^{+0.4} _{-0.4}	4.69 ^{+0.03} _{-0.03}	4.69 ^{+0.03} _{-0.03}	S
...	6239	4153	193	2456175.987	24.43	22	-29.4 ^{+0.3} _{-0.3}	-29.4 ^{+0.3} _{-0.3}	4.0 ^{+1.8} _{-1.4}	...	2399.1 ^{+0.7} _{-1.3}	2399.1 ^{+0.7} _{-1.3}	5.37 ^{+0.02} _{-0.02}	5.37 ^{+0.02} _{-0.02}	S
...	6238	4153	293	2456203.871	21.86	23	-29.3 ^{+0.3} _{-0.3}	-29.3 ^{+0.3} _{-0.3}	9.0 ^{+1.2} _{-1.0}	...	2399.5 ^{+0.4} _{-0.2}	2399.5 ^{+0.4} _{-0.2}	5.07 ^{+0.02} _{-0.02}	5.07 ^{+0.02} _{-0.02}	S
...	6238	4153	293	2456227.799	15.56	21	-29.5 ^{+0.3} _{-0.3}	-29.5 ^{+0.3} _{-0.3}	12.5 ^{+1.8} _{-1.8}	...	2399.6 ^{+0.2} _{-0.6}	2399.6 ^{+0.2} _{-0.6}	4.84 ^{+0.03} _{-0.03}	4.84 ^{+0.03} _{-0.03}	S
...	6239	4153	198	2456228.805	15.22	29	-29.9 ^{+0.3} _{-0.2}	-29.9 ^{+0.3} _{-0.2}	4.7 ^{+1.5} _{-1.6}	...	2399.1 ^{+0.6} _{-1.3}	2399.1 ^{+0.6} _{-1.3}	5.34 ^{+0.04} _{-0.04}	5.34 ^{+0.04} _{-0.04}	S
...	6239	4153	252	2456232.789	13.86	27	-29.4 ^{+0.3} _{-0.3}	-29.4 ^{+0.3} _{-0.3}	7.1 ^{+1.2} _{-1.3}	...	2399.3 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	5.16 ^{+0.04} _{-0.04}	5.16 ^{+0.04} _{-0.04}	S
2M0421+2649	9258	5221	137	2457682.878	18.81	60	19.7 ^{+0.3} _{-0.4}	19.9 ^{+0.3} _{-0.4}	36.6 ^{+1.0} _{-1.1}	36.8 ^{+1.0} _{-1.1}	2784.8 ^{+4.8} _{-5.3}	2787.6 ^{+3.1} _{-3.0}	4.37 ^{+0.02} _{-0.02}	4.37 ^{+0.02} _{-0.02}	B
...	9258	5221	137	2458036.969	22.69	24	20.3 ^{+0.7} _{-0.7}	20.3 ^{+0.7} _{-0.7}	37.1 ^{+1.1} _{-1.2}	...	2810.2 ^{+7.2} _{-12.9}	...	4.26 ^{+0.03} _{-0.05}	4.26 ^{+0.03} _{-0.05}	B
...	9258	5221	137	2458039.940	21.75	40	19.8 ^{+0.2} _{-0.2}	19.8 ^{+0.2} _{-0.2}	36.9 ^{+1.0} _{-1.0}	...	2798.2 ^{+4.8} _{-3.7}	2798.2 ^{+4.8} _{-3.7}	4.23 ^{+0.03} _{-0.04}	4.23 ^{+0.03} _{-0.04}	B
2M0421+2024	12148	6189	91	2455797.847	9.72	13	41.0 ^{+0.2} _{-0.3}	40.8 ^{+0.3} _{-0.5}	32.8 ^{+1.0} _{-1.4}	32.8 ^{+1.0} _{-1.4}	2399.5 ^{+0.3} _{-0.7}	2399.5 ^{+0.3} _{-0.7}	4.66 ^{+0.02} _{-0.03}	4.67 ^{+0.02} _{-0.03}	S
...	12148	6189	60	2455802.840	7.22	17	40.1 ^{+0.3} _{-0.4}	40.1 ^{+0.3} _{-0.4}	32.8 ^{+1.0} _{-2.0}	...	2399.6 ^{+0.3} _{-0.8}	2399.6 ^{+0.3} _{-0.8}	4.69 ^{+0.02} _{-0.06}	4.69 ^{+0.02} _{-0.06}	S
2M0421+2659	9258	5221	133	2457682.878	18.83	39	20.5 ^{+0.3} _{-0.3}	20.5 ^{+0.3} _{-0.3}	12.2 ^{+1.0} _{-1.1}	12.2 ^{+1.0} _{-1.1}	2878.0 ^{+5.2} _{-4.2}	2878.0 ^{+5.2} _{-4.2}	4.63 ^{+0.03} _{-0.03}	4.71 ^{+0.02} _{-0.02}	B
...	9258	5221	133	2458036.969	22.70	13	20.1 ^{+0.3} _{-0.5}	20.1 ^{+0.3} _{-0.5}	13.2 ^{+1.3} _{-1.4}	...	2940.1 ^{+20.4} _{-12.4}	2940.1 ^{+20.4} _{-12.4}	4.78 ^{+0.04} _{-0.04}	4.78 ^{+0.04} _{-0.04}	B
...	9258	5221	133	2458039.940	21.76	23	20.3 ^{+0.2} _{-0.2}	20.3 ^{+0.2} _{-0.2}	11.3 ^{+1.3} _{-1.2}	...	2880.5 ^{+6.9} _{-5.9}	2880.5 ^{+6.9} _{-5.9}	4.72 ^{+0.04} _{-0.04}	4.72 ^{+0.04} _{-0.04}	B
2M0421+1929	12143	6184	294	2458820.725	-2.02	31	39.4 ^{+0.3} _{-0.3}	39.4 ^{+0.3} _{-0.3}	44.4 ^{+1.6} _{-1.0}	44.4 ^{+1.6} _{-1.0}	2399.6 ^{+0.5} _{-0.5}	2399.6 ^{+0.5} _{-0.5}	4.97 ^{+0.05} _{-0.02}	4.97 ^{+0.05} _{-0.02}	S
2M0422+2549	9287	5223	19	2457710.833	5.83	15	17.7 ^{+0.3} _{-0.3}	17.6 ^{+0.3} _{-0.4}	42.8 ^{+1.1} _{-1.1}	41.3 ^{+1.0} _{-1.1}	2399.3 ^{+1.2} _{-0.6}	2399.4 ^{+0.4} _{-0.4}	3.83 ^{+0.03} _{-0.02}	3.75 ^{+0.02} _{-0.02}	S
...	9287	5223	13	2457737.680	-7.97	21	17.7 ^{+0.3} _{-0.3}	17.7 ^{+0.3} _{-0.3}	40.5 ^{+1.4} _{-1.4}	...	2399.5 ^{+0.4} _{-0.4}	2399.5 ^{+0.4} _{-0.4}	3.6 ^{+0.04} _{-0.04}	3.6 ^{+0.04} _{-0.04}	S
2M0423+2801	9258	5221	61	2458007.942	29.01	45	18.8 ^{+0.2} _{-0.3}	18.8 ^{+0.2} _{-0.3}	16.0 ^{+1.0} _{-1.0}	...	2875.5 ^{+8.1} _{-11.7}	2810.5 ^{+2.5} _{-3.0}	4.38 ^{+0.03} _{-0.04}	4.34 ^{+0.01} _{-0.01}	B
...	9258	5221	61	2458009.979	28.73	49	17.9 ^{+0.3} _{-0.2}	17.8 ^{+1.0} _{-1.0}	17.8 ^{+1.0} _{-1.0}	...	2817.8 ^{+7.4} _{-6.9}	2817.8 ^{+7.4} _{-6.9}	4.09 ^{+0.03} _{-0.04}	4.09 ^{+0.03} _{-0.04}	B
...	9258	5221	61	2458010.934	28.72	53	18.6 ^{+0.3} _{-0.5}	18.6 ^{+0.3} _{-0.5}	16.1 ^{+1.0} _{-1.0}	...	2800.2 ^{+5.2} _{-5.7}	2800.2 ^{+5.2} _{-5.7}	4.24 ^{+0.04} _{-0.04}	4.24 ^{+0.04} _{-0.04}	B
...	9258	5221	61	2458036.969	22.81	32	19.3 ^{+0.3} _{-0.3}	19.3 ^{+0.3} _{-0.3}	17.9 ^{+1.0} _{-1.0}	...	2808.3 ^{+7.0} _{-11.5}	2811.3 ^{+5.7} _{-10.2}	4.14 ^{+0.07} _{-0.07}	4.14 ^{+0.07} _{-0.07}	B
...	9258	5221	61	2458039.940	21.89	50	18.6 ^{+0.2} _{-0.2}	18.6 ^{+0.2} _{-0.2}	16.1 ^{+1.0} _{-1.0}	...	2811.3 ^{+5.7} _{-10.2}	2811.3 ^{+5.7} _{-10.2}	4.57 ^{+0.03} _{-0.02}	4.57 ^{+0.03} _{-0.02}	B
2M0424+2630	9287	5223	216	2457710.833	6.12	19	18.7 ^{+0.3} _{-0.3}	18.7 ^{+0.3} _{-0.5}	12.4 ^{+1.0} _{-1.0}	12.4 ^{+1.0} _{-1.0}	2399.1 ^{+1.0} _{-0.6}	2399.1 ^{+0.5} _{-0.3}	3.63 ^{+0.01} _{-0.01}	3.54 ^{+0.01} _{-0.01}	S

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\theta}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)	
...	9287	5223	222	2457737.680	-7.67	24	17.9 ^{+0.3} _{-0.6}	...	11.6 ^{+1.5} _{-1.1}	...	2399.2 ^{+1.1} _{-0.5}	...	3.87 ^{+0.03} _{-0.03}	...	S
...	9287	5223	229	2457761.707	-19.10	15	18.7 ^{+0.3} _{-0.3}	...	12.6 ^{+1.0} _{-1.1}	...	2399.3 ^{+0.7} _{-0.5}	...	3.51 ^{+0.01} _{-0.01}	...	S
2M0424+2649	9258	5221	132	2457682.878	19.07	42	19.8 ^{+0.3} _{-0.3}	19.8 ^{+0.3} _{-0.4}	9.1 ^{+1.1} _{-1.0}	< 10	2864.7 ^{+1.0} _{-2.4}	2921.0 ^{+2.8} _{-2.4}	4.61 ^{+0.06} _{-0.04}	4.52 ^{+0.01} _{-0.01}	B
...	9258	5221	78	2458007.942	29.09	27	20.0 ^{+0.2} _{-0.2}	...	9.1 ^{+1.1} _{-1.2}	...	2920.6 ^{+6.5} _{-10.6}	...	4.52 ^{+0.02} _{-0.02}	...	B
...	9258	5221	78	2458009.979	28.81	30	19.3 ^{+0.2} _{-0.2}	...	8.9 ^{+1.0} _{-1.3}	...	2935.8 ^{+4.3} _{-3.3}	...	4.51 ^{+0.01} _{-0.02}	...	B
...	9258	5221	78	2458010.934	28.80	30	19.5 ^{+0.3} _{-0.3}	...	8.7 ^{+1.0} _{-1.4}	...	2926.8 ^{+9.2} _{-5.2}	...	4.54 ^{+0.01} _{-0.01}	...	B
...	9258	5221	90	2458036.969	22.90	20	19.9 ^{+0.3} _{-0.3}	...	10.7 ^{+1.0} _{-1.1}	...	2902.1 ^{+9.3} _{-7.6}	...	4.59 ^{+0.03} _{-0.03}	...	B
...	9258	5221	121	2458039.940	21.98	30	20.2 ^{+0.3} _{-0.2}	...	9.2 ^{+1.0} _{-1.0}	...	2888.0 ^{+8.4} _{-13.7}	...	4.69 ^{+0.03} _{-0.03}	...	B
2M0425+1852	8776	5160	254	2457348.804	4.04	45	29.3 ^{+0.8} _{-0.3}	28.3 ^{+0.3} _{-0.4}	29.2 ^{+1.0} _{-1.0}	31.0 ^{+1.0} _{-1.0}	2399.6 ^{+0.5} _{-0.2}	2399.5 ^{+0.4} _{-0.2}	4.88 ^{+0.02} _{-0.02}	4.78 ^{+0.01} _{-0.01}	S
...	8777	5160	168	2457357.813	-0.73	36	28.5 ^{+0.3} _{-0.2}	...	30.3 ^{+1.4} _{-1.2}	...	2399.5 ^{+0.6} _{-0.4}	...	4.85 ^{+0.03} _{-0.02}	...	S
...	12151	6192	181	2458860.687	-20.75	13	27.7 ^{+1.0} _{-1.5}	...	69.7 ^{+1.9} _{-2.8}	...	2399.1 ^{+1.2} _{-0.7}	...	3.51 ^{+0.01} _{-0.02}	...	S
...	12151	6192	199	2458160.893	11.06	19	27.2 ^{+0.3} _{-0.3}	...	34.8 ^{+1.0} _{-1.0}	...	2399.3 ^{+1.0} _{-0.5}	...	4.59 ^{+0.02} _{-0.02}	...	S
2M0426+2624	9287	5223	233	2457710.833	6.36	21	20.7 ^{+0.2} _{-0.2}	20.0 ^{+0.3} _{-0.4}	14.2 ^{+1.0} _{-1.0}	13.0 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.4}	2399.6 ^{+0.2} _{-0.4}	3.64 ^{+0.02} _{-0.02}	3.78 ^{+0.01} _{-0.01}	S
...	9287	5223	185	2457737.680	-7.44	34	20.0 ^{+0.2} _{-0.2}	...	12.3 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.8}	...	3.86 ^{+0.03} _{-0.01}	...	S
...	9287	5223	188	2457761.707	-18.91	42	19.7 ^{+0.2} _{-0.2}	...	12.4 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.3}	...	3.93 ^{+0.03} _{-0.03}	...	S
2M0429+2630	9287	5223	199	2457710.833	6.74	37	17.7 ^{+0.2} _{-0.2}	18.1 ^{+0.3} _{-0.4}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.3}	2399.6 ^{+0.2} _{-0.3}	4.07 ^{+0.02} _{-0.02}	4.08 ^{+0.02} _{-0.02}	S
...	9287	5223	253	2457737.680	-7.06	53	18.3 ^{+0.2} _{-0.2}	...	14.3 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.5}	...	4.08 ^{+0.03} _{-0.02}	...	S
...	9287	5223	199	2457761.707	-18.60	57	18.1 ^{+0.2} _{-0.2}	...	14.2 ^{+1.0} _{-1.0}	...	2399.7 ^{+0.2} _{-0.5}	...	4.08 ^{+0.03} _{-0.02}	...	S
2M0430+2556	12147	6188	247	2458803.805	8.31	17	17.5 ^{+0.3} _{-0.2}	17.5 ^{+0.3} _{-0.3}	16.0 ^{+1.0} _{-1.0}	16.0 ^{+1.0} _{-1.0}	2399.2 ^{+0.5} _{-1.1}	2399.2 ^{+0.5} _{-1.1}	3.65 ^{+0.03} _{-0.03}	3.65 ^{+0.03} _{-0.03}	S
2M0431+2335	9259	5222	19	2457683.865	19.20	25	21.8 ^{+0.9} _{-1.1}	23.1 ^{+0.3} _{-0.6}	67.2 ^{+1.2} _{-1.9}	65.2 ^{+1.0} _{-1.2}	2399.3 ^{+0.8} _{-0.5}	2399.4 ^{+0.5} _{-0.2}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S
...	9259	5222	7	2457712.842	5.66	24	22.2 ^{+1.6} _{-0.7}	...	68.2 ^{+1.8} _{-1.8}	...	2399.6 ^{+0.8} _{-0.3}	...	3.51 ^{+0.0} _{-0.1}	...	S
...	9259	5222	1	2458010.981	28.93	24	23.3 ^{+0.3} _{-0.3}	...	67.2 ^{+1.1} _{-1.2}	...	2399.4 ^{+1.1} _{-1.1}	...	3.51 ^{+0.01} _{-0.01}	...	S
2M0432+2403	9288	5224	25	2457711.804	6.44	47	18.6 ^{+0.3} _{-0.3}	18.9 ^{+0.3} _{-0.4}	11.2 ^{+1.0} _{-1.0}	11.1 ^{+1.0} _{-1.0}	2399.6 ^{+0.7} _{-0.3}	2399.6 ^{+0.3} _{-0.2}	4.05 ^{+0.01} _{-0.01}	4.05 ^{+0.01} _{-0.01}	S
...	9288	5224	7	2457738.783	-7.75	23	19.2 ^{+0.2} _{-0.2}	...	10.8 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.7} _{-0.3}	...	4.06 ^{+0.02} _{-0.02}	...	S
...	9288	5224	114	2457765.642	-20.02	32	18.6 ^{+0.3} _{-0.2}	...	10.6 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	3.93 ^{+0.03} _{-0.03}	...	S
2M0433+2246	9259	5222	102	2457683.865	19.33	43	19.5 ^{+0.3} _{-0.3}	19.6 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	16.0 ^{+1.0} _{-1.0}	2399.7 ^{+0.2} _{-0.3}	2399.7 ^{+0.2} _{-0.3}	3.51 ^{+0.0} _{-0.0}	3.51 ^{+0.0} _{-0.0}	S
...	9259	5222	91	2457712.842	5.82	39	20.0 ^{+0.2} _{-0.2}	...	14.4 ^{+1.4} _{-1.0}	...	2399.5 ^{+0.3} _{-0.3}	...	3.52 ^{+0.02} _{-0.02}	...	S
...	9259	5222	91	2458010.981	28.98	41	19.1 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.7} _{-0.3}	...	4.06 ^{+0.02} _{-0.02}	...	S
2M0434+2418	12147	6188	126	2458803.805	8.56	17	17.9 ^{+0.3} _{-0.4}	17.9 ^{+0.3} _{-0.4}	29.5 ^{+1.8} _{-1.1}	29.5 ^{+1.8} _{-1.1}	2399.4 ^{+0.5} _{-1.2}	2399.4 ^{+0.5} _{-1.2}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S
2M0435+2311	9259	5222	31	2457683.865	19.53	52	19.0 ^{+0.2} _{-0.2}	18.9 ^{+0.3} _{-0.4}	7.4 ^{+1.1} _{-1.2}	< 10	2799.9 ^{+6.3} _{-5.1}	2829.4 ^{+4.3} _{-3.3}	4.67 ^{+0.03} _{-0.03}	4.57 ^{+0.01} _{-0.01}	B
...	9259	5222	84	2457712.842	6.08	51	18.8 ^{+0.2} _{-0.2}	...	7.3 ^{+1.1} _{-1.3}	...	2844.0 ^{+9.2} _{-7.0}	...	4.56 ^{+0.03} _{-0.03}	...	B
...	9259	5222	37	2458010.981	29.03	45	18.7 ^{+0.2} _{-0.2}	...	7.2 ^{+1.1} _{-1.4}	...	2857.7 ^{+7.7} _{-5.5}	...	4.52 ^{+0.02} _{-0.02}	...	B
2M0435+2008	12152	6193	217	2458853.674	-16.81	20	39.9 ^{+0.3} _{-0.4}	40.0 ^{+0.3} _{-0.6}	23.6 ^{+1.0} _{-1.0}	23.7 ^{+1.0} _{-1.0}	2398.9 ^{+0.8} _{-1.1}	2399.1 ^{+0.4} _{-0.8}	5.2 ^{+0.02} _{-0.02}	5.16 ^{+0.02} _{-0.02}	S
...	12152	6193	222	245880.638	-26.43	11	40.1 ^{+0.3} _{-0.3}	...	23.7 ^{+1.0} _{-1.0}	...	2399.2 ^{+0.5} _{-0.5}	...	4.95 ^{+0.06} _{-0.06}	...	S
2M0435+2234	9259	5222	150	2457683.865	19.55	42	17.9 ^{+0.2} _{-0.8}	18.3 ^{+0.3} _{-0.4}	48.3 ^{+1.2} _{-1.2}	48.2 ^{+1.1} _{-1.2}	2793.3 ^{+10.6} _{-8.7}	2806.6 ^{+7.8} _{-6.3}	4.45 ^{+0.03} _{-0.02}	4.45 ^{+0.03} _{-0.02}	B
...	9259	5222	139	2457712.842	6.11	36	18.5 ^{+0.2} _{-0.2}	...	48.1 ^{+1.2} _{-1.3}	...	2821.9 ^{+11.5} _{-9.2}	...	4.41 ^{+0.04} _{-0.03}	...	B

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	$\text{RV } b, f$	$\langle \text{RV} \rangle b, c, f$	$v \sin i_b$	$\langle v \sin i_b \rangle b, c, d$	$T_{\text{eff}} g$	$\langle T_{\text{eff}} \rangle c, g$	$\log g$	$\langle \log g \rangle c, g$	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M0436+2259	9259	5222	85	2457683.865	19.62	29	19.5 ^{+0.3} _{-0.2}	20.1 ^{+0.3} _{-0.4}	10.0 ^{+1.6} _{-1.0}	10.4 ^{+1.0} _{-1.0}	2747.5 ^{+8.2} _{-8.8}	2793.3 ^{+3.2} _{-4.2}	4.38 ^{+0.02} _{-0.04}	B	
...	9259	5222	138	2457712.842	6.19	29	20.3 ^{+0.2} _{-0.2}	... 19.8 ^{+0.3} _{-0.2}	9.1 ^{+1.1} _{-1.3}	... 10.7 ^{+1.0} _{-1.0}	2805.1 ^{+14.4} _{-12.0}	2763.8 ^{+11.5} _{-18.6}	4.42 ^{+0.05} _{-0.04}	B	
...	9259	5222	90	2458010.981	29.06	24	19.8 ^{+0.3} _{-0.2}	... 20.5 ^{+0.3} _{-0.3}	10.7 ^{+1.0} _{-1.4}	10.5 ^{+1.0} _{-1.2}	2810.8 ^{+1.2} _{-11.0}	2804.6 ^{+6.3} _{-6.3}	4.38 ^{+0.04} _{-0.05}	B	
...	12149	6190	260	2458887.599	-27.81	24	20.5 ^{+0.3} _{-0.3}	... 19.8 ^{+0.2} _{-0.2}	16.8 ^{+1.0} _{-1.0}	16.8 ^{+1.0} _{-1.0}	2399.6 ^{+0.4} _{-0.2}	2399.7 ^{+0.3} _{-0.3}	3.84 ^{+0.02} _{-0.01}	S	
...	12149	6190	257	2459159.905	12.98	22	20.2 ^{+0.3} _{-0.3}	18.1 ^{+0.3} _{-0.4}	10.9 ^{+1.1} _{-1.0}	10.9 ^{+1.1} _{-1.0}	2399.5 ^{+0.4} _{-0.4}	2399.2 ^{+0.9} _{-0.6}	3.76 ^{+0.07} _{-0.04}	S	
2M0436+2258	9259	5222	67	2457683.865	19.66	30	19.3 ^{+0.3} _{-0.3}	19.9 ^{+0.3} _{-0.4}	17.9 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2794.2 ^{+0.6} _{-0.6}	2771.6 ^{+3.5} _{-3.0}	4.11 ^{+0.04} _{-0.02}	B	
...	9259	5222	78	2457712.842	6.25	27	20.4 ^{+0.2} _{-0.3}	... 18.5 ^{+0.3} _{-0.2}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2794.1 ^{+10.6} _{-1.3}	2794.2 ^{+5.2} _{-6.1}	4.05 ^{+0.01} _{-0.02}	S	
...	9259	5222	78	2458010.981	29.07	24	19.8 ^{+0.2} _{-0.2}	... 18.2 ^{+0.3} _{-0.2}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2794.2 ^{+5.2} _{-6.1}	2794.2 ^{+5.2} _{-6.1}	4.01 ^{+0.01} _{-0.02}	B	
2M0438+2323	9288	5224	139	2457711.804	7.17	48	17.8 ^{+0.2} _{-0.2}	18.1 ^{+0.3} _{-0.4}	51.8 ^{+1.0} _{-1.1}	51.2 ^{+1.0} _{-1.1}	2739.8 ^{+5.2} _{-5.5}	2739.8 ^{+5.2} _{-5.5}	4.05 ^{+0.01} _{-0.02}	B	
...	9288	5224	102	2457738.783	-7.03	31	18.5 ^{+0.3} _{-0.2}	... 17.4 ^{+0.3} _{-0.2}	50.4 ^{+1.1} _{-1.1}	50.5 ^{+1.2} _{-1.1}	2794.2 ^{+5.2} _{-6.1}	2794.2 ^{+5.2} _{-6.1}	4.19 ^{+0.04} _{-0.04}	B	
...	9288	5224	150	2457765.642	-19.46	30	18.2 ^{+0.3} _{-0.2}	... 17.4 ^{+0.3} _{-0.2}	50.5 ^{+1.2} _{-1.1}	50.5 ^{+1.2} _{-1.1}	2794.2 ^{+5.2} _{-6.1}	2794.2 ^{+5.2} _{-6.1}	4.01 ^{+0.01} _{-0.02}	B	
2M0444+1621	12135	6196	139	245886.664	-27.41	10	21.9 ^{+0.3} _{-0.3}	21.8 ^{+0.3} _{-0.5}	14.4 ^{+1.5} _{-1.2}	14.3 ^{+1.1} _{-1.2}	2822.9 ^{+15.3} _{-17.5}	2808.5 ^{+8.3} _{-8.0}	4.99 ^{+0.04} _{-0.03}	B	
...	12135	6196	144	2458915.585	-29.89	10	21.8 ^{+0.3} _{-0.3}	21.8 ^{+0.3} _{-0.3}	14.1 ^{+1.2} _{-1.6}	14.1 ^{+1.2} _{-1.6}	2803.6 ^{+9.9} _{-9.9}	2803.6 ^{+9.9} _{-9.9}	4.73 ^{+0.07} _{-0.07}	B	
2M0446+2436	12150	6191	254	2458854.651	-15.74	30	42.2 ^{+0.4} _{-0.5}	42.2 ^{+0.4} _{-0.5}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	2399.7 ^{+0.3} _{-0.4}	2399.7 ^{+0.3} _{-0.4}	4.79 ^{+0.03} _{-0.04}	S	
2M0455+3027	11426	5926	42	2458417.855	20.15	34	17.4 ^{+0.3} _{-0.3}	17.5 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.6 ^{+0.5} _{-0.5}	2399.6 ^{+0.5} _{-0.2}	3.62 ^{+0.01} _{-0.02}	S	
...	11427	5926	60	2458438.787	11.14	26	16.9 ^{+0.6} _{-0.4}	... 16.9 ^{+0.6} _{-0.4}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.6 ^{+0.5} _{-0.5}	2399.6 ^{+0.5} _{-0.5}	3.64 ^{+0.03} _{-0.05}	S	
...	11427	5926	60	2458439.758	10.72	25	17.6 ^{+0.2} _{-0.2}	... 17.6 ^{+0.2} _{-0.2}	14.4 ^{+1.3} _{-1.0}	14.4 ^{+1.3} _{-1.0}	2399.6 ^{+0.6} _{-0.6}	2399.6 ^{+0.6} _{-0.6}	3.57 ^{+0.02} _{-0.03}	S	
...	11428	5926	47	2458444.753	8.25	36	17.4 ^{+0.3} _{-0.2}	... 17.4 ^{+0.3} _{-0.2}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.6 ^{+0.4} _{-0.4}	2399.6 ^{+0.4} _{-0.4}	3.55 ^{+0.03} _{-0.02}	S	
2M0456+2939	11426	5926	96	2458447.855	20.28	21	17.1 ^{+0.3} _{-0.3}	17.9 ^{+0.3} _{-0.4}	12.1 ^{+1.1} _{-1.0}	12.4 ^{+1.0} _{-1.0}	2399.5 ^{+0.3} _{-0.7}	2399.4 ^{+0.2} _{-0.4}	3.53 ^{+0.04} _{-0.04}	S	
...	11427	5926	98	2458438.787	11.27	15	18.3 ^{+0.2} _{-0.2}	... 18.3 ^{+0.2} _{-0.2}	12.5 ^{+1.1} _{-1.0}	12.5 ^{+1.1} _{-1.0}	2399.2 ^{+0.6} _{-1.1}	2399.2 ^{+0.6} _{-1.1}	3.57 ^{+0.02} _{-0.03}	S	
...	11427	5926	98	2458439.758	10.85	14	17.9 ^{+0.3} _{-0.3}	... 17.9 ^{+0.3} _{-0.3}	12.8 ^{+1.6} _{-1.6}	12.8 ^{+1.6} _{-1.6}	2399.3 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	3.52 ^{+0.02} _{-0.02}	S	
...	11428	5926	91	2458444.753	8.39	23	17.9 ^{+0.2} _{-0.2}	... 17.9 ^{+0.2} _{-0.2}	12.5 ^{+1.1} _{-1.0}	12.5 ^{+1.1} _{-1.0}	2399.5 ^{+0.3} _{-0.6}	2399.5 ^{+0.3} _{-0.6}	3.53 ^{+0.03} _{-0.03}	S	
2M0533-0527	12273	7043	273	245882.533	-20.33	19	33.4 ^{+0.4} _{-0.4}	33.4 ^{+0.4} _{-0.4}	14.2 ^{+1.0} _{-1.0}	13.7 ^{+1.0} _{-1.0}	2734.2 ^{+9.0} _{-9.7}	2744.1 ^{+3.9} _{-3.8}	4.22 ^{+0.04} _{-0.02}	B	
...	12274	7043	290	245882.634	-20.61	37	33.5 ^{+0.3} _{-0.3}	33.5 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2743.5 ^{+8.9} _{-9.7}	2743.5 ^{+8.9} _{-9.7}	4.22 ^{+0.04} _{-0.04}	B	
...	12273	7043	273	245883.581	-20.76	41	33.4 ^{+0.2} _{-0.2}	... 33.4 ^{+0.2} _{-0.2}	13.3 ^{+1.0} _{-1.0}	13.3 ^{+1.0} _{-1.0}	2751.0 ^{+6.7} _{-7.0}	2751.0 ^{+6.7} _{-7.0}	4.22 ^{+0.04} _{-0.04}	B	
...	12274	7043	290	245883.686	-21.03	24	33.4 ^{+0.3} _{-0.3}	... 33.4 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2743.3 ^{+7.2} _{-6.3}	2743.3 ^{+7.2} _{-6.3}	4.31 ^{+0.03} _{-0.03}	B	
2M0535-0521	12274	7043	201	245882.634	-20.28	34	25.0 ^{+1.6} _{-0.6}	25.1 ^{+0.7} _{-0.6}	66.7 ^{+1.3} _{-1.4}	67.7 ^{+1.2} _{-1.3}	3162.3 ^{+6.4} _{-8.3}	3162.3 ^{+6.4} _{-8.3}	4.39 ^{+0.03} _{-0.03}	B	
...	12274	7043	201	245883.686	-20.72	25	25.2 ^{+0.7} _{-1.4}	... 25.2 ^{+0.7} _{-1.4}	70.8 ^{+2.2} _{-1.7}	70.8 ^{+2.2} _{-1.7}	3145.2 ^{+12.0} _{-11.9}	3145.2 ^{+12.0_{-11.9}}	4.55 ^{+0.05} _{-0.05}	B	
2M0535-0509	12273	7043	42	245882.533	-20.24	10	29.1 ^{+0.4} _{-0.5}	28.5 ^{+0.4} _{-0.6}	18.1 ^{+1.1} _{-1.0}	17.9 ^{+1.0} _{-1.0}	2751.4 ^{+13.0} _{-11.3}	2779.3 ^{+4.8} _{-5.0}	4.17 ^{+0.06} _{-0.11}	B	
...	12274	7043	37	245882.634	-20.53	12	28.0 ^{+0.2} _{-0.3}	... 28.0 ^{+0.2} _{-0.3}	17.6 ^{+1.1} _{-1.1}	17.6 ^{+1.1} _{-1.1}	2799.2 ^{+9.5} _{-10.3}	2799.2 ^{+9.5} _{-10.3}	4.11 ^{+0.08} _{-0.1}	B	
...	12273	7043	42	245883.581	-20.68	22	28.4 ^{+0.4} _{-0.4}	... 28.4 ^{+0.4} _{-0.4}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	2771.1 ^{+7.9} _{-9.5}	2771.1 ^{+7.9} _{-9.5}	3.94 ^{+0.05} _{-0.04}	B	
...	12274	7043	37	245883.686	-20.94	15	28.9 ^{+0.3} _{-0.2}	... 28.9 ^{+0.3} _{-0.2}	18.0 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	2788.5 ^{+10.2} _{-9.2}	2788.5 ^{+10.2} _{-9.2}	4.26 ^{+0.06} _{-0.05}	B	
2M0535-0531	12274	7043	102	245882.634	-20.45	16	25.4 ^{+1.0} _{-0.6}	27.5 ^{+0.3} _{-0.5}	23.4 ^{+2.0} _{-2.1}	15.8 ^{+1.0} _{-1.0}	2993.6 ^{+10.0} _{-12.8}	2889.1 ^{+6.9} _{-12.8}	4.62 ^{+0.05} _{-0.03}	B	
...	12273	7043	91	245883.581	-20.60	19	27.3 ^{+0.3} _{-0.3}	... 27.3 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2899.0 ^{+11.0} _{-18.7}	2899.0 ^{+11.0} _{-18.7}	4.71 ^{+0.07} _{-0.05}	B	
2M0539+4038	6541	4559	164	2456257.734	10.58	66	-5.6 ^{+0.2} _{-0.2}	-5.4 ^{+0.3} _{-0.4}	5.9 ^{+1.0} _{-1.2}	< 10	2399.3 ^{+0.3} _{-0.5}	2399.3 ^{+0.3} _{-0.5}	5.5 ^{+0.0} _{-0.0}	S	

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)	
...	6541	4559	164	2456261.793	8.55	55	-5.1 ^{+0.2} _{-0.3}	...	7.5 ^{+1.0} _{-1.1}	...	2399.2 ^{+0.6} _{-1.1}	...	5.49 ^{+0.0} _{-0.1}	...	S
...	6541	4559	164	2456313.573	-16.28	58	-5.4 ^{+0.2} _{-0.2}	...	7.5 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-1.0}	...	5.5 ^{+0.0} _{-0.1}	...	S
2M0540+2448	6761	4564	250	2456291.683	-6.75	92	25.8 ^{+0.3} _{-0.9}	23.1 ^{+0.3} _{-0.4}	29.1 ^{+1.0} _{-1.0}	30.4 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.9}	2399.4 ^{+0.2} _{-0.4}	5.45 ^{+0.02} _{-0.02}	5.4 ^{+0.01} _{-0.01}	S
...	6761	4564	249	2456559.992	29.54	209	23.8 ^{+0.3} _{-0.3}	...	29.3 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.8}	...	5.41 ^{+0.04} _{-0.02}	...	S
...	6761	4564	256	2456582.932	26.09	260	22.2 ^{+0.2} _{-0.2}	...	32.1 ^{+1.2} _{-1.5}	...	2399.5 ^{+0.8} _{-0.8}	...	5.41 ^{+0.02} _{-0.02}	...	S
...	6761	4564	249	2456586.926	25.04	193	23.1 ^{+0.2} _{-0.2}	...	33.0 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.7}	...	5.38 ^{+0.01} _{-0.02}	...	S
2M0615-0100	6358	4123	181	2456202.997	27.01	18	-19.5 ^{+0.3} _{-0.3}	-19.7 ^{+0.3} _{-0.4}	16.3 ^{+1.4} _{-1.0}	16.6 ^{+1.0} _{-1.0}	2335.6 ^{+12.9} _{-8.4}	2396.4 ^{+1.0} _{-1.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	6359	4123	57	2456206.003	26.81	11	-19.6 ^{+0.4} _{-0.4}	...	19.0 ^{+1.2} _{-1.4}	...	2398.4 ^{+1.2} _{-1.8}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	6358	4123	288	2456206.993	26.77	17	-19.8 ^{+0.2} _{-0.2}	...	17.3 ^{+1.3} _{-1.3}	...	2392.6 ^{+4.9} _{-7.7}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	6359	4123	58	2456209.985	26.52	18	-19.8 ^{+0.3} _{-0.3}	...	16.3 ^{+1.5} _{-1.0}	...	2396.0 ^{+3.0} _{-5.6}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	6358	4123	186	2456233.931	21.93	28	-19.5 ^{+0.3} _{-0.3}	...	15.8 ^{+1.0} _{-1.0}	...	2283.2 ^{+30.2} _{-20.7}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	6359	4123	58	2456235.942	21.32	26	-19.9 ^{+0.3} _{-0.3}	...	16.5 ^{+1.3} _{-1.0}	...	2395.1 ^{+3.3} _{-7.3}	...	5.5 ^{+0.0} _{-0.0}	...	S
2M0652-2534	6333	4292	73	2456228.989	18.93	31	14.8 ^{+0.2} _{-0.2}	14.9 ^{+0.3} _{-0.4}	8.0 ^{+1.0} _{-1.6}	< 10	2399.4 ^{+0.2} _{-0.5}	2399.4 ^{+0.4_{-0.8}}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	6333	4292	73	2456323.983	18.46	42	14.8 ^{+0.2} _{-0.2}	...	7.8 ^{+1.0} _{-1.5}	...	2399.3 ^{+0.5} _{-1.0}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	6333	4292	73	2456264.875	11.83	26	15.2 ^{+0.2} _{-0.2}	...	9.2 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.8}	...	5.5 ^{+0.0} _{-0.0}	...	S
2M0702-6102	12298	7067	179	245884.720	1.09	84	21.3 ^{+0.2} _{-0.2}	21.3 ^{+0.3} _{-0.3}	16.0 ^{+1.0} _{-1.0}	16.0 ^{+1.0} _{-1.0}	2399.8 ^{+0.1} _{-0.3}	2399.8 ^{+0.4} _{-0.8}	4.07 ^{+0.02} _{-0.02}	4.07 ^{+0.02} _{-0.02}	S
2M0714+3702	5586	4221	62	2455881.005	22.79	64	35.3 ^{+0.2} _{-0.2}	35.3 ^{+0.3} _{-0.4}	5.3 ^{+1.4} _{-1.0}	< 10	2399.6 ^{+0.7} _{-0.7}	2399.5 ^{+0.4} _{-0.4}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	5586	4221	62	2455939.845	-3.70	40	35.2 ^{+0.2} _{-0.2}	...	7.4 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.9}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	5586	4221	62	2455960.754	-13.78	54	35.8 ^{+0.3} _{-0.3}	...	7.4 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.8}	...	5.5 ^{+0.0} _{-0.0}	...	S
2M0746+2000	9492	2406	290	2457783.744	-7.73	85	52.7 ^{+0.2} _{-0.2}	52.8 ^{+0.3} _{-0.4}	34.7 ^{+1.0} _{-1.0}	34.6 ^{+1.0} _{-1.0}	2320.8 ^{+4.2} _{-4.3}	2380.9 ^{+4.2} _{-2.9}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	9497	2411	113	2457786.730	-9.23	87	52.8 ^{+0.2} _{-0.2}	...	33.0 ^{+1.3} _{-1.3}	...	2368.4 ^{+7.1} _{-3.8}	...	5.5 ^{+0.0} _{-0.0}	...	S
2M0747+6653	9539	5246	204	2457708.002	16.46	12	8.6 ^{+0.5} _{-0.5}	7.4 ^{+0.3} _{-0.4}	49.6 ^{+2.0} _{-2.0}	45.9 ^{+1.0} _{-1.0}	2398.9 ^{+0.6} _{-1.3}	2399.2 ^{+0.1} _{-0.2}	4.62 ^{+0.02} _{-0.03}	4.62 ^{+0.01} _{-0.01}	S
...	9515	5246	246	2457735.959	8.18	16	8.2 ^{+0.3} _{-0.3}	8.2 ^{+0.3} _{-0.4}	44.2 ^{+1.1} _{-1.1}	...	2399.1 ^{+0.7} _{-1.7}	...	4.75 ^{+0.04} _{-0.04}	...	S
...	9515	5246	294	2457742.880	5.80	17	7.2 ^{+0.5} _{-0.5}	7.2 ^{+0.5} _{-0.5}	46.0 ^{+1.4} _{-1.8}	46.0 ^{+1.4} _{-1.8}	2399.3 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	9539	5246	210	2457761.839	-1.28	12	4.7 ^{+0.8} _{-0.6}	4.9 ^{+1.2} _{-1.0}	49.9 ^{+1.2} _{-1.0}	49.9 ^{+1.2} _{-1.0}	2399.1 ^{+0.6} _{-1.3}	2399.1 ^{+0.6} _{-1.3}	4.46 ^{+0.04} _{-0.04}	4.46 ^{+0.04} _{-0.04}	S
...	9515	5246	246	2457789.758	-11.15	22	7.2 ^{+0.6} _{-0.6}	7.2 ^{+0.6} _{-0.6}	40.8 ^{+1.6} _{-1.6}	40.8 ^{+1.6} _{-1.6}	2399.1 ^{+0.5} _{-1.1}	2399.1 ^{+0.5} _{-1.1}	4.82 ^{+0.04} _{-0.04}	4.82 ^{+0.04} _{-0.04}	S
...	9515	5246	205	2457793.801	-12.45	10	7.6 ^{+0.4} _{-0.4}	7.6 ^{+0.4} _{-0.4}	57.3 ^{+1.5} _{-1.5}	57.3 ^{+1.5} _{-1.5}	2398.9 ^{+0.8} _{-1.1}	2398.9 ^{+0.8} _{-1.1}	4.75 ^{+0.04} _{-0.04}	4.75 ^{+0.04} _{-0.04}	S
...	9539	5246	204	2457795.722	-12.95	14	6.6 ^{+0.4} _{-0.3}	6.6 ^{+0.4} _{-0.3}	45.3 ^{+1.2} _{-1.2}	45.3 ^{+1.2} _{-1.2}	2399.1 ^{+0.6} _{-1.1}	2399.1 ^{+0.6} _{-1.1}	4.58 ^{+0.02} _{-0.02}	4.58 ^{+0.02} _{-0.02}	S
...	9666	5246	210	2457821.654	-18.96	14	8.7 ^{+1.3} _{-1.3}	8.7 ^{+1.3} _{-1.3}	43.7 ^{+1.1} _{-1.4}	43.7 ^{+1.1} _{-1.4}	2399.1 ^{+0.6} _{-1.0}	2399.1 ^{+0.6} _{-1.0}	4.66 ^{+0.02} _{-0.02}	4.66 ^{+0.02} _{-0.02}	S
...	9666	5246	162	2457825.630	-19.54	23	8.1 ^{+0.5} _{-0.5}	8.1 ^{+0.5} _{-0.5}	44.2 ^{+1.3} _{-1.1}	44.2 ^{+1.3} _{-1.1}	2399.0 ^{+0.7} _{-1.3}	2399.0 ^{+0.7} _{-1.3}	4.87 ^{+0.03} _{-0.03}	4.87 ^{+0.03} _{-0.03}	S
...	9666	5246	245	2457827.608	-19.79	18	7.7 ^{+0.3} _{-0.3}	7.7 ^{+0.3} _{-0.3}	44.6 ^{+1.6} _{-1.1}	44.6 ^{+1.6} _{-1.1}	2399.3 ^{+0.5} _{-0.8}	2399.3 ^{+0.5} _{-0.8}	4.76 ^{+0.02} _{-0.03}	4.76 ^{+0.02} _{-0.03}	S
...	9726	5246	205	2457878.628	-18.37	17	8.0 ^{+1.2} _{-0.9}	8.0 ^{+1.2} _{-0.9}	46.8 ^{+1.4} _{-1.3}	46.8 ^{+1.4} _{-1.3}	2399.1 ^{+0.6} _{-1.2}	2399.1 ^{+0.6} _{-1.2}	4.64 ^{+0.03} _{-0.02}	4.64 ^{+0.03} _{-0.02}	S
...	9666	5246	245	2458054.982	19.85	14	7.1 ^{+0.7} _{-0.7}	7.1 ^{+0.7} _{-0.7}	44.2 ^{+1.2} _{-1.2}	44.2 ^{+1.2} _{-1.2}	2399.1 ^{+0.5} _{-1.2}	2399.1 ^{+0.5} _{-1.2}	4.57 ^{+0.07} _{-0.07}	4.57 ^{+0.07} _{-0.07}	S
...	9666	5246	242	2458059.998	19.10	13	5.3 ^{+0.5} _{-0.5}	5.3 ^{+0.5} _{-0.5}	46.2 ^{+1.8} _{-1.8}	46.2 ^{+1.8} _{-1.8}	2399.1 ^{+0.6} _{-1.1}	2399.1 ^{+0.6} _{-1.1}	4.35 ^{+0.05} _{-0.05}	4.35 ^{+0.05} _{-0.05}	S
...	9666	5246	242	2458067.965	17.67	17	8.1 ^{+0.3} _{-0.3}	8.1 ^{+0.3} _{-0.3}	43.9 ^{+1.1} _{-1.5}	43.9 ^{+1.1} _{-1.5}	2399.3 ^{+0.5} _{-0.7}	2399.3 ^{+0.5} _{-0.7}	4.69 ^{+0.04} _{-0.04}	4.69 ^{+0.04} _{-0.04}	S
...	9726	5246	199	2458097.019	9.57	18	6.0 ^{+0.7} _{-0.5}	6.0 ^{+0.7} _{-0.5}	47.8 ^{+1.1} _{-1.8}	47.8 ^{+1.1} _{-1.8}	2399.2 ^{+0.6} _{-1.0}	2399.2 ^{+0.6} _{-1.0}	4.66 ^{+0.02} _{-0.02}	4.66 ^{+0.02} _{-0.02}	S

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>	
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	9666	5246	242	2458097.886	9.40	16	7.2 ^{+0.3} _{-0.3}	...	46.4 ^{+1.3} _{-1.0}	...	2399.4 ^{+0.4} _{-0.7}	...	4.6 ^{+0.02} _{-0.02}	...	S	
...	9726	5246	241	2458123.962	-0.19	22	8.0 ^{+0.6} _{-0.6}	...	44.8 ^{+1.5} _{-1.1}	...	2399.4 ^{+0.5} _{-0.7}	...	4.6 ^{+0.04} _{-0.03}	...	S	
...	9726	5246	241	2458126.947	-1.30	15	7.1 ^{+0.7} _{-0.7}	...	48.5 ^{+1.5} _{-1.1}	...	2399.3 ^{+0.6} _{-1.1}	...	4.37 ^{+0.03} _{-0.03}	...	S	
2M0755+2755	8986	2337	18	2458072.998	26.28	17	-3.8 ^{+0.3} _{-0.3}	-3.9 ^{+0.3} _{-0.4}	10.8 ^{+1.7} _{-1.0}	< 10	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.2} _{-0.4}	4.78 ^{+0.02} _{-0.02}	4.86 ^{+0.01} _{-0.01}	S	
...	8986	2337	18	2458074.877	26.05	28	-3.7 ^{+0.3} _{-0.2}	...	7.3 ^{+1.0} _{-1.1}	...	2399.3 ^{+0.6} _{-0.7}	...	4.93 ^{+0.02} _{-0.02}	...	S	
...	8986	2337	18	2458077.997	24.94	29	-4.4 ^{+0.4} _{-0.3}	...	9.2 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.7}	...	4.87 ^{+0.03} _{-0.03}	...	S	
2M0756+6649	9539	5246	179	2457708.002	16.69	10	0.2 ^{+0.4} _{-0.4}	0.2 ^{+0.3} _{-0.4}	11.4 ^{+1.1} _{-1.3}	10.7 ^{+1.0} _{-1.0}	2399.0 ^{+0.7} _{-1.5}	2399.4 ^{+0.1} _{-0.2}	3.64 ^{+0.06} _{-0.04}	4.04 ^{+0.01} _{-0.01}	S	
...	9515	5246	176	2457735.959	8.57	15	0.1 ^{+0.4} _{-0.3}	...	10.6 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-1.0}	...	4.08 ^{+0.04} _{-0.03}	...	S	
...	9515	5246	155	2457742.880	6.22	17	-0.1 ^{+0.3} _{-0.3}	...	10.9 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.8}	...	4.12 ^{+0.03} _{-0.03}	...	S	
...	9539	5246	260	2457761.839	-0.82	12	0.1 ^{+0.4} _{-0.4}	...	10.8 ^{+1.3} _{-1.3}	...	2399.3 ^{+0.5} _{-1.1}	...	3.6 ^{+0.04} _{-0.04}	...	S	
...	9515	5246	176	2457789.758	-10.72	22	0.2 ^{+0.3} _{-0.3}	...	10.6 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.3}	...	4.09 ^{+0.04} _{-0.03}	...	S	
...	9539	5246	179	2457795.722	-12.54	13	0.6 ^{+0.6} _{-0.3}	...	10.7 ^{+1.3} _{-1.0}	...	2399.4 ^{+0.4} _{-0.6}	...	3.91 ^{+0.05} _{-0.05}	...	S	
...	9539	5246	161	2457821.654	-18.69	13	0.6 ^{+0.3} _{-0.3}	...	12.4 ^{+1.1} _{-1.1}	...	2399.3 ^{+0.5} _{-1.0}	...	3.56 ^{+0.04} _{-0.04}	...	S	
...	9539	5246	266	2457825.630	-19.30	21	0.6 ^{+0.3} _{-0.3}	...	10.5 ^{+1.3} _{-1.0}	...	2399.5 ^{+0.4} _{-0.9}	...	4.11 ^{+0.04} _{-0.03}	...	S	
...	9666	5246	259	2457827.608	-19.56	19	1.1 ^{+0.3} _{-0.3}	...	11.7 ^{+1.1} _{-1.1}	...	2399.5 ^{+0.4} _{-0.7}	...	3.93 ^{+0.07} _{-0.07}	...	S	
...	9726	5246	163	2457878.628	-18.53	16	0.4 ^{+0.5} _{-0.6}	...	10.6 ^{+1.4} _{-1.0}	...	2399.5 ^{+0.4} _{-0.8}	...	4.05 ^{+0.02} _{-0.03}	...	S	
...	9666	5246	270	2458054.982	19.96	13	-0.2 ^{+0.3} _{-0.3}	...	10.9 ^{+1.1} _{-1.0}	...	2399.0 ^{+0.8} _{-0.8}	...	3.88 ^{+0.07} _{-0.07}	...	S	
...	9666	5246	175	2458059.998	19.24	14	0.1 ^{+0.4} _{-0.4}	...	10.1 ^{+1.3} _{-1.7}	...	2399.3 ^{+0.5} _{-0.9}	...	4.11 ^{+0.03} _{-0.03}	...	S	
...	9666	5246	175	2458067.965	17.87	19	0.1 ^{+0.3} _{-0.3}	...	9.8 ^{+1.0} _{-1.0}	...	2399.2 ^{+0.6} _{-1.0}	...	4.18 ^{+0.02} _{-0.04}	...	S	
...	9726	5246	175	2458097.019	9.95	14	-0.4 ^{+0.3} _{-0.3}	...	10.8 ^{+1.1} _{-1.0}	...	2399.3 ^{+0.5} _{-0.5}	...	3.74 ^{+0.11} _{-0.11}	...	S	
...	9666	5246	259	2458097.886	9.78	21	-0.5 ^{+0.3} _{-0.3}	...	10.6 ^{+1.1} _{-1.0}	...	2399.6 ^{+0.3} _{-0.6}	...	4.11 ^{+0.02} _{-0.03}	...	S	
...	9726	5246	180	2458123.962	0.27	22	0.0 ^{+0.3} _{-0.3}	...	10.7 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.6}	...	4.12 ^{+0.02} _{-0.03}	...	S	
...	9726	5246	180	2458126.947	-0.84	16	0.2 ^{+0.3} _{-0.3}	...	9.9 ^{+1.1} _{-1.5}	...	2399.3 ^{+0.5} _{-0.5}	...	4.09 ^{+0.02} _{-0.02}	...	S	
2M0807+3213	10220	2473	43	2458130.771	2.99	32	34.4 ^{+0.3} _{-0.2}	34.4 ^{+0.3} _{-0.4}	12.4 ^{+1.0} _{-1.0}	13.7 ^{+1.0} _{-1.0}	2398.4 ^{+1.2} _{-2.0}	2399.1 ^{+0.3} _{-0.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S	
...	10220	2473	43	2458138.702	-1.05	31	34.4 ^{+0.2} _{-0.2}	...	14.3 ^{+1.0} _{-1.0}	...	2399.2 ^{+0.5} _{-0.9}	...	5.5 ^{+0.0} _{-0.1}	...	S	
...	10220	2473	43	2458142.686	-3.10	30	34.2 ^{+0.2} _{-0.2}	...	14.2 ^{+1.1} _{-1.0}	...	2399.1 ^{+0.6} _{-1.0}	...	5.5 ^{+0.0} _{-0.0}	...	S	
...	10220	2473	43	2458143.869	-4.07	31	34.8 ^{+0.3} _{-0.3}	...	13.5 ^{+1.0} _{-1.4}	...	2399.1 ^{+0.8} _{-1.6}	...	5.5 ^{+0.0} _{-0.1}	...	S	
2M0818+2333	8939	2318	7	2457484.651	-28.66	29	36.0 ^{+0.3} _{-0.3}	35.7 ^{+0.3} _{-0.4}	7.3 ^{+1.2} _{-1.1}	< 10	12.5 ^{+1.0} _{-1.5}	2398.8 ^{+0.8} _{-1.8}	2399.0 ^{+0.4} _{-0.7}	5.29 ^{+0.06} _{-0.05}	5.35 ^{+0.01} _{-0.02}	S
...	8939	2318	7	2457485.642	-28.77	26	36.0 ^{+0.4} _{-0.4}	...	8.5 ^{+1.3} _{-1.4}	...	2398.7 ^{+1.0} _{-1.3}	...	5.36 ^{+0.04} _{-0.03}	...	S	
...	8939	2318	7	2457488.617	-29.06	22	35.5 ^{+0.2} _{-0.2}	...	10.7 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.5}	...	5.23 ^{+0.02} _{-0.03}	...	S	
...	10219	2472	300	2458107.876	16.47	30	36.1 ^{+0.3} _{-0.3}	...	7.3 ^{+1.2} _{-1.1}	...	2399.2 ^{+0.6} _{-0.8}	...	5.48 ^{+0.01} _{-0.02}	...	S	
2M0821+5658	10492	2466	157	2458191.636	-20.71	22	7.1 ^{+0.3} _{-0.3}	7.2 ^{+0.3} _{-0.5}	10.7 ^{+1.4} _{-1.1}	14.1 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-0.9}	2399.5 ^{+0.2} _{-0.5}	5.19 ^{+0.03} _{-0.03}	4.96 ^{+0.01} _{-0.02}	S	

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	10492	2466	157	2458196.700	-21.79	18	6.8 ^{+0.3} _{-0.5}	...	14.2 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.7}	...	4.85 ^{+0.02} _{-0.03}	...	S
...	10492	2466	157	2458197.594	-21.80	17	7.4 ^{+0.3} _{-0.3}	...	14.2 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.8}	...	4.96 ^{+0.04} _{-0.05}	...	S
2M0829+2646	9507	2421	226	2457830.640	-23.73	127	10.8 ^{+0.3} _{-0.2}	10.7 ^{+0.3} _{-0.4}	10.6 ^{+1.1} _{-1.0}	11.9 ^{+1.0} _{-1.0}	2399.1 ^{+0.6} _{-1.3}	2399.4 ^{+0.2} _{-0.4}	5.5 ^{+0.0} _{-0.0}	5.49 ^{+0.0} _{-0.0}	S
...	9508	2422	154	2457833.643	-24.63	144	10.6 ^{+0.2} _{-0.2}	...	12.1 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.3} _{-0.6}	...	5.48 ^{+0.02} _{-0.02}	...	S
...	9508	2422	154	2457834.610	-24.83	115	10.4 ^{+0.2} _{-0.2}	...	11.7 ^{+1.0} _{-1.4}	...	2399.4 ^{+0.4} _{-1.0}	...	5.49 ^{+0.01} _{-0.03}	...	S
...	9510	2424	141	2457860.640	-29.30	30	11.1 ^{+0.2} _{-0.2}	...	10.9 ^{+1.1} _{-1.1}	...	2399.1 ^{+0.7} _{-1.4}	...	5.43 ^{+0.03} _{-0.02}	...	S
...	9510	2424	141	2457861.640	-29.36	29	11.2 ^{+0.3} _{-0.2}	...	12.4 ^{+1.1} _{-1.1}	...	2398.9 ^{+0.9} _{-1.3}	...	5.42 ^{+0.03} _{-0.04}	...	S
2M0835+4318	10511	2485	276	2458198.659	-21.33	24	66.0 ^{+0.4} _{-0.4}	66.7 ^{+0.3} _{-0.5}	16.1 ^{+1.0} _{-1.0}	16.2 ^{+1.0} _{-1.0}	2398.9 ^{+0.5} _{-0.8}	2399.0 ^{+0.5} _{-0.8}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	S
...	10511	2485	276	2458211.626	-25.08	13	67.0 ^{+0.3} _{-0.3}	...	16.3 ^{+1.2} _{-1.0}	...	2399.2 ^{+0.6} _{-0.6}	...	5.49 ^{+0.01} _{-0.01}	...	S
2M0849+0220	10511	2485	150	2458198.659	-20.51	31	22.5 ^{+0.3} _{-0.3}	22.4 ^{+0.3} _{-0.4}	53.7 ^{+1.0} _{-1.3}	53.7 ^{+1.0} _{-1.1}	2398.6 ^{+1.0} _{-1.1}	2398.5 ^{+0.8} _{-1.5}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	10511	2485	150	2458200.654	-21.18	11	21.4 ^{+0.5} _{-0.5}	...	33.1 ^{+1.1} _{-1.0}	...	2398.3 ^{+1.3} _{-2.1}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	10511	2485	145	2458211.626	-24.40	18	22.8 ^{+0.6} _{-0.6}	...	56.8 ^{+1.7} _{-1.7}	...	2398.9 ^{+0.6} _{-0.8}	2399.0 ^{+0.5} _{-0.8}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	S
...	10839	2497	276	2458572.628	-23.24	26	23.5 ^{+0.3} _{-0.3}	...	53.5 ^{+1.1} _{-1.0}	...	2399.2 ^{+0.5} _{-0.6}	...	5.13 ^{+0.02} _{-0.02}	...	S
...	10839	2497	276	2458573.625	-23.52	15	21.3 ^{+0.4} _{-0.4}	...	55.7 ^{+1.6} _{-1.4}	...	2398.9 ^{+0.8} _{-1.7}	...	4.99 ^{+0.01} _{-0.01}	5.07 ^{+0.03} _{-0.04}	S
...	10839	2497	276	2458575.639	-24.12	28	22.2 ^{+0.5} _{-0.5}	...	64.6 ^{+2.7} _{-2.4}	...	2398.9 ^{+0.8} _{-1.6}	...	3.6 ^{+0.09} _{-0.09}	3.6 ^{+0.09} _{-0.07}	S
...	10839	2497	276	2458576.685	-24.51	19	22.2 ^{+0.3} _{-0.3}	...	56.8 ^{+1.7} _{-1.9}	...	2398.8 ^{+0.9} _{-1.4}	...	4.9 ^{+0.03} _{-0.04}	4.9 ^{+0.03} _{-0.04}	S
...	10839	2497	276	2458577.670	-24.73	18	22.3 ^{+0.9} _{-0.9}	...	53.5 ^{+1.1} _{-1.2}	...	2399.2 ^{+0.5} _{-1.1}	...	5.1 ^{+0.04} _{-0.04}	5.1 ^{+0.04} _{-0.04}	S
...	10839	2497	276	2458578.678	-25.01	22	21.5 ^{+0.4} _{-0.4}	...	55.7 ^{+1.6} _{-1.4}	...	2398.9 ^{+0.8} _{-1.7}	...	4.83 ^{+0.03} _{-0.03}	4.83 ^{+0.03} _{-0.03}	S
2M0852+2540	9500	2414	258	2457831.660	-22.36	83	29.6 ^{+0.3} _{-0.3}	29.6 ^{+0.3} _{-0.3}	9.2 ^{+1.1} _{-1.1}	< 10	2399.4 ^{+0.4} _{-0.9}	2399.5 ^{+0.4} _{-0.9}	5.35 ^{+0.03} _{-0.03}	5.35 ^{+0.03} _{-0.03}	S
2M0902+0033	12511	2812	133	2458995.785	-4.21	23	42.5 ^{+0.3} _{-0.3}	42.6 ^{+0.3} _{-0.5}	9.0 ^{+1.4} _{-1.4}	< 10	2399.3 ^{+0.6} _{-0.5}	2399.3 ^{+0.6} _{-0.6}	4.91 ^{+0.02} _{-0.02}	4.78 ^{+0.01} _{-0.02}	S
...	12511	2812	133	2458996.700	-4.48	12	42.8 ^{+0.3} _{-0.3}	...	13.6 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.5}	...	4.85 ^{+0.02} _{-0.02}	4.85 ^{+0.02} _{-0.02}	S
...	11749	2662	115	2458866.787	7.41	16	52.0 ^{+0.3} _{-0.3}	51.8 ^{+0.3} _{-0.4}	51.8 ^{+1.5} _{-1.5}	...	2399.3 ^{+0.4} _{-0.9}	2399.3 ^{+0.4} _{-0.9}	5.1 ^{+0.05} _{-0.05}	5.1 ^{+0.05} _{-0.05}	S
...	11749	2662	115	2458867.778	6.92	23	51.5 ^{+0.3} _{-0.2}	...	7.6 ^{+1.2} _{-1.2}	...	3080.5 ^{+5.0} _{-6.5}	3080.5 ^{+5.0} _{-6.5}	5.48 ^{+0.01} _{-0.02}	5.48 ^{+0.01} _{-0.02}	B
...	11749	2662	115	2458872.787	4.34	15	51.9 ^{+0.9} _{-0.4}	...	10.2 ^{+1.5} _{-1.5}	...	3068.2 ^{+13.9} _{-17.4}	3068.2 ^{+13.9} _{-17.4}	5.4 ^{+0.04} _{-0.04}	5.4 ^{+0.04} _{-0.04}	B
...	11748	2661	217	2458874.791	3.30	11	51.6 ^{+0.4} _{-0.4}	...	9.1 ^{+1.2} _{-1.2}	...	3076.4 ^{+6.4} _{-9.0}	3076.4 ^{+6.4} _{-9.0}	5.43 ^{+0.02} _{-0.02}	5.43 ^{+0.02} _{-0.02}	B
...	11748	2661	217	2458923.625	-19.44	12	51.8 ^{+0.3} _{-0.3}	...	6.5 ^{+1.8} _{-1.7}	...	3087.5 ^{+10.3} _{-16.9}	3087.5 ^{+10.3} _{-16.9}	5.47 ^{+0.02} _{-0.03}	5.47 ^{+0.02} _{-0.03}	B
...	12487	2788	293	2458924.631	-19.83	19	51.1 ^{+0.2} _{-0.3}	...	9.3 ^{+1.1} _{-1.2}	...	3035.7 ^{+6.3} _{-8.0}	3035.7 ^{+6.3} _{-8.0}	5.31 ^{+0.03} _{-0.04}	5.31 ^{+0.03} _{-0.04}	B
...	12487	2788	293	2458925.620	-20.16	22	52.6 ^{+0.3} _{-0.2}	...	10.8 ^{+1.4} _{-1.0}	...	2952.4 ^{+8.2} _{-8.7}	2952.4 ^{+8.2} _{-8.7}	5.28 ^{+0.02} _{-0.02}	5.28 ^{+0.02} _{-0.02}	B
...	12487	2788	293	2458928.783	-21.60	14	51.9 ^{+0.3} _{-0.3}	...	10.8 ^{+1.2} _{-1.2}	...	3017.1 ^{+11.2} _{-13.6}	3017.1 ^{+11.2} _{-13.6}	5.38 ^{+0.03} _{-0.02}	5.38 ^{+0.03} _{-0.02}	B
2M0937+5534	8911	5179	174	2457435.783	-8.43	16	1.3 ^{+0.3} _{-0.3}	0.7 ^{+0.3} _{-0.4}	19.8 ^{+1.0} _{-1.0}	19.4 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-1.1}	2399.4 ^{+0.1} _{-0.2}	4.64 ^{+0.01} _{-0.01}	4.64 ^{+0.01} _{-0.01}	S
...	8911	5179	151	2457444.753	-11.69	17	0.6 ^{+0.3} _{-0.3}	...	17.9 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.9}	2399.3 ^{+0.5} _{-0.9}	4.89 ^{+0.04} _{-0.04}	4.89 ^{+0.04} _{-0.04}	S
...	8911	5179	180	2457472.676	-19.65	15	0.9 ^{+0.5} _{-0.5}	...	16.0 ^{+2.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.5}	2399.3 ^{+0.5} _{-0.5}	4.67 ^{+0.05} _{-0.05}	4.67 ^{+0.05} _{-0.05}	S
...	8911	5179	151	2457493.620	-22.65	21	0.4 ^{+0.5} _{-0.5}	...	15.1 ^{+1.4} _{-1.3}	...	2399.3 ^{+0.5} _{-0.9}	2399.3 ^{+0.5} _{-0.9}	4.92 ^{+0.03} _{-0.03}	4.92 ^{+0.03} _{-0.03}	S
...	9540	5179	38	2457707.016	22.51	11	4.5 ^{+0.4} _{-0.4}	...	21.6 ^{+1.1} _{-1.1}	...	2398.2 ^{+1.8} _{-1.8}	2398.2 ^{+1.8} _{-1.8}	3.94 ^{+0.03} _{-0.04}	3.94 ^{+0.03} _{-0.04}	S

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{g}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	9540	5179	38	2457711.998	21.87	18	0.8 ^{+0.3}	...	23.5 ^{+1.0}	...	2399.5 ^{+0.4}	...	3.62 ^{+0.04}	...	S
...	9541	5179	210	2457713.013	21.69	13	0.7 ^{+0.3}	...	19.8 ^{+1.0}	...	2399.5 ^{+0.4}	...	4.68 ^{+0.02}	...	S
...	9540	5179	411	2457742.946	14.27	18	1.2 ^{+0.3}	...	17.9 ^{+1.0}	...	2399.3 ^{+0.5}	...	4.55 ^{+0.04}	...	S
...	9540	5179	32	2457761.901	7.35	13	0.6 ^{+0.4}	...	19.6 ^{+1.0}	...	2399.6 ^{+0.7}	...	4.12 ^{+0.03}	...	S
...	9541	5179	175	2457762.941	6.88	16	0.8 ^{+0.4}	...	16.3 ^{+1.3}	...	2399.3 ^{+0.6}	...	4.83 ^{+0.04}	...	S
...	9540	5179	32	2457765.872	5.80	11	-0.2 ^{+0.4}	...	23.5 ^{+1.2}	...	2399.5 ^{+0.4}	...	4.36 ^{+0.04}	...	S
...	9541	5179	156	2457791.827	-4.84	15	1.0 ^{+0.3}	...	16.1 ^{+1.0}	...	2399.2 ^{+0.6}	...	4.86 ^{+0.04}	...	S
...	9541	5179	156	2457792.826	-5.24	15	-0.4 ^{+0.6}	...	21.7 ^{+1.0}	...	2399.2 ^{+0.6}	...	4.8 ^{+0.03}	...	S
...	9541	5179	210	2457795.839	-6.46	16	0.7 ^{+0.4}	...	17.9 ^{+1.0}	...	2399.2 ^{+0.5}	...	4.83 ^{+0.02}	...	S
...	9541	5179	151	2457820.712	-15.19	19	0.9 ^{+0.3}	...	18.0 ^{+1.0}	...	2399.5 ^{+0.4}	...	4.85 ^{+0.03}	...	S
...	9689	5179	179	2457821.716	-15.50	15	0.4 ^{+0.6}	...	25.4 ^{+1.0}	...	2399.4 ^{+0.4}	...	4.53 ^{+0.06}	...	S
...	9689	5179	152	2457825.747	-16.72	13	-0.5 ^{+0.3}	...	33.1 ^{+1.7}	...	2399.2 ^{+0.6}	...	4.61 ^{+0.16}	...	S
...	9689	5179	203	2457829.764	-17.83	12	0.9 ^{+0.5}	...	21.7 ^{+1.0}	...	2399.3 ^{+0.5}	...	4.56 ^{+0.03}	...	S
...	9689	5179	152	2457849.608	-21.62	16	0.8 ^{+1.1}	...	23.7 ^{+2.1}	...	2399.2 ^{+0.5}	...	4.64 ^{+0.04}	...	S
...	9689	5179	161	2458098.947	17.14	14	0.4 ^{+0.3}	...	23.5 ^{+1.0}	...	2399.2 ^{+0.6}	...	4.33 ^{+0.02}	...	S
2M0945+5458	8911	5179	61	2457435.783	-7.79	13	-3.4 ^{+0.5}	-3.7 ^{+0.3}	25.4 ^{+1.0}	23.5 ^{+1.0}	2399.2 ^{+0.6}	2399.2 ^{+0.4}	4.81 ^{+0.01}	S	
...	8911	5179	67	2457444.753	-11.10	13	-3.1 ^{+0.3}	...	21.9 ^{+1.8}	...	2399.4 ^{+0.5}	...	4.77 ^{+0.02}	...	S
...	8911	5179	67	2457467.657	-18.08	10	-3.1 ^{+0.4}	...	24.6 ^{+1.3}	...	2399.0 ^{+0.7}	...	4.66 ^{+0.05}	...	S
...	8911	5179	66	2457472.676	-19.29	11	-3.5 ^{+0.4}	...	23.4 ^{+1.1}	...	2398.9 ^{+0.9}	...	4.68 ^{+0.05}	...	S
...	8911	5179	61	2457493.620	-22.51	13	-4.1 ^{+0.7}	...	25.0 ^{+1.1}	...	2399.3 ^{+0.7}	...	4.79 ^{+0.04}	...	S
...	9540	5179	66	2457711.998	22.14	13	-3.9 ^{+0.3}	...	23.8 ^{+1.2}	...	2399.4 ^{+0.4}	...	4.76 ^{+0.06}	...	S
...	9540	5179	66	2457742.946	14.83	11	-3.9 ^{+0.3}	...	21.9 ^{+1.8}	...	2399.2 ^{+0.6}	...	4.85 ^{+0.03}	...	S
...	9541	5179	72	2457795.839	-5.80	10	-5.4 ^{+0.5}	...	23.8 ^{+1.1}	...	2399.1 ^{+0.6}	...	4.78 ^{+0.08}	...	S
...	9541	5179	67	2457820.712	-14.68	13	-2.9 ^{+0.4}	...	23.7 ^{+1.0}	...	2399.3 ^{+0.6}	...	4.87 ^{+0.03}	...	S
...	9689	5179	78	2457821.716	-15.00	11	-4.0 ^{+0.4}	...	23.0 ^{+1.2}	...	2399.2 ^{+0.6}	...	5.03 ^{+0.03}	...	S
2M0947-0020	12512	2813	37	2458904.762	-2.98	40	15.0 ^{+0.2}	15.0 ^{+0.3}	9.0 ^{+1.0}	< 10	2399.6 ^{+0.3}	2399.5 ^{+0.2}	5.29 ^{+0.01}	S	
...	12512	2813	37	2458906.775	-4.05	50	15.0 ^{+0.3}	...	7.4 ^{+1.2}	...	2399.4 ^{+0.5}	...	5.44 ^{+0.02}	...	S
2M0947+0224	11753	2681	54	2458838.943	25.61	31	8.9 ^{+0.3}	8.8 ^{+0.3}	12.1 ^{+1.0}	12.6 ^{+1.1}	2399.2 ^{+0.5}	2399.3 ^{+0.4}	5.11 ^{+0.03}	5.02 ^{+0.02}	S
...	11753	2681	48	2458923.716	-12.69	11	8.5 ^{+0.4}	...	14.6 ^{+1.2}	...	2399.3 ^{+0.5}	...	4.91 ^{+0.03}	...	S
2M0952-1924	11759	6022	68	245562.563	-8.56	58	-17.7 ^{+0.2}	-17.1 ^{+0.3}	14.2 ^{+1.0}	16.0 ^{+1.0}	2399.6 ^{+0.3}	2399.6 ^{+0.2}	5.34 ^{+0.01}	5.37 ^{+0.01}	S
...	11759	6022	71	245565.638	-9.97	29	-17.5 ^{+0.2}	...	16.0 ^{+1.0}	...	2399.4 ^{+0.5}	...	5.44 ^{+0.02}	...	S
...	11759	6022	71	2455951.535	-19.01	40	-15.4 ^{+0.3}	...	21.3 ^{+1.0}	...	2399.6 ^{+0.3}	...	5.47 ^{+0.02}	...	S
2M0952+0620	10515	2489	247	2458824.013	28.84	15	12.2 ^{+0.4}	12.8 ^{+0.3}	19.8 ^{+1.0}	17.2 ^{+1.0}	2399.3 ^{+0.4}	2399.3 ^{+0.2}	4.21 ^{+0.05}	4.44 ^{+0.01}	S
...	10515	2489	247	2458824.965	28.81	16	12.5 ^{+0.4}	...	18.1 ^{+1.3}	...	2399.1 ^{+0.6}	...	4.37 ^{+0.03}	...	S
...	10515	2489	247	2458879.845	9.27	25	13.2 ^{+0.4}	...	16.2 ^{+1.0}	...	2399.2 ^{+0.5}	...	4.61 ^{+0.02}	...	S
...	10515	2489	247	2458880.834	8.80	21	13.1 ^{+0.4}	...	16.2 ^{+1.0}	...	2399.4 ^{+0.4}	...	4.42 ^{+0.01}	...	S

Table 4 continued

Table 4 (continued)

APOGEE DR17 ULTRACOOL DWARFS															
APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)					
2M1003-0105	11836	2682	96	2455849.914	23.73	40	24.4 ^{+0.3} _{-0.3}	24.0 ^{+0.3} _{-0.5}	33.0 ^{+1.2} _{-1.0}	32.7 ^{+1.0} _{-1.0}	2399.2 ^{+0.6} _{-0.9}	2399.3 ^{+0.4} _{-0.9}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	11836	2682	96	2455854.961	21.91	42	23.8 ^{+0.2} _{-0.3}	... 3.7 ^{+0.3} _{-0.3}	32.3 ^{+1.0} _{-1.0}	... 3.9 ^{+0.3} _{-0.4}	2399.3 ^{+0.5} _{-1.2}	2399.4 ^{+0.3} _{-0.7}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
2M1013+0000	10846	2504	186	2455900.805	2.19	40	4.6 ^{+0.4} _{-0.3}	10.2 ^{+1.1} _{-1.2}	8.5 ^{+1.3} _{-1.9}	10.2 ^{+1.1} _{-1.1}	2399.4 ^{+0.3} _{-0.7}	5.01 ^{+0.02} _{-0.03}	4.86 ^{+0.02} _{-0.02}	4.86 ^{+0.02} _{-0.02}	S
...	10846	2504	186	2455904.828	0.03	24	4.3 ^{+0.3} _{-0.3}	... 10.9 ^{+1.3} _{-1.1}	10.9 ^{+1.3} _{-1.1}	... 11.2 ^{+1.0} _{-1.1}	2399.4 ^{+0.4} _{-0.9}	4.65 ^{+0.05} _{-0.02}	4.65 ^{+0.05} _{-0.02}	4.65 ^{+0.05} _{-0.02}	S
2M1022+0032	11838	2685	203	2455873.866	16.38	15	30.7 ^{+0.3} _{-0.3}	34.0 ^{+0.3} _{-0.5}	10.8 ^{+1.2} _{-1.0}	11.2 ^{+1.0} _{-1.1}	2399.2 ^{+0.3} _{-0.4}	2399.2 ^{+0.3} _{-0.4}	5.27 ^{+0.03} _{-0.08}	5.27 ^{+0.03} _{-0.08}	S
...	11838	2685	203	2455874.872	15.92	14	46.6 ^{+0.4} _{-0.4}	... 9.1 ^{+1.3} _{-1.1}	9.1 ^{+1.3} _{-1.1}	... 9.1 ^{+0.7} _{-1.3}	2399.0 ^{+0.7} _{-1.3}	5.21 ^{+0.03} _{-0.02}	5.21 ^{+0.03} _{-0.02}	5.21 ^{+0.03} _{-0.02}	S
2M1024+1815	11707	6011	231	2455877.817	14.69	12	31.8 ^{+0.3} _{-0.3}	... 12.6 ^{+1.1} _{-1.0}	12.6 ^{+1.1} _{-1.0}	... 12.6 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	5.16 ^{+0.04} _{-0.04}	5.16 ^{+0.04} _{-0.04}	5.16 ^{+0.04} _{-0.04}	S
...	11707	6011	184	2455827.793	4.12	60	8.2 ^{+0.2} _{-0.2}	... 5.6 ^{+1.0} _{-1.0}	8.2 ^{+0.2} _{-0.2}	4.0 ^{+1.0} _{-1.0}	< 10	2399.5 ^{+0.4} _{-0.9}	5.48 ^{+0.01} _{-0.4}	5.48 ^{+0.01} _{-0.01}	S
2M1032+0630	10520	2494	242	2455850.635	-18.34	114	13.3 ^{+0.2} _{-0.2}	13.2 ^{+0.3} _{-0.4}	9.8 ^{+1.0} _{-1.6}	10.7 ^{+1.0} _{-1.1}	< 10	2399.6 ^{+0.2} _{-0.6}	5.2 ^{+0.02} _{-0.01}	5.2 ^{+0.02} _{-0.01}	S
...	10520	2494	242	2455851.665	-18.82	105	12.9 ^{+0.3} _{-0.3}	12.9 ^{+0.3} _{-0.3}	10.6 ^{+1.1} _{-1.1}	10.6 ^{+1.1} _{-1.1}	... 2399.6 ^{+0.3} _{-0.3}	5.2 ^{+0.07} _{-0.07}	5.2 ^{+0.07} _{-0.07}	5.2 ^{+0.07} _{-0.07}	S
2M1037+3011	6770	4506	260	2456402.619	-24.00	12	8.2 ^{+0.3} _{-0.3}	8.0 ^{+0.3} _{-0.4}	14.1 ^{+1.0} _{-1.9}	13.1 ^{+1.0} _{-1.1}	2399.4 ^{+0.4} _{-1.0}	2399.5 ^{+0.3} _{-0.6}	5.48 ^{+0.01} _{-0.01}	5.48 ^{+0.01} _{-0.01}	S
...	6770	4506	158	2456407.688	-25.26	14	7.9 ^{+0.3} _{-0.3}	... 12.5 ^{+1.1} _{-1.0}	12.5 ^{+1.1} _{-1.0}	... 13.4 ^{+1.2} _{-1.3}	2399.2 ^{+0.5} _{-1.1}	5.45 ^{+0.03} _{-0.04}	5.45 ^{+0.03} _{-0.04}	5.45 ^{+0.03} _{-0.04}	S
2M1054-8505	9464	5231	193	2458116.869	4.00	28	-11.3 ^{+0.2} _{-0.2}	-10.8 ^{+0.3} _{-0.4}	10.8 ^{+1.2} _{-1.0}	10.7 ^{+1.0} _{-1.1}	2399.4 ^{+0.3} _{-0.7}	2399.6 ^{+0.3} _{-0.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	9464	5231	192	2458213.609	10.23	34	-9.1 ^{+0.2} _{-0.2}	... 10.7 ^{+1.0} _{-1.0}	10.7 ^{+1.0} _{-1.0}	... 13.1 ^{+1.0} _{-1.1}	2399.4 ^{+0.4} _{-1.0}	2399.5 ^{+0.3} _{-0.6}	5.32 ^{+0.02} _{-0.01}	5.32 ^{+0.02} _{-0.01}	S
2M1054+0503	11828	2658	270	2458877.908	17.20	30	-20.2 ^{+0.2} _{-0.2}	-20.2 ^{+0.3} _{-0.4}	9.0 ^{+1.2} _{-1.0}	< 10	2399.3 ^{+0.5} _{-1.3}	2399.4 ^{+0.4} _{-1.0}	5.48 ^{+0.01} _{-0.01}	5.48 ^{+0.01} _{-0.01}	S
...	11828	2658	270	2458880.906	15.84	11	-20.2 ^{+0.4} _{-0.4}	... 13.4 ^{+1.1} _{-1.3}	13.4 ^{+1.1} _{-1.3}	... 13.4 ^{+0.6} _{-1.7}	2399.2 ^{+0.6} _{-1.7}	5.19 ^{+0.03} _{-0.03}	5.19 ^{+0.03} _{-0.03}	5.19 ^{+0.03} _{-0.03}	S
2M1057+2217	8448	2165	215	2457123.784	-19.84	45	11.7 ^{+0.2} _{-0.2}	11.7 ^{+0.3} _{-0.3}	9.5 ^{+1.4} _{-1.3}	< 10	2399.4 ^{+0.5} _{-0.8}	2399.5 ^{+0.3} _{-0.5}	5.25 ^{+0.02} _{-0.03}	5.25 ^{+0.02} _{-0.03}	S
...	8448	2165	215	2457129.723	-21.76	85	11.7 ^{+0.2} _{-0.2}	... 8.9 ^{+1.2} _{-1.0}	8.9 ^{+1.2} _{-1.0}	... 9.0 ^{+1.2} _{-1.0}	2399.6 ^{+0.3} _{-0.6}	5.33 ^{+0.03} _{-0.3}	5.33 ^{+0.03} _{-0.3}	5.33 ^{+0.03} _{-0.3}	S
2M1119+0820	7351	4510	265	2456674.908	23.45	33	-45.1 ^{+0.2} _{-0.2}	-45.0 ^{+0.3} _{-0.4}	8.7 ^{+1.5} _{-1.5}	< 10	2399.5 ^{+0.4} _{-0.9}	2399.5 ^{+0.2} _{-0.5}	4.56 ^{+0.02} _{-0.02}	4.34 ^{+0.01} _{-0.01}	S
...	7351	4510	264	2456706.842	9.71	22	-44.8 ^{+0.3} _{-0.2}	... 10.6 ^{+1.5} _{-1.0}	10.6 ^{+1.5} _{-1.0}	... 10.6 ^{+1.5} _{-1.0}	2399.4 ^{+0.5} _{-0.5}	5.13 ^{+0.02} _{-0.02}	5.13 ^{+0.02} _{-0.02}	5.13 ^{+0.02} _{-0.02}	S
...	7351	4510	270	2456726.784	-0.53	17	-45.0 ^{+0.2} _{-0.2}	... 10.9 ^{+1.7} _{-1.3}	10.9 ^{+1.7} _{-1.3}	... 10.9 ^{+1.7} _{-1.3}	2399.5 ^{+0.4} _{-0.8}	4.11 ^{+0.03} _{-0.03}	4.11 ^{+0.03} _{-0.03}	4.11 ^{+0.03} _{-0.03}	S
2M1120+0704	7351	4510	72	2456674.908	23.71	38	-15.1 ^{+0.3} _{-0.3}	-14.4 ^{+0.3} _{-0.4}	9.2 ^{+1.0} _{-1.0}	< 10	2399.5 ^{+0.3} _{-0.8}	2399.5 ^{+0.2} _{-0.4}	5.11 ^{+0.03} _{-0.02}	5.11 ^{+0.03} _{-0.02}	S
...	7351	4510	90	2456706.842	10.06	34	-13.8 ^{+0.3} _{-0.2}	... 5.7 ^{+1.1} _{-1.1}	5.7 ^{+1.1} _{-1.1}	... 5.7 ^{+1.1} _{-1.1}	2399.2 ^{+0.5} _{-1.1}	5.04 ^{+0.03} _{-0.03}	5.04 ^{+0.03} _{-0.03}	5.04 ^{+0.03} _{-0.03}	S
...	9850	5306	67	2456726.784	-0.17	34	-14.4 ^{+0.4} _{-0.3}	... 7.4 ^{+1.3} _{-1.2}	7.4 ^{+1.3} _{-1.2}	... 7.4 ^{+1.3} _{-1.2}	2399.5 ^{+0.3} _{-0.5}	5.14 ^{+0.04} _{-0.04}	5.14 ^{+0.04} _{-0.04}	5.14 ^{+0.04} _{-0.04}	S
2M1121+2126	8450	2167	115	2457405.939	20.66	67	-0.3 ^{+0.2} _{-0.2}	-0.3 ^{+0.3} _{-0.3}	12.4 ^{+1.0} _{-1.0}	12.4 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.7}	2399.3 ^{+0.5} _{-0.7}	5.09 ^{+0.01} _{-0.01}	5.09 ^{+0.01} _{-0.01}	S
...	9850	5306	53	2458243.588	-23.28	56	0.2 ^{+0.3} _{-0.3}	... 17.6 ^{+1.0} _{-0.4}	17.6 ^{+1.0} _{-0.4}	... 18.3 ^{+1.0} _{-1.0}	2399.0 ^{+0.6} _{-1.4}	5.5 ^{+0.0} _{-0.6}	5.5 ^{+0.0} _{-0.6}	5.5 ^{+0.0} _{-0.6}	S
...	9850	5306	47	2458263.529	-27.78	48	0.4 ^{+0.3} _{-0.2}	... 19.7 ^{+1.0} _{-1.2}	19.7 ^{+1.0} _{-1.2}	... 19.7 ^{+1.0} _{-1.2}	2399.3 ^{+0.6} _{-1.0}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	S
2M1153+2057	8801	5165	287	2457390.974	26.60	16	-1.6 ^{+0.4} _{-0.4}	-0.7 ^{+0.3} _{-0.4}	20.0 ^{+1.0} _{-1.0}	19.1 ^{+1.0} _{-1.0}	2399.1 ^{+1.0} _{-0.6}	2399.3 ^{+0.3} _{-0.7}	4.64 ^{+0.02} _{-0.01}	4.62 ^{+0.01} _{-0.01}	S
...	8801	5165	284	2457411.956	20.75	16	-1.2 ^{+0.4} _{-0.4}	... 20.2 ^{+1.0} _{-1.7}	20.2 ^{+1.0} _{-1.7}	... 20.2 ^{+1.0} _{-1.7}	2399.4 ^{+1.1} _{-0.5}	4.47 ^{+0.07} _{-0.05}	4.47 ^{+0.07} _{-0.05}	4.47 ^{+0.07} _{-0.05}	S
...	8802	5165	280	2457414.923	19.75	12	-0.6 ^{+0.4} _{-0.4}	... 23.3 ^{+1.8} _{-1.0}	23.3 ^{+1.8} _{-1.0}	... 23.3 ^{+1.8} _{-1.0}	2399.2 ^{+1.2} _{-0.6}	4.43 ^{+0.03} _{-0.1}	4.43 ^{+0.03} _{-0.1}	4.43 ^{+0.03} _{-0.1}	S
...	8801	5165	299	2457414.978	19.60	13	0.3 ^{+0.4} _{-0.3}	... 25.5 ^{+1.0} _{-1.0}	25.5 ^{+1.0} _{-1.0}	... 25.5 ^{+1.0} _{-1.0}	2399.3 ^{+0.9} _{-0.5}	4.13 ^{+0.07} _{-0.07}	4.13 ^{+0.07} _{-0.07}	4.13 ^{+0.07} _{-0.07}	S
...	8801	5165	287	2457446.839	5.74	13	-1.4 ^{+0.3} _{-0.3}	... 20.0 ^{+1.0} _{-1.9}	20.0 ^{+1.0} _{-1.9}	... 20.0 ^{+1.0} _{-1.9}	2399.4 ^{+1.0} _{-0.4}	4.47 ^{+0.05} _{-0.07}	4.47 ^{+0.05} _{-0.07}	4.47 ^{+0.05} _{-0.07}	S
...	8801	5165	287	2457464.784	-3.08	15	-1.0 ^{+0.3} _{-0.3}	... 19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	... 19.8 ^{+1.0} _{-1.0}	2399.3 ^{+0.7} _{-0.6}	4.66 ^{+0.02} _{-0.01}	4.66 ^{+0.02} _{-0.01}	4.66 ^{+0.02} _{-0.01}	S

Table 4 *continued*

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\theta}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	8802	51065	279	2457466.793	-4.08	15	-0.5 ^{+0.3}	...	18.0 ^{+1.0}	...	2399.4 ^{+1.0}	...	4.67 ^{+0.06}	...	S
...	8802	51065	297	2457475.741	-8.25	12	-0.1 ^{+0.4}	...	23.7 ^{+1.0}	...	2399.3 ^{+1.2}	...	4.36 ^{+0.03}	...	S
...	8802	51065	297	2457476.763	-8.78	13	0.0 ^{+0.4}	...	21.8 ^{+1.0}	...	2399.3 ^{+0.9}	...	4.42 ^{+0.04}	...	S
...	9018	51065	298	2457528.632	-26.06	11	0.8 ^{+0.5}	...	21.7 ^{+1.0}	...	2399.1 ^{+1.3}	...	4.61 ^{+0.14}	...	S
...	9019	51065	286	2457532.635	-26.68	16	-1.1 ^{+0.3}	...	17.9 ^{+1.0}	...	2399.4 ^{+0.9}	...	4.58 ^{+0.01}	...	S
...	9018	51065	273	2457738.009	28.73	16	-0.3 ^{+0.5}	...	16.2 ^{+1.0}	...	2399.5 ^{+0.9}	...	4.66 ^{+0.03}	...	S
...	9018	51065	292	2457764.963	24.57	11	-1.3 ^{+0.3}	...	23.6 ^{+1.0}	...	2399.1 ^{+1.4}	...	4.36 ^{+0.03}	...	S
...	9019	51065	285	2457800.911	10.97	14	-0.9 ^{+0.3}	...	18.0 ^{+1.8}	...	2399.2 ^{+1.0}	...	4.69 ^{+0.11}	...	S
...	9019	51065	280	2457829.871	-3.16	15	-0.9 ^{+0.3}	...	16.3 ^{+1.0}	...	2399.3 ^{+1.1}	...	4.6 ^{+0.02}	...	S
...	9019	51065	273	2457832.862	-4.61	22	-0.4 ^{+0.3}	...	14.1 ^{+1.6}	...	2399.3 ^{+0.8}	...	4.77 ^{+0.03}	...	S
...	9019	51065	286	2457850.823	-12.90	18	-0.3 ^{+0.4}	...	19.7 ^{+1.9}	...	2399.4 ^{+0.8}	...	4.64 ^{+0.03}	...	S
2M1208+3520	8554	2210	115	2457152.746	-22.09	30	28.8 ^{+0.2}	29.2 ^{+0.3}	10.8 ^{+1.4}	13.7 ^{+1.0}	2399.4 ^{+0.3}	...	4.88 ^{+0.02}	4.86 ^{+0.01}	S
...	8554	2210	115	2457159.760	-23.34	19	30.1 ^{+0.3}	...	14.3 ^{+1.0}	...	2399.4 ^{+0.4}	...	4.82 ^{+0.03}	...	S
2M1220+3315	12483	2784	1	2458928.890	-4.21	16	11.1 ^{+0.4}	11.2 ^{+0.3}	9.1 ^{+1.1}	< 10	2399.1 ^{+0.7}	2399.1 ^{+0.5}	5.18 ^{+0.04}	5.19 ^{+0.03}	S
...	12483	2784	1	2458929.883	-4.63	14	11.2 ^{+0.3}	...	8.9 ^{+1.4}	...	2399.1 ^{+0.7}	...	5.21 ^{+0.04}	...	S
2M1220+2525	7437	4216	109	2456815.666	-26.41	11	14.8 ^{+0.3}	14.8 ^{+0.3}	25.6 ^{+1.2}	25.6 ^{+1.0}	2399.2 ^{+0.5}	2399.2 ^{+0.5}	4.85 ^{+0.02}	4.85 ^{+0.02}	S
2M1221+4632	8263	2118	186	2457121.699	-12.60	49	-10.4 ^{+0.3}	-10.4 ^{+0.3}	29.1 ^{+1.0}	29.1 ^{+1.0}	2398.6 ^{+0.9}	2399.0 ^{+0.5}	5.43 ^{+0.05}	5.03 ^{+0.02}	S
...	8263	2118	186	2457122.753	-13.01	43	-10.7 ^{+0.4}	...	47.9 ^{+2.1}	...	2399.2 ^{+0.6}	...	4.88 ^{+0.02}	...	S
2M1225+2517	7435	4216	31	2456756.676	-10.34	16	7.5 ^{+0.4}	7.2 ^{+0.3}	32.9 ^{+1.0}	32.9 ^{+1.0}	2399.3 ^{+0.5}	2399.3 ^{+0.5}	4.86 ^{+0.03}	4.85 ^{+0.01}	S
...	7438	4216	31	2456790.632	-22.04	13	7.1 ^{+0.7}	...	34.7 ^{+2.2}	...	2399.3 ^{+0.5}	...	4.81 ^{+0.05}	...	S
...	7438	4216	144	2456814.643	-26.14	16	8.9 ^{+0.4}	...	29.3 ^{+1.1}	...	2399.1 ^{+0.6}	...	5.07 ^{+0.05}	...	S
...	7437	4216	43	2456815.666	-26.27	13	6.7 ^{+0.6}	...	34.9 ^{+1.1}	...	2399.1 ^{+0.7}	...	4.65 ^{+0.03}	...	S
...	7438	4216	43	2456818.645	-26.40	14	6.7 ^{+0.7}	...	32.9 ^{+1.0}	...	2399.3 ^{+0.5}	...	4.9 ^{+0.02}	...	S
...	7437	4216	126	2456819.640	-26.44	12	7.2 ^{+0.3}	...	30.1 ^{+1.5}	...	2398.6 ^{+1.0}	...	4.95 ^{+0.07}	...	S
...	7437	4216	37	2456824.642	-26.58	16	5.6 ^{+0.6}	...	33.1 ^{+1.8}	...	2399.4 ^{+0.4}	...	4.83 ^{+0.04}	...	S
2M1226+5605	6768	4501	103	2456407.751	-15.90	51	4.3 ^{+0.2}	4.1 ^{+0.3}	11.0 ^{+1.1}	10.6 ^{+1.0}	2399.3 ^{+0.5}	2399.3 ^{+0.2}	5.47 ^{+0.02}	5.42 ^{+0.01}	S
...	6768	4501	43	2456435.640	-18.13	42	4.1 ^{+0.5}	...	10.7 ^{+1.5}	...	2399.3 ^{+0.5}	...	5.47 ^{+0.02}	...	S
...	6768	4501	144	2456440.627	-18.12	18	6.1 ^{+0.3}	...	14.6 ^{+1.8}	...	2399.2 ^{+0.6}	...	4.84 ^{+0.04}	...	S
...	6768	4501	139	2456671.967	-21.95	13	2.1 ^{+0.4}	...	11.6 ^{+1.0}	...	2399.3 ^{+0.5}	...	5.41 ^{+0.02}	...	S
...	6768	4501	139	2456672.990	11.77	77	3.8 ^{+0.2}	...	10.0 ^{+1.0}	...	2399.5 ^{+0.4}	...	5.47 ^{+0.01}	...	S
2M1226+2505	7435	4216	132	2456756.676	-10.17	20	1.6 ^{+0.4}	1.6 ^{+0.3}	12.5 ^{+1.1}	18.2 ^{+1.0}	2399.0 ^{+0.8}	2399.3 ^{+0.2}	5.11 ^{+0.02}	4.75 ^{+0.01}	S
...	7435	4216	31	2456761.646	-12.19	13	2.1 ^{+0.5}	...	22.1 ^{+1.7}	...	2399.1 ^{+0.7}	...	4.35 ^{+0.04}	...	S
...	7438	4216	36	2456790.632	-21.95	13	2.1 ^{+0.4}	...	25.5 ^{+3.7}	...	2399.4 ^{+0.4}	...	4.37 ^{+0.03}	...	S
...	7438	4216	139	2456814.643	-26.11	19	1.9 ^{+0.3}	...	12.4 ^{+1.0}	...	2399.2 ^{+0.6}	...	4.65 ^{+0.03}	...	S
...	7437	4216	90	2456815.666	-26.24	17	1.5 ^{+0.5}	...	17.9 ^{+1.0}	...	2399.3 ^{+0.5}	...	4.64 ^{+0.02}	...	S
...	7438	4216	48	2456818.645	-26.39	18	1.2 ^{+0.3}	...	17.4 ^{+1.1}	...	2399.4 ^{+0.5}	...	4.66 ^{+0.03}	...	S

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	7437	4216	90	2456819.640	-26.43	11	2.0 ^{+0.4} _{-0.6}	...	23.4 ^{+1.0} _{-1.9}	...	2399.3 ^{+0.5} _{-0.9}	...	4.17 ^{+0.07} _{-0.05}	...	S
...	7437	4216	85	2456824.642	-26.58	16	1.1 ^{+0.3} _{-0.3}	...	21.7 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.9}	...	4.55 ^{+0.06} _{-0.11}	...	S
2M1226+2543	7435	4216	37	2456756.676	-10.23	15	0.3 ^{+0.5} _{-1.2}	-0.2 ^{+0.3} _{-0.4}	13.1 ^{+1.6} _{-1.4}	12.7 ^{+1.0} _{-1.1}	3051.2 ^{+13.0} _{-13.9}	3030.1 ^{+4.2} _{-4.1}	5.49 ^{+0.0} _{-0.01}	5.49 ^{+0.0} _{-0.0}	B
...	7435	4216	37	2456761.646	-12.23	13	-0.2 ^{+0.8} _{-0.7}	...	13.4 ^{+1.4} _{-1.4}	...	2933.9 ^{+2.6} _{-17.1}	...	5.4 ^{+0.06} _{-0.05}	...	B
...	7438	4216	79	2456790.632	-21.90	13	0.9 ^{+0.7} _{-1.1}	...	13.7 ^{+1.3} _{-1.6}	...	3044.2 ^{+13.1} _{-7.7}	...	5.49 ^{+0.0} _{-0.01}	...	B
...	7438	4216	85	2456814.643	-26.00	18	-0.5 ^{+0.2} _{-0.2}	...	12.4 ^{+1.3} _{-1.8}	...	2993.9 ^{+36.9} _{-22.9}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	7437	4216	36	2456815.666	-26.13	16	0.3 ^{+0.3} _{-0.3}	...	11.6 ^{+1.6} _{-1.4}	...	2977.6 ^{+10.0} _{-19.1}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	7438	4216	31	2456818.645	-26.27	18	0.6 ^{+0.3} _{-0.3}	...	12.8 ^{+1.3} _{-1.1}	...	3064.1 ^{+11.1} _{-7.2}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	7437	4216	48	2456819.640	-26.31	11	0.5 ^{+0.3} _{-0.3}	...	13.0 ^{+1.3} _{-1.3}	...	3065.8 ^{+16.5} _{-18.9}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	7437	4216	97	2456824.642	-26.45	18	-1.0 ^{+0.2} _{-0.3}	...	11.7 ^{+1.3} _{-1.4}	...	3014.2 ^{+7.0} _{-11.3}	...	5.49 ^{+0.0} _{-0.01}	...	B
2M1227+2541	7435	4216	84	2456756.676	-10.21	17	2.4 ^{+0.4} _{-0.3}	2.6 ^{+0.3} _{-0.4}	21.7 ^{+2.0} _{-1.0}	19.6 ^{+1.0} _{-1.0}	2399.4 ^{+0.1} _{-0.9}	2399.5 ^{+0.1} _{-0.3}	3.9 ^{+0.17} _{-0.09}	4.36 ^{+0.01} _{-0.01}	S
...	7435	4216	84	2456761.646	-12.21	16	2.3 ^{+0.4} _{-0.4}	...	27.1 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.7}	...	4.12 ^{+0.03} _{-0.03}	...	S
...	7438	4216	80	2456790.632	-21.89	14	2.2 ^{+0.5} _{-0.5}	...	25.4 ^{+2.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.6}	...	4.12 ^{+0.05} _{-0.05}	...	S
...	7438	4216	89	2456814.643	-26.00	20	3.5 ^{+0.3} _{-0.3}	...	17.9 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.6}	...	4.35 ^{+0.03} _{-0.04}	...	S
...	7437	4216	73	2456815.666	-26.13	18	3.0 ^{+0.3} _{-0.4}	...	19.7 ^{+1.0} _{-1.7}	...	2399.3 ^{+0.5} _{-0.8}	...	4.82 ^{+0.03} _{-0.04}	...	S
...	7438	4216	32	2456818.645	-26.27	18	1.9 ^{+0.7} _{-0.6}	...	19.7 ^{+1.0} _{-2.0}	...	2399.4 ^{+0.4} _{-0.9}	...	4.39 ^{+0.03} _{-0.02}	...	S
...	7437	4216	36	2456824.642	-26.46	16	2.0 ^{+0.3} _{-0.3}	...	17.9 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-1.0}	...	4.12 ^{+0.03} _{-0.03}	...	S
2M1231+5130	11832	2668	186	2458607.681	-17.29	44	8.9 ^{+0.3} _{-0.3}	8.9 ^{+0.3} _{-0.4}	7.8 ^{+1.1} _{-1.4}	< 10	2399.3 ^{+0.6} _{-0.9}	2399.3 ^{+0.6} _{-0.9}	5.41 ^{+0.02} _{-0.02}	5.41 ^{+0.02} _{-0.02}	S
2M1248-0235	8916	5183	153	2457438.943	19.99	18	31.4 ^{+0.4} _{-0.4}	31.3 ^{+0.3} _{-0.4}	14.1 ^{+1.0} _{-1.0}	15.3 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-1.0}	2399.2 ^{+0.2} _{-0.3}	4.62 ^{+0.04} _{-0.01}	4.63 ^{+0.01} _{-0.01}	S
...	8916	5183	154	2457446.894	16.76	17	30.9 ^{+0.3} _{-0.3}	...	12.5 ^{+1.4} _{-1.0}	...	2399.3 ^{+0.5} _{-1.2}	...	4.84 ^{+0.02} _{-0.03}	...	S
...	8929	5183	155	2457447.938	16.19	19	31.9 ^{+0.3} _{-0.3}	...	14.2 ^{+1.0} _{-1.0}	...	2399.2 ^{+0.6} _{-1.1}	...	4.75 ^{+0.03} _{-0.04}	...	S
...	8929	5183	152	2457450.928	14.85	17	32.3 ^{+0.3} _{-0.3}	...	14.2 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.6}	...	4.63 ^{+0.03} _{-0.02}	...	S
...	9013	5183	152	2457495.778	-7.44	15	31.8 ^{+0.5} _{-0.5}	...	16.1 ^{+1.3} _{-1.3}	...	2399.3 ^{+0.5} _{-0.5}	...	4.59 ^{+0.04} _{-0.04}	...	S
...	9014	5183	153	2457496.746	-7.84	13	31.6 ^{+0.3} _{-0.3}	...	16.2 ^{+1.4} _{-1.0}	...	2399.1 ^{+0.7} _{-0.8}	...	4.57 ^{+0.05} _{-0.05}	...	S
...	9014	5183	154	2457502.757	-10.76	13	31.4 ^{+0.6} _{-0.6}	...	16.1 ^{+1.1} _{-1.0}	...	2399.0 ^{+0.7} _{-1.1}	...	4.44 ^{+0.07} _{-0.03}	...	S
...	9013	5183	152	2457503.760	-11.25	16	31.4 ^{+0.3} _{-0.3}	...	12.7 ^{+1.7} _{-1.0}	...	2399.3 ^{+0.5} _{-0.9}	...	4.69 ^{+0.05} _{-0.05}	...	S
...	9013	5183	176	2457521.688	-18.85	11	31.3 ^{+0.4} _{-0.4}	...	15.1 ^{+1.0} _{-1.3}	...	2399.1 ^{+0.7} _{-1.6}	...	4.7 ^{+0.02} _{-0.02}	...	S
...	9014	5183	171	2457522.685	-19.22	17	31.2 ^{+0.3} _{-0.3}	...	13.6 ^{+1.1} _{-1.6}	...	2399.1 ^{+0.6} _{-1.1}	...	4.69 ^{+0.05} _{-0.05}	...	S
...	9013	5183	173	2457529.652	-21.64	11	30.7 ^{+0.4} _{-0.4}	...	18.0 ^{+1.3} _{-1.8}	...	2399.2 ^{+0.6} _{-1.0}	...	4.39 ^{+0.04} _{-0.04}	...	S
...	9014	5183	154	2457792.955	24.07	13	30.5 ^{+0.4} _{-0.3}	...	21.5 ^{+1.0} _{-1.7}	...	2399.0 ^{+0.7} _{-1.9}	...	4.61 ^{+0.04} _{-0.03}	...	S
...	9014	5183	154	2457793.957	23.73	11	31.0 ^{+0.4} _{-0.4}	...	22.1 ^{+1.9} _{-1.1}	...	2399.1 ^{+0.7} _{-0.8}	...	4.49 ^{+0.06} _{-0.07}	...	S
2M1248-0157	8916	5183	162	2457438.943	19.88	13	13.7 ^{+0.4} _{-0.5}	14.3 ^{+0.4} _{-0.5}	18.9 ^{+2.9} _{-1.6}	18.2 ^{+1.2} _{-1.2}	3077.6 ^{+14.4} _{-15.6}	3070.7 ^{+8.1} _{-7.8}	5.46 ^{+0.02} _{-0.03}	5.46 ^{+0.02} _{-0.03}	B
...	8916	5183	259	2457446.894	16.64	13	14.5 ^{+0.3} _{-0.3}	...	18.1 ^{+1.2} _{-1.1}	...	3068.0 ^{+9.7} _{-6.6}	...	5.46 ^{+0.03} _{-0.03}	...	B
...	8929	5183	270	2457447.938	16.07	12	13.0 ^{+0.1} _{-0.3}	...	20.7 ^{+1.8} _{-1.5}	...	3072.9 ^{+5.6} _{-5.8}	...	5.37 ^{+0.07} _{-0.07}	...	B
...	8929	5183	264	2457450.928	14.74	12	13.5 ^{+0.3} _{-0.3}	...	21.8 ^{+2.0} _{-2.0}	...	2932.0 ^{+33.9} _{-19.4}	...	5.35 ^{+0.07} _{-0.05}	...	B
...	9013	5183	161	2457495.778	-7.55	12	12.5 ^{+0.3} _{-0.4}	...	21.0 ^{+1.5} _{-1.7}	...	3090.7 ^{+7.8} _{-13.3}	...	5.45 ^{+0.03} _{-0.06}	...	B

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	9014	5183	263	2457502.757	-10.87	10	13.0 ^{+0.3} _{-0.3}	...	20.0 ^{+1.7} _{-1.5}	...	3061.5 ^{+18.8} _{-9.7}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	9013	5183	161	2457503.760	-11.35	11	12.4 ^{+0.4} _{-0.4}	...	17.8 ^{+1.3} _{-1.6}	...	3074.9 ^{+15.4} _{-14.5}	...	5.41 ^{+0.02} _{-0.06}	...	B
2M1249+5255	11019	2523	283	2458542.878	1.00	19	-56.1 ^{+0.3} _{-0.3}	-56.8 ^{+0.3} _{-0.4}	10.2 ^{+1.1} _{-1.6}	10.4 ^{+1.0} _{-1.1}	2399.5 ^{+0.4} _{-0.6}	2399.4 ^{+0.3} _{-0.6}	4.98 ^{+0.01} _{-0.01}	...	S
...	11019	2523	283	2458543.899	0.63	15	-57.0 ^{+0.2} _{-0.3}	...	11.1 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-1.2}	...	4.9 ^{+0.02} _{-0.02}	...	S
...	11761	2670	60	2458578.766	-9.92	25	-57.0 ^{+0.3} _{-0.3}	...	3.8 ^{+1.1} _{-1.3}	...	2399.2 ^{+0.6} _{-1.2}	...	5.22 ^{+0.03} _{-0.03}	...	S
2M1250+4256	7345	4485	288	2456734.900	-2.53	10	-6.6 ^{+0.4} _{-0.8}	-6.6 ^{+0.4} _{-0.8}	10.9 ^{+1.2} _{-1.1}	10.9 ^{+1.2} _{-1.1}	3028.5 ^{+14.6} _{-11.0}	3028.5 ^{+14.6} _{-11.0}	5.49 ^{+0.01} _{-0.01}	...	B
2M1252+2528	11871	2647	42	2458627.681	-22.59	34	9.4 ^{+0.3} _{-0.3}	9.4 ^{+0.4} _{-0.4}	12.6 ^{+1.2} _{-1.0}	12.6 ^{+1.2} _{-1.0}	2399.3 ^{+0.5} _{-1.1}	2399.3 ^{+0.5} _{-1.1}	5.41 ^{+0.02} _{-0.02}	...	S
2M1300+3557	8323	2133	217	2457888.641	-19.08	18	-24.6 ^{+0.4} _{-0.4}	-24.6 ^{+0.3} _{-0.5}	19.7 ^{+1.0} _{-2.0}	17.7 ^{+1.0} _{-2.1}	2399.2 ^{+0.6} _{-0.5}	2399.2 ^{+0.3} _{-0.5}	4.41 ^{+0.03} _{-0.02}	...	S
...	8323	2133	217	2457889.742	-19.51	11	-24.6 ^{+0.3} _{-0.3}	...	16.2 ^{+1.3} _{-1.0}	...	2399.3 ^{+0.5} _{-0.7}	...	4.34 ^{+0.03} _{-0.03}	...	S
...	8323	2133	217	2457891.776	-19.99	12	-24.2 ^{+0.6} _{-0.7}	...	18.1 ^{+1.3} _{-1.9}	...	2398.9 ^{+0.9} _{-0.9}	...	4.5 ^{+0.08} _{-0.09}	...	S
...	8323	2133	217	2457892.727	-20.10	15	-24.8 ^{+0.6} _{-0.5}	...	15.6 ^{+1.2} _{-1.6}	...	2399.2 ^{+0.6} _{-0.6}	...	4.4 ^{+0.11} _{-0.05}	...	S
2M1302+3227	12484	2785	186	2458988.897	12.47	18	7.2 ^{+0.3} _{-0.3}	6.8 ^{+0.3} _{-0.5}	25.5 ^{+1.3} _{-1.0}	25.7 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-0.4}	2399.4 ^{+0.2} _{-0.4}	4.46 ^{+0.03} _{-0.01}	...	S
...	12484	2785	186	245899.883	12.13	20	7.2 ^{+0.6} _{-0.6}	...	27.1 ^{+1.0} _{-2.0}	...	2399.3 ^{+0.5} _{-0.7}	...	4.63 ^{+0.02} _{-0.04}	...	S
...	12484	2785	186	2458904.980	9.95	30	6.6 ^{+0.2} _{-0.2}	...	25.4 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.3}	...	4.64 ^{+0.02} _{-0.02}	...	S
2M1303+2414	11009	2513	132	2458579.871	-5.02	22	-9.5 ^{+0.4} _{-0.6}	-9.3 ^{+0.3} _{-0.4}	29.2 ^{+1.0} _{-1.0}	27.4 ^{+1.0} _{-1.0}	2398.8 ^{+0.8} _{-1.6}	2399.1 ^{+0.3} _{-0.7}	5.33 ^{+0.01} _{-0.01}	...	S
...	11009	2513	132	2458580.728	-5.09	29	-9.3 ^{+0.5} _{-0.7}	...	25.4 ^{+1.0} _{-1.0}	...	2398.7 ^{+1.0} _{-1.3}	...	5.47 ^{+0.02} _{-0.03}	...	S
...	11010	2514	19	2458599.723	-13.03	19	-8.9 ^{+0.3} _{-0.3}	...	29.1 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.9}	...	4.9 ^{+0.01} _{-0.03}	...	S
...	11010	2514	19	2458601.759	-13.90	44	-9.5 ^{+0.3} _{-0.2}	...	21.8 ^{+1.3} _{-1.0}	...	2397.6 ^{+1.7} _{-3.1}	...	5.48 ^{+0.01} _{-0.02}	...	S
2M1306+7056	8913	5181	29	2457445.846	-4.33	12	15.0 ^{+0.3} _{-0.3}	15.3 ^{+0.3} _{-0.4}	10.8 ^{+1.2} _{-1.0}	11.8 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-0.8}	2399.4 ^{+0.5} _{-0.8}	4.19 ^{+0.02} _{-0.01}	...	S
...	8913	5181	119	2457448.840	-4.94	11	15.2 ^{+0.4} _{-0.4}	...	11.7 ^{+1.2} _{-1.4}	...	2399.3 ^{+0.5} _{-0.8}	...	4.34 ^{+0.05} _{-0.05}	...	S
...	8913	5181	29	2457463.788	-7.77	11	15.1 ^{+0.3} _{-0.3}	...	10.5 ^{+1.1} _{-1.1}	...	2399.5 ^{+0.4} _{-1.3}	...	4.12 ^{+0.05} _{-0.05}	...	S
...	8913	5181	26	2457493.689	-11.60	11	15.4 ^{+0.3} _{-0.4}	...	11.3 ^{+1.5} _{-1.3}	...	2399.4 ^{+0.4} _{-0.8}	...	3.87 ^{+0.05} _{-0.07}	...	S
...	9012	5181	26	2457497.758	-11.96	12	15.0 ^{+0.3} _{-0.3}	...	10.9 ^{+1.1} _{-1.0}	...	2399.4 ^{+0.4} _{-0.4}	...	4.37 ^{+0.04} _{-0.04}	...	S
...	9012	5181	133	2457503.703	-12.26	11	14.6 ^{+0.4} _{-0.3}	...	12.7 ^{+1.2} _{-1.0}	...	2399.2 ^{+0.6} _{-1.3}	...	4.34 ^{+0.05} _{-0.05}	...	S
...	9012	5181	133	2457522.629	-12.44	11	14.9 ^{+0.3} _{-0.3}	...	12.3 ^{+1.2} _{-1.3}	...	2399.3 ^{+0.5} _{-1.0}	...	4.17 ^{+0.03} _{-0.05}	...	S
...	9067	5181	133	2457795.965	-1.10	14	15.3 ^{+0.3} _{-0.3}	...	12.4 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.8}	...	4.28 ^{+0.04} _{-0.04}	...	S
...	9067	5181	113	2457801.949	-2.42	14	15.6 ^{+0.3} _{-0.2}	...	10.8 ^{+1.1} _{-1.0}	...	2399.5 ^{+0.4} _{-0.9}	...	4.16 ^{+0.04} _{-0.06}	...	S
...	9068	5181	29	2457820.885	-6.34	13	15.3 ^{+0.3} _{-0.2}	...	10.9 ^{+1.4} _{-1.1}	...	2399.4 ^{+0.4} _{-1.2}	...	3.68 ^{+0.11} _{-0.05}	...	S
...	9068	5181	26	2457827.854	-7.60	11	15.5 ^{+0.3} _{-0.3}	...	10.8 ^{+1.1} _{-1.0}	...	2399.6 ^{+0.3} _{-0.7}	...	4.11 ^{+0.06} _{-0.04}	...	S
...	9068	5181	26	2457831.885	-8.32	10	16.5 ^{+0.3} _{-0.2}	...	12.5 ^{+1.1} _{-1.0}	...	2399.2 ^{+0.6} _{-1.0}	...	3.67 ^{+0.18} _{-0.09}	...	S
2M1309-0203	6775	4514	173	2456409.747	-9.72	54	-13.3 ^{+0.3} _{-0.2}	-12.8 ^{+0.3} _{-0.4}	23.6 ^{+1.0} _{-1.0}	26.1 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-0.4}	2399.5 ^{+0.2} _{-0.4}	5.12 ^{+0.02} _{-0.01}	5.09 ^{+0.01} _{-0.01}	S
...	6775	4514	179	2456700.927	24.36	67	-12.9 ^{+0.3} _{-0.2}	...	25.8 ^{+1.1} _{-1.0}	...	2399.5 ^{+0.4} _{-0.7}	...	5.12 ^{+0.02} _{-0.02}	...	S
...	6775	4514	179	2456705.948	22.62	56	-12.9 ^{+0.2} _{-0.2}	...	25.4 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.7}	...	5.05 ^{+0.01} _{-0.02}	...	S
...	6775	4514	179	2456709.900	21.30	77	-12.6 ^{+0.2} _{-0.2}	...	27.3 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.7}	...	5.08 ^{+0.02} _{-0.03}	...	S
2M1312+7245	8913	5181	289	2457445.846	-4.84	15	-4.4 ^{+0.3} _{-0.5}	-3.4 ^{+0.3} _{-0.5}	38.4 ^{+1.3} _{-1.0}	41.3 ^{+1.0} _{-1.1}	2399.2 ^{+0.4} _{-0.5}	2399.2 ^{+0.4} _{-0.5}	4.83 ^{+0.01} _{-0.01}	...	S
...	8913	5181	300	2457463.788	-8.02	14	-3.7 ^{+0.8} _{-0.8}	...	45.7 ^{+1.8} _{-1.5}	...	2399.2 ^{+0.5} _{-0.5}	...	4.75 ^{+0.05} _{-0.05}	...	S

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\theta}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	8913	5181	289	2457493.689	-11.38	15	-4.1 ^{+0.9} _{-0.8}	...	44.0 ^{+2.0} _{-1.1}	...	2399.1 ^{+0.9} _{-0.7}	...	4.86 ^{+0.04} _{-0.04}	...	S
...	9012	5181	288	2457497.758	-11.66	12	-3.6 ^{+0.6} _{-0.8}	...	46.0 ^{+1.1} _{-1.1}	...	2398.9 ^{+1.5} _{-0.9}	...	4.96 ^{+0.03} _{-0.03}	...	S
...	9012	5181	276	2457522.629	-11.82	11	-2.2 ^{+0.6} _{-1.3}	...	50.8 ^{+1.4} _{-1.6}	...	2398.8 ^{+1.9} _{-0.9}	...	4.48 ^{+0.05} _{-0.18}	...	S
...	9067	5181	182	2457771.026	3.52	11	-6.1 ^{+0.4} _{-0.4}	...	36.4 ^{+1.6} _{-1.2}	...	2398.5 ^{+2.0} _{-1.1}	...	4.93 ^{+0.02} _{-0.03}	...	S
...	9067	5181	236	2457795.965	-1.81	13	-2.9 ^{+0.4} _{-0.4}	...	39.7 ^{+1.5} _{-1.3}	...	2399.0 ^{+1.2} _{-0.6}	...	5.04 ^{+0.16} _{-0.04}	...	S
...	9067	5181	281	2457801.949	-3.06	14	-2.0 ^{+0.9} _{-0.7}	...	42.3 ^{+1.9} _{-1.2}	...	2399.2 ^{+1.3} _{-0.6}	...	4.83 ^{+0.03} _{-0.03}	...	S
...	9067	5181	272	2457819.881	-6.53	14	-2.5 ^{+0.4} _{-0.3}	...	39.0 ^{+1.1} _{-1.7}	...	2399.2 ^{+1.3} _{-0.6}	...	4.88 ^{+0.02} _{-0.02}	...	S
...	9068	5181	275	2457820.885	-6.71	13	-2.8 ^{+0.4} _{-0.4}	...	40.5 ^{+1.1} _{-1.5}	...	2399.1 ^{+1.1} _{-0.6}	...	4.97 ^{+0.05} _{-0.08}	...	S
...	9067	5181	272	2457820.927	-6.75	11	-4.2 ^{+0.3} _{-0.5}	...	42.4 ^{+1.1} _{-1.3}	...	2399.2 ^{+1.2} _{-0.6}	...	4.82 ^{+0.02} _{-0.02}	...	S
...	9068	5181	272	2457827.854	-7.86	14	-2.4 ^{+0.0} _{-0.6}	...	42.1 ^{+1.3} _{-1.0}	...	2399.4 ^{+0.9} _{-0.4}	...	4.84 ^{+0.03} _{-0.03}	...	S
...	9068	5181	230	2457831.885	-8.51	11	-1.6 ^{+0.0} _{-0.9}	...	49.5 ^{+1.8} _{-2.0}	...	2399.0 ^{+1.6} _{-0.6}	...	4.56 ^{+0.04} _{-0.03}	...	S
2M1320+7213															
9067	5181	195	2457795.965	-1.40	21	-27.8 ^{+0.3} _{-0.3}	...	18.0 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.4}	...	5.31 ^{+0.01} _{-0.01}	...	S	
...	9067	5181	196	2457801.949	-2.64	21	-26.9 ^{+0.3} _{-0.3}	...	17.4 ^{+1.1} _{-1.5}	...	2399.3 ^{+0.5} _{-1.2}	...	5.38 ^{+0.03} _{-0.02}	...	S
...	9067	5181	195	2457819.881	-6.11	22	-27.0 ^{+0.3} _{-0.3}	...	19.8 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.4}	...	5.4 ^{+0.04} _{-0.02}	...	S
...	9068	5181	190	2457820.885	-6.30	26	-27.1 ^{+0.2} _{-0.3}	...	16.3 ^{+1.2} _{-1.0}	...	2399.5 ^{+0.8} _{-0.8}	...	5.44 ^{+0.02} _{-0.02}	...	S
...	9067	5181	195	2457820.927	-6.34	17	-27.0 ^{+0.3} _{-0.3}	...	17.4 ^{+1.0} _{-1.3}	...	2399.3 ^{+0.5} _{-0.9}	...	5.37 ^{+0.02} _{-0.02}	...	S
...	9067	5181	201	2457824.915	-7.02	12	-28.0 ^{+0.3} _{-0.3}	...	19.1 ^{+1.2} _{-1.5}	...	2399.1 ^{+0.6} _{-1.6}	...	5.18 ^{+0.02} _{-0.02}	...	S
...	9068	5181	189	2457827.854	-7.46	25	-27.9 ^{+0.4} _{-0.4}	...	18.0 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.9}	...	5.4 ^{+0.03} _{-0.03}	...	S
...	9068	5181	202	2457831.885	-8.12	19	-27.3 ^{+0.4} _{-0.4}	...	17.8 ^{+1.0} _{-1.1}	...	2399.3 ^{+0.5} _{-1.1}	...	5.31 ^{+0.04} _{-0.02}	...	S
...	9068	5181	190	2457848.828	-10.29	10	-27.5 ^{+0.4} _{-0.3}	...	20.2 ^{+1.4} _{-1.4}	...	2398.7 ^{+0.9} _{-1.1}	...	5.28 ^{+0.05} _{-0.09}	...	S
...	9068	5181	196	2457851.792	-10.56	13	-28.3 ^{+0.4} _{-0.6}	...	18.1 ^{+1.1} _{-1.0}	...	2399.0 ^{+0.7} _{-1.4}	...	5.16 ^{+0.05} _{-0.02}	...	S
...	9068	5181	189	2457854.797	-10.83	10	-26.2 ^{+0.3} _{-0.3}	...	19.8 ^{+1.1} _{-1.0}	...	2399.0 ^{+0.8} _{-1.8}	...	5.39 ^{+0.03} _{-0.03}	...	S
...	11017	2521	284	2458547.967	1.76	38	-5.5 ^{+0.3} _{-0.3}	-5.4 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	...	18.9 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.1} _{-0.2}	4.55 ^{+0.03} _{-0.01}	B
...	11017	2521	284	2458548.911	1.54	25	-4.6 ^{+0.3} _{-0.3}	...	14.4 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.8}	...	4.62 ^{+0.02} _{-0.02}	...	S
...	11017	2521	284	2458549.947	1.17	14	-5.9 ^{+0.4} _{-0.6}	...	16.4 ^{+1.2} _{-1.0}	...	2399.2 ^{+0.7} _{-1.4}	...	4.38 ^{+0.03} _{-0.03}	...	S
...	11017	2521	284	2458556.777	-4.35	37	-5.7 ^{+0.4} _{-0.4}	...	19.7 ^{+1.0} _{-1.0}	...	2399.7 ^{+0.2} _{-0.4}	...	4.38 ^{+0.03} _{-0.03}	...	S
...	11017	2521	296	2458552.885	-5.72	31	-5.5 ^{+0.3} _{-0.3}	...	16.0 ^{+1.0} _{-1.1}	...	2399.6 ^{+0.3} _{-0.6}	...	4.38 ^{+0.02} _{-0.02}	...	S
...	11017	2521	296	2458575.838	-6.51	35	-6.3 ^{+0.3} _{-0.3}	...	19.7 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.2} _{-0.4}	...	4.34 ^{+0.03} _{-0.04}	...	S
...	11758	2666	119	2458605.755	-13.59	64	-5.3 ^{+0.3} _{-0.2}	...	9.3 ^{+1.3} _{-1.1}	...	2399.4 ^{+0.5} _{-1.1}	...	4.95 ^{+0.02} _{-0.02}	...	S
...	2M1323+5132	11017	2521	284	2458556.777	-4.35	37	-5.7 ^{+0.4} _{-0.4}	...	14.3 ^{+1.3} _{-1.0}	...	2399.6 ^{+0.1} _{-0.2}	4.59 ^{+0.01} _{-0.01}	S	
...	8913	5181	85	2457445.846	-4.04	17	2.6 ^{+0.4} _{-0.7}	2.5 ^{+0.3} _{-0.4}	14.3 ^{+1.3} _{-1.0}	...	2399.6 ^{+0.1} _{-0.2}	4.59 ^{+0.01} _{-0.01}	B		
...	8913	5181	85	2457463.788	-7.26	17	2.1 ^{+0.3} _{-0.3}	...	8.0 ^{+1.5} _{-1.4}	...	3060.1 ^{+8.4} _{-15.2}	...	5.47 ^{+0.02} _{-0.02}	...	B
...	8913	5181	84	2457475.780	-9.02	12	2.6 ^{+0.4} _{-0.3}	...	13.7 ^{+1.2} _{-1.5}	...	2941.0 ^{+16.1} _{-13.4}	...	5.01 ^{+0.06} _{-0.06}	...	B
...	8913	5181	78	2457493.689	-10.84	16	2.7 ^{+0.6} _{-0.6}	...	7.0 ^{+1.5} _{-1.0}	...	3049.5 ^{+8.0} _{-9.6}	...	5.46 ^{+0.02} _{-0.02}	...	B
...	9012	5181	78	2457497.758	-11.17	16	2.5 ^{+0.3} _{-0.3}	...	9.2 ^{+1.1} _{-1.1}	...	3058.3 ^{+5.6} _{-4.0}	...	5.47 ^{+0.03} _{-0.03}	...	B
...	9012	5181	79	2457500.732	-11.33	11	2.4 ^{+0.3} _{-0.3}	...	9.7 ^{+1.6} _{-1.4}	...	3040.7 ^{+15.0} _{-13.3}	...	5.48 ^{+0.02} _{-0.02}	...	B

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	9012	5181	79	2457503.703	-11.45	16	2.4 ^{+0.6} _{-0.4}	...	8.8 ^{+1.2} _{-1.5}	...	3051.7 ^{+13.3} _{-11.3}	...	5.44 ^{+0.04} _{-0.04}	...	B
...	9012	5181	79	2457522.629	-11.62	16	2.9 ^{+0.3} _{-0.2}	...	7.9 ^{+1.5} _{-1.4}	...	3039.0 ^{+5.4} _{-6.8}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	9012	5181	79	2457529.620	-11.39	11	2.9 ^{+0.3} _{-0.3}	...	13.3 ^{+1.4} _{-1.3}	...	2928.2 ^{+11.2} _{-15.9}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	9067	5181	84	2457771.026	4.15	12	1.7 ^{+0.2} _{-0.3}	...	10.0 ^{+1.4} _{-1.5}	...	3020.0 ^{+5.9} _{-8.5}	...	5.48 ^{+0.02} _{-0.02}	...	B
...	9067	5181	90	2457795.965	-1.03	16	1.9 ^{+0.3} _{-0.3}	...	8.4 ^{+1.4} _{-1.7}	...	3073.5 ^{+12.5} _{-8.2}	...	5.41 ^{+0.05} _{-0.04}	...	B
...	9067	5181	79	2457801.949	-2.26	14	2.7 ^{+0.3} _{-0.3}	...	11.2 ^{+1.3} _{-1.2}	...	2958.6 ^{+15.8} _{-11.2}	...	5.31 ^{+0.04} _{-0.03}	...	B
...	9067	5181	90	2457819.881	-5.74	16	2.6 ^{+0.3} _{-0.5}	...	10.9 ^{+1.3} _{-1.0}	...	3090.9 ^{+5.7} _{-14.4}	...	5.46 ^{+0.03} _{-0.04}	...	B
...	9068	5181	79	2457820.885	-5.92	18	3.0 ^{+0.4} _{-0.4}	...	12.9 ^{+1.1} _{-1.1}	...	3059.6 ^{+7.4} _{-7.7}	...	5.41 ^{+0.04} _{-0.03}	...	B
...	9067	5181	90	2457820.927	-5.96	12	2.5 ^{+0.4} _{-0.3}	...	12.3 ^{+1.3} _{-1.7}	...	3090.4 ^{+7.2} _{-5.8}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	9068	5181	72	2457827.854	-7.10	16	2.9 ^{+0.4} _{-0.6}	...	9.0 ^{+1.2} _{-1.2}	...	3045.5 ^{+8.8} _{-7.3}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	9068	5181	85	2457831.885	-7.77	12	2.7 ^{+0.5} _{-0.4}	...	10.0 ^{+1.4} _{-1.5}	...	3094.3 ^{+7.5} _{-8.7}	...	5.49 ^{+0.01} _{-0.01}	...	B
2M1334+3303	8444	2161	163	2457863.729	-8.61	19	-18.0 ^{+0.4} _{-0.4}	-18.0 ^{+0.4} _{-0.4}	10.7 ^{+1.0} _{-1.0}	10.7 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	4.63 ^{+0.04} _{-0.04}	S		
2M1335+4021	6856	4484	251	2456345.884	10.32	77	-7.5 ^{+0.2} _{-0.2}	-7.7 ^{+0.3} _{-0.4}	13.0 ^{+1.4} _{-1.2}	14.2 ^{+1.0} _{-1.0}	2399.5 ^{+0.3} _{-0.6}	5.42 ^{+0.04} _{-0.04}	S		
...	6856	4484	257	2456377.856	-0.93	99	-8.1 ^{+0.3} _{-0.2}	...	14.3 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4_{-0.7}}	5.32 ^{+0.04} _{-0.02}	...	S	
...	6856	4484	254	2456403.795	-9.74	102	-7.7 ^{+0.2} _{-0.2}	...	14.4 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.7}	5.34 ^{+0.02} _{-0.01}	...	S	
2M1349+3305	8912	5180	14	2457499.666	-7.39	14	-11.2 ^{+0.6} _{-0.5}	-10.0 ^{+0.3} _{-0.5}	36.7 ^{+2.2} _{-2.2}	41.5 ^{+1.0} _{-1.2}	2920.4 ^{+13.6} _{-17.0}	2961.2 ^{+3.9} _{-4.1}	5.16 ^{+0.04} _{-0.04}	5.08 ^{+0.01} _{-0.01}	B
...	9665	5180	233	2457852.871	-3.24	15	-11.5 ^{+0.4} _{-1.5}	...	53.5 ^{+1.7} _{-2.1}	...	2888.0 ^{+19.1} _{-19.8}	...	4.78 ^{+0.04} _{-0.04}	...	B
...	9778	5180	212	2457853.901	-3.69	11	-11.2 ^{+0.7} _{-0.9}	...	53.5 ^{+3.2} _{-3.9}	...	2936.2 ^{+14.7} _{-21.3}	...	5.3 ^{+0.05} _{-0.05}	...	B
...	9778	5180	212	2457856.849	-4.72	16	-9.9 ^{+0.5} _{-0.5}	...	42.2 ^{+1.4} _{-1.6}	...	2929.1 ^{+17.2} _{-13.0}	...	5.16 ^{+0.03} _{-0.04}	...	B
...	9665	5180	239	2457858.851	-5.48	19	-8.9 ^{+0.2} _{-0.3}	...	46.1 ^{+2.1} _{-2.2}	...	2936.5 ^{+15.9_{-14.7}}	...	5.09 ^{+0.05} _{-0.05}	...	B
...	9777	5180	239	2457859.770	-5.66	18	-11.1 ^{+0.4} _{-0.4}	...	43.9 ^{+1.3} _{-1.7}	...	2912.4 ^{+11.2} _{-13.2}	...	4.86 ^{+0.04} _{-0.05}	...	B
...	9683	5180	233	2457859.838	-5.82	18	-9.2 ^{+0.7} _{-0.7}	...	46.9 ^{+4.2} _{-3.0}	...	3099.4 ^{+9.8} _{-8.2}	...	5.35 ^{+0.06} _{-0.05}	...	B
...	9778	5180	212	2457860.873	-6.28	18	-9.5 ^{+1.3} _{-0.9}	...	39.7 ^{+1.8} _{-1.4}	...	2942.5 ^{+22.3} _{-15.0}	...	5.14 ^{+0.04} _{-0.04}	...	B
...	9665	5180	221	2457876.710	-11.55	13	-11.8 ^{+0.4} _{-0.2}	...	37.3 ^{+1.8} _{-2.0}	...	2916.7 ^{+17.7} _{-15.7}	...	5.28 ^{+0.03} _{-0.03}	...	B
...	9683	5180	233	2457877.689	-11.83	11	-5.6 ^{+1.0} _{-0.6}	...	59.6 ^{+2.6} _{-2.1}	...	2966.9 ^{+18.5} _{-17.3}	...	4.61 ^{+0.09} _{-0.07}	...	B
...	9778	5180	212	2457878.798	-12.40	16	-10.7 ^{+1.0} _{-0.8}	...	41.2 ^{+2.2} _{-1.6}	...	2908.2 ^{+15.0} _{-19.0}	...	5.19 ^{+0.09} _{-0.07}	...	B
...	9730	5180	239	2457879.689	-12.47	22	-9.2 ^{+1.5} _{-0.5}	...	35.1 ^{+1.9} _{-1.3}	...	2930.1 ^{+9.0} _{-10.3}	...	4.82 ^{+0.04} _{-0.04}	...	B
...	9725	5180	215	2457884.700	-14.01	12	-15.4 ^{+0.6} _{-0.5}	...	38.4 ^{+2.3} _{-2.4}	...	2861.1 ^{+28.3} _{-19.5}	...	5.01 ^{+0.04} _{-0.12}	...	B
...	9777	5180	224	2457886.711	-14.62	14	-8.1 ^{+0.4} _{-1.4}	...	33.0 ^{+2.0} _{-2.0}	...	2868.1 ^{+54.9} _{-28.8}	...	5.05 ^{+0.18} _{-0.06}	...	B
...	9725	5180	215	2457909.698	-19.93	12	-7.8 ^{+1.1} _{-1.1}	...	35.6 ^{+3.9} _{-3.3}	...	3018.3 ^{+14.8} _{-9.9}	...	5.43 ^{+0.05} _{-0.14}	...	B
2M1356+4342	5752	4233	259	2455999.860	4.11	66	-19.7 ^{+0.3} _{-0.3}	-19.5 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	16.2 ^{+1.0} _{-1.0}	2399.0 ^{+0.7} _{-1.0}	5.5 ^{+0.0} _{-0.0}	S		
...	5752	4233	199	2456018.858	-2.16	95	-20.2 ^{+0.3} _{-0.3}	...	16.2 ^{+1.0} _{-1.0}	...	2399.1 ^{+0.6} _{-1.2}	5.5 ^{+0.0} _{-0.0}	S		
...	5752	4233	205	2456345.942	9.92	45	-18.8 ^{+0.3} _{-0.3}	...	16.2 ^{+1.2} _{-1.0}	...	2398.8 ^{+0.9} _{-2.0}	5.5 ^{+0.0} _{-0.0}	S		
2M1400+3226	8912	5180	77	2457499.666	-6.15	17	-18.1 ^{+0.4} _{-0.4}	-17.9 ^{+0.3} _{-0.4}	7.7 ^{+1.2} _{-1.2}	11.5 ^{+1.0} _{-1.0}	2946.4 ^{+11.7} _{-14.6}	5.29 ^{+0.04} _{-0.04}	B		
...	9544	5180	71	2457743.012	22.20	12	-18.4 ^{+0.4} _{-0.4}	...	10.3 ^{+1.4} _{-1.0}	...	2917.7 ^{+13.5} _{-12.8}	5.48 ^{+0.01} _{-0.03}	B		
...	9665	5180	77	2457852.871	-1.98	12	-18.1 ^{+0.5} _{-0.5}	...	9.5 ^{+1.2} _{-1.2}	...	2937.9 ^{+13.0} _{-22.3}	5.1 ^{+0.03} _{-0.05}	B		

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$v \sin i$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	9778	5180	76	2457853.901	-2.44	12	-18.9 ^{+0.4} _{-0.3}	...	15.4 ^{+1.3} _{-1.5}	...	2931.9 ^{+16.3} _{-15.7}	...	5.48 ^{+0.01} _{-0.02}	...	B
...	9778	5180	76	2457856.849	-3.46	17	-18.1 ^{+0.3} _{-0.3}	...	12.4 ^{+1.1} _{-1.5}	...	2930.5 ^{+10.1} _{-7.9}	...	5.49 ^{+0.01} _{-0.01}	...	B
9665	5180	68	2457858.851	-4.22	12	-18.1 ^{+0.3} _{-0.5}	...	10.1 ^{+1.7} _{-1.6}	...	2848.1 ^{+26.9} _{-14.8}	...	4.97 ^{+0.07} _{-0.06}	...	B	
...	9777	5180	75	2457859.770	-4.40	19	-18.4 ^{+0.3} _{-0.3}	...	14.4 ^{+1.8} _{-1.2}	...	2878.1 ^{+33.1} _{-33.9}	...	4.79 ^{+0.15} _{-0.12}	...	B
...	9683	5180	75	2457859.838	-4.57	13	-17.9 ^{+0.4} _{-0.3}	...	10.7 ^{+1.2} _{-1.0}	...	2815.9 ^{+13.5} _{-10.1}	...	4.99 ^{+0.03} _{-0.04}	...	B
...	9778	5180	75	2457860.873	-5.03	18	-18.7 ^{+0.4} _{-0.3}	...	10.8 ^{+1.3} _{-1.1}	...	2946.3 ^{+14.9} _{-10.0}	...	5.45 ^{+0.03} _{-0.03}	...	B
9665	5180	71	2457867.710	-10.39	11	-17.2 ^{+0.7} _{-0.3}	...	9.4 ^{+1.5} _{-1.2}	...	2896.9 ^{+17.9} _{-20.6}	...	5.21 ^{+0.07} _{-0.09}	...	B	
...	9778	5180	76	2457878.798	-11.26	13	-16.1 ^{+0.3} _{-0.5}	...	10.7 ^{+1.4} _{-1.7}	...	3068.3 ^{+11.5} _{-13.8}	...	5.49 ^{+0.01} _{-0.02}	...	B
...	9730	5180	128	2457879.689	-11.33	12	-18.2 ^{+0.3} _{-0.3}	...	6.9 ^{+1.4} _{-2.0}	...	2968.0 ^{+24.7} _{-20.3}	...	5.47 ^{+0.02} _{-0.05}	...	B
...	9725	5180	76	2457884.700	-12.93	11	-16.6 ^{+0.4} _{-0.4}	...	11.0 ^{+1.3} _{-1.3}	...	2892.5 ^{+17.9} _{-21.3}	...	5.25 ^{+0.04} _{-0.07}	...	B
...	9777	5180	70	2457886.711	-13.55	14	-17.9 ^{+0.4} _{-0.8}	...	13.6 ^{+1.3} _{-1.5}	...	2806.6 ^{+12.2} _{-5.6}	...	4.99 ^{+0.04} _{-0.03}	...	B
...	9725	5180	64	2457909.698	-19.19	11	-17.5 ^{+0.4} _{-0.4}	...	10.5 ^{+1.2} _{-1.2}	...	2807.2 ^{+11.4} _{-6.9}	...	5.08 ^{+0.06} _{-0.06}	...	B
...	9683	5180	76	2457915.628	-20.05	10	-16.1 ^{+0.3} _{-0.3}	...	15.1 ^{+1.5} _{-1.6}	...	3056.2 ^{+15.4} _{-13.3}	...	5.49 ^{+0.01} _{-0.05}	...	B
2M1409+4138	8334	2144	296	2458253.726	-13.09	77	-11.0 ^{+0.3} _{-0.3}	-11.0 ^{+0.3} _{-0.3}	19.7 ^{+1.0} _{-1.0}	19.7 ^{+1.0} _{-1.0}	2399.7 ^{+0.2} _{-0.5}	...	4.63 ^{+0.01} _{-0.02}	S	
2M1432+0811	5672	4436	143	2456439.692	-14.57	135	-21.2 ^{+0.2} _{-0.3}	-21.3 ^{+0.3} _{-0.4}	9.1 ^{+1.1} _{-1.0}	< 10	2399.5 ^{+0.4} _{-0.4}	...	5.41 ^{+0.01} _{-0.01}	S	
...	5672	4436	89	2456461.665	-21.97	135	-21.4 ^{+0.2} _{-0.2}	...	9.1 ^{+1.0} _{-1.3}	...	2399.5 ^{+0.9} _{-0.9}	...	5.39 ^{+0.03} _{-0.02}	...	S
...	5672	4436	41	2456468.649	-23.69	138	-21.3 ^{+0.3} _{-0.2}	...	9.5 ^{+1.1} _{-1.2}	...	2399.5 ^{+0.4} _{-0.7}	...	5.45 ^{+0.03} _{-0.03}	...	S
2M1434+5039	9005	5186	206	2457498.739	-5.69	27	-6.5 ^{+0.2} _{-0.2}	-6.4 ^{+0.3} _{-0.4}	16.3 ^{+1.0} _{-1.0}	16.3 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.4}	...	4.88 ^{+0.01} _{-0.01}	S	
...	9006	5186	158	2457499.883	-6.18	22	-6.3 ^{+0.2} _{-0.2}	...	16.1 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.4} _{-0.9}	...	4.93 ^{+0.02} _{-0.02}	...	S
...	9006	5186	158	2457522.738	-10.66	17	-6.8 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	2398.9 ^{+0.8} _{-1.4}	...	4.87 ^{+0.02} _{-0.02}	...	S
...	9005	5186	206	2457524.644	-10.85	17	-6.4 ^{+0.2} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.6} _{-0.6}	...	4.69 ^{+0.02} _{-0.02}	...	S
...	9005	5186	206	2457528.725	-11.62	16	-6.0 ^{+0.3} _{-0.3}	...	16.3 ^{+1.8} _{-1.0}	...	2399.4 ^{+0.5} _{-1.0}	...	4.78 ^{+0.05} _{-0.05}	...	S
...	9006	5186	206	2457529.774	-11.85	30	-6.3 ^{+0.3} _{-0.3}	...	14.1 ^{+1.1} _{-1.0}	...	2399.2 ^{+0.6} _{-0.6}	...	5.01 ^{+0.13} _{-0.13}	...	S
...	9006	5186	254	2457532.698	-12.16	27	-6.0 ^{+0.3} _{-0.3}	...	12.6 ^{+1.2} _{-1.0}	...	2399.1 ^{+0.7} _{-0.8}	...	5.19 ^{+0.02} _{-0.02}	...	S
...	9006	5186	206	2457533.647	-14.20	23	-6.6 ^{+0.4} _{-0.4}	...	16.1 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-1.0}	...	4.81 ^{+0.03} _{-0.02}	...	S
...	9006	5186	161	2457556.694	-14.43	13	-6.9 ^{+0.4} _{-0.4}	...	19.8 ^{+1.0} _{-1.0}	...	2399.2 ^{+0.6} _{-1.2}	...	4.63 ^{+0.02} _{-0.04}	...	S
...	9006	6842	4493	2456469.649	-22.80	46	-3.3 ^{+0.3} _{-0.3}	-3.5 ^{+0.3} _{-0.4}	4.2 ^{+1.0} _{-1.4}	< 10	2399.1 ^{+0.6} _{-1.1}	...	5.49 ^{+0.01} _{-0.01}	5.47 ^{+0.01} _{-0.01}	S
...	6842	4493	278	2456701.025	25.03	27	-3.7 ^{+0.3} _{-0.3}	...	5.9 ^{+1.4} _{-1.2}	...	2398.6 ^{+1.0} _{-1.2}	...	5.41 ^{+0.02} _{-0.02}	...	S
...	6842	4493	224	2456709.004	23.50	35	-3.7 ^{+0.3} _{-0.3}	...	3.9 ^{+1.2} _{-1.3}	...	2399.3 ^{+0.5} _{-1.0}	...	5.44 ^{+0.03} _{-0.02}	...	S
2M1440+1339	2675	11835	2675	2456829.742	-12.45	22	-38.4 ^{+0.3} _{-0.3}	-38.4 ^{+0.4} _{-0.4}	22.7 ^{+1.0} _{-1.2}	22.7 ^{+1.0} _{-1.2}	2399.2 ^{+0.6} _{-1.3}	...	5.34 ^{+0.02} _{-0.02}	S	
2M1501+2250	5673	4437	293	2456702.002	22.44	60	7.6 ^{+0.2} _{-0.2}	6.5 ^{+0.3} _{-0.3}	65.9 ^{+1.0} _{-1.1}	65.3 ^{+1.0} _{-1.1}	2395.6 ^{+3.0} _{-5.2}	...	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	5673	4437	284	2456706.009	21.78	49	6.8 ^{+0.3} _{-0.2}	...	65.0 ^{+1.1} _{-1.1}	...	2387.4 ^{+5.3} _{-3.9}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	5673	4437	239	2456727.907	16.74	52	7.1 ^{+0.2} _{-0.2}	...	64.6 ^{+1.1} _{-1.2}	...	2341.1 ^{+13.5} _{-13.3}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	5673	4437	191	2456733.940	14.78	70	5.7 ^{+0.2} _{-0.2}	...	64.1 ^{+1.0} _{-1.0}	...	2309.6 ^{+11.0} _{-9.2}	...	5.5 ^{+0.0} _{-0.0}	...	S
...	5673	4437	283	2456780.843	-3.03	73	6.3 ^{+0.2} _{-0.2}	...	66.3 ^{+1.2} _{-1.0}	...	2306.1 ^{+2.6} _{-4.6}	...	5.5 ^{+0.0} _{-0.0}	...	S
2M1504+0923	11970	2732	132	2455928.974	17.78	16	-53.5 ^{+0.3} _{-0.3}	-53.3 ^{+0.3} _{-0.4}	15.0 ^{+1.2} _{-1.2}	13.4 ^{+1.0} _{-1.1}	2399.3 ^{+0.6} _{-0.9}	...	4.85 ^{+0.02} _{-0.02}	4.96 ^{+0.01} _{-0.01}	S

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	11970	2732	132	2455930.898	17.25	15	-53.5 ^{+0.3} _{-0.2}	...	12.7 ^{+1.1} _{-1.0}	...	2399.1 ^{+0.6} _{-0.6}	...	5.08 ^{+0.02} _{-0.02}	...	S
...	11962	2724	247	2455932.911	16.47	16	-52.9 ^{+0.3} _{-0.2}	...	14.1 ^{+1.2} _{-1.7}	...	2399.2 ^{+0.6} _{-0.6}	...	5.07 ^{+0.04} _{-0.04}	...	S
2M1521+5053	8596	2226	294	2455607.834	-5.09	59	2.4 ^{+0.2} _{-0.3}	2.4 ^{+0.3} _{-0.3}	48.7 ^{+1.0} _{-1.0}	48.7 ^{+1.0} _{-1.0}	2399.2 ^{+0.6} _{-0.6}	2399.2 ^{+0.6} _{-0.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
2M1521+3420	9039	2370	265	2457536.659	-9.81	57	-76.1 ^{+0.2} _{-0.2}	-76.1 ^{+0.3} _{-0.3}	7.3 ^{+1.0} _{-1.0}	< 10	2399.5 ^{+0.6} _{-0.6}	2399.5 ^{+0.6} _{-0.6}	5.03 ^{+0.01} _{-0.01}	5.04 ^{+0.01} _{-0.01}	S
...	9039	2370	265	2457537.670	-10.10	57	-76.0 ^{+0.3} _{-0.2}	-15.2 ^{+0.2} _{-0.3}	8.8 ^{+1.1} _{-1.1}	...	2399.5 ^{+0.8} _{-0.8}	...	5.04 ^{+0.04} _{-0.02}	...	S
2M1524+2925	9044	2375	131	2457861.767	4.02	41	-14.8 ^{+0.2} _{-0.2}	-14.8 ^{+0.3} _{-0.2}	7.3 ^{+1.1} _{-1.0}	< 10	2399.2 ^{+0.6} _{-0.6}	2399.2 ^{+0.3} _{-0.5}	5.46 ^{+0.02} _{-0.01}	5.47 ^{+0.0} _{-0.01}	S
...	9044	2375	131	2457862.790	3.62	61	-15.1 ^{+0.2} _{-0.2}	6.4 ^{+1.4} _{-1.7}	6.4 ^{+1.4} _{-0.8}	...	2399.4 ^{+0.5} _{-0.8}	...	5.48 ^{+0.01} _{-0.02}	...	S
...	9043	2374	245	2457921.713	-15.07	47	-15.0 ^{+0.2} _{-0.2}	7.3 ^{+1.2} _{-1.0}	7.3 ^{+1.2} _{-1.0}	...	2399.2 ^{+0.6} _{-0.6}	...	5.49 ^{+0.01} _{-0.01}	...	S
...	9043	2374	245	2457922.650	-15.15	22	-15.2 ^{+0.2} _{-0.2}	-23.0 ^{+0.2} _{-0.3}	18.4 ^{+1.1} _{-1.3}	...	2399.3 ^{+0.5} _{-0.5}	...	5.14 ^{+0.02} _{-0.02}	...	S
2M1534+4641	8551	2205	252	2457133.869	-0.41	57	-23.0 ^{+0.2} _{-0.2}	-23.0 ^{+0.3} _{-0.3}	20.0 ^{+1.0} _{-1.0}	...	2898.5 ^{+9.4} _{-5.4}	2898.5 ^{+9.4} _{-5.4}	5.46 ^{+0.02} _{-0.01}	5.46 ^{+0.02} _{-0.01}	B
...	8488	2191	222	2458602.847	-2.23	31	-22.7 ^{+0.4} _{-0.4}	22.0 ^{+1.0} _{-1.0}	22.7 ^{+1.0} _{-1.2}	...	2916.9 ^{+11.6} _{-12.0}	...	5.29 ^{+0.02} _{-0.03}	...	B
2M1539+2831	9042	2373	173	2457511.897	0.10	52	-21.9 ^{+0.2} _{-0.2}	-22.0 ^{+0.3} _{-0.4}	21.7 ^{+1.0} _{-1.0}	22.7 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-0.4}	2399.4 ^{+0.2} _{-0.4}	5.13 ^{+0.02} _{-0.01}	5.01 ^{+0.01} _{-0.01}	S
...	9042	2373	173	2457512.919	-0.31	36	-21.6 ^{+0.4} _{-0.4}	23.6 ^{+1.0} _{-1.0}	23.6 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-0.5}	...	4.94 ^{+0.02} _{-0.02}	...	S
...	9041	2372	104	2457518.892	-2.36	56	-22.1 ^{+0.2} _{-0.2}	22.0 ^{+1.0} _{-1.0}	22.0 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.5}	...	5.12 ^{+0.02} _{-0.01}	...	S
...	9041	2372	104	2457521.893	-3.41	37	-21.8 ^{+0.3} _{-0.3}	-21.7 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.4} _{-0.4}	...	4.94 ^{+0.02} _{-0.02}	...	S
...	9041	2372	104	2457522.857	-3.67	30	-22.1 ^{+0.3} _{-0.3}	-22.1 ^{+0.3} _{-0.4}	23.6 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.4}	...	4.84 ^{+0.05} _{-0.05}	...	S
2M1555-2045	9851	5371	294	2458176.820	30.22	37	-3.7 ^{+0.2} _{-0.2}	-4.1 ^{+0.3} _{-0.4}	19.9 ^{+1.0} _{-1.0}	19.9 ^{+1.0} _{-1.0}	3007.7 ^{+3.7} _{-3.8}	3007.7 ^{+3.7} _{-3.8}	4.49 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B
...	9851	5371	289	2458243.639	9.32	30	-4.7 ^{+0.3} _{-0.3}	20.1 ^{+1.2} _{-1.0}	20.1 ^{+1.2} _{-1.0}	...	2992.6 ^{+7.8} _{-6.2}	...	4.51 ^{+0.02} _{-0.01}	...	B
2M1556-2338	10944	5785	264	2458350.477	-29.14	15	1.5 ^{+0.3} _{-0.3}	1.5 ^{+0.4_{-0.4}}	13.0 ^{+1.3} _{-1.1}	13.0 ^{+1.3} _{-1.1}	2399.4 ^{+0.4} _{-0.4}	2399.4 ^{+0.4} _{-0.4}	3.58 ^{+0.02} _{-0.04}	3.58 ^{+0.02} _{-0.04}	S
2M1556-2106	9851	5371	283	2458176.820	30.23	20	-3.5 ^{+1.8} _{-1.7}	-4.1 ^{+0.6} _{-1.2}	93.0 ^{+3.4} _{-3.1}	92.8 ^{+1.7} _{-1.5}	2399.1 ^{+0.5} _{-0.9}	2399.1 ^{+0.5} _{-0.9}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S
...	9851	5371	283	2458243.639	9.37	16	-4.3 ^{+0.6} _{-0.6}	9.7 ^{+1.9} _{-1.9}	...	2399.1 ^{+0.7} _{-0.7}	...	3.51 ^{+0.01} _{-0.01}	...	S	
2M1558-1826	11629	6001	158	2458913.801	29.51	37	-0.8 ^{+0.3} _{-0.2}	-0.8 ^{+0.3} _{-0.2}	25.4 ^{+1.0} _{-2.0}	25.4 ^{+1.0} _{-2.0}	2399.6 ^{+0.4} _{-0.4}	2399.6 ^{+0.4} _{-0.4}	3.53 ^{+0.02} _{-0.03}	3.53 ^{+0.02} _{-0.03}	S
2M1559-2338	10944	5785	156	2458350.477	-29.32	16	-3.6 ^{+0.4} _{-0.4}	-3.6 ^{+0.4} _{-0.4}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2399.6 ^{+0.7} _{-0.7}	2399.6 ^{+0.7} _{-0.7}	3.53 ^{+0.02} _{-0.03}	3.53 ^{+0.02} _{-0.03}	S
2M1559-2305	9781	5331	186	2458177.782	30.22	60	-3.3 ^{+0.2} _{-0.2}	-3.3 ^{+0.3} _{-0.4}	23.5 ^{+1.0} _{-1.0}	23.5 ^{+1.0} _{-1.0}	2399.7 ^{+0.2} _{-0.2}	2399.7 ^{+0.2} _{-0.2}	3.94 ^{+0.02} _{-0.02}	3.94 ^{+0.02} _{-0.02}	S
...	9781	5331	186	2458261.573	1.09	56	-3.4 ^{+0.2} _{-0.2}	-3.5 ^{+1.0} _{-1.0}	...	2399.7 ^{+0.4} _{-0.4}	...	3.94 ^{+0.03} _{-0.03}	...	S	
2M1559-1928	11629	6001	229	2458913.801	29.70	14	-2.6 ^{+0.3} _{-0.3}	-2.6 ^{+0.4} _{-0.4}	14.4 ^{+1.3} _{-1.0}	14.4 ^{+1.3} _{-1.0}	2399.4 ^{+0.5} _{-0.7}	2399.4 ^{+0.5} _{-0.7}	3.83 ^{+0.04} _{-0.03}	3.83 ^{+0.04} _{-0.03}	S
2M1600-2256	9781	5331	48	2458177.782	30.23	11	-3.1 ^{+1.2} _{-0.4}	-4.3 ^{+0.4} _{-0.5}	23.6 ^{+1.0} _{-1.0}	24.9 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.5}	2399.2 ^{+0.4} _{-0.4}	3.54 ^{+0.03} _{-0.03}	3.53 ^{+0.02} _{-0.02}	S
...	9781	5331	49	2458261.573	1.18	12	-4.6 ^{+0.4} _{-0.3}	-3.7 ^{+0.3} _{-0.5}	27.7 ^{+1.1} _{-1.0}	...	2399.2 ^{+0.5} _{-0.5}	...	3.53 ^{+0.04} _{-0.02}	...	S
2M1600-2209	9781	5331	67	2458177.782	30.24	17	-4.7 ^{+0.2} _{-0.3}	-3.7 ^{+0.3} _{-0.4}	9.1 ^{+1.2} _{-1.2}	< 10	3226.5 ^{+20.4} _{-20.4}	3177.3 ^{+10.6} _{-12.7}	5.06 ^{+0.08} _{-0.12}	5.08 ^{+0.03} _{-0.04}	B
...	9781	5331	90	2458261.573	1.12	13	-3.0 ^{+0.3} _{-0.2}	-3.3 ^{+1.6} _{-1.6}	...	3171.8 ^{+13.8} _{-23.3}	...	5.18 ^{+0.04} _{-0.05}	5.18 ^{+0.04} _{-0.05}	B	
...	11627	5999	224	245565.809	26.51	13	-3.4 ^{+0.3} _{-0.3}	...	10.6 ^{+1.3} _{-1.0}	...	3117.4 ^{+27.7} _{-22.3}	...	4.87 ^{+0.07} _{-0.07}	4.87 ^{+0.07} _{-0.07}	B
2M1600-2334	9781	5331	211	2458177.782	30.22	25	-3.6 ^{+0.6} _{-0.4}	-3.7 ^{+0.3} _{-0.5}	75.8 ^{+2.1} _{-1.5}	75.8 ^{+2.1} _{-1.5}	2399.5 ^{+0.4} _{-0.4}	2399.5 ^{+0.4} _{-0.4}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S
...	9781	5331	211	2458261.573	1.26	36	-4.5 ^{+0.4} _{-0.4}	-4.5 ^{+0.4} _{-0.4}	73.4 ^{+1.4} _{-1.5}	73.4 ^{+1.4} _{-1.5}	2399.5 ^{+0.4} _{-0.4}	2399.5 ^{+0.4} _{-0.4}	3.52 ^{+0.02} _{-0.02}	3.52 ^{+0.02} _{-0.02}	S
...	10944	5785	85	2458350.477	-29.09	39	-3.5 ^{+0.2} _{-0.2}	-3.5 ^{+0.2} _{-0.2}	72.5 ^{+1.6} _{-1.6}	72.5 ^{+1.6} _{-1.6}	2399.6 ^{+0.6} _{-0.6}	2399.6 ^{+0.6} _{-0.6}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S
2M1600-2158	11627	5999	235	2458565.809	26.35	39	-5.0 ^{+0.3} _{-0.3}	-5.0 ^{+0.3} _{-0.3}	31.1 ^{+1.0} _{-2.0}	31.1 ^{+1.0} _{-2.0}	2399.7 ^{+0.4} _{-0.4}	2399.7 ^{+0.4} _{-0.4}	3.97 ^{+0.03} _{-0.07}	3.97 ^{+0.03} _{-0.07}	S
2M1601-2351	10944	5785	139	2458350.477	-29.07	35	-3.5 ^{+0.2} _{-0.2}	-3.5 ^{+0.2} _{-0.2}	38.7 ^{+1.8} _{-1.0}	38.7 ^{+1.8} _{-1.0}	2399.6 ^{+0.6} _{-0.6}	2399.6 ^{+0.6} _{-0.6}	3.52 ^{+0.02} _{-0.02}	3.52 ^{+0.02} _{-0.02}	S

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1602-2050	9851	5371	109	2458176.820	30.19	36	-4.7 ^{+0.3} _{-0.4}	-4.1 ^{+0.3} _{-0.5}	55.6 ^{+1.0} _{-1.4}	57.1 ^{+1.0} _{-1.2}	2812.1 ^{+9.1} _{-9.2}	2800.4 ^{+2.9} _{-3.5}	4.54 ^{+0.03} _{-0.02}	B	
...	9851	5371	115	2458243.639	9.91	25	-4.2 ^{+0.4} _{-0.6}	-2.1 ^{+0.3} _{-0.4}	59.0 ^{+1.3} _{-1.4}	... 59.1 ^{+1.5} _{-1.4}	2800.7 ^{+4.2} _{-5.6}	... 2773.9 ^{+0.5} _{-13.8}	4.63 ^{+0.04} _{-0.05}	...	
...	11627	5999	72	2458565.809	26.38	24	-3.3 ^{+0.4} _{-0.3}	0.2 ^{+0.4} _{-0.7}	64.4 ^{+1.7} _{-1.9}	64.4 ^{+1.7} _{-1.9}	2399.3 ^{+0.5} _{-1.2}	2399.3 ^{+0.5} _{-1.2}	3.53 ^{+0.05} _{-0.02}	S	
...	11137	5804	133	2458615.834	6.26	28	-3.2 ^{+1.7} _{-0.4}	-1.2 ^{+0.6} _{-0.5}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-1.1}	2399.4 ^{+0.4} _{-1.1}	3.66 ^{+0.03} _{-0.03}	S	
...	11137	5804	133	2458617.826	5.29	29	-5.1 ^{+0.6} _{-0.7}	-2.1 ^{+0.3} _{-0.4}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-1.0}	2399.4 ^{+0.4} _{-1.0}	3.53 ^{+0.02} _{-0.02}	S	
2M1602-2414	10944	5785	103	2458350.477	-29.05	17	-2.1 ^{+0.3} _{-0.4}	0.2 ^{+0.4} _{-0.7}	64.4 ^{+1.7} _{-1.9}	64.4 ^{+1.7} _{-1.9}	2399.3 ^{+0.5} _{-1.2}	2399.3 ^{+0.5} _{-1.2}	3.53 ^{+0.05} _{-0.02}	S	
2M1602-2421	11627	5999	42	2458565.809	26.45	18	-0.2 ^{+0.4} _{-0.7}	-1.2 ^{+0.6} _{-0.5}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-1.1}	2399.4 ^{+0.4} _{-1.1}	3.66 ^{+0.03} _{-0.03}	S	
2M1604-2254	10945	5786	246	2458320.473	-23.56	13	-1.2 ^{+0.6} _{-0.5}	-1.2 ^{+0.6} _{-0.5}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-1.1}	2399.4 ^{+0.4} _{-1.1}	3.66 ^{+0.03} _{-0.03}	S	
2M1604-2318	10945	5786	271	2458320.473	-23.69	20	-7.5 ^{+1.8} _{-0.4}	-7.5 ^{+1.8} _{-0.4}	79.3 ^{+1.7} _{-1.9}	79.3 ^{+1.7} _{-1.9}	2712.4 ^{+8.7} _{-11.0}	2712.4 ^{+8.7} _{-11.0}	4.3 ^{+0.06} _{-0.07}	B	
2M1604-2224	10945	5786	157	2458320.473	-23.58	18	-1.1 ^{+0.3} _{-0.8}	-1.1 ^{+0.3} _{-0.8}	73.3 ^{+1.5} _{-1.5}	73.3 ^{+1.5} _{-1.5}	2399.1 ^{+0.7} _{-1.2}	2399.1 ^{+0.7} _{-1.2}	3.51 ^{+0.01} _{-0.01}	S	
2M1604-2307	10945	5786	283	2458320.473	-23.69	20	-5.7 ^{+0.4} _{-0.7}	-5.7 ^{+0.4} _{-0.7}	63.0 ^{+1.4} _{-1.5}	63.0 ^{+1.4} _{-1.5}	2399.3 ^{+0.5} _{-0.8}	2399.3 ^{+0.5} _{-0.8}	3.57 ^{+0.04} _{-0.03}	S	
2M1605-2246	10945	5786	206	2458320.473	-23.67	19	-2.1 ^{+1.6} _{-0.5}	-2.1 ^{+1.6} _{-0.5}	63.2 ^{+1.4} _{-1.6}	63.2 ^{+1.4} _{-1.6}	2399.5 ^{+0.9} _{-0.9}	2399.5 ^{+0.9} _{-0.9}	3.51 ^{+0.01} _{-0.01}	S	
2M1605-2206	10945	5786	170	2458320.473	-23.53	15	-3.8 ^{+0.3} _{-0.3}	-3.8 ^{+0.3} _{-0.3}	21.6 ^{+1.0} _{-1.0}	21.6 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.9}	2399.3 ^{+0.5} _{-0.9}	3.52 ^{+0.02} _{-0.02}	S	
2M1605+2303	8969	5125	23	2457468.950	17.52	30	-40.7 ^{+0.3} _{-0.3}	-40.3 ^{+0.3} _{-0.3}	7.9 ^{+1.0} _{-1.4}	10.8 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	5.12 ^{+0.04} _{-0.01}	S	
...	8969	5125	23	2457474.939	16.04	24	-40.5 ^{+0.2} _{-0.2}	-40.5 ^{+0.2} _{-0.2}	10.9 ^{+1.0} _{-1.1}	10.9 ^{+1.0} _{-1.1}	2399.3 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	4.89 ^{+0.01} _{-0.01}	S	
...	8969	5125	26	2457500.888	7.96	23	-40.9 ^{+0.2} _{-0.3}	-40.9 ^{+0.2} _{-0.3}	7.7 ^{+1.0} _{-1.1}	7.7 ^{+1.0} _{-1.1}	2399.3 ^{+0.5} _{-1.0}	2399.3 ^{+0.5} _{-1.0}	5.1 ^{+0.01} _{-0.02}	S	
...	8969	5125	23	2457506.874	5.85	18	-40.5 ^{+0.4} _{-0.3}	-40.5 ^{+0.4} _{-0.3}	12.4 ^{+1.1} _{-1.6}	12.4 ^{+1.1} _{-1.6}	2399.4 ^{+0.4} _{-1.0}	2399.4 ^{+0.4} _{-1.0}	4.67 ^{+0.03} _{-0.03}	S	
...	8969	5125	20	2457524.785	-0.61	15	-40.2 ^{+0.3} _{-0.5}	-40.2 ^{+0.3} _{-0.5}	11.6 ^{+1.1} _{-1.4}	11.6 ^{+1.1} _{-1.4}	2399.3 ^{+0.5} _{-0.9}	2399.3 ^{+0.5} _{-0.9}	4.71 ^{+0.02} _{-0.04}	S	
...	8969	5125	14	2457530.805	-2.88	11	-40.0 ^{+0.3} _{-0.3}	-40.0 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.1}	14.2 ^{+1.0} _{-1.1}	2399.3 ^{+0.5} _{-0.6}	2399.3 ^{+0.5} _{-0.6}	4.65 ^{+0.03} _{-0.03}	S	
...	8970	5125	23	2457532.763	-3.50	20	-40.2 ^{+0.4} _{-0.3}	-40.2 ^{+0.4} _{-0.3}	8.9 ^{+1.3} _{-1.0}	8.9 ^{+1.3} _{-1.0}	2399.4 ^{+0.4} _{-0.9}	2399.4 ^{+0.4} _{-0.9}	4.88 ^{+0.06} _{-0.06}	S	
...	8970	5125	20	2457535.782	-4.64	24	-40.2 ^{+0.2} _{-0.2}	-40.2 ^{+0.2} _{-0.2}	9.5 ^{+1.2} _{-1.3}	9.5 ^{+1.2} _{-1.3}	2399.5 ^{+0.4} _{-0.7}	2399.5 ^{+0.4} _{-0.7}	5.02 ^{+0.02} _{-0.03}	S	
...	8970	5125	26	2457552.704	-10.32	26	-39.9 ^{+0.2} _{-0.2}	-39.9 ^{+0.2} _{-0.2}	7.7 ^{+1.2} _{-1.3}	7.7 ^{+1.2} _{-1.3}	2399.4 ^{+0.4} _{-0.8}	2399.4 ^{+0.4} _{-0.8}	4.93 ^{+0.02} _{-0.02}	S	
...	8970	5125	26	245755.675	-11.20	17	-40.3 ^{+0.3} _{-0.3}	-40.3 ^{+0.3} _{-0.3}	10.7 ^{+1.8} _{-1.8}	10.7 ^{+1.8} _{-1.8}	2399.4 ^{+0.5} _{-0.5}	2399.4 ^{+0.5} _{-0.5}	4.75 ^{+0.02} _{-0.02}	S	
...	8970	5125	110	2457558.751	-12.31	12	-39.0 ^{+0.3} _{-0.4}	-39.0 ^{+0.3} _{-0.4}	14.5 ^{+1.0} _{-1.0}	14.5 ^{+1.0} _{-1.0}	2399.1 ^{+0.7} _{-1.3}	2399.1 ^{+0.7} _{-1.3}	4.59 ^{+0.02} _{-0.02}	S	
2M1606-1904	9782	5332	67	2458176.882	30.26	17	-5.0 ^{+0.3} _{-0.3}	-4.9 ^{+0.3} _{-0.5}	16.7 ^{+1.0} _{-1.0}	16.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.6}	2399.5 ^{+0.4} _{-0.6}	3.51 ^{+0.01} _{-0.01}	S	
...	9782	5332	67	2458177.833	30.26	12	-4.8 ^{+0.6} _{-0.7}	-4.8 ^{+0.6} _{-0.7}	19.7 ^{+1.0} _{-1.8}	19.7 ^{+1.0} _{-1.8}	2399.3 ^{+0.6} _{-1.0}	2399.3 ^{+0.6} _{-1.0}	3.51 ^{+0.01} _{-0.01}	S	
2M1606+4054	8313	2123	32	2457166.793	-4.49	29	-40.7 ^{+0.3} _{-0.3}	-41.0 ^{+0.3} _{-0.4}	0.7 ^{+1.5} _{-1.1}	< 10	2398.9 ^{+0.4} _{-1.7}	2399.1 ^{+0.4} _{-1.7}	5.3 ^{+0.01} _{-0.02}	S	
...	8979	2330	116	2457464.950	11.21	64	-41.1 ^{+0.2} _{-0.2}	-41.1 ^{+0.2} _{-0.2}	0.7 ^{+1.6} _{-1.0}	0.7 ^{+1.6} _{-1.0}	2399.3 ^{+0.5} _{-0.8}	2399.3 ^{+0.5} _{-0.8}	5.32 ^{+0.01} _{-0.02}	S	
2M1606-2230	10945	5786	152	2458320.473	-23.60	10	-2.9 ^{+1.2} _{-0.7}	-2.9 ^{+1.2} _{-0.7}	36.3 ^{+1.5} _{-1.2}	36.3 ^{+1.5} _{-1.2}	2775.5 ^{+12.1} _{-6.9}	2775.5 ^{+12.1} _{-6.9}	5.22 ^{+0.05} _{-0.07}	B	
2M1607-2757	10952	5793	277	2458350.594	-29.22	15	-0.2 ^{+0.3} _{-0.3}	-0.2 ^{+0.3} _{-0.3}	12.2 ^{+1.2} _{-1.0}	12.2 ^{+1.2} _{-1.0}	2801.1 ^{+5.4} _{-2.7}	2801.1 ^{+5.4} _{-2.7}	5.02 ^{+0.05} _{-0.04}	B	
2M1609-2740	10952	5793	193	2458350.594	-29.22	30	1.7 ^{+0.4} _{-1.5}	1.7 ^{+0.4} _{-1.5}	59.3 ^{+1.4} _{-1.1}	59.3 ^{+1.4} _{-1.1}	2799.2 ^{+4.0} _{-6.1}	2799.2 ^{+4.0} _{-6.1}	4.72 ^{+0.04} _{-0.04}	B	
2M1609-2151	11628	6000	175	2458565.865	26.88	27	-6.4 ^{+1.2} _{-0.3}	-6.4 ^{+1.2} _{-0.3}	47.8 ^{+1.0} _{-1.5}	47.8 ^{+1.0} _{-1.5}	2399.7 ^{+0.2} _{-0.6}	2399.7 ^{+0.2} _{-0.6}	3.52 ^{+0.02} _{-0.01}	S	
2M1609-2224	9852	5372	19	2458243.753	10.73	31	-5.8 ^{+0.2} _{-0.2}	-5.2 ^{+0.3} _{-0.2}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.7 ^{+0.1} _{-0.6}	2399.7 ^{+0.1} _{-0.6}	3.97 ^{+0.01} _{-0.01}	S	
...	10945	5786	125	2458320.473	-23.29	35	-3.8 ^{+0.2} _{-0.2}	-4.0 ^{+0.2} _{-0.2}	14.1 ^{+1.0} _{-1.0}	14.1 ^{+1.0} _{-1.0}	2399.7 ^{+0.2} _{-0.5}	2399.7 ^{+0.2} _{-0.5}	3.88 ^{+0.02} _{-0.02}	S	
...	11628	6000	251	2458565.865	26.90	44	-4.7 ^{+0.2} _{-0.3}	-4.1 ^{+1.0} _{-1.0}	14.1 ^{+1.0} _{-1.0}	14.1 ^{+1.0} _{-1.0}	2398.7 ^{+1.0} _{-2.0}	2398.7 ^{+1.0} _{-2.0}	3.95 ^{+0.02} _{-0.02}	S	
...	11628	6000	295	2458565.865	26.91	10	-3.0 ^{+0.3} _{-0.3}	-3.0 ^{+0.3} _{-0.4}	32.9 ^{+1.0} _{-1.0}	32.9 ^{+1.0} _{-1.0}	2398.7 ^{+1.0} _{-2.0}	2398.7 ^{+1.0} _{-2.0}	3.9 ^{+0.04} _{-0.04}	S	

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{H}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1609-2059	9852	5372	132	2458243.753	10.66	22	-1.3 ^{+0.2} -0.3	-1.3 ^{+0.3} -0.3	17.9 ^{+1.0} -1.0	17.9 ^{+1.0} -1.0	2399.6 ^{+0.3} -0.5	2399.6 ^{+0.3} -0.5	3.55 ^{+0.02}	3.55 ^{+0.02}	S
2M1609-1848	10555	5659	162	2458242.662	11.02	17	-6.2 ^{+0.8} -0.6	-6.2 ^{+0.8} -0.7	55.8 ^{+1.6} -1.1	55.8 ^{+1.6} -1.1	2399.3 ^{+0.6} -0.9	2399.3 ^{+0.6} -0.9	3.51 ^{+0.01}	3.51 ^{+0.01}	S
2M1609-2722	10952	5793	151	2458350.594	-29.04	22	-1.5 ^{+0.3} -0.3	-1.5 ^{+0.3} -0.3	56.1 ^{+1.4} -1.3	56.1 ^{+1.4} -1.3	2399.5 ^{+0.4} -0.7	2399.5 ^{+0.4} -0.7	3.5 ^{+0.01}	3.5 ^{+0.01}	S
2M1609-2136	9852	5372	139	2458243.753	10.54	52	-3.0 ^{+0.3} -0.2	-3.0 ^{+0.3} -0.4	44.0 ^{+1.0} -1.0	44.1 ^{+1.0} -1.0	2399.7 ^{+0.2} -0.4	2399.7 ^{+0.2} -0.4	3.51 ^{+0.01}	3.51 ^{+0.01}	S
...	11628	6000	169	2458565.865	26.71	52	-3.1 ^{+0.2} -0.3	-3.1 ^{+0.2} -0.3	44.1 ^{+1.0} -1.0	44.1 ^{+1.0} -1.0	2399.7 ^{+0.3} -0.2	2399.7 ^{+0.3} -0.2	3.51 ^{+0.01}	3.51 ^{+0.01}	S
2M1609-1948	9763	5311	295	2457878.837	10.00	39	-4.1 ^{+0.2} -0.3	-4.1 ^{+0.2} -0.3	10.7 ^{+1.0} -1.0	10.7 ^{+1.0} -1.0	2905.8 ^{+7.0} -7.9	2905.8 ^{+7.0} -7.9	4.58 ^{+0.03}	4.58 ^{+0.03}	B
2M1609-2345	10591	5655	131	2458243.821	10.77	29	-2.4 ^{+0.2} -0.3	-2.4 ^{+0.2} -0.3	34.7 ^{+1.0} -1.0	34.7 ^{+1.0} -1.0	2399.6 ^{+0.5} -0.5	2399.6 ^{+0.5} -0.5	3.51 ^{+0.01}	3.51 ^{+0.01}	S
2M1609-2155	11628	6000	157	2458565.865	26.94	19	-3.8 ^{+0.5} -0.5	-3.8 ^{+0.5} -0.5	22.0 ^{+1.8} -1.0	22.0 ^{+1.8} -1.0	2399.5 ^{+0.4} -0.7	2399.5 ^{+0.4} -0.7	3.6 ^{+0.05}	3.6 ^{+0.05}	S
2M1610-1919	10595	5659	295	2458242.662	11.09	17	-5.0 ^{+0.3} -0.3	-5.0 ^{+0.3} -0.3	16.2 ^{+1.0} -1.0	16.2 ^{+1.0} -1.0	2399.5 ^{+0.9} -0.4	2399.5 ^{+0.9} -0.4	3.51 ^{+0.01}	3.51 ^{+0.01}	S
2M1610-2127	11628	6000	164	2458565.865	26.93	11	-5.4 ^{+1.3} -0.4	-5.4 ^{+1.3} -0.4	16.5 ^{+1.8} -1.1	16.5 ^{+1.8} -1.1	2399.1 ^{+0.7} -0.7	2399.1 ^{+0.7} -0.7	3.84 ^{+0.04}	3.84 ^{+0.04}	S
2M1610-2315	9783	5333	247	2458560.866	28.10	20	-3.9 ^{+0.3} -0.3	-3.9 ^{+0.3} -0.3	14.2 ^{+1.0} -1.0	14.2 ^{+1.0} -1.0	2399.6 ^{+0.3} -0.5	2399.6 ^{+0.3} -0.5	3.55 ^{+0.03}	3.55 ^{+0.03}	S
2M1610+2249	8468	5125	50	2457116.907	14.49	11	-3.6 ^{+0.5} -0.4	-4.0 ^{+0.3} -0.4	10.8 ^{+1.4} -1.0	11.8 ^{+1.0} -1.0	2399.1 ^{+0.7} -0.7	2399.1 ^{+0.7} -0.7	4.84 ^{+0.01}	4.84 ^{+0.01}	S
...	8468	5125	140	2457119.850	13.75	15	-4.6 ^{+0.4} -0.4	-4.6 ^{+0.4} -0.4	12.2 ^{+2.0} -1.8	12.2 ^{+2.0} -1.8	...	2399.1 ^{+0.7} -1.3	4.8 ^{+0.04}	4.8 ^{+0.04}	...
...	8469	5125	38	2457121.883	13.06	15	-3.9 ^{+0.3} -0.3	-3.9 ^{+0.3} -0.3	12.1 ^{+1.2} -1.0	12.1 ^{+1.2} -1.0	2399.2 ^{+0.6} -1.0	2399.2 ^{+0.6} -1.0	4.72 ^{+0.04}	4.72 ^{+0.04}	...
...	8468	5125	140	2457122.864	12.80	16	-4.2 ^{+0.3} -0.3	-4.2 ^{+0.3} -0.3	10.9 ^{+1.1} -1.0	10.9 ^{+1.1} -1.0	2399.4 ^{+0.5} -0.9	2399.4 ^{+0.5} -0.9	4.96 ^{+0.03}	4.96 ^{+0.03}	...
...	8468	5125	92	2457148.752	4.04	13	-4.7 ^{+0.3} -0.3	-4.7 ^{+0.3} -0.3	16.0 ^{+1.0} -1.9	16.0 ^{+1.0} -1.9	2399.4 ^{+0.4} -0.7	2399.4 ^{+0.4} -0.7	4.59 ^{+0.02}	4.59 ^{+0.02}	...
...	8468	5125	92	2457151.784	2.86	21	-4.1 ^{+0.3} -0.3	-4.1 ^{+0.3} -0.3	10.6 ^{+1.1} -1.0	10.6 ^{+1.1} -1.0	2399.5 ^{+0.4} -0.9	2399.5 ^{+0.4} -0.9	4.91 ^{+0.03}	4.91 ^{+0.03}	...
...	8468	5125	50	2457168.712	-3.29	17	-3.6 ^{+0.3} -0.3	-3.6 ^{+0.3} -0.3	10.1 ^{+1.2} -1.0	10.1 ^{+1.2} -1.0	2399.2 ^{+0.7} -1.1	2399.2 ^{+0.7} -1.1	5.15 ^{+0.05}	5.15 ^{+0.05}	...
...	8469	5125	140	2457169.698	-3.62	13	-3.2 ^{+0.4} -0.3	-3.2 ^{+0.4} -0.3	11.4 ^{+1.1} -1.0	11.4 ^{+1.1} -1.0	2399.2 ^{+0.6} -0.9	2399.2 ^{+0.6} -0.9	4.88 ^{+0.02}	4.88 ^{+0.02}	...
...	8469	5125	44	2457175.720	-5.82	17	-4.3 ^{+0.2} -0.3	-4.3 ^{+0.2} -0.3	10.6 ^{+1.3} -1.0	10.6 ^{+1.3} -1.0	2399.3 ^{+0.5} -0.9	2399.3 ^{+0.5} -0.9	4.96 ^{+0.02}	4.96 ^{+0.02}	...
...	8469	5125	47	2457412.024	20.84	10	-3.6 ^{+0.5} -0.4	-3.6 ^{+0.5} -0.4	13.8 ^{+1.1} -1.5	13.8 ^{+1.1} -1.5	2399.3 ^{+0.5} -0.9	2399.3 ^{+0.5} -0.9	4.62 ^{+0.04}	4.62 ^{+0.04}	...
...	8469	5125	143	2457415.024	21.21	15	-3.2 ^{+0.3} -0.3	-3.2 ^{+0.3} -0.3	9.7 ^{+1.6} -1.5	9.7 ^{+1.6} -1.5	2398.9 ^{+0.8} -1.0	2398.9 ^{+0.8} -1.0	4.91 ^{+0.02}	4.91 ^{+0.02}	...
2M1610-1913	10595	5659	258	2458242.662	11.26	17	-6.2 ^{+0.4} -1.4	-6.2 ^{+0.4} -1.4	42.4 ^{+1.2} -1.0	42.4 ^{+1.2} -1.0	2399.3 ^{+0.5} -1.0	2399.3 ^{+0.5} -1.0	3.55 ^{+0.05}	3.55 ^{+0.05}	S
2M1610-2239	11628	6000	235	2458565.865	27.00	10	-7.5 ^{+0.3} -0.3	-7.5 ^{+0.3} -0.3	9.2 ^{+1.0} -1.1	< 10	2399.1 ^{+0.6} -1.4	2399.1 ^{+0.6} -1.4	4.31 ^{+0.02}	4.31 ^{+0.02}	S
2M1610-2126	9852	5372	150	2458243.753	10.65	48	-4.3 ^{+0.3} -0.3	-3.4 ^{+0.4} -0.4	57.8 ^{+1.0} -1.2	57.8 ^{+1.0} -1.2	2872.8 ^{+5.8} -6.3	2872.8 ^{+5.8} -6.3	4.37 ^{+0.04}	4.37 ^{+0.04}	B
...	11628	6000	167	2458565.865	26.76	46	-2.9 ^{+1.7} -0.2	-5.7 ^{+1.7} -0.2	55.7 ^{+1.2} -1.2	55.7 ^{+1.2} -1.2	2873.6 ^{+8.4} -8.4	2873.6 ^{+8.4} -8.4	4.48 ^{+0.03}	4.48 ^{+0.03}	...
2M1611-2217	11628	6000	193	2458565.865	26.81	19	-2.2 ^{+1.4} -0.7	-2.2 ^{+1.4} -0.7	63.9 ^{+1.4} -1.5	63.9 ^{+1.4} -1.5	2399.6 ^{+0.9} -0.3	2399.6 ^{+0.9} -0.3	3.51 ^{+0.01}	3.51 ^{+0.01}	S
2M1611-2307	9783	5333	258	2458560.866	28.15	18	-1.9 ^{+0.3} -0.3	-2.2 ^{+0.4} -0.5	35.8 ^{+1.4} -1.4	36.6 ^{+1.0} -1.0	2399.6 ^{+0.4} -0.7	2399.6 ^{+0.4} -0.7	3.51 ^{+0.01}	3.51 ^{+0.01}	S
...	11628	6000	216	2458565.865	27.06	28	-2.9 ^{+0.9} -0.3	-3.6 ^{+1.0} -0.3	36.6 ^{+1.0} -1.0	36.6 ^{+1.0} -1.0	2399.7 ^{+0.5} -0.5	2399.7 ^{+0.5} -0.5	3.52 ^{+0.02}	3.52 ^{+0.02}	...
2M1611-2525	9762	5310	199	2457878.674	11.26	56	-5.3 ^{+0.3} -0.3	-4.7 ^{+0.3} -0.5	55.1 ^{+1.0} -1.0	55.1 ^{+1.0} -1.0	2399.8 ^{+0.2} -0.2	2399.8 ^{+0.2} -0.2	3.5 ^{+0.01}	3.5 ^{+0.01}	S
...	9853	5373	235	2458243.877	10.94	58	-4.0 ^{+0.3} -0.3	-5.5 ^{+1.1} -1.0	...	2399.8 ^{+0.2} -0.3	...	3.5 ^{+0.0}	3.5 ^{+0.0}	S	
2M1611-2157	11628	6000	204	2458565.865	26.84	19	-5.8 ^{+0.5} -1.4	-5.8 ^{+0.5} -1.4	56.6 ^{+1.3} -1.5	56.6 ^{+1.3} -1.5	2399.4 ^{+0.4} -1.0	2399.4 ^{+0.4} -1.0	3.58 ^{+0.04}	3.58 ^{+0.04}	S
2M1611-2236	11628	6000	186	2458565.865	27.06	19	-2.5 ^{+0.4} -0.8	-2.5 ^{+0.4} -0.8	50.3 ^{+1.5} -1.1	50.3 ^{+1.5} -1.1	2399.5 ^{+0.3} -0.5	2399.5 ^{+0.3} -0.5	3.53 ^{+0.02}	3.53 ^{+0.02}	S
2M1612-2013	9763	5311	186	2457878.837	10.56	41	-4.9 ^{+0.3} -0.3	-4.9 ^{+0.3} -0.4	30.9 ^{+1.0} -1.0	30.9 ^{+1.0} -1.0	2399.7 ^{+0.2} -0.3	2399.7 ^{+0.2} -0.3	3.58 ^{+0.02}	3.58 ^{+0.02}	S
2M1612-2338	9783	5333	234	2458560.866	28.01	28	0.2 ^{+0.4} -0.3	0.2 ^{+0.4} -0.3	60.4 ^{+1.4} -1.3	60.4 ^{+1.4} -1.3	2796.0 ^{+6.3} -4.7	2796.0 ^{+6.3} -4.7	4.71 ^{+0.04}	4.71 ^{+0.04}	B
2M1612-1903	9763	5311	61	2457878.837	10.49	28	-7.1 ^{+0.2} -0.4	-7.1 ^{+0.2} -0.4	29.2 ^{+1.0} -1.1	29.2 ^{+1.0} -1.1	2977.8 ^{+9.9} -6.3	2977.8 ^{+9.9} -6.3	4.51 ^{+0.02}	4.51 ^{+0.02}	B

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{I}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)	
...	10535	56359	41	2458242.662	11.50	42	-6.2 ^{+0.7} _{-0.4}	... -0.9 ^{+0.3} _{-0.5}	28.6 ^{+1.1} _{-1.3}	... 23.5 ^{+1.0} _{-1.0}	2964.6 ^{+9.4} _{-8.6}	... 2399.5 ^{+0.7} _{-0.4}	4.47 ^{+0.02} _{-0.02}	...	B
2M1613-2305	9783	53333	192	2458560.866	28.02	16	-0.5 ^{+0.4} _{-0.3}	-0.9 ^{+0.3} _{-0.5}	23.6 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.4}	2399.6 ^{+0.4} _{-0.2}	3.55 ^{+0.03} _{-0.03}	3.69 ^{+0.02} _{-0.02}	S	
...	11628	6000	30	2458565.865	26.94	19	-1.2 ^{+0.6} _{-0.3}	... 0.5 ^{+0.4} _{-0.3}	23.5 ^{+1.0} _{-1.0}	... 0.5 ^{+0.4} _{-0.3}	2399.6 ^{+0.6} _{-0.3}	... 2399.5 ^{+0.3} _{-0.9}	3.91 ^{+0.03} _{-0.03}	...	S
2M1613-2251	11628	6000	19	2458565.865	26.94	30	0.5 ^{+0.4} _{-0.7}	0.5 ^{+0.4} _{-0.7}	90.9 ^{+1.4} _{-1.9}	90.9 ^{+1.4} _{-1.9}	2399.5 ^{+0.3} _{-0.9}	3.53 ^{+0.03} _{-0.02}	3.53 ^{+0.03} _{-0.02}	S	
2M1613-2230	6000	1	2458565.865	27.14	30	-4.7 ^{+0.3} _{-0.3}	-4.7 ^{+0.4} _{-0.3}	19.9 ^{+1.9} _{-1.0}	19.9 ^{+1.9} _{-1.0}	2399.6 ^{+0.5} _{-0.4}	3.59 ^{+0.04} _{-0.04}	3.59 ^{+0.04} _{-0.04}	S		
2M1613-1924	9763	53111	80	2457878.837	10.60	44	-4.6 ^{+0.2} _{-0.2}	-4.8 ^{+0.3} _{-0.4}	23.5 ^{+1.0} _{-1.0}	23.1 ^{+1.0} _{-1.0}	2399.8 ^{+0.4} _{-0.4}	3.53 ^{+0.01} _{-0.01}	3.56 ^{+0.01} _{-0.01}	S	
...	10535	56559	55	2458242.662	11.61	37	-5.2 ^{+0.3} _{-0.3}	... 21.6 ^{+1.0} _{-1.0}	... 2399.7 ^{+0.2} _{-0.6}	... 2399.7 ^{+0.2} _{-0.6}	3.66 ^{+0.03} _{-0.02}	3.66 ^{+0.02} _{-0.02}	...	S	
2M1613-2233	11628	6000	114	2458565.865	27.15	25	-6.4 ^{+0.2} _{-0.2}	-6.4 ^{+0.3} _{-0.3}	14.1 ^{+1.0} _{-1.0}	14.1 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.3}	3.8 ^{+0.03} _{-0.03}	3.8 ^{+0.03} _{-0.03}	S	
2M1613-2219	11628	6000	108	2458565.865	27.15	12	-0.8 ^{+0.3} _{-0.3}	-0.8 ^{+0.4} _{-0.4}	19.4 ^{+1.0} _{-1.0}	19.4 ^{+1.0} _{-1.0}	2399.4 ^{+0.4} _{-1.2}	3.8 ^{+0.06} _{-0.1}	3.8 ^{+0.06} _{-0.1}	S	
2M1613-2301	11628	6000	27	2458565.865	27.17	25	-2.0 ^{+0.0} _{-0.9}	-2.0 ^{+1.0} _{-0.9}	59.3 ^{+1.9} _{-1.9}	59.3 ^{+1.9} _{-1.9}	2399.6 ^{+0.3} _{-0.3}	3.52 ^{+0.03} _{-0.03}	3.52 ^{+0.01} _{-0.01}	S	
2M1614-2428	10592	56566	174	2458242.848	11.48	23	-1.4 ^{+0.3} _{-0.3}	-1.1 ^{+0.3} _{-0.5}	57.4 ^{+1.3} _{-1.2}	57.4 ^{+1.3} _{-1.2}	2399.6 ^{+0.6} _{-0.6}	3.53 ^{+0.02} _{-0.02}	3.52 ^{+0.01} _{-0.01}	S	
...	9853	5373	90	2458243.877	10.95	18	-0.4 ^{+0.3} _{-0.3}	... 59.0 ^{+1.9} _{-1.8}	18.0 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	2399.4 ^{+0.8} _{-0.8}	3.51 ^{+0.02} _{-0.02}	3.51 ^{+0.02} _{-0.02}	S	
2M1614-2242	11628	6000	115	2458565.865	27.20	14	0.2 ^{+0.2} _{-0.3}	0.2 ^{+0.3} _{-0.3}	18.0 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-0.9}	3.53 ^{+0.04} _{-0.04}	3.53 ^{+0.04} _{-0.04}	S	
2M1615-2144	11628	6000	128	2458565.865	27.02	37	-5.9 ^{+0.3} _{-0.3}	-5.9 ^{+0.4} _{-0.4}	16.0 ^{+1.0} _{-1.0}	16.0 ^{+1.0} _{-1.0}	2399.7 ^{+0.5} _{-0.2}	4.11 ^{+0.02} _{-0.03}	4.11 ^{+0.02} _{-0.03}	S	
2M1615-2444	10947	5788	283	2458560.798	28.31	22	-3.5 ^{+0.3} _{-0.3}	-3.5 ^{+0.3} _{-0.3}	16.0 ^{+1.0} _{-1.0}	16.0 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.3}	3.65 ^{+0.04} _{-0.03}	3.65 ^{+0.04} _{-0.03}	S	
2M1616-2525	10948	5789	270	2458320.566	-22.92	24	-3.2 ^{+0.2} _{-0.3}	-3.2 ^{+0.3} _{-0.3}	10.8 ^{+1.0} _{-1.4}	10.8 ^{+1.0} _{-1.4}	2864.9 ^{+16.7} _{-10.6}	4.75 ^{+0.06} _{-0.04}	4.75 ^{+0.06} _{-0.04}	B	
2M1617-2353	10947	5788	157	2458560.798	28.38	17	-2.8 ^{+0.3} _{-0.6}	-2.8 ^{+1.3} _{-0.6}	59.7 ^{+1.2} _{-1.2}	59.7 ^{+1.2} _{-1.2}	2799.7 ^{+5.9} _{-6.0}	4.64 ^{+0.04} _{-0.06}	4.64 ^{+0.04} _{-0.06}	B	
2M1618-2530	10948	5789	259	2458320.566	-22.79	16	-0.9 ^{+0.3} _{-0.3}	-0.9 ^{+0.3} _{-0.3}	16.2 ^{+1.0} _{-1.4}	16.2 ^{+1.0} _{-1.4}	2399.4 ^{+0.8} _{-0.4}	3.76 ^{+0.06} _{-0.1}	3.76 ^{+0.06} _{-0.1}	S	
2M1618-2517	10592	56566	95	2458242.848	12.21	38	-1.2 ^{+0.4} _{-0.5}	-1.0 ^{+0.4} _{-0.4}	18.2 ^{+1.1} _{-1.0}	16.3 ^{+1.0} _{-1.0}	3128.6 ^{+5.7} _{-5.8}	4.62 ^{+0.02} _{-0.02}	4.62 ^{+0.02} _{-0.02}	B	
...	10948	5789	158	2458320.566	-22.60	43	-1.0 ^{+0.2} _{-0.2}	... 16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	3130.1 ^{+3.6} _{-3.6}	4.59 ^{+0.02} _{-0.03}	4.59 ^{+0.02} _{-0.03}	S	
2M1619-2241	10594	5658	252	2458242.784	12.33	13	-4.2 ^{+0.4} _{-0.4}	-4.6 ^{+0.3} _{-0.4}	18.0 ^{+1.1} _{-1.2}	17.0 ^{+1.0} _{-1.1}	2399.4 ^{+0.5} _{-0.6}	3.53 ^{+0.02} _{-0.02}	3.53 ^{+0.02} _{-0.02}	B	
...	9855	53117	223	2458243.690	12.07	13	-4.6 ^{+0.2} _{-0.2}	... 16.4 ^{+1.1} _{-1.0}	16.4 ^{+1.1} _{-1.0}	... 16.2 ^{+1.0} _{-1.0}	2399.5 ^{+0.3} _{-0.3}	3.61 ^{+0.04} _{-0.04}	3.61 ^{+0.04} _{-0.04}	S	
2M1620-2359	10947	5788	36	2458560.798	28.48	40	-5.0 ^{+0.4} _{-0.3}	-5.0 ^{+0.4} _{-0.4}	60.8 ^{+1.9} _{-1.0}	60.8 ^{+1.9} _{-1.0}	2399.6 ^{+0.5} _{-0.5}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S	
2M1620-2430	10947	5788	120	2458560.798	28.50	17	-3.5 ^{+0.4} _{-0.4}	-3.5 ^{+0.4} _{-0.4}	49.7 ^{+1.3} _{-1.5}	49.7 ^{+1.3} _{-1.5}	2722.2 ^{+17.9} _{-15.3}	4.69 ^{+0.08} _{-0.06}	4.69 ^{+0.08} _{-0.06}	B	
2M1620-2425	10947	5788	115	2458560.798	28.63	16	1.5 ^{+0.4} _{-0.6}	1.5 ^{+0.4} _{-0.7}	25.4 ^{+1.0} _{-1.0}	25.4 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.6}	3.52 ^{+0.02} _{-0.01}	3.52 ^{+0.02} _{-0.01}	S	
2M1621-2355	10947	5788	96	2458560.798	28.54	21	0.7 ^{+1.7} _{-0.4}	0.7 ^{+1.7} _{-0.4}	53.5 ^{+1.4} _{-1.6}	53.5 ^{+1.4} _{-1.6}	2799.6 ^{+4.4} _{-4.8}	4.86 ^{+0.05} _{-0.05}	4.86 ^{+0.05} _{-0.05}	B	
2M1622-2407	10947	5788	127	2458560.798	28.70	15	-1.9 ^{+0.5} _{-0.6}	-1.9 ^{+0.6} _{-0.6}	44.5 ^{+3.6} _{-3.6}	44.5 ^{+3.6} _{-3.6}	2399.4 ^{+0.5} _{-0.3}	3.53 ^{+0.04} _{-0.02}	3.53 ^{+0.04} _{-0.02}	S	
2M1622-2405	10947	5788	131	2458560.798	28.70	16	-1.2 ^{+0.4} _{-0.4}	-1.2 ^{+0.5} _{-0.4}	18.0 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-1.0}	3.56 ^{+0.02} _{-0.02}	3.56 ^{+0.02} _{-0.02}	S	
2M1623-2317	10594	5658	216	2458242.784	12.81	28	-3.9 ^{+0.8} _{-0.8}	-3.9 ^{+0.8} _{-0.8}	52.6 ^{+1.3} _{-1.2}	52.6 ^{+1.3} _{-1.2}	2399.6 ^{+0.3} _{-0.8}	3.53 ^{+0.02} _{-0.02}	3.53 ^{+0.02} _{-0.02}	S	
2M1623-2438	10593	5657	241	2458242.722	12.86	33	-4.0 ^{+0.5} _{-0.3}	-4.0 ^{+0.5} _{-0.3}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2845.1 ^{+7.9} _{-6.9}	4.44 ^{+0.03} _{-0.03}	4.44 ^{+0.03} _{-0.03}	B	
2M1626-2426	10533	5657	180	2458242.722	13.10	28	-5.0 ^{+0.2} _{-0.3}	-5.0 ^{+0.3} _{-0.3}	23.1 ^{+1.0} _{-1.1}	23.1 ^{+1.0} _{-1.1}	2969.7 ^{+9.3} _{-7.5}	4.37 ^{+0.02} _{-0.03}	4.37 ^{+0.02} _{-0.03}	B	
2M1626-2213	10594	5658	150	2458242.784	12.85	29	-1.7 ^{+0.6} _{-0.6}	-1.7 ^{+0.6} _{-0.6}	58.7 ^{+1.4} _{-1.4}	58.7 ^{+1.4} _{-1.4}	2399.5 ^{+0.7} _{-0.3}	3.6 ^{+0.04} _{-0.04}	3.6 ^{+0.04} _{-0.04}	S	
2M1626-3954	11942	2704	120	2458641.850	-5.90	27	3.1 ^{+0.4} _{-0.4}	2.9 ^{+0.3} _{-0.4}	25.3 ^{+1.0} _{-1.1}	27.1 ^{+1.0} _{-1.0}	2399.0 ^{+0.8} _{-1.5}	5.45 ^{+0.02} _{-0.01}	5.34 ^{+0.01} _{-0.01}	S	
...	11942	2704	120	2458642.869	-6.17	19	2.9 ^{+0.5} _{-0.5}	... 29.1 ^{+1.0} _{-1.1}	29.1 ^{+1.0} _{-1.1}	... 29.1 ^{+1.0} _{-1.1}	2398.9 ^{+0.8} _{-1.4}	5.39 ^{+0.03} _{-0.05}	5.39 ^{+0.03} _{-0.05}	S	
...	11943	2705	55	2458643.851	-6.36	23	3.1 ^{+0.5} _{-0.3}	... 26.4 ^{+1.1} _{-1.2}	26.4 ^{+1.1} _{-1.2}	... 26.4 ^{+1.1} _{-1.2}	2399.1 ^{+0.7} _{-1.3}	5.22 ^{+0.07} _{-0.03}	5.22 ^{+0.07} _{-0.03}	S	
...	11943	2705	60	2458656.654	-8.72	23	3.6 ^{+0.2} _{-0.3}	... 25.7 ^{+1.4} _{-1.0}	25.7 ^{+1.4} _{-1.0}	... 25.7 ^{+1.4} _{-1.0}	2399.1 ^{+0.7} _{-1.3}	5.47 ^{+0.02} _{-0.02}	5.47 ^{+0.02} _{-0.02}	S	

APOGEE DR17 ULTRACOOL DWARFS

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{H}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	11941	2703	102	2458656.714	-8.84	16	3.1 ^{+0.4} -0.4	...	28.1 ^{+1.1} -1.2	...	2398.8 ^{+0.9} -1.5	...	5.19 ^{+0.02} -0.02	...	S
...	11941	2703	102	2458657.673	-8.96	21	2.8 ^{+0.5} -0.5	...	25.7 ^{+1.2} -1.0	...	2399.3 ^{+0.5} -1.1	...	5.12 ^{+0.04} -0.02	...	S
...	11941	2703	102	2458658.640	-9.09	18	2.6 ^{+0.3} -0.3	...	25.7 ^{+1.7} -1.0	...	2399.0 ^{+0.7} -1.3	...	5.41 ^{+0.02} -0.02	...	S
...	12674	2871	259	2459022.755	-9.08	15	2.3 ^{+0.3} -0.3	...	29.1 ^{+1.0} -1.7	...	2399.1 ^{+0.6} -1.2	...	5.14 ^{+0.02} -0.03	...	S
...	12674	2871	259	2459023.763	-9.30	20	2.5 ^{+0.3} -0.3	...	27.4 ^{+1.0} -1.0	...	2399.1 ^{+0.6} -1.4	...	5.38 ^{+0.04} -0.02	...	S
...	12673	2870	198	2459078.740	-14.79	12	3.8 ^{+0.4} -0.4	...	31.1 ^{+1.1} -1.3	...	2398.7 ^{+0.9} -1.6	...	5.13 ^{+0.06} -0.07	...	S
...	12673	2870	198	2459080.723	-14.76	15	2.8 ^{+0.4} -0.4	...	27.5 ^{+1.2} -1.0	...	2399.3 ^{+0.5} -1.0	...	5.32 ^{+0.04} -0.03	...	S
...	12673	2870	198	2459084.705	-14.64	19	2.9 ^{+0.4} -0.3	...	25.9 ^{+1.1} -1.0	...	2399.3 ^{+0.5} -1.2	...	5.44 ^{+0.02} -0.03	...	S
2M1627+3514	11940	2702	139	2459042.784	-13.68	17	-12.0 ^{+0.4} -0.5	-12.1 ^{+0.3} -0.6	21.8 ^{+1.3} -1.0	21.9 ^{+1.0} -1.0	2399.3 ^{+0.3} -0.7	4.7 ^{+0.12} -0.07	4.75 ^{+0.03} -0.03	S	
...	11940	2702	139	2459047.746	-14.39	16	-11.3 ^{+0.4} -0.4	...	31.1 ^{+1.4} -1.8	...	2399.2 ^{+0.5} -1.1	...	4.6 ^{+0.04} -0.08	...	S
...	11940	2702	139	2459069.678	-16.42	21	-12.9 ^{+0.4} -0.5	...	21.7 ^{+1.0} -1.0	...	2399.3 ^{+0.5} -1.2	...	4.88 ^{+0.04} -0.04	...	S
2M1627+3538	11940	2702	43	2459042.784	-13.58	26	-9.2 ^{+0.3} -0.3	-8.8 ^{+0.3} -0.4	9.1 ^{+1.2} -1.0	< 10	2399.0 ^{+0.8} -0.8	5.49 ^{+0.0} -0.01	5.49 ^{+0.0} -0.01	S	
...	11940	2702	43	2459047.746	-14.27	26	-8.2 ^{+0.3} -0.3	...	7.8 ^{+1.1} -1.4	...	2398.7 ^{+1.0} -1.7	...	5.45 ^{+0.02} -0.02	...	S
...	11940	2702	43	2459050.735	-14.66	11	-6.3 ^{+0.4} -0.3	...	16.3 ^{+1.1} -1.0	...	2399.2 ^{+0.6} -1.5	...	4.85 ^{+0.02} -0.03	...	S
...	11940	2702	43	2459069.678	-16.26	32	-8.9 ^{+0.2} -0.2	...	7.8 ^{+1.1} -1.4	...	2399.0 ^{+0.8} -1.2	...	5.49 ^{+0.01} -0.01	...	S
2M1627-2425	10593	5657	85	2458242.722	13.22	34	-5.3 ^{+0.2} -0.2	-5.3 ^{+0.3} -0.3	12.3 ^{+1.0} -1.4	12.3 ^{+1.0} -1.4	2399.7 ^{+0.6} -0.8	3.89 ^{+0.03} -0.02	3.89 ^{+0.03} -0.02	S	
2M1628+1334	8609	2239	98	2458633.844	-2.34	51	-36.5 ^{+0.3} -0.3	-36.6 ^{+0.3} -0.5	15.7 ^{+1.0} -1.0	15.8 ^{+1.0} -1.1	2399.6 ^{+0.4} -0.4	5.16 ^{+0.01} -0.01	5.2 ^{+0.01} -0.01	S	
...	8609	2239	98	2458634.838	-2.74	37	-36.6 ^{+0.2} -0.3	...	15.9 ^{+1.0} -1.1	...	2399.3 ^{+0.5} -0.8	...	5.32 ^{+0.04} -0.04	...	S
2M1628-2428	10593	5657	121	2458242.722	13.31	40	-5.7 ^{+0.2} -0.3	-5.7 ^{+0.3} -0.3	16.2 ^{+1.0} -1.0	16.2 ^{+1.0} -1.0	2905.0 ^{+7.1} -5.6	4.5 ^{+0.01} -0.01	4.5 ^{+0.01} -0.01	B	
2M1629-2456	10593	5657	114	2458242.722	13.48	23	-3.9 ^{+0.2} -0.2	-3.9 ^{+0.3} -0.3	10.6 ^{+1.0} -1.0	10.6 ^{+1.0} -1.0	2399.5 ^{+0.8} -0.8	4.42 ^{+0.03} -0.03	4.42 ^{+0.03} -0.03	S	
2M1631+4051	8312	2122	171	2457160.893	-0.85	241	-21.8 ^{+0.2} -0.2	-21.8 ^{+0.3} -0.3	12.3 ^{+1.0} -1.0	14.8 ^{+1.0} -1.0	2399.6 ^{+0.3} -0.1	5.34 ^{+0.02} -0.02	5.33 ^{+0.01} -0.01	S	
...	8601	2231	214	2457192.686	-7.70	275	-21.6 ^{+0.3} -0.3	...	12.4 ^{+1.0} -1.0	...	2399.5 ^{+0.3} -0.3	...	5.36 ^{+0.02} -0.02	...	S
...	9869	2440	292	2457899.827	-2.76	123	-21.4 ^{+0.3} -0.3	...	16.0 ^{+1.0} -1.0	...	2399.7 ^{+0.2} -0.5	5.39 ^{+0.02} -0.02	5.39 ^{+0.02} -0.02	S	
...	9869	2440	292	2457900.806	-2.95	184	-21.6 ^{+0.3} -0.3	...	13.5 ^{+1.0} -1.3	...	2399.6 ^{+0.3} -0.6	5.29 ^{+0.03} -0.05	5.29 ^{+0.03} -0.05	S	
...	11942	2704	195	2458641.850	-5.46	171	-21.7 ^{+0.2} -0.2	...	12.6 ^{+1.0} -1.0	...	2399.6 ^{+0.3} -0.4	5.3 ^{+0.01} -0.01	5.3 ^{+0.01} -0.01	S	
...	11942	2704	195	2458642.869	-5.72	134	-21.5 ^{+0.3} -0.4	...	13.4 ^{+1.0} -1.5	...	2399.5 ^{+0.4} -0.5	5.3 ^{+0.02} -0.02	5.3 ^{+0.02} -0.02	S	
...	11942	2705	159	2458643.851	-5.91	201	-21.9 ^{+0.3} -0.3	...	14.2 ^{+1.0} -1.0	...	2399.5 ^{+0.4} -0.4	5.29 ^{+0.02} -0.02	5.29 ^{+0.02} -0.02	S	
...	11943	2705	159	2458645.863	-6.36	45	-21.8 ^{+0.3} -0.2	...	16.1 ^{+1.0} -1.0	...	2399.5 ^{+0.3} -0.7	5.24 ^{+0.05} -0.03	5.24 ^{+0.05} -0.03	S	
...	11943	2705	261	2458656.654	-8.20	227	-21.5 ^{+0.3} -0.3	...	16.0 ^{+1.0} -1.0	...	2399.7 ^{+0.2} -0.3	5.3 ^{+0.02} -0.02	5.3 ^{+0.02} -0.02	S	
...	11941	2703	82	2458656.714	-8.32	146	-21.8 ^{+0.3} -0.2	...	12.7 ^{+1.3} -1.0	...	2399.5 ^{+0.5} -0.6	5.41 ^{+0.03} -0.03	5.41 ^{+0.03} -0.03	S	
...	11941	2703	82	2458657.673	-8.44	225	-21.9 ^{+0.2} -0.2	...	12.5 ^{+1.0} -1.0	...	2399.5 ^{+0.3} -0.5	5.41 ^{+0.01} -0.02	5.41 ^{+0.01} -0.02	S	
...	11941	2703	82	2458658.640	-8.56	172	-21.6 ^{+0.2} -0.2	...	12.4 ^{+1.0} -1.0	...	2399.6 ^{+0.2} -0.4	5.38 ^{+0.04} -0.06	5.38 ^{+0.04} -0.06	S	
2M1640+6736	119222	6078	3	2458893.999	1.41	201	-17.4 ^{+0.3} -0.2	-17.4 ^{+0.3} -0.3	16.0 ^{+1.0} -1.0	16.0 ^{+1.0} -1.0	2399.6 ^{+0.3} -0.6	5.32 ^{+0.01} -0.01	5.32 ^{+0.01} -0.01	S	
2M1644+4302	8978	2329	269	2457463.969	11.49	48	-10.6 ^{+0.3} -0.3	-10.6 ^{+0.3} -0.3	14.2 ^{+1.1} -1.0	14.2 ^{+1.1} -1.0	2399.4 ^{+0.4} -0.8	5.03 ^{+0.04} -0.05	5.03 ^{+0.04} -0.05	S	
...	8978	2329	269	2457465.992	11.21	18	-9.7 ^{+0.3} -0.3	...	21.7 ^{+1.0} -1.1	...	2399.5 ^{+0.4} -1.2	4.61 ^{+0.03} -0.04	4.61 ^{+0.03} -0.04	S	
2M1646+3434	11947	2709	110	2459019.842	-7.26	76	-52.6 ^{+0.2} -0.4	-52.6 ^{+0.3} -0.4	5.7 ^{+1.0} -1.0	< 10	2399.5 ^{+0.2} -0.8	4.96 ^{+0.01} -0.02	4.96 ^{+0.01} -0.02	S	

Table 4 continued

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\theta}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	11947	2709	110	2459020.835	-7.50	69	-52.6 ^{+0.2} _{-0.2}	...	6.0 ^{+1.0} _{-1.4}	...	2399.5 ^{+0.3} _{-0.8}	...	4.96 ^{+0.03} _{-0.02}	...	S
...	11949	2711	274	2459021.842	-7.76	74	-52.5 ^{+0.2} _{-0.2}	...	7.5 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.6}	...	4.93 ^{+0.02} _{-0.02}	...	S
...	11949	2711	274	2459022.821	-7.97	68	-52.9 ^{+0.3} _{-0.2}	...	5.9 ^{+1.6} _{-1.4}	...	2399.4 ^{+0.7} _{-0.7}	...	4.93 ^{+0.02} _{-0.02}	...	S
2M1647+4117	11945	2707	276	2458639.825	-3.44	49	-37.2 ^{+0.3} _{-0.3}	-37.2 ^{+0.3} _{-0.3}	5.4 ^{+1.1} _{-1.9}	< 10	2399.1 ^{+0.7} _{-1.1}	2399.1 ^{+0.7} _{-1.1}	5.35 ^{+0.04} _{-0.03}	5.35 ^{+0.04} _{-0.03}	S
2M1648+3005	11950	2712	168	2459084.655	-18.26	11	-46.4 ^{+0.5} _{-0.3}	-44.8 ^{+0.4} _{-0.4}	16.1 ^{+1.0} _{-1.0}	14.0 ^{+1.3} _{-2.0}	2399.0 ^{+1.4} _{-1.4}	2398.6 ^{+1.1} _{-2.4}	4.67 ^{+0.05} _{-0.09}	4.67 ^{+0.05} _{-0.07}	S
...	11950	2712	168	2459085.653	-18.28	11	-44.8 ^{+0.4} _{-0.4}	...	14.0 ^{+1.3} _{-2.0}	...	2398.6 ^{+1.1} _{-2.4}	...	4.66 ^{+0.07} _{-0.07}	...	S
2M1707+6439	11983	2745	240	2458659.689	-2.82	54	-10.0 ^{+0.3} _{-0.3}	-10.0 ^{+0.3} _{-0.4}	25.4 ^{+1.0} _{-1.0}	25.4 ^{+1.0} _{-1.0}	2394.1 ^{+3.1} _{-4.6}	2394.1 ^{+3.1} _{-4.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
2M1718+2625	9085	2382	97	2457551.867	-2.05	41	-42.4 ^{+0.3} _{-0.5}	-42.4 ^{+0.3} _{-0.5}	13.6 ^{+1.0} _{-1.5}	15.3 ^{+1.0} _{-1.1}	2399.1 ^{+0.6} _{-0.8}	2399.1 ^{+0.5} _{-0.8}	5.42 ^{+0.02} _{-0.02}	5.31 ^{+0.02} _{-0.02}	S
...	9085	2382	97	2457552.879	-2.41	27	-42.3 ^{+0.3} _{-0.3}	...	16.1 ^{+1.1} _{-1.0}	...	2399.1 ^{+1.3} _{-1.3}	...	5.14 ^{+0.03} _{-0.02}	...	S
2M1900-3711	10718	5733	217	2458262.905	18.17	29	-0.3 ^{+0.2} _{-0.2}	-0.4 ^{+0.3} _{-0.4}	14.1 ^{+1.0} _{-1.0}	14.1 ^{+1.0} _{-1.0}	2399.7 ^{+0.5} _{-0.5}	2399.7 ^{+0.3} _{-0.2}	3.92 ^{+0.01} _{-0.01}	3.92 ^{+0.01} _{-0.01}	S
...	10718	5733	217	2458263.800	18.04	36	-0.6 ^{+0.2} _{-0.2}	...	14.1 ^{+1.0} _{-1.0}	...	2399.7 ^{+0.4} _{-0.4}	...	3.95 ^{+0.03} _{-0.02}	...	S
2M1901-3700	10718	5733	187	2458263.800	18.12	11	4.8 ^{+0.9} _{-0.9}	4.8 ^{+0.9} _{-0.9}	31.4 ^{+1.1} _{-1.8}	31.4 ^{+1.1} _{-1.8}	2887.5 ^{+23.1} _{-12.3}	2887.5 ^{+23.1} _{-12.3}	4.4 ^{+0.09} _{-0.09}	4.4 ^{+0.09} _{-0.09}	B
2M1901-3700	10718	5733	191	2458262.905	18.28	15	0.1 ^{+0.2} _{-0.2}	0.1 ^{+0.2} _{-0.2}	14.1 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.4}	2399.5 ^{+0.4} _{-0.2}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S
...	10718	5733	191	2458263.800	18.15	20	0.5 ^{+0.4} _{-0.4}	0.5 ^{+0.4} _{-0.7}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2399.6 ^{+0.5} _{-0.3}	2399.6 ^{+0.5} _{-0.3}	3.52 ^{+0.01} _{-0.02}	3.52 ^{+0.01} _{-0.02}	S
2M1924+7533	10888	5770	261	2458293.823	2.85	190	-18.5 ^{+0.2} _{-0.2}	-18.6 ^{+0.3} _{-0.4}	7.0 ^{+1.4} _{-1.0}	< 10	2399.6 ^{+0.3} _{-0.3}	2399.5 ^{+0.2} _{-0.3}	5.08 ^{+0.01} _{-0.01}	5.08 ^{+0.01} _{-0.01}	S
...	10888	5770	172	2458297.825	3.17	157	-18.8 ^{+0.3} _{-0.3}	...	8.3 ^{+1.3} _{-1.8}	...	2399.5 ^{+0.6} _{-0.3}	2399.5 ^{+0.6} _{-0.3}	4.97 ^{+0.06} _{-0.03}	4.97 ^{+0.06} _{-0.03}	S
2M1954+1801	5217	4261	131	2456109.911	9.85	65	-18.8 ^{+0.2} _{-0.3}	-18.6 ^{+0.3} _{-0.4}	8.1 ^{+1.0} _{-1.6}	< 10	2398.7 ^{+1.1} _{-1.1}	2398.7 ^{+0.9} _{-0.9}	5.5 ^{+0.0} _{-0.6}	5.5 ^{+0.0} _{-0.6}	S
...	5217	4261	137	2456164.738	-10.85	72	-18.6 ^{+0.2} _{-0.2}	...	9.3 ^{+1.0} _{-1.0}	...	2399.0 ^{+0.6} _{-0.6}	2399.0 ^{+0.6} _{-0.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	5217	4261	128	2456169.695	-12.48	57	-18.4 ^{+0.2} _{-0.2}	...	9.3 ^{+1.0} _{-1.0}	...	2399.1 ^{+0.7} _{-1.5}	2399.1 ^{+0.7} _{-1.5}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	6367	4261	133	2456193.598	-19.30	58	-19.0 ^{+0.2} _{-0.2}	...	9.2 ^{+1.0} _{-1.0}	...	2398.2 ^{+1.3} _{-2.2}	2398.2 ^{+1.3} _{-2.2}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	6367	4261	138	2456224.574	-23.63	23	-18.6 ^{+0.3} _{-0.3}	...	10.7 ^{+1.2} _{-1.0}	...	2398.4 ^{+1.3} _{-2.2}	2398.4 ^{+1.3} _{-2.2}	5.49 ^{+0.01} _{-0.02}	5.49 ^{+0.01} _{-0.02}	S
...	6367	4261	133	2456228.567	-23.70	51	-18.3 ^{+0.2} _{-0.2}	...	9.0 ^{+1.2} _{-1.0}	...	2399.1 ^{+0.6} _{-0.6}	2399.1 ^{+0.6} _{-0.6}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
2M2049+3216	6081	4297	77	2456604.557	-19.93	45	11.4 ^{+0.3} _{-0.3}	11.5 ^{+0.3} _{-0.4}	11.6 ^{+1.4} _{-1.3}	12.2 ^{+1.0} _{-1.0}	2399.4 ^{+0.5} _{-0.5}	2399.4 ^{+0.3} _{-0.5}	5.48 ^{+0.01} _{-0.01}	5.45 ^{+0.01} _{-0.01}	S
...	6081	4297	77	2456611.559	-20.32	54	11.0 ^{+0.3} _{-0.3}	...	11.1 ^{+1.0} _{-1.1}	...	2399.3 ^{+0.5} _{-1.5}	2399.3 ^{+0.5} _{-1.5}	5.47 ^{+0.02} _{-0.02}	5.47 ^{+0.02} _{-0.02}	S
...	7465	4297	77	2456808.846	19.65	53	11.8 ^{+0.3} _{-0.3}	...	12.4 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.4}	2399.5 ^{+0.4} _{-0.4}	5.36 ^{+0.02} _{-0.02}	5.36 ^{+0.02} _{-0.02}	S
2M2127+5553	6088	4546	40	2456228.635	-7.51	60	-12.7 ^{+0.3} _{-0.2}	-12.2 ^{+0.3} _{-0.4}	17.7 ^{+1.0} _{-1.0}	17.3 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.6}	2399.6 ^{+0.2} _{-0.4}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	6088	4546	39	2456233.576	-8.37	58	-12.2 ^{+0.2} _{-0.2}	...	16.3 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.8}	2399.6 ^{+0.3} _{-0.8}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
...	6088	4546	40	2456259.550	-12.13	65	-12.1 ^{+0.2} _{-0.2}	-7.7 ^{+0.2} _{-0.4}	16.6 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.8} _{-0.8}	2399.6 ^{+0.8} _{-0.8}	5.5 ^{+0.0} _{-0.0}	5.5 ^{+0.0} _{-0.0}	S
2M2138+5257	6087	4316	29	2456260.546	-13.78	64	-7.5 ^{+0.3} _{-0.3}	-7.5 ^{+0.3} _{-0.4}	40.4 ^{+1.0} _{-1.0}	40.6 ^{+1.0} _{-1.0}	2399.7 ^{+0.1} _{-0.4}	2399.7 ^{+0.1} _{-0.4}	5.49 ^{+0.01} _{-0.01}	5.43 ^{+0.01} _{-0.01}	S
...	6087	4316	23	2456582.686	-6.29	59	-7.8 ^{+0.3} _{-0.3}	...	39.4 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.3} _{-0.5}	2399.6 ^{+0.3} _{-0.5}	5.4 ^{+0.01} _{-0.01}	5.4 ^{+0.01} _{-0.01}	S
...	6087	4316	29	2456588.628	-7.57	68	-7.4 ^{+0.2} _{-0.2}	...	44.3 ^{+1.2} _{-1.0}	...	2399.7 ^{+0.2} _{-0.3}	2399.7 ^{+0.2} _{-0.3}	5.13 ^{+0.15} _{-0.15}	5.13 ^{+0.15} _{-0.15}	S
2M2202-1109	9997	5451	32	2458026.587	-18.56	39	-7.8 ^{+0.2} _{-0.2}	-7.7 ^{+0.3} _{-0.4}	21.6 ^{+1.0} _{-1.0}	21.3 ^{+1.0} _{-1.0}	2399.6 ^{+0.3} _{-0.5}	2399.6 ^{+0.2} _{-0.5}	5.15 ^{+0.02} _{-0.02}	5.16 ^{+0.01} _{-0.01}	S
...	9997	5451	89	2458028.607	-19.40	26	-8.1 ^{+0.2} _{-0.2}	...	21.7 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-1.0}	2399.5 ^{+0.4} _{-1.0}	4.96 ^{+0.07} _{-0.07}	4.96 ^{+0.07} _{-0.07}	S
...	9997	5451	206	2458052.514	-26.88	45	-7.0 ^{+0.2} _{-0.2}	...	19.6 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.5}	2399.4 ^{+0.5} _{-0.5}	5.21 ^{+0.03} _{-0.03}	5.21 ^{+0.03} _{-0.03}	S
2M2240+0532	6558	4474	23	2456606.610	-26.53	69	-10.3 ^{+0.2} _{-0.2}	-10.1 ^{+0.3} _{-0.4}	17.8 ^{+1.0} _{-1.0}	17.8 ^{+1.0} _{-1.0}	2399.5 ^{+0.2} _{-0.5}	2399.5 ^{+0.2} _{-0.5}	5.1 ^{+0.03} _{-0.03}	5.12 ^{+0.01} _{-0.01}	S
...	6558	4474	5	2456628.558	-29.43	52	-9.7 ^{+0.2} _{-0.3}	...	17.5 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.5} _{-1.1}	2399.3 ^{+0.5} _{-1.1}	5.19 ^{+0.04} _{-0.04}	5.19 ^{+0.04} _{-0.04}	S

Table 4 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i> , <i>f</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i> , <i>f</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>g</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>g</i>	$\log g^{\text{g}}$	$\langle \log g \rangle$ <i>c</i> , <i>g</i>	MdI <i>e</i>
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)				
...	6558	4474	5	2456637.545	-29.38	63	-9.9 ^{+0.2} _{-0.3}	...	18.0 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.7}	...	5.13 ^{+0.01} _{-0.02}	...	S
2M2255+1442	12083	2767	247	2458776.666	-16.55	21	-13.7 ^{+0.4} _{-0.5}	-14.1 ^{+0.3} _{-0.5}	55.6 ^{+1.4} _{-2.0}	56.7 ^{+1.0} _{-1.1}	2399.4 ^{+0.1} _{-0.3}	3.57 ^{+0.02} _{-0.01}	3.57 ^{+0.01} _{-0.01}	S	
...	12083	2767	247	2458777.593	-16.76	25	-13.9 ^{+0.3} _{-0.5}	...	57.3 ^{+1.3} _{-1.1}	...	2399.4 ^{+0.4} _{-0.7}	...	3.55 ^{+0.05} _{-0.03}	...	S
...	12083	2767	247	2458778.572	-17.11	20	-12.6 ^{+0.7} _{-1.0}	...	59.0 ^{+2.0} _{-2.0}	...	2399.5 ^{+0.4} _{-0.6}	...	3.52 ^{+0.02} _{-0.02}	...	S
...	12084	2768	198	2458781.688	-18.58	29	-12.7 ^{+0.4} _{-0.4}	...	54.4 ^{+1.4} _{-1.3}	...	2399.6 ^{+0.3} _{-0.7}	...	3.82 ^{+0.02} _{-0.03}	...	S
...	12084	2768	198	2458782.694	-18.98	34	-14.8 ^{+0.3} _{-0.3}	...	57.2 ^{+1.1} _{-1.3}	...	2399.6 ^{+0.3} _{-0.5}	...	3.62 ^{+0.03} _{-0.06}	...	S
2M2320+1150	6559	4475	36	2456578.743	-12.37	45	-53.9 ^{+0.2} _{-0.3}	-54.5 ^{+0.3} _{-0.4}	0.5 ^{+1.0} _{-1.0}	< 10	2399.4 ^{+0.5} _{-1.1}	2399.5 ^{+0.2} _{-0.4}	5.31 ^{+0.02} _{-0.01}	S	
...	6559	4475	79	2456583.743	-14.62	58	-54.8 ^{+0.2} _{-0.2}	...	0.4 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.3} _{-0.6}	...	5.45 ^{+0.02} _{-0.02}	...	S
...	6559	4475	37	2456606.665	-23.27	51	-54.5 ^{+0.2} _{-0.2}	...	0.7 ^{+1.5} _{-1.0}	...	2399.4 ^{+0.4} _{-0.6}	...	5.26 ^{+0.02} _{-0.02}	...	S
5.26 ^{+0.02} _{-0.02}	...	S													

^aBarycentric correction.^bSystematic uncertainties of 0.19 km s⁻¹ and 0.95 km s⁻¹ are added to RV and $v \sin i$ measurements, respectively. See Sections 4.1 and 4.2 for details.^cWeighted average over all epochs.^dAveraged $v \sin i < 10$ km s⁻¹ is below our $v \sin i$ detection limit; see Section 4.2 for details.^eModels used: S = Sonora 2018 (Marley et al. 2018); B = BT-Settl (Baraffe et al. 2015).^fWe did not apply the effective temperature dependent correction to RV from Kounkel et al. (2019) for 2MASS J04201611+2821325, 2MASS J04262939+2624137, 2MASS J04294568+2630468, 2MASS J04330945+2246487, and 2MASS J04363389+2258119. See Section 4.1 for details.^gReaders should not take our T_{eff} and $\log g$ measurements as accurate. We report these values only for the reproducibility of our work. See Section 4.4 for details.NOTE—Measurements from individual spectra over individual or multiple epochs are combined using inverse uncertainty-squared weighting (weight = $1/(\sigma_{\text{upper}}^2 + \sigma_{\text{lower}}^2)$); upper and lower uncertainties are also combined using inverse uncertainty-squared weighting. In cases where individual spectra have S/N < 10, spectral data are combined first, then modeled.

Table 5. RV and $v \sin i$ Measurements with ASPCAP and Literature Comparison

APOGEE ID	$\langle RV \rangle^a, c$ (km s $^{-1}$)	ASPCAP RV b (km s $^{-1}$)	Lit. RV (km s $^{-1}$)	Lit. RV Ref.	$\langle v \sin i \rangle^a$ (km s $^{-1}$)	Lit. $v \sin i$ (km s $^{-1}$)	Lit. $v \sin i$ Ref.
2MASS J00034394+8606422	$7.26_{-0.33}^{+0.2}$	5.73 ± 2.85	10.8 ± 0.28	(8)	$18.77_{-0.97}^{+0.95}$	13.2 ± 1.5	(8)
2MASS J00312793+6139333	$-34.44_{-0.35}^{+0.2}$	-38.02 ± 0.69	< 10
2MASS J00381273+3850323	$6.62_{-0.32}^{+0.2}$	3.42 ± 1.58	< 10
2MASS J00452143+1634446	$3.71_{-0.37}^{+0.22}$	555.81 ± 4.96	3.16 ± 0.83	(14)	$31.64_{-1.04}^{+0.97}$	32.82 ± 0.17	(4)
2MASS J00514593-1221458	$15.66_{-0.38}^{+0.24}$	15.25 ± 1.79	15.29 ± 0.11	(20)	$15.85_{-1.22}^{+1.21}$
2MASS J01154176+0059317	$10.78_{-0.59}^{+0.28}$	11.7 ± 0.41	$33.69_{-1.12}^{+1.57}$
2MASS J01215816+0101007	$10.28_{-0.37}^{+0.22}$	586.83 ± 0.92	< 10
2MASS J01243124-0027556	$-3.88_{-0.41}^{+0.23}$	577.03 ± 1.68	0.69 ± 10.14	(19)	$27.7_{-1.04}^{+1.11}$
2MASS J01514363+0046188	$14.44_{-0.47}^{+0.27}$	14.49 ± 2.0	16.55 ± 10.07	(19)	$18.12_{-1.0}^{+0.97}$
2MASS J02163612-0544175	$-0.05_{-0.47}^{+0.23}$	-2.99 ± 3.29	-0.89 ± 0.04	(20)	$11.51_{-1.03}^{+1.02}$
2MASS J03040207+0045512	$29.94_{-0.28}^{+0.2}$	29.18 ± 0.77	28.38 ± 2.52	(19)	$19.99_{-0.96}^{+0.95}$
2MASS J03122509+0021585	$35.54_{-0.35}^{+0.22}$...	34.55 ± 0.05	(20)	$23.4_{-0.99}^{+0.96}$
2MASS J03282839+3116273	$15.41_{-0.35}^{+0.21}$	14.09 ± 9.08	15.06 ± 2.15	(18)	$30.46_{-1.12}^{+0.99}$	26.9 ± 3.16	(18)
2MASS J03284407+3120528	$17.46_{-0.29}^{+0.2}$	14.78 ± 1.54	17.78 ± 0.06	(20)	$17.1_{-1.0}^{+0.95}$	16.8 ± 0.79	(18)
2MASS J03290413+3056127	$15.53_{-0.27}^{+0.19}$	12.71 ± 1.82	14.58 ± 0.04	(20)	< 10	10.42 ± 0.87	(18)
2MASS J03291130+3117175	$16.54_{-0.29}^{+0.2}$	12.85 ± 0.89	15.17 ± 0.05	(20)	$10.16_{-1.02}^{+0.96}$
2MASS J03293053+3127280	$15.77_{-0.45}^{+0.28}$	15.83 ± 0.43	14.9 ± 0.8	(10)	$16.05_{-1.03}^{+1.03}$	16.25 ± 1.16	(18)
2MASS J03293773+3122024	$17.04_{-0.29}^{+0.2}$	14.24 ± 2.91	17.42 ± 0.07	(20)	$21.54_{-1.0}^{+0.95}$	20.82 ± 0.85	(18)
2MASS J03413332+3157417	$7.43_{-0.27}^{+0.19}$	5.04 ± 0.58	7.59 ± 0.01	(20)	$11.68_{-0.98}^{+0.95}$	8.07 ± 0.78	(18)
2MASS J03413641+3216200	$18.85_{-0.46}^{+0.23}$	13.85 ± 1.43	16.79 ± 0.12	(20)	$14.86_{-1.06}^{+1.02}$
2MASS J03430194+3144355	$19.54_{-0.41}^{+0.22}$	15.82 ± 1.54	19.09 ± 0.08	(20)	$13.56_{-1.13}^{+0.98}$	14.26 ± 2.76	(18)
2MASS J03431389+3147571	$19.55_{-0.49}^{+0.24}$	16.17 ± 5.92	19.25 ± 0.24	(20)	$24.56_{-1.14}^{+1.04}$
2MASS J03434763+3209025	$17.88_{-0.43}^{+0.27}$	14.98 ± 1.4	17.36 ± 0.06	(20)	$12.51_{-1.13}^{+0.99}$
2MASS J03435508+3207145	$15.14_{-0.27}^{+0.23}$	19.31 ± 7.58	15.44 ± 1.52	(18)	$27.65_{-1.59}^{+1.07}$	23.8 ± 2.92	(18)
2MASS J03435638+3209591	$17.62_{-1.41}^{+0.37}$	9.22 ± 1.58	15.59 ± 0.17	(20)	$37.0_{-1.28}^{+2.38}$
2MASS J03435987+3204414	$18.77_{-0.34}^{+0.21}$	15.22 ± 0.47	18.46 ± 0.05	(20)	$11.72_{-1.09}^{+0.97}$	10.8 ± 1.03	(18)
2MASS J03440291+3152277	$17.54_{-0.31}^{+0.2}$	15.49 ± 1.68	18.54 ± 0.09	(20)	$16.1_{-1.02}^{+0.95}$	15.34 ± 0.8	(18)
2MASS J03440599+3215321	$18.83_{-0.32}^{+0.2}$	15.37 ± 1.17	18.41 ± 0.08	(20)	$10.63_{-1.09}^{+0.98}$
2MASS J03441558+3209218	$16.34_{-0.63}^{+0.51}$...	21.41 ± 0.86	(20)	$54.5_{-1.46}^{+1.32}$
2MASS J03442798+3205196	$18.28_{-0.39}^{+0.33}$	-460.71 ± 1.91	17.57 ± 0.18	(20)	$18.1_{-1.21}^{+1.22}$	20.46 ± 6.59	(18)
2MASS J03443886+3206364	$18.04_{-0.43}^{+0.24}$	18.19 ± 1.64	19.26 ± 0.07	(20)	$29.37_{-1.29}^{+1.01}$	29.32 ± 1.53	(18)
2MASS J03505737+1818069	$6.05_{-0.25}^{+0.23}$	105.07 ± 0.81	32.2 ± 1.8	(6)	$12.71_{-1.03}^{+1.39}$	12.2 ± 3.0	(6)
2MASS J04104079+1444007	$38.23_{-0.43}^{+0.23}$	38.4 ± 0.72	$10.78_{-1.18}^{+0.98}$
2MASS J04110642+1247481	$39.28_{-0.4}^{+0.23}$	37.66 ± 0.63	$14.15_{-1.02}^{+0.99}$
2MASS J04152409+2910434	$19.02_{-0.42}^{+0.22}$	17.44 ± 2.01	$20.98_{-1.02}^{+0.95}$
2MASS J04161885+2752155	$18.36_{-0.33}^{+0.2}$	15.75 ± 0.33	< 10
2MASS J04185115+2814332	$21.13_{-0.3}^{+0.28}$	16.61 ± 1.44	< 10
2MASS J04201611+2821325	$19.55_{-0.32}^{+0.2}$	16.63 ± 1.6	16.07 ± 0.33	(18)	$13.32_{-1.04}^{+0.95}$	12.16 ± 0.81	(18)
2MASS J04204796+5624202	$-29.54_{-0.34}^{+0.2}$	-31.93 ± 1.44	$14.75_{-1.0}^{+0.96}$
2MASS J04213965+2649143	$19.86_{-0.41}^{+0.23}$	8.76 ± 4.14	19.74 ± 0.07	(20)	$36.82_{-1.1}^{+0.97}$	35.59 ± 0.93	(18)
2MASS J04214435+2024105	$40.78_{-0.45}^{+0.23}$	30.36 ± 0.42	$32.8_{-1.43}^{+0.98}$
2MASS J04214631+2659296	$20.3_{-0.41}^{+0.22}$	16.53 ± 0.55	19.11 ± 0.04	(20)	$12.16_{-1.12}^{+0.98}$	11.82 ± 1.03	(18)
2MASS J04214955+1929086	$39.43_{-0.27}^{+0.26}$	636.19 ± 0.61	$44.43_{-1.01}^{+1.56}$
2MASS J04221644+2549118	$17.64_{-0.38}^{+0.21}$	19.74 ± 4.37	14.6 ± 0.97	(18)	$41.31_{-1.15}^{+1.0}$	38.19 ± 1.57	(18)
2MASS J04230607+2801194	$18.61_{-0.33}^{+0.2}$	13.93 ± 1.44	18.2 ± 0.02	(20)	$17.14_{-0.99}^{+0.95}$	16.3 ± 0.36	(18)
2MASS J04242090+2630511	$18.54_{-0.42}^{+0.22}$	16.78 ± 1.0	18.29 ± 0.06	(20)	$12.38_{-1.08}^{+0.96}$	11.28 ± 1.04	(18)
2MASS J04242646+2649503	$19.82_{-0.3}^{+0.2}$	16.42 ± 0.48	18.86 ± 0.02	(20)	< 10	7.05 ± 1.0	(18)

Table 5 continued

Table 5 (*continued*)

APOGEE ID	$\langle RV \rangle^a, c$	ASPCAP RV ^b	Lit. RV	Lit. RV Ref.	$\langle v \sin i \rangle^a$	Lit. $v \sin i$	Lit. $v \sin i$ Ref.
	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	
2MASS J04254894+1852479	$28.32^{+0.23}_{-0.39}$	28.85 ± 0.78	28.56 ± 0.1	(20)	$31.02^{+0.96}_{-1.03}$
2MASS J04262939+2624137	$20.01^{+0.2}_{-0.34}$	17.36 ± 0.58	17.55 ± 0.26	(18)	$12.95^{+0.96}_{-1.0}$	12.06 ± 0.66	(18)
2MASS J04294568+2630468	$18.13^{+0.2}_{-0.3}$	16.8 ± 0.38	15.77 ± 0.23	(18)	$14.21^{+0.97}_{-0.99}$	14.34 ± 0.51	(18)
2MASS J04305718+2556394	$17.54^{+0.29}_{-0.25}$	$15.97^{+0.98}_{-1.0}$
2MASS J04311907+2335047	$23.13^{+0.28}_{-0.56}$	32.32 ± 4.14	24.62 ± 0.4	(20)	$65.2^{+1.05}_{-1.16}$	62.93 ± 2.21	(18)
2MASS J04322329+2403013	$18.92^{+0.21}_{-0.34}$	17.12 ± 0.74	19.87 ± 0.02	(20)	$11.06^{+0.96}_{-1.0}$	10.76 ± 0.6	(18)
2MASS J04330945+2246487	$19.6^{+0.21}_{-0.39}$	16.04 ± 1.02	16.31 ± 0.29	(18)	$15.96^{+0.96}_{-0.98}$	13.59 ± 0.65	(18)
2MASS J04340619+2418508	$17.95^{+0.28}_{-0.39}$	$29.47^{+1.83}_{-1.11}$
2MASS J04350850+2311398	$18.86^{+0.2}_{-0.34}$	15.3 ± 0.77	18.19 ± 0.02	(20)	< 10	9.11 ± 0.63	(18)
2MASS J04351354+2008014	$40.01^{+0.26}_{-0.53}$	283.03 ± 0.99	$23.66^{+0.97}_{-1.02}$
2MASS J04354183+2234115	$18.33^{+0.21}_{-0.38}$	39.57 ± 1.62	18.51 ± 0.28	(20)	$48.21^{+1.07}_{-1.19}$
2MASS J04361038+2259560	$20.08^{+0.21}_{-0.33}$	17.26 ± 0.79	18.2 ± 0.04	(20)	$10.43^{+0.96}_{-1.05}$	10.62 ± 0.7	(18)
2MASS J04363893+2258119	$19.91^{+0.21}_{-0.35}$	14.96 ± 4.33	16.76 ± 0.38	(18)	$16.75^{+0.95}_{-1.02}$	16.92 ± 0.73	(18)
2MASS J04385871+2323595	$18.09^{+0.21}_{-0.34}$	27.62 ± 16.31	21.69 ± 0.2	(20)	$51.21^{+0.99}_{-1.1}$	49.35 ± 1.14	(18)
2MASS J04440164+1621324	$21.82^{+0.28}_{-0.47}$	843.02 ± 5.32	$14.28^{+1.13}_{-1.24}$
2MASS J04464498+2436404	$42.22^{+0.39}_{-0.49}$	40.79 ± 0.45	$17.88^{+0.96}_{-0.95}$
2MASS J04552333+3027366	$17.46^{+0.21}_{-0.34}$	15.63 ± 2.53	$14.22^{+0.96}_{-0.99}$
2MASS J04565141+2939310	$17.91^{+0.21}_{-0.34}$	16.65 ± 2.42	$12.44^{+0.99}_{-1.03}$
2MASS J05334797-0527385	$33.39^{+0.21}_{-0.36}$	30.66 ± 0.33	$13.71^{+0.95}_{-1.01}$
2MASS J05350162-0521489	$25.07^{+0.64}_{-0.58}$	53.21 ± 0.77	$67.65^{+1.23}_{-1.32}$
2MASS J05352501-0509095	$28.47^{+0.22}_{-0.38}$...	18.26 ± 4.21	(2)	$17.95^{+0.97}_{-1.0}$
2MASS J05353193-0531477	$27.51^{+0.25}_{-0.41}$	24.37 ± 1.45	$15.82^{+1.02}_{-1.03}$
2MASS J05392474+4038437	$-5.42^{+0.21}_{-0.34}$	524.06 ± 1.22	10.0 ± 30.0	(1)	< 10
2MASS J05402570+2448090	$23.07^{+0.2}_{-0.35}$	18.67 ± 6.31	21.0 ± 5.0	(9)	$30.37^{+0.96}_{-0.99}$	25.9 ± 1.7	(16)
2MASS J06154934-0100415	$-19.69^{+0.21}_{-0.33}$	1024.34 ± 3.38	-21.0 ± 2.0	(13)	$16.62^{+0.97}_{-1.04}$
2MASS J06521977-2534505	$14.9^{+0.21}_{-0.33}$	595.94 ± 0.96	12.0 ± 2.0	(13)	< 10
2MASS J07025026-6102482	$21.31^{+0.23}_{-0.24}$	17.85 ± 0.43	$15.98^{+0.96}_{-0.95}$
2MASS J07140394+3702459	$35.34^{+0.21}_{-0.35}$	618.83 ± 2.03	40.03 ± 0.11	(8)	< 10	12.8 ± 0.5	(8)
2MASS J07464256+2000321	$52.78^{+0.21}_{-0.38}$	636.47 ± 0.91	52.37 ± 0.59	(4)	$34.59^{+0.96}_{-0.98}$	32.72 ± 0.56	(4)
2MASS J07475737+6653337	$7.45^{+0.21}_{-0.35}$	116.13 ± 28.51	$45.85^{+0.97}_{-1.02}$
2MASS J07552256+2755318	$-3.86^{+0.23}_{-0.39}$	-5.72 ± 0.53	< 10
2MASS J07564895+6649595	$0.19^{+0.2}_{-0.31}$	-215.64 ± 28.35	$10.67^{+0.96}_{-0.99}$
2MASS J08072607+3213101	$34.41^{+0.21}_{-0.32}$	619.69 ± 2.2	$13.68^{+0.97}_{-1.01}$
2MASS J08080189+3157054	$30.61^{+0.22}_{-0.38}$	616.38 ± 2.69	$12.55^{+0.96}_{-1.03}$
2MASS J08185804+2333522	$35.74^{+0.21}_{-0.33}$	-854.88 ± 1.09	33.1 ± 3.0	(3)	< 10
2MASS J08211639+5658358	$7.17^{+0.24}_{-0.41}$	4.85 ± 1.16	$14.09^{+0.98}_{-1.0}$
2MASS J08294949+2646348	$10.69^{+0.2}_{-0.3}$	594.91 ± 1.82	53.84 ± 5.53	(12)	$11.91^{+0.95}_{-1.0}$	9.6 ± 0.8	(17)
2MASS J08355736+4318310	$-8.49^{+0.24}_{-0.48}$...	2.62 ± 10.25	(19)	$33.4^{+1.01}_{-1.09}$
2MASS J08440350+0434356	$66.68^{+0.26}_{-0.46}$	648.94 ± 1.83	$16.16^{+0.99}_{-1.03}$
2MASS J08460531+1035309	$43.74^{+0.34}_{-0.33}$	40.32 ± 2.19	41.63 ± 0.04	(20)	$11.6^{+1.61}_{-1.34}$
2MASS J08490052+0220155	$22.37^{+0.22}_{-0.36}$	$53.72^{+1.0}_{-1.09}$
2MASS J08522464+2540591	$29.56^{+0.28}_{-0.28}$	28.14 ± 0.38	< 10
2MASS J09020690+0033195	$42.63^{+0.26}_{-0.5}$	41.72 ± 0.59	41.0 ± 2.0	(13)	< 10
2MASS J09130162+3037583	$51.79^{+0.21}_{-0.34}$	49.63 ± 0.51	< 10
2MASS J09373349+5534057	$0.68^{+0.2}_{-0.32}$	-0.68 ± 2.26	8.89 ± 6.97	(19)	$19.41^{+0.95}_{-0.97}$
2MASS J09453388+5458511	$-3.67^{+0.22}_{-0.38}$	-0.5 ± 15.12	$23.46^{+0.97}_{-1.01}$
2MASS J09472006-0020093	$15.0^{+0.21}_{-0.33}$	14.31 ± 0.44	< 10
2MASS J09474477+0224327	$8.76^{+0.27}_{-0.43}$	234.77 ± 0.87	$12.62^{+1.11}_{-1.05}$
2MASS J09522188-1924319	$-17.11^{+0.21}_{-0.32}$	561.77 ± 1.58	$16.04^{+0.96}_{-0.98}$

Table 5 continued

Table 5 (*continued*)

APOGEE ID	$\langle RV \rangle^a, c$ (km s $^{-1}$)	ASPCAP RV b (km s $^{-1}$)	Lit. RV (km s $^{-1}$)	Lit. RV Ref.	$\langle v \sin i \rangle^a$ (km s $^{-1}$)	Lit. $v \sin i$ (km s $^{-1}$)	Lit. $v \sin i$ Ref.
2MASS J09524622+0620410	$12.8^{+0.25}_{-0.41}$	11.65 ± 1.0	22.62 ± 10.24	(19)	$17.2^{+0.98}_{-1.01}$
2MASS J10031918-0105079	$23.99^{+0.23}_{-0.43}$	-818.36 ± 0.78	22.0 ± 2.0	(13)	$32.73^{+0.99}_{-1.03}$
2MASS J10134315+0000406	$3.95^{+0.24}_{-0.4}$	2.3 ± 1.03	$10.24^{+1.13}_{-1.17}$
2MASS J10225090+0032169	$34.04^{+0.24}_{-0.42}$	744.1 ± 0.88	$11.2^{+1.03}_{-1.07}$
2MASS J10240997+1815533	$8.22^{+0.2}_{-0.35}$	588.4 ± 0.91	6.0 ± 3.0	(3)	< 10
2MASS J10323297+0630074	$13.22^{+0.2}_{-0.35}$	12.16 ± 0.24	8.0 ± 4.0	(9)	< 10
2MASS J10372897+3011117	$7.97^{+0.24}_{-0.4}$	6.39 ± 1.01	$13.07^{+0.98}_{-1.08}$
2MASS J10541102-8505023	$-10.8^{+0.21}_{-0.32}$	563.45 ± 36.52	$10.73^{+1.0}_{-1.06}$
2MASS J10543366+0503467	$-20.17^{+0.22}_{-0.37}$	560.48 ± 1.44	< 10
2MASS J10570380+2217203	$11.68^{+0.22}_{-0.37}$	10.83 ± 0.24	9.0 ± 5.0	(9)	< 10
2MASS J11194647+0820356	$-44.98^{+0.21}_{-0.37}$	743.33 ± 4.96	-45.0 ± 2.0	(13)	< 10
2MASS J11203609+0704135	$-14.41^{+0.22}_{-0.37}$	-15.62 ± 0.66	-16.65 ± 7.23	(19)	< 10
2MASS J11210854+2126274	$-0.3^{+0.25}_{-0.25}$	-2.37 ± 0.36	$12.36^{+1.0}_{-0.96}$
2MASS J11232934+0154040	$-0.21^{+0.21}_{-0.35}$	580.32 ± 0.98	$18.32^{+0.95}_{-1.0}$
2MASS J11523430+2057275	$-0.75^{+0.21}_{-0.33}$	98.09 ± 18.23	-1.08 ± 0.04	(20)	$19.14^{+0.95}_{-1.01}$
2MASS J12080810+3520281	$29.17^{+0.23}_{-0.43}$	27.76 ± 1.37	$13.66^{+1.02}_{-1.04}$
2MASS J12201166+3315379	$11.16^{+0.29}_{-0.53}$	542.27 ± 1.15	< 10
2MASS J12205439+2525568	$14.81^{+0.29}_{-0.29}$	260.45 ± 20.52	$25.61^{+1.23}_{-0.99}$
2MASS J12215013+4632447	$-10.44^{+0.26}_{-0.53}$	563.85 ± 0.36	$29.1^{+0.96}_{-0.98}$
2MASS J12252076+2517082	$7.24^{+0.23}_{-0.4}$	-216.12 ± 0.6	$32.88^{+0.97}_{-1.02}$
2MASS J12261350+5605445	$4.14^{+0.2}_{-0.32}$	2.48 ± 0.94	4.13 ± 0.02	(20)	$10.55^{+0.97}_{-1.02}$
2MASS J12263913+2505546	$1.59^{+0.22}_{-0.36}$	-0.5 ± 1.22	1.63 ± 0.05	(20)	$18.24^{+0.96}_{-0.98}$
2MASS J12265349+2543556	$-0.2^{+0.21}_{-0.35}$	-3.01 ± 2.73	-1.97 ± 0.05	(20)	$12.71^{+1.02}_{-1.11}$
2MASS J12270429+2541012	$2.63^{+0.22}_{-0.38}$	0.28 ± 0.93	$19.56^{+0.95}_{-0.98}$
2MASS J12315462+5130389	$8.92^{+0.24}_{-0.33}$	6.24 ± 0.44	< 10
2MASS J12481860-0235360	$31.29^{+0.2}_{-0.34}$	29.47 ± 1.45	30.91 ± 0.03	(20)	$15.28^{+0.96}_{-0.98}$
2MASS J12482131-0157194	$14.33^{+0.3}_{-0.49}$	15.9 ± 18.57	12.36 ± 0.09	(20)	$18.18^{+1.19}_{-1.18}$
2MASS J12493960+5255340	$-56.77^{+0.21}_{-0.38}$	-272.74 ± 0.62	$10.36^{+0.96}_{-1.12}$
2MASS J12503943+4256124	$-6.6^{+0.38}_{-0.76}$	519.45 ± 1.44	-10.17 ± 0.13	(20)	$10.85^{+1.22}_{-1.12}$
2MASS J12522354+2528469	$9.43^{+0.3}_{-0.34}$	6.23 ± 0.48	$12.6^{+1.18}_{-0.99}$
2MASS J13004379+3557591	$-24.58^{+0.27}_{-0.47}$	-27.07 ± 1.49	-22.18 ± 6.05	(19)	$17.75^{+0.98}_{-1.07}$
2MASS J13022083+3227103	$6.77^{+0.23}_{-0.42}$	2.13 ± 1.16	7.58 ± 7.77	(19)	$25.7^{+0.97}_{-1.01}$
2MASS J13034100+2414020	$-9.3^{+0.22}_{-0.36}$	566.48 ± 0.63	$27.42^{+0.96}_{-0.99}$
2MASS J13065141+7056376	$15.29^{+0.2}_{-0.32}$	-199.04 ± 4.21	$11.75^{+0.97}_{-1.01}$
2MASS J13093551-0203562	$-12.85^{+0.21}_{-0.32}$	-16.43 ± 2.52	-13.5 ± 0.04	(20)	$26.06^{+0.96}_{-0.99}$
2MASS J13122681+7245338	$-3.37^{+0.23}_{-0.42}$	112.42 ± 25.03	-3.44 ± 0.09	(20)	$41.32^{+0.98}_{-1.05}$
2MASS J13202007+7213140	$-27.34^{+0.2}_{-0.32}$	574.4 ± 146.73	$18.65^{+0.96}_{-0.98}$
2MASS J13232423+5132272	$-5.41^{+0.21}_{-0.34}$	-6.29 ± 0.26	-4.69 ± 3.73	(19)	$18.91^{+0.95}_{-0.97}$
2MASS J13263545+7140148	$2.51^{+0.2}_{-0.31}$	0.31 ± 1.57	1.19 ± 0.03	(20)	$11.92^{+0.97}_{-1.02}$
2MASS J13342918+3303043	$-18.03^{+0.33}_{-0.36}$	-28.1 ± 5.22	$10.71^{+1.03}_{-1.0}$
2MASS J13355969+4021459	$-7.74^{+0.21}_{-0.31}$	-9.3 ± 0.5	-7.63 ± 0.01	(20)	$14.25^{+0.97}_{-1.02}$
2MASS J13495109+3305136	$-9.95^{+0.22}_{-0.41}$	-12.14 ± 15.4	-11.74 ± 0.07	(20)	$41.49^{+1.05}_{-1.15}$
2MASS J13564148+4342587	$-19.51^{+0.22}_{-0.39}$	559.79 ± 1.51	-22.2 ± 3.0	(3)	$16.16^{+0.97}_{-1.01}$	13.5 ± 1.6	(16)
2MASS J14005977+3226109	$-17.9^{+0.2}_{-0.32}$	-21.8 ± 1.48	$11.53^{+0.97}_{-1.03}$
2MASS J14093200+4138080	$-10.96^{+0.24}_{-0.29}$	-13.51 ± 0.27	-11.0 ± 5.0	(9)	$19.73^{+0.96}_{-0.95}$
2MASS J14320849+0811313	$-21.3^{+0.21}_{-0.36}$	-22.66 ± 0.42	-18.0 ± 4.0	(9)	< 10	8.49 ± 1.5	(16)
2MASS J14340140+5039480	$-6.39^{+0.2}_{-0.31}$	-630.07 ± 0.63	$16.32^{+0.96}_{-0.98}$
2MASS J14402293+1339230	$-3.49^{+0.22}_{-0.39}$	578.19 ± 0.46	-5.0 ± 2.0	(13)	< 10
2MASS J14432796+0316543	$-38.45^{+0.35}_{-0.33}$	501.09 ± 1.77	$22.67^{+1.05}_{-1.22}$

Table 5 *continued*

Table 5 (*continued*)

APOGEE ID	$\langle RV \rangle^a, c$ (km s $^{-1}$)	ASPCAP RV b (km s $^{-1}$)	Lit. RV (km s $^{-1}$)	Lit. RV Ref.	$\langle v \sin i \rangle^a$ (km s $^{-1}$)	Lit. $v \sin i$ (km s $^{-1}$)	Lit. $v \sin i$ Ref.
2MASS J15010818+2250020	$6.53^{+0.2}_{-0.29}$	1014.81 ± 0.67	6.0 ± 2.0	(13)	$65.29^{+0.98}_{-1.07}$
2MASS J15041028+0923232	$-53.33^{+0.23}_{-0.38}$	529.61 ± 6.14	$13.36^{+1.02}_{-1.11}$
2MASS J15210103+5053230	$2.43^{+0.23}_{-0.26}$	564.62 ± 0.83	0.9 ± 3.0	(3)	$48.72^{+0.99}_{-1.0}$
2MASS J15211578+3420021	$-76.08^{+0.21}_{-0.37}$	-77.7 ± 0.3	-76.41 ± 0.03	(20)	< 10
2MASS J15242475+2925318	$-15.15^{+0.19}_{-0.22}$	787.03 ± 1.41	< 10
2MASS J15344151+4641313	$-22.97^{+0.23}_{-0.24}$...	-24.91 ± 0.05	(20)	$18.44^{+1.07}_{-1.32}$
2MASS J15394922+2831298	$-21.98^{+0.21}_{-0.35}$	-22.96 ± 0.58	-22.04 ± 0.07	(20)	$22.74^{+0.96}_{-0.99}$
2MASS J15555600-2045187	$-4.1^{+0.22}_{-0.39}$	-6.98 ± 0.28	$19.91^{+1.01}_{-1.02}$
2MASS J15560104-2338081	$1.51^{+0.3}_{-0.34}$	-2.49 ± 0.42	$12.96^{+1.28}_{-1.14}$
2MASS J15560497-2106461	$-4.14^{+0.54}_{-1.14}$	529.63 ± 1.02	$92.77^{+1.74}_{-1.54}$
2MASS J15582565-1826083	$-0.83^{+0.27}_{-0.23}$	-3.13 ± 0.32	$25.39^{+0.96}_{-1.99}$
2MASS J15591135-2338002	$-3.59^{+0.36}_{-0.33}$	-6.34 ± 0.55	$16.1^{+0.99}_{-1.53}$
2MASS J15592591-2305081	$-3.31^{+0.22}_{-0.37}$	-6.34 ± 0.78	$23.51^{+0.96}_{-0.98}$
2MASS J15594439-1928191	$-2.59^{+0.3}_{-0.4}$	-6.27 ± 0.51	$14.36^{+1.29}_{-0.98}$
2MASS J16001944-2256287	$-4.27^{+0.37}_{-0.48}$	-8.85 ± 5.05	$24.86^{+0.99}_{-1.04}$
2MASS J16002844-2209228	$-3.66^{+0.21}_{-0.37}$	-5.76 ± 1.4	< 10
2MASS J16003023-2334457	$-3.74^{+0.23}_{-0.49}$	20.26 ± 0.38	$73.58^{+1.2}_{-1.23}$
2MASS J16004623-2158415	$-4.98^{+0.26}_{-0.25}$	-8.38 ± 0.44	$31.13^{+0.97}_{-1.95}$
2MASS J16014955-2351082	$-3.54^{+0.24}_{-0.24}$	-7.03 ± 0.29	$38.71^{+1.78}_{-1.0}$
2MASS J16020429-2050425	$-4.14^{+0.24}_{-0.41}$	4.52 ± 0.58	-4.51 ± 0.26	(20)	$57.15^{+1.0}_{-1.16}$
2MASS J16022585-2414081	$-2.1^{+0.33}_{-0.41}$	-6.95 ± 0.54	$17.87^{+0.97}_{-0.97}$
2MASS J16025214-2121296	$0.22^{+0.36}_{-1.69}$	$64.36^{+1.68}_{-1.89}$
2MASS J16044026-2254323	$-1.17^{+0.58}_{-0.48}$	-5.8 ± 0.58	$19.81^{+0.98}_{-0.96}$
2MASS J16044303-2318258	$-7.54^{+1.75}_{-0.35}$	2.24 ± 0.66	-1.4 ± 0.98	(20)	$79.32^{+1.72}_{-1.89}$
2MASS J16045199-2224108	$-1.06^{+1.3}_{-0.8}$	-767.13 ± 0.93	$73.3^{+1.5}_{-1.47}$
2MASS J16045581-2307438	$-5.69^{+0.41}_{-0.68}$...	-4.88 ± 0.75	(20)	$62.99^{+1.35}_{-1.53}$
2MASS J16053077-2246200	$-2.15^{+1.6}_{-0.47}$	-0.18 ± 0.69	2.08 ± 0.6	(20)	$63.16^{+1.44}_{-1.64}$
2MASS J16055178-2206212	$-3.84^{+0.29}_{-0.34}$	-6.52 ± 0.53	$21.59^{+0.98}_{-1.01}$
2MASS J16055380+2303058	$-40.3^{+0.2}_{-0.3}$	-41.99 ± 0.7	$10.83^{+0.96}_{-1.03}$
2MASS J16063110-1904576	$-4.95^{+0.26}_{-0.51}$	-7.62 ± 0.51	$16.65^{+0.97}_{-1.01}$
2MASS J16063390+4054216	$-41.01^{+0.22}_{-0.37}$	446.63 ± 732.5	< 10
2MASS J16064818-2230400	$-2.93^{+1.21}_{-0.68}$	$36.34^{+1.49}_{-1.22}$
2MASS J16072883-2757300	$-0.16^{+0.27}_{-0.26}$	-2.88 ± 0.38	-0.98 ± 0.13	(20)	$12.23^{+1.21}_{-1.03}$
2MASS J16090168-2740521	$1.65^{+0.36}_{-1.44}$...	3.15 ± 0.43	(20)	$59.27^{+1.43}_{-1.13}$
2MASS J16090197-2151225	$-6.38^{+1.16}_{-0.3}$	-24.66 ± 0.53	$47.77^{+1.04}_{-1.51}$
2MASS J16090451-2224523	$-5.24^{+0.2}_{-0.33}$	-5.81 ± 0.38	$14.14^{+0.95}_{-0.98}$
2MASS J16090568-2245166	$-3.03^{+0.28}_{-0.3}$	$32.9^{+1.05}_{-1.01}$
2MASS J16093019-2059536	$-1.33^{+0.25}_{-0.25}$	-3.32 ± 0.36	-5.08 ± 0.6	(7)	$17.95^{+0.99}_{-0.96}$
2MASS J16095060-1848521	$-6.18^{+0.75}_{-0.63}$	$55.83^{+1.59}_{-1.13}$
2MASS J16095107-2722418	$-1.53^{+0.28}_{-0.29}$	7.33 ± 0.5	$56.1^{+1.42}_{-1.33}$
2MASS J16095217-2136277	$-3.04^{+0.23}_{-0.4}$	-6.63 ± 0.35	-2.13 ± 0.14	(20)	$44.07^{+0.95}_{-1.01}$
2MASS J16095307-1948169	$-4.06^{+0.24}_{-0.24}$	-6.31 ± 0.21	-5.14 ± 0.05	(20)	$10.68^{+1.0}_{-1.67}$
2MASS J16095852-2345186	$-2.44^{+0.26}_{-0.25}$	-7.03 ± 0.36	$34.66^{+0.96}_{-1.74}$
2MASS J16095990-2155424	$-3.85^{+0.45}_{-0.54}$	-7.97 ± 0.47	$22.02^{+1.81}_{-1.04}$
2MASS J16100541-1919362	$-5.0^{+0.26}_{-0.28}$	-5.95 ± 0.38	$16.15^{+0.97}_{-1.03}$
2MASS J16100608-2127440	$-5.44^{+1.33}_{-0.36}$	-214.79 ± 1.2	$16.51^{+1.78}_{-1.07}$
2MASS J16103014-2315167	$-3.86^{+0.27}_{-0.31}$	-5.21 ± 0.96	$14.19^{+0.99}_{-0.96}$
2MASS J16103232+2249116	$-3.96^{+0.2}_{-0.33}$	-9.54 ± 4.23	$11.8^{+0.97}_{-1.01}$
2MASS J16103232-1913085	$-6.21^{+0.34}_{-1.36}$	-17.48 ± 0.91	$42.4^{+1.23}_{-0.98}$

Table 5 *continued*

Table 5 (continued)

APOGEE ID	$\langle RV \rangle^a, c$ (km s $^{-1}$)	ASPCAP RV b (km s $^{-1}$)	Lit. RV (km s $^{-1}$)	Lit. RV Ref.	$\langle v \sin i \rangle^a$ (km s $^{-1}$)	Lit. $v \sin i$ (km s $^{-1}$)	Lit. $v \sin i$ Ref.
2MASS J16104714–2239492	$-7.54^{+0.26}_{-0.29}$	< 10
2MASS J16105499–2126139	$-3.39^{+0.31}_{-0.38}$	-15.51 ± 0.34	-4.16 ± 0.29	(20)	$57.77^{+1.04}_{-1.19}$
2MASS J16111711–2217173	$-2.16^{+1.37}_{-0.74}$	2.94 ± 0.84	$63.91^{+1.39}_{-1.49}$
2MASS J16113837–2307072	$-2.24^{+0.31}_{-0.46}$	-8.72 ± 0.51	$36.63^{+0.98}_{-1.01}$
2MASS J16114261–2525511	$-4.69^{+0.23}_{-0.42}$	-10.43 ± 0.42	$55.35^{+1.01}_{-1.05}$
2MASS J16115436–2157025	$-5.77^{+0.49}_{-1.41}$	$56.58^{+1.29}_{-1.49}$
2MASS J16115439–2236491	$-2.51^{+0.36}_{-0.78}$	-2.2 ± 0.58	$50.29^{+1.54}_{-1.1}$
2MASS J16122703–2013250	$-4.88^{+0.35}_{-0.3}$	-11.8 ± 0.35	$30.93^{+0.96}_{-1.04}$
2MASS J16124692–2338408	$0.15^{+0.35}_{-0.29}$	-30.62 ± 0.5	$60.41^{+1.42}_{-1.29}$
2MASS J16124726–1903531	$-7.06^{+0.24}_{-0.39}$	-15.63 ± 0.32	$29.03^{+1.0}_{-1.15}$
2MASS J16131211–2305031	$-0.92^{+0.26}_{-0.47}$	-891.32 ± 3.04	$23.52^{+0.95}_{-1.03}$
2MASS J16131600–2251511	$0.51^{+0.34}_{-1.68}$	$90.95^{+1.43}_{-1.94}$
2MASS J16132665–2230348	$-4.73^{+0.3}_{-0.29}$	-7.95 ± 0.38	$19.86^{+1.91}_{-0.96}$
2MASS J16132809–1924524	$-4.75^{+0.21}_{-0.35}$	-9.86 ± 0.25	$23.09^{+0.96}_{-0.99}$
2MASS J16134027–2233192	$-6.45^{+0.23}_{-0.23}$	-209.93 ± 1.29	$14.11^{+0.97}_{-0.97}$
2MASS J16134079–2219459	$-0.81^{+0.33}_{-0.3}$	-3.83 ± 1.06	$19.41^{+0.99}_{-0.97}$
2MASS J16134264–2301279	$-1.95^{+1.01}_{-0.92}$	-14.35 ± 0.58	$59.35^{+1.94}_{-1.03}$
2MASS J16141974–2428404	$-1.07^{+0.24}_{-0.46}$	-12.12 ± 0.54	-0.95 ± 0.62	(20)	$57.37^{+1.22}_{-1.16}$
2MASS J16143287–2242133	$0.19^{+0.24}_{-0.27}$	-2.61 ± 0.68	$18.02^{+1.01}_{-0.97}$
2MASS J16152516–2144013	$-5.9^{+0.35}_{-0.35}$	-7.77 ± 0.25	$15.97^{+0.95}_{-0.96}$
2MASS J16155507–2444365	$-3.55^{+0.27}_{-0.26}$	$15.96^{+1.0}_{-0.98}$
2MASS J16165460–2525529	$-3.16^{+0.23}_{-0.26}$	-6.46 ± 0.27	-5.03 ± 0.07	(20)	$10.83^{+1.04}_{-1.36}$
2MASS J16174539–2353360	$-2.84^{+1.27}_{-0.57}$	-725.62 ± 0.88	$59.66^{+1.3}_{-1.22}$
2MASS J16183314–2530085	$-0.85^{+0.27}_{-0.3}$	-1.93 ± 0.52	-0.29 ± 0.12	(20)	$16.18^{+0.97}_{-1.36}$
2MASS J16183317–2517504	$-0.99^{+0.23}_{-0.41}$	-1.45 ± 0.12	$16.35^{+0.98}_{-1.0}$
2MASS J16192988–2440469	$-5.26^{+0.93}_{-0.88}$	1046.68 ± 21.13	$52.03^{+1.55}_{-1.81}$
2MASS J16195143–2241332	$-4.57^{+0.22}_{-0.37}$	-4.9 ± 0.97	$16.97^{+1.01}_{-1.1}$
2MASS J16200757–2359150	$-5.04^{+0.33}_{-0.34}$	7.15 ± 0.37	-10.71 ± 5.06	(7)	$60.78^{+1.89}_{-1.01}$	49.94 ± 7.93	(7)
2MASS J16203456–2430205	$-3.52^{+0.36}_{-0.38}$	$49.67^{+1.3}_{-1.5}$
2MASS J16204144–2425491	$1.46^{+0.37}_{-0.64}$	-2.69 ± 0.45	$25.43^{+1.0}_{-0.96}$
2MASS J16213591–2355035	$0.72^{+1.7}_{-0.36}$	$53.46^{+1.36}_{-1.61}$
2MASS J16222304–2407108	$-1.93^{+0.52}_{-0.55}$	241.12 ± 1.13	$44.48^{+3.64}_{-1.47}$
2MASS J16222521–2405139	$-1.23^{+0.41}_{-0.37}$	-7.69 ± 0.49	$17.96^{+0.98}_{-0.96}$
2MASS J16235155–2317270	$-3.86^{+0.83}_{-0.28}$	20.42 ± 0.67	-7.47 ± 2.45	(7)	$52.56^{+1.27}_{-1.25}$	60.94 ± 3.03	(7)
2MASS J16235470–2438319	$-3.98^{+0.45}_{-0.28}$	-8.88 ± 0.27	-5.37 ± 0.08	(20)	$19.83^{+0.96}_{-1.01}$
2MASS J16262152–2426009	$-4.96^{+0.24}_{-0.29}$	-8.58 ± 0.23	-4.44 ± 0.11	(20)	$23.13^{+1.04}_{-1.06}$
2MASS J16265619–2213519	$-1.74^{+0.29}_{-0.6}$	-5.14 ± 0.46	-1.71 ± 0.5	(20)	$58.7^{+1.43}_{-1.12}$
2MASS J16265698+3954482	$2.92^{+0.2}_{-0.33}$	-64.88 ± 1077.61	$27.06^{+0.96}_{-1.01}$
2MASS J16271693+3514132	$-12.09^{+0.27}_{-0.52}$	-15.89 ± 6.51	-10.37 ± 6.6	(19)	$21.9^{+0.98}_{-1.02}$
2MASS J16271825+3538347	$-8.84^{+0.22}_{-0.34}$	567.04 ± 0.65	< 10
2MASS J16272658–2425543	$-5.34^{+0.21}_{-0.21}$	-7.31 ± 0.45	-4.74 ± 0.05	(20)	$12.32^{+0.96}_{-1.44}$
2MASS J16281707+1334204	$-36.56^{+0.22}_{-0.42}$	-38.22 ± 0.35	$15.81^{+0.97}_{-1.06}$
2MASS J16281808–2428358	$-5.69^{+0.22}_{-0.29}$	-8.55 ± 0.25	-5.67 ± 0.05	(20)	$16.24^{+0.98}_{-1.06}$
2MASS J16293624–2456527	$-3.88^{+0.21}_{-0.2}$	-3.88 ± 0.34	-2.37 ± 0.06	(20)	$10.58^{+0.98}_{-1.05}$
2MASS J16311879+4051516	$-21.75^{+0.19}_{-0.28}$	-23.32 ± 0.26	2.61 ± 4.43	(12)	$14.79^{+0.95}_{-0.97}$	7.1 ± 1.5	(15)
2MASS J16402068+6736046	$-17.42^{+0.22}_{-0.21}$	-18.96 ± 0.34	-15.0 ± 5.0	(9)	$16.04^{+0.96}_{-0.95}$
2MASS J16443549+4302572	$-10.63^{+0.27}_{-0.25}$	-14.28 ± 0.67	-10.69 ± 0.05	(20)	$14.25^{+1.08}_{-0.96}$
2MASS J16463154+3434554	$-52.64^{+0.2}_{-0.3}$	-56.32 ± 0.36	< 10
2MASS J16470576+4117062	$-37.16^{+0.26}_{-0.25}$	< 10

Table 5 continued

Table 5 (*continued*)

APOGEE ID	$\langle \text{RV} \rangle^a, c$	ASPCAP RV ^b	Lit. RV	Lit. RV Ref.	$\langle v \sin i \rangle^a$	Lit. $v \sin i$	Lit. $v \sin i$ Ref.
	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	
2MASS J16485878+3005366	$-44.79^{+0.39}_{-0.38}$	-49.35 ± 0.64	$14.02^{+1.29}_{-1.97}$
2MASS J17071830+6439331	$-9.99^{+0.26}_{-0.32}$	$25.36^{+0.96}_{-0.95}$
2MASS J17181749+2625541	$-42.36^{+0.23}_{-0.42}$	-50.61 ± 0.3	-42.57 ± 0.06	(20)	$15.3^{+0.99}_{-1.08}$
2MASS J19004530–3711480	$-0.42^{+0.2}_{-0.32}$	-2.7 ± 0.65	-0.21 ± 0.04	(20)	$14.13^{+0.95}_{-1.01}$
2MASS J19013357–3700304	$4.76^{+0.88}_{-0.47}$	-4.14 ± 0.63	1.69 ± 0.2	(20)	$31.43^{+1.08}_{-1.79}$
2MASS J19015374–3700339	$0.11^{+0.22}_{-0.39}$	-2.32 ± 0.77	0.61 ± 0.07	(20)	$14.15^{+0.96}_{-1.04}$
2MASS J19241634+7533121	$-18.62^{+0.23}_{-0.4}$	-19.93 ± 0.31	< 10
2MASS J19544358+1801581	$-18.62^{+0.2}_{-0.3}$	365.56 ± 244.7	< 10
2MASS J20491376+3216514	$11.5^{+0.23}_{-0.39}$	9.39 ± 0.91	$12.2^{+0.97}_{-1.04}$	10 ± 1.6	(16)
2MASS J21272531+5553150	$-12.23^{+0.21}_{-0.32}$	-224.75 ± 1086.03	$17.29^{+0.95}_{-1.02}$
2MASS J21381698+5257188	$-7.52^{+0.21}_{-0.36}$	111.53 ± 0.54	$40.59^{+0.96}_{-1.01}$
2MASS J22021125–1109461	$-7.72^{+0.21}_{-0.34}$	575.21 ± 1.36	$21.34^{+0.96}_{-0.98}$
2MASS J22400144+0532162	$-10.05^{+0.2}_{-0.36}$	-12.35 ± 1.21	$17.77^{+0.96}_{-1.02}$
2MASS J22551142+1442456	$-14.08^{+0.23}_{-0.45}$	-16.84 ± 0.51	$56.68^{+1.04}_{-1.15}$
2MASS J23200703+1150071	$-54.47^{+0.2}_{-0.35}$	-57.79 ± 0.81	< 10

References—(1) Lépine et al. (2003), (2) Fúrisz et al. (2008), (3) Reiners & Basri (2009), (4) Blake et al. (2010), (5) West et al. (2011), (6) Deshpande et al. (2012), (7) Dahm et al. (2012), (8) Deshpande et al. (2013), (9) Newton et al. (2014), (10) Cottaar et al. (2015), (11) West et al. (2015), (12) Terrien et al. (2015b), (13) Burgasser et al. (2015), (14) Faherty et al. (2016), (15) Reiners et al. (2018), (16) Gilhooley et al. (2018), (17) Kesseli et al. (2018), (18) Kounkel et al. (2019), (19) Kiman et al. (2019), (20) Jönsson et al. (2020), (21) Gaia Collaboration et al. (2021b)

^a Our weighted average measurements over all epochs.

^b RV from DR17 ASPCAP Pipeline.

^c We did not apply the effective temperature dependent correction to RV from Kounkel et al. (2019) for 2MASS J04201611+2821325, 2MASS J04262939+2624137, 2MASS J04294568+2630468, 2MASS J04330945+2246487, and 2MASS J04363893+2258119. See Section 4.1 for details.

NOTE—Measurements from individual spectra over individual or multiple epochs are combined using inverse uncertainty weighting (weight = $1/(\sigma_{\text{upper}}^2 + \sigma_{\text{lower}}^2)$); upper and lower uncertainties are also combined using inverse uncertainty-squared weighting. In cases where individual spectra have S/N < 10, spectral data are combined first, then modeled.

Table 6. Radial Velocities and Heliocentric Space Motions

APOGEE ID	SpT	Adpted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ^c
			(km s ⁻¹)		Prob	Member			
2MASS J00034394+8606422 ^b	M6.0	$7.26^{+0.2}_{-0.33}$	-16.2 ± 0.2	7.4 ± 0.3	1.6 ± 0.1	0.01	D	>99%	field
2MASS J00312793+6139333	M7.0	$-34.44^{+0.2}_{-0.35}$	-27.4 ± 0.2	-50.0 ± 0.3	29.8 ± 0.1	0.18	D/TD	>99%	field
2MASS J00381273+3850323	M6.0	$6.62^{+0.2}_{-0.32}$	-31.2 ± 0.2	-4.9 ± 0.3	5.3 ± 0.1	0.01	D	>99%	field
2MASS J00452143+1634446 ^d	L2.0	$3.71^{+0.22}_{-0.37}$	-10.8 ± 0.2	-1.5 ± 0.2	1.5 ± 0.3	0.01	D	>99%	ARG
2MASS J00514593–1221458	M6.0	$15.66^{+0.24}_{-0.38}$	17.5 ± 0.1	13.1 ± 0.1	-9.7 ± 0.4	0.01	D	>99%	field
2MASS J01154176+0059317	M6.0	$10.78^{+0.28}_{-0.59}$	-35.8 ± 0.4	-7.4 ± 0.3	5.8 ± 0.5	0.01	D	>99%	field
2MASS J01215816+0101007	M6.5	$10.28^{+0.22}_{-0.37}$	-9.0 ± 0.2	-12.0 ± 0.2	-5.0 ± 0.4	0.01	D	>99%	field
2MASS J01243124–0027556	M7.0	$-3.88^{+0.23}_{-0.41}$	17.4 ± 0.2	-16.1 ± 0.3	-0.4 ± 0.4	0.01	D	>99%	field
2MASS J01514363+0046188	M7.0	$14.44^{+0.27}_{-0.47}$	-15.3 ± 0.2	5.4 ± 0.1	2.8 ± 0.4	0.01	D	98%	field
2MASS J02163612–0544175	M6.0	$-0.05^{+0.23}_{-0.47}$	15.2 ± 0.2	0.6 ± 0.0	3.9 ± 0.4	0.01	D	>99%	field
2MASS J03040207+0045512 ^{bd}	M6.0	$29.94^{+0.2}_{-0.28}$	-31.5 ± 0.2	-6.9 ± 0.0	4.7 ± 0.2	0.01	D	77%	HYA
2MASS J03122509+0021585 ^b	M7.0	$35.54^{+0.22}_{-0.35}$	-25.6 ± 0.3	-8.3 ± 0.1	-7.0 ± 0.3	0.01	D	>99%	field
2MASS J03282839+3116273 ^b	M6.5	$15.41^{+0.21}_{-0.35}$	-6.2 ± 0.4	2.2 ± 1.1	-3.6 ± 0.5	0.01	D	>99%	field

Table 6 *continued*

Table 6 (*continued*)

APOGEE ID	SpT	Adpoted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ^c
			(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)			Prob	Member
2MASS J03284407+3120528 ^{bd}	M7.5	17.46 ^{+0.2} _{-0.29}	-7.8 ± 0.5	5.0 ± 1.2	-3.0 ± 0.5	0.01	D	>99%	field
2MASS J03290413+3056127 ^{bd}	M6.0	15.53 ^{+0.19} _{-0.27}	-6.0 ± 0.3	5.1 ± 0.6	-1.4 ± 0.2	0.01	D	>99%	field
2MASS J03291130+3117175 ^{bd}	M8.0	16.54 ^{+0.2} _{-0.29}	-8.2 ± 0.5	2.3 ± 1.1	-1.9 ± 0.4	0.01	D	>99%	field
2MASS J03293053+3127280 ^{de}	M6.5	15.77 ^{+0.28} _{-0.45}	-6.4 ± 0.5	3.0 ± 0.7	-3.4 ± 0.3	0.01	D	>99%	field
2MASS J03293773+3122024 ^{bd}	M7.5	17.04 ^{+0.2} _{-0.29}	-8.1 ± 0.4	2.5 ± 0.8	-3.2 ± 0.4	0.01	D	>99%	field
2MASS J03413332+3157417 ^b	M6.0	7.43 ^{+0.19} _{-0.27}	-3.9 ± 0.3	-17.8 ± 0.3	-4.6 ± 0.1	0.01	D	>99%	field
2MASS J03413641+3216200 ^b	M6.0	18.85 ^{+0.23} _{-0.46}	-8.7 ± 0.6	8.0 ± 1.4	-1.1 ± 0.7	0.01	D	>99%	field
2MASS J03430194+3144355 ^d	M7.0	19.54 ^{+0.22} _{-0.41}	-8.6 ± 0.6	9.9 ± 1.5	-1.2 ± 0.8	0.01	D	>99%	field
2MASS J03431389+3147571 ^d	M6.5	19.55 ^{+0.24} _{-0.49}	-10.9 ± 0.8	1.4 ± 2.2	-3.2 ± 0.7	0.01	D	>99%	field
2MASS J03434763+3209025 ^d	M7.0	17.88 ^{+0.27} _{-0.43}	-7.7 ± 0.6	7.7 ± 1.1	-0.9 ± 0.6	0.01	D	>99%	field
2MASS J03435508+3207145 ^d	M6.0	15.14 ^{+0.23} _{-0.27}	-5.2 ± 0.4	5.0 ± 1.4	-2.0 ± 0.7	0.01	D	>99%	field
2MASS J03435638+3209591 ^d	M7.0	17.62 ^{+0.37} _{-1.41}	-7.4 ± 1.6	8.1 ± 3.0	-0.3 ± 1.4	0.01	D	>99%	field
2MASS J03435987+3204414 ^d	M6.0	18.77 ^{+0.21} _{-0.34}	-8.9 ± 0.4	6.8 ± 0.9	-1.1 ± 0.4	0.01	D	>99%	field
2MASS J03440291+3152277 ^{bd}	M6.0	17.54 ^{+0.2} _{-0.31}	-7.1 ± 0.5	8.0 ± 1.3	-1.1 ± 0.6	0.01	D	>99%	field
2MASS J03440599+3215321 ^{bd}	M6.5	18.83 ^{+0.2} _{-0.32}	-8.7 ± 0.4	7.1 ± 1.1	-1.7 ± 0.5	0.01	D	>99%	field
2MASS J03441558+3209218 ^d	M7.5	16.34 ^{+0.51} _{-0.63}	-6.0 ± 0.9	7.5 ± 1.8	-0.9 ± 0.9	0.01	D	>99%	field
2MASS J03442798+3205196 ^d	M6.5	18.28 ^{+0.33} _{-0.39}	-7.7 ± 0.5	8.9 ± 1.0	-0.7 ± 0.4	0.01	D	>99%	field
2MASS J03443886+3206364 ^d	M6.0	18.04 ^{+0.24} _{-0.43}	-8.1 ± 0.5	6.9 ± 0.9	-0.8 ± 0.4	0.01	D	>99%	field
2MASS J03505737+1818069	M9.0	6.05 ^{+0.23} _{-0.25}	-5.9 ± 0.2	-12.5 ± 0.1	19.9 ± 0.1	0.01	D	>99%	field
2MASS J04104079+1444007	M6.0	38.23 ^{+0.23} _{-0.43}	-31.7 ± 0.4	-6.4 ± 0.1	6.6 ± 0.2	0.01	D	>99%	field
2MASS J04110642+1247481 ^{bd}	M6.0	39.28 ^{+0.23} _{-0.4}	-32.5 ± 0.4	-7.4 ± 0.1	6.1 ± 0.2	0.01	D	>99%	HYA
2MASS J04152409+2910434 ^{bd}	M7.0	19.02 ^{+0.22} _{-0.42}	-9.5 ± 0.4	-0.1 ± 0.6	-1.0 ± 0.2	0.01	D	32/67	TAU/ field
2MASS J04161885+2752155 ^{bd}	M8.0	18.36 ^{+0.2} _{-0.33}	-7.2 ± 0.3	0.6 ± 0.2	-4.6 ± 0.2	0.01	D	>99%	TAU
2MASS J04185115+2814332 ^d	M7.5	21.13 ^{+0.28} _{-0.3}	-9.9 ± 0.3	1.6 ± 0.4	-4.8 ± 0.2	0.01	D	98%	TAU
2MASS J04201611+2821325 ^{bd}	M8.0	19.55 ^{+0.2} _{-0.32}	-8.5 ± 0.3	0.7 ± 0.3	-4.6 ± 0.2	0.01	D	99%	TAU
2MASS J04204796+5624202	M8.0	-29.54 ^{+0.2} _{-0.34}	3.5 ± 0.3	-64.0 ± 0.3	46.9 ± 0.2	4.32	D/TD	>99%	field
2MASS J04213965+2649143 ^d	M6.0	19.86 ^{+0.23} _{-0.41}	-9.6 ± 0.4	-1.0 ± 0.4	-1.2 ± 0.2	0.01	D	6/93	TAU/ field
2MASS J04214435+2024105 ^d	M7.0	40.78 ^{+0.23} _{-0.45}	-33.3 ± 0.4	-6.3 ± 0.1	5.3 ± 0.2	0.01	D	>99%	HYA
2MASS J04214631+2659296 ^d	M6.0	20.3 ^{+0.22} _{-0.41}	-10.0 ± 0.4	-0.9 ± 0.6	-1.5 ± 0.3	0.01	D	34/65	TAU/ field
2MASS J04214955+1929086 ^{bd}	M7.0	39.43 ^{+0.26} _{-0.27}	-32.2 ± 0.3	-6.9 ± 0.3	6.5 ± 0.2	0.01	D	>99%	HYA
2MASS J04221644+2549118 ^d	M8.0	17.64 ^{+0.21} _{-0.38}	-7.5 ± 0.4	-2.2 ± 0.4	-0.1 ± 0.2	0.01	D	92%	TAU
2MASS J04230607+2801194 ^{bd}	M6.0	18.61 ^{+0.2} _{-0.33}	-7.6 ± 0.3	-0.2 ± 0.2	-4.4 ± 0.1	0.01	D	>99%	TAU
2MASS J04242090+2630511 ^d	M6.5	18.54 ^{+0.22} _{-0.42}	-7.2 ± 0.4	-1.3 ± 0.3	-4.4 ± 0.2	0.01	D	>99%	TAU
2MASS J04242646+2649503 ^d	M6.0	19.82 ^{+0.2} _{-0.3}	-9.5 ± 0.3	-0.1 ± 0.3	-0.6 ± 0.1	0.01	D	60/39	TAU/ field
2MASS J04254894+1852479 ^b	M6.0	28.32 ^{+0.23} _{-0.39}	-14.8 ± 0.4	-1.5 ± 0.1	-5.9 ± 0.1	0.01	D	>99%	field
2MASS J04262939+2624137 ^d	M6.0	20.01 ^{+0.2} _{-0.34}	-9.6 ± 0.3	-0.3 ± 0.4	-0.6 ± 0.2	0.01	D	70%	TAU
2MASS J04294568+2630468 ^d	M7.5	18.13 ^{+0.2} _{-0.3}	-6.7 ± 0.3	2.4 ± 0.3	-2.2 ± 0.2	0.01	D	>99%	TAU
2MASS J04305718+2556394 ^d	M8.0	17.54 ^{+0.29} _{-0.25}	-5.6 ± 0.3	2.0 ± 0.5	-3.6 ± 0.3	0.01	D	>99%	TAU
2MASS J04311907+2335047 ^d	M8.0	23.13 ^{+0.28} _{-0.56}	-11.2 ± 0.5	0.7 ± 0.7	-2.9 ± 0.3	0.01	D	21/78	TAU/ field
2MASS J04322329+2403013 ^d	M9.0	18.92 ^{+0.21} _{-0.34}	-6.8 ± 0.3	1.2 ± 0.2	-3.1 ± 0.1	0.01	D	>99%	TAU
2MASS J04330945+2246487 ^d	M7.0	19.6 ^{+0.21} _{-0.39}	-8.5 ± 0.4	-4.3 ± 1.0	-0.2 ± 0.3	0.01	D	17%	TAU
2MASS J04340619+2418508 ^d	M8.0	17.95 ^{+0.28} _{-0.39}	-5.8 ± 0.4	1.5 ± 0.4	-2.9 ± 0.3	0.01	D	>99%	TAU
2MASS J04350850+2311398 ^d	M7.0	18.86 ^{+0.2} _{-0.34}	-6.7 ± 0.3	0.8 ± 0.1	-2.4 ± 0.1	0.01	D	>99%	TAU

Table 6 *continued*

Table 6 (*continued*)

APOGEE ID	SpT	Adpoted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ^c
			(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)			Prob	Member
2MASS J04351354+2008014 ^d	M7.5	40.01 ^{+0.26} _{-0.53}	-31.2 ± 0.5	-7.1 ± 0.1	5.5 ± 0.2	0.01	D	>99%	HYA
2MASS J04354183+2234115 ^d	M6.0	18.33 ^{+0.21} _{-0.38}	-6.8 ± 0.4	-1.7 ± 0.2	-0.2 ± 0.1	0.01	D	94/6	TAU/ field
2MASS J04361038+2259560 ^d	M8.0	20.08 ^{+0.21} _{-0.33}	-8.8 ± 0.3	-0.8 ± 0.9	0.1 ± 0.3	0.01	D	79/20	TAU/ field
2MASS J04363893+2258119 ^{bd}	M7.5	19.91 ^{+0.21} _{-0.35}	-8.3 ± 0.4	-2.2 ± 0.6	-1.1 ± 0.2	0.01	D	1/98	TAU/ field
2MASS J04385871+2323595 ^d	M6.5	18.09 ^{+0.21} _{-0.34}	-5.9 ± 0.4	1.0 ± 0.1	-2.2 ± 0.1	0.01	D	>99%	TAU
2MASS J04440164+1621324 ^d	M6.0	21.82 ^{+0.28} _{-0.47}	-8.4 ± 0.5	-3.8 ± 0.3	-1.3 ± 0.2	0.01	D	86%	TAU
2MASS J04464498+2436404 ^d	M7.0	42.22 ^{+0.39} _{-0.49}	-33.2 ± 0.5	-6.7 ± 0.1	5.1 ± 0.1	0.01	D	>99%	HYA
2MASS J04552333+3027366 ^d	M6.0	17.46 ^{+0.21} _{-0.34}	-7.0 ± 0.4	-2.7 ± 0.4	-4.1 ± 0.2	0.01	D	34%	TAU
2MASS J04565141+2939310 ^d	M7.0	17.91 ^{+0.21} _{-0.34}	-7.2 ± 0.3	-1.8 ± 0.3	-3.4 ± 0.2	0.01	D	87%	TAU
2MASS J05334797-0527385 ^d	M6.0	33.39 ^{+0.21} _{-0.36}	-15.1 ± 0.5	-5.0 ± 0.6	-4.5 ± 0.6	0.01	D	99%	field
2MASS J05350162-0521489 ^d	L0.0	25.07 ^{+0.64} _{-0.58}	-9.6 ± 44.4	0.8 ± 72.5	-1.1 ± 80.0	0.01	D	>99%	field
2MASS J05352501-0509095 ^d	M6.0	28.47 ^{+0.22} _{-0.38}	-11.8 ± 0.4	-3.7 ± 0.4	0.5 ± 0.4	0.01	D	>99%	field
2MASS J05353193-0531477 ^d	M8.0	27.51 ^{+0.25} _{-0.41}	-12.8 ± 0.4	-1.4 ± 0.4	2.5 ± 0.6	0.01	D	>99%	field
2MASS J05392474+4038437	M8.0	-5.42 ^{+0.21} _{-0.34}	6.4 ± 0.3	-44.5 ± 0.1	12.3 ± 0.0	0.03	D	>99%	field
2MASS J05402570+2448090 ^{bd}	M7.0	23.07 ^{+0.2} _{-0.35}	-10.7 ± 0.4	-7.1 ± 0.6	0.6 ± 0.4	0.01	D	67/30	ARG/ CARN
2MASS J06154934-0100415	L2.5	-19.69 ^{+0.21} _{-0.33}	33.4 ± 0.3	7.7 ± 0.2	25.8 ± 0.1	0.02	D	>99%	field
2MASS J06521977-2534505	L0.0	14.9 ^{+0.21} _{-0.33}	-7.0 ± 0.2	9.9 ± 0.3	-8.8 ± 0.1	0.01	D	>99%	field
2MASS J07025026-6102482	M6.5	21.31 ^{+0.23} _{-0.24}	-22.9 ± 0.1	-29.4 ± 0.2	50.8 ± 0.2	0.6	D/TD	>99%	field
2MASS J07140394+3702459	M8.0	35.34 ^{+0.21} _{-0.35}	-25.7 ± 0.3	1.2 ± 0.0	9.2 ± 0.1	0.01	D	>99%	field
2MASS J07464256+2000321 ^b	L0.0	52.78 ^{+0.21} _{-0.38}	-44.2 ± 0.4	-1.9 ± 0.2	6.5 ± 0.2	0.01	D	>99%	field
2MASS J07475737+6653337	M7.0	7.45 ^{+0.21} _{-0.35}	8.4 ± 0.3	13.7 ± 0.2	16.8 ± 0.2	0.01	D	>99%	field
2MASS J07552256+2755318	M6.0	-3.86 ^{+0.23} _{-0.39}	-5.6 ± 0.4	18.5 ± 0.1	-32.9 ± 0.2	0.04	D	>99%	field
2MASS J07564895+6649595	M7.5	0.19 ^{+0.2} _{-0.31}	5.3 ± 0.2	-32.2 ± 0.3	37.0 ± 0.2	0.09	D	>99%	field
2MASS J08072607+3213101	M8.0	34.41 ^{+0.21} _{-0.32}	-34.9 ± 0.3	-8.4 ± 0.1	-9.5 ± 0.2	0.01	D	>99%	field
2MASS J08080189+3157054	M7.0	30.61 ^{+0.22} _{-0.38}	-16.2 ± 0.3	-8.2 ± 0.1	15.7 ± 0.2	0.01	D	>99%	field
2MASS J08185804+2333522	M7.0	35.74 ^{+0.21} _{-0.33}	-27.5 ± 0.3	-27.4 ± 0.1	-8.5 ± 0.2	0.01	D	>99%	field
2MASS J08211639+5658358	M6.5	7.17 ^{+0.24} _{-0.41}	6.3 ± 0.3	0.8 ± 0.2	18.8 ± 0.2	0.01	D	>99%	field
2MASS J08294949+2646348 ^{df}	M6.5	10.69 ^{+0.2} _{-0.3}	-7.0 ± 0.2	2.0 ± 0.1	-4.8 ± 0.2	0.01	D	>99%	field
2MASS J08355736+4318310	M7.0	-8.49 ^{+0.24} _{-0.48}	7.5 ± 0.4	17.2 ± 0.1	-12.1 ± 0.3	0.01	D	>99%	field
2MASS J08440350+0434356	M9.0	66.68 ^{+0.26} _{-0.46}	-74.6 ± 0.4	4.3 ± 0.3	19.1 ± 0.2	0.05	D	>99%	field
2MASS J08460531+1035309	M7.0	43.74 ^{+0.34} _{-0.33}	-34.3 ± 0.3	-7.4 ± 0.2	11.4 ± 0.3	0.01	D	>99%	field
2MASS J08490052+0220155	M7.0	22.37 ^{+0.22} _{-0.36}	-4.4 ± 0.2	-12.9 ± 0.2	0.2 ± 0.2	0.01	D	>99%	field
2MASS J08522464+2540591 ^b	M7.0	29.56 ^{+0.28} _{-0.28}	-34.4 ± 0.4	-7.6 ± 0.2	-9.3 ± 0.5	0.01	D	>99%	field
2MASS J09020690+0033195	M6.0	42.63 ^{+0.26} _{-0.5}	-40.5 ± 0.3	-21.9 ± 0.3	-12.5 ± 0.2	0.01	D	>99%	field
2MASS J09130162+3037583	M7.0	51.79 ^{+0.21} _{-0.34}	-38.0 ± 0.3	-58.0 ± 0.4	12.2 ± 0.3	0.15	D/TD	>99%	field
2MASS J09373349+5534057 ^b	M6.0	0.68 ^{+0.2} _{-0.32}	-5.6 ± 0.3	3.2 ± 0.2	-4.2 ± 0.3	0.01	D	>99%	field
2MASS J09453388+5458511 ^b	M7.0	-3.67 ^{+0.22} _{-0.38}	8.7 ± 0.2	-1.0 ± 0.2	4.4 ± 0.3	0.01	D	>99%	field
2MASS J09472006-0020093	M7.0	15.0 ^{+0.21} _{-0.33}	-19.0 ± 0.2	4.1 ± 0.2	1.9 ± 0.2	0.01	D	>99%	field
2MASS J09474477+0224327 ^d	M8.0	8.76 ^{+0.27} _{-0.43}	6.2 ± 0.2	-14.9 ± 0.3	-9.1 ± 0.3	0.01	D	98%	ABDMG
2MASS J09522188-1924319 ^b	M7.0	-17.11 ^{+0.21} _{-0.32}	15.4 ± 0.1	19.4 ± 0.3	-15.0 ± 0.2	0.01	D	>99%	field
2MASS J09524622+0620410 ^b	M7.0	12.8 ^{+0.25} _{-0.41}	-2.1 ± 0.2	-7.3 ± 0.3	0.7 ± 0.3	0.01	D	98%	field
2MASS J10031918-0105079	M7.0	23.99 ^{+0.23} _{-0.43}	-37.2 ± 0.2	-7.3 ± 0.3	-3.1 ± 0.3	0.01	D	>99%	field
2MASS J10134315+0000406	M6.0	3.95 ^{+0.24} _{-0.4}	78.6 ± 0.2	-17.0 ± 0.3	19.3 ± 0.3	0.07	D	>99%	field
2MASS J10225090+0032169 ^b	M8.0	34.04 ^{+0.24} _{-0.42}	6.0 ± 0.2	-39.4 ± 0.4	7.4 ± 0.4	0.02	D	>99%	field
2MASS J10240997+1815533	M7.0	8.22 ^{+0.2} _{-0.35}	-9.8 ± 0.2	-7.7 ± 0.2	-2.9 ± 0.3	0.01	D	10/90	CARN/ field
2MASS J10323297+0630074	M6.0	13.22 ^{+0.2} _{-0.35}	-3.0 ± 0.1	-14.2 ± 0.2	0.1 ± 0.3	0.01	D	>99%	field

Table 6 *continued*

Table 6 (*continued*)

APOGEE ID	SpT	Adpoted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ^c
			(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)			Prob	Member
2MASS J10372897+3011117	M8.0	7.97 ^{+0.24} _{-0.4}	-42.2 ± 0.2	-60.0 ± 0.1	-25.3 ± 0.4	0.43	D/TD	>99%	field
2MASS J10541102-8505023 ^b	M8.0	-10.8 ^{+0.21} _{-0.32}	-31.9 ± 0.2	-3.6 ± 0.3	16.1 ± 0.1	0.01	D	>99%	field
2MASS J10543366+0503467	L1.0	-20.17 ^{+0.22} _{-0.37}	62.2 ± 0.7	-6.8 ± 0.5	-15.2 ± 0.3	0.02	D	>99%	field
2MASS J10570380+2217203	M6.0	11.68 ^{+0.22} _{-0.37}	-3.5 ± 0.1	-11.8 ± 0.1	7.3 ± 0.3	0.01	D	>99%	field
2MASS J11194647+0820356	M8.0	-44.98 ^{+0.21} _{-0.37}	83.3 ± 0.2	11.4 ± 0.2	-30.6 ± 0.3	0.21	D/TD	>99%	field
2MASS J11203609+0704135 ^b	M6.0	-14.41 ^{+0.22} _{-0.37}	39.3 ± 0.1	-21.4 ± 0.2	-22.3 ± 0.3	0.02	D	>99%	field
2MASS J11210854+2126274	M6.0	-0.3 ^{+0.25} _{-0.25}	-14.6 ± 0.1	1.4 ± 0.1	-3.3 ± 0.2	0.01	D	>99%	field
2MASS J11232934+0154040 ^b	M7.0	-0.21 ^{+0.21} _{-0.35}	-10.8 ± 0.2	5.5 ± 0.2	0.1 ± 0.3	0.01	D	>99%	field
2MASS J11523430+2057275 ^b	M6.5	-0.75 ^{+0.21} _{-0.33}	16.3 ± 0.1	-25.5 ± 0.5	-0.8 ± 0.4	0.01	D	>99%	field
2MASS J12080810+3520281 ^b	M7.0	29.17 ^{+0.23} _{-0.43}	-68.3 ± 0.2	-37.1 ± 0.2	22.2 ± 0.4	0.12	D/TD	>99%	field
2MASS J12201166+3315379	M8.0	11.16 ^{+0.29} _{-0.53}	45.7 ± 0.2	-10.8 ± 0.1	24.7 ± 0.5	0.03	D	>99%	field
2MASS J12205439+2525568	M6.0	14.81 ^{+0.29} _{-0.29}	-14.3 ± 0.7	-2.1 ± 0.4	18.7 ± 0.3	0.01	D	>99%	field
2MASS J12215013+4632447	M7.0	-10.44 ^{+0.26} _{-0.53}	24.6 ± 2.3	12.3 ± 0.7	-0.2 ± 0.7	0.01	D	>99%	field
2MASS J12252076+2517082	M7.0	7.24 ^{+0.23} _{-0.4}	2.8 ± 0.8	10.0 ± 0.3	13.8 ± 0.4	0.01	D	>99%	field
2MASS J12261350+5605445 ^b	M6.5	4.14 ^{+0.2} _{-0.32}	0.9 ± 0.1	0.8 ± 0.1	13.2 ± 0.3	0.01	D	>99%	field
2MASS J12263913+2505546	M6.5	1.59 ^{+0.22} _{-0.36}	58.0 ± 0.6	23.3 ± 0.1	12.8 ± 0.4	0.03	D	>99%	field
2MASS J12265349+2543556 ^b	M6.5	-0.2 ^{+0.21} _{-0.35}	22.3 ± 0.1	15.0 ± 0.1	8.0 ± 0.3	0.01	D	>99%	field
2MASS J12270429+2541012 ^d	M6.5	2.63 ^{+0.22} _{-0.38}	8.2 ± 0.1	6.5 ± 0.1	9.3 ± 0.4	0.01	D	>99%	CBER
2MASS J12315462+5130389	M6.5	8.92 ^{+0.24} _{-0.33}	-33.6 ± 0.2	-6.7 ± 0.1	10.4 ± 0.3	0.01	D	>99%	field
2MASS J12481860-0235360 ^b	M6.5	31.29 ^{+0.2} _{-0.34}	24.1 ± 0.1	-6.1 ± 0.2	30.5 ± 0.3	0.03	D	>99%	field
2MASS J12482131-0157194	M6.0	14.33 ^{+0.3} _{-0.49}	-9.7 ± 0.3	-22.1 ± 0.4	13.3 ± 0.5	0.01	D	>99%	field
2MASS J12493960+5255340	M9.0	-56.77 ^{+0.21} _{-0.38}	18.4 ± 0.1	-59.4 ± 0.3	-25.0 ± 0.4	0.26	D/TD	>99%	field
2MASS J12503943+4256124	M6.5	-6.6 ^{+0.38} _{-0.76}	-1.0 ± 0.1	-7.6 ± 0.2	3.2 ± 0.7	0.01	D	>99%	field
2MASS J12522354+2528469	M7.0	9.43 ^{+0.3} _{-0.34}	19.1 ± 0.0	-22.3 ± 0.1	15.8 ± 0.3	0.01	D	>99%	field
2MASS J13004379+3557591	M6.0	-24.58 ^{+0.27} _{-0.47}	-35.3 ± 0.1	-25.2 ± 0.1	-14.7 ± 0.5	0.02	D	>99%	field
2MASS J13022083+3227103	M6.0	6.77 ^{+0.23} _{-0.42}	-17.0 ± 0.0	2.2 ± 0.0	14.6 ± 0.4	0.01	D	>99%	field
2MASS J13034100+2414020	M7.0	-9.3 ^{+0.22} _{-0.36}	-39.2 ± 0.1	-7.6 ± 0.1	1.0 ± 0.4	0.01	D	>99%	field
2MASS J13065141+7056376	M7.0	15.29 ^{+0.2} _{-0.32}	55.3 ± 0.3	33.3 ± 0.2	33.1 ± 0.3	0.23	D/TD	>99%	field
2MASS J13093551-0203562	M6.0	-12.85 ^{+0.21} _{-0.32}	3.7 ± 0.1	-1.3 ± 0.2	-10.4 ± 0.3	0.01	D	>99%	field
2MASS J13122681+7245338 ^b	M7.5	-3.37 ^{+0.23} _{-0.42}	-28.8 ± 0.7	-3.0 ± 0.4	-5.1 ± 0.3	0.01	D	>99%	field
2MASS J13202007+7213140 ^b	M7.5	-27.34 ^{+0.2} _{-0.32}	23.0 ± 0.1	-6.4 ± 0.2	-9.3 ± 0.2	0.01	D	>99%	field
2MASS J13232423+5132272 ^b	M6.0	-5.41 ^{+0.21} _{-0.34}	-21.0 ± 0.1	-2.9 ± 0.1	2.5 ± 0.3	0.01	D	>99%	field
2MASS J13263545+7140148	M6.0	2.51 ^{+0.2} _{-0.31}	-53.6 ± 0.5	-1.7 ± 0.2	-8.3 ± 0.3	0.01	D	>99%	field
2MASS J13342918+3303043	M7.0	-18.03 ^{+0.33} _{-0.36}	-55.1 ± 0.1	-47.8 ± 0.1	4.6 ± 0.4	0.08	D	>99%	field
2MASS J13355969+4021459	M6.0	-7.74 ^{+0.21} _{-0.31}	12.4 ± 0.0	14.9 ± 0.1	-1.6 ± 0.3	0.01	D	>99%	field
2MASS J13495109+3305136 ^b	M6.0	-9.95 ^{+0.22} _{-0.41}	-1.2 ± 0.1	-14.8 ± 0.3	4.4 ± 0.4	0.01	D	>99%	field
2MASS J13564148+4342587 ^b	M8.0	-19.51 ^{+0.22} _{-0.39}	-25.7 ± 0.5	-20.5 ± 0.4	-0.7 ± 0.4	0.01	D	>99%	field
2MASS J14005977+3226109 ^b	M7.0	-17.9 ^{+0.2} _{-0.32}	-38.7 ± 0.4	-23.1 ± 0.3	4.9 ± 0.3	0.01	D	>99%	field
2MASS J14093200+4138080 ^d	M6.0	-10.96 ^{+0.24} _{-0.29}	-13.3 ± 0.0	-2.2 ± 0.1	2.8 ± 0.3	0.01	D	>99%	ARG
2MASS J14320849+0811313	M6.0	-21.3 ^{+0.21} _{-0.36}	-18.8 ± 0.2	-6.1 ± 0.0	-0.0 ± 0.3	0.01	D	>99%	field
2MASS J14340140+5039480	M7.0	-6.39 ^{+0.2} _{-0.31}	-10.1 ± 0.1	-0.8 ± 0.2	7.5 ± 0.3	0.01	D	55/44	ARG/ field
2MASS J14402293+1339230	M7.0	-3.49 ^{+0.22} _{-0.39}	21.2 ± 0.2	-27.3 ± 0.1	1.8 ± 0.3	0.01	D	>99%	field
2MASS J14432796+0316543	M7.0	-38.45 ^{+0.35} _{-0.33}	-31.1 ± 0.2	-5.8 ± 0.1	-10.6 ± 0.3	0.01	D	>99%	field
2MASS J15010818+2250020 ^b	M8.5	6.53 ^{+0.2} _{-0.29}	14.9 ± 0.1	10.2 ± 0.1	13.5 ± 0.3	0.01	D	>99%	field
2MASS J15041028+0923232	M7.5	-53.33 ^{+0.23} _{-0.38}	-63.2 ± 0.4	-22.5 ± 0.2	-1.3 ± 0.4	0.02	D	>99%	field
2MASS J15210103+5053230	M7.5	2.43 ^{+0.23} _{-0.26}	24.7 ± 0.0	10.5 ± 0.2	10.4 ± 0.2	0.01	D	>99%	field
2MASS J15211578+3420021	M6.0	-76.08 ^{+0.21} _{-0.37}	-36.6 ± 0.3	-84.7 ± 0.8	-14.5 ± 0.6	4.24	D/TD	>99%	field

Table 6 *continued*

Table 6 (*continued*)

APOGEE ID	SpT	Adpoted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ^c
			(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)			Prob	Member
2MASS J15242475+2925318	M7.5	-15.15 ^{+0.19} _{-0.22}	33.7 ± 0.1	-20.7 ± 0.1	-5.6 ± 0.2	0.01	D	>99%	field
2MASS J15344151+4641313	M6.5	-22.97 ^{+0.23} _{-0.24}	-33.4 ± 0.2	-5.8 ± 0.1	0.2 ± 0.2	0.01	D	>99%	field
2MASS J15394922+2831298	M6.0	-21.98 ^{+0.21} _{-0.35}	-3.0 ± 0.1	-14.8 ± 0.1	1.7 ± 0.3	0.01	D	>99%	field
2MASS J15555600-2045187 ^d	M6.5	-4.1 ^{+0.22} _{-0.39}	6.4 ± 0.4	-4.9 ± 0.4	1.5 ± 0.2	0.01	D	>99%	USCO
2MASS J15560104-2338081 ^d	M6.5	1.51 ^{+0.3} _{-0.34}	10.2 ± 0.3	-6.7 ± 0.3	4.3 ± 0.2	0.01	D	93%	USCO
2MASS J15560497-2106461 ^d	M7.0	-4.14 ^{+0.54} _{-1.14}	6.3 ± 1.0	-4.9 ± 0.6	1.4 ± 0.5	0.01	D	>99%	USCO
2MASS J15582565-1826083 ^d	M6.0	-0.83 ^{+0.27} _{-0.23}	9.8 ± 0.3	-2.9 ± 0.6	4.3 ± 0.2	0.01	D	>99%	USCO
2MASS J15591135-2338002 ^d	M7.0	-3.59 ^{+0.36} _{-0.33}	6.6 ± 0.3	-5.0 ± 0.6	0.5 ± 0.3	0.01	D	>99%	USCO
2MASS J15592591-2305081 ^d	M6.0	-3.31 ^{+0.22} _{-0.37}	7.2 ± 0.3	-4.7 ± 0.2	0.4 ± 0.2	0.01	D	>99%	USCO
2MASS J15594439-1928191 ^d	M7.5	-2.59 ^{+0.3} _{-0.4}	8.8 ± 0.4	-4.5 ± 0.7	1.2 ± 0.3	0.01	D	>99%	USCO
2MASS J16001944-2256287 ^d	M8.0	-4.27 ^{+0.37} _{-0.48}	6.6 ± 0.6	-4.7 ± 0.8	-0.4 ± 0.4	0.01	D	>99%	USCO
2MASS J16002844-2209228 ^b	M6.0	-3.66 ^{+0.21} _{-0.37}	-2.9 ± 0.4	-20.8 ± 0.6	17.8 ± 0.3	0.01	D	>99%	field
2MASS J16003023-2334457 ^d	M6.0	-3.74 ^{+0.23} _{-0.49}	6.5 ± 0.4	-5.1 ± 0.2	0.4 ± 0.2	0.01	D	>99%	USCO
2MASS J16004623-2158415 ^d	M6.5	-4.98 ^{+0.26} _{-0.25}	5.7 ± 0.2	-4.8 ± 0.4	0.5 ± 0.2	0.01	D	>99%	USCO
2MASS J16014955-2351082 ^{bd}	M6.0	-3.54 ^{+0.24} _{-0.24}	6.8 ± 0.2	-4.4 ± 0.3	0.5 ± 0.2	0.01	D	>99%	USCO
2MASS J16020429-2050425 ^{bd}	M7.0	-4.14 ^{+0.24} _{-0.41}	7.0 ± 0.4	-3.8 ± 0.2	0.8 ± 0.2	0.01	D	>99%	USCO
2MASS J16022585-2414081 ^d	M7.0	-2.1 ^{+0.33} _{-0.41}	7.8 ± 0.4	-4.1 ± 0.6	1.8 ± 0.3	0.01	D	>99%	USCO
2MASS J16025214-2121296 ^d	M7.5	0.22 ^{+0.36} _{-1.69}	11.3 ± 1.5	-3.8 ± 0.8	1.8 ± 0.7	0.01	D	>99%	USCO
2MASS J16044026-2254323 ^d	M6.0	-1.17 ^{+0.58} _{-0.48}	8.8 ± 0.5	-5.9 ± 0.6	2.4 ± 0.3	0.01	D	>99%	USCO
2MASS J16044303-2318258 ^d	M6.5	-7.54 ^{+1.75} _{-0.35}	3.6 ± 1.6	-4.5 ± 0.5	-1.8 ± 0.6	0.01	D	>99%	USCO
2MASS J16045199-2224108 ^d	M8.0	-1.06 ^{+1.3} _{-0.8}	10.0 ± 1.2	-5.4 ± 0.6	0.4 ± 0.6	0.01	D	>99%	USCO
2MASS J16045581-2307438 ^d	M6.5	-5.69 ^{+0.41} _{-0.68}	5.2 ± 0.6	-4.6 ± 0.5	-0.7 ± 0.3	0.01	D	>99%	USCO
2MASS J16053077-2246200 ^d	M6.0	-2.15 ^{+1.6} _{-0.47}	8.2 ± 1.5	-5.5 ± 0.5	1.5 ± 0.6	0.01	D	>99%	USCO
2MASS J16055178-2206212 ^d	M6.0	-3.84 ^{+0.29} _{-0.34}	7.2 ± 0.3	-5.1 ± 0.4	0.1 ± 0.2	0.01	D	>99%	USCO
2MASS J16055380+2303058	M7.0	-40.3 ^{+0.2} _{-0.3}	-14.2 ± 0.2	0.4 ± 0.1	-22.6 ± 0.2	0.01	D	>99%	field
2MASS J16063110-1904576 ^d	M6.0	-4.95 ^{+0.26} _{-0.51}	7.5 ± 0.5	-3.7 ± 0.4	-0.7 ± 0.3	0.01	D	>99%	USCO
2MASS J16063390+4054216	M6.0	-41.01 ^{+0.22} _{-0.37}	-30.7 ± 0.1	-41.8 ± 0.2	12.2 ± 0.3	0.03	D	>99%	field
2MASS J16064818-2230400 ^d	M8.0	-2.93 ^{+1.21} _{-0.68}	7.8 ± 1.1	-4.1 ± 1.3	1.2 ± 0.7	0.01	D	>99%	USCO
2MASS J16072883-2757300 ^d	M6.0	-0.16 ^{+0.27} _{-0.26}	9.1 ± 0.3	-6.0 ± 0.4	0.3 ± 0.2	0.01	D	98%	USCO
2MASS J16090168-2740521 ^d	M6.0	1.65 ^{+0.36} _{-1.44}	9.6 ± 1.3	-7.5 ± 0.4	4.1 ± 0.4	0.01	D	94/4	USCO/ UCL
2MASS J16090197-2151225 ^d	M6.0	-6.38 ^{+1.16} _{-0.3}	5.0 ± 1.1	-3.4 ± 0.4	-0.2 ± 0.4	0.01	D	>99%	USCO
2MASS J16090451-2224523 ^{bd}	M7.0	-5.24 ^{+0.2} _{-0.33}	6.2 ± 0.3	-3.8 ± 0.4	-0.7 ± 0.2	0.01	D	>99%	USCO
2MASS J16090568-2245166 ^d	M8.0	-3.03 ^{+0.28} _{-0.3}	8.1 ± 0.3	-3.9 ± 1.4	0.2 ± 0.7	0.01	D	>99%	USCO
2MASS J16093019-2059536 ^d	M6.0	-1.33 ^{+0.25} _{-0.25}	10.7 ± 0.2	-2.3 ± 0.3	0.4 ± 0.2	0.01	D	>99%	USCO
2MASS J16095060-1848521 ^d	M7.0	-6.18 ^{+0.75} _{-0.63}	6.4 ± 0.7	-4.1 ± 0.9	-1.0 ± 0.5	0.01	D	>99%	USCO
2MASS J16095107-2722418 ^d	M6.0	-1.53 ^{+0.28} _{-0.29}	7.6 ± 0.3	-6.5 ± 0.4	0.9 ± 0.2	0.01	D	98%	USCO
2MASS J16095217-2136277 ^d	M7.0	-3.04 ^{+0.23} _{-0.4}	8.9 ± 0.4	-4.4 ± 0.3	-0.8 ± 0.2	0.01	D	>99%	USCO
2MASS J16095307-1948169 ^d	M6.0	-4.06 ^{+0.24} _{-0.24}	8.4 ± 0.2	-3.4 ± 0.2	-0.7 ± 0.1	0.01	D	>99%	USCO
2MASS J16095852-2345186 ^d	M6.5	-2.44 ^{+0.26} _{-0.25}	8.3 ± 0.2	-3.8 ± 0.3	0.8 ± 0.2	0.01	D	>99%	USCO
2MASS J16095990-2155424 ^d	M6.5	-3.85 ^{+0.45} _{-0.54}	7.5 ± 0.5	-4.1 ± 0.5	0.2 ± 0.3	0.01	D	>99%	USCO
2MASS J16100541-1919362 ^d	M7.0	-5.0 ^{+0.26} _{-0.28}	7.8 ± 0.3	-3.2 ± 0.5	-1.4 ± 0.3	0.01	D	>99%	USCO
2MASS J16100608-2127440 ^d	M8.5	-5.44 ^{+1.33} _{-0.36}	6.2 ± 1.2	-3.2 ± 0.9	-0.2 ± 0.6	0.01	D	>99%	USCO
2MASS J16103014-2315167 ^d	M7.5	-3.86 ^{+0.27} _{-0.31}	7.2 ± 0.3	-4.3 ± 0.6	-0.2 ± 0.3	0.01	D	>99%	USCO
2MASS J16103232+2249116	M7.0	-3.96 ^{+0.2} _{-0.33}	5.4 ± 0.2	20.5 ± 0.2	0.8 ± 0.2	0.01	D	>99%	field

Table 6 *continued*

Table 6 (*continued*)

APOGEE ID	SpT	Adpoted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ^c
			(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)			Prob	Member
2MASS J16103232-1913085 ^d	M8.5	-6.21 ^{+0.34} _{-1.36}	6.8 ± 1.2	-3.2 ± 0.6	-1.9 ± 0.6	0.01	D	>99%	USCO
2MASS J16104714-2239492 ^d	M9.0	-7.54 ^{+0.26} _{-0.29}	4.1 ± 0.3	-2.7 ± 1.2	-1.3 ± 0.6	0.01	D	>99%	USCO
2MASS J16105499-2126139 ^d	M6.0	-3.39 ^{+0.31} _{-0.38}	8.1 ± 0.5	-3.5 ± 0.2	0.5 ± 0.2	0.01	D	>99%	USCO
2MASS J16111711-2217173 ^d	M7.5	-2.16 ^{+1.37} _{-0.74}	9.5 ± 1.3	-4.6 ± 0.8	-0.7 ± 0.6	0.01	D	>99%	USCO
2MASS J16113837-2307072 ^d	M6.0	-2.24 ^{+0.31} _{-0.46}	8.4 ± 0.5	-5.6 ± 0.4	1.1 ± 0.2	0.01	D	>99%	USCO
2MASS J16114261-2525511 ^{bd}	M7.0	-4.69 ^{+0.23} _{-0.42}	6.1 ± 0.4	-3.8 ± 0.2	-1.1 ± 0.2	0.01	D	>99%	USCO
2MASS J16115436-2157025 ^d	M8.0	-5.77 ^{+0.49} _{-1.41}	6.0 ± 1.3	-3.8 ± 0.7	-1.0 ± 0.6	0.01	D	>99%	USCO
2MASS J16115439-2236491 ^d	M6.0	-2.51 ^{+0.36} _{-0.78}	8.2 ± 0.7	-3.1 ± 0.6	2.1 ± 0.4	0.01	D	>99%	USCO
2MASS J16122703-2013250 ^d	M6.0	-4.88 ^{+0.35} _{-0.3}	7.1 ± 0.3	-2.8 ± 0.2	0.4 ± 0.2	0.01	D	>99%	USCO
2MASS J16124692-2338408 ^d	M6.0	0.15 ^{+0.35} _{-0.29}	10.4 ± 0.3	-4.6 ± 0.3	2.8 ± 0.2	0.01	D	>99%	USCO
2MASS J16124726-1903531 ^d	M6.0	-7.06 ^{+0.24} _{-0.39}	6.0 ± 0.4	-3.0 ± 0.2	-2.0 ± 0.2	0.01	D	>99%	USCO
2MASS J16131211-2305031 ^d	M6.5	-0.92 ^{+0.26} _{-0.47}	10.1 ± 0.4	-5.1 ± 0.5	0.6 ± 0.3	0.01	D	>99%	USCO
2MASS J16131600-2251511 ^d	M6.5	0.51 ^{+0.34} _{-1.68}	10.8 ± 1.6	-4.6 ± 0.5	3.2 ± 0.6	0.01	D	>99%	USCO
2MASS J16132665-2230348 ^d	M6.0	-4.73 ^{+0.3} _{-0.29}	7.0 ± 0.3	-4.3 ± 0.3	-1.1 ± 0.2	0.01	D	>99%	USCO
2MASS J16132809-1924524 ^d	M6.0	-4.75 ^{+0.21} _{-0.35}	7.9 ± 0.3	-2.6 ± 0.2	-0.7 ± 0.2	0.01	D	>99%	USCO
2MASS J16134027-2233192 ^d	M6.5	-6.45 ^{+0.23} _{-0.23}	5.2 ± 0.2	-4.0 ± 0.3	-1.4 ± 0.2	0.01	D	>99%	USCO
2MASS J16134079-2219459 ^d	M7.5	-0.81 ^{+0.33} _{-0.3}	10.7 ± 0.3	-4.8 ± 1.0	0.1 ± 0.5	0.01	D	>99%	USCO
2MASS J16134264-2301279 ^d	M6.0	-1.95 ^{+1.01} _{-0.92}	9.1 ± 0.9	-5.2 ± 0.4	0.5 ± 0.4	0.01	D	>99%	USCO
2MASS J16141974-2428404 ^{bd}	M6.0	-1.07 ^{+0.24} _{-0.46}	9.5 ± 0.4	-4.0 ± 0.4	1.2 ± 0.2	0.01	D	>99%	USCO
2MASS J16143287-2242133 ^d	M6.5	0.19 ^{+0.24} _{-0.27}	11.7 ± 0.3	-5.3 ± 0.5	-0.0 ± 0.3	0.01	D	>99%	USCO
2MASS J16152516-2144013 ^d	M6.0	-5.9 ^{+0.35} _{-0.35}	5.5 ± 0.3	-1.9 ± 0.2	1.0 ± 0.1	0.01	D	>99%	USCO
2MASS J16155507-2444365 ^d	M6.0	-3.55 ^{+0.27} _{-0.26}	7.3 ± 0.3	-4.6 ± 0.3	-0.5 ± 0.2	0.01	D	>99%	USCO
2MASS J16165460-2525529 ^d	M6.0	-3.16 ^{+0.23} _{-0.26}	8.0 ± 0.2	-4.3 ± 0.3	-1.9 ± 0.2	0.01	D	>99%	USCO
2MASS J16174539-2353360 ^d	M6.0	-2.84 ^{+1.27} _{-0.57}	8.7 ± 1.2	-3.9 ± 0.6	-1.0 ± 0.5	0.01	D	>99%	USCO
2MASS J16183314-2530085 ^d	M6.0	-0.85 ^{+0.27} _{-0.3}	9.3 ± 0.3	-3.3 ± 0.5	2.3 ± 0.2	0.01	D	>99%	USCO
2MASS J16183317-2517504 ^{bd}	M6.0	-0.99 ^{+0.23} _{-0.41}	8.6 ± 0.4	-8.2 ± 0.6	1.9 ± 0.2	0.01	D	70%	USCO
2MASS J16192988-2440469 ^d	M8.0	-5.26 ^{+0.93} _{-0.88}	6.8 ± 0.9	-4.0 ± 0.7	-3.7 ± 0.5	0.01	D	97%	USCO
2MASS J16195143-2241332 ^d	M6.5	-4.57 ^{+0.22} _{-0.37}	7.1 ± 0.4	-2.7 ± 0.7	-0.3 ± 0.4	0.01	D	>99%	USCO
2MASS J16200757-2359150 ^d	M6.0	-5.04 ^{+0.33} _{-1.34}	7.0 ± 1.3	-2.8 ± 0.3	-2.6 ± 0.4	0.01	D	>99%	USCO
2MASS J16203456-2430205 ^d	M9.5	-3.52 ^{+0.36} _{-0.38}	8.6 ± 0.4	-4.1 ± 1.0	-3.7 ± 0.6	0.01	D	93/6	USCO/ field
2MASS J16204144-2425491 ^d	M7.5	1.46 ^{+0.37} _{-0.64}	11.8 ± 0.6	-5.3 ± 0.8	2.3 ± 0.4	0.01	D	89/9	USCO/ UCL
2MASS J16213591-2355035 ^d	M6.0	0.72 ^{+1.7} _{-0.36}	11.1 ± 1.6	-3.4 ± 0.5	3.3 ± 0.6	0.01	D	>99%	USCO
2MASS J16222304-2407108 ^d	M6.0	-1.93 ^{+0.52} _{-0.55}	8.0 ± 0.6	-5.6 ± 2.0	3.3 ± 0.7	0.01	D	97%	USCO
2MASS J16222521-2405139 ^{bd}	M9.0	-1.23 ^{+0.41} _{-0.37}	8.5 ± 0.4	-5.6 ± 0.7	4.1 ± 0.2	0.01	D	89/9	USCO/ UCL
2MASS J16235155-2317270 ^d	M8.0	-3.86 ^{+0.83} _{-0.28}	8.1 ± 0.8	-4.3 ± 0.4	-1.7 ± 0.3	0.01	D	>99%	USCO
2MASS J16235470-2438319 ^d	M6.0	-3.98 ^{+0.45} _{-0.28}	7.9 ± 0.4	-2.8 ± 0.4	-2.2 ± 0.3	0.01	D	>99%	USCO
2MASS J16262152-2426009 ^d	M7.0	-4.96 ^{+0.24} _{-0.29}	6.5 ± 0.3	-3.3 ± 0.4	-0.9 ± 0.2	0.01	D	48/51	ROPH/ USCO
2MASS J16265619-2213519 ^d	M6.0	-1.74 ^{+0.29} _{-0.6}	9.6 ± 0.6	-4.3 ± 0.3	1.9 ± 0.2	0.01	D	>99%	USCO
2MASS J16265698+3954482	M7.5	2.92 ^{+0.2} _{-0.33}	18.2 ± 0.1	18.5 ± 0.2	2.4 ± 0.2	0.01	D	>99%	field
2MASS J16271693+3514132	M6.0	-12.09 ^{+0.27} _{-0.52}	26.1 ± 0.3	2.8 ± 0.3	-10.5 ± 0.4	0.01	D	>99%	field
2MASS J16271825+3538347 ^b	M7.0	-8.84 ^{+0.22} _{-0.34}	-14.7 ± 0.2	8.3 ± 0.2	12.4 ± 0.3	0.01	D	>99%	field
2MASS J16272658-2425543 ^d	M8.0	-5.34 ^{+0.21} _{-0.21}	6.1 ± 0.2	-3.7 ± 0.2	-1.1 ± 0.1	0.01	D	98/1	ROPH/ USCO
2MASS J16281707+1334204	M6.0	-36.56 ^{+0.22} _{-0.42}	-11.4 ± 0.3	-36.3 ± 0.4	3.5 ± 0.3	0.01	D	>99%	field

Table 6 *continued*

Table 6 (*continued*)

APOGEE ID	SpT	Adpoted RV	<i>U</i>	<i>V</i>	<i>W</i>	P[TD]/P[D] ^a	Pop ^a	BANYAN Σ	BANYAN Σ ^c
			(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)			Prob	Member
2MASS J16281808-2428358 ^d	M6.0	-5.69 ^{+0.22} _{-0.29}	6.2 ± 0.3	-4.2 ± 0.3	-2.9 ± 0.2	0.01	D	98/0	ROPH/ USCO
2MASS J16293624-2456527 ^d	M6.0	-3.88 ^{+0.21} _{-0.2}	6.8 ± 0.2	-4.1 ± 0.2	1.1 ± 0.1	0.01	D	98/1	USCO/ UCL
2MASS J16311879+4051516	M6.0	-21.75 ^{+0.19} _{-0.28}	-12.6 ± 0.1	-0.1 ± 0.2	-1.8 ± 0.2	0.01	D	30/69	ARG/ field
2MASS J16402068+6736046	M7.0	-17.42 ^{+0.22} _{-0.21}	-14.9 ± 0.1	-11.7 ± 0.2	4.1 ± 0.1	0.01	D	>99%	field
2MASS J16443549+4302572	M6.0	-10.63 ^{+0.27} _{-0.25}	-18.9 ± 0.1	-2.0 ± 0.2	19.5 ± 0.2	0.01	D	>99%	field
2MASS J16463154+3434554	M6.0	-52.64 ^{+0.2} _{-0.3}	3.2 ± 0.1	-44.8 ± 0.2	-12.5 ± 0.2	0.03	D	>99%	field
2MASS J16470576+4117062	M6.0	-37.16 ^{+0.26} _{-0.25}	-32.3 ± 0.1	-3.0 ± 0.2	-12.6 ± 0.2	0.01	D	>99%	field
2MASS J16485878+3005366	M6.0	-44.79 ^{+0.39} _{-0.38}	-13.4 ± 0.2	-49.2 ± 0.4	15.0 ± 0.5	0.05	D	>99%	field
2MASS J17071830+6439331	M9.0	-9.99 ^{+0.26} _{-0.32}	22.4 ± 0.0	15.3 ± 0.3	-12.9 ± 0.2	0.01	D	>99%	field
2MASS J17181749+2625541	M6.5	-42.36 ^{+0.23} _{-0.42}	-31.5 ± 0.2	-20.3 ± 0.3	12.2 ± 0.2	0.01	D	>99%	field
2MASS J19004530-3711480 ^d	M8.5	-0.42 ^{+0.2} _{-0.32}	6.9 ± 0.3	-6.7 ± 0.5	-4.0 ± 0.3	0.01	D	>99%	UCRA
2MASS J19013357-3700304 ^d	M6.5	4.76 ^{+0.88} _{-0.47}	12.3 ± 0.9	-5.2 ± 0.8	-4.5 ± 0.6	0.01	D	82/17	UCRA/ CRA
2MASS J19015374-3700339 ^d	M8.5	0.11 ^{+0.22} _{-0.39}	7.6 ± 0.4	-5.9 ± 0.7	-3.8 ± 0.4	0.01	D	50/49	UCRA/ CRA
2MASS J19241634+7533121	M6.0	-18.62 ^{+0.23} _{-0.4}	-17.4 ± 0.1	-10.2 ± 0.4	-9.2 ± 0.2	0.01	D	>99%	field
2MASS J19544358+1801581	M9.0	-18.62 ^{+0.2} _{-0.3}	32.2 ± 0.2	-26.2 ± 0.2	-9.9 ± 0.0	0.01	D	>99%	field
2MASS J20491376+3216514	M6.0	11.5 ^{+0.23} _{-0.39}	46.9 ± 0.1	13.8 ± 0.4	0.9 ± 0.0	0.01	D	>99%	field
2MASS J21272531+5553150 ^d	M9.0	-12.23 ^{+0.21} _{-0.32}	-20.6 ± 0.0	-3.8 ± 0.3	4.7 ± 0.0	0.01	D	>99%	CARN
2MASS J21381698+5257188	M7.5	-7.52 ^{+0.21} _{-0.36}	-3.7 ± 0.0	3.2 ± 0.4	-3.5 ± 0.0	0.01	D	>99%	field
2MASS J22021125-1109461 ^d	M6.0	-7.72 ^{+0.21} _{-0.34}	3.8 ± 0.2	-15.3 ± 0.2	-5.4 ± 0.2	0.01	D	>99%	ABDMG
2MASS J22400144+0532162 ^d	M6.0	-10.05 ^{+0.2} _{-0.36}	4.2 ± 0.1	-13.8 ± 0.3	-5.8 ± 0.3	0.01	D	>99%	ABDMG
2MASS J22551142+1442456 ^b	M6.0	-14.08 ^{+0.23} _{-0.45}	0.0 ± 0.1	-9.8 ± 0.4	1.7 ± 0.3	0.01	D	>99%	field
2MASS J23200703+1150071	M6.5	-54.47 ^{+0.2} _{-0.35}	-6.4 ± 0.0	-78.2 ± 0.3	-5.7 ± 0.3	0.87	D/TD	>99%	field

^a Galactic thin disk (D), thick disk (TD), intermediate populations (D/TD) are assigned according to probability ratios $P(\text{TD})/P(\text{D}) < 0.1$, $P(\text{TD})/P(\text{D}) > 10$, and $0.1 < P(\text{TD})/P(\text{D}) < 10$, respectively, following [Bensby et al. \(2003\)](#).

^b Known or candidate binary.

^c BANYAN Σ young moving group name abbreviation follows those defined in [Gagné et al. \(2018\)](#): AB Doradus (ABDMG), Argus (ARG), Carina-Near (CARN), Coma Berenices (CBER), Corona Australis (CRA), Hyades (HYA), Taurus (TAU), Upper Centaurus-Lupus (UCL), Upper Corona Australis (UCRA), and Upper Scorpius (USCO).

^d Reported in the literature or a new member of young moving groups.

^e Reported as a member of NGC 1333 in [Cantat-Gaudin et al. \(2018\)](#); [Yao et al. \(2018\)](#); [Cantat-Gaudin & Anders \(2020\)](#); [Cantat-Gaudin et al. \(2020\)](#), but we did not identify because NGC 1333 is not included in BANYAN Σ .

^f Reported as a member of the Castor Moving Group in [Zuckerman et al. \(2013\)](#), but we did not identify it because the Castor Moving Group is not included in BANYAN Σ .

Table 7. Galactic Orbital Parameters

APOGEE ID	<i>R</i> _{min}	<i>R</i> _{max}	<i>Z</i> _{max}	<i>e</i>	<i>i</i>
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J00034394+8606422	8.0461 ± 0.0009	10.47 ± 0.03	0.0463 ± 0.0009	0.131 ± 0.0017	0.279 ± 0.005
2MASS J00312793+6139333	5.002 ± 0.008	8.489 ± 0.002	0.3386 ± 0.0008	0.2584 ± 0.0008	2.865 ± 0.014
2MASS J00381273+3850323	7.615 ± 0.006	9.7 ± 0.03	0.0659 ± 0.0013	0.1203 ± 0.0012	0.425 ± 0.011

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J00452143+1634446	7.897 ± 0.013	8.557 ± 0.017	0.023 ± 0.003	0.0401 ± 0.0003	0.16 ± 0.02
2MASS J00514593–1221458	8.0163 ± 0.0011	11.293 ± 0.012	0.113 ± 0.005	0.1697 ± 0.0005	0.65 ± 0.03
2MASS J01154176+0059317	7.047 ± 0.019	9.18 ± 0.03	0.071 ± 0.01	0.1315 ± 0.0016	0.5 ± 0.07
2MASS J01215816+0101007	7.242 ± 0.01	8.3797 ± 0.0009	0.0494 ± 0.0011	0.0728 ± 0.0007	0.359 ± 0.008
2MASS J01243124–0027556	6.883 ± 0.016	8.4725 ± 0.0015	0.0052 ± 0.0015	0.1035 ± 0.0011	0.038 ± 0.011
2MASS J01514363+0046188	8.05 ± 0.005	9.1 ± 0.02	0.031 ± 0.006	0.0613 ± 0.0014	0.2 ± 0.04
2MASS J02163612–0544175	7.982 ± 0.005	9.756 ± 0.003	0.05 ± 0.005	0.1 ± 0.0004	0.31 ± 0.03
2MASS J03040207+0045512	7.172 ± 0.005	9.039 ± 0.007	0.051 ± 0.002	0.1152 ± 0.0007	0.358 ± 0.018
2MASS J03122509+0021585	7.686 ± 0.007	9.209 ± 0.01	0.066 ± 0.003	0.0901 ± 0.0009	0.444 ± 0.02
2MASS J03282839+3116273	8.39 ± 0.03	9.02 ± 0.06	0.091 ± 0.008	0.036 ± 0.003	0.59 ± 0.05
2MASS J03284407+3120528	8.302 ± 0.013	10.49 ± 0.11	0.079 ± 0.009	0.116 ± 0.006	0.47 ± 0.05
2MASS J03290413+3056127	8.327 ± 0.008	10.51 ± 0.06	0.082 ± 0.005	0.116 ± 0.003	0.49 ± 0.03
2MASS J03291130+3117175	8.335 ± 0.01	10.25 ± 0.09	0.095 ± 0.007	0.103 ± 0.005	0.56 ± 0.05
2MASS J03293053+3127280	8.392 ± 0.014	9.05 ± 0.04	0.08 ± 0.005	0.038 ± 0.002	0.52 ± 0.03
2MASS J03293773+3122024	8.324 ± 0.008	10.25 ± 0.07	0.092 ± 0.006	0.104 ± 0.004	0.55 ± 0.04
2MASS J03413332+3157417	7.78 ± 0.02	8.171 ± 0.003	0.0386 ± 0.0012	0.0247 ± 0.0015	0.276 ± 0.009
2MASS J03413641+3216200	8.33 ± 0.02	10.97 ± 0.13	0.077 ± 0.011	0.137 ± 0.006	0.44 ± 0.06
2MASS J03430194+3144355	8.3 ± 0.03	11.12 ± 0.14	0.064 ± 0.013	0.145 ± 0.007	0.37 ± 0.08
2MASS J03431389+3147571	8.327 ± 0.017	10.25 ± 0.17	0.092 ± 0.014	0.103 ± 0.009	0.55 ± 0.09
2MASS J03434763+3209025	8.35 ± 0.02	10.94 ± 0.1	0.079 ± 0.01	0.134 ± 0.005	0.46 ± 0.06
2MASS J03435508+3207145	8.41 ± 0.03	10.68 ± 0.11	0.1 ± 0.014	0.118 ± 0.006	0.58 ± 0.08
2MASS J03435638+3209591	8.33 ± 0.06	11.0 ± 0.3	0.07 ± 0.03	0.137 ± 0.015	0.42 ± 0.15
2MASS J03435987+3204414	8.353 ± 0.015	10.85 ± 0.07	0.085 ± 0.007	0.13 ± 0.004	0.49 ± 0.04
2MASS J03440291+3152277	8.34 ± 0.03	10.94 ± 0.11	0.075 ± 0.012	0.135 ± 0.006	0.43 ± 0.07
2MASS J03440599+3215321	8.364 ± 0.02	10.92 ± 0.09	0.088 ± 0.01	0.133 ± 0.005	0.51 ± 0.06
2MASS J03441558+3209218	8.36 ± 0.04	10.92 ± 0.16	0.08 ± 0.017	0.132 ± 0.009	0.46 ± 0.1
2MASS J03442798+3205196	8.337 ± 0.02	11.07 ± 0.08	0.073 ± 0.009	0.141 ± 0.005	0.42 ± 0.05
2MASS J03443886+3206364	8.355 ± 0.016	10.86 ± 0.08	0.082 ± 0.008	0.13 ± 0.004	0.47 ± 0.05
2MASS J03505737+1818069	7.3 ± 0.008	8.3618 ± 0.0014	0.2116 ± 0.0011	0.0678 ± 0.0006	1.527 ± 0.009
2MASS J04104079+1444007	7.614 ± 0.009	9.595 ± 0.015	0.08 ± 0.002	0.1151 ± 0.0013	0.522 ± 0.014
2MASS J04110642+1247481	7.147 ± 0.006	9.077 ± 0.007	0.0675 ± 0.0013	0.1189 ± 0.0007	0.469 ± 0.009
2MASS J04152409+2910434	8.227 ± 0.005	9.76 ± 0.05	0.0244 ± 0.0017	0.085 ± 0.003	0.152 ± 0.011
2MASS J04161885+2752155	8.226 ± 0.002	9.77 ± 0.03	0.0475 ± 0.0017	0.0855 ± 0.0014	0.296 ± 0.011
2MASS J04185115+2814332	8.179 ± 0.013	8.83 ± 0.02	0.05 ± 0.002	0.0383 ± 0.0009	0.332 ± 0.017
2MASS J04201611+2821325	8.213 ± 0.003	9.78 ± 0.03	0.046 ± 0.002	0.0872 ± 0.0018	0.286 ± 0.014
2MASS J04204796+5624202	4.523 ± 0.011	8.3366 ± 0.0003	0.602 ± 0.003	0.2966 ± 0.0011	5.33 ± 0.03
2MASS J04213965+2649143	8.231 ± 0.004	9.67 ± 0.04	0.0285 ± 0.0012	0.08 ± 0.002	0.179 ± 0.007
2MASS J04214435+2024105	7.19 ± 0.01	9.153 ± 0.015	0.0599 ± 0.0017	0.1202 ± 0.0014	0.412 ± 0.017
2MASS J04214631+2659296	8.223 ± 0.005	9.68 ± 0.06	0.028 ± 0.002	0.082 ± 0.003	0.173 ± 0.014

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J04214955+1929086	7.177 ± 0.015	9.085 ± 0.008	0.0719 ± 0.002	0.1173 ± 0.0009	0.499 ± 0.015
2MASS J04221644+2549118	8.234 ± 0.004	9.48 ± 0.03	0.0245 ± 0.0008	0.0705 ± 0.002	0.155 ± 0.006
2MASS J04230607+2801194	8.218 ± 0.003	9.68 ± 0.02	0.0431 ± 0.0013	0.0814 ± 0.0012	0.271 ± 0.009
2MASS J04242090+2630511	8.219 ± 0.004	9.55 ± 0.03	0.044 ± 0.002	0.0747 ± 0.0018	0.276 ± 0.013
2MASS J04242646+2649503	8.228 ± 0.003	9.75 ± 0.03	0.0237 ± 0.0008	0.0847 ± 0.0016	0.148 ± 0.005
2MASS J04254894+1852479	8.052 ± 0.005	9.511 ± 0.012	0.0572 ± 0.0015	0.0831 ± 0.0009	0.367 ± 0.01
2MASS J04262939+2624137	8.148 ± 0.019	8.75 ± 0.02	0.0158 ± 0.0013	0.0359 ± 0.0015	0.107 ± 0.009
2MASS J04294568+2630468	8.292 ± 0.006	8.778 ± 0.017	0.0225 ± 0.0016	0.0285 ± 0.0009	0.15 ± 0.011
2MASS J04305718+2556394	8.234 ± 0.005	9.9 ± 0.05	0.035 ± 0.004	0.092 ± 0.003	0.22 ± 0.02
2MASS J04311907+2335047	8.223 ± 0.008	9.89 ± 0.06	0.039 ± 0.004	0.092 ± 0.004	0.24 ± 0.02
2MASS J04322329+2403013	8.226 ± 0.002	9.814 ± 0.018	0.0313 ± 0.0013	0.0881 ± 0.001	0.195 ± 0.008
2MASS J04330945+2246487	7.98 ± 0.06	8.611 ± 0.014	0.024 ± 0.003	0.038 ± 0.003	0.162 ± 0.019
2MASS J04340619+2418508	8.238 ± 0.004	9.85 ± 0.04	0.03 ± 0.003	0.089 ± 0.002	0.187 ± 0.017
2MASS J04350850+2311398	8.229 ± 0.002	9.771 ± 0.016	0.0251 ± 0.001	0.0857 ± 0.0009	0.157 ± 0.006
2MASS J04351354+2008014	7.195 ± 0.008	9.049 ± 0.009	0.0614 ± 0.0014	0.1142 ± 0.0009	0.427 ± 0.01
2MASS J04354183+2234115	8.249 ± 0.003	9.541 ± 0.019	0.0252 ± 0.0005	0.0727 ± 0.0011	0.159 ± 0.003
2MASS J04361038+2259560	8.243 ± 0.007	9.67 ± 0.08	0.028 ± 0.002	0.08 ± 0.004	0.177 ± 0.016
2MASS J04363893+2258119	8.259 ± 0.005	9.54 ± 0.05	0.0316 ± 0.0019	0.072 ± 0.003	0.199 ± 0.013
2MASS J04385871+2323595	8.231 ± 0.002	9.78 ± 0.013	0.0214 ± 0.0011	0.086 ± 0.0008	0.134 ± 0.007
2MASS J04440164+1621324	7.985 ± 0.015	8.57 ± 0.006	0.0228 ± 0.001	0.0353 ± 0.0009	0.157 ± 0.007
2MASS J04464498+2436404	7.164 ± 0.009	9.126 ± 0.016	0.0592 ± 0.001	0.1205 ± 0.0014	0.41 ± 0.007
2MASS J04552333+3027366	8.09 ± 0.02	8.597 ± 0.008	0.041 ± 0.002	0.0301 ± 0.0011	0.283 ± 0.015
2MASS J04565141+2939310	8.133 ± 0.018	8.613 ± 0.016	0.034 ± 0.0018	0.0287 ± 0.0015	0.232 ± 0.013
2MASS J05334797–0527385	8.38 ± 0.06	9.57 ± 0.07	0.125 ± 0.019	0.067 ± 0.003	0.79 ± 0.12
2MASS J05350162–0521489	8.1 ± 2.0	11 ± 17	1 ± 3	0.3 ± 0.3	5 ± 7
2MASS J05352501–0509095	8.38 ± 0.02	9.6 ± 0.03	0.102 ± 0.008	0.0676 ± 0.0017	0.64 ± 0.05
2MASS J05353193–0531477	8.42 ± 0.04	9.95 ± 0.07	0.125 ± 0.016	0.083 ± 0.002	0.77 ± 0.1
2MASS J05392474+4038437	5.293 ± 0.004	8.3211 ± 0.0007	0.1327 ± 0.0003	0.2225 ± 0.0004	1.116 ± 0.011
2MASS J05402570+2448090	7.56 ± 0.05	8.43 ± 0.02	0.0279 ± 0.0012	0.055 ± 0.003	0.198 ± 0.008
2MASS J06154934–0100415	7.702 ± 0.003	9.983 ± 0.015	0.314 ± 0.0014	0.1289 ± 0.0008	1.964 ± 0.014
2MASS J06521977–2534505	8.269 ± 0.002	9.271 ± 0.015	0.0978 ± 0.0004	0.0571 ± 0.0007	0.631 ± 0.003
2MASS J07025026–6102482	6.239 ± 0.009	8.504 ± 0.003	0.655 ± 0.003	0.1536 ± 0.0007	4.9 ± 0.03
2MASS J07140394+3702459	7.659 ± 0.006	9.174 ± 0.008	0.106 ± 0.0009	0.09 ± 0.0008	0.71 ± 0.006
2MASS J07464256+2000321	7.109 ± 0.004	9.69 ± 0.008	0.08 ± 0.002	0.1536 ± 0.0005	0.536 ± 0.014
2MASS J07475737+6653337	8.307 ± 0.007	9.79 ± 0.03	0.204 ± 0.005	0.082 ± 0.0014	1.26 ± 0.03
2MASS J07552256+2755318	8.3147 ± 0.0011	10.402 ± 0.007	0.432 ± 0.003	0.1115 ± 0.0003	2.545 ± 0.013
2MASS J07564895+6649595	6.096 ± 0.018	8.3439 ± 0.0009	0.441 ± 0.004	0.1557 ± 0.0015	3.41 ± 0.03
2MASS J08072607+3213101	7.022 ± 0.006	9.086 ± 0.006	0.1071 ± 0.0014	0.1281 ± 0.0007	0.749 ± 0.009
2MASS J08080189+3157054	7.432 ± 0.008	8.559 ± 0.006	0.1714 ± 0.0017	0.0705 ± 0.0009	1.213 ± 0.012

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J08185804+2333522	6.112 ± 0.008	8.572 ± 0.004	0.0943 ± 0.0016	0.1675 ± 0.0008	0.73 ± 0.013
2MASS J08211639+5658358	8.248 ± 0.009	8.602 ± 0.008	0.218 ± 0.002	0.021 ± 0.0006	1.476 ± 0.014
2MASS J08294949+2646348	8.158 ± 0.009	8.586 ± 0.003	0.0568 ± 0.0015	0.0255 ± 0.0007	0.387 ± 0.01
2MASS J08355736+4318310	8.124 ± 0.002	11.773 ± 0.014	0.154 ± 0.004	0.1834 ± 0.0006	0.84 ± 0.03
2MASS J08440350+0434356	6.734 ± 0.015	11.56 ± 0.02	0.251 ± 0.003	0.264 ± 0.0012	1.51 ± 0.02
2MASS J08460531+1035309	7.57 ± 0.01	9.608 ± 0.013	0.147 ± 0.003	0.1186 ± 0.0009	0.959 ± 0.02
2MASS J08490052+0220155	7.22 ± 0.03	8.3305 ± 0.0018	0.04116 ± 0.00017	0.071 ± 0.002	0.3004 ± 0.0014
2MASS J08522464+2540591	7.098 ± 0.014	9.109 ± 0.007	0.114 ± 0.005	0.1241 ± 0.0013	0.79 ± 0.04
2MASS J09020690+0033195	6.262 ± 0.01	8.9221 ± 0.0015	0.1389 ± 0.0015	0.1752 ± 0.0009	1.034 ± 0.011
2MASS J09130162+3037583	4.578 ± 0.019	8.605 ± 0.006	0.147 ± 0.004	0.305 ± 0.002	1.33 ± 0.04
2MASS J09373349+5534057	8.294 ± 0.009	8.777 ± 0.017	0.13 ± 0.002	0.0283 ± 0.0013	0.865 ± 0.016
2MASS J09453388+5458511	8.05 ± 0.02	8.545 ± 0.01	0.093 ± 0.003	0.0298 ± 0.0017	0.642 ± 0.017
2MASS J09472006–0020093	7.933 ± 0.003	9.096 ± 0.003	0.0501 ± 0.0002	0.06832 ± 0.00014	0.3329 ± 0.0018
2MASS J09474477+0224327	7.065 ± 0.013	8.3437 ± 0.0012	0.104 ± 0.0018	0.083 ± 0.0009	0.765 ± 0.013
2MASS J09522188–1924319	8.194 ± 0.0016	10.48 ± 0.1	0.184 ± 0.006	0.123 ± 0.005	1.09 ± 0.03
2MASS J09524622+0620410	7.66 ± 0.02	8.3214 ± 0.0007	0.0546 ± 0.0004	0.0416 ± 0.0014	0.389 ± 0.003
2MASS J10031918–0105079	7.031 ± 0.01	9.182 ± 0.004	0.0536 ± 0.0012	0.1326 ± 0.0006	0.373 ± 0.008
2MASS J10134315+0000406	5.91 ± 0.008	10.511 ± 0.015	0.247 ± 0.003	0.2802 ± 0.0006	1.68 ± 0.02
2MASS J10225090+0032169	5.56 ± 0.2	8.323 ± 0.008	0.09 ± 0.03	0.199 ± 0.016	0.8 ± 0.3
2MASS J10240997+1815533	7.547 ± 0.016	8.41 ± 0.002	0.063 ± 0.0012	0.0541 ± 0.0012	0.448 ± 0.009
2MASS J10323297+0630074	7.119 ± 0.008	8.3114 ± 0.001	0.04216 ± 3e-05	0.0773 ± 0.0006	0.3103 ± 0.0005
2MASS J10372897+3011117	4.481 ± 0.004	8.6312 ± 0.0014	0.284 ± 0.002	0.3165 ± 0.0005	2.52 ± 0.05
2MASS J10541102–8505023	7.31 ± 0.03	9.15 ± 0.06	0.17 ± 0.006	0.1113 ± 0.0012	1.16 ± 0.03
2MASS J10543366+0503467	6.56 ± 0.03	10.231 ± 0.011	0.1894 ± 0.0018	0.219 ± 0.003	1.259 ± 0.015
2MASS J10570380+2217203	7.3 ± 0.003	8.31834 ± 0.00018	0.0899 ± 0.0008	0.06519 ± 0.00019	0.654 ± 0.005
2MASS J11194647+0820356	6.762 ± 0.005	12.857 ± 0.012	0.466 ± 0.003	0.3106 ± 0.0006	2.524 ± 0.019
2MASS J11203609+0704135	6.309 ± 0.017	8.928 ± 0.009	0.257 ± 0.007	0.1718 ± 0.0009	1.89 ± 0.04
2MASS J11210854+2126274	7.946 ± 0.003	8.7966 ± 0.001	0.0628 ± 0.0007	0.05083 ± 0.00019	0.426 ± 0.005
2MASS J11232934+0154040	8.157 ± 0.009	8.94 ± 0.02	0.0547 ± 0.0004	0.0457 ± 0.001	0.363 ± 0.003
2MASS J11523430+2057275	6.99 ± 0.03	8.368 ± 0.006	0.1035 ± 0.0011	0.09 ± 0.002	0.76 ± 0.012
2MASS J12080810+3520281	5.246 ± 0.008	9.475 ± 0.006	0.266 ± 0.007	0.2872 ± 0.0009	2.06 ± 0.05
2MASS J12201166+3315379	6.735 ± 0.008	9.399 ± 0.003	0.298 ± 0.003	0.1651 ± 0.0007	2.05 ± 0.02
2MASS J12205439+2525568	7.83 ± 0.03	8.66 ± 0.009	0.236 ± 0.002	0.051 ± 0.003	1.621 ± 0.017
2MASS J12215013+4632447	7.98 ± 0.04	9.94 ± 0.13	0.061 ± 0.007	0.109 ± 0.008	0.38 ± 0.04
2MASS J12252076+2517082	8.294 ± 0.004	9.24 ± 0.03	0.158 ± 0.009	0.0542 ± 0.002	1.02 ± 0.06
2MASS J12261350+5605445	8.1339 ± 0.0005	9.595 ± 0.013	0.168 ± 0.003	0.0824 ± 0.0006	1.064 ± 0.018
2MASS J12263913+2505546	7.507 ± 0.007	14.57 ± 0.06	0.254 ± 0.005	0.32 ± 0.002	1.23 ± 0.03
2MASS J12265349+2543556	7.9664 ± 0.0015	11.71 ± 0.012	0.194 ± 0.003	0.1903 ± 0.0005	1.08 ± 0.017
2MASS J12270429+2541012	8.2195 ± 0.0016	8.994 ± 0.011	0.159 ± 0.004	0.045 ± 0.0006	1.05 ± 0.03

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J12315462+5130389	7.13 ± 0.007	9.123 ± 0.006	0.134 ± 0.002	0.1226 ± 0.0006	0.929 ± 0.014
2MASS J12481860–0235360	7.655 ± 0.006	9.515 ± 0.01	0.405 ± 0.004	0.1083 ± 0.0004	2.6 ± 0.03
2MASS J12482131–0157194	7.36 ± 0.03	8.153 ± 0.003	0.172 ± 0.004	0.0508 ± 0.0019	1.26 ± 0.03
2MASS J12493960+5255340	4.592 ± 0.012	8.3709 ± 0.0008	0.28 ± 0.005	0.2915 ± 0.0012	2.53 ± 0.04
2MASS J12503943+4256124	8.1275 ± 0.0002	8.668 ± 0.017	0.072 ± 0.004	0.0322 ± 0.001	0.49 ± 0.03
2MASS J12522354+2528469	6.486 ± 0.009	8.4524 ± 0.0005	0.178 ± 0.003	0.1316 ± 0.0006	1.35 ± 0.02
2MASS J13004379+3557591	6.149 ± 0.003	8.7497 ± 0.0011	0.17 ± 0.003	0.1746 ± 0.0003	1.29 ± 0.02
2MASS J13022083+3227103	7.9079 ± 0.002	8.937 ± 0.003	0.169 ± 0.003	0.06108 ± 0.00013	1.13 ± 0.02
2MASS J13034100+2414020	6.964 ± 0.005	9.245 ± 0.003	0.0634 ± 0.0005	0.1407 ± 0.0005	0.441 ± 0.004
2MASS J13065141+7056376	7.747 ± 0.007	14.09 ± 0.05	0.56 ± 0.008	0.2906 ± 0.0016	2.66 ± 0.03
2MASS J13093551–0203562	8.0863 ± 0.0012	9.326 ± 0.017	0.119 ± 0.003	0.0712 ± 0.0009	0.773 ± 0.018
2MASS J13122681+7245338	7.716 ± 0.02	9.82 ± 0.03	0.113 ± 0.003	0.12 ± 0.002	0.72 ± 0.019
2MASS J13202007+7213140	7.4 ± 0.02	8.759 ± 0.004	0.116 ± 0.003	0.084 ± 0.0013	0.81 ± 0.02
2MASS J13232423+5132272	7.577 ± 0.01	8.837 ± 0.011	0.0737 ± 0.0018	0.0767 ± 0.0004	0.508 ± 0.012
2MASS J13263545+7140148	7.217 ± 0.012	10.94 ± 0.03	0.139 ± 0.002	0.205 ± 0.0016	0.845 ± 0.016
2MASS J13342918+3303043	4.888 ± 0.007	8.9437 ± 0.002	0.075 ± 0.002	0.2933 ± 0.0007	0.634 ± 0.018
2MASS J13355969+4021459	8.0637 ± 0.0002	11.413 ± 0.016	0.0553 ± 0.0008	0.172 ± 0.0007	0.315 ± 0.005
2MASS J13495109+3305136	8.0 ± 0.03	8.11052 ± 0.0002	0.1356 ± 0.002	0.0066 ± 0.0017	0.963 ± 0.015
2MASS J13564148+4342587	6.51 ± 0.03	8.59 ± 0.007	0.0486 ± 0.0008	0.138 ± 0.002	0.366 ± 0.006
2MASS J14005977+3226109	6.19 ± 0.02	8.851 ± 0.006	0.11 ± 0.004	0.177 ± 0.002	0.82 ± 0.03
2MASS J14093200+4138080	7.796 ± 0.005	8.602 ± 0.002	0.058 ± 0.001	0.04914 ± 0.00017	0.402 ± 0.007
2MASS J14320849+0811313	7.4594 ± 0.002	8.6388 ± 0.0016	$0.0389 \pm 3e-05$	0.0733 ± 0.0002	0.27407 ± 0.00011
2MASS J14340140+5039480	7.946 ± 0.008	8.576 ± 0.006	0.103 ± 0.0018	0.0381 ± 0.0003	0.709 ± 0.013
2MASS J14402293+1339230	6.143 ± 0.005	8.4405 ± 0.0017	0.0534 ± 0.0008	0.1576 ± 0.0004	0.417 ± 0.006
2MASS J14432796+0316543	7.204 ± 0.006	9.019 ± 0.006	0.125 ± 0.002	0.1119 ± 0.0006	0.869 ± 0.015
2MASS J15010818+2250020	8.129 ± 0.003	9.46 ± 0.03	0.154 ± 0.007	0.0758 ± 0.0016	0.99 ± 0.05
2MASS J15041028+0923232	5.879 ± 0.011	9.59 ± 0.007	0.075 ± 0.0006	0.2399 ± 0.0012	0.553 ± 0.004
2MASS J15210103+5053230	7.9371 ± 0.0019	9.772 ± 0.01	0.1247 ± 0.0017	0.1036 ± 0.0004	0.79 ± 0.009
2MASS J15211578+3420021	3.93 ± 0.03	8.302 ± 0.0019	0.158 ± 0.006	0.357 ± 0.004	1.57 ± 0.05
2MASS J15242475+2925318	6.3859 ± 0.0014	8.7472 ± 0.0009	0.0691 ± 0.0004	$0.15603 \pm 9e-05$	0.519 ± 0.003
2MASS J15344151+4641313	7.532 ± 0.006	9.654 ± 0.01	0.0579 ± 0.0003	0.1235 ± 0.0005	0.3777 ± 0.0019
2MASS J15394922+2831298	7.972 ± 0.014	8.1265 ± 0.0012	0.0488 ± 0.0012	0.0096 ± 0.0009	0.347 ± 0.008
2MASS J15555600–2045187	7.62 ± 0.03	8.237 ± 0.009	0.0892 ± 0.0013	0.039 ± 0.002	0.64 ± 0.01
2MASS J15560104–2338081	7.46 ± 0.02	8.311 ± 0.008	0.0864 ± 0.0007	0.0539 ± 0.0013	0.622 ± 0.006
2MASS J15560497–2106461	7.62 ± 0.06	8.23 ± 0.02	0.089 ± 0.002	0.039 ± 0.004	0.639 ± 0.017
2MASS J15582565–1826083	7.897 ± 0.01	9.08 ± 0.06	0.0979 ± 0.0015	0.07 ± 0.003	0.652 ± 0.012
2MASS J15591135–2338002	7.916 ± 0.011	8.81 ± 0.06	0.0768 ± 0.0012	0.053 ± 0.003	0.521 ± 0.01
2MASS J15592591–2305081	7.621 ± 0.014	8.257 ± 0.004	0.0812 ± 0.0005	0.0401 ± 0.0007	0.582 ± 0.004
2MASS J15594439–1928191	7.6 ± 0.05	8.279 ± 0.018	0.092 ± 0.002	0.043 ± 0.003	0.663 ± 0.018

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J16001944–2256287	7.63 ± 0.07	8.243 ± 0.018	0.082 ± 0.003	0.039 ± 0.004	0.59 ± 0.02
2MASS J16002844–2209228	6.57 ± 0.04	8.169 ± 0.003	0.203 ± 0.004	0.109 ± 0.003	1.56 ± 0.03
2MASS J16003023–2334457	7.6 ± 0.02	8.239 ± 0.009	0.0804 ± 0.0006	0.0404 ± 0.0016	0.578 ± 0.006
2MASS J16004623–2158415	7.925 ± 0.006	8.8 ± 0.04	0.0825 ± 0.0009	0.0526 ± 0.0019	0.559 ± 0.008
2MASS J16014955–2351082	7.64 ± 0.02	8.248 ± 0.007	0.0805 ± 0.0009	0.0381 ± 0.0013	0.577 ± 0.007
2MASS J16020429–2050425	7.917 ± 0.007	8.92 ± 0.02	0.0835 ± 0.0006	0.0595 ± 0.0012	0.562 ± 0.005
2MASS J16022585–2414081	7.66 ± 0.05	8.288 ± 0.015	0.0758 ± 0.0013	0.039 ± 0.002	0.542 ± 0.011
2MASS J16025214–2121296	7.84 ± 0.03	9.0 ± 0.07	0.088 ± 0.003	0.069 ± 0.004	0.59 ± 0.02
2MASS J16044026–2254323	7.5 ± 0.05	8.265 ± 0.015	0.0862 ± 0.0014	0.048 ± 0.003	0.623 ± 0.012
2MASS J16044303–2318258	7.95 ± 0.02	8.8 ± 0.04	0.0789 ± 0.0016	0.051 ± 0.002	0.534 ± 0.012
2MASS J16045199–2224108	7.51 ± 0.05	8.28 ± 0.03	0.0873 ± 0.0019	0.049 ± 0.004	0.628 ± 0.016
2MASS J16045581–2307438	7.932 ± 0.011	8.81 ± 0.04	0.0773 ± 0.0011	0.053 ± 0.002	0.523 ± 0.01
2MASS J16053077–2246200	7.86 ± 0.03	8.77 ± 0.04	0.0864 ± 0.0018	0.055 ± 0.003	0.589 ± 0.014
2MASS J16055178–2206212	7.58 ± 0.03	8.239 ± 0.008	0.0843 ± 0.0012	0.0419 ± 0.0017	0.606 ± 0.01
2MASS J16055380+2303058	7.887 ± 0.012	8.748 ± 0.002	0.257 ± 0.004	0.0517 ± 0.0007	1.75 ± 0.02
2MASS J16063110–1904576	7.69 ± 0.03	8.273 ± 0.009	0.0844 ± 0.0012	0.0364 ± 0.0014	0.601 ± 0.01
2MASS J16063390+4054216	5.328 ± 0.007	8.5303 ± 0.0003	0.1329 ± 0.0016	0.2311 ± 0.0006	1.107 ± 0.012
2MASS J16064818–2230400	7.89 ± 0.03	8.89 ± 0.13	0.085 ± 0.003	0.06 ± 0.006	0.57 ± 0.03
2MASS J16072883–2757300	7.839 ± 0.01	8.76 ± 0.04	0.0712 ± 0.0006	0.0557 ± 0.0016	0.486 ± 0.005
2MASS J16090168–2740521	7.8 ± 0.03	8.65 ± 0.03	0.086 ± 0.003	0.052 ± 0.003	0.595 ± 0.018
2MASS J16090197–2151225	7.75 ± 0.04	8.228 ± 0.02	0.0771 ± 0.0011	0.03 ± 0.003	0.55 ± 0.009
2MASS J16090451–2224523	7.69 ± 0.03	8.238 ± 0.016	0.0798 ± 0.0012	0.034 ± 0.003	0.571 ± 0.009
2MASS J16090568–2245166	7.65 ± 0.11	8.28 ± 0.03	0.079 ± 0.004	0.039 ± 0.005	0.57 ± 0.03
2MASS J16093019–2059536	7.7 ± 0.02	8.372 ± 0.011	0.0835 ± 0.001	0.0418 ± 0.0009	0.591 ± 0.008
2MASS J16095060–1848521	7.923 ± 0.017	8.87 ± 0.09	0.083 ± 0.003	0.057 ± 0.005	0.56 ± 0.02
2MASS J16095107–2722418	7.47 ± 0.03	8.239 ± 0.008	0.0723 ± 0.0007	0.0487 ± 0.0017	0.523 ± 0.006
2MASS J16095217–2136277	7.875 ± 0.009	8.89 ± 0.03	0.0796 ± 0.001	0.0606 ± 0.0017	0.538 ± 0.008
2MASS J16095307–1948169	7.9 ± 0.005	8.98 ± 0.02	0.0809 ± 0.0008	0.064 ± 0.001	0.542 ± 0.005
2MASS J16095852–2345186	7.66 ± 0.03	8.29 ± 0.009	0.0759 ± 0.0008	0.0393 ± 0.0012	0.541 ± 0.007
2MASS J16095990–2155424	7.66 ± 0.04	8.265 ± 0.014	0.0784 ± 0.0015	0.038 ± 0.002	0.561 ± 0.012
2MASS J16100541–1919362	7.91 ± 0.008	8.98 ± 0.05	0.082 ± 0.0017	0.063 ± 0.002	0.55 ± 0.012
2MASS J16100608–2127440	7.74 ± 0.08	8.25 ± 0.03	0.079 ± 0.003	0.032 ± 0.005	0.56 ± 0.02
2MASS J16103014–2315167	7.65 ± 0.05	8.257 ± 0.013	0.0766 ± 0.0018	0.038 ± 0.003	0.548 ± 0.014
2MASS J16103232+2249116	8.2486 ± 0.0012	10.33 ± 0.03	0.0944 ± 0.001	0.1121 ± 0.0016	0.569 ± 0.005
2MASS J16103232–1913085	7.74 ± 0.06	8.26 ± 0.03	0.084 ± 0.003	0.033 ± 0.004	0.599 ± 0.02
2MASS J16104714–2239492	7.84 ± 0.11	8.23 ± 0.02	0.071 ± 0.004	0.024 ± 0.005	0.51 ± 0.03
2MASS J16105499–2126139	7.903 ± 0.008	8.97 ± 0.02	0.0778 ± 0.0006	0.063 ± 0.0012	0.523 ± 0.004
2MASS J16111711–2217173	7.85 ± 0.03	8.87 ± 0.08	0.083 ± 0.002	0.061 ± 0.004	0.56 ± 0.018
2MASS J16113837–2307072	7.53 ± 0.03	8.258 ± 0.011	0.0794 ± 0.0009	0.0462 ± 0.0019	0.572 ± 0.007

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J16114261–2525511	7.7 ± 0.03	8.247 ± 0.012	0.071 ± 0.0007	0.034 ± 0.002	0.507 ± 0.005
2MASS J16115436–2157025	7.93 ± 0.02	8.9 ± 0.07	0.077 ± 0.002	0.058 ± 0.004	0.518 ± 0.016
2MASS J16115439–2236491	7.7 ± 0.05	8.29 ± 0.02	0.0805 ± 0.0016	0.037 ± 0.003	0.573 ± 0.013
2MASS J16122703–2013250	7.758 ± 0.015	8.275 ± 0.008	0.0799 ± 0.0005	0.0323 ± 0.001	0.567 ± 0.004
2MASS J16124692–2338408	7.842 ± 0.009	8.91 ± 0.03	0.0835 ± 0.0008	0.0639 ± 0.0013	0.564 ± 0.006
2MASS J16124726–1903531	7.764 ± 0.016	8.248 ± 0.006	0.0832 ± 0.0008	0.0302 ± 0.0011	0.592 ± 0.006
2MASS J16131211–2305031	7.827 ± 0.014	8.84 ± 0.04	0.0815 ± 0.001	0.0606 ± 0.002	0.554 ± 0.009
2MASS J16131600–2251511	7.83 ± 0.03	8.91 ± 0.05	0.089 ± 0.003	0.065 ± 0.004	0.603 ± 0.019
2MASS J16132665–2230348	7.66 ± 0.03	8.254 ± 0.007	0.076 ± 0.001	0.0376 ± 0.0014	0.544 ± 0.008
2MASS J16132809–1924524	7.75 ± 0.018	8.296 ± 0.008	0.0806 ± 0.0008	0.0341 ± 0.001	0.572 ± 0.006
2MASS J16134027–2233192	7.7 ± 0.02	8.218 ± 0.005	0.078 ± 0.0011	0.0328 ± 0.0013	0.558 ± 0.008
2MASS J16134079–2219459	7.53 ± 0.07	8.31 ± 0.02	0.081 ± 0.003	0.049 ± 0.003	0.58 ± 0.02
2MASS J16134264–2301279	7.54 ± 0.03	8.262 ± 0.019	0.0836 ± 0.001	0.046 ± 0.003	0.602 ± 0.009
2MASS J16141974–2428404	7.85 ± 0.011	8.92 ± 0.04	0.0802 ± 0.0008	0.0636 ± 0.0018	0.541 ± 0.007
2MASS J16143287–2242133	7.48 ± 0.04	8.321 ± 0.013	0.0821 ± 0.0015	0.0534 ± 0.0018	0.591 ± 0.013
2MASS J16152516–2144013	7.943 ± 0.004	9.066 ± 0.018	0.0788 ± 0.0005	0.066 ± 0.0009	0.524 ± 0.004
2MASS J16155507–2444365	7.91 ± 0.006	8.86 ± 0.03	0.0664 ± 0.0006	0.0565 ± 0.0015	0.448 ± 0.005
2MASS J16165460–2525529	7.891 ± 0.006	8.89 ± 0.02	0.0693 ± 0.0008	0.0592 ± 0.0012	0.468 ± 0.006
2MASS J16174539–2353360	7.89 ± 0.02	8.94 ± 0.05	0.0706 ± 0.0014	0.062 ± 0.003	0.475 ± 0.011
2MASS J16183314–2530085	7.892 ± 0.009	9.02 ± 0.05	0.0707 ± 0.0008	0.067 ± 0.002	0.472 ± 0.008
2MASS J16183317–2517504	7.3 ± 0.05	8.195 ± 0.011	0.0886 ± 0.0014	0.058 ± 0.003	0.649 ± 0.012
2MASS J16192988–2440469	7.913 ± 0.018	8.89 ± 0.07	0.076 ± 0.003	0.058 ± 0.004	0.51 ± 0.03
2MASS J16195143–2241332	7.75 ± 0.05	8.268 ± 0.019	0.076 ± 0.002	0.033 ± 0.002	0.539 ± 0.017
2MASS J16200757–2359150	7.923 ± 0.02	9.01 ± 0.03	0.0711 ± 0.0016	0.0642 ± 0.002	0.473 ± 0.012
2MASS J16203456–2430205	7.878 ± 0.018	8.91 ± 0.09	0.076 ± 0.004	0.062 ± 0.004	0.52 ± 0.03
2MASS J16204144–2425491	7.47 ± 0.06	8.32 ± 0.02	0.0804 ± 0.0017	0.054 ± 0.003	0.579 ± 0.014
2MASS J16213591–2355035	7.86 ± 0.03	9.05 ± 0.05	0.076 ± 0.003	0.071 ± 0.004	0.51 ± 0.02
2MASS J16222304–2407108	7.52 ± 0.16	8.24 ± 0.04	0.085 ± 0.004	0.046 ± 0.008	0.61 ± 0.04
2MASS J16222521–2405139	7.54 ± 0.06	8.273 ± 0.015	0.0794 ± 0.0014	0.046 ± 0.003	0.571 ± 0.012
2MASS J16235155–2317270	7.64 ± 0.03	8.273 ± 0.017	0.0718 ± 0.0013	0.04 ± 0.003	0.513 ± 0.01
2MASS J16235470–2438319	7.915 ± 0.01	9.03 ± 0.04	0.0661 ± 0.0014	0.066 ± 0.002	0.439 ± 0.012
2MASS J16262152–2426009	7.928 ± 0.006	8.95 ± 0.04	0.0644 ± 0.0008	0.0606 ± 0.0017	0.432 ± 0.006
2MASS J16265619–2213519	7.878 ± 0.012	8.93 ± 0.03	0.0711 ± 0.0008	0.0624 ± 0.0018	0.479 ± 0.006
2MASS J16265698+3954482	8.1485 ± 0.0007	10.33 ± 0.04	0.0741 ± 0.0019	0.1182 ± 0.0019	0.45 ± 0.01
2MASS J16271693+3514132	7.699 ± 0.01	9.16 ± 0.04	0.155 ± 0.004	0.0866 ± 0.0016	1.03 ± 0.03
2MASS J16271825+3538347	8.089 ± 0.007	9.299 ± 0.017	0.144 ± 0.003	0.0695 ± 0.0005	0.932 ± 0.017
2MASS J16272658–2425543	7.93 ± 0.005	8.91 ± 0.03	0.0642 ± 0.0006	0.0581 ± 0.0013	0.432 ± 0.005
2MASS J16281707+1334204	5.68 ± 0.02	8.3118 ± 0.0011	0.0628 ± 0.0014	0.188 ± 0.002	0.512 ± 0.011
2MASS J16281808–2428358	7.924 ± 0.006	8.86 ± 0.03	0.0677 ± 0.0011	0.0558 ± 0.0015	0.457 ± 0.009

Table 7 *continued*

Table 7 (*continued*)

APOGEE ID	R_{\min}	R_{\max}	Z_{\max}	e	i
	(kpc)	(kpc)	(kpc)		(deg)
2MASS J16293624–2456527	7.927 ± 0.005	8.9 ± 0.03	0.0618 ± 0.0003	0.0578 ± 0.0012	0.416 ± 0.003
2MASS J16311879+4051516	7.913 ± 0.006	8.658 ± 0.003	0.0402 ± 0.0005	0.045 ± 0.0002	0.276 ± 0.004
2MASS J16402068+6736046	7.187 ± 0.006	8.4705 ± 0.0019	0.0535 ± 0.0006	0.082 ± 0.0004	0.388 ± 0.004
2MASS J16443549+4302572	7.909 ± 0.004	9.544 ± 0.017	0.233 ± 0.002	0.0937 ± 0.0007	1.493 ± 0.013
2MASS J16463154+3434554	5.264 ± 0.004	8.29718 ± 0.00011	0.1307 ± 0.0008	0.2236 ± 0.0004	1.113 ± 0.008
2MASS J16470576+4117062	7.628 ± 0.006	9.842 ± 0.013	0.1433 ± 0.0018	0.1267 ± 0.0003	0.916 ± 0.012
2MASS J16485878+3005366	5.02 ± 0.02	8.3096 ± 0.0009	0.173 ± 0.005	0.2466 ± 0.0019	1.5 ± 0.04
2MASS J17071830+6439331	7.9657 ± 0.0015	11.71 ± 0.04	0.159 ± 0.002	0.1904 ± 0.0014	0.889 ± 0.016
2MASS J17181749+2625541	7.035 ± 0.018	8.7851 ± 0.0019	0.137 ± 0.002	0.1107 ± 0.0012	0.978 ± 0.015
2MASS J19004530–3711480	7.871 ± 0.01	8.61 ± 0.05	0.045 ± 0.003	0.045 ± 0.002	0.31 ± 0.02
2MASS J19013357–3700304	7.8 ± 0.02	8.88 ± 0.08	0.049 ± 0.006	0.065 ± 0.004	0.33 ± 0.04
2MASS J19015374–3700339	7.873 ± 0.012	8.69 ± 0.07	0.044 ± 0.004	0.049 ± 0.003	0.3 ± 0.03
2MASS J19241634+7533121	7.263 ± 0.008	8.54 ± 0.003	0.1042 ± 0.0005	0.0808 ± 0.0004	0.747 ± 0.005
2MASS J19544358+1801581	6.114 ± 0.01	8.64 ± 0.005	0.1041 ± 0.0005	0.1712 ± 0.0005	0.801 ± 0.014
2MASS J20491376+3216514	7.531 ± 0.006	10.9 ± 0.04	0.03072 ± 0.00011	0.1827 ± 0.0012	0.1804 ± 0.0018
2MASS J21272531+5553150	7.534 ± 0.012	8.777 ± 0.009	0.0557 ± 0.0002	0.0762 ± 0.0003	0.3864 ± 0.0019
2MASS J21381698+5257188	8.252 ± 0.002	8.595 ± 0.017	$0.04542 \pm 9e-05$	0.0203 ± 0.0009	0.3076 ± 0.0007
2MASS J22021125–1109461	7.015 ± 0.015	8.2945 ± 0.0009	0.054 ± 0.003	0.0836 ± 0.001	0.4 ± 0.02
2MASS J22400144+0532162	7.141 ± 0.015	8.3018 ± 0.0012	0.058 ± 0.003	0.0751 ± 0.0011	0.425 ± 0.016
2MASS J22551142+1442456	7.44 ± 0.05	8.2977 ± 0.0003	0.032 ± 0.003	0.054 ± 0.004	0.23 ± 0.02
2MASS J23200703+1150071	3.807 ± 0.011	8.30677 ± 0.0001	0.058 ± 0.003	0.3714 ± 0.0013	0.6 ± 0.03

^aThe large uncertainties of Galactic orbital parameters of 2MASS J05350162–0521489 are due to its large proper motion uncertainty ($\mu_\alpha \cos \delta = 0 \pm 44$ mas yr⁻¹ and $\mu_\delta = 0 \pm 40$ mas yr⁻¹; Cutri et al. 2014).

5. ANALYSIS

5.1. UVW Space Motions

We combined our RV measurements with *Gaia* and ground-based astrometry to compute heliocentric *UVW* space motions following Johnson & Soderblom (1987). We adopt a right-handed coordinate system, with *U* velocity pointing toward the Galactic center, *V* velocity pointing in the direction of Galactic rotation, and *W* velocity pointing toward the Galactic North pole. We also computed velocities in the local standard of rest (LSR) assuming Solar *UVW* LSR velocities of (U_\odot , V_\odot , W_\odot) = (11.1 km s⁻¹, 12.24 km s⁻¹, 7.5 km s⁻¹) from Schönrich et al. (2010). These values are visualized in Figure 12 and listed in Table 6. The mean $U_{\text{LSR}} = -2.5 \pm 1.3$ km s⁻¹ and $W_{\text{LSR}} = 1.1 \pm 0.6$ km s⁻¹ velocities of our sample are consistent with zero, while the average $V_{\text{LSR}} = -6.0 \pm 0.9$ km s⁻¹ is slightly negative, as expected for asymmetric drift (Strömgren 1924).

We followed Bensby et al. (2003) to determine the probabilities of kinematic membership for each star to thin disk, thick disk, or halo populations based on the LSR velocities. We specifically separated thin disk, intermediate thin/thick disk, and thick disk membership by using the ratios $P[\text{TD}]/P[\text{D}] < 0.1$, $0.1 \leq P[\text{TD}]/P[\text{D}] \leq 10$, and $P[\text{TD}]/P[\text{D}] > 10$, respectively. As expected, the majority of our sample¹¹ is thin disk sources (246 sources), with 11 intermediate thin disk/thick disk members and no thick disk members.

We did not detect significant correlations between (U_{LSR} , W_{LSR}) or (V_{LSR} , W_{LSR}) velocity pairs (p-value = 0.47 and 0.08, respectively using the Wald Test with t-distribution; Wald 1943; Wes McKinney 2010), but did find a significant positive correlation for (U_{LSR} , V_{LSR})

¹¹ The Orion Nebular Cluster member 2MASS J05350162–0521489 was excluded from the kinematic analysis due to its large proper motion uncertainties.

velocities (p-value < 0.001, correlation coefficient R = 0.26), driven largely by our intermediate thin/thick disk members. Excluding these sources significantly reduces the $(U_{\text{LSR}}, V_{\text{LSR}})$ correlation (p-value = 0.016, R = 0.15). We also found significant positive correlations between total velocity-squared, $v_{\text{LSR}}^2 = U_{\text{LSR}}^2 + V_{\text{LSR}}^2 + W_{\text{LSR}}^2$ and absolute $|W_{\text{LSR}}|$ -velocity for the full sample (p-value < 0.001, R = 0.65) and the thin disk subsample (p-value < 0.001, R = 0.53). v_{LSR}^2 correlates with the asymmetric drift (Strömborg 1924), while absolute $|W_{\text{LSR}}|$ -velocity has been used as a proxy of age (Wielen 1977), so this correlation is an indicator of age variation in the sample. While the APOGEE sample selection is not volume-complete, these correlations are consistent with our prior analysis of the 20 pc UCD sample (Hsu et al. 2021).

5.2. Galactic Orbits

Galactic orbits can identify sources with different spatial origins, including stars that had drifted radially inward or outward to the Solar radius. Starting with the LSR velocities and XYZ Galactic spatial coordinates¹² of each source, Galactic orbits were computed using the `galpy` package (Bovy 2015), an efficient, ordinary differential equation solver that conserves energy and momentum for Galactic dynamics. We used an axisymmetric potential from Miyamoto & Nagai (1975) and assumed an LSR azimuthal velocity, $v_\phi = 220 \text{ km s}^{-1}$ (Bovy & Tremaine 2012; Chen et al. 2001; Reid et al. 2014). Each orbit was integrated from -5 to $+5$ Gyr in steps of 10 Myr, and 1000 orbit realizations were computed using Monte Carlo sampling of velocity uncertainties assuming normal distributions. We examined the specific orbital parameters of minimum and maximum Galactic cylindrical radius (R_{\min} , R_{\max}), maximum Galactic vertical height ($|Z|$), median orbital eccentricity ($e \equiv \langle R_{\max} - R_{\min} \rangle / \langle R_{\max} + R_{\min} \rangle$), and median orbital inclination ($\tan i \equiv |Z| / \sqrt{X^2 + Y^2}$). These parameters are listed in Table 7.

Figure 13 shows the distributions of the derived orbital parameters. The majority of our sample exhibit circular ($\langle e \rangle = 0.07^{+0.08}_{-0.03}$) and planar orbits ($\langle i \rangle = 0.6^\circ {}^{+0.8^\circ}_{-0.2^\circ}$), residing mostly at the Solar Galactic radius ($\langle R_{\min} \rangle =$

¹² XYZ are the Galactic rectangular coordinates transformed from Galactic spherical coordinates longitude $l = 0^\circ$ toward the Galactic center, latitude $b = 90^\circ$ toward the Galactic North pole, and distance d from the Sun. The heliocentric coordinates are defined as $X_h = d \cos b \cos l$, $Y_h = d \cos b \sin l$, and $Z_h = d \sin b$; while galactocentric coordinates are $X = X_h - R_\odot$, $Y = Y_h$, and $Z = Z_h + Z_\odot$, where $(R_\odot, Z_\odot) = (8.43 \text{ kpc}, 0.027 \text{ kpc})$ are the assumed Solar galactocentric coordinates (Bovy & Tremaine 2012; Chen et al. 2001; Reid et al. 2014). This coordinate set is coaligned with UVW velocities.

$7.8^{+0.4}_{-0.7} \text{ kpc}$, $\langle R_{\max} \rangle = 8.9^{+0.9}_{-0.6} \text{ kpc}$) and close to the Galactic Plane ($\langle |Z| \rangle = 0.08^{+0.07}_{-0.03} \text{ kpc}$). There are 22 sources that have $e > 0.2$, 10 of which are intermediate thin/thick disk or thick disk members. There are also 13 sources with slightly non-planar orbits ($i > 2^\circ$), 8 of these being intermediate thin/thick disk members.

5.3. Cluster Membership

We evaluated young association membership by comparing the 6D heliocentric spatial and velocity coordinates derived above to known nearby systems using the BANYAN Σ web tool (Gagné et al. 2018). Results are summarized in Table 6.

Our APOGEE DR17 sample is highly biased toward young cluster members. Out of 141 confirmed young sources in our sample, 114 are identified as kinematic members of young moving groups, with 138 of these previously reported in the literature, 3 new young sources, and 6 ruled out based on BANYAN Σ . The majority of cluster members are associated with Upper Scorpius (10 ± 3 Myr, Pecaut & Mamajek 2016; 75 sources), Taurus (1–2 Myr, Kenyon & Hartmann 1995; 25 sources), and the Hyades Moving Group (750 ± 100 Myr, Brandt & Huang 2015; 6 sources).

We identify three moving group members not previously reported in the literature:

- 2MASS J05402570+2448090 (G 100-28; 67.2% Argus moving group, 40–50 Myr, Zuckerman 2019; 30.9% Carina Near moving group, ~ 200 Myr, Zuckerman et al. 2006),
- 2MASS J14093200+4138080 (LP 220-50; 99.6% Argus moving group), and
- 2MASS J21272531+5553150 (LSPM J2127+5553; 99.3% Carina Near moving group).

2MASS J05402570+2448090 is a well-studied active M dwarf binary that exhibits flares and H_α emission (Pettersen 1983; Reid et al. 1995; Gizis et al. 2002; Lépine et al. 2013; Gaidos et al. 2014; Terrien et al. 2015a). The secondary is separated at $0.4720''$ (Janson et al. 2014; Winters et al. 2021) with a short rotational period of 0.294 d (Newton et al. 2016). It was previously reported as a candidate member of Hyades (Eggen 1993), which is ruled out based on our RV of $23.1^{+0.3}_{-0.2} \text{ km s}^{-1}$. The uncertainty of its membership between Argus and Carina Near moving groups is based on the true systematic RV (best RV of 23.3 and 26.4 km s^{-1} , respectively), which requires future RV monitoring to sample its full orbit.

2MASS J14093200+4138080 has been reported as an active M6 dwarf in West et al. (2015) (H_α equivalent width = $7.0 \pm 1.1 \text{ nm}$), but reported inactive in Newton




Figure 12. Space motions of our sample in the Local Standard of Rest (LSR). $(U_{\text{LSR}}, V_{\text{LSR}})$, $(U_{\text{LSR}}, W_{\text{LSR}})$, and $(V_{\text{LSR}}, W_{\text{LSR}})$ velocity pairs are shown along with the 2σ uncertainty spheres for the thin disk (dashed lines) and thick disk (dotted lines) populations based on Bensby et al. (2003). M and L dwarfs are labeled as blue and red circles, respectively. The upper-right corner is a Toomre plot, with total velocities $v_{\text{tot}} = \sqrt{U_{\text{LSR}}^2 + V_{\text{LSR}}^2 + W_{\text{LSR}}^2}$ indicated by dotted lines in steps of 50 km s^{-1} . Young sources and intermediate thin/thick disk sources are highlighted with open diamonds and open circles, respectively. The major young cluster sources, Upper Scorpius, Taurus, and Hyades are labeled in magenta, cyan, and yellow, respectively.

et al. (2017) (H_{α} equivalent width = $-7.2 \pm 0.1 \text{ nm}$) and fast rotational period = 0.265 d (Newton et al. 2016). No signatures of youth has been reported for 2MASS J14093200+4138080.

2MASS J21272531+5553150 has been reported as a candidate member of the Carina Near moving group (98.520%) with BANYAN Σ in Seli et al. (2021) using *Gaia* DR2 astrometry (no RV), so our RV places it as a highly likely member.

On the other hand, we rule out six sources previously associated with clusters which had previously lacked radial velocity data.

- 2MASS J00381273+3850323 was reported as a member of the Hyades Moving Group, which was determined solely from *Gaia* DR2 proper motions and parallax without the radial velocity (Röser et al. 2019; Lodieu et al. 2019). Our measured $\text{RV} = +6.6^{+0.2}_{-0.3} \text{ km s}^{-1}$ is not consistent with the




Figure 13. The distributions of inferred orbital parameters for our sample. *upper left*: minimum Galactic radius R_{\min} ; *upper middle*: maximum Galactic radius R_{\max} ; *upper right*: minimum vertical displacement $|Z|$; *lower left*: eccentricity e ; *lower middle*: inclination i ; *lower right*: The Galactic XY orbit of the intermediate thin/thick disk source 2MASS J15211578+3420021, integrated between -5 Gyr to $+5$ Gyr. The median values and the $16^{\text{th}}/84^{\text{th}}$ percentiles are shown in red and grey dashed lines, respectively.

expected RV of Hyades ($+39^{+3}_{-4}$ km s $^{-1}$; Gagné et al. 2018).

- 2MASS J04254894+1852479 was reported as a member of the β Pic Moving Group, based on *Gaia* DR2 proper motions and parallax only (Gagné & Faherty 2018). Our measured RV = $+28.3 \pm 0.4$ km s $^{-1}$ is inconsistent with the expected RV of the β Pic Moving Group ($+10 \pm 10$ km s $^{-1}$; Gagné et al. 2018).
- 2MASS J07140394+3702459 (LSPM J0714+3702) was reported as a member of the Argus Moving Group and classified as M7 β (intermediate gravity class) by Gagné et al. (2015b). With the BANYAN Σ web tool (Gagné et al. 2018), the required RV for 2MASS J07140394+3702459 to be a member of Argus is 20.9 km s $^{-1}$, which is ruled out by our RV measurement of 35.3 ± 0.2 km s $^{-1}$.

We also rule out three reported members of the Coma Berenices Cluster (562^{+98}_{-84} Myr; Silaj & Landstreet 2014), 2MASS J12205439+2525568, 2MASS J12263913+2505546, and 2MASS J12265349+2543556, identified in Melnikov & Eislöffel (2012) on the basis of astrometry and photometry alone. Melnikov & Eislöffel (2012) used proper motions from the Lépine Shara Proper Motion (LSPM) catalog (Lépine & Shara

2005), and these sources were selected on the basis of insignificant proper motion, consistent with the small angular relative motion of the Coma Berenices Cluster at large, $(\mu_\alpha \cos \delta, \mu_\delta) = (-12.11 \pm 0.05, -9.00 \pm 0.12)$ mas yr $^{-1}$ (Gaia Collaboration et al. 2018). The measured RV of 2MASS J12205439+2525568 = 14.81 ± 0.29 km s $^{-1}$ is highly different from the expected RV of the Coma Berenices Cluster = -0.1 ± 0.8 km s $^{-1}$ (Gagné et al. 2018). 2MASS J12263913+2505546 and 2MASS J12265349+2543556 were ruled out largely based on improved astrometry from *Gaia*.

These cases highlight the importance of RVs for kinematic cluster membership. The 21 known young UCDs not matched by BANYAN Σ are in clusters not included in this web tool¹³, as BANYAN Σ only included young clusters and moving groups within 150 pc. There are five sources in the 1–2 Myr cluster NGC 1333 identified by *Gaia* DR2 astrometry (Cantat-Gaudin et al. 2018; Yao et al. 2018; Cantat-Gaudin & Anders 2020; Cantat-Gaudin et al. 2020); our RV of 15.5–17.5 km s $^{-1}$ is consistent with the expected cluster motion of ~ 11.0 – 17.6 km s $^{-1}$ (Tarricq et al. 2021). There are

¹³ 2MASS J08460531+1035309 is reported as a member of ~ 3.4 Gyr old open cluster NGC 2682 (Poovveli et al. 2020), but our RV = 43.7 ± 0.3 km s $^{-1}$ is inconsistent compared to the expected RVs = 29.3 – 36.5 km s $^{-1}$ (Tarricq et al. 2021).

11 sources in the 3 Myr cluster IC 348 ($\text{RV} = 15.1\text{--}19.5 \text{ km s}^{-1}$; consistent with the expected $\text{RVs} = 13.0\text{--}20.7 \text{ km s}^{-1}$ in Tarricq et al. 2021), and 4 sources in the ~ 2 Myr Orion Nebula Cluster (Yao et al. 2018) ($\text{RV} = 25.1\text{--}33.4 \text{ km s}^{-1}$; consistent with the expected $\text{RVs} = 23.4\text{--}33.5 \text{ km s}^{-1}$ in Theissen et al. 2022). 2MASS J08294949+2646348 is reported as a member of the Castor Moving Group (200 -- 700 Myr, López-Santiago et al. 2009; Zuckerman et al. 2013)¹⁴. We include all 141 sources in our “young” sample for our subsequent kinematic analysis.

Returning to our model fit parameters, we note that there is a distinct difference between the $\log g$ values between our young sources ($\langle \log g \rangle = 3.55^{+0.42}_{-0.04} \text{ cm s}^{-2} \text{ dex}$) and our field sources ($\langle \log g \rangle = 5.20^{+0.29}_{-0.56} \text{ cm s}^{-2} \text{ dex}$) based on the Sonora model fits. This is consistent with expectations for the larger radii and lower masses expected for UCDs younger than ~ 150 Myr. We also found slightly higher $v \sin i$ s for the young sources ($\langle v \sin i \rangle = 22^{+34}_{-8} \text{ km s}^{-1}$) compared to the field objects ($\langle v \sin i \rangle = 14^{+13}_{-5} \text{ km s}^{-1}$), although these distributions overlap. Again, this is line with expectations for the spin-down timescales of low-mass stars, which can be $\gtrsim 100$ Myr for $M \sim 0.1 M_{\odot}$ (Barnes & Kim 2010; Reiners et al. 2012; van Saders & Pinsonneault 2013; Matt et al. 2015). Similar differences were seen for the BT-Settl model fits, albeit with a much smaller sample size (48 young and 14 field objects).

5.4. Kinematic Ages

Ensemble kinematics of a population provides age information, as stellar velocities become increasingly dispersed through dynamical interactions of Galactic structures (Spitzer & Schwarzschild 1953; Wielen 1977; Aumer & Binney 2009; Ting & Rix 2019; Sharma et al. 2021). The increased dispersion over time has been historically captured in empirical age-velocity dispersion relations (AVRs), which can be inverted to derive mean kinematic ages for stellar samples (Hsu et al. 2021). Here, we considered two functional forms of the AVR in this study: the exponential relation of Wielen (1977), and the power-law relation from Aumer & Binney (2009). We followed the same analysis methodology as described in Hsu et al. (2021), and the results are summarized in Table 8.

We find an overall velocity dispersion of $\sigma_{\text{tot}} = 27.67 \pm 0.15 \text{ km s}^{-1}$, which corresponds to a kinematic age of

$\tau = 1.25 \pm 0.10 \text{ Gyr}$ using the Aumer & Binney (2009) relation. For the Wielen (1977) relation, the W -weighted velocity dispersion $\sigma_{W\text{-tot}} = 43.4 \pm 0.2 \text{ km s}^{-1}$ corresponds to a kinematic age of $\tau = 3.41 \pm 0.04 \text{ Gyr}$. Compared to the late-M age of $4.0 \pm 0.3 \text{ Gyr}$ in Hsu et al. (2021) based on the Aumer & Binney (2009) relation, our sample appears to have a younger average age, likely reflecting the sample bias toward young clusters. Removing the 140 young cluster members increases the velocity dispersion to $\sigma_{\text{tot}} = 38.2 \pm 0.3 \text{ km s}^{-1}$, corresponding to a kinematic age of $3.30 \pm 0.19 \text{ Gyr}$ for the Aumer & Binney (2009) relation, in line with prior results (Reiners & Basri 2009; Blake et al. 2010; Burgasser et al. 2015; Hsu et al. 2021). There is also better agreement in this case with the W -weighted velocity dispersion and Wielen (1977) age of $4.13 \pm 0.05 \text{ Gyr}$. We also removed the 11 intermediate thin/thick disk and thick disk sources and 140 young sources, which resulted in an increased velocity dispersion and “thin disk” age of $2.11 \pm 0.14 \text{ Gyr}$ based on the Aumer & Binney (2009) relation. For segregating these thin disk sources into M dwarfs (102 sources) and L dwarfs (4 sources) without young sources, we find similar velocity dispersions and kinematic ages ($1.97 \pm 0.14 \text{ Gyr}$ and $4.3 \pm 2.4 \text{ Gyr}$, respectively), albeit with large uncertainties for the latter. Finally, we examined removing the 42 RV variables from the thin disk sample; this had minimal influence on the inferred age ($1.36 \pm 0.11 \text{ Gyr}$).

We can also discern distinct young and field populations using the velocity probability plot, or probit plot, that ranks the individual velocity components in steps of overall sample standard deviation. A normal distribution would be represented as a straight line in this diagram whose slope equals the sample dispersion (Chambers et al. 1983; Reid et al. 2002; Bochanski et al. 2007a). Figure 14 displays probit plots for each of the UVW velocity components, all of which show two clear linear trends: a shallower “core” sample and a steeper (and hence more dispersed) “wide” sample. A piece-wise linear fit to these trends broken at $\pm 1\sigma$ components yields total velocity dispersions of $\sigma_{\text{tot}} = 17.3 \pm 0.3 \text{ km s}^{-1}$, $\sigma_{\text{tot}} = 39.4 \pm 1.2 \text{ km s}^{-1}$, and $\sigma_{\text{tot}} = 45.8 \pm 1.7 \text{ km s}^{-1}$ for the shallow, lower wide, and upper wide samples, respectively, corresponding to kinematic ages of $0.20 \pm 0.05 \text{ Gyr}$, $3.6 \pm 0.4 \text{ Gyr}$, and $5.6 \pm 0.6 \text{ Gyr}$, based on the Aumer & Binney (2009) relation. The shallow core sample is fully consistent with the thin disk sources (with young objects); the wide samples have older and similar ages, as expected for field age thin disk sources.

5.5. Radial Velocity Variables and Candidate Multiple Systems

¹⁴ The XYZ positions and UVW space velocities of the Castor Moving Group are widely spread (Zuckerman et al. 2013), and we do not evaluate its true membership as it is beyond the scope of this work.

Table 8. Velocity Dispersions and Group Kinematic Ages

Sample	N	$\langle U \rangle$	$\langle V \rangle$	$\langle W \rangle$	σ_U	σ_V	σ_W	σ_{tot}	Age	Note
		(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(Gyr)	
All	257	-2.5 ± 1.3	-6.0 ± 0.9	1.1 ± 0.6	20.9 ± 0.1	15.1 ± 0.1	10.0 ± 0.1	27.7 ± 0.2	1.25 ± 0.10	Unweighted
Thin Disk	246	-2.3 ± 1.2	-4.4 ± 0.7	0.8 ± 0.5	32.8 ± 0.2	24.3 ± 0.2	14.8 ± 0.1	43.4 ± 0.2	3.41 ± 0.04	$ W $ Weighted
Not Young	117	-5.9 ± 2.6	-10.1 ± 2.0	2.9 ± 1.3	19.3 ± 0.1	10.9 ± 0.1	8.0 ± 0.1	23.6 ± 0.1	0.74 ± 0.08	Unweighted
Not Binary	204	-1.4 ± 1.5	-6.5 ± 1.1	1.1 ± 0.7	29.3 ± 0.2	15.0 ± 0.1	11.1 ± 0.1	34.7 ± 0.2	2.01 ± 0.03	$ W $ Weighted
Thin Disk	106	-5.8 ± 2.6	-6.7 ± 1.5	2.4 ± 1.1	28.4 ± 0.2	21.2 ± 0.2	14.3 ± 0.1	38.2 ± 0.3	3.30 ± 0.19	Unweighted
& Not Young					35.6 ± 0.3	26.8 ± 0.3	16.5 ± 0.2	47.5 ± 0.3	4.13 ± 0.05	$ W $ Weighted
M Dwarfs	102	-6.5 ± 2.5	-7.0 ± 1.6	2.4 ± 1.1	26.4 ± 0.2	15.6 ± 0.1	11.7 ± 0.1	32.8 ± 0.3	2.11 ± 0.14	Unweighted
Thin Disk, Not Young					32.1 ± 0.3	16.8 ± 0.2	12.8 ± 0.1	38.4 ± 0.3	2.58 ± 0.04	$ W $ Weighted
L Dwarfs	4	11.1 ± 20.1	2.2 ± 3.4	2.1 ± 7.9	25.5 ± 0.2	15.8 ± 0.1	11.5 ± 0.1	32.1 ± 0.3	1.97 ± 0.14	Unweighted
Thin Disk, Not Young					31.8 ± 0.4	17.1 ± 0.2	12.7 ± 0.2	38.3 ± 0.3	2.56 ± 0.05	$ W $ Weighted
Thin Disk	76	-5.9 ± 3.3	-7.2 ± 1.9	2.5 ± 1.4	41.7 ± 8.0	6.4 ± 0.9	14.4 ± 3.4	40.7 ± 8.1	4.3 ± 2.4	Unweighted
Not Young or Binary					28.5 ± 0.3	16.5 ± 0.2	12.1 ± 0.1	35.1 ± 0.4	2.58 ± 0.17	Unweighted
Shallow ^a	175	-1.2 ± 0.7	-3.8 ± 0.2	0.2 ± 0.2	15.6 ± 0.3	5.8 ± 0.1	4.6 ± 0.1	17.3 ± 0.3	0.20 ± 0.05	Unweighted
Wide Lower ^a	35	-32.4 ± 0.8	-26.8 ± 1.9	-9.0 ± 0.6	17.0 ± 1.0	40.7 ± 1.9	12.5 ± 0.4	39.4 ± 1.2	3.6 ± 0.4	Unweighted
Wide Upper ^a	35	19.1 ± 1.5	9.0 ± 0.6	14.5 ± 0.8	32.7 ± 1.4	13.3 ± 0.3	17.5 ± 0.5	45.8 ± 1.7	5.6 ± 0.6	Unweighted

NOTE—Ages for unweighted velocities and $|W|$ -weighted velocities are computed with the relation and parameters from Aumer & Binney (2009) and Wielen (1977), respectively, following the implementation in Hsu et al. (2021).

^aPiece-wise linear fits to unweighted velocities, broken at $\sigma = \pm 1$; see Section 5.4.

One of the main stellar science goals of the APOGEE survey is to identify closely-separated binary systems, which are crucial for mass measurements and testing binary formation and evolution models. While the APOGEE ASPCAP pipeline is unable to provide robust RVs in the ultracool dwarf temperature regime, our RV precisions are sufficient to identify binaries at projected separations $\lesssim 1.1$ AU from RV variability, assuming the total mass of $0.2 M_{\odot}$, secondary mass of $5 M_{\text{Jup}}$ and RV precision of 0.3 km s $^{-1}$. Our sample contains 171 sources with at least two epochs of observations, 71 of which have four or more epochs. Of the latter, 26 exhibit evidence of significant RV variations ($p < 0.01$) based on a χ^2 test, and we consider these high probability binary systems. Among the 100 sources with 2 or 3 epochs of observations, 11 show significant RV variations, and we consider these promising binary candidates. All of the RV variables are listed in Table 9.

The majority of the RV variables have too few epochs to fully sample a complete orbit, and hence only partial constraints can be made on orbital parameters. We attempted to make these constraints for each RV variable with at least four epochs of observation using The Joker (Price-Whelan et al. 2017), a Monte Carlo rejection sampler that quantifies single-line RV orbits in terms of period (P), velocity variation semi-amplitude (K), eccentricity (e), systemic velocity (v_0), mean anomaly (M_0),

and argument of periastron (ω), and identifies a family of orbits consistent with the measurements. We ran The Joker using its default settings. For each system, we initially selected limiting ranges for the minimum and maximum orbital period (P_{\min} and P_{\max}), the maximum RV semi-amplitude (K_0), and the number of input samplers ($10^5 \leq N_{\text{samp}} \leq 5 \times 10^6$). Initial estimates of v_0 and K were determined from the mean and standard deviation of RV measurements, and both of these quantities were assumed to follow normal distributions with scale factors σ_K , $\sigma_v = 1\text{--}4$ km s $^{-1}$ constrained from the Δ RV variations in the observed RV time series. The period distribution was assumed to follow $\mathcal{P}(P) \propto P^{-1}$ following Uehara et al. (2016); Price-Whelan et al. (2017); and Kipping (2018). The eccentricity distribution was assumed to follow a Beta distribution

$$\mathcal{P}(e) = \frac{\Gamma(a+b)}{\Gamma(a)+\Gamma(b)} e^{a-1} [1-e]^{b-1}, \quad (4)$$

where Γ is the Gamma function and $a = 0.867$ and $b = 3.03$ fixed following Kipping (2013). The distributions of mean anomaly and periastron angle were assumed to be uniformly distributed between 0 and 2π . The standard deviation of the RV semi-amplitude σ_K prior, was assumed to be a normal distribution defined as

$$\sigma_K^2 = \sigma_{K,0}^2 \left(\frac{P}{1 \text{ year}} \right)^{-2/3} (1-e^2)^{-1}. \quad (5)$$

Table 9. Radial Velocity Variations for Multi-epoch Observations

APOGEE ID	N _{obs} ^a	Mean RV (km s ⁻¹)	χ ²	p-value
2MASS J00381273+3850323	6	+6.69	19.45	0.002
2MASS J03282839+3116273	10	+15.25	39.8	< 0.001
2MASS J03284407+3120528	18	+17.41	108.18	< 0.001
2MASS J03290413+3056127	17	+15.53	60.28	< 0.001
2MASS J03291130+3117175	15	+16.57	97.11	< 0.001
2MASS J03293773+3122024	19	+17.02	59.11	< 0.001
2MASS J03413332+3157417	17	+7.45	50.42	< 0.001
2MASS J03413641+3216200	4	+18.56	19.43	< 0.001
2MASS J03440291+3152277	12	+17.53	39.87	< 0.001
2MASS J03440599+3215321	7	+18.85	32.63	< 0.001
2MASS J04161885+2752155	4	+18.43	32.63	< 0.001
2MASS J04254894+1852479	3	+28.28	11.13	0.004
2MASS J05402570+2448090	4	+22.93	28.17	< 0.001
2MASS J09373349+5534057	20	+0.8	109.65	< 0.001
2MASS J09453388+5458511	10	-3.78	22.9	0.006
2MASS J09522188-1924319	3	-17.09	53.22	< 0.001
2MASS J10225090+0032169	3	+34.09	1172.27	< 0.001
2MASS J10541102-8505023	2	-10.55	45.52	< 0.001
2MASS J11203609+0704135	3	-14.47	11.74	0.003
2MASS J11232934+0154040	3	-0.13	14.16	0.001
2MASS J12080810+3520281	2	+29.19	8.46	0.004
2MASS J12261350+5605445	5	+4.13	20.64	< 0.001
2MASS J12265349+2543556	8	-0.25	29.59	< 0.001
2MASS J12481860-0235360	14	+31.27	39.9	< 0.001
2MASS J13122681+7245338	10	-3.47	27.96	0.001
2MASS J13202007+7213140	12	-27.34	35.62	< 0.001
2MASS J13232423+5132272	7	-5.39	17.91	0.006
2MASS J13495109+3305136	13	-9.51	44.38	< 0.001
2MASS J13564148+4342587	3	-19.5	13.18	0.001
2MASS J14005977+3226109	16	-17.89	70.77	< 0.001
2MASS J15010818+2250020	5	+6.55	44.72	< 0.001
2MASS J16002844-2209228	3	-3.56	19.69	< 0.001
2MASS J16090451-2224523	3	-5.15	43.57	< 0.001
2MASS J16114261-2525511	2	-4.78	10.0	0.002
2MASS J16271825+3538347	4	-8.56	48.52	< 0.001
2MASS J22551142+1442456	5	-14.27	18.55	0.001

^aWe regard sources with numbers of observations < 4 promising candidates; see Section 5.5 for more details.




Figure 14. Space velocity probit plots of the APOGEE sample. Individual velocities are indicated by blue and red circles for our M and L dwarfs, respectively, while a piece-wise linear fit broken at $\pm 1\sigma$ is shown in orange solid/dashed lines for sources within/outside 1σ , respectively. Young sources are labeled in cyan (greenish-blue).

This form was chosen because the RV semi-amplitude of the primary is $K_1 = \sqrt{\frac{G}{(1-e^2)}} m_2 \sin i (m_1 + m_2)^{-1/2} a^{-1/2} = G^{1/3} (2\pi)^{-1/3} (1-e^2)^{-1/2} m_2 \sin i (m_1 + m_2)^{-2/3} P^{-1/3}$, with G the gravitational constant, and m_1 and m_2 the masses of the primary and secondary, i

the orbital inclination i , and a the semi-major axis a . As such, the adopted prior for σ_K has the advantage that the RV semi-amplitude K has a fixed form for a given primary mass independent of period and eccentricity (Price-Whelan et al. 2020).

Table 10. Binary Candidates and Orbital Parameters

APOGEE ID	N_{obs}	P_{Prior}	$K_{0,\text{Prior}}$	σ_{K_0}	σ_v	$N_{\text{sam,in}}$	P	K_1	e	<i>Gaia</i>	ΔBIC
	(day)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(day)	(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	RUWE	
$\Delta \text{BIC} > 10$: Very strong/Highly probable multiple systems											
2MASS J03282839+3116273	10	1-300	3.0	2.0	2.0	1000000	24.1 $^{+86.9}_{-21.8}$	1.0 $^{+0.3}_{-0.2}$	0.175 $^{+0.245}_{-0.132}$	0.995	26
2MASS J03284407+3120528	18	1-1000	6.0	3.0	3.0	10000000	4.2 $^{+21.8}_{-3.0}$	1.3 $^{+0.2}_{-0.2}$	0.195 $^{+0.259}_{-0.192}$	1.093	97
2MASS J03290413+3056127	17	1-1000	3.0	2.0	2.0	10000000	73.3 $^{+2.4}_{-35.5}$	0.6 $^{+0.1}_{-0.1}$	0.265 $^{+0.251}_{-0.181}$	0.886	43
2MASS J03291130+3117175	15	1-1000	5.0	3.0	3.0	100000000	15.2 $^{+0.0}_{-0.0}$	1.4 $^{+0.4}_{-0.2}$	0.503 $^{+0.093}_{-0.178}$	1.170	77
2MASS J03293773+3122024	19	1-500	6.0	3.0	3.0	10000000	7.4 $^{+17.5}_{-5.8}$	0.7 $^{+0.2}_{-0.2}$	0.187 $^{+0.266}_{-0.137}$	1.051	30
2MASS J03413332+3157417	17	1-500	5.0	3.0	3.0	10000000	10.5 $^{+89.6}_{-8.7}$	0.6 $^{+0.1}_{-0.2}$	0.144 $^{+0.218}_{-0.111}$	4.749	27
2MASS J03413641+3216200	4	1-500	4.0	3.0	3.0	10000000	4.3 $^{+3.3}_{-2.6}$	2.0 $^{+1.3}_{-0.7}$	0.201 $^{+0.281}_{-0.155}$	1.081	57
2MASS J03440291+3152277	12	1-500	4.0	3.0	3.0	10000000	4.5 $^{+2.2}_{-2.7}$	0.9 $^{+0.4}_{-0.2}$	0.384 $^{+0.255}_{-0.259}$	1.130	24
2MASS J03440599+3215321	7	1-500	4.0	3.0	3.0	10000000	75.0 $^{+182.9}_{-70.4}$	1.0 $^{+0.6}_{-0.3}$	0.168 $^{+0.252}_{-0.127}$	0.948	25
2MASS J04161883+2752155	4	1-500	3.0	3.0	3.0	10000000	33.0 $^{+169.9}_{-30.1}$	1.3 $^{+1.0}_{-0.4}$	0.182 $^{+0.259}_{-0.141}$	1.157	55
2MASS J05402570+2448090	4	1-800	4.0	3.0	3.0	10000000	27.8 $^{+24.5}_{-24.8}$	2.3 $^{+1.2}_{-0.9}$	0.186 $^{+0.268}_{-0.143}$...	52
2MASS J09453388+5458511	10	1-800	4.0	3.0	2.0	5000000	15.1 $^{+119.8}_{-12.7}$	1.0 $^{+0.5}_{-0.5}$	0.315 $^{+0.298}_{-0.244}$	0.947	20
2MASS J12261350+5605445	5	1-500	4.0	3.0	3.0	10000000	14.9 $^{+148.3}_{-10.5}$	1.4 $^{+0.9}_{-0.5}$	0.227 $^{+0.299}_{-0.174}$	1.253	78
2MASS J12265349+2543556	8	1-100	3.0	3.0	2.0	10000000	12.6 $^{+22.7}_{-9.1}$	0.9 $^{+0.3}_{-0.2}$	0.172 $^{+0.236}_{-0.132}$	0.906	50
2MASS J12481860-0235360	14	1-100	3.0	3.0	2.0	10000000	9.4 $^{+4.5}_{-1.8}$	0.8 $^{+0.4}_{-0.3}$	0.346 $^{+0.282}_{-0.263}$	0.993	31
2MASS J13122681+7245338	10	1-2000	4.0	3.0	3.0	10000000	7.9 $^{+104.6}_{-5.9}$	1.3 $^{+0.8}_{-0.4}$	0.188 $^{+0.267}_{-0.144}$	1.273	18
2MASS J13202007+7213140	12	20-150	3.0	2.0	3.0	5000000	52.6 $^{+4.1}_{-16.0}$	0.9 $^{+0.6}_{-0.5}$	0.338 $^{+0.268}_{-0.213}$	1.332	53
2MASS J13232423+5132272	7	1-50	3.0	2.0	2.0	1000000	3.6 $^{+8.0}_{-2.0}$	0.7 $^{+0.4}_{-0.3}$	0.207 $^{+0.332}_{-0.154}$	1.090 & 0.918	23
2MASS J13495109+3305136	13	1-100	5.0	3.0	3.0	10000000	2.1 $^{+2.1}_{-0.7}$	2.0 $^{+1.0}_{-0.7}$	0.25 $^{+0.32}_{-0.194}$	0.927	40
2MASS J14005977+3226109	16	1-600	3.0	3.0	3.0	5000000	1.4 $^{+32.0}_{-0.3}$	1.5 $^{+1.0}_{-0.4}$	0.419 $^{+0.258}_{-0.255}$	0.986	48
2MASS J15010818+2250020	5	5-50	3.0	3.0	2.0	1000000	23.3 $^{+1.3}_{-11.0}$	1.2 $^{+0.7}_{-0.3}$	0.189 $^{+0.284}_{-0.142}$	1.661	92
2MASS J16271825+3538347	4	60-200	5.0	4.0	3.0	5000000	69.7 $^{+17.6}_{-7.4}$	3.4 $^{+2.1}_{-1.3}$	0.524 $^{+0.175}_{-0.238}$	0.976	41
2MASS J22551142+1442456	5	1-50	3.0	3.0	2.0	100000	2.8 $^{+4.8}_{-1.1}$	1.6 $^{+0.9}_{-0.5}$	0.178 $^{+0.256}_{-0.135}$	1.091	18
$\Delta \text{BIC} \leq 10$: Strong candidate multiple systems											
2MASS J00381273+3850323	6	1-1000	3.0	3.0	3.0	10000000	191.6 $^{+41.8}_{-174.2}$	0.9 $^{+0.7}_{-0.3}$	0.183 $^{+0.267}_{-0.141}$	1.053	10
2MASS J04230607+2801194	6	1-500	3.0	3.0	3.0	10000000	8.1 $^{+25.6}_{-5.7}$	0.7 $^{+0.5}_{-0.3}$	0.192 $^{+0.274}_{-0.148}$	1.036	7
2MASS J09373349+5534057	20	1-100	4.0	3.0	2.0	5000000	5.7 $^{+13.5}_{-3.9}$	0.4 $^{+0.3}_{-0.2}$	0.271 $^{+0.297}_{-0.199}$	1.103 & ...	7

Results for these fits are provided in Table 10, and individual fits to all RV variables are provided in Appendix B. To assess the robustness of these fits, we computed the relative Bayesian Information Criterion ΔBIC between the best orbital solution and a constant RV, where $\text{BIC} = \chi^2 + k \ln n$, χ^2 is the chi-square quality of fit (see Eqn. 3), k is the number of model parameters (6 for the full orbit and 1 for a constant RV), and n the number of RV measurements (Schwarz 1978). ΔBIC ranges of 0–2, 2–6, 6–10, and >10 correspond to insignificant, positive, strong, and very strong evidence against the null hypothesis (constant RV), respectively (Kass & Raftery 1995). Among the 25 sources with significant RV variations we found three to be strong, and 22 sources to be very strong; the last set we consider to be highly probable binary candidates. Figure 15 illustrates an example orbit fit for the binary candidate with the largest ΔBIC and K_1 , 2MASS J03284407+3120528, which has 18 epochs of observations, from which we were able to constrain a period $P_{\text{fit}} = 4.2^{+21.8}_{-3.0}$ day, an RV semi-amplitude $K_{\text{fit}} = 1.3 \pm 0.2 \text{ km s}^{-1}$, and an eccentricity $e_{\text{fit}} = 0.20^{+0.26}_{-0.19}$. There are nine highly probable binaries with estimated orbit periods less than 10 days (Table 10): 2MASS J14005977+3226109 ($P = 1.4^{+32.9}_{-0.3}$ day¹⁵), 2MASS J13495109+3305136 ($P = 2.1^{+2.1}_{-0.7}$ day), 2MASS J22551142+1442456 ($P = 2.8^{+4.8}_{-1.1}$ day), 2MASS J13232423+5132272 ($P = 3.6^{+8.0}_{-2.0}$ day), 2MASS J03284407+3120528 ($P = 4.2^{+21.8}_{-3.0}$ day), 2MASS J03413641+3216200 ($P = 4.3^{+3.3}_{-2.6}$ day), 2MASS J03440291+3152277 ($P = 4.5^{+2.2}_{-2.7}$ day), 2MASS J03293773+3122024 ($P = 7.4^{+17.5}_{-5.8}$ day), and 2MASS J12481860–0235360 ($P = 9.4^{+4.5}_{-1.8}$ day). We note that the shortest-period confirmed binary in our sample is 2MASS J03505737+1818069 (LP 413–53), which has only one epoch of APOGEE data, but follow-up observations have determined this source to be a 0.71 day period UCD binary (Hsu et al. 2023). The remaining highly probable binaries have estimated orbit periods between 10–100 days. It is important to note that the sparse sampling of these binary candidates results in large uncertainties on period (median uncertainty = 29 day) and eccentricity (median uncertainty = 0.21), and more complete sampling of the RV orbit is required to both confirm and robustly constrain orbital parameters.

5.6. Rotation Periods, Projected Radii, and Inclinations

¹⁵ This orbit is poorly constrained at the upper bound as long-period solutions are also possible.




Figure 15. Binary orbital fit for 2MASS J03284407+3120528 using the Monte Carlo rejection sampler *The Joker*. *top:* RV time series of 2MASS J03284407+3120528 (black dots) and possible orbital solutions (blue lines), labeled with the corresponding parameter estimates. *bottom:* Phase-folded RV time series (systematic RV corrected RVs vs. phase in days; black dots) with the median orbital solution estimated (blue line) from the Monte Carlo rejection sampler *The Joker*. The ΔBIC (Bayesian information criterion) between the median orbital solution and a flat line centered at the systematic RV is labeled. The inferred orbital parameters are $P_{\text{fit}} = 4.2^{+21.8}_{-3.0}$ day, $K_{1,\text{fit}} = 1.3 \pm 0.2 \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.20^{+0.26}_{-0.19}$.

The rotational broadening values inferred from our fits are directly related to rotation period, size, and inclination. While these cannot be disentangled from the spectral measurements alone, some constraints can be made on size and viewing geometry when an independent measure of rotation period, such as photometric variability, is available. The projected radius $R \sin i$ in particular can be inferred directly from $v \sin i$ and period as

$$\frac{R \sin i}{R_{\odot}} = 0.0198 \frac{P}{\text{day}} \frac{v \sin i}{\text{km/s}}. \quad (6)$$

Thanks to the *K2* Mission (Howell et al. 2014), the *Transiting Exoplanet Survey Satellite* (*TESS*; Ricker et al.

2015), and ground-based photometric monitoring programs, rotational periods have been measured for several UCDs in our APOGEE sample, in particular for members of the Upper Scorpius cluster. Noting that roughly one-half of our sample is kinematically associ-

ated with nearby young clusters with known ages, these measurements can be used to examine radius evolution as a function of time to test evolutionary models (Jackson & Jeffries 2010).

Table 11. Inferred Projected Radii, Inclination and Literature Period Measurements

APOGEE ID	Cluster ^a	Age ^b (Myr)	$v \sin i$ (km s ⁻¹)	Period ^c (day)	$R \sin i$ (R _⊕)	inclination (deg)	Period Ref
2MASS J00452143+1634446	ARG	40–50	31.6 ± 1.0	0.1 ± 0.004	0.06 ± 0.0	23 ± 3	(14)
2MASS J01243124–0027556	field	...	27.7 ± 1.2	0.555	0.3 ± 0.03	...	(2)
2MASS J03040207+0045512	HYA	750 ± 100	20.0 ± 1.0	1.293	0.51 ± 0.06	...	(6)
2MASS J04110642+1247481	HYA	750 ± 100	14.2 ± 1.1	0.897	0.25 ± 0.02	...	(5)
2MASS J04214435+2024105	HYA	750 ± 100	32.8 ± 1.4	0.34	0.22 ± 0.02	...	(9), (11)
2MASS J04214955+1929086	HYA	750 ± 100	44.4 ± 1.6	0.205	0.18 ± 0.01	...	(5)
2MASS J04254894+1852479	field	...	31.0 ± 1.0	0.419	0.26 ± 0.02	...	(1)
2MASS J04305718+2556394	TAU	1–2	16.0 ± 1.0	1.157	0.36 ± 0.03	60 ± 19	(13)
2MASS J04322329+2403013	TAU	1–2	11.1 ± 1.0	3.364	0.73 ± 0.08	...	(13)
2MASS J04330945+2246487	TAU	1–2	16.0 ± 1.0	3.492	1.11 ± 0.1	...	(13)
2MASS J04340619+2418508	TAU	1–2	29.5 ± 1.8	0.711	0.41 ± 0.03	60 ± 18	(13)
2MASS J04350850+2311398	TAU	1–2	7.3 ± 1.2	1.498	0.21 ± 0.04	...	(13)
2MASS J04351354+2008014	HYA	750 ± 100	23.7 ± 1.1	0.37	0.17 ± 0.01	...	(9), (11)
2MASS J04354183+2234115	TAU	1–2	48.2 ± 1.2	0.688	0.65 ± 0.04	...	(13)
2MASS J04361038+2259560	TAU	1–2	10.4 ± 1.0	2.933	0.6 ± 0.07	...	(13)
2MASS J04363893+2258119	TAU	1–2	16.8 ± 1.0	0.964	0.32 ± 0.03	52 ± 13	(13)
2MASS J04385871+2323595	TAU	1–2	51.2 ± 1.1	0.664	0.67 ± 0.04	...	(13)
2MASS J04440164+1621324	TAU	1–2	14.3 ± 1.2	2.172	0.61 ± 0.07	...	(13)
2MASS J04464498+2436404	HYA	750 ± 100	17.9 ± 1.0	0.66	0.23 ± 0.01	...	(9), (11)
2MASS J05352501–0509095	ORION	≤3	17.9 ± 1.1	1.48	0.52 ± 0.04	...	(1)
2MASS J05353193–0531477	ORION	≤3	15.8 ± 1.1	4.36	1.36 ± 0.12	...	(1)
2MASS J05402570+2448090	ARG	40–50	30.4 ± 1.0	0.294	0.18 ± 0.01	70 ± 9	(6)
2MASS J07464256+2000321	field	...	34.6 ± 1.0	0.086	0.06 ± 0.0	36 ± 5	(3)
2MASS J08072607+3213101	field	...	13.7 ± 1.0	0.345	0.09 ± 0.01	61 ± 11	(6)
2MASS J08294949+2646348	CMG	200	11.9 ± 1.0	0.459	0.11 ± 0.01	57 ± 11	(6)
2MASS J10372897+3011117	field	...	13.1 ± 1.1	1.012	0.26 ± 0.03	...	(6)
2MASS J13022083+3227103	field	...	25.7 ± 1.0	0.4	0.2 ± 0.02	...	(6)
2MASS J13564148+4342587	field	...	16.2 ± 1.1	0.477	0.15 ± 0.01	...	(6)
2MASS J14320849+0811313	field	...	9.2 ± 1.1	0.757	0.14 ± 0.02	...	(6)
2MASS J15010818+2250020	field	...	65.3 ± 1.1	0.082	0.11 ± 0.01	69 ± 8	(4)
2MASS J15555600–2045187	USCO	10 ± 3	19.9 ± 1.1	1.7	0.67 ± 0.05	...	(7)
2MASS J15560104–2338081	USCO	10 ± 3	13.0 ± 1.3	1.505	0.39 ± 0.03	...	(7)
2MASS J15560497–2106461	USCO	10 ± 3	92.8 ± 1.5	0.26	0.48 ± 0.03	...	(1)
2MASS J15591135–2338002	USCO	10 ± 3	16.1 ± 1.5	1.216	0.39 ± 0.04	...	(1)

Table 11 *continued*

Table 11 (*continued*)

APOGEE ID	Cluster ^a	Age ^b	$v \sin i$	Period ^c	$R \sin i$	inclination	Period Ref
		(Myr)					
2MASS J15592591–2305081	USCO	10 ± 3	23.5 ± 1.0	0.62	0.29 ± 0.02	70 ± 10	(7)
2MASS J16003023–2334457	USCO	10 ± 3	73.6 ± 1.3	0.448	0.65 ± 0.04	...	(7)
2MASS J16014955–2351082	USCO	10 ± 3	38.7 ± 1.8	0.527	0.4 ± 0.02	...	(7)
2MASS J16020429–2050425	USCO	10 ± 3	57.1 ± 1.2	0.422	0.48 ± 0.03	...	(7)
2MASS J16044303–2318258	USCO	10 ± 3	79.3 ± 1.9	0.208	0.33 ± 0.02	...	(1)
2MASS J16063110–1904576	USCO	10 ± 3	16.7 ± 1.1	2.301	0.76 ± 0.09	...	(7)
2MASS J16090168–2740521	USCO	10 ± 3	59.3 ± 1.4	0.306	0.36 ± 0.02	...	(7)
2MASS J16090197–2151225	USCO	10 ± 3	47.8 ± 1.5	0.269	0.25 ± 0.01	62 ± 11	(7)
2MASS J16090451–2224523	USCO	10 ± 3	14.1 ± 1.0	2.181	0.61 ± 0.06	...	(7)
2MASS J16093019–2059536	USCO	10 ± 3	17.9 ± 1.0	1.593	0.57 ± 0.03	...	(7)
2MASS J16095107–2722418	USCO	10 ± 3	56.1 ± 1.4	0.543	0.6 ± 0.03	...	(7)
2MASS J16095217–2136277	USCO	10 ± 3	44.1 ± 1.0	0.702	0.61 ± 0.03	...	(7)
2MASS J16095852–2345186	USCO	10 ± 3	34.7 ± 1.7	1.411	0.96 ± 0.07	...	(7)
2MASS J16095990–2155424	USCO	10 ± 3	22.0 ± 1.8	0.874	0.38 ± 0.03	...	(7)
2MASS J16100541–1919362	USCO	10 ± 3	16.2 ± 1.0	2.552	0.81 ± 0.07	...	(1)
2MASS J16105499–2126139	USCO	10 ± 3	57.8 ± 1.2	0.52	0.59 ± 0.03	...	(7)
2MASS J16111711–2217173	USCO	10 ± 3	63.9 ± 1.5	0.362	0.46 ± 0.03	...	(7)
2MASS J16113837–2307072	USCO	10 ± 3	36.6 ± 1.1	0.72	0.52 ± 0.03	...	(7)
2MASS J16114261–2525511	USCO	10 ± 3	55.3 ± 1.1	0.629	0.69 ± 0.04	...	(7)
2MASS J16115439–2236491	USCO	10 ± 3	50.3 ± 1.5	0.484	0.48 ± 0.03	...	(7)
2MASS J16122703–2013250	USCO	10 ± 3	30.9 ± 1.0	0.888	0.54 ± 0.03	...	(7)
2MASS J16124692–2338408	USCO	10 ± 3	60.4 ± 1.4	0.284	0.34 ± 0.02	...	(7)
2MASS J16124726–1903531	USCO	10 ± 3	29.0 ± 1.1	1.188	0.68 ± 0.05	...	(7)
2MASS J16131211–2305031	USCO	10 ± 3	23.5 ± 1.0	1.154	0.54 ± 0.04	...	(7)
2MASS J16132665–2230348	USCO	10 ± 3	19.9 ± 1.9	1.532	0.6 ± 0.06	...	(7)
2MASS J16132809–1924524	USCO	10 ± 3	23.1 ± 1.0	1.512	0.69 ± 0.06	...	(7)
2MASS J16134027–2233192	USCO	10 ± 3	14.1 ± 1.0	1.716	0.48 ± 0.02	...	(1)
2MASS J16134079–2219459	USCO	10 ± 3	19.4 ± 1.0	1.336	0.51 ± 0.03	...	(7)
2MASS J16141974–2428404	USCO	10 ± 3	57.4 ± 1.3	0.346	0.39 ± 0.02	...	(7)
2MASS J16143287–2242133	USCO	10 ± 3	18.0 ± 1.0	1.823	0.65 ± 0.03	...	(7)
2MASS J16152516–2144013	USCO	10 ± 3	16.0 ± 1.0	1.744	0.55 ± 0.04	...	(7)
2MASS J16155507–2444365	USCO	10 ± 3	16.0 ± 1.0	2.007	0.63 ± 0.05	...	(7)
2MASS J16235470–2438319	USCO	10 ± 3	19.8 ± 1.0	1.765	0.69 ± 0.05	...	(7)
2MASS J16262152–2426009	USCO	10 ± 3	23.1 ± 1.1	2.497	1.14 ± 0.08	...	(7)
2MASS J16265619–2213519	USCO	10 ± 3	58.7 ± 1.4	0.284	0.33 ± 0.02	...	(7)
2MASS J16272658–2425543	ROPH	<2	12.3 ± 1.4	2.884	0.7 ± 0.09	69 ± 10	(7)
2MASS J16281707+1334204	field	...	15.8 ± 1.1	0.603	0.19 ± 0.02	...	(6)
2MASS J16281808–2428358	ROPH	<2	16.2 ± 1.1	0.796	0.25 ± 0.02	43 ± 22	(7)
2MASS J16311879+4051516	field	...	14.8 ± 1.0	0.512	0.15 ± 0.02	...	(6)
2MASS J16402068+6736046	field	...	16.0 ± 1.0	0.378	0.12 ± 0.01	74 ± 7	(6)

Table 11 *continued*

Table 11 (*continued*)

APOGEE ID	Cluster ^a	Age ^b	$v \sin i$	Period ^c	$R \sin i$	inclination	Period Ref
		(Myr)					
2MASS J17071830+6439331	field	...	25.4 ± 1.0	0.151	0.08 ± 0.0	48 ± 7	(15)
2MASS J21272531+5553150	CARN	~ 200	17.3 ± 1.0	0.54	0.18 ± 0.02	...	(6)
2MASS J21381698+5257188	field	...	40.6 ± 1.0	0.183	0.15 ± 0.01	...	(6)
2MASS J22021125–1109461	ABDMG	149^{+51}_{-19}	21.3 ± 1.0	0.428	0.18 ± 0.01	...	(1)

^aYoung moving group name abbreviation mostly follows those defined in Gagné et al. (2018): AB Doradus (ABDMG), Argus (ARG), Castor (Castor), Corona Australis (CRA), Carina Near (CARN), Hyades (HYA), ρ Ophiuchi (ROPH), Taurus (TAU), and Upper Scorpius (USCO). Orion Nebula Cluster is labeled as (ORION).

^bThe age of field dwarfs is assumed between 1–10 Gyr. See Section 5.6 for details.

^cWe assume 5% uncertainty for each period without reported uncertainty. See Section 5.6 for details.

References—(1) Watson et al. (2006), (2) Ivezić et al. (2007), (3) Berger et al. (2009), (4) Crossfield (2014), (5) Douglas et al. (2019), (6) Newton et al. (2016), (7) Rebull et al. (2018), (8) Reiners et al. (2018), (9) Douglas et al. (2019), (10) Vos et al. (2019), (11) Freund et al. (2020), (12) Nardiello (2020), (13) Rebull et al. (2020), (14) Vos et al. (2020), (15) Rockenfeller et al. (2006)

We have compiled period measurements from the literature for 78 APOGEE sources, listed in Table 11. These include 64 young cluster members and 14 field objects. For rotation periods reported without uncertainties, we assumed relative uncertainties of 5%. We note that for these rotation period measurements, the young sources (median period of 0.88 days) have longer rotation periods than the field sources (median period of 0.49 days; Figure 16).

Figure 16 illustrates our sample with both $v \sin i$ and rotational periods at different ages. The spin-up trend in rotational periods has been reported in previous studies (Popinchalk et al. 2021; Vos et al. 2022). Our slower $v \sin i$ trend toward older age (10 Myr vs. >100 Myr) in our sample is consistent with previous studies (Zapatero Osorio et al. 2006) using their sample of masses between ~ 30 – 70 M_{Jup}. Note that our sample has limited measurements for objects between Upper Scorpius (10 Myr) and Hyades (750 Myr) ages, and the ages are mostly unavailable for late-M dwarfs with $v \sin i$ measurements (Crossfield 2014; Vos et al. 2017; Jeffers et al. 2018; Hsu et al. 2021).

While opposite our previously observed $v \sin i$ trend (larger rotations speeds for younger sources; Figure 16), the larger radii of young objects are an important factor. We computed the projected radii of each source using Eqn. 6, propagating uncertainties by the Monte Carlo method. Since $v \sin i$ values close to our detection limit could potentially yield overestimated projected radii, we conservatively constrained our analysis to sources with $v \sin i > 20$ km s⁻¹, which encompasses 41 sources in total, including 33 young sources (25 sources in the Up-

per Scorpius cluster) and 7 field objects. The resulting $R \sin i$ values as a function of age are shown in Figure 17,

Overall, the projected radii are larger for the younger sources (median $R \sin i = 0.47$ R_⊕) compared to the field objects (median $R \sin i = 0.15$ R_⊕), and show a consistent decline with age from Taurus at 1–2 Myr, to Upper Scorpius at 10 ± 3 Myr to the Hyades at 750 ± 100 Myr (Brandt & Huang 2015) to field ages (assumed as 5 Gyr). The observed projected radii are qualitatively consistent with the evolutionary models, with predicted values from Baraffe et al. (2003) for corresponding ages provided in Table 12.

However, we find that over half (26 out of 41 sources) of the observed projected radii over the model radii are larger than 1, with the median radii from theoretical models underestimated by 25%. While our sample is yet small, our inferred $R \sin i$ imply that the radius inflation extends to the very low-mass stars and (young) brown dwarfs ($M \sim 0.05$ – 0.1 M_⊕ using the Baraffe et al. 2003 models).

The radius inflation of higher-mass M dwarfs ($M = 0.1$ – 0.6 M_⊕) is widely reported in the literature ($\Delta R/R \sim 5$ – 25% ; e.g. Stassun et al. 2012; Jackson & Jeffries 2014; Mann et al. 2015; Venuti et al. 2017; Jackson et al. 2018; Kesseli et al. 2018; Parsons et al. 2018; Khata et al. 2020; Swayne et al. 2024; Kiman et al. 2024). For these higher-mass M dwarfs, the radius inflation is found to be independent of age, metallicity or multiplicity (Mann et al. 2015). There is correlation between radius inflation and magnetic activities reported in Stassun et al. (2012); Kiman et al. (2024) for single M dwarfs for $M = 0.5$ – 0.6 M_⊕, but no clear trend has

been identified in lower mass regime between $M = 0.1\text{--}0.5 M_{\odot}$. Possible culprits in the theoretical models could be due to opacities and convective modeling (convective overshoot, mixing length) (Mann et al. 2015).

For very-low-mass stars and brown dwarfs ($M \lesssim 0.1 M_{\odot}$), the radius inflation issue was also reported but with a much smaller sample size. Although very-low-mass individual eclipsing binaries might present consistent (Triaud et al. 2020; Davis et al. 2024) or inflated (Casewell et al. 2020; Buzard et al. 2022) radii compared to theoretical models, the observed radii as a population could appear to inflate by $\sim 10\text{--}30\%$ (Kesseli et al. 2018; Triaud et al. 2020; Cañas et al. 2022; Carmichael 2023; Davis et al. 2024). Therefore, our empirical projected radii also support that the radius inflation issue extends to masses $M \sim 0.05\text{--}0.1 M_{\odot}$, using our sample of 41 very-low-mass objects compared to the literature measurements ($\lesssim 50$). While there might be additional systematic uncertainties for $v \sin i$ and rotational periods, the theoretical radii are likely to be underestimated. The difference between Burrows et al. (2001) and Baraffe et al. (2003) models can be more than 40%. We emphasize that our observed sample of projected radii is small for the majority of the clusters, and a larger sample of projected radii is needed to quantify the underestimated radii across different ages and spectral types.

6. SUMMARY

We summarize our main results as follows:

1. We constructed a spectroscopically-classified UCD sample of 258 ultracool dwarfs with 931 epochs from APOGEE high-resolution near-infrared spectra from SDSS DR17, with spectral types ranging from M6 to L2, with distance ranging from 3.6 pc to 414 pc. These include sources with new classifications presented here based on low-resolution optical spectroscopy. We also constructed a broader sample of 444 unclassified UCD candidates within 400 pc of the Sun selected through photometric and astrometric selection criteria using 2MASS and *Gaia* EDR3, which collectively encompass 2474 epochs of APOGEE observations.
2. We employed a Markov Chain Monte Carlo forward-modeling routine to fit the APOGEE data to four sets of model atmospheres. We found that BT-Settl models (Baraffe et al. 2015) fit best for higher temperature sources ($T_{\text{eff}} \gtrsim 2800$ K, spectral type $\lesssim \text{M9}$) and Sonora models (Marley et al. 2018; Marley et al. 2021) fit best for lower temperature sources, even sources hotter than the nominal 2400 K parameter limit of this model set.




Figure 16. Projected rotational velocities and rotational periods as a function of ages. *Top:* The projected rotational velocities ($v \sin i$ s) for each source are color-coded with their rotational periods with shapes corresponding to their clusters, including Orion (ORION; thin plus), Taurus (TAU; circle), ρ Ophiuchi (ROPH; left triangle), Corona Australis (CRA; upper triangle), Upper Scorpius (USCO; square), Argus (ARG; thick plus), AB Doradus (ABDMG; diamond), Carina Near (CARN; cross), Castor (CMG; right triangle), Hyades (HYA; star), and field objects (FLD; lower triangle). For sources in the Taurus, Upper Scorpius and Hyades, and field objects. The median, 16th, and 84th percentiles for the subsamples are plotted in black dots with a slight shift to the right with respect to their ages. *Bottom:* The rotational periods as a function of ages, color-coded with their projected rotational velocities. The label conventions are the same as those on the left panel.

Given the narrow spectral range deployed in these fits and missing opacities in the models (e.g., FeH in BT-Settl, condensate clouds in Sonora), we discourage use of inferred T_{eff} and $\log g$ values from these fits, which do not significantly impact inferred RV and $v \sin i$ values.

Table 12. Projected and Estimated Radii for Variable UCDs

Cluster	Age	SpT	$R_{\text{Burrows evol}}^a$ (R_\odot)	$R_{\text{Baraffe evol}}^a$ (R_\odot)	N	$\langle R \sin i \rangle$ (R_\odot)	Ref
Taurus	1–2 Myr	M6–M8	0.265–0.468	0.384–0.665	3	$0.654^{+0.012}_{-0.164}$	(1)
Upper Scorpius	10 ± 3 Myr	M6–M7.5	0.243–0.344	0.261–0.404	25	$0.48^{+0.20}_{-0.14}$	(2)
Argus	40–50 Myr	L2	0.135–0.152	0.143–0.153	1	0.062 ± 0.003	(3)
AB Doradus	149^{+51}_{-19} Myr	M6	0.129–0.136	0.149–0.158	1	0.18 ± 0.01	(4)
Hyades	750 ± 100 Myr	M7–M7.5	0.102–0.105	0.114–0.118	3	$0.180^{+0.027}_{-0.005}$	(5)
field	1–10 Gyr	M6–L0	0.094–0.111	0.098–0.125 ^b	7	$0.15^{+0.11}_{-0.07}$	(6)

^aBased on the Burrows et al. (2001) or Baraffe et al. (2003) evolutionary models for the T_{eff} range of the sample sources (from the sample spectral types) and individual cluster ages.

^bThe highest effective temperature available for Baraffe et al. (2003) is 2786 K at 0.1 M_\odot , corresponding to 0.125 R_\odot .

References—(1) Kenyon & Hartmann (1995), (2) Pecaut & Mamajek (2016), (3) Zuckerman (2019), (4) Bell et al. (2015), (5) Brandt & Huang (2015), (6) See references in the main text




Figure 17. Projected radii as a function of ages. The Projected radii ($R \sin i$) for each source are color-coded with their spectral types with shapes corresponding to their clusters, including Taurus (TAU; circle), Upper Scorpius (USCO; square), Argus (ARG; plus), AB Doradus (ABDMG; diamond), Hyades (HYA; star), and field objects (FLD; lower triangle). For sources in the Taurus, Upper Scorpius and Hyades, and field objects, the median, 16th, and 84th percentiles for the subsamples are plotted in black dots with a slight shift to the right with respect to their ages. Sources with physically possible inclinations are labeled in black open symbols (9 sources; see Section 5.6 for details). The theoretical radius tracks assuming mass $M = 0.1 M_\odot$ from Burrows et al. (2001) and Baraffe et al. (2003) models are illustrated in magenta and orange lines, respectively.

3. We measured RVs and $v \sin i$ s with median precisions of 0.4 km s^{-1} and 1.1 km s^{-1} , respectively.

Most of our RVs and $v \sin i$ s are consistent with the measurements available in the literature, with the outliers from unresolved or confirmed binaries, low-resolution spectral measurements, additional correction in RVs (Kounkel et al. 2019), and differences between Sonora and other models. $v \sin i$ measurements have a resolution floor of 10 km s^{-1} and extend up to 92.8 km s^{-1} , with a median $v \sin i = 17 \text{ km s}^{-1}$ that is consistent with prior samples of late-M and early L dwarfs in the literature.

4. Combining our RVs with *Gaia* astrometry, we inferred heliocentric and Local Standard of Rest UVW velocities for each of our sources. From these kinematics, we identified 11 sources as members of the intermediate thin/thick disk Galactic population; the remainder are thin disk members. We also computed Galactic orbits; most of the sample have circular and planar orbits ($e \leq 0.1$, $i \leq 2\%$) as expected for thin disk members.
5. Using the BANYAN Σ tool with UVW velocities and XYZ positions, we found that roughly one-half of our sample (141 sources) are kinematic members of nearby young clusters or moving groups, with most previously reported in the literature. We identified three new young cluster kinematic members: 2MASS J05402570+2448090 (G 100-28; 67.2% Argus moving group, 30.9% Carina Near moving group), 2MASS J14093200+4138080 (LP 220-50; 99.6% Argus moving group), and 2MASS J21272531+5553150 (LSPM J2127+5553; 99.3% Carina Near moving group). We also

- ruled out six previously identified young cluster candidates that lacked RV measurement: 2MASS J00381273+3850323 (Hyades Moving Group; Röser et al. 2019; Lodieu et al. 2019), 2MASS J04254894+1852479 (β Pic Moving Group; Gagné & Faherty 2018); 2MASS J07140394+3702459 (Argus moving group; Gagné et al. 2015b), and 2MASS J12205439+2525568, 2MASS J12263913+2505546, and 2MASS J12265349+2543556 (Coma Berenices Cluster; Melnikov & Eislöffel 2012).
6. We computed kinematic ages for our sample using empirical age-velocity dispersion relations from Wielen (1977) and Aumer & Binney (2009). After removal of young sources in our sample, we found a total velocity dispersion of 38.2 ± 0.3 km s $^{-1}$, corresponding to a kinematic age of 3.30 ± 0.19 Gyr, consistent with measurements of local 20 pc late-M dwarfs (Hsu et al. 2021).
 7. For 171 sources with multiple APOGEE epochs, we identified 37 sources that show statistically significant radial velocity variability. Of these, 23 with more than four observing epochs were found to be highly probable binaries, based on statistical comparison between a constant RV model and orbital parameters inferred from the Monte Carlo rejection sampler **The Joker**. These include nine candidate binaries with estimated orbit periods $P < 10$ days, adding to the previously identified short-period binary in this sample, 2MASS J03505737+1818069 (LP 413–53, $P = 0.71$ days; Hsu et al. 2023).

8. Combining photometric variability period measurements from the *Kepler*/K2 mission and ground-based studies, we computed the projected radii ($R \sin i$) for 78 sources, including 64 young and 14 field objects. The $R \sin i$ s show a general decline with age from 1–100 Myr, consistent with the expected contraction of young stars. We also computed inclinations for this subsample using model radii from Baraffe et al. (2003), only 15 of which proved to be physical. We found that the median radii from theoretical models are underestimated by 25%, which implies that the radius inflation issue of M dwarfs widely reported in the literature extends to M6–L2 dwarfs.

This study significantly expands the low-mass stellar sample for which robust radial and rotational velocities have been inferred from high-resolution spectra, improving assessment of Galactic population and young clus-

ter membership, refining kinematic ages as a function of temperature and mass, and identifying new candidate low-mass binaries for direct mass measurement. There are nevertheless several improvements that can be made to this work to ensure accurate measure of these quantities.

Foremost is improvement in the theoretical stellar atmosphere and evolutionary models, particularly for the temperatures below 3000 K. Older model sets such as BT-Settl struggle with missing opacities for late-M and L dwarfs in the infrared, mostly notably FeH. Recent models with improved molecular opacities such as Sonora perform better, but are limited in T_{eff} range and may be missing the necessary cloud opacities that shape L dwarf spectra.

Prior work has demonstrated that incorrect line opacities can lead to systematic RV offsets, particularly among the coldest brown dwarfs (Hsu et al. 2021; Tannock et al. 2022); and this may explain the systematic RV shift seen among the lowest-mass members of young clusters (Cottaar et al. 2014; Cook et al. 2014; Kounkel et al. 2019).

In addition to improvements in the models, validating sources that show RV variations require follow-up observations, both to confirm this variability and to infer orbital parameters necessary to periods, eccentricities, and ultimately masses. Finally, these small-sample studies are essential for laying the scientific groundwork for next-generation high-resolution spectroscopic surveys that have the sensitivity to target UCDs. Most notable of these is the MaunaKea Spectroscopic Explorer (MSE), whose proposed 11.25 m telescope will be matched to a high-resolution spectrometer providing equivalent resolution spectra as APOGEE in the red optical (0.5–0.9 μm) for thousands of sources per pointing down to AB magnitudes of 20 (Saunders & Gillingsham 2016; McConnachie et al. 2016; The MSE Science Team et al. 2019). At these sensitivities, MSE will reach thousands of UCDs down to the T spectral class ($T_{\text{eff}} \sim 1000$ K) and reach larger samples of both young cluster brown dwarfs and older (and metal-poor) brown dwarfs in the Galactic thick disk and halo. By continuing to improve high-resolution spectral fits to local UCDs, we can ensure the maximum science yield of MSE and other future spectroscopic surveys.

Facilities: Sloan (APOGEE), Shane (Kast Double spectrograph)

Software: `apogee` (Bovy 2016), `Astropy` (Astropy Collaboration et al. 2013, 2018), `corner` (Foreman-Mackey 2016), `emcee` (Foreman-Mackey et al. 2013), `galpy` (Bovy 2015), `IPython` (Pérez & Granger 2007), `matplotlib` (Hunter 2007), `numpy` (van der Walt et al. 2011), `pandas` (Wes McKinney 2010; pandas development team 2020), `PyMC3` (Salvatier et al. 2016), `SciPy` (Virtanen et al. 2020), `SMART` (Hsu et al. 2021; Hsu et al. 2021), `SPLAT` (Burgasser & Splat Development Team 2017), `The Joker` (Price-Whelan et al. 2017).

ACKNOWLEDGMENTS

The authors thank the referee, Kelle Cruz, for her useful review which has significantly improved the original manuscript. CCH and AJB acknowledge funding and the SDSS/Faculty and Student Team (FAST) Initiative program. Funding for the Sloan Digital Sky Survey IV has been provided by the Alfred P. Sloan Foundation, the U.S. Department of Energy Office of Science, and the Participating Institutions. SDSS-IV acknowledges support and resources from the Center for High Performance Computing at the University of Utah. The SDSS website is www.sdss.org. SDSS-IV is managed by the Astrophysical Research Consortium for the Participating Institutions of the SDSS Collaboration including the Brazilian Participation Group, the Carnegie Institution for Science, Carnegie Mellon University, Center for Astrophysics — Harvard & Smithsonian, the Chilean Participation Group, the French Participation Group, Instituto de Astrofísica de Canarias, The Johns Hopkins University, Kavli Institute for the Physics and Mathematics of the Universe (IPMU) / University of Tokyo, the Korean Participation Group, LawrenceBerkeley National Laboratory, Leibniz Institut für Astrophysik Potsdam (AIP), Max-Planck-Institut für Astronomie (MPIA Heidelberg), Max-Planck-Institut für Astrophysik (MPA Garching), Max-Planck-Institut für Extraterrestrische Physik (MPE), National Astronomical Observatories of China, New Mexico State University, New York University, University of Notre Dame, Observatário Nacional / MCTI, The Ohio State University, Pennsylvania State University, Shanghai Astronomical Observatory, United Kingdom Participation Group, Universidad Nacional Autónoma de México, University of Arizona, University of Colorado Boulder, University of Oxford, University of Portsmouth, University of Utah, University of Virginia, University of Washington, University of Wisconsin, Vanderbilt University, and Yale University. This research was supported in part through the computational resources and staff contributions provided for the Quest high performance computing facility at Northwestern University which is jointly supported by the Office of the Provost, the Office for Research, and Northwestern University Information Technology. This work used computing resources provided by Northwestern University and the Center for Interdisciplinary Exploration and Research in Astrophysics (CIERA). This research was supported in part through the computational resources and staff contributions provided for the Quest high performance computing facility at Northwestern University which is jointly supported by the Office of the Provost, the Office for Research, and Northwestern University Information Technology.

APPENDIX

A. DR17 FULL UCD SAMPLE AND MEASUREMENTS

In Section 2, we presented our gold APOGEE DR17 sample with sources that have spectral type determinations in this work or in the literature.

We also constructed a second, more comprehensive “full” sample by matching APOGEE sources to *Gaia* EDR3 data, and selected a subsample based on the *Gaia* $G - G_{\text{RP}}$ /spectral type relation of [Kiman et al. \(2019\)](#) and the *Gaia* color-magnitude distribution of spectroscopically classified UCDs. We conservatively selected sources with

- *Gaia* parallax $\pi > 2.5$ mas (distances < 400 pc),
- *Gaia* $M_G > 10.5$,
- *Gaia* $1.32 < G - G_{\text{RP}} < 1.9$, and
- Galactic latitude $|b| > 15^\circ$.

The absolute magnitude and color criteria correspond to spectral types $\gtrsim \text{M}4\text{--M}5$, while the Galactic latitude criterion aims to reduce contamination from reddened background sources. Additionally, we used 2MASS photometry and an empirically-determined set of 2MASS J , K and *Gaia* G , G_{RP} color and magnitude criteria based on our APOGEE gold sample to remove reddened contaminant sources:

- $6.5 < M_J$,
- $0.82 < J - K < 1.8$,
- $3.3 < G - J < 5.2$, and
- $(G - J) - \frac{5}{6} \times (G - G_{\text{RP}}) > 2.167$.

The last criterion aims to remove embedded young sources, although known young sources with published spectral classifications are included in our gold sample. Including the APOGEE $\text{SNR} > 10$ constraint, our full sample contains 2474 spectra of 702 sources with an additional 1543 spectra of 444 sources (Table A1). We note that the full sample includes 239 sources from the gold sample; 19 gold sample sources fall outside the full sample selection criteria because they lack *Gaia* astrometry (4 sources), are near the Galactic plane (14 sources), or being a young binary (1 source; 2MASS J16183317–2517504).

Similar to our gold sample, the majority of the full sample has distances larger than 30 pc (90%) and APOGEE spectral observations taken over multiple epochs (51%). A total of 115 sources in the full sample satisfy the criteria with at least four observations and $\text{SNR} > 10$.

This Appendix provides the source information for this sample in Table A1 and best-fit parameters in Table A2, which include additional 444 candidate UCDs and 1543 epochs. The short summary of RV and $v \sin i$ measurements for the full sample is available in Table A3. We note that the best model for each source is determined by the lower χ^2 generally (see Section 3.2 for details).

Table A1. APOGEE DR17 Sample

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N_{obs}	2MASS <i>H</i> (mag)	μ_{α} (mas yr $^{-1}$)	μ_{δ} (mas yr $^{-1}$)	π (mas)
2MASS J00091064-2116214	2.294345	-21.272621	2364486119011986432	M5.1	3	11.53 ± 0.021	-108.87 ± 0.09	-51.74 ± 0.09	21.54 ± 0.09
2MASS J00111055-2021034	2.793974	-20.350962	2364839646360029824	M5.9	3	11.616 ± 0.026	71.88 ± 0.07	-44.11 ± 0.05	14.16 ± 0.07
2MASS J00590731-3326248	14.780473	-33.440243	5027425005705789952	M5.3	19	14.253 ± 0.058	-2.71 ± 0.14	16.25 ± 0.11	9.35 ± 0.2
2MASS J01120002+1502170	18.000108	+15.038074	259120153408672256	M5.6	3	11.351 ± 0.02	166.12 ± 0.15	-316.99 ± 0.09	35.08 ± 0.1
2MASS J01152739+0705532	18.864165	+7.098118	2576842599344771584	M4.9	2	11.362 ± 0.024	220.69 ± 0.05	-12.51 ± 0.04	28.58 ± 0.05
2MASS J01234279+1802177	20.928321	+18.038263	2593501540534738560	L1.3	5	11.765 ± 0.023	-31.91 ± 0.13	-228.91 ± 0.07	15.55 ± 0.11
2MASS J01252949-0715591	21.372875	-7.266439	2478324776947441920	M7.3	2	11.452 ± 0.031	26.99 ± 0.09	-9.0 ± 0.04	16.42 ± 0.07
2MASS J01254187+1339222	21.424448	+13.656189	2590169844209007488	M5.1	2	11.193 ± 0.034	316.22 ± 0.06	18.05 ± 0.04	32.87 ± 0.05
2MASS J02025502-7259155	30.729253	-72.98764	4638630860832778240	M5.2	5	10.063 ± 0.022	94.97 ± 0.07	-9.85 ± 0.08	22.63 ± 0.07
2MASS J02221890+0124584	35.578751	+1.416237	2501572163610870272	M7.6	2	11.305 ± 0.023	-352.81 ± 0.61	-417.44 ± 0.42	26.88 ± 0.48 _{AL}
2MASS J02414362-0642231	40.431778	-6.706437	5177950007269774464	M5.1	6	12.348 ± 0.022	63.41 ± 0.1	-139.87 ± 0.09	12.49 ± 0.09 _{ET}
2MASS J02431388-0623291	40.807836	-6.391443	5177985260361354624	M5.0	6	12.683 ± 0.027	-33.94 ± 0.08	-41.02 ± 0.07	19.94 ± 0.09 _{AL}
2MASS J03111547+0106307	47.814498	+1.108541	3266937637860051840	M5.4	2	10.128 ± 0.025	113.88 ± 0.04	-16.44 ± 0.03	59.55 ± 0.04
2MASS J03282794+0813110	52.11644	+8.219738	10127021782881280	L4.3	6	11.826 ± 0.033	213.58 ± 0.1	-64.83 ± 0.07	14.94 ± 0.09
2MASS J03292369+3125095	52.348747	+31.419321	121406871348964864	M7.5	14	12.945 ± 0.035	6.38 ± 0.31	-9.05 ± 0.22	3.83 ± 0.25
2MASS J03293764+3102492	52.409836	+31.047001	121339186959615872	M7.0	3	14.084 ± 0.049	7.34 ± 0.28	-10.47 ± 0.23	3.34 ± 0.26
2MASS J03354625+1633440	53.94274	+16.562239	44210404777324544	M5.4	1	11.614 ± 0.022	31.07 ± 0.08	-36.07 ± 0.06	10.94 ± 0.08
2MASS J03404581+1734477	55.190881	+17.579937	44388010264995200	M5.4	2	12.061 ± 0.023	159.77 ± 0.1	-26.3 ± 0.08	23.72 ± 0.08
2MASS J03425194+1929474	55.228876	+19.496523	57083830512424448	M6.4	1	12.608 ± 0.026	163.43 ± 0.12	-31.71 ± 0.09	25.0 ± 0.1
2MASS J03415139-3139031	55.464133	+31.650885	216567850386084736	M7.1	15	13.933 ± 0.044	1.89 ± 0.39	-4.96 ± 0.27	2.61 ± 0.3
2MASS J03423313+3152145	55.638075	+31.870712	216588603667681408	M8.3	4	13.725 ± 0.036	4.91 ± 0.44	-6.52 ± 0.34	3.21 ± 0.37
2MASS J03425190+3251505	55.716277	+32.864037	217499278469853952	M5.1	21	12.365 ± 0.03	23.08 ± 0.07	-34.06 ± 0.06	8.63 ± 0.06
2MASS J03430677+3150194	55.778223	+31.838734	216576199802112896	M8.1	21	12.974 ± 0.031	3.76 ± 0.3	-6.58 ± 0.27	3.51 ± 0.29
2MASS J03433453+3243287	55.893885	+32.724648	217482850218656512	M7.1	16	13.942 ± 0.038	4.11 ± 0.38	-7.29 ± 0.26	3.29 ± 0.35
2MASS J03433738+3241076	55.90576	+32.685471	217481647527805568	M6.7	3	13.456 ± 0.03	4.24 ± 0.31	-6.57 ± 0.2	3.47 ± 0.23
2MASS J03434521+3205247	55.938414	+32.090206	216679966212425088	M6.2	16	14.535 ± 0.056	4.34 ± 0.4	-6.95 ± 0.32	2.99 ± 0.35

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS <i>H</i> (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J03435915+3205567	55.996489	+32.099087	216679455110999168	M7.0	14	13.971 ± 0.036	5.37 ± 0.41	-6.46 ± 0.31	3.89 ± 0.41
2MASS J03440442+3204539	56.018419	+32.08165	216679420752810368	M7.1	2	13.427 ± 0.034	5.14 ± 0.25	-6.32 ± 0.19	3.69 ± 0.25
2MASS J03441276+3210552	56.053183	+32.182014	216682100812391168	M6.5	7	13.855 ± 0.034	4.35 ± 0.3	-7.07 ± 0.23	3.19 ± 0.37
2MASS J03441297+3213156	56.054072	+32.221004	216682719286079104	M7.0	19	13.623 ± 0.031	4.55 ± 0.31	-6.05 ± 0.21	2.66 ± 0.3
2MASS J03441583+3159367	56.065976	+31.993546	216674674813091072	M7.0	9	13.268 ± 0.024	4.21 ± 0.25	-6.94 ± 0.18	3.32 ± 0.27
2MASS J03441726+3200152	56.071939	+32.00423	216675430727449088	M8.1	3	14.136 ± 0.046	5.17 ± 0.65	-7.0 ± 0.46	2.62 ± 0.6
2MASS J03441801+3255042	56.075067	+32.91785	217491749390934016	M7.1	13	14.335 ± 0.042	4.55 ± 0.42	-4.78 ± 0.32	2.57 ± 0.38
2MASS J03442457+3210030	56.102412	+32.167511	216681581120776704	M6.1	3	13.357 ± 0.035	5.51 ± 0.23	-5.96 ± 0.15	3.59 ± 0.23
2MASS J03442575+3209059	56.107318	+32.151657	216681374962235776	M8.1	3	13.745 ± 0.027	3.36 ± 0.5	-5.94 ± 0.33	3.77 ± 0.49
2MASS J03442653+2429115	56.110545	+24.486544	65299381395665664	M4.6	3	12.403 ± 0.03	20.99 ± 0.08	-41.95 ± 0.06	7.07 ± 0.07
2MASS J03443103+3205460	56.129315	+32.096115	216677664110594560	M7.9	2	13.178 ± 0.027	5.73 ± 0.4	-7.92 ± 0.21	4.17 ± 0.42
2MASS J03443141+3211293	56.130912	+32.191498	216681757214998656	M7.9	3	12.744 ± 0.023	1.24 ± 0.56	-4.95 ± 0.36	6.78 ± 0.56
2MASS J03443183+3215464	56.132654	+32.262901	21670625570638016	M8.3	1	13.226 ± 0.023	3.38 ± 0.67	-5.78 ± 0.43	3.2 ± 0.54
2MASS J03443280+3204133	56.136678	+32.070366	216677492310994816	M6.9	3	12.901 ± 0.024	5.47 ± 0.21	-7.34 ± 0.14	3.64 ± 0.24
2MASS J03443412+3216357	56.142205	+32.276604	216706290068182016	M6.6	3	13.238 ± 0.024	3.94 ± 0.27	-7.41 ± 0.19	3.16 ± 0.24
2MASS J03443979+3218041	56.165821	+32.301163	216706702385371904	L0.1	4	11.279 ± 0.017	1.35 ± 0.74	-6.46 ± 0.57	8.29 ± 0.62
2MASS J03444121+3206271	56.17173	+32.10754	216678046361699584	M7.8	1	13.561 ± 0.03	5.34 ± 0.37	-6.79 ± 0.21	3.17 ± 0.32
2MASS J03444130+3204534	56.172099	+32.081501	216677256089287296	M6.8	2	13.713 ± 0.031	4.74 ± 0.37	-7.31 ± 0.26	3.34 ± 0.37
2MASS J03444301+3215596	56.179219	+32.266575	216705839095932288	M8.1	4	13.611 ± 0.031	3.4 ± 0.65	-7.42 ± 0.54	3.15 ± 0.47
2MASS J03444328+3217570	56.180346	+32.299171	216706732448736384	M9.4	4	12.989 ± 0.027	4.99 ± 0.35	-7.38 ± 0.27	3.03 ± 0.3
2MASS J03445683+3154114	56.236833	+31.903172	21662646810255872	M6.6	19	13.553 ± 0.031	4.56 ± 0.22	-6.55 ± 0.14	3.07 ± 0.21
2MASS J03445997+3222328	56.249913	+32.375786	216708798329066368	M6.6	19	13.612 ± 0.035	4.21 ± 0.34	-6.3 ± 0.26	3.44 ± 0.26
2MASS J03450063+3208190	56.252625	+32.138618	216700964308745600	M5.1	9	13.586 ± 0.031	4.34 ± 0.2	-5.59 ± 0.14	3.49 ± 0.19
2MASS J03450377+3221344	56.265732	+32.359581	216708038118238976	M7.8	14	13.324 ± 0.031	4.13 ± 0.3	-6.52 ± 0.21	3.18 ± 0.24
2MASS J03450506+3157540	56.271124	+31.965002	216628220446922752	M7.1	14	14.677 ± 0.074	2.61 ± 0.5	-5.13 ± 0.32	2.91 ± 0.44
2MASS J03450543+3203079	56.272946	+32.052219	216629869714526464	L0.2	9	13.372 ± 0.04	4.88 ± 0.37	-7.21 ± 0.24	3.22 ± 0.33
2MASS J03451002+3204486	56.291755	+32.080177	216653371774925440	M5.6	10	14.024 ± 0.039	4.39 ± 0.35	-6.1 ± 0.24	2.96 ± 0.31
2MASS J03451349+3224347	56.306242	+32.409641	216714119791948416	M6.8	18	13.595 ± 0.036	4.19 ± 0.31	-6.2 ± 0.23	3.69 ± 0.26
2MASS J03452971+3159197	56.373828	+31.988811	216648973728996736	M8.2	19	13.436 ± 0.024	4.74 ± 0.53	-6.18 ± 0.29	3.18 ± 0.46

Table A1 *continued*

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J03453439+3236592	56.3933	+32.61647	216729890911901184	M7.8	9	13.128 ± 0.026	3.84 ± 0.24	-5.55 ± 0.19	3.65 ± 0.21
2MASS J03454735+3143113	56.447315	+31.719831	216607364085697664	M7.5	13	13.063 ± 0.03	5.94 ± 0.33	-6.74 ± 0.22	3.75 ± 0.3
2MASS J03455520+3203516	56.480028	+32.064339	216651104032185600	M7.3	13	13.497 ± 0.028	4.36 ± 0.32	-5.42 ± 0.22	3.11 ± 0.24
2MASS J03482658+2311299	57.110769	+23.191652	64933037865353600	M4.9	4	11.632 ± 0.027	27.71 ± 0.05	-41.87 ± 0.04	11.08 ± 0.04
2MASS J03553690+2118482	58.903758	+21.313414	51730755074345088	M5.7	1	11.414 ± 0.025	206.78 ± 0.09	-60.41 ± 0.05	34.73 ± 0.07
2MASS J04041073+1548219	61.044731	+15.806085	45404199528067200	M5.3	2	12.203 ± 0.026	126.87 ± 0.09	-19.53 ± 0.05	22.03 ± 0.07
2MASS J04063732+7916012	61.655503	+79.267006	555032443207370880	M4.8	32	9.486 ± 0.028	277.31 ± 0.02	-404.31 ± 0.02	73.99 ± 0.02
2MASS J04080793+2614365	62.033051	+26.243498	162562622368214016	M6	6	12.858 ± 0.027	-1.13 ± 0.25	-9.26 ± 0.15	4.2 ± 0.21
2MASS J04135234+1521538	63.468107	+15.364968	3311810043124387712	M2	9.975 ± 0.023	119.15 ± 0.12	-27.71 ± 0.1	22.3 ± 0.12	
2MASS J04150567+1441357	63.773665	+14.693277	3311536646982455124	M4.6	1	12.084 ± 0.021	36.72 ± 0.07	-39.61 ± 0.04	11.3 ± 0.06
2MASS J04152954+2853156	63.873114	+28.887672	164786796952364672	M6.5	4	13.073 ± 0.024	11.83 ± 0.24	-69.53 ± 0.17	6.57 ± 0.19
2MASS J04154131+2915078	63.922136	+29.252171	164802984685384320	M6.6	4	12.029 ± 0.023	12.36 ± 0.13	-18.15 ± 0.08	6.54 ± 0.1
2MASS J04160031+2842022	64.00132	+28.700638	164769243420945152	M4.6	4	12.959 ± 0.025	42.63 ± 0.46	-54.69 ± 0.27	5.68 ± 0.32 ^{AL}
2MASS J04173918+2809533	64.41329	+28.164833	164482305247370112	M6.5	4	13.072 ± 0.031	33.88 ± 0.19	-11.25 ± 0.14	6.53 ± 0.15 ^{ET}
2MASS J04174065+2829090	64.419416	+28.485853	164701962758513152	M6.9	4	13.482 ± 0.033	10.56 ± 0.35	-27.56 ± 0.22	5.9 ± 0.29 ^{AL}
2MASS J04180852+1319524	64.535529	+13.331224	3310478710637066752	M7.7	2	9.698 ± 0.024	111.16 ± 0.08	-14.55 ± 0.06	20.93 ± 0.07
2MASS J04190576+1734235	64.774025	+17.573208	47345490384536576	M4.8	1	11.865 ± 0.023	95.77 ± 0.22	-24.05 ± 0.17	18.46 ± 0.17
2MASS J04191354-7121111	64.806456	-71.353104	465419912084336384	M7.7	1	10.07 ± 0.023	-52.68 ± 0.11	-45.98 ± 0.12	18.95 ± 0.09
2MASS J04202555+2700355	65.106477	+27.009874	152349022637314176	M7.0	3	12.006 ± 0.025	11.17 ± 0.13	-17.7 ± 0.09	6.04 ± 0.11
2MASS J04243058+1859131	66.1227434	+18.986979	47959705067457152	M5.1	5	11.075 ± 0.022	111.02 ± 0.43	-43.0 ± 0.31	20.5 ± 0.32
2MASS J04253069-6355483	66.377875	-63.930099	4675599087458814464	M5.3	1	10.953 ± 0.024	-18.35 ± 0.04	215.01 ± 0.05	43.94 ± 0.03
2MASS J04280370+2424077	67.015455	+24.402147	149338937755074560	M1	1	11.678 ± 0.026	90.79 ± 0.77	-40.06 ± 0.57	20.19 ± 0.7
2MASS J04291939+1736216	67.33081	+17.606024	3314172176354869632	M5.5	2	11.992 ± 0.021	117.1 ± 0.07	-54.9 ± 0.05	24.65 ± 0.06
2MASS J04310937+1706564	67.789069	+17.115671	331334396922422528	M6.1	3	12.831 ± 0.033	34.8 ± 0.12	-87.76 ± 0.08	5.62 ± 0.11
2MASS J04311240+1754041	67.473953	+17.901152	3314212514687403264	M5.8	4	11.905 ± 0.022	64.48 ± 0.08	-87.96 ± 0.05	20.01 ± 0.07
2MASS J04300048+2222304	67.502034	+22.375137	145830533592284288	M5.5	2	11.992 ± 0.021	117.1 ± 0.07	-54.9 ± 0.05	24.65 ± 0.06
2MASS J04310937+1706564	67.789069	+17.115671	331334396922422528	M6.1	3	12.831 ± 0.033	34.8 ± 0.12	-87.76 ± 0.08	5.62 ± 0.11
2MASS J04311240+1709423	67.801692	+17.161764	3313346408763839488	M5.3	4	11.905 ± 0.022	101.16 ± 0.07	-20.26 ± 0.05	21.05 ± 0.06
2MASS J04341755+1711312	68.573141	+17.192009	3313311018233390208	M5.7	4	12.268 ± 0.022	12.7 ± 0.1	-19.51 ± 0.06	7.01 ± 0.07

Table A1 continued

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J04344544+2308027	68.689355	+23.134085	145982742935380096	M6.5	5	12.025 ± 0.021	10.61 ± 0.11	-17.8 ± 0.08	6.04 ± 0.09
2MASS J04362151+2351165	69.089655	+23.854609	147546080967742720	M5.3	6	12.537 ± 0.022	-0.92 ± 0.09	-19.22 ± 0.07	8.73 ± 0.08
2MASS J04365812+2316385	69.242206	+23.277388	146727391481452544	M5.9	1	12.907 ± 0.024	91.39 ± 0.15	-44.81 ± 0.1	20.37 ± 0.11
2MASS J04373210+1645317	69.383769	+16.758827	3313173957234728576	M5.3	2	10.011 ± 0.026	95.44 ± 0.2	-14.25 ± 0.17	21.41 ± 0.1
2MASS J04394496+1805413	69.937356	+18.094822	3409548556593300480	M5.3	2	12.048 ± 0.021	102.88 ± 0.07	-34.19 ± 0.05	22.31 ± 0.06
2MASS J04395159+1939344	69.96497	+19.659578	3410559832411244160	M5.2	1	10.774 ± 0.022	87.29 ± 0.56	-34.15 ± 0.36	23.5 ± 0.47
2MASS J04410193+1954340	70.258051	+19.904445	3410944730200538496	M5.5	2	12.047 ± 0.019	107.34 ± 0.08	-44.63 ± 0.05	24.48 ± 0.06
2MASS J04471575+1333257	71.815655	+13.557149	3308470968047333248	M7.8	1	11.739 ± 0.036	88.41 ± 0.06	-17.75 ± 0.04	20.3 ± 0.05
2MASS J05233065-5607005	80.877749	-56.116825	4769527685759537280	M6.0	1	11.715 ± 0.024	83.18 ± 0.05	720.01 ± 0.05	34.5 ± 0.03
2MASS J05324055-5518323	83.168964	-55.308975	476699293501331840	M6.5	5	13.759 ± 0.039	-0.13 ± 0.19	-0.69 ± 0.18	10.91 ± 0.13
2MASS J05330229-0542310	83.259544	-5.70862	3209388924386511232	L0.6	4	13.93 ± 0.03	1.34 ± 0.21	-1.46 ± 0.18	2.68 ± 0.21
2MASS J05333254-0531552	83.385604	-5.532001	3209416304800955904	M8.1	4	14.149 ± 0.039	1.17 ± 0.32	-0.5 ± 0.28	3.33 ± 0.37
2MASS J05343697-0449110	83.654061	-4.819734	3209553365797521408	M6.3	4	13.405 ± 0.035	2.2 ± 0.17	-0.48 ± 0.14	2.58 ± 0.19
2MASS J05345307-0526276	83.721131	-5.441021	3017269775899585024	M7.7	2	14.176 ± 0.047	2.85 ± 0.37	-0.07 ± 0.29	3.11 ± 0.47
2MASS J05345480-0555083	83.728346	-5.918975	3017236416891613184	M5.9	2	14.236 ± 0.057	1.34 ± 0.17	1.11 ± 0.16	2.57 ± 0.24
2MASS J05346667-0514524	83.736144	-5.247891	3209521759136796416	M7.3	4	13.74 ± 0.035	0.57 ± 0.44	-0.32 ± 0.35	2.76 ± 0.45
2MASS J05345886-0547067	83.745263	-5.785195	3017240054727360512	M9.3	4	13.837 ± 0.046	1.02 ± 0.32	-1.09 ± 0.27	3.17 ± 0.33
2MASS J05350358-0516004	83.764943	-5.266788	320952082712808832	M7.4	4	13.462 ± 0.04	2.75 ± 0.33	1.41 ± 0.25	3.04 ± 0.36
2MASS J05350440-0457154	83.768358	-4.954287	3209547460218141952	M7.8	4	13.916 ± 0.041	1.58 ± 0.24	-0.79 ± 0.22	2.77 ± 0.27
2MASS J05350589-0508382	83.774573	-5.143965	3209528699801711232	M7.2	2	14.047 ± 0.04	1.12 ± 0.39	-1.54 ± 0.34	3.83 ± 0.44
2MASS J05350798-0518266	83.783291	-5.307401	3017366949548429312	L0.2	4	13.663 ± 0.029	1.14 ± 0.39	-0.5 ± 0.32	2.82 ± 0.44
2MASS J05351269-0537290	83.802877	-5.624747	3017252321152443648	M7.8	4	13.911 ± 0.037	0.67 ± 0.25	-0.05 ± 0.2	2.89 ± 0.31
2MASS J05351527-0515481	83.813625	-5.263377	3017367563716842112	M9.1	2	13.372 ± 0.031	-0.29 ± 0.26	0.81 ± 0.21	2.6 ± 0.28
2MASS J05352064-0449495	83.8386	-4.830419	3209572916491595392	M7.5	4	13.748 ± 0.035	0.78 ± 0.22	-0.69 ± 0.18	3.04 ± 0.24
2MASS J05353059-0457214	83.877459	-4.955961	3209535704894920064	M7.2	2	14.187 ± 0.062	1.45 ± 0.17	0.74 ± 0.16	2.66 ± 0.21
2MASS J05354459-0459577	83.935826	-4.993384	3209558004367801856	M6.7	2	14.218 ± 0.043	0.64 ± 0.16	0.52 ± 0.15	2.67 ± 0.18
2MASS J05354715-0629104	83.946474	-6.486239	3016949989815900800	M4.7	5	10.767 ± 0.045	-16.3 ± 0.03	-14.31 ± 0.02	17.29 ± 0.03
2MASS J05355290-0525438	83.970434	-5.428855	3017349559214146304	M4	4	13.263 ± 0.035	0.49 ± 0.29	-0.24 ± 0.22	3.15 ± 0.33
2MASS J05360701-0601501	84.029218	-6.030611	301717374031147904	M6.0	4	13.589 ± 0.033	1.19 ± 0.21	0.66 ± 0.18	2.6 ± 0.24

Table A1 *continued*

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J05361178-0539503	84.049092	-5.663978	3017294480553428864	M8.4	2	14.223 ± 0.041	1.51 ± 0.39	-1.26 ± 0.31	2.62 ± 0.44
2MASS J05363356-0551121	84.139867	-5.853372	3017194665512074368	M6.3	4	13.777 ± 0.038	-1.05 ± 0.2	0.32 ± 0.17	3.07 ± 0.25
2MASS J05393396-6213407	84.891536	-62.227993	4757646912867328384	M5.0	1	10.881 ± 0.024	100.15 ± 0.04	-5.58 ± 0.04	27.92 ± 0.03
2MASS J06223773-6026205	95.657214	-60.439037	5481783724731447680	M4.8	1	10.942 ± 0.022	-94.78 ± 0.23	-163.59 ± 0.26	31.43 ± 0.18
2MASS J06413634-6233466	100.401423	-62.562958	5478730243502292736	M4.9	1	10.816 ± 0.024	-141.23 ± 0.05	-72.53 ± 0.04	40.76 ± 0.03
2MASS J06504051-5731163	102.668832	-57.521221	5484054349385177600	M5.9	3	11.661 ± 0.04	-5.38 ± 0.04	15.26 ± 0.05	11.04 ± 0.03
2MASS J06524152-5729103	103.173026	-57.486217	5484011300929753344	L2.1	2	11.714 ± 0.021	-25.54 ± 0.48	-76.07 ± 0.48	22.75 ± 0.37
2MASS J06594570-7648263	104.940458	-76.807312	5212682067764319104	M5.6	1	10.982 ± 0.025	44.06 ± 0.04	180.22 ± 0.04	16.38 ± 0.03
2MASS J06595620-6145001	104.984203	-61.750046	5287046368477870848	M5.3	1	10.412 ± 0.022	-159.85 ± 0.03	263.73 ± 0.04	54.1 ± 0.02
2MASS J07171518-6127209	109.313291	-61.455826	5292883366472516992	M5.2	1	11.958 ± 0.022	-1.11 ± 0.06	26.96 ± 0.05	10.24 ± 0.04
2MASS J07234608+4232463	110.942041	+42.546211	949047451541154944	M4.9	2	11.483 ± 0.028	61.49 ± 0.09	-109.42 ± 0.08	19.07 ± 0.1
2MASS J07361405-6626337	114.058552	-66.442703	5275180988749006208	L4.4	2	11.16 ± 0.025	-48.07 ± 0.44	84.94 ± 0.45	21.07 ± 0.35 ^H _S
2MASS J07365936+2144504	114.247364	+21.747355	865465498175616768	M4.8	7	10.733 ± 0.02	-111.71 ± 0.11	-40.94 ± 0.09	21.94 ± 0.1 ^C
2MASS J07411976+6718444	115.332339	+67.312347	1095986082399119360	M5.1	4	10.056 ± 0.023	-110.26 ± 0.11	-273.36 ± 0.22	41.48 ± 0.25 ^{E,T}
2MASS J07454039+4931488	116.418318	+49.530239	981964561933287424	L2.4	2	10.802 ± 0.03	-99.36 ± 0.66	-171.1 ± 0.61	28.36 ± 0.79 ^{A,L}
2MASS J07472889+6600199	116.870385	+66.005539	1095661245433006848	M4.7	4	11.56 ± 0.021	-46.76 ± 0.02	-259.46 ± 0.03	29.54 ± 0.03
2MASS J07485518-6721360	117.22993	-67.360008	5274169506769902848	M5.0	1	10.348 ± 0.023	-16.61 ± 0.04	53.7 ± 0.04	18.7 ± 0.03
2MASS J07553001+5100239	118.875061	+51.006657	935921447368788224	3	10.78 ± 0.023	-16.61 ± 0.33	-69.69 ± 0.3	14.38 ± 0.37	
2MASS J07555921+6652399	118.996726	+66.877769	1095349465166191744	M5.6	11	13.263 ± 0.035	-15.94 ± 0.05	-60.77 ± 0.08	11.27 ± 0.09
2MASS J08030433+1837120	120.768075	+18.62002	669232630012771584	M7.2	2	11.382 ± 0.02	-37.05 ± 0.28	-23.82 ± 0.2	12.56 ± 0.29
2MASS J08032307+3930558	120.846165	+39.515507	921069553538317312	M5.2	2	11.949 ± 0.022	-147.48 ± 0.05	-223.72 ± 0.05	22.88 ± 0.05
2MASS J08092892+3235226	122.370536	+32.589619	901979660858285824	M6.8	4	12.657 ± 0.018	-28.52 ± 0.33	1.78 ± 0.27	11.92 ± 0.38
2MASS J08112640-7050481	122.860023	-70.84671	5269458236883236352	L0.6	1	12.101 ± 0.023	-54.3 ± 0.29	-43.16 ± 0.23	9.86 ± 0.21
2MASS J08144389+4650522	123.682914	+46.847851	9296398000008832	M5.8	2	12.236 ± 0.021	-42.43 ± 0.07	-77.91 ± 0.06	16.7 ± 0.07
2MASS J08145470+1259595	123.727927	+12.999863	650340378844722432	M4.8	1	12.469 ± 0.024	-40.9 ± 0.08	-63.83 ± 0.05	17.44 ± 0.07
2MASS J08211556+0019577	125.314843	+0.332721	307522360266717312	M5.9	14	13.768 ± 0.036	16.68 ± 0.18	-33.34 ± 0.15	5.92 ± 0.18
2MASS J08212804+5220587	125.366874	+52.349655	1031475433093476352	M5.3	4	11.178 ± 0.028	-231.86 ± 0.04	-271.03 ± 0.04	38.69 ± 0.05
2MASS J08245789+2315542	126.241233	+23.265066	678116791341558912	M5.5	4	11.916 ± 0.028	-210.11 ± 0.06	88.19 ± 0.04	30.6 ± 0.05
2MASS J08381826+1300568	129.576091	+13.015802	6030412009683259904	M5.3	2	13.824 ± 0.031	-52.46 ± 0.15	-5.28 ± 0.11	9.55 ± 0.15

Table A1 continued

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J08385103+1918335	129.712642	+19.309315	661260212936751616	M4.8	5	13.366 ± 0.033	-35.93 ± 0.13	-11.86 ± 0.09	4.78 ± 0.14
2MASS J08412726+0237262	130.363595	+2.623956	3079124421723401856	L3.2	8	10.748 ± 0.022	-388.89 ± 0.04	-111.97 ± 0.03	40.79 ± 0.03
2MASS J08434468+1833236	130.936208	+18.556578	660918917654104064	M5.4	3	12.718 ± 0.026	20.01 ± 0.73	-135.53 ± 0.47	13.78 ± 0.61
2MASS J08475252+1103028	131.968873	+11.050794	598857116966939776	M4.6	4	13.499 ± 0.038	-44.53 ± 0.12	57.24 ± 0.09	13.7 ± 0.11
2MASS J08563758+0009507	134.15662	+0.164104	3074521969128511360	M4.6	3	11.47 ± 0.022	-204.59 ± 0.04	227.63 ± 0.03	27.37 ± 0.04
2MASS J08592936+2918186	134.872364	+29.305174	693496171578419200	M6.8	2	10.177 ± 0.021	-375.64 ± 0.37	-235.3 ± 0.32	43.35 ± 0.46
2MASS J09120247+2308272	138.01032	+23.140894	687015826138807808	M6.8	7	13.133 ± 0.027	6.14 ± 0.19	-6.96 ± 0.16	10.63 ± 0.19
2MASS J09324827+2659443	143.201127	+26.995649	646255246469567232	M5.4	2	9.858 ± 0.024	-143.81 ± 0.07	-245.09 ± 0.05	55.29 ± 0.07
2MASS J09391173+3837561	144.798911	+38.632263	800654991435172352	M6.2	3	11.335 ± 0.02	-217.06 ± 0.24	-67.97 ± 0.2	23.35 ± 0.29
2MASS J09442625+3521233	146.109388	+35.356476	794874513210822144	M6.0	6	12.65 ± 0.023	-220.98 ± 0.09	58.67 ± 0.08	21.89 ± 0.11
2MASS J09560888+0134128	149.037012	+1.570232	38334702043462197504	M5.8	3	12.397 ± 0.023	-245.45 ± 0.09	0.68 ± 0.09	25.36 ± 0.08
2MASS J10101377+4552500	152.557408	+45.880573	810367699196571136	M4.7	3	11.192 ± 0.021	-319.94 ± 0.03	-99.89 ± 0.03	33.72 ± 0.03
2MASS J10110133+0106350	152.755561	+1.109723	38335009116444023808	M5.3	2	11.873 ± 0.024	-185.78 ± 0.05	-22.75 ± 0.05	25.58 ± 0.05
2MASS J10304747+3351199	157.697795	+33.855549	749404314921380480	M4.7	2	11.253 ± 0.027	-134.09 ± 0.05	-80.37 ± 0.05	19.19 ± 0.05
2MASS J10325145+4035418	158.214395	+40.594955	756296773535865664	M4.7	1	11.971 ± 0.023	-288.72 ± 0.05	-161.04 ± 0.04	20.94 ± 0.05
2MASS J10432959+3906042	160.873305	+39.101177	776153470024953856	M7.6	10	13.629 ± 0.033	-54.59 ± 0.2	-31.25 ± 0.21	9.68 ± 0.22
2MASS J10514757+0253402	162.948246	+2.894519	3809562019331072384	M5.5	2	11.479 ± 0.068	-350.03 ± 0.05	-56.09 ± 0.04	35.03 ± 0.05
2MASS J10540048+1606059	163.502008	+16.10165	3981640330721637632	M5.0	3	11.077 ± 0.021	-358.06 ± 0.05	-257.85 ± 0.03	35.67 ± 0.04
2MASS J11005043+1204108	165.210134	+12.069667	3871653498240785280	M5.0	3	10.117 ± 0.022	139.3 ± 0.16	-125.57 ± 0.11	46.68 ± 0.11
2MASS J11025669+8429074	165.736245	-84.485397	5191257980618688640	M5.4	2	12.047 ± 0.024	-58.35 ± 0.06	18.92 ± 0.05	14.7 ± 0.05
2MASS J11152125+0010022	168.83858	+0.167282	3810049171701771520	M4.7	3	12.125 ± 0.047	-64.25 ± 0.07	-14.45 ± 0.06	8.65 ± 0.06
2MASS J11193058+4641437	169.877448	+46.69548	788357434914248448	M6.0	3	9.534 ± 0.021	308.05 ± 0.05	-608.61 ± 0.06	95.52 ± 0.08
2MASS J11235266+0400423	170.969457	-4.011176	3787249801667371776	M5.3	2	12.862 ± 0.022	-41.9 ± 0.18	-18.42 ± 0.15	10.17 ± 0.14
2MASS J11300628+4848234	172.526197	+48.806503	789148567894210560	M5.7	3	11.49 ± 0.019	186.3 ± 0.03	-25.4 ± 0.05	36.43 ± 0.06
2MASS J11401377-0517202	175.0574	-5.288952	3599784821478428800	M5.9	1	12.803 ± 0.028	-8.76 ± 0.2	-0.36 ± 0.15	12.3 ± 0.2
2MASS J11442831-1458205	176.117984	-14.972369	3572544008584315008	M4.7	12	12.941 ± 0.029	12.25 ± 0.08	-38.29 ± 0.06	15.3 ± 0.07
2MASS J11444970+2818262	176.2071	+28.307287	4019767854919965056	M5.1	2	12.056 ± 0.018	-80.41 ± 0.09	-61.36 ± 0.09	13.8 ± 0.08
2MASS J11453078+0131235	176.378279	+1.523201	3796380283663480192	L0.9	1	13.089 ± 0.03	-44.43 ± 0.52	-20.28 ± 0.4	10.93 ± 0.47
2MASS J11462618-1525001	176.609099	-15.416708	3571755349509420928	M6.0	22	13.572 ± 0.029	-170.26 ± 0.15	16.44 ± 0.09	15.87 ± 0.12

Table A1 *continued*

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J11510589+0628199	177.774546	+6.472212	3897581601626600320	M5.2	1	12.48 ± 0.027	-83.5 ± 0.11	12.59 ± 0.08	11.79 ± 0.11
2MASS J11525451+3333112	178.227134	+33.553123	4027863245502372992	L1.8	4	11.437 ± 0.016	-7.03 ± 0.07	-8.32 ± 0.09	10.78 ± 0.11
2MASS J11570129+3431334	179.255401	+34.525955	4028302161095718784	M7.9	9	12.895 ± 0.029	-44.83 ± 0.1	6.67 ± 0.11	5.66 ± 0.13
2MASS J11572070+1917275	179.336262	+19.290993	3975160114130050432	M5.5	23	13.487 ± 0.032	-29.7 ± 0.21	-186.43 ± 0.13	12.4 ± 0.16
2MASS J11582243+5157365	179.593481	+51.960155	791415314190932352	M5.4	3	11.753 ± 0.025	-412.31 ± 0.03	-604.67 ± 0.03	32.66 ± 0.04
2MASS J11590070+2030283	179.752941	+20.507875	3999327688946456320	M5.0	11	13.249 ± 0.03	-64.82 ± 0.1	-13.74 ± 0.06	12.86 ± 0.09
2MASS J12132318+3900529	183.346602	+39.014706	1532756253213910528	M5.2	2	12.148 ± 0.023	-115.33 ± 0.57	-29.58 ± 0.69	12.63 ± 0.68
2MASS J12154767+4548508	183.948639	+45.814121	1539022610498453248	M5.2	3	11.519 ± 0.017	-135.44 ± 0.03	-209.14 ± 0.05	23.7 ± 0.05
2MASS J12205025+3956338	185.209388	+39.94273	1533230864279313280	M4.7	3	11.228 ± 0.02	-348.31 ± 0.22	-142.45 ± 0.24	25.57 ± 0.26
2MASS J12243115+2505182	186.129816	+25.088398	3960203216939409152	M6.1	7	14.193 ± 0.045	-22.54 ± 0.21	-21.05 ± 0.19	11.31 ± 0.19
2MASS J12263172+5359397	186.63219	+53.994362	1572483017075310464	M7.2	1	10.187 ± 0.024	-174.53 ± 0.03	104.72 ± 0.03	27.13 ± 0.03
2MASS J12274113+2614303	186.921376	+26.241768	4008786791775434496	M4.8	8	13.825 ± 0.033	24.64 ± 0.14	9.72 ± 0.18	8.74 ± 0.15
2MASS J12292183+2608058	187.340996	+26.134966	3960736621813004160	M5.3	4	14.351 ± 0.059	-51.02 ± 0.18	-4.08 ± 0.16	9.74 ± 0.18
2MASS J12294016+2619567	187.417357	+26.332436	4008802421160985216	M5.7	5	14.668 ± 0.057	11.13 ± 0.32	-4.33 ± 0.23	8.8 ± 0.27
2MASS J12332593+5227167	188.358056	+52.454655	1569244611734104960	M4.7	2	11.055 ± 0.023	-133.91 ± 0.02	-54.25 ± 0.03	21.81 ± 0.03
2MASS J12462932+1258453	191.622175	+12.97926	3929039041615124608	M5.2	4	12.104 ± 0.023	-134.65 ± 0.07	174.95 ± 0.06	27.6 ± 0.05
2MASS J12535116+1233530	193.463199	+12.564741	3929480113279776896	M5.5	20	13.726 ± 0.032	50.03 ± 0.16	-55.95 ± 0.16	9.43 ± 0.14
2MASS J12563638+4832397	194.151613	+48.544376	15531056959157760	M6.1	6	12.152 ± 0.033	-82.95 ± 0.04	2.83 ± 0.05	13.44 ± 0.05
2MASS J13011695+4112406	195.320631	+41.211292	1527394587840200960	M5.0	3	11.027 ± 0.015	61.61 ± 0.02	-7.11 ± 0.03	35.6 ± 0.03
2MASS J13034060+2737230	195.919194	+27.623077	1460561357662033536	M5.0	3	12.055 ± 0.032	10.05 ± 0.05	-133.17 ± 0.07	24.01 ± 0.06
2MASS J13042355+5005177	196.098156	+50.088257	1557142459045799552	M5.1	3	11.051 ± 0.021	104.26 ± 0.03	-89.49 ± 0.03	42.21 ± 0.03
2MASS J13111353+7123074	197.80638	+71.385406	1686307102185832192	M5.1	11	13.652 ± 0.033	-54.56 ± 0.11	25.28 ± 0.12	8.41 ± 0.1
2MASS J13123933+1835588	198.163886	+18.59693	3939548723508478720	M5.8	4	12.559 ± 0.036	-170.3 ± 0.09	-125.36 ± 0.09	20.38 ± 0.07
2MASS J13132942+0119045	198.372621	+1.317941	3691265460219482240	M4.8	1	11.637 ± 0.024	130.19 ± 0.07	-516.08 ± 0.05	30.45 ± 0.06
2MASS J13192677+1301119	199.861563	+13.019995	3742613512230508288	M5.8	3	12.107 ± 0.023	-303.51 ± 0.08	-199.81 ± 0.08	25.23 ± 0.07
2MASS J13252527+3314571	201.35532	+33.249199	1469761177609769344	M5.0	3	11.738 ± 0.019	112.9 ± 0.05	-255.38 ± 0.04	17.26 ± 0.07
2MASS J13301700+7305373	202.570864	+73.093719	1688330791992608640	M5.1	22	13.717 ± 0.037	4.4 ± 0.12	-21.56 ± 0.1	8.37 ± 0.1
2MASS J13305506+7202139	202.729427	+72.037201	1687147305163274112	M4.6	5	12.215 ± 0.026	-36.99 ± 0.06	-24.68 ± 0.04	10.1 ± 0.06

Table A1 continued

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J13384267+2723430	204.677819	+27.39529	1448718994659520768	M8.6	1	10.679 ± 0.037	-72.49 ± 0.11	-11.66 ± 0.05	12.74 ± 0.09
2MASS J13390856-1627370	204.785679	-16.460278	3605219570015352576	L1.1	12	13.081 ± 0.036	34.09 ± 0.22	-83.01 ± 0.16	7.26 ± 0.19
2MASS J13394420-1543328	204.934207	-15.725792	3605468643758102784		3	12.436 ± 0.03	-49.9 ± 0.47	-137.68 ± 0.36	14.26 ± 0.43
2MASS J13413492-1620101	205.395539	-16.336149	3605189951920971520	M5.6	12	13.082 ± 0.025	62.74 ± 0.12	-65.51 ± 0.08	17.18 ± 0.09
2MASS J13442970+5625445	206.123779	+56.429039	1562460968587671552	M4.9	3	12.226 ± 0.024	-126.42 ± 0.04	119.12 ± 0.05	15.52 ± 0.04
2MASS J13443397-1557250	206.141547	-15.956956	3605228834952768256	M6.1	12	13.244 ± 0.031	-79.54 ± 0.16	-152.42 ± 0.13	17.07 ± 0.13
2MASS J13451873-0057289	206.3228045	-0.958048	3661636916090637440	M5.4	17	13.457 ± 0.024	-16.91 ± 0.16	-59.74 ± 0.12	8.81 ± 0.14
2MASS J13462582+0102336	206.607595	+1.042694	3662549240158756096	M4.7	4	11.131 ± 0.023	-397.55 ± 0.05	-212.43 ± 0.04	35.91 ± 0.05
2MASS J13471675+3813201	206.819826	+38.222267	1496439762106476160	M4.7	3	11.7 ± 0.022	-202.27 ± 0.02	-56.02 ± 0.03	21.64 ± 0.04
2MASS J13481341+2336486	207.055893	+23.613514	1251824607045654016	M5.0	4	9.506 ± 0.031	-1482.59 ± 0.03	122.33 ± 0.02	84.22 ± 0.03
2MASS J13482141+0415324	207.089228	+4.259007	3713843347380155392	M8.8	3	11.295 ± 0.022	70.29 ± 0.65	-45.15 ± 0.44	30.23 ± 0.65
2MASS J13500476+3207596	207.519873	+32.133228	1457430910619077632	M4.7	24	13.315 ± 0.027	10.48 ± 0.05	-70.32 ± 0.06	9.18 ± 0.08
2MASS J13515288+0414133	207.970343	+4.695388	37139663898603269376	M4.8	4	11.806 ± 0.022	-57.28 ± 0.05	-440.29 ± 0.04	25.22 ± 0.05
2MASS J13542316+2543152	208.596517	+25.72089	1450325591600414976	L1.8	5	11.329 ± 0.021	126.41 ± 0.07	-132.22 ± 0.05	16.27 ± 0.07
2MASS J13573443+5408223	209.393463	+54.139549	1561218520448360448	M5.8	2	12.4 ± 0.021	-208.78 ± 0.05	-19.07 ± 0.07	18.23 ± 0.06
2MASS J13574060+3415236	209.419174	+34.256557	1458792170437150336	M5.7	3	11.884 ± 0.019	-38.35 ± 0.03	-14.35 ± 0.03	13.0 ± 0.04
2MASS J13592166+2514031	209.840252	+25.234222	1258095809053600896	M4.7	3	11.867 ± 0.022	-526.46 ± 0.04	-94.1 ± 0.03	24.65 ± 0.04
2MASS J14004116+1523153	210.171515	+15.387611	1231473437089262464	M4.8	21	13.711 ± 0.029	-49.74 ± 0.12	-83.69 ± 0.09	9.92 ± 0.13
2MASS J14022899+0214105	210.620828	+2.236257	3664420780748015872		3	9.472 ± 0.025	-150.09 ± 0.23	22.99 ± 0.26	26.44 ± 0.25
2MASS J14081562+5236281	212.065096	+52.607822	1512826058772467712	M4.7	3	12.319 ± 0.029	36.33 ± 0.04	-202.29 ± 0.05	16.96 ± 0.04
2MASS J14173267+4954054	214.386154	+49.901516	1508491680856624756	M4.7	2	11.451 ± 0.031	-0.18 ± 0.04	-62.05 ± 0.05	20.78 ± 0.05
2MASS J14173817+4535591	214.409043	+45.035576	1505217541387662336	M5.0	1	10.931 ± 0.016	-78.65 ± 0.04	-47.86 ± 0.05	22.66 ± 0.05
2MASS J14230252+5146303	215.760528	+51.775108	1604901876901703168	M7.0	1	11.3 ± 0.017	362.72 ± 0.06	192.97 ± 0.06	57.8 ± 0.06
2MASS J14305591+0858023	217.732973	+8.96731	1176086638351803648	M5.2	3	11.036 ± 0.022	24.27 ± 0.05	-185.59 ± 0.04	37.78 ± 0.05
2MASS J14455808+4502080	221.492003	+45.035576	1493703936657689728	M9.7	2	11.183 ± 0.023	-40.1 ± 0.07	30.42 ± 0.08	11.76 ± 0.08
2MASS J14511760+3337466	222.823345	+33.62962	1292678370325543168	M5.0	5	10.999 ± 0.019	-206.36 ± 0.02	-102.67 ± 0.03	36.76 ± 0.03
2MASS J14553384+1545593	223.891033	+15.766495	1187077906338788736	L0.0	2	11.968 ± 0.028	-8.2 ± 0.41	-116.39 ± 0.4	12.01 ± 0.41
2MASS J14554964+0321420	223.956845	+3.361681	1154963095836913920	M5.0	2	11.108 ± 0.025	-171.34 ± 0.05	-544.7 ± 0.04	35.82 ± 0.05
2MASS J14562713+1755001	224.113068	+17.91671	1188693088919917952	M4.7	3	10.15 ± 0.03	-848.1 ± 0.03	488.09 ± 0.03	53.47 ± 0.03

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J15031776+2312177	225.824001	+23.204918	1262867895677088640	M5.2	24	13.354 ± 0.03	-39.57 ± 0.07	-114.41 ± 0.08	13.76 ± 0.08
2MASS J15031784+2114111	225.824366	+21.23642	1261283804363224064	M5.8	16	13.446 ± 0.028	-37.82 ± 0.17	20.51 ± 0.15	7.55 ± 0.17
2MASS J15080090+3647550	227.003773	+36.798637	1292272680598683776	M5.0	23	13.497 ± 0.032	-35.55 ± 0.07	-35.69 ± 0.08	8.25 ± 0.08
2MASS J15114751+3251249	227.947975	+32.856934	127827351051427840	M5.3	3	12.167 ± 0.019	114.92 ± 0.03	-431.26 ± 0.04	23.53 ± 0.04
2MASS J15115124+3033065	227.963533	+30.551817	1276260600140069888	M5.4	3	12.243 ± 0.018	-392.57 ± 0.03	-262.26 ± 0.04	20.17 ± 0.05
2MASS J15134421+2723422	228.434227	+27.395063	1271532528341730176	M8.4	1	11.366 ± 0.024	-54.38 ± 0.11	19.13 ± 0.17	14.19 ± 0.16
2MASS J15141711+0044474	228.5713	+0.746517	4419864326492421248	M6.3	18	13.275 ± 0.027	16.63 ± 0.17	-88.77 ± 0.15	14.48 ± 0.16
2MASS J15214471+0100060	230.436299	+1.001672	4420414739437358592	M4.6	4	11.915 ± 0.022	-105.94 ± 0.06	-37.19 ± 0.05	19.59 ± 0.05
2MASS J15303032+0926014	232.626364	+9.433736	1165479168642900992	M5.4	2	9.006 ± 0.025	-178.85 ± 0.04	183.9 ± 0.04	116.04 ± 0.04
2MASS J15453035+4350540	236.376486	+43.848347	1396608607429590912	M5.5	1	11.649 ± 0.021	20.47 ± 0.04	-711.05 ± 0.05	36.1 ± 0.04
2MASS J15484207+2657485	237.175322	+26.963476	1223584265068206208	M5.3	3	11.842 ± 0.032	-645.42 ± 0.03	147.52 ± 0.04	27.37 ± 0.04
2MASS J15554229+2546477	238.926211	-25.779943	6235661707656550016	M5.7	1	12.062 ± 0.023	-14.1 ± 0.09	-26.61 ± 0.05	7.18 ± 0.07 ^H
2MASS J15554732+2401321	238.9472	-24.025599	623700269552505087488	M6.2	1	12.136 ± 0.022	-30.81 ± 0.1	-38.31 ± 0.06	11.37 ± 0.09 ^{SU}
2MASS J15555272+2031336	238.969689	-20.526005	6246921428278308352	M6.0	2	12.043 ± 0.027	-13.47 ± 0.09	-22.57 ± 0.06	7.22 ± 0.08 ^{ET}
2MASS J15561978+2423288	239.082439	-24.391356	6236929959958760064	M5.3	1	12.746 ± 0.025	-14.5 ± 0.11	-25.59 ± 0.07	7.12 ± 0.1 ^{AL}
2MASS J15562340+2259491	239.097503	-22.996979	6237359353609252352	M5.8	2	11.97 ± 0.023	-12.98 ± 0.08	-24.52 ± 0.07	7.12 ± 0.08
2MASS J15562472+2352565	239.103001	+23.882383	1218679554147770880	M6.6	2	11.295 ± 0.026	22.33 ± 0.04	-7.21 ± 0.05	12.66 ± 0.06
2MASS J15562846+2341411	239.118622	-23.694763	6237041560389549440	M5.0	1	12.855 ± 0.023	-10.65 ± 0.11	-17.31 ± 0.06	5.76 ± 0.08
2MASS J15564372+2341397	239.182188	-23.694384	6237041422950589952	M6.0	1	12.357 ± 0.022	-13.23 ± 0.12	-26.2 ± 0.07	7.17 ± 0.09
2MASS J15570350+2610081	239.264622	-26.168919	6235355661166851200	M5.8	1	13.322 ± 0.033	-13.21 ± 0.15	-23.48 ± 0.08	6.38 ± 0.12
2MASS J15571279+2343465	239.303297	-23.729605	6237037574660110976	M6.6	1	12.863 ± 0.029	-12.99 ± 0.17	-24.35 ± 0.1	7.15 ± 0.13
2MASS J15573932+2555081	239.413859	-25.918941	6235471285988571136	M4.8	1	12.158 ± 0.023	-21.98 ± 0.08	-34.27 ± 0.05	9.29 ± 0.06
2MASS J15574011+2952379	239.417144	+29.877197	1320476498177466368	M5.1	4	11.943 ± 0.022	-35.06 ± 0.03	-158.45 ± 0.04	25.54 ± 0.04
2MASS J15575194+2012338	239.466452	-20.209414	6246957265486134784	M5.5	2	12.403 ± 0.022	-21.66 ± 0.08	-25.98 ± 0.06	8.38 ± 0.08
2MASS J15575603+2035104	239.483482	-20.586245	6246733617950687104	M5.6	2	12.644 ± 0.025	-10.32 ± 0.12	-17.44 ± 0.06	5.85 ± 0.11
2MASS J15582481+1815160	239.603393	-18.254456	6248403295075710720	M4.7	1	11.918 ± 0.021	-18.43 ± 0.06	-25.93 ± 0.04	8.06 ± 0.05
2MASS J15582627+2401132	239.631777	-24.048294	6236967480793904640	M5.4	1	12.511 ± 0.027	-13.15 ± 0.1	-23.14 ± 0.07	6.58 ± 0.09
2MASS J15583162+2402538	239.636019	-24.524202	6236164837307632256	M6.0	1	13.115 ± 0.03	-13.06 ± 0.16	-24.64 ± 0.1	6.36 ± 0.14

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J15583598–2348136	239.64993	−23.803804	6237068979461685248	M5.4	1	12.396 ± 0.027	−14.76 ± 0.09	−25.9 ± 0.07	8.07 ± 0.08
2MASS J15584813–2141338	239.70052	−21.692745	6243522734760321536	M5.8	1	12.871 ± 0.021	−23.01 ± 0.1	−31.61 ± 0.07	9.44 ± 0.09
2MASS J15585466–1813241	239.727764	−18.223373	6248404291508097152	M5.7	1	12.557 ± 0.028	−10.3 ± 0.11	−21.22 ± 0.09	6.67 ± 0.1
2MASS J15585576–1825448	239.732357	−18.429131	6248350209279811712	M4.8	1	12.563 ± 0.029	−102.73 ± 0.09	−43.82 ± 0.06	5.87 ± 0.07
2MASS J15591244–2236502	239.801857	−22.613949	6243397081197309056	M5.4	2	12.131 ± 0.025	−12.06 ± 0.08	−24.08 ± 0.05	7.14 ± 0.07
2MASS J15592070–1927450	239.836257	−19.462515	6247395627029228544	M4.6	1	13.868 ± 0.036	−48.45 ± 0.21	−56.78 ± 0.11	5.65 ± 0.17
2MASS J15593021–2251264	239.875878	−22.857336	6237197656682718080	M5.2	2	12.769 ± 0.029	47.92 ± 0.14	−30.59 ± 0.08	8.67 ± 0.11
2MASS J15593148–2331573	239.88119	−23.532598	6237092000486483968	M5.7	2	12.61 ± 0.029	−12.52 ± 0.1	−25.37 ± 0.07	7.37 ± 0.09
2MASS J15595651–1858163	239.985466	−18.971207	6247554231582512128	M4.7	1	12.774 ± 0.022	−9.89 ± 0.15	−16.94 ± 0.1	5.89 ± 0.12
2MASS J15595868–1836520	239.994531	−18.614445	6248331719440532736	M6.5	1	12.765 ± 0.025	−10.87 ± 0.14	−23.53 ± 0.1	6.84 ± 0.12
2MASS J16000056–2130325	240.002369	−21.509052	6243613891147012096	M5.0	1	12.583 ± 0.027	−11.05 ± 0.09	−17.81 ± 0.05	5.77 ± 0.08
2MASS J16000249–1902427	240.010385	−19.045197	6247552891552073088	M4.7	1	12.234 ± 0.025	−17.33 ± 0.08	−24.4 ± 0.05	7.72 ± 0.07
2MASS J16002163–2332372	240.09015	−23.54368	6237100006305439104	M7.2	1	13.462 ± 0.051	−12.73 ± 0.21	−24.53 ± 0.13	7.25 ± 0.2
2MASS J16002616–2400204	240.109034	−24.005669	6236297775136772224	M5.3	1	13.272 ± 0.036	−15.56 ± 0.12	−24.55 ± 0.08	7.08 ± 0.11
2MASS J16002669–2056316	240.111247	−20.942114	6246670567831565824	M5.6	3	12.898 ± 0.023	−10.26 ± 0.12	−17.41 ± 0.07	6.03 ± 0.09
2MASS J16004461–2450341	240.185901	−24.842813	6236115771601805568	M9.6	1	12.111 ± 0.024	−11.18 ± 0.28	−27.59 ± 0.18	6.63 ± 0.25
2MASS J16013765–2202595	240.406914	−22.049875	6243442882727904768	M5.6	1	13.664 ± 0.036	−11.8 ± 0.16	−20.42 ± 0.1	6.11 ± 0.13
2MASS J16014157–2111380	240.423219	−21.193911	6243648216526221696	M4.9	3	12.044 ± 0.025	−11.7 ± 0.08	−23.22 ± 0.06	7.06 ± 0.07
2MASS J16014453+3027407	240.435543	+30.46133	1320567792002123648	2	9.839 ± 0.02	−128.63 ± 0.12	137.44 ± 0.15	35.52 ± 0.13	
2MASS J16014528–2138551	240.438699	−21.648647	6243564718060678912	M7.5	1	14.597 ± 0.051	−11.62 ± 0.57	−17.46 ± 0.29	6.08 ± 0.38
2MASS J16014769–2441011	240.448731	−24.683647	6235937100964618496	M5.6	1	13.278 ± 0.029	−11.88 ± 0.14	−22.63 ± 0.11	6.13 ± 0.12
2MASS J16014950–2220451	240.456289	−22.345882	6243241053627428608	M5.8	2	12.729 ± 0.026	−12.24 ± 0.1	−23.31 ± 0.06	7.02 ± 0.09
2MASS J16015389–1910178	240.474561	−19.171638	6247486542890428672	M6.9	1	13.237 ± 0.032	−20.51 ± 0.13	−9.39 ± 0.08	5.54 ± 0.1
2MASS J16015498–2131230	240.479104	−21.523071	6243570219920389504	M5.7	1	12.623 ± 0.03	−11.51 ± 0.13	−23.74 ± 0.07	7.15 ± 0.09
2MASS J16015976–1952202	240.499023	−19.872301	6247168646599736064	M5.4	2	11.818 ± 0.026	−21.38 ± 0.09	−29.64 ± 0.05	9.18 ± 0.08
2MASS J16020965–1841334	240.54023	−18.692627	6247586838973252864	M5.6	1	12.144 ± 0.027	−17.36 ± 0.1	−25.46 ± 0.06	7.99 ± 0.1
2MASS J16022439–2529121	240.601657	−25.486702	6235825775412641408	M5.4	1	12.784 ± 0.027	−12.97 ± 0.1	−24.26 ± 0.06	6.79 ± 0.09
2MASS J16023185–2132340	240.632728	−21.542786	6243566509068156928	M5.5	1	12.123 ± 0.024	−9.91 ± 0.1	−24.95 ± 0.06	6.89 ± 0.08
2MASS J16023227–2200486	240.634475	−22.013514	6243350283234916096	M6.2	3	12.697 ± 0.029	−11.86 ± 0.12	−22.67 ± 0.07	6.68 ± 0.09

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J16024142-2248419	240.672624	-22.811642	6243156150713415552	M5.9	1	12.42 ± 0.025	-11.76 ± 0.11	-23.91 ± 0.06	6.89 ± 0.1
2MASS J16024575-2304509	240.690633	-23.080811	6243124436675563904	M6.6	2	11.844 ± 0.027	-23.45 ± 0.24	-32.92 ± 0.13	9.84 ± 0.19
2MASS J16025529-1922431	240.730407	-19.378666	6247297529977676928	M6.6	1	12.113 ± 0.03	-10.44 ± 0.1	-21.92 ± 0.07	6.63 ± 0.09
2MASS J16025793-2423390	240.741395	-24.394182	6236040626858371200	M6.2	1	13.105 ± 0.029	-12.68 ± 0.12	-26.49 ± 0.07	7.26 ± 0.11
2MASS J16030161-2207523	240.756735	-22.131222	6243332381812183296	M5.4	3	12.11 ± 0.027	-11.47 ± 0.09	-23.78 ± 0.05	7.12 ± 0.07
2MASS J16032437-2034130	240.85157	-20.57029	6244059949270882176	M6.2	3	12.724 ± 0.025	-9.58 ± 0.11	-21.58 ± 0.06	6.29 ± 0.09
2MASS J16035107-1852212	240.962794	-18.872566	6247523823213519232	M6.5	3	12.057 ± 0.026	-10.11 ± 0.12	-21.44 ± 0.06	6.86 ± 0.09
2MASS J16035481-2220583	240.978412	-22.34955	6243278437022885888	M7.2	1	13.022 ± 0.034	-16.12 ± 0.19	-26.67 ± 0.1	7.63 ± 0.15
2MASS J16035532-2147093	240.980526	-21.785919	6243380141848159488	M5.5	1	12.029 ± 0.025	-11.13 ± 0.08	-23.9 ± 0.05	7.12 ± 0.07
2MASS J16041322+2331386	241.055096	+23.527416	1206795169186219264	M5.1	5	9.403 ± 0.026	-162.35 ± 0.14	16.89 ± 0.17	47.71 ± 0.16
2MASS J16045167+2728335	241.215302	+27.47599	1316427095638392320	M7.6	8	11.715 ± 0.021	-225.76 ± 0.04	81.85 ± 0.05	11.3 ± 0.05
2MASS J16050190-2321301	241.257933	-23.358381	6242328046662241920	M9.1	1	14.521 ± 0.049	-10.7 ± 0.72	-25.86 ± 0.36	7.53 ± 0.58 _H
2MASS J16062637-2306113	241.609877	-23.103144	6242336396077230720	M5.2	1	12.653 ± 0.026	-10.34 ± 0.1	-23.64 ± 0.06	6.67 ± 0.08 _C
2MASS J16064910-2216382	241.704605	-22.277285	6242541558069369216	M5.8	1	13.174 ± 0.027	-8.5 ± 0.16	-23.33 ± 0.1	6.44 ± 0.15 _{E,T}
2MASS J16070169-2028579	241.757072	-20.482767	6244118738778167680	M6.2	2	12.842 ± 0.029	-10.93 ± 0.14	-22.32 ± 0.1	6.82 ± 0.13 _{A,L}
2MASS J16070211-2019387	241.758825	-20.327436	6244125335847955968	M8.4	2	11.868 ± 0.037	-10.62 ± 0.12	-21.36 ± 0.08	6.82 ± 0.1
2MASS J16073556-2027134	241.898167	-20.453739	6244108637015079936	M5.3	2	12.317 ± 0.027	-9.43 ± 0.09	-22.11 ± 0.06	6.42 ± 0.07
2MASS J16075049-2125200	241.960405	-21.422245	6243735421538110464	M5.5	1	12.148 ± 0.024	-10.68 ± 0.1	-23.26 ± 0.08	6.92 ± 0.07
2MASS J16075567-2443267	241.981968	-24.7241	6049831009763346560	M5.4	1	13.13 ± 0.033	-12.59 ± 0.14	-23.53 ± 0.1	6.35 ± 0.11
2MASS J16081081-2229428	242.045066	-22.495235	6242525649510891264	M5.7	2	11.997 ± 0.026	-10.12 ± 0.08	-24.3 ± 0.06	7.07 ± 0.07
2MASS J16081226+2252548	242.051112	+22.881889	1206516511708372608	M6.5	19	13.485 ± 0.028	39.75 ± 0.09	-33.35 ± 0.1	11.36 ± 0.12
2MASS J16082229-2217029	242.092889	-22.28414	6242532899415488000	M6.0	3	12.368 ± 0.022	-10.67 ± 0.12	-23.44 ± 0.09	6.43 ± 0.1
2MASS J16083577-1911372	242.14908	-19.193687	6248755684252562432	M6.1	1	12.494 ± 0.027	-10.54 ± 0.11	-25.84 ± 0.07	7.24 ± 0.09
2MASS J16090071-2029086	242.25299	-20.485743	6243923055771917696	M7.3	2	12.88 ± 0.023	-9.05 ± 0.43	-24.76 ± 0.24	7.28 ± 0.25
2MASS J1609388-2223214	242.266207	-22.389299	6242481286785255824	M5.1	1	13.82 ± 0.026	-37.8 ± 0.18	-75.46 ± 0.13	7.12 ± 0.14
2MASS J16090884-2217466	242.28684	-22.296301	6242857530223444608	M5.2	3	12.334 ± 0.026	-21.98 ± 0.09	-32.69 ± 0.07	9.66 ± 0.07
2MASS J16092695-2539081	242.362318	-25.652267	6043533629936316890	M6.4	1	12.057 ± 0.023	-18.37 ± 0.34	-27.43 ± 0.25	10.06 ± 0.29
2MASS J16093706-2052529	242.404452	-20.881384	6243897784380625792	M5.3	1	12.254 ± 0.024	-9.54 ± 0.08	-22.53 ± 0.06	6.53 ± 0.07
2MASS J16094354-2443098	242.431432	-24.719406	60498216683215224704	M4.7	2	12.504 ± 0.022	-14.33 ± 0.07	-23.33 ± 0.05	7.04 ± 0.06

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J16095198–2440197	242.465586	−24.67214	6049823317482671872	M6.7	2	12.509 ± 0.025	−12.64 ± 0.18	−22.57 ± 0.12	6.1 ± 0.14
2MASS J16095695–2212027	242.487327	−22.20075	6242864814487487488	M5.9	1	13.033 ± 0.026	−9.34 ± 0.13	−23.45 ± 0.11	6.63 ± 0.1
2MASS J16100129–2152243	242.505389	−21.873432	6242944288562499200	M6.1	2	12.063 ± 0.024	−8.23 ± 0.1	−22.6 ± 0.07	6.38 ± 0.09
2MASS J16102819–1910444	242.617481	−19.179024	6245768109299634176	M5.6	1	12.207 ± 0.025	−9.47 ± 0.09	−21.63 ± 0.06	6.59 ± 0.07
2MASS J16103069–2208229	242.627908	−22.139708	6242864092932966144	M5.8	2	12.193 ± 0.023	−8.31 ± 0.09	−25.7 ± 0.07	6.74 ± 0.08
2MASS J16104973–2222342	242.70723	−22.376167	6242847256662215936		1	13.127 ± 0.029	−33.79 ± 0.16	−27.21 ± 0.11	6.5 ± 0.14
2MASS J16104996–2212515	242.708177	−22.214331	6242862649823879296	M6.2	2	12.085 ± 0.023	−9.77 ± 0.11	−23.75 ± 0.08	6.8 ± 0.1
2MASS J16105429–2309108	242.726215	−23.153025	6242238333378441728	M5.3	3	12.471 ± 0.03	−18.22 ± 0.09	−30.37 ± 0.07	8.67 ± 0.07
2MASS J16110919–2149562	242.788329	−21.832291	6242901098371304960	M5.4	2	11.923 ± 0.023	−9.79 ± 0.07	−24.73 ± 0.05	7.3 ± 0.06
2MASS J16111237–1927374	242.801573	−19.4604	6245704749942125952	M5.8	2	12.113 ± 0.023	−8.76 ± 0.1	−24.6 ± 0.08	7.23 ± 0.08
2MASS J16112023–1847554	242.83431	−18.798725	6245881118477034112	M6.0	1	12.133 ± 0.023	−8.39 ± 0.12	−24.29 ± 0.08	7.6 ± 0.1
2MASS J16112630–2340059	242.859586	−23.668325	6242141060958616960	M6.0	1	12.826 ± 0.029	−9.77 ± 0.12	−25.34 ± 0.08	6.91 ± 0.1
2MASS J16113180–2237082	242.882527	−22.618954	6242649894324055808	M5.5	2	12.144 ± 0.023	−9.52 ± 0.1	−25.15 ± 0.07	7.06 ± 0.08
2MASS J16113470–2219442	242.89459	−22.328947	6242845504314293504	M5.7	2	12.684 ± 0.024	−9.6 ± 0.12	−25.4 ± 0.09	7.22 ± 0.11
2MASS J16114530–2254329	242.938754	−22.909145	6242623299886328320	M6.2	2	12.22 ± 0.023	−9.82 ± 0.11	−26.39 ± 0.08	7.28 ± 0.08
2MASS J16114534–1928132	242.938932	−19.470343	6245698084152661888	M6.0	2	12.175 ± 0.023	−8.76 ± 0.11	−23.67 ± 0.08	7.18 ± 0.08
2MASS J16114735–2242062	242.947302	−22.701742	6242630893388636928	M5.5	1	12.823 ± 0.023	−10.76 ± 0.12	−20.89 ± 0.09	6.37 ± 0.1
2MASS J16120327+3158454	243.013629	+31.979288	1322444142954346368	M5.1	3	11.249 ± 0.022	−277.57 ± 0.03	−42.03 ± 0.03	35.32 ± 0.03
2MASS J16121238+3803205	243.051593	+38.055706	1378763568071181056	4	10.481 ± 0.016	−55.82 ± 0.64	123.26 ± 0.72	18.07 ± 0.67	
2MASS J16121845–1923324	243.076891	−19.392349	6245700145736963072	M6.3	2	12.351 ± 0.023	−7.55 ± 0.12	−24.22 ± 0.1	7.01 ± 0.09
2MASS J16122289–2127158	243.095413	−21.454407	624305468640695040	M6.2	1	12.419 ± 0.023	−8.15 ± 0.12	−25.61 ± 0.08	7.08 ± 0.1
2MASS J16122737–2009596	243.11407	−20.16658	6245447636018595968	M5.9	1	11.886 ± 0.027	−8.31 ± 0.08	−24.49 ± 0.06	6.99 ± 0.07
2MASS J16124506–2305303	243.187774	−23.091757	6242558566139065856	M5.8	2	12.871 ± 0.029	−9.52 ± 0.13	−24.28 ± 0.11	7.42 ± 0.1
2MASS J16124847+1742283	243.20198	+17.70788	1199052824917479808	M5.2	2	11.585 ± 0.021	−316.18 ± 0.04	−323.49 ± 0.04	29.87 ± 0.05
2MASS J16124897–2024302	243.204058	−20.408413	624538826390665472	M4.7	1	12.36 ± 0.023	−10.43 ± 0.08	−20.6 ± 0.06	6.34 ± 0.07
2MASS J16125723–2428013	243.238417	−24.467039	6049887467113035904	M5.6	2	12.288 ± 0.022	−10.71 ± 0.09	−23.7 ± 0.06	6.42 ± 0.08
2MASS J16130217–2230112	243.259047	−22.503136	6242662774928466688	M4.6	1	13.694 ± 0.024	−38.19 ± 0.15	−12.61 ± 0.1	7.53 ± 0.13
2MASS J16130235–1904450	243.259795	−19.079185	6245816620951869056	M7.2	2	13.259 ± 0.024	−7.5 ± 0.22	−20.8 ± 0.16	5.99 ± 0.2
2MASS J16130306–1929319	243.262791	−19.492197	6245507452026972800	M6.3	2	12.765 ± 0.029	−8.33 ± 0.13	−26.11 ± 0.1	7.03 ± 0.11

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J16130982-2302184	243.290957	-23.038456	6242560490284409856	M6.4	2	12.089 ± 0.023	-16.18 ± 0.2	-23.61 ± 0.15	7.86 ± 0.17
2MASS J16131082-2313514	243.295106	-23.230946	6242552931141875968	M5.9	1	11.919 ± 0.023	-18.1 ± 0.17	-30.89 ± 0.14	8.53 ± 0.14
2MASS J16132744-2149172	243.364366	-21.821453	6242978403482521472	M7.7	1	13.44 ± 0.035	-19.26 ± 0.4	2.53 ± 0.27	4.65 ± 0.33
2MASS J16133476-2328156	243.39186	-23.471003	6050017480062634496	M5.3	1	12.898 ± 0.027	-8.95 ± 0.1	-20.59 ± 0.09	6.39 ± 0.08
2MASS J16134880-2509006	243.453356	-25.150192	6049521638979538816	M6.0	3	12.942 ± 0.022	-7.58 ± 0.16	-23.31 ± 0.11	6.22 ± 0.13
2MASS J16140298-2548531	243.512453	-25.814751	6048717277503393792	M5.9	3	12.105 ± 0.029	-11.58 ± 0.09	-24.84 ± 0.07	6.49 ± 0.07
2MASS J16141448+5007460	243.560356	+50.129463	1424289942234042624	M5.0	18	13.77 ± 0.03	-72.27 ± 0.1	-23.68 ± 0.12	9.42 ± 0.08
2MASS J16142395+5106204	243.599832	+51.105667	1424584237687997952	M8.0	7	12.558 ± 0.025	-21.91 ± 0.2	25.55 ± 0.24	13.29 ± 0.19
2MASS J16145178-1935402	243.715774	-19.594519	6245581845156392064	M5.6	2	12.75 ± 0.024	-7.92 ± 0.14	-20.74 ± 0.1	6.35 ± 0.13
2MASS J16150524-2459351	243.771873	-24.99309	6049620526304657280	M5.8	3	11.901 ± 0.022	-8.55 ± 0.07	-24.9 ± 0.05	7.16 ± 0.06
2MASS J16150702-2535528	243.779257	-25.598024	6048744314316878592	M6.8	3	13.454 ± 0.038	-9.0 ± 0.23	-20.9 ± 0.18	6.29 ± 0.19
2MASS J16151116-2420153	243.796503	-24.337591	6049726040762143488	M6.6	1	13.587 ± 0.026	-11.44 ± 0.22	-20.37 ± 0.15	6.93 ± 0.17 ^H
2MASS J16151239-2420091	243.80164	-24.335867	6049726045061744256	M5.2	1	12.432 ± 0.028	-11.86 ± 0.09	-20.56 ± 0.06	6.85 ± 0.07 ^C
2MASS J16151519-2252537	243.813294	-22.881598	6050436123418306304	M5.3	2	12.306 ± 0.026	-10.48 ± 0.09	-24.41 ± 0.06	7.04 ± 0.07 ^{E,T}
2MASS J16152819-2315439	243.867474	-23.262207	6050390974721376512	M4.8	1	12.646 ± 0.024	-17.09 ± 0.08	-31.42 ± 0.06	8.93 ± 0.06 ^{A,L}
2MASS J16153341-1854249	243.889227	-18.906944	6245835179506936704	M6.6	1	11.694 ± 0.027	-8.32 ± 0.14	-22.3 ± 0.09	6.42 ± 0.11
2MASS J16154914-2213117	243.954759	-22.219936	6242721152123092608	M5.2	1	12.447 ± 0.024	-10.4 ± 0.1	-21.31 ± 0.07	6.69 ± 0.08
2MASS J16161948-2405301	244.081202	-24.091703	6049736937098829696	M4.9	1	12.252 ± 0.026	-16.42 ± 0.08	-24.78 ± 0.06	7.54 ± 0.06
2MASS J16162399-2408301	244.099999	-24.141714	6049735906306660224	M5.6	1	12.51 ± 0.03	-8.29 ± 0.1	-25.55 ± 0.07	7.01 ± 0.08
2MASS J16162531-2412057	244.10547	-24.201588	6049723468081347072	M5.8	1	12.787 ± 0.024	-10.85 ± 0.12	-21.61 ± 0.09	6.42 ± 0.1
2MASS J16163068-2512201	244.127846	-25.205603	604885237992975616	M5.4	1	12.277 ± 0.024	-11.38 ± 0.09	-21.56 ± 0.06	6.31 ± 0.07
2MASS J16164873-2529402	244.203077	-25.494513	6048737790266842752	M7.9	1	11.851 ± 0.026	-10.6 ± 0.14	-21.92 ± 0.1	6.24 ± 0.12
2MASS J16165225-2620387	244.217721	-26.34409	6048625567061901312	M6.4	1	12.896 ± 0.025	-11.52 ± 0.29	-24.27 ± 0.19	5.21 ± 0.23
2MASS J16170731-2540312	244.280492	-25.675335	6048685524806791680	M6.6	1	13.755 ± 0.022	-11.04 ± 0.32	-23.1 ± 0.2	6.31 ± 0.25
2MASS J16172079+4113032	244.336648	+41.217567	1380878856643833984	M5.3	4	11.855 ± 0.02	-130.24 ± 0.04	-158.43 ± 0.05	25.08 ± 0.04
2MASS J16172505-2350380	244.354376	-23.843889	6050121796229290368	M6.4	1	13.016 ± 0.024	-8.31 ± 0.17	-24.44 ± 0.12	6.55 ± 0.14
2MASS J16174703-2556439	244.445981	-25.945553	6048664981981378048	M5.0	2	11.967 ± 0.026	-17.61 ± 0.07	-29.78 ± 0.05	8.38 ± 0.06
2MASS J16174804-2329241	244.450201	-23.490038	6050342836723573632	M5.9	1	13.103 ± 0.03	-9.85 ± 0.13	-20.97 ± 0.1	6.38 ± 0.1
2MASS J16180868-2547126	244.536195	-25.786835	6048762288758899840	M6.1	2	12.595 ± 0.022	-11.95 ± 0.15	-21.5 ± 0.1	6.74 ± 0.12

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ _α (mas yr ⁻¹)	μ _δ (mas yr ⁻¹)	π (mas)
2MASS J16181568–2347084	244.56341	–23.785677	6050134651069119872	M7.2	1	11.515 ± 0.024	–9.39 ± 0.14	–23.45 ± 0.09	6.78 ± 0.1
2MASS J16182501–2338106	244.604245	–23.636301	6050150143013666688	M6.7	1	12.886 ± 0.026	–9.62 ± 0.19	–24.5 ± 0.13	6.91 ± 0.14
2MASS J16184955–2514199	244.706467	–25.69721	6048764006743293312	M7.8	1	14.503 ± 0.045	–11.45 ± 0.56	–21.03 ± 0.38	6.0 ± 0.44
2MASS J16185037–2424319	244.709878	–24.408888	605002998706897536	M6.1	1	12.934 ± 0.026	–7.16 ± 0.13	–26.64 ± 0.09	7.66 ± 0.11
2MASS J16185228–2516149	244.717873	–25.270807	604881516396538368	M7.2	1	12.329 ± 0.025	–11.33 ± 0.17	–21.95 ± 0.13	6.4 ± 0.13
2MASS J16185430–2346075	244.726268	–23.768764	6050135471405769344	M8.2	1	14.087 ± 0.037	–10.17 ± 0.5	–20.27 ± 0.38	5.9 ± 0.39
2MASS J16190341–2344085	244.764229	–23.735718	6050133031864786432	M8.1	1	13.22 ± 0.029	–6.38 ± 0.29	–26.92 ± 0.22	7.04 ± 0.23
2MASS J16190801–2346395	244.783404	–23.77766	6050132658204148352	M5.7	1	11.557 ± 0.023	–10.35 ± 0.09	–20.15 ± 0.07	6.25 ± 0.07
2MASS J16191646–2347235	244.818594	–23.789871	6050131867927029632	M8.0	1	14.157 ± 0.036	–12.17 ± 0.4	–21.92 ± 0.29	6.09 ± 0.33
2MASS J16192393–2220412	244.849724	–22.344793	6050564834995573632	M5.0	1	12.331 ± 0.022	–11.49 ± 0.1	–25.46 ± 0.06	7.8 ± 0.07
2MASS J16193241–2406565	244.885057	–24.1157	6050064213605417344	M7.7	1	12.724 ± 0.027	–11.2 ± 0.23	–19.76 ± 0.15	6.08 ± 0.17
2MASS J16200179–2328080	245.007466	–23.468903	6050239650131363328	M7.5	1	12.819 ± 0.026	–9.78 ± 0.21	–21.82 ± 0.15	6.34 ± 0.17
2MASS J16200812–2342244	245.03385	–23.7068	6050093037129505536	M7.7	1	13.15 ± 0.039	–11.69 ± 0.27	–23.13 ± 0.21	6.46 ± 0.23
2MASS J16202609–2255428	245.108715	–22.928577	6050481237751463040	M5.7	2	12.14 ± 0.022	–11.21 ± 0.09	–25.3 ± 0.07	7.45 ± 0.07
2MASS J16205248–2420292	245.218694	–24.341457	6049303626436212096	M6.9	1	11.592 ± 0.024	–9.19 ± 0.13	–21.19 ± 0.1	6.15 ± 0.1
2MASS J16210222–2358395	245.259288	–23.977665	6050070531500394240	M9.2	1	13.786 ± 0.025	–12.82 ± 0.55	–24.75 ± 0.4	7.72 ± 0.47
2MASS J16211681–22411366	245.320059	–22.693525	6050491992349863424	M6.0	2	12.618 ± 0.025	–11.09 ± 0.12	–24.93 ± 0.09	7.28 ± 0.09
2MASS J16212488–2426145	245.353673	–24.437363	6049289676382406272	M5.9	1	11.869 ± 0.027	–11.06 ± 0.12	–20.86 ± 0.09	6.31 ± 0.09
2MASS J16212520+2443209	245.355023	+24.722483	1302491820842368896	M4.9	8	11.485 ± 0.034	–157.22 ± 0.02	–200.98 ± 0.03	32.98 ± 0.03
2MASS J16212797–2628099	245.366575	–26.46944	6048477068573326592	M5.9	1	12.195 ± 0.021	–9.92 ± 0.11	–22.86 ± 0.09	6.95 ± 0.08
2MASS J16214739–2448035	245.447485	–24.800995	6049208449961073536	M7.3	1	12.326 ± 0.028	–11.28 ± 0.2	–22.22 ± 0.13	6.59 ± 0.14
2MASS J16215455–2419286	245.477314	–24.324625	6049297888359883008	M6.6	1	12.105 ± 0.024	–11.09 ± 0.16	–22.24 ± 0.12	7.11 ± 0.13
2MASS J16215928–2409515	245.497016	–24.16431	6049313109724002048	M7.4	1	12.816 ± 0.028	–9.47 ± 0.26	–20.76 ± 0.18	6.02 ± 0.19
2MASS J16220533–2217130	245.522225	–22.286966	6052009971230771072	M5.2	2	12.096 ± 0.023	–7.63 ± 0.08	–21.7 ± 0.05	7.22 ± 0.07
2MASS J16220714–2413559	245.52979	–24.23221	6049300808937655552	M6.3	1	11.99 ± 0.022	–8.53 ± 0.15	–20.71 ± 0.1	5.8 ± 0.11
2MASS J16221322–2445378	245.555117	–24.760523	6049231574064706816	M7.5	1	11.633 ± 0.024	–10.88 ± 0.14	–22.0 ± 0.09	6.6 ± 0.11
2MASS J16221456–2347113	245.560671	–23.786499	6050172756017616256	M7.3	1	11.894 ± 0.024	–7.85 ± 0.14	–26.75 ± 0.09	7.3 ± 0.12
2MASS J16221828–2352370	245.576171	–23.876955	6049415673541571328	M7.1	1	11.846 ± 0.024	–8.83 ± 0.13	–21.81 ± 0.1	6.52 ± 0.11
2MASS J16222097–2431285	245.587403	–24.524607	6049239025829892992	M7.8	1	13.158 ± 0.024	–9.5 ± 0.26	–19.44 ± 0.2	5.89 ± 0.21

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J16222160-2217307	245.590014	-22.291862	6052009112237997440	M5.8	2	13.09 ± 0.026	-16.06 ± 0.14	-24.49 ± 0.09	7.38 ± 0.11
2MASS J16223132-2405399	245.63051	-24.094444	6049396152914781824	M6.9	1	13.492 ± 0.022	-9.3 ± 0.39	-20.3 ± 0.28	6.09 ± 0.31
2MASS J16223834-2541017	245.65979	-25.683826	6048591585283949696	M7.2	1	14.009 ± 0.094	-11.4 ± 0.44	-19.66 ± 0.27	5.99 ± 0.36
2MASS J16230475-2118593	245.7698	-21.316483	605223179770055028	M6.1	1	12.512 ± 0.022	-11.21 ± 0.11	-24.82 ± 0.1	7.24 ± 0.09
2MASS J16230646-2528419	245.776918	-25.478321	6048970921086152704	M8.8	1	14.15 ± 0.033	-9.8 ± 0.55	-20.99 ± 0.36	5.75 ± 0.45
2MASS J16241875-2448473	246.07814	-24.813156	6049031325511198080	M6.5	1	11.521 ± 0.059	-9.27 ± 0.11	-21.24 ± 0.08	6.19 ± 0.1
2MASS J16244448-2719036	246.18535	-27.317692	6045190108624743296	M6.8	1	12.644 ± 0.024	-10.35 ± 0.18	-20.55 ± 0.13	6.44 ± 0.13
2MASS J16251093-2446038	246.29556	-24.767736	6049114338635711616	M8.0	1	12.026 ± 0.022	-6.4 ± 0.14	-25.58 ± 0.1	7.73 ± 0.12
2MASS J16252969-2214543	246.373733	-22.248438	6051927542218423040	M6.3	2	12.494 ± 0.026	-8.38 ± 0.13	-20.65 ± 0.09	6.97 ± 0.09
2MASS J16254322-2230026	246.430086	-22.500727	6051778764550671872	M5.5	2	12.402 ± 0.025	-11.36 ± 0.09	-25.71 ± 0.07	7.73 ± 0.07
2MASS J16261429+8558497	246.559551	+85.980499	1724725623304494208	M6.4	3	11.354 ± 0.017	-209.54 ± 0.06	-37.74 ± 0.07	20.29 ± 0.05
2MASS J16262568-2414278	246.607018	-24.241058	6049168214705579776	M7.3	1	11.978 ± 0.022	-8.61 ± 0.17	-28.19 ± 0.13	7.32 ± 0.13 ^H
2MASS J16263713-2415599	246.654712	-24.266642	6049164916170694912	M7.4	1	11.348 ± 0.031	-6.03 ± 0.13	-26.88 ± 0.09	7.35 ± 0.1 ^C
2MASS J16264705-2444298	246.696056	-24.741629	6049070736127902208	M7.7	1	11.125 ± 0.022	-5.74 ± 0.19	-26.76 ± 0.14	7.1 ± 0.1 ^{E,F}
2MASS J16264810-2442033	246.700444	-24.700928	604911787768943744	M7.6	1	11.282 ± 0.023	-7.22 ± 0.18	-24.62 ± 0.14	7.31 ± 0.13 ^{A,L}
2MASS J16265048-2413522	246.710344	-24.231184	6049165500286247040	M6.2	1	11.227 ± 0.022	-6.12 ± 0.1	-27.38 ± 0.07	7.36 ± 0.08
2MASS J16270655-2407031	246.777307	-24.117552	6049175121012992256	M7.1	1	11.328 ± 0.022	-3.49 ± 0.12	-26.93 ± 0.08	7.37 ± 0.1
2MASS J16270659-2441488	246.777484	-24.696901	6049072316675781120	M7.8	1	11.397 ± 0.024	-5.71 ± 0.15	-25.83 ± 0.12	7.06 ± 0.11
2MASS J16274008-2551274	246.917024	-25.85762	6045861811448120320	M5.6	1	12.219 ± 0.024	-6.8 ± 0.09	-28.83 ± 0.07	7.48 ± 0.08
2MASS J16274799-2457134	246.949992	-24.953726	6049051872631524992	M9.9	1	12.657 ± 0.029	-9.2 ± 0.36	-21.17 ± 0.3	6.24 ± 0.27
2MASS J16282296-2448289	247.095672	-24.808031	6049078187895045376	M7.4	1	11.498 ± 0.024	-7.02 ± 0.13	-23.4 ± 0.1	6.48 ± 0.12
2MASS J16282479-2435434	247.103327	-24.595394	6049094032030421504	M5.8	1	11.694 ± 0.024	-6.56 ± 0.1	-29.08 ± 0.07	7.43 ± 0.08
2MASS J16284870-2426317	247.202935	-24.442165	6049103304863521792	M8.4	1	13.666 ± 0.029	-3.9 ± 0.38	-26.8 ± 0.28	6.7 ± 0.32
2MASS J16292259-2505079	247.344163	-25.085529	604606504498963584	M1	11.282 ± 0.033	-14.47 ± 0.14	-50.51 ± 0.11	13.65 ± 0.12	
2MASS J16345805-2257207	248.74188	-22.955776	6051173449038871552	M8.5	1	10.745 ± 0.036	-10.38 ± 0.08	-28.54 ± 0.06	20.45 ± 0.07
2MASS J16351719+4140027	248.821634	+41.667419	1356847793068128384	M5.0	7	11.715 ± 0.03	194.29 ± 0.03	-213.78 ± 0.04	26.26 ± 0.03
2MASS J16364904+7448067	249.204336	+74.801888	1703067477620262144	M6.4	1	13.546 ± 0.035	-32.12 ± 0.13	-46.14 ± 0.13	7.32 ± 0.11
2MASS J16365595+2724223	249.23313	+27.406212	1304594533751044992	M5.2	6	11.025 ± 0.03	53.58 ± 0.03	-340.87 ± 0.03	42.32 ± 0.03
2MASS J16370146+3535456	249.256085	+35.596016	1327654969076730880	M5.4	13	10.545 ± 0.022	-196.48 ± 0.03	-508.24 ± 0.04	56.47 ± 0.03

Table A1 *continued*

Table A1 (*continued*)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N _{obs}	2MASS H (mag)	μ_α (mas yr ⁻¹)	μ_δ (mas yr ⁻¹)	π (mas)
2MASS J16452337+3210381	251.347412	+32.17725	1314023223915783168	M6.7	2	12.831 ± 0.024	-160.66 ± 0.08	16.99 ± 0.1	21.66 ± 0.08
2MASS J16452810−0219477	251.367124	-2.329931	4378968305033267328	M5.5	3	12.61 ± 0.027	-40.06 ± 0.09	-19.43 ± 0.07	14.32 ± 0.08
2MASS J16453689+2054174	251.403718	+20.904837	4564041194596534400	M4.9	7	11.673 ± 0.022	-255.76 ± 0.03	-189.01 ± 0.03	30.29 ± 0.03
2MASS J16462369+7606461	251.598726	+76.112831	1704707360558193024	M5.0	2	14.02 ± 0.043	-37.81 ± 0.16	49.22 ± 0.18	3.69 ± 0.11
2MASS J16572919+2448509	254.371656	+24.814152	4572719468075516288	M6.8	2	11.705 ± 0.019	71.55 ± 0.33	386.79 ± 0.46	33.39 ± 0.42
2MASS J17070453+6709407	256.768887	+67.161308	1635873435829345536	M4.7	6	10.82 ± 0.017	-41.64 ± 0.03	69.53 ± 0.04	33.33 ± 0.02
2MASS J17182421+6802330	259.600883	+68.042511	1637446836968370176	M5.6	4	11.514 ± 0.017	-171.14 ± 0.05	-285.43 ± 0.06	36.58 ± 0.04
2MASS J17302797+5242593	262.616562	+52.716488	1416006054127628928	M4.7	2	10.635 ± 0.017	-45.67 ± 0.03	254.84 ± 0.04	37.09 ± 0.03
2MASS J17331479+6312279	263.311649	+63.207752	1440197680761004288	M4.8	1	10.604 ± 0.023	-52.14 ± 0.03	5.05 ± 0.03	41.56 ± 0.02
2MASS J17405340+6242377	265.222537	+62.710491	143955690599738368	M5.3	1	11.714 ± 0.021	-11.77 ± 0.04	119.97 ± 0.04	22.98 ± 0.03
2MASS J17553340+5824269	268.889193	+58.407497	1421971866781082112	M6.1	2	11.227 ± 0.023	251.62 ± 0.06	806.62 ± 0.05	46.14 ± 0.04
2MASS J18033058+6437298	270.87745	+64.624954	2161145393508289536	M4.8	1	11.098 ± 0.021	-416.76 ± 0.03	-364.44 ± 0.03	31.29 ± 0.02
2MASS J18073028+6512534	271.876189	+65.214844	2161605195528295336	M4.9	2	10.881 ± 0.017	64.66 ± 0.12	-31.25 ± 0.11	26.27 ± 0.08
2MASS J18403559+6348422	280.148312	+63.811741	2253312711622286208	M4.6	2	11.757 ± 0.023	-44.47 ± 0.04	95.36 ± 0.04	23.53 ± 0.03
2MASS J18445350+7408555	281.222943	+74.148758	2268003149041626240	M4.9	1	10.626 ± 0.028	-13.39 ± 0.03	302.36 ± 0.03	43.05 ± 0.02
2MASS J18564024−3655203	284.167671	-36.922329	6731055944382779392	M5.6	2	13.077 ± 0.031	3.76 ± 0.1	-28.07 ± 0.09	6.81 ± 0.11
2MASS J18570785−3654041	284.282726	-36.901142	6731061304500058496	L2.5	2	13.479 ± 0.043	3.67 ± 0.16	-27.74 ± 0.15	6.58 ± 0.15
2MASS J18595094−3706313	284.962284	-37.108711	673082994739866624	M8.5	2	13.104 ± 0.026	4.12 ± 0.23	-28.22 ± 0.21	6.36 ± 0.24
2MASS J19005974−3647109	285.244896	-36.786385	6731215545363943296	M6.8	2	13.333 ± 0.035	3.86 ± 0.21	-28.94 ± 0.17	6.59 ± 0.19
2MASS J19010460−3701292	285.532032	-37.024788	6730822985358131968	M5.7	2	12.524 ± 0.025	4.09 ± 0.13	-28.5 ± 0.1	6.34 ± 0.12
2MASS J19011629−3656282	285.317877	-36.941174	6731210326984584192	M5.5	2	12.314 ± 0.022	3.93 ± 0.08	-27.25 ± 0.07	6.52 ± 0.07
2MASS J19012083−3703027	285.336822	-37.050758	673082203280685440	M5.4	2	12.687 ± 0.023	4.43 ± 0.1	-27.41 ± 0.08	6.96 ± 0.09
2MASS J19020768−3711557	285.532032	-37.19883	6719181905993948544	M8.1	2	13.093 ± 0.029	3.82 ± 0.27	-27.59 ± 0.22	7.01 ± 0.25
2MASS J19022244−3655385	285.593507	-36.923732	673120248668747904	M6.3	2	11.546 ± 0.041	7.19 ± 0.08	-26.38 ± 0.07	6.58 ± 0.07
2MASS J19023940−3653111	285.66419	-36.886433	6731202286805849344	M5.9	2	12.471 ± 0.022	4.32 ± 0.1	-27.69 ± 0.08	6.37 ± 0.09
2MASS J21340952−1604063	323.539672	-16.068439	6841086722967090944	M6.1	3	12.417 ± 0.03	164.02 ± 0.11	-258.92 ± 0.08	21.77 ± 0.1
2MASS J22084470−1053504	332.186289	-10.897341	2613995543924218240	M5.3	1	11.733 ± 0.022	35.78 ± 0.06	39.18 ± 0.05	33.53 ± 0.06
2MASS J22114311−1106189	332.920653	-11.105253	261395255595615360	M5.7	2	11.809 ± 0.024	-13.8 ± 0.06	-178.02 ± 0.06	34.46 ± 0.06
2MASS J22120158−1013320	333.006585	-10.225569	2615549531811036416	M5.1	2	12.14 ± 0.023	68.08 ± 0.08	-97.81 ± 0.06	19.13 ± 0.07

Table A1 *continued*

Table A1 (continued)

APOGEE ID	RA (deg)	Dec (deg)	<i>Gaia</i> eDR3 Source ID	SpT	N_{obs}	2MASS <i>H</i> (mag)	μ_{α} (mas yr $^{-1}$)	μ_{δ} (mas yr $^{-1}$)	π (mas)
2MASS J22182754–0756051	334.614752	–7.93477	261648235693320960	M4.8	2	13.801 ± 0.036	7.67 ± 0.16	–47.27 ± 0.16	6.18 ± 0.16
2MASS J22262959+0055338	336.623306	+0.926058	2702465543734432256	M5.5	4	11.991 ± 0.025	141.1 ± 0.08	–212.33 ± 0.07	30.4 ± 0.07
2MASS J22342311–1659452	338.596318	–16.995892	2594967292614256384	M4.7	1	10.617 ± 0.023	500.74 ± 0.04	5.54 ± 0.03	38.7 ± 0.03
2MASS J22450903–1359149	341.287661	–13.987493	2597386866735008768	M6.7	1	13.665 ± 0.03	–37.57 ± 0.21	1.85 ± 0.16	12.37 ± 0.17
2MASS J23062928–0502285	346.622013	–5.041274	2635476908753563008	M7.6	3	10.718 ± 0.021	930.79 ± 0.09	–479.04 ± 0.07	80.21 ± 0.07
2MASS J23083553–0511036	347.148054	–5.184349	2635292259520147840	M4.9	3	11.922 ± 0.025	–40.31 ± 0.1	–75.75 ± 0.09	20.54 ± 0.09
2MASS J23241812–0946539	351.075539	–9.781657	2437731250031621632	1	11.232 ± 0.023	42.64 ± 0.1	–32.87 ± 0.09	10.19 ± 0.12	

NOTE—The astrometry, proper motions, and parallaxes are compiled from *Gaia* EDR3 (Gaia Collaboration et al. 2021a).

NOTE—The full table is presented in a machine-readable table format.

Table A2. Spectral Model Fit Parameters for Full Sample

APOGEE ID	Plate	Loc.	Fiber	JD	bary. a	S/N	RV b	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL e
ID	ID			(day)	(km s $^{-1}$)		(km s $^{-1}$)	(km s $^{-1}$)	(km s $^{-1}$)	(K)	(K)	(cm s $^{-2}$)	(cm s $^{-2}$)	
2M0009-2116	11933	6123	230	2458796.580	-22.73	66	7.0 $^{+0.2}_{-0.3}$	7.5 $^{+0.3}_{-0.5}$	27.3 $^{+1.0}_{-1.0}$	26.5 $^{+1.0}_{-1.0}$	2399.7 $^{+0.4}_{-0.1}$	4.36 $^{+0.02}_{-0.01}$	4.38 $^{+0.01}_{-0.01}$	S
...	11933	6123	218	2458803.574	-24.65	64	7.7 $^{+0.6}_{-0.7}$...	25.3 $^{+1.0}_{-1.0}$...	2399.7 $^{+0.4}_{-0.2}$...	4.41 $^{+0.01}_{-0.01}$...
...	11933	6123	221	2458824.536	-28.14	56	8.6 $^{+0.7}_{-0.3}$...	27.2 $^{+1.0}_{-1.0}$...	2399.7 $^{+0.3}_{-0.3}$...	4.32 $^{+0.03}_{-0.02}$...
2M0011-2021	11932	6123	39	2458774.618	-14.45	37	12.3 $^{+0.0}_{-0.3}$	13.6 $^{+0.3}_{-0.5}$	36.8 $^{+1.0}_{-1.3}$	37.6 $^{+1.0}_{-1.2}$	2952.2 $^{+8.4}_{-12.8}$	3048.6 $^{+4.0}_{-4.5}$	5.25 $^{+0.03}_{-0.04}$	5.3 $^{+0.02}_{-0.02}$
...	11932	6123	39	2458794.586	-21.95	32	18.0 $^{+0.3}_{-0.3}$...	46.0 $^{+1.9}_{-1.4}$...	3072.4 $^{+5.1}_{-5.3}$...	5.33 $^{+0.04}_{-0.03}$...
...	11932	6123	40	2458802.571	-24.26	41	9.1 $^{+0.3}_{-0.3}$...	38.5 $^{+1.8}_{-2.0}$...	3061.3 $^{+10.5}_{-11.3}$...	5.34 $^{+0.06}_{-0.06}$...
2M0059-3326	10211	5550	165	2458384.723	-1.04	10	24.5 $^{+0.3}_{-0.4}$	24.8 $^{+0.3}_{-0.4}$	20.1 $^{+1.3}_{-1.2}$	17.1 $^{+1.0}_{-1.1}$	2903.9 $^{+9.3}_{-8.9}$	2992.2 $^{+3.7}_{-3.9}$	5.43 $^{+0.04}_{-0.03}$	5.47 $^{+0.01}_{-0.01}$
...	10211	5550	171	2458412.640	-12.06	10	24.6 $^{+0.3}_{-0.4}$...	14.2 $^{+1.8}_{-1.5}$...	3061.5 $^{+9.4}_{-9.8}$...	5.48 $^{+0.04}_{-0.02}$...
...	10211	5550	165	2458439.516	-20.20	11	24.5 $^{+0.3}_{-0.2}$...	16.3 $^{+1.0}_{-1.0}$...	2935.5 $^{+14.3}_{-22.0}$...	5.4 $^{+0.03}_{-0.03}$...
...	10210	5550	165	2458442.519	-20.90	11	25.5 $^{+0.3}_{-0.3}$...	16.8 $^{+1.4}_{-1.8}$...	2910.6 $^{+10.4}_{-20.4}$...	5.44 $^{+0.05}_{-0.03}$...
...	10211	5550	171	2458448.524	-22.13	10	25.5 $^{+0.5}_{-0.7}$...	14.3 $^{+1.9}_{-1.3}$...	3044.0 $^{+12.6}_{-8.6}$...	5.49 $^{+0.02}_{-0.01}$...
...	10212	5550	166	2458474.537	-24.53	10	24.0 $^{+0.3}_{-0.5}$...	16.3 $^{+1.6}_{-1.5}$...	2936.1 $^{+19.9}_{-16.3}$...	5.47 $^{+0.03}_{-0.02}$...
...	10212	5550	165	2458773.624	-10.41	13	24.5 $^{+0.4}_{-0.5}$...	18.2 $^{+1.3}_{-1.2}$...	2917.1 $^{+11.6}_{-15.3}$...	5.47 $^{+0.06}_{-0.03}$...
...	10212	5550	166	2458827.531	-24.02	11	26.1 $^{+1.0}_{-0.4}$...	18.8 $^{+1.2}_{-1.4}$...	3048.6 $^{+6.8}_{-7.6}$...	5.47 $^{+0.03}_{-0.03}$...
2M01115+0705	10038	5465	184	2458031.684	3.82	41	10.2 $^{+0.4}_{-0.3}$	9.8 $^{+0.3}_{-0.5}$	14.7 $^{+1.0}_{-1.2}$	14.0 $^{+1.0}_{-1.2}$	3063.2 $^{+6.8}_{-6.8}$	3066.1 $^{+5.1}_{-4.5}$	5.49 $^{+0.01}_{-0.01}$	5.49 $^{+0.02}_{-0.01}$
...	10038	5465	231	2458805.581	-17.57	29	9.7 $^{+0.2}_{-0.2}$...	13.2 $^{+1.2}_{-1.2}$...	3071.3 $^{+7.7}_{-8.3}$...	5.49 $^{+0.02}_{-0.02}$...
2M0123+1802	6562	4477	282	2456585.739	-0.76	35	-9.7 $^{+0.2}_{-0.2}$	-9.5 $^{+0.3}_{-0.4}$	9.0 $^{+1.7}_{-1.0}$	< 10	3106.8 $^{+4.2}_{-3.7}$	3105.0 $^{+2.1}_{-2.2}$	5.37 $^{+0.02}_{-0.02}$	5.45 $^{+0.01}_{-0.01}$
...	6562	4477	277	2456589.745	-2.83	22	-10.1 $^{+0.3}_{-0.3}$...	10.9 $^{+1.1}_{-1.3}$...	3120.2 $^{+7.9}_{-9.0}$...	5.42 $^{+0.03}_{-0.03}$...
...	6562	4477	277	2456614.664	-14.98	32	-9.1 $^{+0.2}_{-0.2}$...	9.2 $^{+1.1}_{-1.2}$...	3102.7 $^{+4.2}_{-4.8}$...	5.49 $^{+0.01}_{-0.01}$...
...	6562	4477	276	2456642.550	-25.27	29	-9.6 $^{+0.3}_{-0.2}$...	9.7 $^{+1.4}_{-1.1}$...	3099.9 $^{+3.7}_{-3.9}$...	5.46 $^{+0.02}_{-0.02}$...
...	6562	4477	276	2456644.554	-25.83	28	-9.5 $^{+0.2}_{-0.2}$...	9.3 $^{+1.2}_{-1.2}$...	3111.7 $^{+6.2}_{-7.9}$...	5.42 $^{+0.02}_{-0.02}$...
2M0125-0715	12810	7240	45	2459203.593	-27.97	44	12.6 $^{+1.2}_{-0.4}$	12.0 $^{+0.3}_{-0.5}$	23.5 $^{+1.0}_{-1.0}$	23.5 $^{+1.0}_{-1.0}$	3121.9 $^{+9.7}_{-9.5}$	3122.8 $^{+6.5}_{-5.7}$	5.28 $^{+0.04}_{-0.03}$	5.29 $^{+0.03}_{-0.03}$
...	12810	7240	46	2459212.538	-28.99	47	11.9 $^{+0.2}_{-0.2}$...	23.4 $^{+1.3}_{-1.0}$...	3123.4 $^{+8.7}_{-7.7}$...	5.3 $^{+0.03}_{-0.03}$...
2M0125+1339	8570	2063	7	2458838.576	-27.06	28	17.8 $^{+0.4}_{-0.5}$	17.0 $^{+0.3}_{-0.6}$	17.6 $^{+1.7}_{-1.2}$	18.1 $^{+1.0}_{-1.2}$	3046.9 $^{+11.8}_{-15.8}$	3050.9 $^{+6.1}_{-7.7}$	5.44 $^{+0.04}_{-0.04}$	5.41 $^{+0.03}_{-0.03}$
...	8570	2063	7	2458839.600	-27.36	40	16.6 $^{+0.3}_{-0.4}$...	18.3 $^{+1.0}_{-1.3}$...	3051.8 $^{+7.2}_{-6.1}$...	5.4 $^{+0.03}_{-0.03}$...
2M0202-7259	10087	5503	160	2458027.762	-8.32	90	13.5 $^{+0.2}_{-0.2}$	13.6 $^{+0.3}_{-0.3}$	70.6 $^{+1.1}_{-1.1}$	70.6 $^{+1.1}_{-1.1}$	2875.7 $^{+7.2}_{-8.3}$	2868.3 $^{+3.6}_{-3.7}$	4.71 $^{+0.03}_{-0.03}$	4.71 $^{+0.01}_{-0.01}$
...	10087	5503	159	2458030.749	-8.63	75	13.4 $^{+0.2}_{-0.2}$...	70.4 $^{+1.3}_{-1.3}$...	2850.7 $^{+6.9}_{-7.2}$...	4.76 $^{+0.02}_{-0.03}$...
...	10087	5503	123	2458053.675	-10.27	88	15.2 $^{+0.5}_{-0.5}$...	70.2 $^{+1.7}_{-1.7}$...	2872.7 $^{+10.1}_{-8.3}$...	4.72 $^{+0.03}_{-0.03}$...
...	10087	5503	178	2458058.657	-10.42	89	13.6 $^{+0.2}_{-0.2}$...	69.5 $^{+1.4}_{-1.3}$...	2881.7 $^{+10.0}_{-8.3}$...	4.66 $^{+0.03}_{-0.03}$...
...	10087	5503	160	2458062.654	-10.49	91	13.3 $^{+0.2}_{-0.2}$...	72.1 $^{+1.5}_{-1.5}$...	2865.6 $^{+7.4}_{-7.8}$...	4.69 $^{+0.04}_{-0.04}$...
2M0222+0124	10224	2477	300	2458762.895	9.95	53	-22.9 $^{+0.2}_{-0.2}$	-22.9 $^{+0.3}_{-0.5}$	8.9 $^{+1.0}_{-1.0}$	11.4 $^{+1.0}_{-1.0}$	2399.5 $^{+0.7}_{-0.3}$	2399.5 $^{+0.4}_{-0.2}$	4.92 $^{+0.02}_{-0.02}$	4.85 $^{+0.01}_{-0.01}$
...	10224	2477	294	2458791.815	-4.41	37	-22.9 $^{+0.3}_{-0.3}$...	12.3 $^{+1.0}_{-1.0}$...	2399.6 $^{+0.6}_{-0.3}$...	4.81 $^{+0.02}_{-0.02}$...
2M0241-0642	11906	6064	230	2458706.933	26.62	15	-44.2 $^{+0.3}_{-0.3}$	-43.6 $^{+0.3}_{-0.4}$	12.6 $^{+1.0}_{-1.4}$	11.6 $^{+1.0}_{-1.1}$	2930.8 $^{+12.0}_{-10.3}$	2862.4 $^{+5.3}_{-3.8}$	5.26 $^{+0.04}_{-0.04}$	4.91 $^{+0.02}_{-0.02}$
...	11906	6064	218	2458709.916	26.32	34	-43.8 $^{+0.3}_{-0.3}$...	12.2 $^{+1.8}_{-1.1}$...	2842.6 $^{+9.9}_{-6.6}$...	4.93 $^{+0.13}_{-0.13}$...

Table A2 *continued*

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	11907	6064	221	2458712.883	25.98	28	-43.3 ^{+0.3} _{-0.3}	...	10.6 ^{+1.0} _{-1.4}	...	2847.1 ^{+9.6} _{-9.2}	...	4.82 ^{+0.03} _{-0.02}	...	B
...	11907	6064	218	2458799.623	-6.75	29	-43.5 ^{+0.3} _{-0.3}	...	15.4 ^{+1.5} _{-1.2}	...	2839.5 ^{+11.7} _{-6.2}	...	4.91 ^{+0.03} _{-0.03}	...	B
2M0243-0623	11906	6064	54	2458706.933	26.71	17	8.4 ^{+0.3} _{-0.3}	9.0 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	20.4 ^{+1.0} _{-1.0}	2399.3 ^{+0.5} _{-0.5}	2399.6 ^{+0.2} _{-0.1}	4.79 ^{+0.03} _{-0.03}	4.69 ^{+0.01} _{-0.01}	S
...	11906	6064	55	2458709.916	26.41	40	8.2 ^{+0.2} _{-0.2}	...	14.2 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.4} _{-0.3}	...	4.88 ^{+0.02} _{-0.01}	...	S
...	11907	6064	109	2458712.883	26.09	25	7.5 ^{+0.3} _{-0.3}	...	17.1 ^{+1.5} _{-1.2}	...	2399.5 ^{+0.7} _{-0.3}	...	4.63 ^{+0.05} _{-0.03}	...	S
...	11906	6064	60	2458767.687	8.75	22	9.8 ^{+0.3} _{-0.3}	...	30.8 ^{+1.9} _{-1.0}	...	2399.5 ^{+0.8} _{-0.4}	...	4.39 ^{+0.03} _{-0.02}	...	S
...	11907	6064	54	2458768.746	8.12	27	11.9 ^{+0.3} _{-0.2}	...	17.9 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.66 ^{+0.02} _{-0.02}	...	S
...	11907	6064	60	2458799.623	-6.52	26	9.3 ^{+0.3} _{-0.4}	...	21.6 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.43 ^{+0.03} _{-0.02}	...	S
2M0311+0106	8080	2048	286	2457662.926	16.87	58	18.7 ^{+0.3} _{-0.3}	18.4 ^{+0.3} _{-0.4}	64.9 ^{+1.0} _{-1.4}	65.2 ^{+1.0} _{-1.1}	2399.6 ^{+0.7} _{-0.3}	2399.7 ^{+0.4} _{-0.1}	4.41 ^{+0.02} _{-0.02}	4.51 ^{+0.01} _{-0.01}	S
...	8080	2048	286	2457665.906	15.70	82	17.7 ^{+0.3} _{-0.3}	...	64.6 ^{+1.1} _{-1.0}	...	2399.7 ^{+0.6} _{-0.2}	...	4.64 ^{+0.03} _{-0.01}	...	S
...	8080	2048	286	2457666.936	15.20	56	18.9 ^{+0.3} _{-0.3}	...	66.5 ^{+1.6} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.42 ^{+0.03} _{-0.02}	...	S
2M0328+0813	7067	4471	69	2456560.939	21.89	41	56.4 ^{+0.2} _{-0.2}	57.1 ^{+0.3} _{-0.4}	10.4 ^{+1.1} _{-1.2}	< 10	3149.6 ^{+3.9} _{-4.1}	3138.3 ^{+2.3} _{-2.5}	5.47 ^{+0.03} _{-0.02}	5.44 ^{+0.01} _{-0.01}	B
...	7066	4471	64	2456587.854	11.05	49	56.6 ^{+0.4} _{-0.4}	...	7.4 ^{+1.1} _{-1.1}	...	3134.9 ^{+7.0} _{-6.3}	...	5.39 ^{+0.03} _{-0.02}	...	B
...	7067	4471	69	2456588.847	10.60	44	56.8 ^{+0.3} _{-0.3}	...	9.0 ^{+1.1} _{-1.1}	...	3138.6 ^{+7.7} _{-5.6}	...	5.47 ^{+0.02} _{-0.02}	...	B
...	7066	4471	81	2456592.882	8.56	34	57.2 ^{+0.2} _{-0.2}	...	6.9 ^{+2.1} _{-2.1}	...	3134.4 ^{+8.7} _{-8.6}	...	5.43 ^{+0.02} _{-0.02}	...	B
...	7067	4471	87	2456593.880	8.07	33	56.7 ^{+0.2} _{-0.2}	...	8.0 ^{+1.4} _{-1.5}	...	3118.4 ^{+5.2} _{-7.9}	...	5.39 ^{+0.03} _{-0.03}	...	B
...	7066	4471	75	2456616.780	-3.47	43	57.8 ^{+0.2} _{-0.2}	...	8.5 ^{+1.8} _{-1.3}	...	3135.5 ^{+5.6} _{-7.5}	...	5.4 ^{+0.03} _{-0.03}	...	B
2M0329+3125	6226	4587	252	2456315.637	-26.88	29	14.6 ^{+0.4} _{-0.4}	14.9 ^{+0.3} _{-0.4}	28.5 ^{+1.4} _{-1.1}	27.8 ^{+1.0} _{-1.0}	3249.1 ^{+6.7} _{-16.5}	3245.6 ^{+1.6} _{-1.8}	4.24 ^{+0.03} _{-0.02}	4.36 ^{+0.01} _{-0.01}	B
...	7072	4587	186	2456563.999	22.61	16	15.0 ^{+0.3} _{-0.3}	...	30.1 ^{+1.3} _{-1.1}	...	3240.2 ^{+17.2} _{-14.7}	...	4.44 ^{+0.04} _{-0.04}	...	B
...	7072	4587	199	2456607.821	4.11	23	15.0 ^{+0.3} _{-0.3}	...	28.9 ^{+1.0} _{-1.1}	...	3233.0 ^{+3.7} _{-4.4}	...	4.28 ^{+0.03} _{-0.03}	...	B
...	11425	5925	289	2458447.665	-2.57	23	15.4 ^{+0.4} _{-0.4}	...	27.6 ^{+1.0} _{-1.0}	...	3249.3 ^{+8.2} _{-7.0}	...	4.57 ^{+0.03} _{-0.03}	...	B
...	11425	5925	193	2458527.600	-29.52	33	15.2 ^{+0.3} _{-0.2}	...	27.5 ^{+1.0} _{-1.2}	...	3236.9 ^{+3.3} _{-3.9}	...	4.2 ^{+0.03} _{-0.03}	...	B
...	11425	5925	253	2458744.878	25.71	30	14.9 ^{+0.4} _{-0.3}	...	27.3 ^{+1.1} _{-1.5}	...	3240.2 ^{+17.2} _{-14.7}	...	4.38 ^{+0.03} _{-0.03}	...	B
...	11425	5925	210	245873.830	16.19	25	14.4 ^{+0.2} _{-0.2}	...	28.1 ^{+1.1} _{-1.0}	...	3233.0 ^{+3.7} _{-4.4}	...	4.28 ^{+0.03} _{-0.03}	...	B
...	11425	5925	289	2458775.787	15.44	16	15.6 ^{+0.3} _{-0.3}	...	29.1 ^{+1.2} _{-1.0}	...	3247.3 ^{+13.0} _{-14.6}	...	4.57 ^{+0.03} _{-0.03}	...	B
...	11425	5925	241	2458791.731	8.11	20	15.8 ^{+0.4} _{-0.5}	...	27.9 ^{+1.1} _{-1.4}	...	3243.0 ^{+8.3} _{-8.0}	...	4.34 ^{+0.04} _{-0.04}	...	B
...	11425	5925	288	2458803.745	2.02	29	14.7 ^{+0.2} _{-0.2}	...	26.9 ^{+1.0} _{-1.0}	...	3281.5 ^{+7.5} _{-8.9}	...	4.38 ^{+0.03} _{-0.03}	...	B
...	11425	5925	198	2458820.666	-6.58	26	16.1 ^{+0.7} _{-0.4}	...	27.2 ^{+1.1} _{-1.0}	...	3240.2 ^{+3.7} _{-4.8}	...	4.19 ^{+0.03} _{-0.03}	...	B
...	11425	5925	192	2458828.658	-10.54	17	15.5 ^{+0.6} _{-0.4}	...	29.1 ^{+1.2} _{-1.2}	...	3237.3 ^{+13.0} _{-14.6}	...	4.56 ^{+0.04} _{-0.04}	...	B
...	11425	5925	199	2458831.629	-11.91	25	14.4 ^{+0.2} _{-0.3}	...	27.1 ^{+1.1} _{-1.1}	...	3243.0 ^{+8.3} _{-8.0}	...	4.34 ^{+0.07} _{-0.07}	...	B
...	11425	5925	199	2458850.559	-20.04	22	15.1 ^{+0.3} _{-0.3}	...	26.6 ^{+1.4} _{-1.2}	...	3259.0 ^{+8.6} _{-6.7}	...	4.42 ^{+0.03} _{-0.03}	...	B
...	11425	5925	199	2459077.978	28.83	14	15.2 ^{+0.9} _{-0.4}	...	28.4 ^{+1.3} _{-1.3}	...	3253.8 ^{+5.4} _{-6.3}	...	4.42 ^{+0.02} _{-0.02}	...	B
2M0335+1633	12134	6175	210	2459156.815	7.13	27	15.5 ^{+1.6} _{-0.5}	...	27.7 ^{+1.4} _{-1.4}	...	3235.6 ^{+17.5} _{-15.1}	...	4.48 ^{+0.06} _{-0.07}	...	B
...	12136	6177	217	2459159.802	6.36	32	35.9 ^{+0.7} _{-0.5}	...	35.2 ^{+1.9} _{-1.9}	...	3243.0 ^{+8.3} _{-8.0}	...	4.27 ^{+0.06} _{-0.05}	...	B
...	12136	6177	217	2459160.837	5.75	33	36.8 ^{+0.8} _{-0.3}	...	32.0 ^{+1.2} _{-1.2}	...	3273.6 ^{+6.7} _{-8.8}	...	4.27 ^{+0.05} _{-0.05}	...	B
...	12132	6173	150	245864.813	20.15	28	35.8 ^{+0.3} _{-0.3}	35.5 ^{+0.8} _{-0.5}	14.4 ^{+1.0} _{-1.1}	14.4 ^{+1.0} _{-1.1}	2399.4 ^{+0.6} _{-0.4}	2399.4 ^{+0.6} _{-0.3}	5.08 ^{+0.01} _{-0.02}	5.12 ^{+0.01} _{-0.01}	S

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M0341+3139	6218	4586	109	2456168.941	28.82	14	21.8 ^{+0.8} _{-0.2}	20.9 ^{+0.3} _{-0.6}	14.4 ^{+1.0} _{-1.1}	28.8 ^{+1.2} _{-1.2}	3177.1 ^{+14.7} _{-16.4}	3216.7 ^{+8.2} _{-7.6}	5.18 ^{+0.03} _{-0.01}	S	
2M0342+3152	6218	4586	120	2456171.974	28.55	11	22.3 ^{+0.7} _{-0.1}	29.5 ^{+1.9} _{-2.0}	27.6 ^{+1.5} _{-2.0}	3269.6 ^{+15.7} _{-20.2}	3183.4 ^{+12.3} _{-13.3}	5.16 ^{+0.06} _{-0.06}	5.05 ^{+0.03} _{-0.03}	B	
2M0342+3251	6218	4586	97	2456171.974	28.55	13	17.0 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.1}	19.7 ^{+1.6} _{-1.1}	16.1 ^{+1.0} _{-1.1}	2951.1 ^{+10.5} _{-13.1}	3004.0 ^{+4.9} _{-4.5}	4.5 ^{+0.02} _{-0.02}	4.49 ^{+0.01} _{-0.01}	B
2M0342+3251	6219	4586	108	2456172.974	28.47	15	17.5 ^{+0.7} _{-0.4}	17.3 ^{+1.5} _{-1.2}	17.3 ^{+1.5} _{-1.3}	35.1 ^{+1.0} _{-1.0}	2997.8 ^{+11.8} _{-10.0}	3044.8 ^{+8.3} _{-8.0}	4.62 ^{+0.08} _{-0.09}	4.52 ^{+0.06} _{-0.06}	B
2M0342+3251	6219	4586	103	2456262.681	-4.49	16	15.5 ^{+0.4} _{-0.4}	10.2 ^{+0.3} _{-0.3}	14.4 ^{+1.0} _{-1.2}	34.9 ^{+1.0} _{-1.2}	2928.3 ^{+7.1} _{-6.2}	2927.0 ^{+1.9} _{-1.9}	4.72 ^{+0.03} _{-0.03}	4.58 ^{+0.01} _{-0.01}	B
2M0342+3251	6219	4586	280	2456168.941	28.73	39	10.5 ^{+0.3} _{-0.3}	10.2 ^{+0.3} _{-0.3}	35.0 ^{+1.0} _{-1.0}	35.1 ^{+1.0} _{-1.0}	2905.3 ^{+11.1} _{-9.6}	2905.3 ^{+11.1} _{-9.6}	4.78 ^{+0.04} _{-0.04}	4.78 ^{+0.04} _{-0.04}	B
2M0342+3251	6219	4586	290	2456170.899	28.69	32	10.5 ^{+0.2} _{-0.2}	9.8 ^{+0.3} _{-0.3}	34.8 ^{+1.6} _{-1.6}	34.8 ^{+1.6} _{-1.6}	2885.0 ^{+6.9} _{-7.0}	2885.0 ^{+6.9} _{-7.0}	4.64 ^{+0.03} _{-0.03}	4.64 ^{+0.03} _{-0.03}	B
2M0342+3251	6220	4586	275	2456171.974	28.47	42	10.1 ^{+0.2} _{-0.2}	10.1 ^{+0.2} _{-0.2}	34.8 ^{+1.0} _{-1.0}	35.1 ^{+1.0} _{-1.0}	2918.8 ^{+8.3} _{-5.9}	2918.8 ^{+8.3} _{-5.9}	4.55 ^{+0.03} _{-0.03}	4.55 ^{+0.03} _{-0.03}	B
2M0342+3251	6220	4586	279	2456172.974	28.39	37	10.2 ^{+0.2} _{-0.2}	9.8 ^{+0.7} _{-1.1}	35.1 ^{+1.0} _{-1.1}	39.2 ^{+1.2} _{-1.4}	2946.2 ^{+11.1} _{-9.8}	2946.2 ^{+11.1} _{-9.8}	4.52 ^{+0.02} _{-0.02}	4.52 ^{+0.02} _{-0.02}	B
2M0342+3251	6220	4586	272	2456174.926	28.31	24	8.8 ^{+0.7} _{-1.1}	10.7 ^{+0.2} _{-0.2}	35.1 ^{+1.0} _{-1.0}	35.1 ^{+1.0} _{-1.0}	2933.5 ^{+8.4} _{-11.2}	2933.5 ^{+8.4} _{-11.2}	4.66 ^{+0.04} _{-0.04}	4.76 ^{+0.03} _{-0.03}	B
2M0342+3251	6221	4586	287	2456235.774	9.21	43	9.8 ^{+0.3} _{-0.2}	11.6 ^{+0.5} _{-0.2}	37.0 ^{+1.3} _{-1.4}	37.0 ^{+1.3} _{-1.4}	2873.9 ^{+9.7} _{-9.4}	2873.9 ^{+9.7} _{-9.4}	4.64 ^{+0.05} _{-0.05}	4.64 ^{+0.05} _{-0.05}	B
2M0342+3251	6222	4586	245	2456262.681	-4.32	46	10.9 ^{+0.4} _{-0.4}	11.4 ^{+0.2} _{-0.2}	33.3 ^{+1.0} _{-1.3}	33.3 ^{+1.0} _{-1.3}	2924.5 ^{+8.9} _{-7.9}	2924.5 ^{+8.9} _{-7.9}	4.58 ^{+0.03} _{-0.03}	4.58 ^{+0.03} _{-0.03}	B
2M0342+3251	6223	4586	278	2456282.621	-14.03	32	11.4 ^{+0.2} _{-0.2}	9.1 ^{+0.2} _{-0.2}	35.1 ^{+1.0} _{-1.1}	35.1 ^{+1.0} _{-1.1}	2940.4 ^{+5.8} _{-7.9}	2940.4 ^{+5.8} _{-7.9}	4.67 ^{+0.04} _{-0.04}	4.67 ^{+0.04} _{-0.04}	B
2M0342+3251	6223	4586	278	2456283.624	-14.49	34	10.7 ^{+0.2} _{-0.2}	10.7 ^{+0.2} _{-0.2}	35.1 ^{+1.0} _{-1.0}	35.1 ^{+1.0} _{-1.0}	2933.5 ^{+8.4} _{-11.2}	2933.5 ^{+8.4} _{-11.2}	4.66 ^{+0.04} _{-0.04}	4.66 ^{+0.04} _{-0.04}	B
2M0342+3251	6223	4586	283	2456561.990	24.11	17	11.6 ^{+0.5} _{-0.2}	11.6 ^{+0.5} _{-0.2}	37.0 ^{+1.3} _{-1.4}	37.0 ^{+1.3} _{-1.4}	2951.1 ^{+9.9} _{-8.3}	2951.1 ^{+9.9} _{-8.3}	4.64 ^{+0.05} _{-0.05}	4.64 ^{+0.05} _{-0.05}	B
2M0342+3251	6223	4586	276	2456669.674	-22.86	37	11.5 ^{+0.2} _{-0.2}	9.1 ^{+0.2} _{-0.2}	34.8 ^{+1.0} _{-1.0}	34.8 ^{+1.0} _{-1.0}	2915.9 ^{+6.9} _{-7.9}	2915.9 ^{+6.9} _{-7.9}	4.62 ^{+0.03} _{-0.03}	4.62 ^{+0.03} _{-0.03}	B
2M0342+3251	6223	4586	287	2456673.564	-23.87	31	9.1 ^{+0.2} _{-0.2}	9.1 ^{+0.2} _{-0.2}	34.5 ^{+1.3} _{-1.3}	34.5 ^{+1.3} _{-1.3}	2944.2 ^{+9.5} _{-9.5}	2944.2 ^{+9.5} _{-9.5}	4.55 ^{+0.04} _{-0.04}	4.55 ^{+0.04} _{-0.04}	B
2M0342+3251	6224	4586	284	2456675.565	-24.46	37	10.6 ^{+0.6} _{-0.2}	10.6 ^{+0.6} _{-0.2}	34.9 ^{+1.0} _{-1.0}	34.9 ^{+1.0} _{-1.0}	2936.8 ^{+6.9} _{-9.2}	2936.8 ^{+6.9} _{-9.2}	4.53 ^{+0.02} _{-0.02}	4.53 ^{+0.02} _{-0.02}	B
2M0342+3251	6224	4586	240	2456701.589	-29.21	38	10.1 ^{+0.2} _{-0.2}	11.6 ^{+0.2} _{-0.2}	34.7 ^{+1.5} _{-1.0}	34.7 ^{+1.5} _{-1.0}	2943.6 ^{+7.9} _{-8.7}	2943.6 ^{+7.9} _{-8.7}	4.52 ^{+0.01} _{-0.01}	4.52 ^{+0.01} _{-0.01}	B
2M0342+3251	6224	4586	272	2456703.590	-29.33	25	12.1 ^{+0.3} _{-0.3}	9.5 ^{+0.3} _{-0.3}	35.0 ^{+1.0} _{-1.5}	35.0 ^{+1.0} _{-1.5}	2918.6 ^{+21.2} _{-14.6}	2918.6 ^{+21.2} _{-14.6}	4.69 ^{+0.04} _{-0.04}	4.69 ^{+0.04} _{-0.04}	B
2M0342+3251	6224	4586	271	2456706.602	-29.46	19	11.0 ^{+0.6} _{-0.8}	11.0 ^{+0.6} _{-0.8}	38.6 ^{+2.0} _{-1.9}	38.6 ^{+2.0} _{-1.9}	2924.5 ^{+13.7} _{-9.3}	2924.5 ^{+13.7} _{-9.3}	4.62 ^{+0.05} _{-0.05}	4.62 ^{+0.05} _{-0.05}	B
2M0342+3251	6224	4580	272	2459063.987	27.03	25	11.0 ^{+0.3} _{-0.3}	11.0 ^{+0.3} _{-0.3}	35.6 ^{+1.6} _{-1.6}	35.6 ^{+1.6} _{-1.6}	2941.8 ^{+15.9} _{-11.4}	2941.8 ^{+15.9} _{-11.4}	4.52 ^{+0.02} _{-0.02}	4.52 ^{+0.02} _{-0.02}	B
2M0342+3251	6224	4580	275	2459066.970	27.52	19	11.6 ^{+0.2} _{-0.2}	11.6 ^{+0.2} _{-0.2}	40.5 ^{+1.1} _{-1.0}	40.5 ^{+1.1} _{-1.0}	2977.4 ^{+11.8} _{-10.1}	2977.4 ^{+11.8} _{-10.1}	4.54 ^{+0.03} _{-0.03}	4.54 ^{+0.03} _{-0.03}	B
2M0342+3251	6224	4586	277	2459071.958	28.17	29	15.8 ^{+0.7} _{-0.7}	9.5 ^{+0.7} _{-0.7}	36.1 ^{+1.4} _{-1.4}	36.1 ^{+1.4} _{-1.4}	2926.4 ^{+7.5} _{-6.7}	2926.4 ^{+7.5} _{-6.7}	4.51 ^{+0.02} _{-0.02}	4.51 ^{+0.02} _{-0.02}	B
2M0342+3251	6225	4586	278	2459072.989	28.22	22	8.7 ^{+0.2} _{-0.2}	8.7 ^{+0.2} _{-0.2}	35.0 ^{+1.1} _{-1.5}	35.0 ^{+1.1} _{-1.5}	2937.6 ^{+9.6} _{-9.4}	2937.6 ^{+9.6} _{-9.4}	4.57 ^{+0.04} _{-0.04}	4.57 ^{+0.04} _{-0.04}	B
2M0342+3251	6225	4586	272	2459146.772	14.32	19	10.7 ^{+1.3} _{-0.3}	10.7 ^{+1.3} _{-0.3}	37.7 ^{+1.3} _{-1.3}	37.7 ^{+1.3} _{-1.3}	2913.7 ^{+11.2} _{-10.9}	2913.7 ^{+11.2} _{-10.9}	4.75 ^{+0.04} _{-0.04}	4.75 ^{+0.04} _{-0.04}	B
2M0343+3150	6218	4586	116	2456168.941	28.83	27	15.6 ^{+0.3} _{-0.4}	16.1 ^{+0.3} _{-0.4}	29.6 ^{+1.2} _{-1.2}	30.4 ^{+1.0} _{-1.0}	3074.0 ^{+10.7} _{-18.0}	3074.0 ^{+10.7} _{-18.0}	4.52 ^{+0.04} _{-0.04}	4.52 ^{+0.04} _{-0.04}	B
2M0343+3150	6219	4586	94	2456170.899	28.79	22	15.8 ^{+0.7} _{-0.7}	9.5 ^{+0.7} _{-0.7}	31.5 ^{+1.1} _{-1.7}	31.5 ^{+1.1} _{-1.7}	3141.5 ^{+10.4} _{-13.6}	3141.5 ^{+10.4} _{-13.6}	4.72 ^{+0.09} _{-0.09}	4.72 ^{+0.09} _{-0.09}	B
2M0343+3150	6220	4586	92	2456171.974	28.57	26	16.5 ^{+0.3} _{-0.3}	16.5 ^{+0.3} _{-0.3}	29.5 ^{+1.0} _{-1.0}	29.5 ^{+1.0} _{-1.0}	3071.1 ^{+7.5} _{-5.4}	3071.1 ^{+7.5} _{-5.4}	4.5 ^{+0.02} _{-0.02}	4.5 ^{+0.02} _{-0.02}	B
2M0343+3150	6221	4586	104	2456172.974	28.49	27	16.0 ^{+0.3} _{-0.3}	16.0 ^{+0.3} _{-0.3}	29.6 ^{+1.0} _{-1.0}	29.6 ^{+1.0} _{-1.0}	3137.9 ^{+9.2} _{-9.1}	3137.9 ^{+9.2} _{-9.1}	4.65 ^{+0.06} _{-0.06}	4.65 ^{+0.06} _{-0.06}	B
2M0343+3150	6219	4586	99	2456174.926	28.40	17	14.7 ^{+0.3} _{-0.3}	14.7 ^{+0.3} _{-0.3}	29.7 ^{+1.1} _{-1.4}	29.7 ^{+1.1} _{-1.4}	3109.6 ^{+12.0} _{-11.2}	3109.6 ^{+12.0} _{-11.2}	4.49 ^{+0.04} _{-0.04}	4.49 ^{+0.04} _{-0.04}	B
2M0343+3150	6221	4586	53	2456235.774	9.15	22	16.3 ^{+0.3} _{-0.3}	16.3 ^{+0.3} _{-0.3}	31.0 ^{+1.4} _{-1.2}	31.0 ^{+1.4} _{-1.2}	3091.9 ^{+13.9} _{-14.9}	3091.9 ^{+13.9} _{-14.9}	4.74 ^{+0.05} _{-0.05}	4.74 ^{+0.05} _{-0.05}	B

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	6222	45586	107	2456262.681	-4.43	30	17.2 ^{+0.2} _{-0.3}	...	29.3 ^{+1.0} _{-1.1}	...	3122.4 ^{+8.9} _{-10.8}	...	4.44 ^{+0.03} _{-0.05}	...	B
...	6223	45586	5	2456282.621	-14.17	16	16.1 ^{+1.2} _{-0.5}	...	32.8 ^{+1.8} _{-1.3}	...	3067.4 ^{+10.2} _{-14.8}	...	4.3 ^{+0.06} _{-0.08}	...	B
...	6223	45586	5	2456283.624	-14.63	18	15.4 ^{+1.0} _{-0.5}	...	30.9 ^{+1.5} _{-1.1}	...	3072.4 ^{+9.3} _{-12.7}	...	4.38 ^{+0.07} _{-0.07}	...	B
...	7079	45586	91	2456561.990	24.15	10	16.5 ^{+0.5} _{-0.5}	...	28.0 ^{+1.4} _{-1.3}	...	3129.7 ^{+9.4} _{-12.5}	...	5.24 ^{+0.06} _{-0.05}	...	B
...	7073	45586	6	2456669.674	-23.01	22	16.3 ^{+0.3} _{-0.3}	...	31.1 ^{+1.0} _{-1.1}	...	3039.9 ^{+7.8} _{-8.9}	...	4.12 ^{+0.04} _{-0.04}	...	B
...	7073	45586	48	2456673.564	-24.01	19	14.4 ^{+0.2} _{-0.3}	...	31.4 ^{+1.1} _{-1.3}	...	3200.1 ^{+10.1} _{-6.9}	...	4.64 ^{+0.04} _{-0.05}	...	B
...	7074	45586	60	2456675.565	-24.61	24	17.0 ^{+0.4} _{-0.2}	...	31.6 ^{+1.1} _{-1.4}	...	3093.8 ^{+13.2} _{-18.4}	...	4.55 ^{+0.05} _{-0.06}	...	B
...	7073	45586	49	2456701.589	-29.34	22	16.1 ^{+0.3} _{-0.3}	...	29.8 ^{+1.1} _{-1.1}	...	3156.4 ^{+8.3} _{-9.4}	...	4.6 ^{+0.03} _{-0.03}	...	B
...	7074	45586	103	2456703.590	-29.45	16	16.2 ^{+0.3} _{-0.3}	...	31.4 ^{+1.1} _{-1.3}	...	3133.8 ^{+7.6} _{-14.1}	...	4.34 ^{+0.05} _{-0.05}	...	B
...	7075	45586	144	2456706.602	-29.58	13	17.9 ^{+0.8} _{-0.9}	...	31.0 ^{+1.5} _{-1.1}	...	3083.3 ^{+7.8} _{-9.4}	...	4.49 ^{+0.04} _{-0.04}	...	B
...	12706	5480	113	2459063.987	27.17	16	18.4 ^{+0.9} _{-0.9}	...	27.0 ^{+1.2} _{-1.2}	...	3142.3 ^{+13.2} _{-12.2}	...	4.64 ^{+0.07} _{-0.07}	...	B
...	12706	5480	59	2459066.970	27.66	20	16.7 ^{+0.3} _{-0.7}	...	32.0 ^{+1.2} _{-1.3}	...	3139.8 ^{+6.8} _{-5.4}	...	4.51 ^{+0.02} _{-0.02}	...	B
...	12706	5480	53	2459071.958	28.30	21	15.3 ^{+0.3} _{-0.4}	...	29.3 ^{+1.0} _{-1.2}	...	3136.7 ^{+9.6} _{-10.2}	...	4.54 ^{+0.03} _{-0.04}	...	B
...	12706	5480	53	2459072.989	28.35	16	14.6 ^{+0.3} _{-0.4}	...	35.0 ^{+1.1} _{-1.3}	...	3101.5 ^{+12.2} _{-14.9}	...	4.55 ^{+0.05} _{-0.05}	...	B
...	12706	5480	23	245946.772	14.30	17	17.3 ^{+0.4} _{-0.8}	...	29.0 ^{+1.1} _{-1.1}	...	3134.0 ^{+8.3} _{-7.3}	...	4.61 ^{+0.05} _{-0.05}	...	B
2M0343+3243	6218	45586	247	2456168.941	28.75	14	18.8 ^{+0.4} _{-0.4}	18.1 ^{+0.3} _{-0.4}	23.4 ^{+1.8} _{-1.4}	20.0 ^{+1.0} _{-1.1}	3109.5 ^{+21.7} _{-11.1}	3131.3 ^{+4.3} _{-3.7}	4.83 ^{+0.06} _{-0.02}	4.92 ^{+0.02} _{-0.02}	HSP
...	6219	45586	294	2456170.899	28.71	12	19.9 ^{+0.3} _{-0.3}	...	19.4 ^{+1.3} _{-1.4}	...	3137.8 ^{+12.2} _{-10.5}	...	5.18 ^{+0.04} _{-0.04}	...	B
...	6220	45586	272	2456171.974	28.50	13	19.1 ^{+0.4} _{-0.4}	...	21.8 ^{+1.0} _{-1.2}	...	3128.6 ^{+23.4} _{-12.6}	...	4.8 ^{+0.05} _{-0.05}	...	B
...	6218	45586	288	2456172.974	28.42	14	17.6 ^{+0.3} _{-0.3}	...	20.5 ^{+1.1} _{-1.2}	...	3135.8 ^{+10.9} _{-12.2}	...	4.87 ^{+0.04} _{-0.04}	...	B
...	6219	45586	276	2456174.926	28.34	10	17.5 ^{+0.3} _{-0.3}	...	21.0 ^{+1.5} _{-1.3}	...	3178.5 ^{+16.3} _{-13.9}	...	4.77 ^{+0.05} _{-0.05}	...	B
...	6221	45586	283	2456235.774	9.27	16	18.8 ^{+0.2} _{-0.3}	...	19.8 ^{+1.3} _{-1.4}	...	3098.6 ^{+9.4} _{-8.2}	...	5.17 ^{+0.05} _{-0.06}	...	B
...	6222	45586	246	2456262.681	-4.27	15	17.4 ^{+0.3} _{-0.4}	...	18.1 ^{+1.1} _{-1.1}	...	3112.2 ^{+15.8} _{-11.7}	...	4.72 ^{+0.04} _{-0.04}	...	B
...	6223	45586	277	2456282.621	-13.99	11	16.9 ^{+0.3} _{-0.3}	...	17.9 ^{+1.5} _{-1.4}	...	3172.2 ^{+14.1} _{-14.1}	...	5.16 ^{+0.06} _{-0.06}	...	B
...	6223	45586	277	2456283.624	-14.45	12	16.7 ^{+0.3} _{-0.9}	...	19.9 ^{+1.3} _{-1.3}	...	3149.9 ^{+20.4} _{-20.3}	...	4.89 ^{+0.07} _{-0.08}	...	B
...	10100	5480	242	2458085.802	-2.90	10	17.7 ^{+0.4} _{-0.4}	...	18.7 ^{+1.3} _{-1.6}	...	3153.3 ^{+13.1} _{-12.7}	...	4.67 ^{+0.08} _{-0.12}	...	B
...	10100	5480	242	2458087.800	-3.92	12	18.3 ^{+0.5} _{-0.8}	...	18.6 ^{+1.2} _{-1.2}	...	3129.5 ^{+18.8} _{-17.4}	...	4.74 ^{+0.07} _{-0.07}	...	B
...	6218	45586	251	2456168.941	28.76	22	19.5 ^{+1.8} _{-0.5}	16.2 ^{+0.5} _{-0.5}	71.6 ^{+1.8} _{-2.3}	68.9 ^{+1.1} _{-1.2}	3011.8 ^{+23.3} _{-12.7}	3023.1 ^{+3.4} _{-3.7}	4.15 ^{+0.03} _{-0.03}	4.53 ^{+0.01} _{-0.01}	B
...	6219	45586	289	2456170.899	28.72	17	16.1 ^{+2.0} _{-2.0}	...	73.9 ^{+3.6} _{-2.1}	...	3017.5 ^{+27.7} _{-19.7}	...	5.19 ^{+0.26} _{-0.07}	...	B
...	6220	45586	300	2456171.974	28.51	19	16.1 ^{+1.8} _{-0.4}	...	67.5 ^{+1.5} _{-1.9}	...	3042.5 ^{+16.9} _{-15.3}	...	4.41 ^{+0.07} _{-0.07}	...	B
...	6218	45586	287	2456172.974	28.43	21	13.8 ^{+1.8} _{-0.4}	...	69.9 ^{+3.4} _{-3.6}	...	3023.7 ^{+33.8} _{-30.4}	...	5.07 ^{+0.15} _{-0.11}	...	B
...	6219	45586	271	2456174.926	28.35	13	14.1 ^{+2.0} _{-1.9}	...	75.1 ^{+4.4} _{-3.3}	...	3010.2 ^{+13.5} _{-16.4}	...	4.5 ^{+0.03} _{-0.03}	...	B
...	6221	45586	288	2456235.774	9.27	21	16.5 ^{+1.8} _{-0.5}	...	70.6 ^{+2.4} _{-2.2}	...	2975.3 ^{+10.3} _{-12.1}	...	4.59 ^{+0.05} _{-0.08}	...	B
...	6222	45586	242	2456262.681	-4.27	20	17.4 ^{+1.5} _{-0.3}	...	71.3 ^{+1.9} _{-1.6}	...	2932.4 ^{+9.7} _{-11.0}	...	4.48 ^{+0.05} _{-0.05}	...	B
...	6223	45586	281	2456282.621	-13.99	17	14.6 ^{+1.6} _{-0.4}	...	68.2 ^{+1.7} _{-1.7}	...	2978.1 ^{+10.3} _{-13.2}	...	4.51 ^{+0.05} _{-0.05}	...	B
...	6223	45586	281	2456283.624	-14.45	18	19.7 ^{+1.8} _{-1.8}	...	67.2 ^{+2.4} _{-2.4}	...	2979.5 ^{+18.4} _{-16.0}	...	4.62 ^{+0.07} _{-0.07}	...	B
...	10100	5480	290	2458058.938	10.43	13	14.9 ^{+2.0} _{-2.0}	...	67.3 ^{+2.7} _{-3.0}	...	3154.0 ^{+24.4} _{-18.1}	...	4.93 ^{+0.09} _{-0.09}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	10100	5480	296	2458087.800	-3.92	17	13.0 ^{+0.7} _{-0.8}	...	73.4 ^{+2.2} _{-2.4}	...	3042.3 ^{+10.9} _{-13.2}	...	4.51 ^{+0.07} _{-0.08}	B
...	12706	5480	185	2459063.987	27.04	14	15.0 ^{+1.3} _{-1.7}	...	66.8 ^{+2.2} _{-1.9}	...	3027.5 ^{+12.6} _{-10.6}	...	4.51 ^{+0.03} _{-0.03}	B
...	12706	5480	287	2459066.970	27.53	11	16.3 ^{+2.1} _{-1.9}	...	62.2 ^{+2.7} _{-2.3}	...	3147.3 ^{+23.5} _{-19.0}	...	5.16 ^{+0.07} _{-0.1}	B
...	12706	5480	293	2459071.958	28.18	14	15.4 ^{+1.7} _{-1.7}	...	66.4 ^{+2.9} _{-3.3}	...	3095.4 ^{+17.4} _{-22.3}	...	4.74 ^{+0.14} _{-0.09}	B
...	12706	5480	293	2459072.989	28.23	12	13.7 ^{+2.9} _{-1.1}	...	70.2 ^{+2.3} _{-2.3}	...	3040.0 ^{+8.5} _{-27.2}	...	4.55 ^{+0.04} _{-0.06}	B
...	12706	5480	299	2459146.772	14.39	10	14.6 ^{+1.7} _{-1.8}	...	62.4 ^{+2.3} _{-3.1}	...	3127.5 ^{+14.7} _{-14.2}	...	4.62 ^{+0.09} _{-0.09}	B
2M0343+3205	6218	4586	49	2456168.941	28.82	12	17.0 ^{+0.3} _{-0.4}	17.8 ^{+0.3} _{-0.4}	28.7 ^{+1.0} _{-1.1}	3006.2 ^{+10.3} _{-10.5}	2988.8 ^{+4.6} _{-4.4}	4.44 ^{+0.04} _{-0.04}	4.62 ^{+0.02} _{-0.01}	B
...	6220	4586	37	2456171.974	28.57	11	18.0 ^{+0.3} _{-0.5}	...	27.9 ^{+1.2} _{-1.7}	...	2963.6 ^{+14.4} _{-13.3}	...	5.17 ^{+0.07} _{-0.06}	B
...	6218	4586	139	2456172.974	28.49	15	17.8 ^{+0.4} _{-0.3}	...	26.2 ^{+1.4} _{-1.4}	...	2892.7 ^{+20.1} _{-20.1}	...	4.67 ^{+0.08} _{-0.06}	B
...	6221	4586	43	2456235.774	9.27	13	17.6 ^{+0.3} _{-0.5}	...	27.5 ^{+1.4} _{-1.5}	...	3071.2 ^{+11.2} _{-10.0}	...	5.37 ^{+0.05} _{-0.05}	B
...	6222	4586	50	2456262.681	-4.31	13	19.3 ^{+0.3} _{-0.3}	...	28.8 ^{+1.8} _{-1.2}	...	3000.3 ^{+8.9} _{-9.0}	...	4.53 ^{+0.03} _{-0.03}	B
...	10100	5480	188	2458085.802	-2.93	11	15.2 ^{+0.3} _{-0.3}	...	29.4 ^{+1.4} _{-1.4}	...	2901.6 ^{+20.1} _{-16.0}	...	4.36 ^{+0.08} _{-0.08}	B
...	10100	5480	188	2458087.800	-3.96	11	16.6 ^{+0.5} _{-0.4}	...	27.7 ^{+1.1} _{-1.9}	...	2934.0 ^{+11.2} _{-10.7}	...	4.5 ^{+0.03} _{-0.02}	B
2M0344+3204	7074	4586	36	2456675.565	-24.51	16	17.0 ^{+0.3} _{-0.3}	17.0 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	2902.0 ^{+6.8} _{-6.8}	2902.0 ^{+6.8} _{-6.8}	4.5 ^{+0.01} _{-0.02}	4.5 ^{+0.01} _{-0.02}	B
2M0344+3210	6218	4586	193	2456168.941	28.82	16	16.2 ^{+0.7} _{-1.3}	17.7 ^{+0.3} _{-0.4}	27.2 ^{+1.4} _{-1.1}	2968.3 ^{+14.9} _{-8.8}	2946.9 ^{+4.9} _{-4.8}	4.62 ^{+0.05} _{-0.04}	4.53 ^{+0.03} _{-0.02}	B
...	6220	4586	187	2456171.974	28.56	16	17.9 ^{+0.9} _{-0.4}	...	27.3 ^{+1.5} _{-1.0}	...	2935.9 ^{+11.6} _{-11.1}	...	4.57 ^{+0.04} _{-0.04}	B
...	6218	4586	187	2456172.974	28.49	15	17.5 ^{+0.3} _{-0.3}	...	27.8 ^{+1.2} _{-1.5}	...	2919.8 ^{+13.1} _{-13.1}	...	4.66 ^{+0.07} _{-0.06}	B
...	6222	4586	192	2456262.681	-4.27	16	17.8 ^{+0.3} _{-0.3}	...	25.4 ^{+1.6} _{-1.1}	...	2971.8 ^{+18.2} _{-10.7}	...	4.52 ^{+0.02} _{-0.04}	B
...	10100	5480	181	2458087.800	-3.92	12	17.7 ^{+0.3} _{-0.3}	...	28.9 ^{+1.4} _{-1.1}	...	2940.6 ^{+7.0} _{-11.1}	...	4.47 ^{+0.03} _{-0.03}	B
...	6220	4586	187	2458087.800	-3.96	11	16.6 ^{+0.5} _{-0.4}	...	27.3 ^{+1.5} _{-1.0}	...	2935.9 ^{+11.6} _{-11.1}	...	4.57 ^{+0.04} _{-0.04}	B
...	6218	4586	187	2456675.565	-24.51	16	17.0 ^{+0.3} _{-0.3}	17.0 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	2902.0 ^{+6.8} _{-6.8}	2902.0 ^{+6.8} _{-6.8}	4.5 ^{+0.01} _{-0.02}	4.5 ^{+0.01} _{-0.02}	B
...	6222	4586	192	2456262.681	-4.27	16	17.2 ^{+0.7} _{-1.3}	17.7 ^{+0.3} _{-0.4}	27.2 ^{+1.4} _{-1.1}	2968.3 ^{+14.9} _{-8.8}	2946.9 ^{+4.9} _{-4.8}	4.62 ^{+0.05} _{-0.04}	4.53 ^{+0.03} _{-0.02}	B
...	10100	5480	181	2458087.800	-3.92	12	17.7 ^{+0.3} _{-0.3}	...	28.9 ^{+1.4} _{-1.1}	...	2940.6 ^{+7.0} _{-11.1}	...	4.47 ^{+0.03} _{-0.03}	B
...	6220	4586	187	2458087.800	-3.96	11	16.6 ^{+0.5} _{-0.4}	...	27.3 ^{+1.5} _{-1.0}	...	2935.9 ^{+11.6} _{-11.1}	...	4.57 ^{+0.04} _{-0.04}	B
...	6219	4586	185	2456170.899	28.77	16	17.9 ^{+0.3} _{-0.3}	17.9 ^{+0.3} _{-0.3}	20.1 ^{+1.0} _{-1.3}	3006.9 ^{+7.3} _{-7.3}	3006.9 ^{+7.3} _{-7.3}	4.52 ^{+0.03} _{-0.04}	4.52 ^{+0.02} _{-0.02}	B
...	6220	4586	192	2456171.974	28.56	19	15.9 ^{+0.3} _{-0.3}	15.9 ^{+0.3} _{-0.3}	19.9 ^{+1.0} _{-1.0}	3012.9 ^{+6.1} _{-11.1}	3012.9 ^{+6.1} _{-11.1}	4.49 ^{+0.02} _{-0.02}	4.49 ^{+0.02} _{-0.02}	B
...	6218	4586	198	2456168.941	28.81	19	17.3 ^{+0.4} _{-0.3}	16.3 ^{+0.3} _{-0.4}	19.8 ^{+1.2} _{-1.0}	2900.6 ^{+9.7} _{-9.7}	2900.6 ^{+9.7} _{-9.7}	4.51 ^{+0.02} _{-0.02}	4.52 ^{+0.01} _{-0.01}	B
...	6219	4586	185	2456170.899	28.77	16	17.9 ^{+0.3} _{-0.3}	17.9 ^{+0.3} _{-0.3}	20.1 ^{+1.0} _{-1.3}	3006.9 ^{+7.3} _{-7.3}	3006.9 ^{+7.3} _{-7.3}	4.52 ^{+0.03} _{-0.03}	4.52 ^{+0.02} _{-0.02}	B
...	6220	4586	192	2456171.974	28.56	19	15.9 ^{+0.3} _{-0.3}	15.9 ^{+0.3} _{-0.3}	19.9 ^{+1.0} _{-1.0}	3012.9 ^{+6.1} _{-11.1}	3012.9 ^{+6.1} _{-11.1}	4.49 ^{+0.02} _{-0.02}	4.49 ^{+0.02} _{-0.02}	B
...	6222	4586	187	2456262.681	-4.26	21	16.1 ^{+0.3} _{-0.3}	...	20.0 ^{+1.0} _{-1.2}	...	2988.5 ^{+8.8} _{-8.9}	...	4.53 ^{+0.03} _{-0.03}	B
...	6222	4586	192	2456172.974	28.48	20	16.3 ^{+0.3} _{-0.2}	...	21.2 ^{+1.6} _{-1.1}	...	2938.8 ^{+16.1} _{-15.4}	...	4.82 ^{+0.06} _{-0.06}	B
...	6219	4586	200	2456174.926	28.40	12	15.5 ^{+0.6} _{-0.6}	...	19.2 ^{+1.4} _{-1.2}	...	2990.8 ^{+8.0} _{-7.8}	...	4.51 ^{+0.02} _{-0.02}	B
...	6221	4586	240	2456235.774	9.30	19	17.7 ^{+0.3} _{-0.3}	17.7 ^{+0.3} _{-0.3}	19.7 ^{+1.7} _{-1.0}	2993.7 ^{+11.9} _{-7.8}	2993.7 ^{+11.9} _{-7.8}	4.57 ^{+0.06} _{-0.06}	4.57 ^{+0.06} _{-0.06}	B
...	6222	4586	187	2456262.681	-4.26	21	16.1 ^{+0.3} _{-0.3}	...	20.0 ^{+1.0} _{-1.2}	...	3051.5 ^{+16.4} _{-6.9}	...	4.48 ^{+0.02} _{-0.02}	B
...	10100	5480	182	2455805.802	-2.89	16	15.4 ^{+0.3} _{-0.4}	...	17.1 ^{+1.4} _{-1.3}	...	3039.3 ^{+8.6} _{-11.3}	...	4.49 ^{+0.03} _{-0.02}	B
...	10100	5480	182	2455807.800	-3.92	17	16.1 ^{+0.3} _{-0.6}	...	19.3 ^{+1.5} _{-1.1}	...	3029.5 ^{+6.0} _{-7.9}	...	4.54 ^{+0.03} _{-0.04}	B
...	6223	4586	289	2456283.624	-14.47	14	16.4 ^{+0.3} _{-0.5}	...	18.0 ^{+1.0} _{-1.1}	...	3066.4 ^{+5.7} _{-5.9}	...	4.51 ^{+0.01} _{-0.03}	B
...	10100	5480	182	2458084.790	-2.34	13	15.8 ^{+0.3} _{-0.3}	15.8 ^{+0.9} _{-0.7}	22.0 ^{+1.0} _{-1.6}	3041.1 ^{+11.1} _{-11.0}	3041.1 ^{+11.1} _{-11.0}	4.54 ^{+0.03} _{-0.03}	4.54 ^{+0.03} _{-0.03}	B
...	12706	5480	229	2459071.958	28.23	15	16.2 ^{+0.3} _{-0.3}	16.2 ^{+0.3} _{-0.3}	19.9 ^{+1.0} _{-1.1}	2999.1 ^{+6.2} _{-8.3}	2999.1 ^{+6.2} _{-8.3}	4.53 ^{+0.02} _{-0.02}	4.53 ^{+0.02} _{-0.02}	B
...	12706	5480	229	2459072.989	28.28	11	15.9 ^{+0.3} _{-0.3}	15.9 ^{+0.3} _{-0.3}	20.4 ^{+1.1} _{-1.4}	3028.7 ^{+10.4} _{-14.7}	3028.7 ^{+10.4} _{-14.7}	4.51 ^{+0.03} _{-0.04}	4.51 ^{+0.03} _{-0.04}	B
...	12706	5480	199	2459146.772	14.42	17	14.9 ^{+0.4} _{-0.3}	14.9 ^{+0.4} _{-0.3}	21.5 ^{+1.6} _{-1.1}	3004.9 ^{+5.7} _{-6.3}	3004.9 ^{+5.7} _{-6.3}	4.58 ^{+0.05} _{-0.05}	4.58 ^{+0.05} _{-0.05}	B

Table A2 *continued*

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)			
2M0344+3159	6220	4586	139	2456171.974	28.58	23	18.1 ^{+0.2} _{-0.2}	18.6 ^{+0.3} _{-0.4}	13.7 ^{+1.7} _{-1.1}	2959.3 ^{+16.3} _{-9.6}	2988.2 ^{+3.9} _{-3.1}	4.48 ^{+0.05} _{-0.04}	4.52 ^{+0.01} _{-0.01}	B		
...	6221	4586	150	2456235.774	9.29	22	20.0 ^{+0.3} _{-0.3}	12.5 ^{+1.0} _{-1.2}	2883.9 ^{+12.6} _{-20.2}	...	4.71 ^{+0.04} _{-0.04}	...	4.49 ^{+0.03} _{-0.02}	...	B	
...	7074	4586	311	2456675.565	-24.52	17	18.5 ^{+0.3} _{-0.3}	14.3 ^{+1.0} _{-1.1}	2922.9 ^{+9.1} _{-5.1}	...	4.54 ^{+0.03} _{-0.05}	...	4.54 ^{+0.03} _{-0.05}	...	B	
...	7074	4586	36	2456703.590	-29.43	11	17.8 ^{+0.5} _{-0.3}	16.1 ^{+1.1} _{-1.1}	2983.3 ^{+18.7} _{-14.1}	...	4.54 ^{+0.03} _{-0.05}	...	4.54 ^{+0.03} _{-0.05}	...	B	
...	10100	5480	36	2458058.938	10.45	11	19.2 ^{+0.3} _{-0.3}	13.4 ^{+1.4} _{-1.2}	3005.3 ^{+9.7} _{-10.7}	...	4.73 ^{+0.06} _{-0.04}	...	4.49 ^{+0.03} _{-0.02}	...	B	
...	10100	5480	42	2458084.790	-2.37	14	18.0 ^{+0.4} _{-0.4}	12.8 ^{+1.1} _{-1.3}	3000.4 ^{+11.0} _{-9.2}	...	4.49 ^{+0.03} _{-0.02}	...	4.48 ^{+0.04} _{-0.02}	...	B	
...	10100	5480	42	2458085.802	-2.92	17	18.7 ^{+0.4} _{-0.3}	12.6 ^{+1.0} _{-1.1}	2990.1 ^{+8.2} _{-7.7}	...	4.48 ^{+0.04} _{-0.02}	...	4.48 ^{+0.04} _{-0.02}	...	B	
...	10100	5480	42	2458087.800	-3.94	16	18.0 ^{+0.6} _{-0.3}	13.5 ^{+1.3} _{-1.6}	3015.0 ^{+12.1} _{-9.2}	...	4.34 ^{+0.12} _{-0.09}	...	4.34 ^{+0.12} _{-0.09}	...	B	
2M0344+3200	6223	4586	139	2456283.624	-14.49	8	18.0 ^{+0.3} _{-0.3}	nan ^{+nan} _{-nan}	2399.0 ^{+1.1} _{-0.7}	nan ^{+nan} _{-nan}	3.51 ^{+0.01} _{-0.02}	nan ^{+nan} _{-nan}	3.51 ^{+0.01} _{-0.02}	S		
2M0344+3255	6218	4586	279	2456168.941	28.75	9	19.9 ^{+0.3} _{-0.4}	19.5 ^{+0.3} _{-0.5}	2943.5 ^{+12.3} _{-11.4}	2939.9 ^{+6.4} _{-7.6}	4.95 ^{+0.04} _{-0.06}	4.79 ^{+0.02} _{-0.03}	4.79 ^{+0.02} _{-0.03}	B		
...	6218	4586	280	2456172.974	28.42	10	19.4 ^{+0.4} _{-0.4}	14.5 ^{+1.1} _{-1.8}	2964.2 ^{+36.8} _{-22.2}	...	5.14 ^{+0.07} _{-0.06}	...	5.14 ^{+0.07} _{-0.06}	...	B	
...	6221	4586	251	2456235.774	9.36	11	20.1 ^{+1.0} _{-0.4}	19.9 ^{+2.0} _{-2.0}	2938.3 ^{+15.2} _{-19.3}	...	4.74 ^{+0.07} _{-0.07}	...	4.74 ^{+0.07} _{-0.07}	...	B	
...	6222	4586	248	2456262.681	-4.16	10	19.1 ^{+0.3} _{-0.3}	18.2 ^{+1.0} _{-1.1}	2933.8 ^{+8.7} _{-14.1}	...	4.54 ^{+0.04} _{-0.04}	...	4.54 ^{+0.04} _{-0.04}	...	B	
2M0344+3205	6222	4586	43	2456262.681	-4.27	11	15.9 ^{+0.6} _{-1.0}	26.0 ^{+2.1} _{-1.9}	3062.0 ^{+46.3} _{-28.5}	3062.0 ^{+46.3} _{-28.5}	4.75 ^{+0.17} _{-0.17}	4.75 ^{+0.17} _{-0.17}	4.75 ^{+0.17} _{-0.17}	B		
2M0344+3210	7073	4586	186	2456669.674	-22.87	19	14.5 ^{+0.4} _{-0.4}	8.5 ^{+1.8} _{-0.4}	< 10	3268.6 ^{+8.3} _{-8.3}	3273.5 ^{+6.2} _{-6.1}	4.49 ^{+0.03} _{-0.04}	4.38 ^{+0.02} _{-0.02}	HSP		
...	7073	4586	229	2456673.564	-23.88	13	14.5 ^{+0.3} _{-0.2}	8.7 ^{+1.2} _{-1.3}	3278.9 ^{+13.8} _{-15.1}	...	4.35 ^{+0.05} _{-0.03}	...	4.35 ^{+0.05} _{-0.03}	...	B	
...	7073	4586	187	2456701.589	-29.28	19	13.7 ^{+0.3} _{-0.3}	9.7 ^{+1.4} _{-1.2}	3277.3 ^{+12.4} _{-9.2}	...	4.27 ^{+0.04} _{-0.04}	...	4.27 ^{+0.04} _{-0.04}	...	B	
2M0344+3209	6221	4586	199	2456235.774	9.32	17	18.0 ^{+0.4} _{-0.5}	16.8 ^{+0.3} _{-0.5}	17.5 ^{+1.0} _{-1.1}	2968.6 ^{+19.5} _{-14.6}	2977.6 ^{+7.8} _{-6.8}	4.5 ^{+0.03} _{-0.03}	4.5 ^{+0.03} _{-0.03}	4.5 ^{+0.03} _{-0.03}	B	
...	6223	4586	199	2456282.621	-13.99	12	17.0 ^{+0.2} _{-0.3}	16.6 ^{+1.1} _{-1.5}	2962.2 ^{+10.7} _{-13.6}	...	4.47 ^{+0.03} _{-0.03}	...	4.47 ^{+0.03} _{-0.03}	...	B	
...	6223	4586	199	2456283.624	-14.46	13	16.2 ^{+0.2} _{-0.2}	17.4 ^{+1.5} _{-1.2}	2994.9 ^{+14.2} _{-9.4}	...	4.51 ^{+0.03} _{-0.03}	...	4.51 ^{+0.03} _{-0.03}	...	B	
2M0344+2429	5534	4259	186	2455847.869	18.74	42	5.9 ^{+0.3} _{-0.3}	6.2 ^{+0.3} _{-0.4}	34.8 ^{+1.1} _{-1.1}	3098.1 ^{+3.3} _{-4.0}	5.28 ^{+0.02} _{-0.04}	5.29 ^{+0.02} _{-0.02}	5.29 ^{+0.02} _{-0.02}	B		
...	5534	4259	186	2455851.863	17.12	37	6.4 ^{+0.2} _{-0.2}	33.6 ^{+1.2} _{-1.2}	3099.4 ^{+8.1} _{-8.3}	...	5.28 ^{+0.05} _{-0.05}	...	5.28 ^{+0.05} _{-0.05}	...	B	
...	5534	4259	240	2455854.888	15.77	36	5.6 ^{+0.3} _{-0.3}	36.6 ^{+1.5} _{-1.2}	3093.3 ^{+13.8} _{-7.7}	...	5.3 ^{+0.02} _{-0.02}	...	5.3 ^{+0.02} _{-0.02}	...	B	
2M0344+3205	6219	4586	84	2456170.899	28.79	17	15.0 ^{+0.3} _{-0.3}	14.8 ^{+0.3} _{-0.5}	26.7 ^{+1.0} _{-1.3}	3032.4 ^{+13.3} _{-11.5}	3015.6 ^{+8.6} _{-8.8}	4.32 ^{+0.04} _{-0.04}	4.39 ^{+0.03} _{-0.03}	4.39 ^{+0.03} _{-0.03}	B	
...	6219	4586	84	2456174.926	28.42	14	14.3 ^{+0.4} _{-0.4}	27.9 ^{+1.2} _{-1.2}	2999.2 ^{+11.2} _{-13.5}	3098.7 ^{+3.7} _{-4.0}	4.43 ^{+0.04} _{-0.04}	4.43 ^{+0.04} _{-0.04}	4.43 ^{+0.04} _{-0.04}	B		
2M0344+3211	7073	4586	193	2456669.674	-22.86	30	17.6 ^{+0.2} _{-0.2}	17.8 ^{+0.3} _{-0.4}	14.2 ^{+1.0} _{-1.0}	2993.0 ^{+9.5} _{-5.6}	2990.7 ^{+3.9} _{-3.3}	4.5 ^{+0.01} _{-0.01}	4.49 ^{+0.01} _{-0.01}	4.49 ^{+0.01} _{-0.01}	B	
...	7073	4586	192	2456673.564	-23.87	24	18.0 ^{+0.2} _{-0.2}	14.4 ^{+1.0} _{-1.8}	2987.6 ^{+6.9} _{-6.9}	...	4.52 ^{+0.02} _{-0.03}	...	4.52 ^{+0.02} _{-0.03}	...	B	
...	7073	4586	193	2456701.589	-29.28	30	17.2 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.0}	2991.6 ^{+5.5} _{-5.5}	...	4.4 ^{+0.02} _{-0.02}	...	4.4 ^{+0.02} _{-0.02}	...	B	
2M0344+3215	7075	4586	193	2456706.602	-29.53	10	18.4 ^{+0.4} _{-0.4}	18.4 ^{+0.4} _{-0.4}	23.7 ^{+1.3} _{-1.4}	3164.1 ^{+13.3} _{-11.2}	4.65 ^{+0.05} _{-0.04}	4.65 ^{+0.05} _{-0.04}	4.65 ^{+0.05} _{-0.04}	B		
2M0344+3204	6218	4586	36	2456168.941	28.83	24	16.5 ^{+0.3} _{-0.5}	16.9 ^{+0.3} _{-0.4}	20.4 ^{+1.0} _{-1.0}	2964.3 ^{+9.9} _{-13.1}	2956.6 ^{+4.6} _{-4.9}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B	
...	6218	4586	43	2456172.974	28.50	25	16.1 ^{+0.3} _{-0.2}	19.7 ^{+1.0} _{-1.0}	2989.7 ^{+8.4} _{-8.8}	...	4.5 ^{+0.01} _{-0.01}	...	4.5 ^{+0.01} _{-0.01}	...	B	
...	6222	4586	38	2456262.681	-4.25	30	17.4 ^{+0.2} _{-0.2}	19.9 ^{+1.0} _{-1.0}	3010.2 ^{+6.7} _{-6.6}	...	4.5 ^{+0.01} _{-0.01}	...	4.5 ^{+0.01} _{-0.01}	...	B	
2M0344+3216	7073	4586	192	2456669.674	-22.84	23	15.3 ^{+0.2} _{-0.2}	15.3 ^{+0.3} _{-0.4}	18.0 ^{+1.0} _{-1.1}	3057.9 ^{+8.3} _{-5.5}	3045.8 ^{+5.1} _{-4.0}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B	
...	7073	4586	199	2456673.564	-23.86	15	15.1 ^{+0.3} _{-0.3}	15.2 ^{+0.3} _{-0.4}	18.2 ^{+1.0} _{-1.0}	3041.7 ^{+7.6} _{-8.0}	...	4.47 ^{+0.06} _{-0.06}	...	4.47 ^{+0.06} _{-0.06}	...	B
...	7073	4586	246	2456701.589	-29.27	23	15.7 ^{+0.3} _{-0.4}	15.7 ^{+0.3} _{-0.4}	17.3 ^{+1.5} _{-1.2}	3025.2 ^{+11.9} _{-8.4}	4.53 ^{+0.04} _{-0.03}	4.53 ^{+0.04} _{-0.03}	4.53 ^{+0.04} _{-0.03}	B		
2M0344+3218	6218	4586	160	2456168.941	28.81	80	12.6 ^{+0.2} _{-0.3}	14.6 ^{+0.3} _{-0.4}	60.9 ^{+1.1} _{-1.0}	58.1 ^{+1.0} _{-1.1}	3261.6 ^{+6.5} _{-8.7}	3286.2 ^{+3.2} _{-3.6}	4.24 ^{+0.01} _{-0.01}	4.24 ^{+0.01} _{-0.01}	4.24 ^{+0.01} _{-0.01}	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)			
...	6220	4586	256	2456171.974	28.56	77	15.7 ^{+0.7} _{-0.3}	...	59.3 ^{+1.1} _{-1.2}	...	3276.7 ^{+7.6} _{-9.2}	...	4.22 ^{+0.03} _{-0.02}	...	B	
...	6218	4586	178	2456172.974	28.49	75	16.1 ^{+0.4} _{-0.3}	...	59.2 ^{+1.0} _{-1.1}	...	3326.2 ^{+6.1} _{-6.6}	...	4.25 ^{+0.03} _{-0.03}	...	B	
...	6222	4586	183	2456262.681	-4.21	85	16.2 ^{+0.3} _{-0.2}	...	55.5 ^{+1.0} _{-1.3}	...	3272.4 ^{+5.9} _{-6.7}	...	4.21 ^{+0.03} _{-0.03}	...	B	
2M0344+3206	2M0344+3204	6221	4586	79	2456235.774	9.34	16	19.3 ^{+0.7} _{-0.4}	19.3 ^{+0.7} _{-0.4}	12.9 ^{+1.1} _{-1.2}	2862.0 ^{+14.2} _{-16.1}	4.75 ^{+0.08} _{-0.08}	4.75 ^{+0.08} _{-0.08}	B		
...	6223	4586	31	2456282.621	-13.98	11	17.2 ^{+0.4} _{-0.4}	17.0 ^{+0.4} _{-0.6}	23.5 ^{+1.5} _{-1.2}	22.5 ^{+1.1} _{-1.2}	3078.8 ^{+9.1} _{-11.5}	3053.0 ^{+6.6} _{-6.6}	4.63 ^{+0.09} _{-0.05}	4.58 ^{+0.05} _{-0.04}	B	
2M0344+3215	2M0344+3217	6218	4586	151	2456168.941	28.82	18	16.7 ^{+0.3} _{-0.8}	17.1 ^{+0.3} _{-0.5}	20.0 ^{+1.0} _{-1.2}	20.4 ^{+1.0} _{-1.1}	3071.9 ^{+9.2} _{-10.3}	3054.4 ^{+3.3} _{-3.8}	4.58 ^{+0.02} _{-0.02}	4.54 ^{+0.02} _{-0.02}	B
...	6220	4586	253	2456171.974	28.57	17	17.1 ^{+0.3} _{-0.5}	17.0 ^{+0.3} _{-0.5}	20.0 ^{+1.0} _{-1.1}	20.0 ^{+1.0} _{-1.1}	3057.7 ^{+10.4} _{-7.1}	3057.7 ^{+7.1} _{-7.1}	4.5 ^{+0.03} _{-0.03}	4.5 ^{+0.03} _{-0.03}	B	
...	6218	4586	163	2456172.974	28.49	19	16.6 ^{+0.5} _{-0.5}	16.3 ^{+0.5} _{-0.5}	20.3 ^{+1.1} _{-1.3}	20.3 ^{+1.1} _{-1.3}	3046.7 ^{+5.3} _{-6.9}	3046.7 ^{+5.3} _{-6.9}	4.54 ^{+0.03} _{-0.04}	4.54 ^{+0.03} _{-0.04}	...	
...	6222	4586	193	2456262.681	-4.20	17	17.3 ^{+0.3} _{-0.3}	17.3 ^{+0.3} _{-0.3}	21.9 ^{+1.0} _{-1.5}	20.2 ^{+1.0} _{-1.0}	3053.8 ^{+6.2} _{-7.4}	3053.8 ^{+6.2} _{-7.4}	4.63 ^{+0.05} _{-0.06}	4.63 ^{+0.05} _{-0.06}	...	
2M0344+3154	2M0344+3154	6223	4586	157	2456282.621	-13.94	22	16.8 ^{+0.2} _{-0.2}	16.4 ^{+0.3} _{-0.4}	20.2 ^{+1.0} _{-1.6}	20.1 ^{+1.0} _{-1.1}	3223.9 ^{+10.7} _{-11.0}	3306.0 ^{+4.2} _{-4.1}	4.5 ^{+0.04} _{-0.04}	4.53 ^{+0.02} _{-0.03}	...
...	6223	4586	157	2456283.624	-14.41	25	15.5 ^{+0.4} _{-0.4}	15.5 ^{+0.4} _{-0.3}	19.9 ^{+1.0} _{-1.1}	19.9 ^{+1.0} _{-1.1}	3229.7 ^{+5.7} _{-4.9}	3229.7 ^{+5.7} _{-4.9}	4.4 ^{+0.04} _{-0.04}	4.4 ^{+0.04} _{-0.04}	...	
...	7079	4586	204	2456561.990	24.24	10	14.8 ^{+0.4} _{-0.5}	14.8 ^{+0.4} _{-0.5}	25.5 ^{+1.9} _{-1.5}	25.5 ^{+1.9} _{-1.5}	3276.5 ^{+10.4} _{-11.9}	3276.5 ^{+10.4} _{-11.9}	4.54 ^{+0.08} _{-0.08}	4.54 ^{+0.08} _{-0.08}	...	
...	7075	4586	198	2456706.602	-29.53	14	15.9 ^{+0.2} _{-0.3}	15.9 ^{+0.2} _{-0.3}	19.9 ^{+1.0} _{-1.1}	19.9 ^{+1.0} _{-1.1}	3319.0 ^{+10.5} _{-16.8}	3319.0 ^{+10.5} _{-16.8}	4.64 ^{+0.04} _{-0.04}	4.64 ^{+0.04} _{-0.04}	...	
...	6219	4586	100	2456168.941	28.86	20	18.0 ^{+0.2} _{-0.2}	17.2 ^{+0.3} _{-0.3}	11.1 ^{+1.2} _{-1.1}	11.2 ^{+1.0} _{-1.0}	3176.3 ^{+16.9} _{-12.3}	3118.3 ^{+2.5} _{-2.2}	4.75 ^{+0.07} _{-0.07}	4.74 ^{+0.01} _{-0.01}	...	
...	6219	4586	143	2456170.899	28.82	17	17.5 ^{+0.3} _{-0.3}	17.5 ^{+0.3} _{-0.3}	13.5 ^{+1.6} _{-1.2}	13.5 ^{+1.6} _{-1.2}	3054.6 ^{+6.5} _{-7.1}	3054.6 ^{+6.5} _{-7.1}	4.52 ^{+0.03} _{-0.03}	4.52 ^{+0.03} _{-0.03}	...	
...	6220	4586	123	2456171.974	28.60	18	16.9 ^{+0.4} _{-0.4}	16.9 ^{+0.4} _{-0.4}	10.7 ^{+1.1} _{-1.1}	10.7 ^{+1.1} _{-1.1}	3115.1 ^{+19.9} _{-9.4}	3115.1 ^{+19.9} _{-9.4}	4.62 ^{+0.05} _{-0.05}	4.62 ^{+0.05} _{-0.05}	...	
...	6218	4586	136	2456172.974	28.53	23	16.7 ^{+0.5} _{-0.4}	16.7 ^{+0.5} _{-0.4}	9.4 ^{+1.2} _{-1.1}	9.4 ^{+1.2} _{-1.1}	3158.9 ^{+9.1} _{-8.4}	3158.9 ^{+9.1} _{-8.4}	4.91 ^{+0.03} _{-0.02}	4.91 ^{+0.03} _{-0.02}	...	
...	6219	4586	143	2456174.926	28.45	13	17.3 ^{+0.2} _{-0.2}	17.3 ^{+0.2} _{-0.2}	12.4 ^{+1.1} _{-1.1}	12.4 ^{+1.1} _{-1.1}	3134.2 ^{+9.3} _{-6.9}	3134.2 ^{+9.3} _{-6.9}	4.78 ^{+0.04} _{-0.04}	4.78 ^{+0.04} _{-0.04}	...	
...	6221	4586	71	2456235.774	9.35	18	18.5 ^{+0.3} _{-0.3}	18.5 ^{+0.3} _{-0.3}	9.3 ^{+1.2} _{-1.2}	9.3 ^{+1.2} _{-1.2}	3090.8 ^{+10.2} _{-10.9}	3090.8 ^{+10.2} _{-10.9}	5.28 ^{+0.04} _{-0.04}	5.28 ^{+0.04} _{-0.04}	...	
...	6222	4586	134	2456262.681	-4.23	23	17.3 ^{+0.3} _{-0.3}	17.3 ^{+0.3} _{-0.3}	9.6 ^{+1.3} _{-1.3}	9.6 ^{+1.3} _{-1.3}	3137.2 ^{+10.0} _{-7.6}	3137.2 ^{+10.0} _{-7.6}	4.81 ^{+0.03} _{-0.02}	4.81 ^{+0.03} _{-0.02}	...	
...	6223	4586	149	2456282.621	-13.98	16	16.7 ^{+0.3} _{-0.4}	16.7 ^{+0.3} _{-0.4}	10.8 ^{+1.1} _{-1.1}	10.8 ^{+1.1} _{-1.1}	3053.6 ^{+12.4} _{-16.9}	3053.6 ^{+12.4} _{-16.9}	4.52 ^{+0.03} _{-0.03}	4.52 ^{+0.03} _{-0.03}	...	
...	6223	4586	149	2456283.624	-14.45	18	16.8 ^{+0.3} _{-0.3}	16.8 ^{+0.3} _{-0.3}	9.9 ^{+1.5} _{-1.5}	9.9 ^{+1.5} _{-1.5}	3098.6 ^{+9.9} _{-8.9}	3098.6 ^{+9.9} _{-8.9}	4.67 ^{+0.05} _{-0.05}	4.67 ^{+0.05} _{-0.05}	...	
...	10100	5480	86	2458058.938	10.51	13	18.0 ^{+0.3} _{-0.3}	18.0 ^{+0.3} _{-0.3}	10.3 ^{+1.7} _{-1.3}	10.3 ^{+1.7} _{-1.3}	3135.2 ^{+12.9} _{-11.0}	3135.2 ^{+12.9} _{-11.0}	5.13 ^{+0.05} _{-0.06}	5.13 ^{+0.05} _{-0.06}	...	
...	10100	5480	89	2458084.790	-2.31	15	16.3 ^{+0.3} _{-0.3}	16.3 ^{+0.3} _{-0.3}	10.2 ^{+1.5} _{-1.4}	10.2 ^{+1.5} _{-1.4}	3151.7 ^{+18.6} _{-14.2}	3151.7 ^{+18.6} _{-14.2}	4.67 ^{+0.07} _{-0.07}	4.67 ^{+0.07} _{-0.07}	...	
...	10100	5480	89	2458085.802	-2.85	19	17.1 ^{+0.3} _{-0.3}	17.1 ^{+0.3} _{-0.3}	10.7 ^{+1.0} _{-1.0}	10.7 ^{+1.0} _{-1.0}	3125.4 ^{+7.1} _{-6.6}	3125.4 ^{+7.1} _{-6.6}	4.54 ^{+0.02} _{-0.02}	4.54 ^{+0.02} _{-0.02}	...	
...	12706	5480	92	2458071.958	28.26	14	16.9 ^{+0.3} _{-0.3}	16.9 ^{+0.3} _{-0.3}	10.0 ^{+1.5} _{-1.2}	10.0 ^{+1.5} _{-1.2}	3164.2 ^{+8.9} _{-8.9}	3164.2 ^{+8.9} _{-8.9}	4.81 ^{+0.04} _{-0.04}	4.81 ^{+0.04} _{-0.04}	...	
...	12706	5480	92	2458072.989	28.31	11	16.2 ^{+0.2} _{-0.2}	16.2 ^{+0.2} _{-0.2}	9.1 ^{+1.1} _{-1.3}	9.1 ^{+1.1} _{-1.3}	3142.2 ^{+12.8} _{-10.5}	3142.2 ^{+12.8} _{-10.5}	4.81 ^{+0.06} _{-0.04}	4.81 ^{+0.06} _{-0.04}	...	
...	12706	5480	14	2459146.772	14.48	12	18.1 ^{+0.3} _{-0.3}	18.1 ^{+0.3} _{-0.3}	12.3 ^{+1.2} _{-1.1}	12.3 ^{+1.2} _{-1.1}	3127.4 ^{+12.6} _{-16.7}	3127.4 ^{+12.6} _{-16.7}	4.51 ^{+0.05} _{-0.06}	4.51 ^{+0.05} _{-0.06}	...	
...	12706	5480	98	2459066.970	27.60	15	17.6 ^{+0.4} _{-0.3}	17.6 ^{+0.4} _{-0.3}	12.4 ^{+1.0} _{-1.1}	12.4 ^{+1.0} _{-1.1}	3110.1 ^{+15.3} _{-9.3}	3110.1 ^{+15.3} _{-9.3}	4.41 ^{+0.06} _{-0.07}	4.41 ^{+0.06} _{-0.07}	...	
...	6219	4586	246	2459170.899	28.78	12	16.9 ^{+0.3} _{-0.3}	16.9 ^{+0.3} _{-0.3}	16.6 ^{+1.1} _{-1.1}	16.6 ^{+1.1} _{-1.1}	3126.1 ^{+16.6} _{-8.7}	3126.1 ^{+16.6} _{-8.7}	4.58 ^{+0.06} _{-0.05}	4.58 ^{+0.06} _{-0.05}	...	
...	6220	4586	241	2456171.974	28.56	18	16.8 ^{+0.2} _{-0.3}	16.8 ^{+0.2} _{-0.3}	15.5 ^{+1.5} _{-1.1}	15.5 ^{+1.5} _{-1.1}	3062.2 ^{+14.2} _{-13.8}	3062.2 ^{+14.2} _{-13.8}	5.09 ^{+0.07} _{-0.04}	5.09 ^{+0.07} _{-0.04}	...	
...	6218	4586	252	2456172.974	28.49	20	17.8 ^{+0.3} _{-0.3}	17.8 ^{+0.3} _{-0.3}	17.6 ^{+1.4} _{-1.1}	17.6 ^{+1.4} _{-1.1}	3014.4 ^{+5.7} _{-7.0}	3014.4 ^{+5.7} _{-7.0}	4.57 ^{+0.05} _{-0.06}	4.57 ^{+0.05} _{-0.06}	...	
...	6218	4586	252	2456172.974	28.49	20	17.8 ^{+0.3} _{-0.3}	17.8 ^{+0.3} _{-0.3}	17.6 ^{+1.4} _{-1.1}	17.6 ^{+1.4} _{-1.1}	3014.4 ^{+5.7} _{-7.0}	3014.4 ^{+5.7} _{-7.0}	4.49 ^{+0.04} _{-0.04}	4.49 ^{+0.04} _{-0.04}	...	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	6219	4556	288	2456174.926	28.41	12	17.4 ^{+0.2} _{-0.3}	...	16.2 ^{+1.2} _{-1.3}	...	3003.9 ^{+8.8} _{-12.4}	...	4.51 ^{+0.02} _{-0.03}	...	B
...	6221	4556	241	2456235.774	9.39	18	18.0 ^{+0.2} _{-0.2}	...	14.3 ^{+1.0} _{-1.1}	...	2995.9 ^{+6.5} _{-4.7}	...	4.52 ^{+0.02} _{-0.04}	...	B
...	6222	4556	186	2456262.681	-4.16	19	17.1 ^{+0.3} _{-0.3}	...	14.7 ^{+1.0} _{-1.1}	...	3036.2 ^{+10.4} _{-6.5}	...	4.49 ^{+0.02} _{-0.02}	...	B
...	6223	4556	168	2456282.621	-13.91	18	18.1 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	3021.3 ^{+7.4} _{-14.9}	...	4.56 ^{+0.03} _{-0.08}	...	B
...	6223	4556	168	2456283.624	-14.37	19	16.0 ^{+0.3} _{-0.3}	...	17.1 ^{+1.4} _{-1.1}	...	3040.3 ^{+6.0} _{-6.5}	...	4.59 ^{+0.03} _{-0.02}	...	B
...	10100	5480	204	2458058.938	10.55	12	16.8 ^{+0.3} _{-0.3}	...	14.2 ^{+1.1} _{-1.1}	...	3026.9 ^{+8.7} _{-12.2}	...	4.56 ^{+0.04} _{-0.05}	...	B
...	10100	5480	199	2458084.790	-2.24	15	18.1 ^{+0.2} _{-0.2}	...	14.4 ^{+1.0} _{-1.1}	...	3025.4 ^{+9.4} _{-8.3}	...	4.5 ^{+0.01} _{-0.02}	...	B
...	10100	5480	199	2458085.802	-2.79	17	17.8 ^{+1.1} _{-0.3}	...	14.4 ^{+1.0} _{-1.2}	...	3023.6 ^{+9.1} _{-7.1}	...	4.52 ^{+0.02} _{-0.03}	...	B
...	10100	5480	204	2458087.800	-3.81	17	16.5 ^{+0.3} _{-0.3}	...	15.7 ^{+1.1} _{-1.1}	...	3016.2 ^{+8.5} _{-6.7}	...	4.55 ^{+0.04} _{-0.04}	...	B
...	12706	5480	246	2459063.987	27.04	12	19.1 ^{+0.3} _{-0.3}	...	16.5 ^{+1.0} _{-1.2}	...	3008.5 ^{+7.4} _{-7.6}	...	4.51 ^{+0.01} _{-0.03}	...	B
...	12706	5480	198	2459066.970	27.54	14	17.7 ^{+0.3} _{-0.2}	...	16.2 ^{+1.0} _{-1.1}	...	3038.7 ^{+6.3} _{-6.3}	...	4.49 ^{+0.03} _{-0.02}	...	B
...	12706	5480	198	2459071.958	28.20	14	18.1 ^{+0.5} _{-0.4}	...	16.3 ^{+1.0} _{-1.0}	...	3069.5 ^{+8.8} _{-9.0}	...	4.54 ^{+0.04} _{-0.05}	...	B
...	12706	5480	198	2459072.989	28.25	11	17.4 ^{+0.3} _{-0.3}	...	11.5 ^{+1.3} _{-1.1}	...	3100.7 ^{+12.3} _{-11.9}	...	5.21 ^{+0.04} _{-0.03}	...	B
...	12706	5480	168	2459146.772	14.51	11	17.6 ^{+0.4} _{-0.5}	...	11.7 ^{+1.4} _{-1.5}	...	3120.7 ^{+12.2} _{-9.3}	...	5.45 ^{+0.03} _{-0.03}	...	B
2M0345+3208	6218	4556	199	2456168.941	28.84	20	16.1 ^{+0.4} _{-0.3}	16.3 ^{+0.3} _{-0.4}	18.1 ^{+1.0} _{-1.0}	18.5 ^{+1.0} _{-1.1}	3193.9 ^{+18.5} _{-14.4}	3165.7 ^{+3.5} _{-3.5}	4.7 ^{+0.01} _{-0.01}	HSP	
...	6220	4556	151	2456171.974	28.59	17	17.1 ^{+0.3} _{-0.3}	...	20.0 ^{+1.1} _{-1.2}	...	3132.3 ^{+7.4} _{-10.2}	...	4.71 ^{+0.04} _{-0.05}	...	B
...	6218	4556	157	2456172.974	28.51	17	16.7 ^{+0.2} _{-0.2}	...	17.9 ^{+1.1} _{-1.1}	...	3158.8 ^{+10.7} _{-8.8}	...	4.83 ^{+0.03} _{-0.03}	...	B
...	6222	4556	162	2456262.681	-4.19	19	15.7 ^{+0.2} _{-0.3}	...	19.3 ^{+1.4} _{-1.0}	...	3198.7 ^{+6.5} _{-7.3}	...	4.68 ^{+0.04} _{-0.04}	...	B
...	10100	5480	210	2458058.938	10.54	10	16.1 ^{+0.4} _{-0.3}	...	16.5 ^{+1.1} _{-1.3}	...	3191.4 ^{+17.4} _{-13.8}	...	4.74 ^{+0.05} _{-0.06}	...	B
...	10100	5480	162	2458084.790	-2.27	14	15.8 ^{+0.3} _{-0.3}	...	18.8 ^{+1.2} _{-1.4}	...	3166.2 ^{+14.2} _{-8.5}	...	4.64 ^{+0.04} _{-0.03}	...	B
...	10100	5480	162	2458085.802	-2.82	17	16.4 ^{+0.5} _{-0.6}	...	18.2 ^{+1.0} _{-1.0}	...	3141.4 ^{+8.7} _{-9.7}	...	4.6 ^{+0.05} _{-0.04}	...	B
...	10100	5480	210	2458087.800	-3.84	14	16.2 ^{+0.3} _{-0.4}	...	19.6 ^{+1.4} _{-1.2}	...	3147.8 ^{+14.5} _{-13.5}	...	4.57 ^{+0.07} _{-0.07}	...	B
2M0345+3221	6218	4556	242	2456168.941	28.82	24	18.2 ^{+0.3} _{-0.3}	18.0 ^{+0.3} _{-0.3}	33.0 ^{+1.0} _{-1.1}	33.5 ^{+1.0} _{-1.0}	2799.2 ^{+13.8} _{-5.1}	2801.9 ^{+2.1} _{-2.1}	4.21 ^{+0.06} _{-0.01}	B	
...	6219	4556	157	2456170.899	28.78	18	17.5 ^{+0.3} _{-0.3}	...	31.9 ^{+1.3} _{-1.2}	...	2763.9 ^{+14.8} _{-13.9}	...	4.28 ^{+0.09} _{-0.09}	...	B
...	6220	4556	242	2456171.974	28.57	22	19.1 ^{+0.3} _{-0.3}	...	33.2 ^{+1.0} _{-1.2}	...	2790.0 ^{+7.7} _{-7.3}	...	4.12 ^{+0.05} _{-0.05}	...	B
...	6218	4556	251	2456172.974	28.49	26	16.2 ^{+0.3} _{-0.3}	...	34.9 ^{+1.9} _{-1.9}	...	2774.4 ^{+15.2} _{-13.2}	...	3.97 ^{+0.05} _{-0.05}	...	B
...	6219	4556	258	2456174.926	28.41	13	15.7 ^{+0.5} _{-0.5}	...	32.9 ^{+1.8} _{-1.2}	...	2823.6 ^{+17.7} _{-22.4}	...	4.46 ^{+0.07} _{-0.07}	...	B
...	6221	4556	246	2456235.774	9.40	21	19.7 ^{+0.3} _{-0.3}	...	35.7 ^{+1.2} _{-1.3}	...	2734.7 ^{+10.2} _{-14.6}	...	4.5 ^{+0.07} _{-0.05}	...	B
...	10100	5480	203	2458061.872	-4.16	26	19.5 ^{+0.3} _{-0.2}	...	34.7 ^{+1.4} _{-1.0}	...	2837.9 ^{+10.9} _{-10.8}	...	4.23 ^{+0.04} _{-0.05}	...	B
...	10100	5480	200	2458084.790	-2.23	19	17.7 ^{+0.2} _{-0.2}	...	33.3 ^{+1.0} _{-1.0}	...	2795.0 ^{+6.8} _{-6.0}	...	4.32 ^{+0.04} _{-0.03}	...	B
...	10100	5480	200	2458085.802	-2.78	23	17.1 ^{+0.2} _{-0.2}	...	32.9 ^{+1.4} _{-1.4}	...	2790.8 ^{+6.3} _{-7.2}	...	4.45 ^{+0.04} _{-0.04}	...	B
...	10100	5480	200	2458087.800	-3.81	22	18.1 ^{+0.3} _{-0.3}	...	32.8 ^{+1.5} _{-1.0}	...	2803.7 ^{+5.8} _{-8.2}	...	4.26 ^{+0.04} _{-0.03}	...	B
...	10100	5480	200	2458087.800	-3.81	22	18.1 ^{+0.3} _{-0.3}	...	32.8 ^{+1.5} _{-1.0}	...	2794.0 ^{+8.1} _{-8.1}	...	4.29 ^{+0.06} _{-0.03}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)				
...	12706	5480	241	2459063.987	27.04	15	18.6 ^{+0.3} _{-0.3}	...	33.8 ^{+1.2} _{-1.4}	...	2815.2 ^{+18.2} _{-12.5}	...	4.26 ^{+0.05} _{-0.1}	...	B
...	12706	5480	193	2459066.970	27.54	18	18.4 ^{+0.9} _{-0.6}	...	34.1 ^{+1.3} _{-1.3}	...	2812.6 ^{+9.1} _{-12.7}	...	4.28 ^{+0.06} _{-0.04}	...	B
...	12706	5480	193	2459071.958	28.20	17	18.5 ^{+0.3} _{-0.3}	...	32.9 ^{+1.2} _{-1.1}	...	2845.7 ^{+11.4} _{-8.9}	...	4.65 ^{+0.05} _{-0.06}	...	B
...	12706	5480	193	2459072.989	28.25	13	17.1 ^{+0.3} _{-0.3}	...	30.9 ^{+1.2} _{-1.2}	...	2853.4 ^{+13.2} _{-12.8}	...	4.77 ^{+0.04} _{-0.05}	...	B
...	12706	5480	174	2459146.772	14.51	14	18.2 ^{+0.3} _{-0.4}	...	35.5 ^{+1.3} _{-1.5}	...	2821.1 ^{+14.4} _{-17.6}	...	4.48 ^{+0.07} _{-0.03}	...	B
2M0345+3203	7073	4586	36	2456669.674	-22.84	12	16.4 ^{+1.0} _{-0.7}	17.7 ^{+0.3} _{-0.4}	20.7 ^{+1.3} _{-1.4}	...	2889.4 ^{+16.3} _{-14.1}	2922.6 ^{+4.4} _{-4.2}	4.55 ^{+0.06} _{-0.08}	4.5 ^{+0.01} _{-0.01}	B
...	7073	4586	90	2456673.564	-23.86	12	17.2 ^{+0.5} _{-0.6}	...	22.5 ^{+1.2} _{-1.3}	...	2967.0 ^{+11.7} _{-12.5}	...	4.5 ^{+0.02} _{-0.02}	...	B
...	7073	4586	90	2456701.589	-29.29	14	17.4 ^{+0.3} _{-0.3}	...	21.7 ^{+1.0} _{-1.0}	...	2898.5 ^{+10.5} _{-14.9}	...	4.4 ^{+0.04} _{-0.04}	...	B
...	10100	5480	88	2458058.938	10.54	12	17.2 ^{+0.3} _{-0.4}	...	19.8 ^{+1.1} _{-1.3}	...	2895.2 ^{+13.9} _{-15.8}	...	4.53 ^{+0.03} _{-0.05}	...	B
...	10100	5480	88	2458084.790	-2.27	15	18.6 ^{+0.5} _{-0.5}	...	18.1 ^{+1.0} _{-1.6}	...	2919.4 ^{+10.0} _{-11.1}	...	4.48 ^{+0.04} _{-0.03}	...	B
...	10100	5480	88	2458085.802	-2.82	18	18.9 ^{+0.4} _{-0.3}	...	18.9 ^{+1.3} _{-1.2}	...	2942.9 ^{+10.8} _{-10.4}	...	4.5 ^{+0.02} _{-0.02}	...	B
...	10100	5480	33	2458087.800	-3.85	17	18.1 ^{+0.4} _{-0.4}	...	19.9 ^{+1.0} _{-1.0}	...	2921.4 ^{+11.2} _{-7.4}	...	4.67 ^{+0.05} _{-0.05}	...	B
...	4586	36	2456235.774	9.39	10	18.3 ^{+0.4} _{-0.4}	16.8 ^{+0.3} _{-0.5}	20.2 ^{+1.4} _{-1.4}	22.3 ^{+1.0} _{-1.2}	3071.1 ^{+17.0} _{-16.7}	3025.8 ^{+7.2} _{-6.1}	5.32 ^{+0.06} _{-0.03}	4.89 ^{+0.03} _{-0.03}	B	
...	6223	4586	79	2456283.624	-14.40	9	14.5 ^{+0.3} _{-0.4}	...	26.8 ^{+2.3} _{-2.2}	...	3020.5 ^{+17.0} _{-14.9}	...	4.62 ^{+0.12} _{-0.19}	...	B
...	10100	5480	86	2458084.790	-2.26	10	16.9 ^{+0.3} _{-0.3}	...	22.2 ^{+1.1} _{-1.1}	...	3064.3 ^{+22.2} _{-16.3}	...	4.87 ^{+0.08} _{-0.09}	...	B
...	10100	5480	86	2458085.802	-2.81	12	16.7 ^{+0.4} _{-0.7}	...	23.9 ^{+1.4} _{-2.3}	...	3062.4 ^{+28.7} _{-22.4}	...	4.79 ^{+0.12} _{-0.09}	...	B
...	10100	5480	86	2458087.800	-3.83	11	17.8 ^{+0.6} _{-0.6}	...	22.6 ^{+1.2} _{-1.4}	...	2997.5 ^{+10.6} _{-8.8}	3109.6 ^{+2.5} _{-2.4}	4.67 ^{+0.06} _{-0.05}	4.63 ^{+0.01} _{-0.01}	B
...	6218	4586	246	2456168.941	28.81	22	14.6 ^{+0.3} _{-0.3}	15.9 ^{+0.3} _{-0.3}	16.2 ^{+1.0} _{-1.0}	16.9 ^{+1.0} _{-1.0}	3077.3 ^{+8.0} _{-6.7}	3109.6 ^{+2.5} _{-2.4}	4.49 ^{+0.03} _{-0.04}	4.63 ^{+0.01} _{-0.01}	B
...	6219	4586	251	2456170.899	28.78	14	16.4 ^{+0.3} _{-0.3}	...	18.1 ^{+1.0} _{-1.2}	...	3047.5 ^{+10.2} _{-9.1}	...	4.41 ^{+0.04} _{-0.04}	...	B
...	6220	4586	246	2456171.974	28.57	20	15.3 ^{+0.4} _{-0.6}	...	16.6 ^{+1.1} _{-1.2}	...	3119.2 ^{+11.2} _{-11.2}	...	4.52 ^{+0.06} _{-0.06}	...	B
...	6218	4586	247	2456172.974	28.49	24	16.4 ^{+0.2} _{-0.2}	...	20.8 ^{+1.3} _{-1.3}	...	3114.0 ^{+14.8} _{-8.1}	...	4.49 ^{+0.04} _{-0.07}	...	B
...	6219	4586	287	2456174.926	28.42	13	16.3 ^{+0.5} _{-0.4}	...	18.3 ^{+1.0} _{-1.3}	...	3096.1 ^{+17.4} _{-20.5}	...	4.75 ^{+0.11} _{-0.11}	...	B
...	6221	4586	187	2456235.774	9.42	20	17.4 ^{+1.0} _{-0.7}	...	16.2 ^{+1.0} _{-1.1}	...	3110.2 ^{+24.0} _{-16.3}	...	4.77 ^{+0.06} _{-0.06}	...	B
...	6222	4586	257	2456262.681	-4.13	20	15.9 ^{+0.2} _{-0.2}	...	16.3 ^{+1.0} _{-1.6}	...	3053.7 ^{+11.2} _{-4.8}	...	4.5 ^{+0.06} _{-0.06}	...	B
...	6223	4586	163	2456282.621	-13.88	17	15.0 ^{+0.2} _{-0.2}	...	15.9 ^{+1.9} _{-1.1}	...	3145.0 ^{+22.3} _{-14.7}	...	4.78 ^{+0.05} _{-0.05}	...	B
...	6223	4586	163	2456283.624	-14.34	19	14.7 ^{+0.3} _{-0.4}	...	14.8 ^{+1.1} _{-1.2}	...	3152.0 ^{+16.6} _{-17.4}	...	4.7 ^{+0.06} _{-0.06}	...	B
...	10100	5480	199	2458085.938	10.58	14	15.7 ^{+0.3} _{-0.3}	...	18.1 ^{+1.0} _{-1.3}	...	3158.6 ^{+7.9} _{-7.9}	...	4.73 ^{+0.04} _{-0.04}	...	B
...	10100	5480	204	2458084.790	-2.21	17	16.2 ^{+0.3} _{-0.2}	...	16.4 ^{+1.1} _{-1.1}	...	3084.8 ^{+10.4} _{-16.8}	...	4.62 ^{+0.03} _{-0.04}	...	B
...	10100	5480	204	2458085.802	-2.76	21	15.6 ^{+0.2} _{-0.2}	...	16.4 ^{+1.1} _{-1.1}	...	3141.5 ^{+14.5} _{-13.0}	...	4.81 ^{+0.06} _{-0.05}	...	B
...	10100	5480	199	2458087.800	-3.78	19	16.7 ^{+0.3} _{-0.3}	...	16.4 ^{+1.1} _{-1.0}	...	3154.9 ^{+7.9} _{-9.0}	...	4.7 ^{+0.03} _{-0.03}	...	B
...	12706	5480	162	2459066.970	27.53	13	16.2 ^{+0.6} _{-0.3}	...	23.7 ^{+1.9} _{-1.7}	...	3177.2 ^{+24.5} _{-18.3}	...	4.83 ^{+0.12} _{-0.09}	...	B
...	12706	5480	204	2459071.958	28.19	15	16.8 ^{+0.3} _{-0.3}	...	18.0 ^{+1.0} _{-1.1}	...	3177.5 ^{+12.5} _{-9.8}	...	4.77 ^{+0.05} _{-0.04}	...	B
...	12706	5480	204	2459072.989	28.24	12	16.7 ^{+0.4} _{-1.1}	...	16.4 ^{+1.2} _{-1.1}	...	3207.8 ^{+12.7} _{-12.0}	...	5.09 ^{+0.07} _{-0.05}	...	B
...	12706	5480	175	2459146.772	14.53	12	16.6 ^{+0.3} _{-0.3}	...	18.3 ^{+1.2} _{-1.5}	...	3180.4 ^{+11.0} _{-12.7}	...	5.21 ^{+0.07} _{-0.07}	...	B
...	6218	4586	90	2456168.941	28.86	18	17.6 ^{+0.3} _{-0.3}	17.5 ^{+0.3} _{-0.4}	21.8 ^{+1.0} _{-1.1}	20.8 ^{+1.0} _{-1.0}	3000.5 ^{+11.0} _{-6.3}	2984.3 ^{+2.2} _{-2.0}	4.48 ^{+0.04} _{-0.01}	4.48 ^{+0.01} _{-0.01}	B
...	6219	4586	78	2456170.899	28.82	14	18.4 ^{+0.2} _{-0.3}	...	21.8 ^{+1.0} _{-1.2}	...	2948.2 ^{+10.2} _{-7.1}	...	3.96 ^{+0.03} _{-0.04}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	Mdle
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	6220	4586	89	2456171.974	28.61	16	17.8 ^{+0.5} _{-0.4}	...	19.7 ^{+1.5} _{-1.1}	...	3024.4 ^{+10.3} _{-9.4}	...	4.41 ^{+0.05} _{-0.06}	...	B
...	6218	4586	85	2456172.974	28.53	18	18.2 ^{+0.5} _{-0.5}	...	21.0 ^{+1.3} _{-1.1}	...	3019.2 ^{+7.6} _{-6.2}	...	4.49 ^{+0.02} _{-0.01}	...	B
...	6219	4586	72	2456174.926	28.46	10	16.6 ^{+0.3} _{-0.2}	...	27.3 ^{+1.9} _{-1.4}	...	2942.2 ^{+11.5} _{-14.3}	...	4.49 ^{+0.04} _{-0.03}	...	B
...	6221	4586	66	2456235.774	9.42	18	19.8 ^{+1.3} _{-0.4}	...	19.9 ^{+1.0} _{-1.1}	...	2905.5 ^{+8.9} _{-11.9}	...	4.67 ^{+0.04} _{-0.04}	...	B
...	6222	4586	72	2456262.681	-4.16	19	18.6 ^{+0.3} _{-0.3}	...	21.6 ^{+1.8} _{-1.0}	...	2998.8 ^{+9.5} _{-9.0}	...	4.65 ^{+0.07} _{-0.07}	...	B
...	6223	4586	78	2456282.621	-13.92	15	17.2 ^{+0.3} _{-0.3}	...	21.3 ^{+1.3} _{-1.3}	...	2954.9 ^{+15.3} _{-10.7}	...	4.5 ^{+0.04} _{-0.04}	...	B
...	6223	4586	78	2456283.624	-14.38	15	16.8 ^{+0.2} _{-0.3}	...	23.4 ^{+1.6} _{-1.2}	...	2959.7 ^{+8.2} _{-8.5}	...	4.31 ^{+0.05} _{-0.04}	...	B
...	10100	5480	68	2458058.938	10.58	12	17.5 ^{+0.3} _{-0.4}	...	21.8 ^{+1.0} _{-1.1}	...	2959.1 ^{+10.9} _{-12.8}	...	4.5 ^{+0.01} _{-0.02}	...	B
...	10100	5480	83	2458084.790	-2.23	16	17.8 ^{+0.5} _{-0.5}	...	20.3 ^{+1.1} _{-1.1}	...	2996.3 ^{+9.4} _{-5.8}	...	4.51 ^{+0.02} _{-0.03}	...	B
...	10100	5480	83	2458085.802	-2.78	20	17.8 ^{+0.3} _{-0.4}	...	18.4 ^{+1.1} _{-1.3}	...	2988.6 ^{+8.9} _{-8.6}	...	4.48 ^{+0.03} _{-0.02}	...	B
...	10100	5480	83	2458087.800	-3.81	18	17.8 ^{+0.3} _{-0.5}	...	16.6 ^{+1.1} _{-1.2}	...	2979.0 ^{+6.4} _{-8.7}	...	4.5 ^{+0.02} _{-0.02}	...	B
...	12706	5480	80	2459063.987	27.08	12	17.3 ^{+0.4} _{-0.4}	...	21.0 ^{+1.3} _{-1.1}	...	3002.5 ^{+7.3} _{-10.8}	...	4.49 ^{+0.02} _{-0.02}	...	B
...	12706	5480	101	2459066.970	27.58	15	17.0 ^{+0.6} _{-0.5}	...	21.9 ^{+1.0} _{-1.2}	...	2986.7 ^{+14.0} _{-9.0}	...	4.48 ^{+0.03} _{-0.03}	...	B
...	12706	5480	95	2459071.958	28.24	15	17.2 ^{+0.3} _{-0.3}	...	19.7 ^{+1.9} _{-1.0}	...	2985.1 ^{+7.5} _{-8.8}	...	4.51 ^{+0.02} _{-0.03}	...	B
...	12706	5480	95	2459072.989	28.29	11	17.1 ^{+0.4} _{-0.3}	...	18.3 ^{+1.0} _{-1.4}	...	2955.1 ^{+19.2} _{-21.3}	...	4.48 ^{+0.03} _{-0.03}	...	B
...	12706	5480	44	2459146.772	14.54	14	18.3 ^{+0.4} _{-0.5}	...	21.8 ^{+1.0} _{-1.2}	...	3004.7 ^{+8.8} _{-9.0}	...	4.57 ^{+0.04} _{-0.02}	...	B
2M0345+3236	6218	4586	260	2456168.941	28.80	26	18.2 ^{+0.3} _{-0.3}	17.4 ^{+0.3} _{-0.4}	53.9 ^{+1.0} _{-1.1}	...	2884.6 ^{+11.4} _{-12.1}	2921.2 ^{+1.9} _{-2.0}	4.33 ^{+0.06} _{-0.06}	4.5 ^{+0.0} _{-0.01}	B
...	6219	4586	266	2456170.899	28.77	19	15.5 ^{+0.4} _{-0.3}	...	55.3 ^{+2.3} _{-1.4}	...	2863.9 ^{+17.1} _{-15.8}	...	4.46 ^{+0.06} _{-0.05}	...	B
...	6220	4586	264	2456171.974	28.56	26	16.2 ^{+0.2} _{-0.2}	...	57.1 ^{+1.7} _{-1.4}	...	2889.3 ^{+7.0} _{-6.9}	...	4.49 ^{+0.04} _{-0.03}	...	B
...	6218	4586	254	2456172.974	28.48	27	17.2 ^{+0.2} _{-0.2}	...	55.1 ^{+1.5} _{-1.7}	...	2905.5 ^{+13.4} _{-15.3}	...	4.5 ^{+0.05} _{-0.05}	...	B
...	6219	4586	269	2456174.926	28.41	15	17.1 ^{+0.5} _{-0.5}	...	58.4 ^{+1.3} _{-1.6}	...	2901.5 ^{+6.5} _{-10.2}	...	4.53 ^{+0.03} _{-0.04}	...	B
...	6221	4586	260	2456235.774	9.47	26	21.8 ^{+0.6} _{-1.6}	...	59.8 ^{+2.4} _{-2.2}	...	2864.8 ^{+34.2} _{-14.3}	...	4.49 ^{+0.05} _{-0.05}	...	B
...	6222	4586	254	2456262.681	-4.07	26	19.6 ^{+0.3} _{-0.2}	...	53.7 ^{+1.1} _{-1.3}	...	2891.3 ^{+8.8} _{-7.9}	...	4.38 ^{+0.04} _{-0.04}	...	B
...	6223	4586	252	2456282.621	-13.81	18	17.5 ^{+0.3} _{-0.4}	...	51.9 ^{+1.3} _{-1.3}	...	2925.3 ^{+4.2} _{-5.5}	...	4.5 ^{+0.05} _{-0.05}	...	B
...	6223	4586	252	2456283.624	-14.28	20	16.1 ^{+0.4} _{-0.5}	...	53.0 ^{+1.9} _{-1.7}	...	2891.6 ^{+15.9} _{-19.7}	...	4.33 ^{+0.07} _{-0.08}	...	B
...	10100	5480	162	2458058.938	10.63	15	19.9 ^{+1.8} _{-0.5}	...	56.1 ^{+2.5} _{-2.4}	...	2973.0 ^{+15.6} _{-14.2}	...	4.51 ^{+0.02} _{-0.03}	...	B
...	10100	5480	264	2458061.872	9.35	11	16.1 ^{+1.6} _{-0.6}	...	56.5 ^{+2.5} _{-2.5}	...	2887.8 ^{+13.5} _{-20.0}	...	4.58 ^{+0.06} _{-0.08}	...	B
...	10357	5608	199	2458089.799	-4.74	16	17.9 ^{+0.8} _{-0.3}	...	52.7 ^{+2.3} _{-2.2}	...	2912.3 ^{+8.5} _{-6.5}	...	4.5 ^{+0.02} _{-0.02}	...	B
...	10357	5608	156	2458449.809	-2.15	21	20.1 ^{+0.9} _{-0.3}	...	55.5 ^{+1.4} _{-1.4}	...	2962.0 ^{+10.8} _{-10.8}	...	4.51 ^{+0.02} _{-0.01}	...	B
...	10357	5608	253	2458085.802	-2.69	26	17.4 ^{+0.4} _{-1.4}	...	50.3 ^{+1.2} _{-1.6}	...	2975.9 ^{+12.4} _{-9.2}	...	4.51 ^{+0.01} _{-0.02}	...	B
...	11217	5608	205	245872.849	18.08	18	16.1 ^{+0.2} _{-0.2}	...	52.9 ^{+1.7} _{-1.7}	...	2930.7 ^{+13.1} _{-12.7}	...	4.49 ^{+0.04} _{-0.02}	...	B
...	11217	5608	259	2458821.705	-5.29	14	20.5 ^{+1.4} _{-0.7}	...	51.8 ^{+1.3} _{-1.3}	...	2952.5 ^{+12.8} _{-9.4}	...	4.52 ^{+0.02} _{-0.03}	...	B
...	11217	5608	205	2458855.626	-20.65	15	17.0 ^{+0.3} _{-1.8}	...	56.1 ^{+1.7} _{-1.8}	...	2878.2 ^{+16.5} _{-27.6}	...	4.56 ^{+0.06} _{-0.06}	...	B
...	11217	5608	205	2458855.626	-20.65	15	17.0 ^{+0.3} _{-1.8}	...	56.1 ^{+1.7} _{-1.8}	...	2885.8 ^{+7.1} _{-14.3}	...	4.32 ^{+0.05} _{-0.05}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	12706	5480	247	2459063.987	26.99	16	16.9 ^{+1.3} _{-0.4}	...	52.5 ^{+1.7} _{-1.5}	...	2937.8 ^{+10.8} _{-9.1}	...	4.5 ^{+0.02} _{-0.02}	...	B	
...	12706	5480	258	2459066.970	27.49	17	14.9 ^{+1.7} _{-0.7}	...	57.6 ^{+2.1} _{-2.0}	...	2913.4 ^{+11.4} _{-18.4}	...	4.5 ^{+0.02} _{-0.02}	...	B	
...	12706	5480	187	2459071.958	28.15	17	16.6 ^{+1.4} _{-0.5}	...	55.6 ^{+2.1} _{-1.7}	...	2932.1 ^{+9.1} _{-12.4}	...	4.56 ^{+0.05} _{-0.08}	...	B	
...	12706	5480	187	2459072.989	28.21	13	17.2 ^{+0.8} _{-0.9}	...	58.4 ^{+1.7} _{-1.8}	...	2956.9 ^{+11.6} _{-11.9}	...	4.56 ^{+0.05} _{-0.05}	...	B	
...	12706	5480	258	2459146.772	14.58	19	17.8 ^{+0.4} _{-1.6}	...	57.7 ^{+1.5} _{-1.6}	...	2894.3 ^{+12.8} _{-11.6}	...	4.51 ^{+0.03} _{-0.03}	...	B	
2M0345+3143	6218	4586	74	2456168.941	28.89	17	16.8 ^{+0.3} _{-0.4}	18.7 ^{+0.3} _{-0.4}	20.5 ^{+1.0} _{-1.1}	...	3181.2 ^{+11.6} _{-11.0}	3145.8 ^{+3.8} _{-3.5}	4.83 ^{+0.02} _{-0.01}	4.83 ^{+0.02} _{-0.01}	B	
...	6219	4586	141	2456170.899	28.85	14	20.2 ^{+0.7} _{-0.8}	...	20.6 ^{+1.2} _{-1.2}	...	3139.4 ^{+15.0} _{-12.7}	...	4.87 ^{+0.07} _{-0.07}	...	B	
...	6220	4586	132	2456171.974	28.64	15	18.4 ^{+0.6} _{-0.3}	...	24.1 ^{+1.1} _{-1.1}	...	3108.8 ^{+10.5} _{-11.0}	...	4.55 ^{+0.1} _{-0.07}	...	B	
...	6218	4586	74	2456172.974	28.56	17	18.1 ^{+0.3} _{-0.3}	...	22.5 ^{+1.3} _{-1.4}	...	3254.2 ^{+13.5} _{-16.1}	...	4.85 ^{+0.06} _{-0.06}	...	B	
...	6221	4586	77	2456235.774	9.43	15	20.3 ^{+0.3} _{-0.3}	...	16.9 ^{+1.2} _{-1.2}	...	3121.2 ^{+13.7} _{-14.5}	...	4.85 ^{+0.03} _{-0.06}	...	B	
...	6222	4586	74	2456262.681	-4.16	18	19.3 ^{+0.3} _{-0.3}	...	18.2 ^{+1.1} _{-1.1}	...	3194.4 ^{+18.5} _{-19.8}	...	5.13 ^{+0.04} _{-0.04}	...	B	
...	6223	4586	137	2456282.621	-13.93	15	19.3 ^{+0.3} _{-0.3}	...	20.1 ^{+1.0} _{-1.0}	...	3068.2 ^{+8.9} _{-11.0}	...	4.6 ^{+0.06} _{-0.06}	...	B	
...	6223	4586	137	2456283.624	-14.40	15	18.6 ^{+0.5} _{-0.5}	...	20.1 ^{+1.4} _{-1.4}	...	3068.2 ^{+8.9} _{-11.0}	...	5.14 ^{+0.04} _{-0.04}	...	B	
...	12706	5480	81	2459063.987	27.10	10	19.0 ^{+0.7} _{-0.3}	...	24.7 ^{+1.5} _{-1.2}	...	3078.2 ^{+11.1} _{-17.8}	...	4.5 ^{+0.04} _{-0.03}	...	B	
...	12706	5480	99	2459066.970	27.60	10	20.0 ^{+0.6} _{-0.4}	...	20.3 ^{+1.4} _{-1.4}	...	3198.3 ^{+22.1} _{-16.2}	...	5.12 ^{+0.14} _{-0.06}	...	B	
...	12706	5480	93	2459071.958	28.27	11	18.5 ^{+0.3} _{-0.3}	...	19.8 ^{+1.1} _{-1.3}	...	3138.7 ^{+12.3} _{-14.6}	...	4.63 ^{+0.08} _{-0.07}	...	B	
...	6219	4586	71	2456168.941	28.86	20	18.5 ^{+1.4} _{-0.3}	17.3 ^{+0.3} _{-0.4}	32.2 ^{+1.0} _{-1.0}	...	2908.3 ^{+17.1} _{-17.1}	2895.6 ^{+3.6} _{-3.6}	4.52 ^{+0.03} _{-0.03}	4.56 ^{+0.01} _{-0.01}	B	
...	6219	4586	73	2456170.899	28.82	13	18.7 ^{+0.3} _{-0.3}	...	31.5 ^{+1.1} _{-1.8}	...	2845.5 ^{+16.6} _{-11.3}	...	4.03 ^{+0.04} _{-0.04}	...	B	
...	6220	4586	78	2456171.974	28.61	15	18.6 ^{+0.4} _{-0.4}	...	30.9 ^{+2.0} _{-2.0}	...	2911.3 ^{+27.9} _{-13.2}	...	4.34 ^{+0.09} _{-0.09}	...	B	
...	6218	4586	71	2456172.974	28.54	21	16.5 ^{+0.5} _{-0.5}	...	38.6 ^{+1.3} _{-1.3}	...	2864.8 ^{+9.7} _{-11.1}	...	4.61 ^{+0.07} _{-0.07}	...	B	
...	6219	4586	67	2456174.926	28.46	11	16.6 ^{+0.6} _{-0.6}	...	37.6 ^{+1.5} _{-1.2}	...	2885.4 ^{+24.4} _{-13.3}	...	4.56 ^{+0.05} _{-0.07}	...	B	
...	6221	4586	61	2456235.774	9.47	18	18.6 ^{+0.6} _{-0.3}	...	34.8 ^{+1.5} _{-1.6}	...	2882.3 ^{+13.2} _{-12.7}	...	5.42 ^{+0.07} _{-0.05}	...	B	
...	6222	4586	67	2456262.681	-4.10	18	17.5 ^{+0.3} _{-0.3}	...	32.8 ^{+2.0} _{-2.0}	...	2906.5 ^{+20.6} _{-15.1}	...	4.64 ^{+0.06} _{-0.06}	...	B	
...	6223	4586	73	2456282.621	-13.87	14	17.3 ^{+1.8} _{-1.7}	...	38.7 ^{+2.2} _{-2.1}	...	2907.1 ^{+14.6} _{-14.8}	...	4.59 ^{+0.07} _{-0.07}	...	B	
...	6223	4586	73	2456283.624	-14.33	15	16.8 ^{+0.3} _{-0.3}	...	33.1 ^{+1.1} _{-1.1}	...	2917.6 ^{+12.2} _{-8.8}	...	4.5 ^{+0.04} _{-0.05}	...	B	
...	10100	5480	80	2458084.790	-2.18	14	16.0 ^{+0.3} _{-0.3}	...	31.0 ^{+1.8} _{-1.1}	...	2909.3 ^{+11.9} _{-15.7}	...	4.54 ^{+0.03} _{-0.04}	...	B	
...	10100	5480	80	2458085.802	-2.73	17	17.4 ^{+0.5} _{-0.5}	...	29.1 ^{+1.7} _{-1.7}	...	2906.5 ^{+10.4} _{-10.7}	...	4.58 ^{+0.04} _{-0.06}	...	B	
...	10100	5480	80	2458087.800	-3.75	14	16.4 ^{+0.3} _{-0.3}	...	27.3 ^{+1.5} _{-1.1}	...	2903.9 ^{+13.2} _{-14.1}	...	4.54 ^{+0.03} _{-0.04}	...	B	
...	12129	6170	79	245881.572	-28.66	26	10.5 ^{+0.4} _{-0.4}	12.4 ^{+0.3} _{-0.4}	52.1 ^{+1.0} _{-1.1}	...	2966.6 ^{+6.5} _{-5.1}	2951.3 ^{+2.9} _{-2.7}	4.51 ^{+0.01} _{-0.02}	4.5 ^{+0.0} _{-0.01}	B	
...	8888	5171	93	2457649.914	26.58	64	12.5 ^{+0.2} _{-0.2}	...	51.5 ^{+1.1} _{-1.1}	...	2933.2 ^{+5.1} _{-6.1}	...	4.5 ^{+0.01} _{-0.01}	...	B	
...	8888	5171	93	2457652.945	25.79	34	11.6 ^{+0.3} _{-0.6}	...	53.5 ^{+1.3} _{-1.3}	...	2954.6 ^{+4.9} _{-4.8}	...	4.5 ^{+0.01} _{-0.01}	...	B	
...	12129	6170	90	245877.868	15.71	35	11.9 ^{+1.4} _{-0.3}	...	53.4 ^{+1.5} _{-1.4}	...	2924.0 ^{+10.3} _{-9.0}	...	4.56 ^{+0.03} _{-0.03}	...	B	
...	12129	6170	79	245881.572	-28.66	26	10.5 ^{+0.4} _{-0.4}	...	53.5 ^{+1.3} _{-1.4}	...	2974.3 ^{+11.3} _{-7.9}	...	4.5 ^{+0.01} _{-0.01}	...	B	
...	2M0348+2311	8888	5171	94	2457408.659	-26.24	59	13.1 ^{+0.3} _{-0.3}	12.4 ^{+0.3} _{-0.4}	52.1 ^{+1.0} _{-1.1}	...	2939.5 ^{+0.7} _{-0.4}	2399.5 ^{+0.7} _{-0.4}	5.43 ^{+0.04} _{-0.03}	S	
...	2M0355+2118	12133	6174	169	2458769.833	19.66	60	37.3 ^{+0.3} _{-0.3}	37.3 ^{+0.3} _{-0.3}	12.5 ^{+1.0} _{-1.0}	...	2934.2 ^{+11.7} _{-14.9}	2915.4 ^{+9.1} _{-10.5}	5.11 ^{+0.02} _{-0.02}	5.02 ^{+0.02} _{-0.04}	B
...	2M0404+1548	12142	6183	84	2458823.787	-6.30	43	38.9 ^{+0.3} _{-0.5}	38.6 ^{+0.3} _{-0.5}	42.5 ^{+1.4} _{-1.2}	...	4.87 ^{+0.04} _{-0.04}	4.87 ^{+0.04} _{-0.04}	4.87 ^{+0.04} _{-0.04}	4.87 ^{+0.04} _{-0.04}	B
...	12142	6183	66	2458860.635	-22.66	23	37.5 ^{+0.3} _{-1.4}	...	44.0 ^{+2.0} _{-1.4}	...	2891.1 ^{+14.6} _{-14.9}	...	4.87 ^{+0.04} _{-0.04}	4.87 ^{+0.04} _{-0.04}	B	

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)	
2M0406+7916	5282	4205	62	2455815.983	16.21	17	0.4 ^{+0.3} _{-0.3}	-0.4 ^{+0.3} _{-0.3}	10.8 ^{+1.3} _{-1.4}	< 10	3053.0 ^{+15.6} _{-12.7}	2997.1 ^{+1.1} _{-1.1}	5.45 ^{+0.03} _{-0.03}	5.39 ^{+0.0} _{-0.0}	
...	5283	4205	76	2455816.901	16.26	122	-0.5 ^{+0.2} _{-0.2}	...	9.1 ^{+1.0} _{-1.0}	...	3030.1 ^{+4.6} _{-4.6}	...	5.4 ^{+0.02} _{-0.02}	...	
...	5282	4205	62	2455822.975	16.18	53	-0.4 ^{+0.2} _{-0.2}	...	9.0 ^{+1.2} _{-1.0}	...	3031.0 ^{+3.3} _{-3.7}	...	5.49 ^{+0.01} _{-0.01}	...	
...	5283	4205	75	2455823.898	16.20	138	-0.7 ^{+0.2} _{-0.2}	...	7.6 ^{+1.3} _{-1.1}	...	3045.6 ^{+7.2} _{-6.2}	...	5.47 ^{+0.02} _{-0.02}	...	
...	5282	4205	62	2455823.959	16.17	87	-0.4 ^{+0.2} _{-0.3}	...	7.4 ^{+1.1} _{-1.3}	...	3036.1 ^{+6.3} _{-7.0}	...	5.48 ^{+0.02} _{-0.01}	...	
...	5282	4205	62	2455841.830	14.99	126	-0.1 ^{+0.2} _{-0.2}	...	9.0 ^{+1.1} _{-1.1}	...	2984.3 ^{+10.7} _{-25.8}	...	5.34 ^{+0.03} _{-0.06}	...	
...	5283	4205	70	2455843.829	14.76	117	-0.3 ^{+0.2} _{-0.3}	...	8.1 ^{+1.6} _{-1.6}	...	3037.9 ^{+15.2} _{-7.9}	...	5.41 ^{+0.05} _{-0.03}	...	
...	5283	4205	70	2455843.761	9.39	116	-0.3 ^{+0.2} _{-0.2}	...	9.1 ^{+1.0} _{-1.0}	...	2971.5 ^{+7.7} _{-6.4}	...	5.29 ^{+0.02} _{-0.02}	...	
...	5283	4205	70	2455874.743	9.16	189	-0.4 ^{+0.2} _{-0.2}	...	9.2 ^{+1.0} _{-1.0}	...	3028.5 ^{+4.7} _{-5.9}	...	5.37 ^{+0.02} _{-0.02}	...	
...	5283	4205	70	2455905.670	0.83	160	0.0 ^{+0.2} _{-0.3}	...	9.1 ^{+1.1} _{-1.4}	...	2952.1 ^{+4.6} _{-5.9}	...	5.34 ^{+0.02} _{-0.01}	...	
...	5283	4205	70	2455906.701	0.52	81	-0.1 ^{+0.3} _{-0.3}	...	10.7 ^{+1.1} _{-1.1}	...	2958.7 ^{+8.3} _{-7.0}	...	5.38 ^{+0.03} _{-0.04}	...	
...	6246	4205	64	2456263.751	2.87	165	-0.3 ^{+0.2} _{-0.2}	...	9.1 ^{+1.0} _{-1.0}	...	2974.7 ^{+6.1} _{-10.0}	...	5.33 ^{+0.03} _{-0.04}	...	
...	6247	4205	70	2456264.757	2.58	134	-0.5 ^{+0.2} _{-0.2}	...	8.2 ^{+1.0} _{-1.4}	...	3027.0 ^{+8.4} _{-9.3}	...	5.47 ^{+0.03} _{-0.02}	...	
...	6246	4205	64	2456282.678	-2.59	92	-0.1 ^{+0.3} _{-0.2}	...	9.0 ^{+1.0} _{-1.2}	...	2989.0 ^{+25.3} _{-30.1}	...	5.39 ^{+0.03} _{-0.02}	...	
...	6247	4205	63	2456283.680	-2.88	122	-0.0 ^{+0.2} _{-0.3}	...	8.9 ^{+1.0} _{-1.2}	...	2971.6 ^{+5.7} _{-8.0}	...	5.39 ^{+0.03} _{-0.03}	...	
...	6363	4205	64	2456284.611	-3.11	115	-0.1 ^{+0.2} _{-0.2}	...	9.0 ^{+1.0} _{-1.1}	...	2962.9 ^{+6.9} _{-6.3}	...	5.4 ^{+0.03} _{-0.05}	...	
...	6364	4205	167	2456285.623	-3.41	125	-0.6 ^{+0.2} _{-0.2}	...	8.8 ^{+1.0} _{-1.3}	...	2943.6 ^{+6.3} _{-5.6}	...	5.31 ^{+0.02} _{-0.02}	...	
...	6246	4205	64	2456318.587	-11.71	107	-0.6 ^{+0.3} _{-0.3}	...	9.1 ^{+1.1} _{-1.1}	...	2971.6 ^{+8.7} _{-7.3}	...	5.38 ^{+0.02} _{-0.02}	...	
...	6246	4205	64	2456335.992	15.86	66	-0.6 ^{+0.2} _{-0.2}	...	8.2 ^{+1.1} _{-1.7}	...	2983.4 ^{+6.7} _{-5.2}	...	5.3 ^{+0.02} _{-0.03}	...	
...	6246	4205	64	2456336.995	15.91	69	-0.6 ^{+0.2} _{-0.2}	...	9.2 ^{+1.0} _{-1.1}	...	2980.5 ^{+9.6} _{-9.3}	...	5.29 ^{+0.02} _{-0.05}	...	
...	6246	4205	64	2456539.992	16.06	94	-0.7 ^{+0.3} _{-0.3}	...	9.2 ^{+1.1} _{-1.1}	...	2963.6 ^{+6.7} _{-8.4}	...	5.28 ^{+0.03} _{-0.03}	...	
...	6247	4205	69	2456541.998	16.13	71	-0.5 ^{+0.2} _{-0.3}	...	9.1 ^{+1.1} _{-1.1}	...	2983.6 ^{+6.2} _{-6.2}	...	5.27 ^{+0.02} _{-0.03}	...	
...	6247	4205	69	2456542.986	16.17	87	-0.4 ^{+0.3} _{-0.3}	...	7.6 ^{+1.2} _{-1.4}	...	2983.4 ^{+6.7} _{-7.6}	...	5.3 ^{+0.02} _{-0.02}	...	
...	6363	4205	64	2456560.883	15.94	133	-0.7 ^{+0.3} _{-0.2}	...	8.2 ^{+1.0} _{-1.4}	...	2980.5 ^{+9.6} _{-9.3}	...	5.29 ^{+0.02} _{-0.05}	...	
...	6364	4205	164	2456561.872	15.89	130	-0.4 ^{+0.2} _{-0.2}	...	8.9 ^{+1.0} _{-1.3}	...	2979.4 ^{+5.4} _{-5.0}	...	5.33 ^{+0.02} _{-0.03}	...	
...	6363	4205	64	2456583.804	13.45	156	-0.3 ^{+0.3} _{-0.2}	...	9.1 ^{+1.1} _{-1.1}	...	2971.1 ^{+6.1} _{-5.6}	...	5.25 ^{+0.02} _{-0.03}	...	
...	6364	4205	64	2456584.803	13.29	158	0.1 ^{+0.2} _{-0.2}	...	9.1 ^{+1.0} _{-1.0}	...	3021.6 ^{+37.6} _{-8.8}	...	5.46 ^{+0.06} _{-0.06}	...	
...	6363	4205	64	2456587.792	12.79	137	-0.4 ^{+0.2} _{-0.2}	...	8.2 ^{+1.0} _{-1.4}	...	3036.1 ^{+5.2} _{-4.7}	...	5.44 ^{+0.04} _{-0.03}	...	
...	6364	4205	64	2456608.782	8.30	134	-0.4 ^{+0.2} _{-0.2}	...	8.9 ^{+1.0} _{-1.3}	...	3035.7 ^{+5.8} _{-5.7}	...	5.4 ^{+0.02} _{-0.02}	...	
...	6365	4205	64	2456642.673	-1.05	133	0.0 ^{+0.3} _{-0.2}	...	9.1 ^{+1.0} _{-1.0}	...	2965.9 ^{+4.7} _{-6.2}	...	5.25 ^{+0.03} _{-0.03}	...	
...	6364	4205	64	2456644.672	-1.63	139	-0.4 ^{+0.2} _{-0.2}	...	7.6 ^{+1.1} _{-1.1}	...	3021.6 ^{+37.6} _{-8.8}	...	5.46 ^{+0.06} _{-0.06}	...	
...	6363	4205	76	2456676.568	-10.11	156	0.1 ^{+0.2} _{-0.2}	...	9.1 ^{+1.1} _{-1.0}	...	3036.1 ^{+5.2} _{-4.6}	...	5.24 ^{+0.02} _{-0.02}	...	
...	6365	4205	64	2458449.587	-27.32	21	11.2 ^{+0.4} _{-0.3}	11.4 ^{+0.3} _{-0.4}	19.8 ^{+1.2} _{-1.6}	17.9 ^{+1.0} _{-1.1}	3243.1 ^{+2.6} _{-3.0}	4.74 ^{+0.04} _{-0.01}	4.86 ^{+0.02} _{-0.01}	B	
2M0408+2614	10360	5611	30	2458392.924	24.64	22	10.9 ^{+0.3} _{-0.3}	...	19.8 ^{+1.2} _{-1.6}	...	3253.9 ^{+4.0} _{-5.3}	4.81 ^{+0.04} _{-0.04}	4.85 ^{+0.05} _{-0.05}	B	
...	10360	5611	24	2458421.853	13.84	23	11.2 ^{+0.3} _{-0.3}	...	19.8 ^{+1.0} _{-1.1}	...	3256.1 ^{+7.5} _{-6.5}	5.11 ^{+0.03} _{-0.03}	5.11 ^{+0.03} _{-0.03}	B	
...	10361	5611	6	2458442.833	3.41	22	11.9 ^{+0.9} _{-0.5}	...	18.0 ^{+1.0} _{-1.1}	...	3209.9 ^{+7.0} _{-6.6}	4.85 ^{+0.05} _{-0.05}	4.85 ^{+0.05} _{-0.05}	B	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	10361	5611	12	2458448.833	0.26	24	11.9 ^{+0.3} _{-0.3}	...	16.2 ^{+1.0} _{-1.0}	...	3245.1 ^{+6.8} _{-10.0}	...	4.92 ^{+0.04} _{-0.06}	...	B
...	10361	5611	6	2458476.703	-13.77	24	11.4 ^{+0.3} _{-0.3}	...	17.2 ^{+1.4} _{-1.0}	...	3237.0 ^{+11.4} _{-7.5}	...	4.7 ^{+0.02} _{-0.02}	...	B
2M0413+1521	12145	6186	274	2458803.860	5.22	111	39.7 ^{+0.2} _{-0.2}	39.4 ^{+0.3} _{-0.4}	7.8 ^{+1.5} _{-1.0}	< 10	3270.1 ^{+6.8} _{-8.5}	...	5.31 ^{+0.02} _{-0.01}	5.31 ^{+0.02} _{-0.01}	B
...	12145	6186	274	2458821.758	-4.00	92	39.2 ^{+0.2} _{-0.2}	...	7.1 ^{+1.0} _{-1.5}	...	3267.2 ^{+9.7} _{-8.7}	...	5.32 ^{+0.03} _{-0.02}	...	B
2M0415+1441	10004	5454	264	2458033.849	22.49	39	18.9 ^{+0.3} _{-0.3}	18.9 ^{+0.3} _{-0.3}	7.0 ^{+1.5} _{-1.1}	< 10	3060.7 ^{+7.1} _{-9.0}	3060.7 ^{+7.1} _{-9.0}	5.43 ^{+0.03} _{-0.04}	5.43 ^{+0.03} _{-0.04}	B
2M0415+2853	11592	5962	18	2458744.995	27.78	19	-37.4 ^{+0.3} _{-0.3}	-37.8 ^{+0.3} _{-0.5}	5.4 ^{+1.4} _{-1.1}	< 10	3471.3 ^{+7.3} _{-7.7}	3465.1 ^{+6.7} _{-6.7}	5.26 ^{+0.04} _{-0.03}	5.28 ^{+0.03} _{-0.03}	B
...	11592	5962	60	2458854.603	-18.25	13	-38.5 ^{+0.3} _{-0.3}	...	6.9 ^{+1.9} _{-1.4}	...	3447.5 ^{+11.5} _{-13.7}	...	5.32 ^{+0.06} _{-0.04}	...	B
2M0415+2915	11592	5962	182	2458499.666	-22.33	22	16.7 ^{+0.3} _{-0.3}	18.3 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	16.2 ^{+1.0} _{-1.1}	2940.9 ^{+8.7} _{-7.1}	2905.8 ^{+4.5} _{-3.9}	4.43 ^{+0.03} _{-0.03}	4.4 ^{+0.01} _{-0.01}	B
...	11592	5962	230	2458503.684	-23.73	30	18.6 ^{+0.3} _{-0.2}	18.6 ^{+0.3} _{-0.2}	16.7 ^{+1.1} _{-1.3}	...	2895.0 ^{+11.5} _{-18.6}	...	4.31 ^{+0.04} _{-0.08}	...	B
...	11592	5962	185	2458744.995	27.77	21	18.5 ^{+0.2} _{-0.2}	18.5 ^{+0.2} _{-0.2}	17.8 ^{+1.1} _{-1.0}	...	2855.7 ^{+9.2} _{-7.7}	...	4.45 ^{+0.04} _{-0.03}	...	B
...	11592	5962	230	2458854.603	-18.19	29	18.2 ^{+0.3} _{-0.3}	18.2 ^{+0.3} _{-0.3}	16.2 ^{+1.0} _{-1.2}	...	2914.5 ^{+7.5} _{-6.3}	...	4.39 ^{+0.02} _{-0.02}	...	B
2M0416+2842	11592	5962	59	2458503.684	-23.77	13	45.0 ^{+0.3} _{-0.3}	44.0 ^{+0.3} _{-0.4}	4.5 ^{+1.6} _{-2.0}	< 10	3497.8 ^{+25.7} _{-27.4}	3451.0 ^{+6.6} _{-7.1}	5.33 ^{+0.05} _{-0.03}	5.19 ^{+0.03} _{-0.03}	B
...	11592	5962	59	2458744.995	27.80	24	43.8 ^{+0.2} _{-0.3}	43.8 ^{+0.2} _{-0.3}	7.4 ^{+1.1} _{-1.1}	...	3464.4 ^{+12.6} _{-10.8}	...	5.14 ^{+0.04} _{-0.04}	...	B
...	11592	5962	50	2458854.603	-18.22	15	42.9 ^{+0.3} _{-0.3}	42.9 ^{+0.3} _{-0.3}	8.5 ^{+1.8} _{-1.4}	...	3437.8 ^{+8.2} _{-9.9}	...	5.17 ^{+0.05} _{-0.04}	...	B
2M0417+2809	11592	5962	102	2458503.684	-23.71	12	8.6 ^{+1.2} _{-0.4}	7.8 ^{+0.3} _{-0.4}	9.2 ^{+1.3} _{-1.2}	< 10	3415.4 ^{+38.8} _{-28.0}	3436.4 ^{+5.1} _{-6.1}	5.45 ^{+0.04} _{-0.03}	5.29 ^{+0.03} _{-0.02}	B
...	11592	5962	91	2458744.995	27.88	20	7.7 ^{+0.2} _{-0.3}	7.7 ^{+0.2} _{-0.3}	5.9 ^{+1.4} _{-1.2}	...	3439.2 ^{+7.9} _{-8.7}	...	5.13 ^{+0.06} _{-0.06}	...	B
...	11592	5962	96	2458854.603	-18.13	14	7.9 ^{+0.3} _{-0.3}	7.9 ^{+0.3} _{-0.3}	3.8 ^{+1.5} _{-1.2}	...	3435.2 ^{+6.7} _{-9.2}	...	5.08 ^{+0.05} _{-0.04}	...	B
2M0417+2829	11592	5962	144	2458744.995	27.87	14	19.1 ^{+0.2} _{-0.2}	19.1 ^{+0.2} _{-0.3}	9.9 ^{+1.5} _{-1.0}	< 10	3441.3 ^{+15.3} _{-17.3}	3441.3 ^{+15.3} _{-17.3}	5.34 ^{+0.04} _{-0.04}	5.34 ^{+0.04} _{-0.04}	B
2M0418+1319	12145	6186	101	2458803.860	5.54	87	40.1 ^{+0.2} _{-0.2}	39.8 ^{+0.3} _{-0.4}	6.0 ^{+1.5} _{-1.4}	< 10	3319.1 ^{+5.5} _{-7.9}	3320.3 ^{+6.8} _{-6.4}	5.33 ^{+0.03} _{-0.02}	5.32 ^{+0.02} _{-0.01}	B
...	12145	6186	149	2458821.758	-3.63	76	39.4 ^{+0.2} _{-0.2}	39.4 ^{+0.2} _{-0.2}	5.4 ^{+1.1} _{-1.2}	...	3322.9 ^{+8.7} _{-8.7}	...	5.31 ^{+0.03} _{-0.03}	...	B
2M0418+2101	12148	6189	14	2458797.847	9.42	14	39.5 ^{+0.8} _{-0.5}	39.9 ^{+0.7} _{-0.6}	23.5 ^{+1.9} _{-1.0}	...	2399.3 ^{+1.1} _{-0.8}	2399.3 ^{+0.8} _{-0.3}	4.61 ^{+0.03} _{-0.02}	4.74 ^{+0.02} _{-0.02}	B
...	12148	6189	14	2458802.840	6.92	20	40.0 ^{+0.1} _{-0.3}	40.0 ^{+0.1} _{-0.3}	21.7 ^{+1.0} _{-1.0}	...	2399.2 ^{+1.1} _{-0.6}	...	4.89 ^{+0.02} _{-0.03}	...	B
2M0419+1734	12143	6184	30	2458820.725	-2.53	38	40.4 ^{+0.4} _{-0.3}	40.4 ^{+0.4} _{-0.4}	31.5 ^{+1.1} _{-1.3}	...	3066.1 ^{+8.9} _{-8.0}	3066.1 ^{+8.9} _{-8.0}	5.42 ^{+0.03} _{-0.03}	5.42 ^{+0.03} _{-0.03}	B
2M0419+7121	11206	5900	33	2458469.602	-4.36	67	4.4 ^{+0.2} _{-0.3}	4.4 ^{+0.2} _{-0.3}	14.2 ^{+1.0} _{-1.0}	...	3240.3 ^{+7.3} _{-5.2}	3240.3 ^{+7.3} _{-5.2}	5.42 ^{+0.02} _{-0.02}	5.42 ^{+0.02} _{-0.02}	B
2M0420+2700	9258	5221	41	2457682.878	18.71	56	19.0 ^{+0.2} _{-0.2}	19.0 ^{+0.2} _{-0.4}	16.0 ^{+1.0} _{-1.0}	...	2949.1 ^{+3.5} _{-5.4}	2961.5 ^{+3.4} _{-3.4}	4.52 ^{+0.01} _{-0.01}	4.51 ^{+0.01} _{-0.01}	B
...	9258	5221	140	2458036.969	22.60	27	19.0 ^{+0.2} _{-0.2}	19.0 ^{+0.2} _{-0.2}	15.7 ^{+1.7} _{-1.0}	...	2994.8 ^{+7.3} _{-5.2}	...	4.51 ^{+0.01} _{-0.01}	...	B
...	9258	5221	149	2458039.940	21.66	42	18.9 ^{+0.2} _{-0.3}	18.9 ^{+0.2} _{-0.3}	15.7 ^{+1.0} _{-1.0}	...	2946.0 ^{+9.5} _{-7.8}	...	4.51 ^{+0.01} _{-0.01}	...	B
2M0424+1859	8777	5160	155	2457357.813	-0.89	11	40.6 ^{+0.3} _{-0.4}	39.9 ^{+0.3} _{-0.4}	14.8 ^{+1.2} _{-1.5}	12.2 ^{+1.0} _{-1.1}	3120.0 ^{+11.6} _{-12.2}	3131.5 ^{+3.1} _{-4.2}	5.47 ^{+0.02} _{-0.02}	5.43 ^{+0.01} _{-0.01}	B
...	12143	6184	209	2458820.725	-1.73	68	39.2 ^{+0.3} _{-0.2}	39.2 ^{+0.3} _{-0.2}	12.4 ^{+1.0} _{-1.2}	...	3146.2 ^{+5.2} _{-8.8}	...	5.42 ^{+0.03} _{-0.03}	...	B
...	12151	6192	233	2458860.687	-20.87	62	39.6 ^{+0.3} _{-0.6}	39.6 ^{+0.3} _{-0.6}	12.4 ^{+1.0} _{-1.0}	...	3128.0 ^{+5.2} _{-6.1}	...	5.4 ^{+0.02} _{-0.03}	...	B
...	12151	6192	182	2459160.893	10.91	70	40.0 ^{+0.2} _{-0.2}	40.0 ^{+0.2} _{-0.2}	10.7 ^{+1.0} _{-1.2}	...	3120.2 ^{+6.9} _{-10.4}	...	5.4 ^{+0.02} _{-0.02}	...	B
2M0426+2149	12148	6189	254	2458802.840	7.87	12	44.0 ^{+1.6} _{-1.2}	44.0 ^{+1.6} _{-1.2}	44.7 ^{+4.0} _{-4.4}	44.7 ^{+4.0} _{-4.4}	2973.1 ^{+59.4} _{-85.5}	2973.1 ^{+59.4} _{-85.5}	5.19 ^{+0.1} _{-0.22}	5.19 ^{+0.1} _{-0.22}	B
2M0428+2424	12147	6188	11	2458803.805	7.87	57	23.5 ^{+0.3} _{-0.2}	23.5 ^{+0.3} _{-0.2}	23.7 ^{+1.0} _{-1.1}	23.7 ^{+1.0} _{-1.1}	2399.3 ^{+0.6} _{-0.5}	2399.3 ^{+0.6} _{-0.5}	5.47 ^{+0.03} _{-0.03}	5.47 ^{+0.03} _{-0.03}	S
2M0429+1736	11429	5927	29	2458385.909	27.27	44	14.0 ^{+0.8} _{-0.8}	13.6 ^{+0.8} _{-0.8}	61.4 ^{+1.0} _{-1.0}	63.7 ^{+1.0} _{-1.2}	2399.6 ^{+0.4} _{-0.3}	2399.5 ^{+0.4} _{-0.3}	4.34 ^{+0.01} _{-0.01}	4.32 ^{+0.01} _{-0.01}	S
...	11430	5927	8	2458386.984	26.88	46	14.2 ^{+0.3} _{-0.3}	14.2 ^{+0.3} _{-0.3}	66.5 ^{+1.8} _{-1.1}	...	2399.6 ^{+0.6} _{-0.3}	2399.6 ^{+0.6} _{-0.3}	4.38 ^{+0.04} _{-0.04}	4.38 ^{+0.04} _{-0.04}	S
...	11431	5927	29	2458421.917	15.25	46	12.8 ^{+0.3} _{-0.3}	12.8 ^{+0.3} _{-0.3}	65.4 ^{+1.2} _{-1.6}	...	2399.5 ^{+0.7} _{-0.4}	2399.5 ^{+0.7} _{-0.4}	4.27 ^{+0.01} _{-0.01}	4.27 ^{+0.01} _{-0.01}	S

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M0429+1754	11429	5927	18	2455385.909	27.32	57	17.3 ^{+0.6} _{-0.6}	18.4 ^{+0.3} _{-0.4}	23.6 ^{+1.0} _{-1.0}	3227.6 ^{+9.6} _{-8.9}	3236.2 ^{+3.8} _{-3.1}	4.67 ^{+0.02} _{-0.05}	4.73 ^{+0.02} _{-0.02}	B	
...	11430	5927	10	2455386.984	26.93	53	18.0 ^{+0.2} _{-0.2}	23.6 ^{+1.0} _{-1.0}	... 24.4 ^{+1.2} _{-1.2}	3215.4 ^{+8.9} _{-4.8} 3252.2 ^{+4.8} _{-4.7}	... 4.75 ^{+0.03} _{-0.03} 4.76 ^{+0.03} _{-0.02}	B	
...	11431	5927	18	2455421.917	15.34	50	19.2 ^{+0.3} _{-0.3}	41.2 ^{+0.3} _{-0.4}	16.2 ^{+1.0} _{-1.8}	15.8 ^{+1.0} _{-1.0}	2399.3 ^{+1.2} _{-0.5}	2399.3 ^{+0.8} _{-0.4}	4.94 ^{+0.04} _{-0.02}	5.04 ^{+0.02} _{-0.02}	S
2M0430+2222	12149	6190	239	2455887.599	-28.12	32	42.1 ^{+0.3} _{-0.2}	41.2 ^{+0.3} _{-0.4}	21.6 ^{+1.0} _{-1.0}	2399.3 ^{+1.1} _{-0.5}	2399.3 ^{+0.8} _{-0.4}	5.13 ^{+0.03} _{-0.02}	5.32 ^{+0.02} _{-0.02}	S	
...	12149	6190	230	2459159.905	12.25	28	40.3 ^{+0.2} _{-0.3}	18.8 ^{+0.3} _{-0.2}	18.0 ^{+1.1} _{-1.1}	21.6 ^{+1.0} _{-1.0}	3228.5 ^{+8.6} _{-6.4}	3193.0 ^{+5.8} _{-4.0}	5.32 ^{+0.04} _{-0.03}	5.32 ^{+0.02} _{-0.02}	B
2M0431+1706	11429	5927	102	2455385.909	27.33	20	18.2 ^{+0.2} _{-0.2}	18.5 ^{+0.3} _{-0.7}	26.8 ^{+1.3} _{-1.1}	3159.4 ^{+10.5} _{-6.3}	3183.5 ^{+12.0} _{-8.2}	5.28 ^{+0.05} _{-0.04}	5.34 ^{+0.03} _{-0.03}	B	
...	11430	5927	115	2455386.984	26.94	22	18.5 ^{+0.2} _{-0.2}	20.6 ^{+0.3} _{-0.3}	21.9 ^{+1.0} _{-1.3}	2399.0 ^{+1.1} _{-0.7}	2399.4 ^{+0.8} _{-0.4}	5.03 ^{+0.01} _{-0.01}	5.06 ^{+0.01} _{-0.01}	S	
...	11431	5927	91	2458421.917	15.40	19	24.5 ^{+0.2} _{-0.2}	24.5 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.0}	13.7 ^{+1.0} _{-1.0}	2399.4 ^{+0.8} _{-0.4}	2399.4 ^{+0.5} _{-0.2}	5.03 ^{+0.01} _{-0.01}	5.06 ^{+0.01} _{-0.01}	S
2M0431+1709	11429	5927	101	2455385.909	27.34	45	24.5 ^{+0.2} _{-0.2}	42.0 ^{+0.3} _{-0.4}	10.7 ^{+1.0} _{-1.0}	2399.0 ^{+1.1} _{-0.7}	2399.4 ^{+0.8} _{-0.4}	5.17 ^{+0.02} _{-0.02}	5.17 ^{+0.03} _{-0.03}	S	
...	11430	5927	114	2455386.984	26.95	43	24.5 ^{+0.3} _{-0.2}	19.7 ^{+0.3} _{-0.3}	17.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.8} _{-0.3}	2399.5 ^{+0.6} _{-0.3}	5.05 ^{+0.13} _{-0.13}	5.05 ^{+0.13} _{-0.13}	S	
...	11431	5927	96	2458421.917	15.41	50	24.9 ^{+0.3} _{-0.3}	42.0 ^{+0.3} _{-0.3}	18.0 ^{+1.0} _{-1.0}	29.17.3 ^{+7.3} _{-8.1}	2917.3 ^{+7.3} _{-8.1}	4.51 ^{+0.01} _{-0.01}	4.51 ^{+0.01} _{-0.01}	...	
2M0431+1500	12154	6195	108	2458830.735	-6.47	49	41.7 ^{+0.2} _{-0.2}	42.0 ^{+0.3} _{-0.4}	9.2 ^{+1.0} _{-1.0}	< 10	2399.4 ^{+0.8} _{-0.5}	2399.5 ^{+0.6} _{-0.3}	5.16 ^{+0.02} _{-0.02}	S	
...	12154	6195	108	2458850.678	-16.13	46	42.4 ^{+0.2} _{-0.2}	42.4 ^{+0.3} _{-0.2}	10.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.8} _{-0.3}	2399.5 ^{+0.8} _{-0.3}	5.06 ^{+0.02} _{-0.02}	5.06 ^{+0.01} _{-0.01}	S	
2M0434+1711	11429	5927	143	2455385.909	27.49	33	20.3 ^{+0.3} _{-0.3}	19.7 ^{+0.3} _{-0.4}	17.9 ^{+1.0} _{-1.0}	2930.4 ^{+7.7} _{-10.2}	2930.9 ^{+3.3} _{-4.3}	4.57 ^{+0.04} _{-0.04}	4.54 ^{+0.01} _{-0.01}	B	
...	11430	5927	96	2455386.984	27.10	41	20.1 ^{+0.2} _{-0.3}	20.1 ^{+0.2} _{-0.3}	18.0 ^{+1.0} _{-1.0}	2917.3 ^{+7.3} _{-8.1}	2917.3 ^{+7.3} _{-8.1}	4.51 ^{+0.01} _{-0.01}	4.51 ^{+0.01} _{-0.01}	...	
...	11431	5927	121	2458421.917	15.74	34	19.5 ^{+0.2} _{-0.2}	20.4 ^{+0.3} _{-0.4}	17.9 ^{+1.0} _{-1.0}	2961.6 ^{+2.9} _{-2.9}	2961.6 ^{+2.9} _{-2.9}	4.52 ^{+0.02} _{-0.02}	4.49 ^{+0.01} _{-0.01}	...	
2M0434+2308	9259	5222	36	2457683.865	19.50	47	20.4 ^{+0.2} _{-0.2}	20.4 ^{+0.3} _{-0.4}	17.9 ^{+1.0} _{-1.0}	2953.7 ^{+10.2} _{-10.0}	2953.7 ^{+7.7} _{-10.0}	4.43 ^{+0.03} _{-0.03}	4.43 ^{+0.04} _{-0.04}	...	
...	9259	5222	79	2457712.842	6.03	43	20.5 ^{+0.2} _{-0.2}	20.5 ^{+0.3} _{-0.3}	17.2 ^{+1.4} _{-1.0}	2953.7 ^{+10.2} _{-10.0}	2953.7 ^{+7.7} _{-10.0}	4.48 ^{+0.02} _{-0.02}	4.48 ^{+0.02} _{-0.02}	...	
...	9259	5222	42	2458010.981	29.02	42	20.1 ^{+0.2} _{-0.2}	20.1 ^{+0.2} _{-0.2}	18.0 ^{+1.0} _{-1.0}	2985.3 ^{+5.9} _{-4.2}	2985.3 ^{+5.9} _{-4.2}	4.48 ^{+0.01} _{-0.01}	4.48 ^{+0.01} _{-0.01}	...	
...	12149	6190	245	2458887.599	-27.87	38	20.5 ^{+0.2} _{-0.2}	20.5 ^{+0.2} _{-0.2}	18.0 ^{+1.0} _{-1.0}	2991.1 ^{+6.8} _{-6.7}	2991.1 ^{+6.8} _{-6.7}	4.43 ^{+0.03} _{-0.02}	4.43 ^{+0.03} _{-0.02}	...	
...	12149	6190	290	2459159.905	12.83	33	21.5 ^{+0.3} _{-0.3}	21.5 ^{+0.3} _{-0.3}	17.8 ^{+1.0} _{-1.0}	2944.6 ^{+5.9} _{-6.6}	2944.6 ^{+5.9} _{-6.6}	4.52 ^{+0.01} _{-0.01}	4.52 ^{+0.01} _{-0.01}	...	
2M0436+2351	9259	5222	152	2457683.865	19.68	38	18.3 ^{+0.2} _{-0.2}	18.2 ^{+0.3} _{-0.2}	12.5 ^{+1.0} _{-1.0}	2971.0 ^{+2.7} _{-3.0}	2971.0 ^{+2.7} _{-3.0}	4.75 ^{+0.01} _{-0.01}	4.75 ^{+0.01} _{-0.01}	B	
...	9288	5224	91	2457711.804	6.90	37	18.5 ^{+0.4} _{-0.4}	18.0 ^{+0.5} _{-0.5}	12.4 ^{+1.0} _{-1.0}	2954.6 ^{+5.8} _{-13.6}	2954.6 ^{+5.8} _{-13.6}	4.74 ^{+0.02} _{-0.02}	4.74 ^{+0.02} _{-0.02}	...	
...	9259	5222	155	2457712.842	6.28	33	18.7 ^{+0.2} _{-0.2}	18.7 ^{+0.2} _{-0.2}	12.4 ^{+1.0} _{-1.0}	2931.2 ^{+6.2} _{-6.4}	2931.2 ^{+6.2} _{-6.4}	4.8 ^{+0.04} _{-0.04}	4.8 ^{+0.04} _{-0.04}	...	
...	9288	5224	108	2457738.783	-7.30	27	18.3 ^{+0.2} _{-0.2}	18.3 ^{+0.2} _{-0.2}	11.7 ^{+1.4} _{-1.0}	3027.2 ^{+5.8} _{-5.5}	3027.2 ^{+5.8} _{-5.5}	5.23 ^{+0.03} _{-0.03}	5.23 ^{+0.03} _{-0.03}	...	
...	9288	5224	96	2457765.642	-19.68	24	17.0 ^{+0.2} _{-0.2}	17.0 ^{+0.2} _{-0.2}	14.2 ^{+1.0} _{-1.0}	2976.0 ^{+6.5} _{-6.7}	2976.0 ^{+6.5} _{-6.7}	4.53 ^{+0.02} _{-0.02}	4.53 ^{+0.02} _{-0.02}	...	
...	9259	5222	155	2458010.981	29.07	33	18.0 ^{+0.3} _{-0.3}	18.0 ^{+0.3} _{-0.3}	12.5 ^{+1.0} _{-1.0}	2965.9 ^{+9.3} _{-10.4}	2965.9 ^{+9.3} _{-10.4}	4.63 ^{+0.03} _{-0.03}	4.63 ^{+0.03} _{-0.03}	...	
2M0436+2316	12149	6190	264	2458887.599	-27.76	20	41.1 ^{+0.5} _{-0.5}	41.0 ^{+0.3} _{-0.5}	21.6 ^{+1.7} _{-1.0}	23.0 ^{+1.0} _{-1.0}	2399.3 ^{+0.6} _{-0.5}	4.83 ^{+0.02} _{-0.02}	4.76 ^{+0.02} _{-0.02}	S	
...	12149	6190	270	2459159.905	13.08	17	41.0 ^{+0.3} _{-0.3}	41.0 ^{+0.3} _{-0.3}	23.6 ^{+1.0} _{-1.0}	30.5 ^{+1.7} _{-1.1}	2399.6 ^{+0.6} _{-0.3}	4.45 ^{+0.04} _{-0.04}	4.45 ^{+0.04} _{-0.04}	...	
2M0437+1645	12154	6195	176	2458830.735	-5.57	67	40.8 ^{+0.3} _{-0.3}	40.9 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.1}	17.5 ^{+1.0} _{-1.0}	3167.6 ^{+10.2} _{-9.6}	3178.7 ^{+5.3} _{-5.3}	5.41 ^{+0.03} _{-0.03}	5.43 ^{+0.02} _{-0.02}	B
...	12154	6195	179	2458850.678	-15.38	56	40.9 ^{+0.2} _{-0.2}	40.9 ^{+0.2} _{-0.2}	17.9 ^{+1.0} _{-1.0}	2399.3 ^{+0.6} _{-0.3}	2399.3 ^{+0.6} _{-0.3}	4.45 ^{+0.02} _{-0.02}	4.45 ^{+0.02} _{-0.02}	...	
2M0439+1805	12155	6196	224	245886.664	-27.66	21	42.3 ^{+0.9} _{-0.3}	42.0 ^{+0.4} _{-0.5}	34.7 ^{+2.0} _{-2.1}	31.1 ^{+1.4} _{-1.2}	31.1 ^{+1.4} _{-1.2}	4.39 ^{+0.03} _{-0.03}	4.51 ^{+0.03} _{-0.03}	S	
...	12155	6196	275	2458915.585	-29.95	27	41.9 ^{+0.3} _{-0.3}	41.9 ^{+0.3} _{-0.3}	30.5 ^{+1.7} _{-1.1}	30.5 ^{+1.7} _{-1.1}	30.5 ^{+1.7} _{-1.1}	4.74 ^{+0.05} _{-0.06}	4.74 ^{+0.05} _{-0.06}	...	
2M0439+1939	12152	6193	44	245880.638	-26.15	65	39.8 ^{+0.3} _{-0.2}	39.8 ^{+0.3} _{-0.2}	34.9 ^{+1.0} _{-1.4}	34.9 ^{+1.0} _{-1.4}	3097.3 ^{+7.9} _{-3.4}	3097.3 ^{+7.9} _{-3.4}	5.28 ^{+0.02} _{-0.02}	5.28 ^{+0.02} _{-0.02}	B
2M0441+1954	12152	6193	155	2458853.674	-16.22	32	42.5 ^{+0.3} _{-0.3}	42.2 ^{+0.3} _{-0.5}	57.1 ^{+2.1} _{-1.0}	55.6 ^{+1.1} _{-1.1}	55.6 ^{+1.1} _{-1.1}	4.41 ^{+0.04} _{-0.04}	4.41 ^{+0.04} _{-0.04}	S	
...	12152	6193	206	245880.638	-26.07	38	41.9 ^{+0.3} _{-0.3}	41.9 ^{+0.3} _{-0.3}	50.2 ^{+1.1} _{-1.7}	50.2 ^{+1.1} _{-1.7}	50.2 ^{+1.1} _{-1.7}	4.58 ^{+0.03} _{-0.03}	4.58 ^{+0.03} _{-0.03}	S	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M0447+1333	12158	6199	113	2455834.796	-6.78	53	26.3 ^{+0.2} _{-0.2}	26.3 ^{+0.3} _{-0.3}	12.4 ^{+1.0} _{-1.3}	2399.4 ^{+0.8} _{-0.5}	2399.4 ^{+0.8} _{-0.5}	5.02 ^{+0.04} _{-0.05}	5.02 ^{+0.04} _{-0.05}	S	
2M0523-5607	12104	7009	127	2455803.633	1.13	38	18.0 ^{+0.4} _{-0.2}	18.0 ^{+0.4} _{-0.3}	10.8 ^{+1.0} _{-1.0}	2399.5 ^{+0.6} _{-0.4}	2399.5 ^{+0.6} _{-0.4}	5.1 ^{+0.01} _{-0.02}	5.1 ^{+0.01} _{-0.02}	S	
2M0532-5518	11989	6126	36	2459149.731	3.68	17	0.4 ^{+0.3} _{-0.2}	0.0 ^{+0.3} _{-0.4}	26.1 ^{+1.1} _{-1.1}	2399.4 ^{+0.7} _{-0.4}	2399.4 ^{+0.7} _{-0.2}	4.87 ^{+0.02} _{-0.03}	4.84 ^{+0.01} _{-0.01}	S	
...	11989	6126	85	2459158.698	2.89	13	-0.7 ^{+0.4} _{-0.4}	29.6 ^{+1.0} _{-1.6}	2399.3 ^{+1.0} _{-0.5}	...	4.61 ^{+0.03} _{-0.04}	4.61 ^{+0.03} _{-0.04}	...	S	
...	11989	6126	85	2459169.669	1.81	22	0.3 ^{+0.4} _{-0.3}	27.3 ^{+1.0} _{-1.0}	2399.4 ^{+0.8} _{-0.4}	...	4.89 ^{+0.05} _{-0.03}	4.89 ^{+0.05} _{-0.03}	...	S	
...	11989	6126	90	2459172.640	1.53	16	0.3 ^{+0.6} _{-0.6}	30.2 ^{+1.5} _{-1.3}	2399.1 ^{+1.1} _{-0.6}	...	4.87 ^{+0.05} _{-0.04}	4.87 ^{+0.05} _{-0.04}	...	S	
...	11989	6126	85	2459175.690	1.14	18	0.0 ^{+0.4} _{-0.5}	29.3 ^{+1.1} _{-1.2}	2399.1 ^{+1.1} _{-0.7}	...	4.81 ^{+0.02} _{-0.02}	4.81 ^{+0.02} _{-0.02}	...	S	
...	11989	6126	90	2459178.645	0.87	12	-1.2 ^{+0.3} _{-0.3}	31.3 ^{+1.0} _{-1.0}	2399.5 ^{+0.8} _{-0.4}	...	4.85 ^{+0.02} _{-0.02}	4.85 ^{+0.02} _{-0.02}	...	S	
2M0533-0542	12273	7043	282	2455882.533	-20.36	11	27.6 ^{+0.4} _{-0.3}	27.5 ^{+0.3} _{-0.4}	14.3 ^{+1.0} _{-1.1}	2916.3 ^{+9.1} _{-15.8}	2904.2 ^{+3.9} _{-3.8}	4.61 ^{+0.05} _{-0.07}	4.49 ^{+0.01} _{-0.01}	APOGEE DR17	
...	12274	7043	287	2455882.634	-20.64	23	27.4 ^{+0.2} _{-0.3}	14.3 ^{+1.0} _{-1.0}	2891.7 ^{+7.5} _{-8.2}	...	4.43 ^{+0.04} _{-0.04}	4.43 ^{+0.04} _{-0.04}	...	S	
...	12273	7043	282	2455883.581	-20.78	31	27.6 ^{+0.2} _{-0.2}	14.3 ^{+1.0} _{-1.0}	2903.9 ^{+6.3} _{-5.3}	...	4.48 ^{+0.02} _{-0.02}	4.48 ^{+0.02} _{-0.02}	...	S	
...	12274	7043	287	2455883.686	-21.05	17	27.1 ^{+0.3} _{-0.3}	14.4 ^{+1.0} _{-1.5}	2913.7 ^{+9.2} _{-8.8}	...	4.5 ^{+0.03} _{-0.03}	4.5 ^{+0.03} _{-0.03}	...	S	
2M0533-0531	12274	7043	299	2455882.634	-20.62	16	28.6 ^{+0.7} _{-0.6}	29.1 ^{+0.3} _{-0.4}	15.8 ^{+1.0} _{-1.0}	2399.2 ^{+1.1} _{-0.6}	2399.3 ^{+0.6} _{-0.3}	3.55 ^{+0.01} _{-0.02}	3.55 ^{+0.01} _{-0.02}	...	
...	12273	7043	271	2455883.581	-20.77	25	29.4 ^{+0.3} _{-0.2}	14.2 ^{+1.0} _{-2.0}	2399.5 ^{+0.9} _{-0.3}	...	3.58 ^{+0.03} _{-0.03}	3.58 ^{+0.03} _{-0.03}	...	S	
...	12274	7043	299	2455883.686	-21.03	14	28.8 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	2399.1 ^{+1.1} _{-0.7}	...	3.53 ^{+0.02} _{-0.02}	3.53 ^{+0.02} _{-0.02}	...	S	
2M0534-0449	12273	7043	173	2455882.533	-20.37	24	32.0 ^{+0.3} _{-0.4}	32.0 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	3209.8 ^{+10.5} _{-6.6}	3231.4 ^{+3.4} _{-2.7}	4.61 ^{+0.03} _{-0.04}	4.55 ^{+0.02} _{-0.01}	...	
...	12274	7043	170	2455882.634	-20.65	39	31.6 ^{+0.2} _{-0.3}	15.8 ^{+1.0} _{-1.0}	3233.5 ^{+5.5} _{-5.0}	...	4.49 ^{+0.04} _{-0.04}	4.49 ^{+0.04} _{-0.04}	...	S	
...	12273	7043	173	2455883.581	-20.81	39	31.9 ^{+0.2} _{-0.2}	16.1 ^{+1.0} _{-1.0}	3240.8 ^{+6.9} _{-6.9}	...	4.53 ^{+0.02} _{-0.02}	4.53 ^{+0.02} _{-0.02}	...	S	
...	12274	7043	170	2455883.686	-21.07	21	32.7 ^{+0.2} _{-0.2}	16.2 ^{+1.0} _{-1.0}	3228.4 ^{+6.6} _{-6.6}	...	4.61 ^{+0.03} _{-0.03}	4.61 ^{+0.03} _{-0.03}	...	S	
2M0534-0526	12274	7043	193	2455882.634	-20.52	18	29.3 ^{+0.2} _{-0.2}	29.1 ^{+0.3} _{-0.4}	8.9 ^{+1.0} _{-1.8}	2399.2 ^{+1.0} _{-0.7}	2399.1 ^{+1.0} _{-0.5}	3.52 ^{+0.02} _{-0.02}	3.53 ^{+0.01} _{-0.02}	...	
...	12274	7043	193	2455883.686	-20.94	14	28.5 ^{+0.3} _{-0.3}	12.3 ^{+1.2} _{-1.0}	2399.0 ^{+1.4} _{-0.7}	...	3.53 ^{+0.02} _{-0.02}	3.53 ^{+0.02} _{-0.02}	...	S	
2M0534-0555	12274	7043	222	2455882.634	-20.43	21	29.9 ^{+0.3} _{-0.3}	17.9 ^{+1.0} _{-0.5}	2957.1 ^{+8.7} _{-5.7}	2953.5 ^{+6.5} _{-5.7}	4.68 ^{+0.04} _{-0.04}	4.73 ^{+0.03} _{-0.03}	
...	12274	7043	222	2455883.686	-20.85	13	29.7 ^{+0.3} _{-0.3}	16.9 ^{+1.2} _{-1.2}	3228.4 ^{+6.6} _{-6.6}	...	4.61 ^{+0.03} _{-0.03}	4.61 ^{+0.03} _{-0.03}	...	S	
2M0534-0514	12273	7043	257	2455882.634	-20.52	18	29.3 ^{+0.2} _{-0.2}	29.1 ^{+0.3} _{-0.4}	11.0 ^{+1.0} _{-1.1}	2399.2 ^{+1.3} _{-0.7}	2399.1 ^{+1.0} _{-0.5}	3.52 ^{+0.02} _{-0.02}	3.53 ^{+0.01} _{-0.02}	...	
...	12274	7043	193	2455883.686	-20.94	14	28.5 ^{+0.3} _{-0.3}	12.3 ^{+1.2} _{-1.0}	2399.0 ^{+1.4} _{-0.7}	...	3.53 ^{+0.02} _{-0.02}	3.53 ^{+0.02} _{-0.02}	...	S	
...	12273	7043	222	2455882.634	-20.43	21	29.9 ^{+0.3} _{-0.3}	17.9 ^{+1.0} _{-0.5}	2957.1 ^{+8.7} _{-5.7}	2953.5 ^{+6.5} _{-5.7}	4.68 ^{+0.04} _{-0.04}	4.73 ^{+0.03} _{-0.03}	
...	12274	7043	222	2455883.686	-20.85	13	29.7 ^{+0.3} _{-0.3}	16.9 ^{+1.2} _{-1.2}	3228.4 ^{+6.6} _{-6.6}	...	4.61 ^{+0.03} _{-0.03}	4.61 ^{+0.03} _{-0.03}	...	S	
...	12273	7043	257	2455883.581	-20.55	30	29.2 ^{+0.4} _{-0.4}	16.0 ^{+1.0} _{-1.0}	3048.3 ^{+5.8} _{-5.5}	...	4.36 ^{+0.02} _{-0.02}	4.36 ^{+0.02} _{-0.02}	...	S	
...	12273	7043	257	2455883.581	-20.70	37	29.9 ^{+0.2} _{-0.2}	14.2 ^{+1.0} _{-1.6}	3055.4 ^{+3.8} _{-3.6}	...	4.36 ^{+0.02} _{-0.02}	4.36 ^{+0.02} _{-0.02}	...	S	
...	12274	7043	210	2455883.686	-20.97	20	29.5 ^{+0.2} _{-0.2}	16.1 ^{+1.0} _{-1.0}	3059.7 ^{+4.5} _{-4.5}	...	4.35 ^{+0.03} _{-0.03}	4.35 ^{+0.03} _{-0.03}	...	S	
...	12274	7043	229	2455882.533	-20.17	12	26.0 ^{+0.4} _{-0.5}	26.5 ^{+0.3} _{-0.5}	20.0 ^{+1.0} _{-1.0}	2935.7 ^{+18.1} _{-10.5}	2888.1 ^{+6.2} _{-6.8}	4.65 ^{+0.07} _{-0.07}	4.65 ^{+0.07} _{-0.07}	...	
...	12274	7043	234	2455882.634	-20.45	29	26.5 ^{+0.2} _{-0.3}	20.9 ^{+1.0} _{-1.2}	2860.1 ^{+12.1} _{-10.1}	...	4.58 ^{+0.05} _{-0.05}	4.58 ^{+0.05} _{-0.05}	...	S	
...	12273	7043	229	2455883.581	-20.60	33	26.4 ^{+0.3} _{-0.1}	19.8 ^{+1.0} _{-1.1}	2887.9 ^{+9.5} _{-8.8}	...	4.55 ^{+0.03} _{-0.03}	4.55 ^{+0.03} _{-0.03}	...	S	
...	12274	7043	234	2455883.686	-20.87	21	27.0 ^{+0.4} _{-0.4}	20.2 ^{+1.1} _{-1.4}	2879.8 ^{+14.4} _{-11.1}	...	4.66 ^{+0.03} _{-0.03}	4.66 ^{+0.03} _{-0.03}	...	S	
2M0535-0516	12273	7043	210	2455882.533	-20.26	24	29.0 ^{+0.2} _{-0.4}	10.8 ^{+1.1} _{-1.5}	11.0 ^{+1.0} _{-1.1}	2951.1 ^{+6.7} _{-8.5}	2955.6 ^{+3.5} _{-4.1}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	...	
...	12274	7043	207	2455882.634	-20.54	37	28.1 ^{+0.2} _{-0.3}	10.7 ^{+1.0} _{-1.5}	12.3 ^{+1.0} _{-1.5}	2926.5 ^{+12.3} _{-8.5}	...	4.43 ^{+0.05} _{-0.04}	4.43 ^{+0.05} _{-0.04}	...	S
...	12273	7043	210	2455883.581	-20.69	47	28.7 ^{+0.2} _{-0.2}	10.6 ^{+1.0} _{-1.0}	12.9 ^{+1.0} _{-1.0}	2967.8 ^{+5.4} _{-7.6}	...	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	...	S
...	12274	7043	207	2455883.686	-20.95	26	28.4 ^{+0.4} _{-0.3}	12.1 ^{+1.0} _{-1.1}	12.1 ^{+1.0} _{-1.1}	2959.9 ^{+7.4} _{-8.6}	...	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	...	S
...	12273	7043	151	2455882.533	-20.31	11	29.7 ^{+0.3} _{-0.4}	23.5 ^{+1.9} _{-2.0}	20.0 ^{+1.0} _{-1.1}	2942.3 ^{+14.5} _{-21.9}	2963.8 ^{+8.4} _{-7.6}	4.61 ^{+0.04} _{-0.03}	4.61 ^{+0.04} _{-0.03}	...	B

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i> (km s ⁻¹)	S/N	RV <i>b</i> (km s ⁻¹)	$\langle \text{RV} \rangle b, c$ (km s ⁻¹)	<i>v sin i</i> <i>b</i> (km s ⁻¹)	$\langle v \sin i \rangle b, c, d$ (km s ⁻¹)	<i>T_{eff}</i> <i>f</i> (K)	$\langle T_{\text{eff}} \rangle c, f$ (K)	$\log g f$ (cm s ⁻²)	$\langle \log g \rangle c, f$ (cm s ⁻²)	MdL ^e
...	12273	7043	151	245883.581	-20.74	20	31.8 ^{+0.3} _{-0.2}	...	19.8 ^{+1.1} _{-1.0}	...	2972.5 ^{+16.1} _{-11.4}	...	4.67 ^{+0.07} _{-0.05}	...	B
...	12274	7043	36	245883.686	-21.01	12	31.9 ^{+0.4} _{-0.3}	...	19.9 ^{+1.0} _{-1.2}	...	2967.5 ^{+13.6} _{-11.7}	...	4.62 ^{+0.06} _{-0.07}	...	B
2M0535-0508	12274	7043	151	245882.634	-20.56	19	31.8 ^{+0.3} _{-0.3}	31.6 ^{+0.3} _{-0.5}	17.8 ^{+2.0} _{-1.0}	17.9 ^{+1.1} _{-1.1}	3009.8 ^{+6.1} _{-7.3}	3012.0 ^{+5.6} _{-6.2}	4.51 ^{+0.02} _{-0.03}	4.5 ^{+0.02} _{-0.02}	B
...	12274	7043	151	245883.686	-20.97	13	31.0 ^{+0.5} _{-0.5}	...	18.4 ^{+1.1} _{-1.8}	...	3020.0 ^{+14.9} _{-11.4}	...	4.47 ^{+0.04} _{-0.03}	...	B
2M0535-0518	12273	7043	204	245882.533	-20.24	20	30.7 ^{+0.2} _{-0.3}	30.9 ^{+0.3} _{-0.4}	21.7 ^{+1.0} _{-1.0}	21.6 ^{+1.0} _{-1.0}	2860.6 ^{+24.0} _{-15.4}	2815.4 ^{+4.7} _{-4.1}	4.29 ^{+0.07} _{-0.07}	4.02 ^{+0.01} _{-0.01}	B
...	12274	7043	206	245882.634	-20.52	32	30.1 ^{+0.2} _{-0.3}	...	21.6 ^{+1.0} _{-1.0}	...	2821.8 ^{+8.3} _{-7.7}	...	4.02 ^{+0.03} _{-0.05}	...	B
...	12273	7043	204	245883.581	-20.68	43	31.0 ^{+0.2} _{-0.5}	...	21.6 ^{+1.0} _{-1.0}	...	281.3 ^{+5.3} _{-7.4}	...	4.01 ^{+0.02} _{-0.02}	...	B
...	12274	7043	206	245883.686	-20.94	22	31.9 ^{+0.3} _{-0.3}	...	21.6 ^{+1.0} _{-1.0}	...	2809.4 ^{+7.0} _{-7.0}	...	4.01 ^{+0.02} _{-0.02}	...	B
2M0535-0537	12273	7043	12	245883.581	-20.61	21	29.7 ^{+0.2} _{-0.2}	29.7 ^{+0.3} _{-0.4}	15.3 ^{+1.4} _{-1.1}	14.9 ^{+1.1} _{-1.2}	2827.8 ^{+10.8} _{-12.4}	2825.4 ^{+8.9} _{-9.8}	4.42 ^{+0.08} _{-0.05}	4.57 ^{+0.04} _{-0.05}	B
...	12274	7043	6	245883.686	-20.88	13	29.8 ^{+0.5} _{-0.3}	...	14.7 ^{+1.1} _{-1.2}	...	2822.2 ^{+11.6} _{-16.0}	...	4.62 ^{+0.04} _{-0.06}	...	B
2M0535-0515	12273	7043	44	245882.533	-20.24	18	29.7 ^{+0.4} _{-0.3}	29.9 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	15.6 ^{+1.0} _{-1.0}	3061.2 ^{+6.9} _{-7.2}	3038.7 ^{+2.9} _{-3.0}	4.25 ^{+0.05} _{-0.05}	4.36 ^{+0.01} _{-0.01}	B
...	12274	7043	137	245882.634	-20.52	21	29.7 ^{+0.2} _{-0.2}	...	15.2 ^{+1.4} _{-1.2}	...	3040.7 ^{+7.8} _{-7.8}	...	4.5 ^{+0.02} _{-0.02}	...	B
...	12273	7043	44	245883.581	-20.67	40	30.1 ^{+0.2} _{-0.3}	...	14.3 ^{+1.0} _{-1.0}	...	3057.2 ^{+5.2} _{-5.3}	...	4.18 ^{+0.02} _{-0.03}	...	B
...	12274	7043	137	245883.686	-20.94	22	29.7 ^{+0.5} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	3009.7 ^{+4.8} _{-5.2}	...	4.47 ^{+0.03} _{-0.02}	...	B
2M0535-0449	12273	7043	77	245882.533	-20.31	14	33.2 ^{+0.5} _{-0.3}	31.9 ^{+0.3} _{-0.4}	12.6 ^{+1.0} _{-1.0}	12.9 ^{+1.0} _{-1.0}	2794.4 ^{+14.3} _{-16.7}	2795.0 ^{+4.9} _{-4.5}	4.31 ^{+0.04} _{-0.09}	4.24 ^{+0.02} _{-0.02}	B
...	12274	7043	168	245882.634	-20.59	27	31.7 ^{+0.2} _{-0.3}	...	12.3 ^{+1.0} _{-1.0}	...	2781.5 ^{+7.7} _{-9.8}	...	4.26 ^{+0.06} _{-0.06}	...	B
...	12273	7043	77	245883.581	-20.74	24	32.1 ^{+0.3} _{-0.4}	...	14.1 ^{+1.0} _{-1.0}	...	2793.3 ^{+10.6} _{-7.0}	...	4.17 ^{+0.04} _{-0.04}	...	B
...	12274	7043	168	245883.686	-21.01	19	31.5 ^{+0.3} _{-0.3}	...	12.2 ^{+1.0} _{-1.0}	...	2804.0 ^{+8.1} _{-8.1}	...	4.26 ^{+0.04} _{-0.04}	...	B
2M0535-0457	12274	7043	79	245883.686	-20.97	12	33.6 ^{+0.4} _{-0.4}	33.6 ^{+0.4} _{-0.4}	19.3 ^{+1.7} _{-1.7}	19.3 ^{+1.7} _{-1.1}	2814.8 ^{+22.4} _{-22.4}	2814.8 ^{+20.9} _{-22.4}	4.55 ^{+0.19} _{-0.09}	4.55 ^{+0.19} _{-0.09}	B
2M0535-0459	12274	7043	126	245883.686	-20.94	11	30.7 ^{+0.4} _{-0.3}	30.7 ^{+0.5} _{-0.4}	20.5 ^{+1.2} _{-1.5}	20.5 ^{+1.2} _{-1.5}	2880.7 ^{+20.9} _{-14.3}	2880.7 ^{+20.9} _{-14.3}	4.58 ^{+0.06} _{-0.05}	4.58 ^{+0.06} _{-0.05}	B
2M0535-0629	7230	4613	239	2456652.770	-5.24	66	43.1 ^{+0.2} _{-0.3}	43.2 ^{+0.3} _{-0.4}	17.9 ^{+1.0} _{-1.0}	16.3 ^{+1.0} _{-1.0}	3156.9 ^{+7.2} _{-7.2}	3209.8 ^{+2.3} _{-2.1}	5.44 ^{+0.03} _{-0.02}	5.38 ^{+0.01} _{-0.01}	B
...	7230	4613	239	2456653.780	-5.73	70	44.2 ^{+0.2} _{-0.2}	...	16.6 ^{+1.1} _{-1.6}	...	3156.3 ^{+5.0} _{-3.7}	...	5.4 ^{+0.04} _{-0.02}	...	B
...	9660	5272	281	2457790.651	-21.12	79	42.5 ^{+0.2} _{-0.2}	...	9.0 ^{+1.0} _{-1.0}	...	3268.5 ^{+6.3} _{-6.3}	...	5.39 ^{+0.02} _{-0.02}	...	B
...	9660	5272	281	2457792.665	-21.69	62	43.5 ^{+0.3} _{-0.2}	...	9.9 ^{+1.7} _{-1.0}	...	3240.4 ^{+4.7} _{-5.6}	...	5.35 ^{+0.02} _{-0.02}	...	B
...	9660	5272	281	2457793.673	-21.96	48	43.3 ^{+0.2} _{-0.2}	...	9.0 ^{+1.0} _{-1.4}	...	3250.8 ^{+6.2} _{-4.9}	...	5.36 ^{+0.02} _{-0.02}	...	B
2M0535-0525	12274	7043	93	245882.634	-20.44	14	18.0 ^{+0.7} _{-0.8}	24.3 ^{+0.5} _{-0.9}	62.8 ^{+3.8} _{-2.9}	67.2 ^{+1.9} _{-1.6}	3181.5 ^{+16.4} _{-20.1}	3175.6 ^{+7.9} _{-8.7}	4.77 ^{+0.07} _{-0.06}	4.87 ^{+0.04} _{-0.04}	B
...	12273	7043	99	245883.581	-20.59	22	26.7 ^{+0.5} _{-0.5}	...	65.1 ^{+3.1} _{-2.8}	...	3156.3 ^{+10.1} _{-13.3}	...	5.17 ^{+0.06} _{-0.06}	...	B
...	12274	7043	109	245883.686	-20.85	13	22.9 ^{+1.9} _{-1.8}	...	71.8 ^{+2.6} _{-2.7}	...	3209.8 ^{+19.4} _{-14.1}	...	4.58 ^{+0.08} _{-0.07}	...	B
2M0536-0601	12273	7043	20	245882.533	-20.03	10	28.8 ^{+0.4} _{-0.3}	27.8 ^{+0.3} _{-0.4}	22.5 ^{+1.2} _{-1.1}	22.5 ^{+1.1} _{-1.1}	3131.8 ^{+14.5} _{-9.1}	3146.8 ^{+7.3} _{-5.8}	4.47 ^{+0.07} _{-0.06}	5.1 ^{+0.03} _{-0.03}	B
...	12274	7043	19	245882.634	-20.31	17	28.6 ^{+0.2} _{-0.3}	...	22.9 ^{+1.2} _{-1.1}	...	3168.9 ^{+15.2} _{-11.9}	...	4.7 ^{+0.08} _{-0.08}	...	B
2M0536-0539	12274	7043	109	245882.634	-20.37	11	31.8 ^{+0.3} _{-0.5}	31.5 ^{+0.3} _{-0.5}	19.8 ^{+1.6} _{-1.0}	18.7 ^{+1.0} _{-1.1}	3015.7 ^{+10.1} _{-10.1}	3005.3 ^{+6.5} _{-6.5}	4.67 ^{+0.03} _{-0.03}	4.54 ^{+0.03} _{-0.03}	B
...	12274	7043	109	245883.686	-20.78	13	30.5 ^{+0.3} _{-1.3}	...	18.2 ^{+1.0} _{-1.1}	...	2998.0 ^{+8.5} _{-8.4}	...	4.52 ^{+0.03} _{-0.03}	...	B
2M0536-0551	12273	7043	25	245882.533	-20.02	12	20.6 ^{+0.2} _{-0.2}	20.5 ^{+0.3} _{-0.4}	10.4 ^{+1.1} _{-1.2}	11.5 ^{+1.0} _{-1.0}	3017.7 ^{+8.7} _{-7.2}	3039.8 ^{+3.8} _{-3.6}	4.49 ^{+0.04} _{-0.04}	4.56 ^{+0.02} _{-0.03}	B
...	12274	7043	111	245882.634	-20.30	18	21.2 ^{+0.3} _{-0.3}	...	10.5 ^{+1.0} _{-1.0}	...	3035.3 ^{+6.4} _{-6.2}	...	4.65 ^{+0.04} _{-0.05}	...	B
...	12273	7043	25	245883.581	-20.45	30	20.3 ^{+0.2} _{-0.2}	...	10.5 ^{+1.0} _{-1.0}	...	3059.6 ^{+6.0} _{-6.0}	...	4.49 ^{+0.05} _{-0.05}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	12274	7043	111	245883.686	-20.72	17	20.2 ^{+0.3} _{-0.4}	...	12.3 ^{+1.0} _{-1.0}	...	3025.2 ^{+12.7} _{-12.7}	...	4.6 ^{+0.06} _{-0.05}	...	
2M0539-6213	12751	7024	19	2459180.598	-0.06	14	56.6 ^{+2.0} _{-2.0}	56.6 ^{+2.0} _{-2.0}	75.4 ^{+4.0} _{-5.4}	3016.2 ^{+31.0} _{-12.5}	3016.2 ^{+31.0} _{-12.5}	5.25 ^{+0.09} _{-0.07}	5.25 ^{+0.09} _{-0.07}	B	
2M0622-6026	12113	7018	281	2458829.690	2.07	66	-0.2 ^{+0.3} _{-0.4}	-0.2 ^{+0.3} _{-0.4}	12.3 ^{+1.0} _{-1.0}	2399.7 ^{+0.4} _{-0.4}	2399.7 ^{+0.4} _{-0.4}	4.82 ^{+0.02} _{-0.01}	4.82 ^{+0.02} _{-0.01}	S	
2M0641-6233	12224	7035	156	2458824.705	3.00	65	10.2 ^{+0.2} _{-0.3}	10.2 ^{+0.2} _{-0.3}	13.9 ^{+1.0} _{-1.0}	2399.7 ^{+0.4} _{-0.4}	2399.7 ^{+0.4} _{-0.4}	4.91 ^{+0.02} _{-0.01}	4.91 ^{+0.02} _{-0.01}	S	
2M0650-5731	12098	7003	217	2458834.728	3.96	19	33.2 ^{+0.3} _{-0.2}	32.9 ^{+0.3} _{-0.4}	18.4 ^{+1.0} _{-1.4}	3176.4 ^{+7.7} _{-6.8}	3176.4 ^{+7.7} _{-6.8}	5.28 ^{+0.04} _{-0.03}	5.27 ^{+0.02} _{-0.02}	B	
...	12098	7003	222	2458861.592	1.78	25	33.0 ^{+0.2} _{-0.2}	33.0 ^{+0.2} _{-0.2}	18.9 ^{+1.2} _{-1.0}	3143.0 ^{+5.2} _{-7.5}	3143.0 ^{+5.2} _{-7.5}	5.29 ^{+0.03} _{-0.03}	5.29 ^{+0.03} _{-0.03}	B	
...	12105	7010	75	2459187.664	4.85	34	32.5 ^{+0.3} _{-0.3}	32.5 ^{+0.3} _{-0.3}	19.9 ^{+1.0} _{-1.0}	3183.4 ^{+6.1} _{-6.1}	3183.4 ^{+6.1} _{-6.1}	5.25 ^{+0.03} _{-0.03}	5.25 ^{+0.03} _{-0.03}	B	
2M0652-5729	12098	7003	14	2458834.728	4.11	36	-15.3 ^{+0.2} _{-0.2}	-15.8 ^{+0.3} _{-0.4}	17.8 ^{+1.0} _{-1.0}	17.5 ^{+1.0} _{-1.0}	17.5 ^{+1.0} _{-1.0}	4.42 ^{+0.02} _{-0.02}	4.42 ^{+0.02} _{-0.02}	S	
...	12098	7003	14	2458861.592	1.92	40	-16.3 ^{+0.2} _{-0.2}	-16.0 ^{+0.2} _{-0.2}	16.0 ^{+1.0} _{-1.0}	2399.7 ^{+0.6} _{-0.2}	2399.7 ^{+0.6} _{-0.2}	4.49 ^{+0.02} _{-0.02}	4.49 ^{+0.02} _{-0.02}	S	
2M0659-7648	10306	5562	184	2458146.644	4.81	41	43.4 ^{+0.3} _{-0.3}	43.4 ^{+0.3} _{-0.3}	16.5 ^{+1.1} _{-1.6}	3087.4 ^{+8.4} _{-6.8}	3087.4 ^{+8.4} _{-6.8}	5.44 ^{+0.03} _{-0.03}	5.44 ^{+0.03} _{-0.03}	...	
2M0659-6145	11501	5974	95	2458504.706	2.09	64	21.9 ^{+0.3} _{-0.2}	21.9 ^{+0.3} _{-0.3}	31.0 ^{+1.0} _{-1.0}	2399.7 ^{+0.5} _{-0.5}	2399.7 ^{+0.5} _{-0.5}	4.84 ^{+0.01} _{-0.01}	4.84 ^{+0.01} _{-0.01}	...	
2M0711-6127	10600	5632	265	2458242.486	-4.66	19	20.7 ^{+1.2} _{-0.4}	20.7 ^{+1.2} _{-0.4}	47.4 ^{+2.1} _{-1.5}	2930.0 ^{+14.6} _{-12.8}	2930.0 ^{+14.6} _{-12.8}	4.82 ^{+0.06} _{-0.1}	4.82 ^{+0.06} _{-0.1}	...	
2M0723+4232	8132	2071	277	2456978.929	21.95	31	-64.6 ^{+0.3} _{-0.3}	-64.4 ^{+0.5} _{-0.5}	10.8 ^{+1.2} _{-1.2}	3077.9 ^{+9.3} _{-7.2}	3077.9 ^{+9.3} _{-7.2}	5.45 ^{+0.05} _{-0.03}	5.45 ^{+0.05} _{-0.03}	...	
...	8132	2071	277	2456979.882	21.74	14	-64.1 ^{+0.5} _{-0.3}	-64.1 ^{+0.5} _{-0.3}	12.8 ^{+1.2} _{-1.2}	3091.8 ^{+6.8} _{-7.5}	3091.8 ^{+6.8} _{-7.5}	5.4 ^{+0.03} _{-0.03}	5.4 ^{+0.03} _{-0.03}	...	
2M0731+4556	8134	2073	25	2456980.945	21.02	38	7.3 ^{+0.2} _{-0.3}	7.3 ^{+0.3} _{-0.4}	52.7 ^{+1.3} _{-1.3}	2974.8 ^{+8.6} _{-5.7}	2974.8 ^{+8.6} _{-5.7}	4.51 ^{+0.02} _{-0.02}	4.51 ^{+0.02} _{-0.02}	...	
...	8134	2073	25	2456981.917	20.76	20	7.4 ^{+0.3} _{-0.3}	7.4 ^{+0.3} _{-0.3}	55.0 ^{+1.9} _{-1.4}	2950.4 ^{+10.7} _{-15.7}	2950.4 ^{+10.7} _{-15.7}	4.57 ^{+0.06} _{-0.06}	4.57 ^{+0.06} _{-0.06}	...	
2M0736-6626	10598	5690	140	2458262.466	-3.92	27	41.5 ^{+0.4} _{-0.4}	42.0 ^{+0.4} _{-0.5}	10.8 ^{+1.0} _{-1.4}	10.6 ^{+1.0} _{-1.0}	3052.7 ^{+2.6} _{-4.0}	3052.7 ^{+2.6} _{-4.0}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	...
...	10598	5690	140	2458471.840	4.82	44	42.6 ^{+0.4} _{-0.4}	42.6 ^{+0.4} _{-0.4}	10.5 ^{+1.0} _{-1.0}	3054.8 ^{+2.7} _{-4.6}	3054.8 ^{+2.7} _{-4.6}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	...	
2M0736+2144	11856	6043	285	2458778.994	29.79	49	31.6 ^{+0.2} _{-0.2}	31.9 ^{+0.3} _{-0.4}	21.5 ^{+1.5} _{-1.0}	20.7 ^{+1.0} _{-1.0}	3106.0 ^{+2.5} _{-5.5}	3106.0 ^{+2.5} _{-5.5}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	...
...	12220	6043	232	2458802.996	25.77	115	32.5 ^{+0.3} _{-0.2}	32.5 ^{+0.3} _{-0.2}	19.9 ^{+1.0} _{-1.0}	3101.5 ^{+3.4} _{-7.4}	3101.5 ^{+3.4} _{-7.4}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	...	
...	12220	6043	237	2458806.988	24.67	75	32.0 ^{+0.3} _{-0.3}	32.0 ^{+0.3} _{-0.3}	21.6 ^{+1.0} _{-1.0}	3097.2 ^{+9.5} _{-4.9}	3097.2 ^{+9.5} _{-4.9}	5.48 ^{+0.02} _{-0.01}	5.48 ^{+0.02} _{-0.01}	...	
...	12220	6043	286	2458853.783	4.48	55	31.8 ^{+0.2} _{-0.2}	31.8 ^{+0.2} _{-0.2}	22.0 ^{+1.0} _{-1.4}	3111.0 ^{+9.4} _{-6.2}	3111.0 ^{+9.4} _{-6.2}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	...	
...	12220	6043	184	2458856.846	2.71	99	31.9 ^{+0.2} _{-0.2}	31.9 ^{+0.2} _{-0.2}	20.0 ^{+1.0} _{-1.7}	3111.5 ^{+4.3} _{-4.7}	3111.5 ^{+4.3} _{-4.7}	5.44 ^{+0.03} _{-0.03}	5.44 ^{+0.03} _{-0.03}	...	
...	12220	6043	231	2458860.856	0.55	100	31.8 ^{+0.2} _{-1.5}	31.8 ^{+0.2} _{-1.5}	20.1 ^{+1.0} _{-1.3}	3109.3 ^{+3.8} _{-6.3}	3109.3 ^{+3.8} _{-6.3}	5.45 ^{+0.02} _{-0.02}	5.45 ^{+0.02} _{-0.02}	...	
...	12220	6043	237	2458915.644	-24.09	88	32.3 ^{+0.2} _{-0.3}	32.3 ^{+0.2} _{-0.3}	20.2 ^{+1.0} _{-1.7}	3103.8 ^{+6.2} _{-6.4}	3103.8 ^{+6.2} _{-6.4}	5.4 ^{+0.03} _{-0.03}	5.4 ^{+0.03} _{-0.03}	...	
2M0741+6718	6608	4530	296	2456285.872	3.90	26	-26.8 ^{+0.5} _{-0.4}	-25.9 ^{+0.3} _{-0.4}	14.1 ^{+1.0} _{-1.0}	13.8 ^{+1.0} _{-1.0}	2399.3 ^{+0.8} _{-0.5}	2399.3 ^{+0.8} _{-0.5}	4.76 ^{+0.01} _{-0.01}	4.76 ^{+0.01} _{-0.01}	...
...	6608	4530	278	2456323.896	-9.98	93	-25.2 ^{+0.6} _{-0.2}	-25.2 ^{+0.6} _{-0.2}	14.2 ^{+1.0} _{-1.0}	2399.7 ^{+0.4} _{-0.4}	2399.7 ^{+0.4} _{-0.4}	4.9 ^{+0.01} _{-0.01}	4.9 ^{+0.01} _{-0.01}	...	
...	6608	4530	299	2456347.707	-16.60	106	-25.3 ^{+0.6} _{-0.3}	-25.3 ^{+0.6} _{-0.3}	14.2 ^{+1.0} _{-1.0}	< 10	3073.2 ^{+8.5} _{-9.5}	3073.2 ^{+8.5} _{-9.5}	4.94 ^{+0.02} _{-0.02}	4.94 ^{+0.02} _{-0.02}	...
...	6608	4530	284	2456379.711	-21.01	112	-26.5 ^{+0.6} _{-0.2}	-26.5 ^{+0.6} _{-0.2}	12.3 ^{+1.0} _{-1.0}	3055.3 ^{+4.9} _{-5.4}	3055.3 ^{+4.9} _{-5.4}	5.14 ^{+0.03} _{-0.03}	5.14 ^{+0.03} _{-0.03}	...	
2M0745+4931	8710	2285	26	2457432.680	-15.23	60	13.8 ^{+0.6} _{-0.3}	13.2 ^{+0.3} _{-0.5}	21.7 ^{+1.0} _{-1.0}	21.7 ^{+1.0} _{-1.0}	2399.4 ^{+0.7} _{-0.5}	2399.4 ^{+0.7} _{-0.5}	5.44 ^{+0.03} _{-0.03}	5.44 ^{+0.03} _{-0.03}	...
...	8710	2285	26	245538.652	-18.79	90	12.8 ^{+0.3} _{-0.3}	12.8 ^{+0.3} _{-0.3}	21.6 ^{+1.0} _{-1.0}	2399.5 ^{+0.8} _{-0.4}	2399.5 ^{+0.8} _{-0.4}	5.36 ^{+0.02} _{-0.02}	5.36 ^{+0.02} _{-0.02}	...	
2M0747+6600	6608	4530	31	2456285.872	4.46	11	47.3 ^{+0.5} _{-0.7}	48.7 ^{+0.3} _{-0.4}	11.1 ^{+1.2} _{-1.4}	3052.9 ^{+3.0} _{-3.1}	3052.9 ^{+3.0} _{-3.1}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	...	
...	6608	4530	90	2456323.896	-9.74	53	48.9 ^{+0.2} _{-0.2}	48.9 ^{+0.2} _{-0.2}	9.0 ^{+1.1} _{-1.1}	3076.2 ^{+9.2} _{-6.6}	3076.2 ^{+9.2} _{-6.6}	5.48 ^{+0.01} _{-0.01}	5.48 ^{+0.01} _{-0.01}	...	
...	6608	4530	42	2456347.707	-16.61	49	49.2 ^{+0.4} _{-0.2}	49.2 ^{+0.4} _{-0.2}	9.2 ^{+1.1} _{-1.2}	3034.5 ^{+4.6} _{-5.3}	3034.5 ^{+4.6} _{-5.3}	5.47 ^{+0.01} _{-0.01}	5.47 ^{+0.01} _{-0.01}	...	
...	6608	4530	31	2456379.711	-21.35	47	48.3 ^{+0.2} _{-0.3}	48.3 ^{+0.2} _{-0.3}	9.2 ^{+1.1} _{-1.2}	2902.9 ^{+8.3} _{-6.3}	2902.9 ^{+8.3} _{-6.3}	4.73 ^{+0.03} _{-0.03}	4.73 ^{+0.03} _{-0.03}	B	
2M0748-6721	10341	5596	77	2458149.767	4.99	105	23.0 ^{+0.3} _{-0.3}	23.0 ^{+0.3} _{-0.3}	46.6 ^{+1.1} _{-1.6}	2902.9 ^{+8.3} _{-6.3}	2902.9 ^{+8.3} _{-6.3}	4.73 ^{+0.03} _{-0.03}	4.73 ^{+0.03} _{-0.03}	B	

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M0755+5100	8715	2290	215	2457372.924	11.59	55	21.4 ^{+0.2} _{-0.2}	21.2 ^{+0.3} _{-0.4}	9.0 ^{+1.0} _{-1.2}	< 10	3242.0 ^{+6.8} _{-6.8}	3248.7 ^{+2.9} _{-2.9}	5.46 ^{+0.03} _{-0.02}	5.38 ^{+0.01} _{-0.01}	B
...	8715	2290	215	2457373.875	11.27	100	20.9 ^{+0.2} _{-0.2}	20.7 ^{+0.2} _{-0.2}	9.1 ^{+1.1} _{-1.0}	...	3246.2 ^{+3.6} _{-3.7}	...	5.36 ^{+0.02} _{-0.02}	...	B
...	8711	2286	92	2457429.677	-13.26	94	21.3 ^{+0.2} _{-0.2}	21.1 ^{+0.2} _{-0.2}	7.0 ^{+1.0} _{-1.5}	...	3262.3 ^{+6.2} _{-6.6}	...	5.3 ^{+0.03} _{-0.02}	...	B
2M0755+6652	9666	5246	260	2457827.608	-19.57	19	-1.6 ^{+0.3} _{-0.3}	-1.7 ^{+0.3} _{-0.4}	29.6 ^{+1.0} _{-1.5}	29.6 ^{+1.0} _{-1.0}	2399.3 ^{+0.9} _{-0.9}	2399.3 ^{+0.3} _{-0.2}	4.36 ^{+0.03} _{-0.02}	4.24 ^{+0.02} _{-0.01}	S
...	9726	5246	167	2457878.628	-18.50	16	-2.1 ^{+0.5} _{-1.5}	-2.1 ^{+0.5} _{-1.5}	40.4 ^{+5.2} _{-3.3}	...	2398.9 ^{+1.2} _{-0.8}	...	3.6 ^{+0.07} _{-0.02}	...	S
...	9666	5246	260	2458054.982	19.93	16	0.1 ^{+0.4} _{-0.4}	0.1 ^{+0.4} _{-0.4}	31.0 ^{+1.9} _{-1.9}	...	2399.3 ^{+1.0} _{-0.5}	...	4.1 ^{+0.2} _{-0.07}	...	S
...	9666	5246	179	2458059.998	19.21	14	-3.0 ^{+0.4} _{-0.4}	-3.0 ^{+0.4} _{-0.4}	35.2 ^{+1.1} _{-1.7}	...	2399.2 ^{+1.2} _{-0.5}	...	3.85 ^{+0.15} _{-0.22}	...	S
...	9666	5246	176	2458067.965	17.84	21	-2.4 ^{+0.3} _{-0.3}	-2.4 ^{+0.3} _{-0.3}	27.3 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.6} _{-0.5}	...	4.36 ^{+0.04} _{-0.02}	...	S
...	9726	5246	173	2458097.019	9.90	17	-1.8 ^{+0.3} _{-0.3}	-1.8 ^{+0.3} _{-0.3}	31.1 ^{+1.0} _{-1.9}	...	2399.4 ^{+0.7} _{-0.4}	...	3.91 ^{+0.03} _{-0.04}	...	S
...	9666	5246	260	2458097.886	9.73	17	-0.6 ^{+0.4} _{-0.4}	-0.6 ^{+0.4} _{-0.4}	31.1 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.8} _{-0.4}	...	4.18 ^{+0.06} _{-0.04}	...	S
...	9726	5246	179	2458123.962	0.22	21	-2.2 ^{+0.3} _{-0.3}	-2.2 ^{+0.3} _{-0.3}	32.8 ^{+1.7} _{-1.0}	...	2399.4 ^{+0.8} _{-0.4}	...	4.26 ^{+0.11} _{-0.11}	...	S
...	9726	5246	179	2458126.947	-0.89	14	-2.4 ^{+0.6} _{-0.6}	-2.4 ^{+0.6} _{-0.6}	32.8 ^{+1.8} _{-1.0}	...	2399.4 ^{+1.1} _{-0.4}	...	3.81 ^{+0.18} _{-0.18}	...	S
2M0803+1837	9491	2405	127	2457782.733	-5.06	62	15.2 ^{+0.2} _{-0.2}	14.5 ^{+0.3} _{-0.4}	12.4 ^{+1.0} _{-1.0}	11.6 ^{+1.0} _{-1.1}	3074.3 ^{+5.5} _{-3.9}	3059.1 ^{+2.8} _{-2.6}	5.31 ^{+0.02} _{-0.02}	5.3 ^{+0.01} _{-0.01}	B
...	10497	2471	287	2458108.885	14.83	65	12.9 ^{+0.2} _{-0.3}	12.9 ^{+0.2} _{-0.3}	10.6 ^{+1.0} _{-1.0}	...	3050.6 ^{+3.3} _{-3.3}	...	5.3 ^{+0.01} _{-0.01}	...	B
2M0803+3930	6569	4532	126	2456264.005	19.61	44	4.8 ^{+1.8} _{-0.5}	5.5 ^{+0.5} _{-0.6}	99.9 ^{+1.0} _{-1.0}	99.9 ^{+1.0} _{-1.0}	2802.6 ^{+2.4} _{-3.8}	2808.0 ^{+1.2} _{-1.6}	4.9 ^{+0.03} _{-0.04}	4.92 ^{+0.01} _{-0.01}	HSP
...	6610	4532	138	2456376.675	-26.48	47	-67.4 ^{+2.0} _{-1.9}	-67.4 ^{+2.0} _{-1.9}	99.4 ^{+1.3} _{-1.0}	...	2901.7 ^{+5.6} _{-7.7}	...	4.57 ^{+0.05} _{-0.05}	...	ETB
...	6610	4532	138	2456381.712	-27.31	52	4.1 ^{+1.7} _{-0.4}	4.1 ^{+1.7} _{-0.4}	99.3 ^{+1.2} _{-1.0}	...	2799.9 ^{+1.8} _{-2.0}	...	4.99 ^{+0.02} _{-0.03}	...	ETB
...	9182	2383	72	2457690.978	27.86	38	2.2 ^{+0.5} _{-1.8}	2.2 ^{+0.5} _{-1.8}	99.9 ^{+1.0} _{-1.0}	...	2805.1 ^{+4.0} _{-5.7}	...	4.94 ^{+0.04} _{-0.04}	...	ETB
...	9182	2383	72	2457691.943	27.81	44	5.8 ^{+13.0} _{-3.9}	5.8 ^{+13.0} _{-3.9}	99.9 ^{+1.0} _{-1.0}	...	2804.3 ^{+5.0} _{-6.3}	...	4.89 ^{+0.06} _{-0.05}	...	ETB
...	9183	2384	300	2457727.874	18.81	39	-25.7 ^{+2.0} _{-3.1}	-25.7 ^{+2.0} _{-3.1}	99.9 ^{+1.0} _{-1.0}	...	2902.7 ^{+9.2} _{-11.9}	...	4.63 ^{+0.06} _{-0.05}	...	B
...	9183	2384	300	2457728.879	18.41	46	36.0 ^{+3.1} _{-2.0}	36.0 ^{+3.1} _{-2.0}	99.8 ^{+1.0} _{-1.0}	...	2807.2 ^{+5.4} _{-10.6}	...	4.91 ^{+0.03} _{-0.03}	...	B
...	9486	2400	109	2457785.746	-8.42	42	-26.5 ^{+4.9} _{-5.4}	-26.5 ^{+4.9_{-5.4}}	99.9 ^{+1.0} _{-1.0}	...	2811.1 ^{+9.1} _{-14.4}	...	5.01 ^{+0.02} _{-0.02}	...	B
2M0808+4314	10213	2466	229	2458080.909	22.39	74	12.8 ^{+0.3} _{-0.2}	12.8 ^{+0.3} _{-0.2}	22.8 ^{+1.0} _{-1.0}	22.8 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.4}	2399.5 ^{+0.7} _{-0.4}	5.47 ^{+0.02} _{-0.02}	5.47 ^{+0.02} _{-0.02}	S
2M0811-7050	10536	5661	73	2458242.548	-0.96	39	69.8 ^{+0.2} _{-0.2}	69.8 ^{+0.2} _{-0.2}	9.0 ^{+1.0} _{-0.3}	< 10	3189.8 ^{+4.8} _{-4.9}	3189.8 ^{+4.8} _{-4.9}	5.29 ^{+0.02} _{-0.03}	5.29 ^{+0.02} _{-0.03}	B
2M0818+1408	12242	6214	193	2458829.951	20.59	17	37.1 ^{+1.5} _{-0.3}	37.1 ^{+1.5} _{-0.3}	27.1 ^{+1.4} _{-1.2}	27.1 ^{+1.4} _{-1.2}	3080.6 ^{+17.4} _{-11.6}	3080.6 ^{+17.4} _{-11.6}	5.49 ^{+0.02} _{-0.02}	5.49 ^{+0.02} _{-0.02}	B
2M0821+0019	8794	5127	223	2457389.874	12.75	24	-3.6 ^{+0.4} _{-0.3}	-2.7 ^{+0.3} _{-0.4}	10.7 ^{+1.0} _{-1.0}	12.1 ^{+1.0} _{-1.0}	3114.8 ^{+8.3} _{-10.7}	3102.6 ^{+2.7} _{-2.7}	5.42 ^{+0.03} _{-0.03}	5.42 ^{+0.03} _{-0.03}	B
...	8794	5127	211	2457405.810	5.21	10	-1.6 ^{+1.0} _{-0.5}	-1.6 ^{+1.0} _{-0.5}	14.2 ^{+1.8} _{-1.4}	...	3063.4 ^{+11.8} _{-12.5}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	8795	5127	211	2457410.837	2.62	13	-0.6 ^{+0.3} _{-0.3}	-0.6 ^{+0.3} _{-0.3}	7.8 ^{+1.4} _{-1.9}	...	3150.2 ^{+9.8} _{-10.4}	...	5.48 ^{+0.03} _{-0.02}	...	B
...	8794	5127	217	2457415.843	0.08	18	-2.2 ^{+0.3} _{-0.3}	-2.2 ^{+0.3} _{-0.3}	12.3 ^{+1.9} _{-1.3}	...	3121.1 ^{+10.7} _{-9.2}	...	5.42 ^{+0.03} _{-0.04}	...	B
...	8795	5127	211	2457416.800	-0.30	13	-2.2 ^{+0.3} _{-0.3}	-2.2 ^{+0.3} _{-0.3}	9.1 ^{+1.1} _{-1.3}	...	3121.9 ^{+9.5} _{-10.7}	...	5.49 ^{+0.02} _{-0.02}	...	B
...	8795	5127	211	2457433.779	-8.71	11	-2.9 ^{+0.4} _{-0.4}	-2.9 ^{+0.4} _{-0.4}	16.3 ^{+1.1} _{-1.4}	...	3116.9 ^{+13.0} _{-15.9}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	8924	5127	216	2457434.746	-9.10	16	-2.1 ^{+0.3} _{-0.3}	-2.1 ^{+0.3} _{-0.3}	10.6 ^{+1.2} _{-1.3}	...	3091.6 ^{+7.0} _{-8.9}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	8795	5127	211	2457436.783	-10.14	13	-4.7 ^{+0.3} _{-0.4}	-4.7 ^{+0.3} _{-0.4}	12.0 ^{+1.5} _{-1.4}	...	3143.4 ^{+12.7} _{-17.8}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	8924	5127	222	2457440.709	-11.77	13	-4.2 ^{+0.3} _{-0.3}	-4.2 ^{+0.3} _{-0.3}	12.7 ^{+1.0} _{-1.1}	...	3104.8 ^{+5.3} _{-8.1}	...	5.48 ^{+0.02} _{-0.02}	...	B
...	8924	5127	222	2457443.743	-13.21	16	-3.8 ^{+0.3} _{-0.7}	-3.8 ^{+0.3} _{-0.7}	16.0 ^{+2.0} _{-1.4}	...	3041.3 ^{+9.9} _{-8.6}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	8924	5127	222	2457462.687	-20.58	10	-2.1 ^{+0.3} _{-0.3}	-2.1 ^{+0.3} _{-0.3}	18.0 ^{+1.9} _{-1.4}	...	3091.7 ^{+11.0} _{-9.9}	...	5.44 ^{+0.04} _{-0.04}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	8924	5127	222	2457465.660	-21.49	18	-3.3 ^{+0.2} _{-0.3}	...	9.6 ^{+1.2} _{-1.4}	...	3107.4 ^{+8.1} _{-5.5}	...	5.47 ^{+0.02} _{-0.02}	...	B
...	8924	5127	211	2457468.610	-22.28	13	-1.8 ^{+0.3} _{-0.4}	...	16.2 ^{+1.8} _{-2.1}	...	3051.2 ^{+16.0} _{-22.8}	...	5.48 ^{+0.03} _{-0.01}	...	B
2M0821+5220	10493	2467	170	2458459.806	-11.31	44	24.0 ^{+0.2} _{-0.3}	24.6 ^{+0.3} _{-0.4}	16.0 ^{+1.0} _{-1.0}	16.6 ^{+1.0} _{-1.0}	2399.2 ^{+1.1} _{-0.6}	2399.2 ^{+0.4} _{-0.3}	5.17 ^{+0.02} _{-0.01}	5.23 ^{+0.01} _{-0.01}	S
...	10493	2467	170	2458462.804	-12.51	43	24.7 ^{+0.3} _{-0.3}	...	16.2 ^{+1.0} _{-1.0}	...	2399.2 ^{+1.0} _{-0.6}	...	5.29 ^{+0.09} _{-0.02}	...	S
...	10493	2467	170	2458471.695	-15.67	44	24.6 ^{+0.3} _{-0.3}	...	16.3 ^{+1.0} _{-1.0}	...	2399.0 ^{+1.1} _{-0.7}	...	5.31 ^{+0.03} _{-0.02}	...	S
...	10493	2467	170	2458472.664	-15.96	41	24.9 ^{+0.6} _{-0.2}	...	18.0 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.5} _{-0.5}	...	5.16 ^{+0.05} _{-0.18}	...	S
2M0824+2315	8939	2318	85	2457484.651	-28.44	32	47.4 ^{+0.3} _{-0.3}	47.1 ^{+0.3} _{-0.4}	10.4 ^{+1.0} _{-1.0}	10.1 ^{+1.0} _{-1.1}	2399.2 ^{+1.0} _{-0.5}	2399.3 ^{+0.5} _{-0.2}	4.74 ^{+0.07} _{-0.06}	4.96 ^{+0.02} _{-0.02}	S
...	8939	2318	85	2457485.642	-28.56	25	47.2 ^{+0.4} _{-0.5}	...	12.3 ^{+1.2} _{-1.0}	...	2399.1 ^{+1.4} _{-0.7}	...	4.53 ^{+0.11} _{-0.09}	...	S
...	8939	2318	85	2457488.617	-28.89	21	46.8 ^{+0.3} _{-0.3}	...	11.8 ^{+1.6} _{-1.0}	...	2399.2 ^{+1.3} _{-0.6}	...	4.61 ^{+0.04} _{-0.02}	...	S
...	9494	2408	240	2457829.657	-23.70	64	47.2 ^{+0.2} _{-0.2}	...	7.1 ^{+1.0} _{-1.3}	...	2399.5 ^{+0.8} _{-0.3}	...	5.13 ^{+0.02} _{-0.02}	...	S
2M0838+1300	12251	6223	96	2458862.898	7.86	10	33.5 ^{+0.3} _{-0.3}	33.5 ^{+0.4} _{-0.4}	15.9 ^{+1.4} _{-1.3}	15.9 ^{+1.4} _{-1.3}	3081.8 ^{+21.1} _{-13.2}	3081.8 ^{+21.1} _{-13.2}	5.26 ^{+0.06} _{-0.06}	5.26 ^{+0.06} _{-0.06}	S
2M0838+1918	11780	6042	59	2458592.626	-29.33	25	38.0 ^{+0.6} _{-0.3}	36.7 ^{+0.4} _{-0.4}	19.9 ^{+1.0} _{-1.0}	18.8 ^{+1.0} _{-1.1}	3178.6 ^{+8.7} _{-7.5}	3186.1 ^{+4.3} _{-3.3}	5.26 ^{+0.04} _{-0.04}	5.34 ^{+0.02} _{-0.01}	S
...	11780	6042	59	2458831.964	21.26	15	35.6 ^{+0.2} _{-0.2}	...	22.0 ^{+1.4} _{-1.5}	...	3198.5 ^{+10.9} _{-9.8}	...	5.26 ^{+0.05} _{-0.05}	...	S
...	11780	6042	56	2458837.981	18.84	23	36.9 ^{+0.2} _{-0.2}	...	18.9 ^{+1.3} _{-1.3}	...	3190.7 ^{+7.8} _{-4.9}	...	5.28 ^{+0.04} _{-0.04}	...	S
...	11781	6042	48	2458856.907	10.18	20	37.7 ^{+0.2} _{-0.2}	...	18.1 ^{+1.0} _{-1.0}	...	3173.9 ^{+8.4} _{-9.0}	...	5.42 ^{+0.03} _{-0.02}	...	S
...	11781	6042	54	2458894.820	-9.48	21	37.0 ^{+0.3} _{-0.3}	...	18.2 ^{+1.1} _{-1.3}	...	3190.4 ^{+14.0} _{-10.0}	...	5.29 ^{+0.05} _{-0.04}	...	S
2M0841+2819	11747	2655	199	2458823.905	23.28	32	17.8 ^{+0.3} _{-0.3}	17.9 ^{+0.3} _{-0.5}	7.3 ^{+1.2} _{-1.1}	< 10	2399.2 ^{+1.2} _{-0.6}	2399.1 ^{+0.4} _{-0.4}	5.27 ^{+0.04} _{-0.04}	5.31 ^{+0.02} _{-0.02}	S
...	11747	2655	204	2458874.725	0.28	42	18.0 ^{+0.3} _{-0.3}	...	5.7 ^{+1.1} _{-1.1}	...	2399.0 ^{+1.0} _{-0.7}	...	5.33 ^{+0.03} _{-0.03}	...	S
2M0841+2144	12254	6226	146	2458866.872	5.07	17	30.9 ^{+0.1} _{-0.5}	30.9 ^{+1.1} _{-0.5}	21.6 ^{+2.5} _{-2.2}	21.6 ^{+2.5} _{-2.2}	3171.8 ^{+21.1} _{-20.6}	3171.8 ^{+21.1} _{-20.6}	5.48 ^{+0.02} _{-0.02}	5.48 ^{+0.02} _{-0.02}	S
2M0841+0237	9511	2425	135	2457840.594	-23.29	19	70.7 ^{+0.3} _{-0.3}	68.8 ^{+0.3} _{-0.4}	12.9 ^{+1.1} _{-1.5}	< 10	2399.1 ^{+1.2} _{-0.7}	2399.5 ^{+0.2} _{-0.1}	4.37 ^{+0.04} _{-0.04}	4.86 ^{+0.01} _{-0.01}	S
...	9511	2425	88	2458080.011	27.53	46	68.4 ^{+0.2} _{-0.2}	...	9.2 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.3}	...	4.96 ^{+0.02} _{-0.02}	...	S
...	9511	2425	88	2458080.998	27.40	63	68.8 ^{+0.2} _{-0.2}	...	8.5 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.6} _{-0.4}	...	4.92 ^{+0.02} _{-0.02}	...	S
...	9511	2425	88	2458082.009	27.19	55	68.9 ^{+0.3} _{-0.3}	...	8.1 ^{+1.6} _{-1.0}	...	2399.4 ^{+0.8} _{-0.4}	...	4.87 ^{+0.01} _{-0.01}	...	S
...	9511	2425	88	2458083.017	26.98	56	69.0 ^{+0.3} _{-0.3}	...	7.1 ^{+1.0} _{-1.5}	...	2399.4 ^{+0.8} _{-0.4}	...	4.93 ^{+0.02} _{-0.02}	...	S
...	9511	2425	88	2458083.989	26.86	21	69.6 ^{+0.2} _{-0.2}	...	15.9 ^{+2.0} _{-1.0}	...	2399.4 ^{+0.6} _{-0.4}	...	4.4 ^{+0.03} _{-0.04}	...	S
...	11754	2676	248	2458796.983	29.00	68	68.6 ^{+0.3} _{-0.3}	...	9.1 ^{+1.2} _{-1.0}	...	2399.5 ^{+0.6} _{-0.4}	...	4.88 ^{+0.02} _{-0.02}	...	S
...	11754	2676	299	2458811.969	27.39	78	68.6 ^{+0.2} _{-0.2}	...	9.9 ^{+1.5} _{-1.0}	...	2399.5 ^{+0.5} _{-0.4}	...	4.87 ^{+0.01} _{-0.01}	...	S
2M0843+1833	11780	6042	130	2458592.626	-29.20	30	27.4 ^{+0.2} _{-0.4}	27.8 ^{+0.3} _{-0.4}	9.0 ^{+1.0} _{-1.2}	< 10	3075.5 ^{+5.4} _{-5.5}	3083.9 ^{+3.6} _{-3.6}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
...	11780	6042	123	2458831.964	21.75	18	28.2 ^{+0.3} _{-0.3}	...	10.3 ^{+1.8} _{-1.3}	...	3084.8 ^{+8.5} _{-7.3}	...	5.49 ^{+0.02} _{-0.02}	...	B
...	11780	6042	136	2458837.981	19.39	15	28.1 ^{+0.3} _{-0.3}	...	9.3 ^{+1.2} _{-1.3}	...	3093.7 ^{+5.8} _{-6.2}	...	5.49 ^{+0.01} _{-0.01}	...	B
2M0856+0009	12511	2812	120	245894.755	-4.24	15	66.6 ^{+0.3} _{-0.4}	66.0 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.3}	< 10	3152.9 ^{+6.2} _{-5.5}	3117.0 ^{+2.9} _{-3.1}	5.4 ^{+0.02} _{-0.01}	5.4 ^{+0.01} _{-0.01}	B
...	12511	2812	120	245895.785	-4.83	53	65.9 ^{+0.2} _{-0.2}	...	9.0 ^{+1.0} _{-1.5}	...	3102.6 ^{+3.5} _{-4.0}	...	5.41 ^{+0.02} _{-0.02}	...	B
...	12511	2812	120	245896.700	-5.09	29	65.8 ^{+0.3} _{-0.3}	...	9.2 ^{+1.2} _{-1.2}	...	3115.4 ^{+8.5} _{-13.2}	...	5.34 ^{+0.03} _{-0.03}	...	B
2M0859+2918	12488	2789	44	2458906.673	-13.72	51	6.5 ^{+0.3} _{-0.3}	6.5 ^{+0.3} _{-0.3}	12.4 ^{+1.0} _{-1.1}	12.1 ^{+1.0} _{-1.1}	2399.5 ^{+0.5} _{-0.3}	2399.5 ^{+0.5} _{-0.3}	5.12 ^{+0.01} _{-0.01}	5.12 ^{+0.01} _{-0.01}	S
...	12488	2789	44	2458907.654	-14.13	36	6.3 ^{+0.4} _{-0.4}	...	10.9 ^{+1.0} _{-1.1}	...	2399.4 ^{+0.7} _{-0.3}	2399.4 ^{+0.7} _{-0.3}	5.16 ^{+0.02} _{-0.03}	5.16 ^{+0.02} _{-0.03}	S
2M0912+2308	8926	5116	272	2457436.666	-7.30	26	-12.4 ^{+0.5} _{-0.4}	-13.6 ^{+0.3} _{-0.4}	22.0 ^{+1.0} _{-1.4}	25.1 ^{+1.0} _{-1.1}	3090.9 ^{+2.2} _{-2.0}	3090.9 ^{+2.2} _{-2.0}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	Mdle
ID	ID			(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	8926	5116	185	2457764.798	11.72	25	-12.2 ^{+0.6} _{-1.1}	...	27.3 ^{+2.1} _{-1.8}	...	3073.6 ^{+11.4} _{-18.9}	...	5.47 ^{+0.03} _{-0.02}	...	B
...	8926	5116	284	2457819.648	-15.71	20	-12.8 ^{+0.7} _{-0.7}	...	21.8 ^{+1.3} _{-1.3}	...	3101.4 ^{+5.1} _{-5.3}	...	5.49 ^{+0.02} _{-0.01}	...	B
...	8926	5116	239	2457823.654	-17.43	24	-13.8 ^{+0.3} _{-0.3}	...	29.2 ^{+1.9} _{-1.2}	...	3067.4 ^{+7.8} _{-9.4}	...	5.45 ^{+0.04} _{-0.03}	...	B
...	8926	5116	275	2457826.599	-18.52	24	-12.5 ^{+0.3} _{-0.6}	...	26.9 ^{+1.6} _{-1.2}	...	2949.8 ^{+17.4} _{-14.9}	...	5.32 ^{+0.04} _{-0.03}	...	B
...	8927	5116	271	2458059.943	30.03	23	-15.5 ^{+0.3} _{-0.3}	...	26.4 ^{+1.3} _{-1.6}	...	3097.5 ^{+6.6} _{-4.9}	...	5.45 ^{+0.04} _{-0.03}	...	B
...	8926	5116	287	2458060.991	29.97	28	-14.1 ^{+0.5} _{-0.4}	...	25.5 ^{+1.3} _{-2.0}	...	3101.1 ^{+4.3} _{-4.8}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	8927	5116	276	2458063.945	30.07	12	-13.5 ^{+1.1} _{-0.8}	...	28.7 ^{+1.6} _{-1.8}	...	3100.5 ^{+8.7} _{-7.5}	...	5.47 ^{+0.03} _{-0.02}	...	B
...	8927	5116	271	2458180.595	-13.67	23	-13.3 ^{+0.3} _{-0.3}	...	25.6 ^{+2.0} _{-2.1}	...	3086.6 ^{+18.2} _{-13.2}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	8927	5116	276	2458526.685	-4.38	28	-13.3 ^{+0.2} _{-0.2}	...	26.5 ^{+1.3} _{-1.1}	...	3086.0 ^{+5.5} _{-3.8}	...	5.46 ^{+0.02} _{-0.01}	...	B
2M0925+2653	8100	5094	105	2457360.948	26.52	23	-7.0 ^{+0.4} _{-0.4}	-6.4 ^{+0.3} _{-0.5}	9.2 ^{+1.1} _{-1.2}	11.6 ^{+1.1} _{-1.2}	3162.5 ^{+6.6} _{-6.6}	3157.9 ^{+5.2} _{-4.4}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
...	8100	5094	94	2457471.611	-21.43	14	-4.8 ^{+0.3} _{-0.4}	...	16.2 ^{+1.9} _{-1.2}	...	3136.4 ^{+16.3} _{-16.3}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	8100	5094	111	2457474.674	-22.58	13	-7.8 ^{+0.4} _{-0.4}	...	12.4 ^{+1.4} _{-1.3}	...	3175.1 ^{+17.8} _{-17.8}	...	5.49 ^{+0.01} _{-0.01}	...	B
2M0932+2659	12496	2797	136	2458907.723	-10.59	21	8.9 ^{+0.2} _{-0.3}	8.5 ^{+0.3} _{-0.5}	29.4 ^{+1.0} _{-1.4}	30.4 ^{+1.0} _{-1.3}	2905.9 ^{+9.5} _{-9.9}	2896.0 ^{+8.2} _{-8.4}	4.66 ^{+0.03} _{-0.02}	4.77 ^{+0.02} _{-0.02}	B
...	12496	2797	136	2458909.706	-11.50	13	8.2 ^{+0.3} _{-0.4}	...	35.8 ^{+1.9} _{-1.4}	...	2868.8 ^{+16.0} _{-16.1}	...	5.07 ^{+0.04} _{-0.04}	...	B
2M0939+3837	5565	4223	254	2455906.975	22.68	51	18.2 ^{+0.3} _{-0.3}	17.8 ^{+0.3} _{-0.5}	16.0 ^{+1.0} _{-1.0}	14.8 ^{+1.0} _{-1.0}	2399.1 ^{+1.1} _{-0.6}	2399.3 ^{+0.6} _{-0.3}	5.23 ^{+0.01} _{-0.01}	HSG	HSG
...	5565	4223	260	2456018.612	-22.79	60	16.9 ^{+0.4} _{-0.7}	...	14.2 ^{+1.0} _{-1.0}	...	2399.2 ^{+1.0} _{-0.5}	...	5.36 ^{+0.03} _{-0.02}	...	B
...	5565	4223	266	2456644.931	20.47	69	17.1 ^{+0.4} _{-0.4}	...	14.2 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.9} _{-0.9}	...	5.17 ^{+0.02} _{-0.03}	...	ETB
2M1010+4552	8456	2173	169	2457367.920	21.79	47	-23.5 ^{+0.2} _{-0.4}	-23.4 ^{+0.3} _{-0.4}	7.8 ^{+1.4} _{-1.1}	< 10	3114.7 ^{+3.7} _{-4.7}	3104.4 ^{+2.3} _{-2.0}	5.46 ^{+0.02} _{-0.02}	5.47 ^{+0.01} _{-0.01}	B
...	8456	2173	169	2457368.967	21.45	39	-23.4 ^{+0.2} _{-0.2}	...	9.1 ^{+1.0} _{-1.1}	...	3103.2 ^{+3.4} _{-5.0}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	8454	2171	224	2457404.924	8.95	67	-23.1 ^{+0.3} _{-0.3}	...	10.7 ^{+1.1} _{-1.1}	...	3099.1 ^{+5.5} _{-2.5}	...	5.48 ^{+0.03} _{-0.02}	...	B
2M1011+0106	10846	2504	288	2458900.805	1.66	46	10.9 ^{+0.3} _{-0.3}	10.9 ^{+0.3} _{-0.5}	12.4 ^{+1.0} _{-1.0}	13.1 ^{+1.0} _{-1.1}	2399.5 ^{+0.8} _{-0.4}	2399.5 ^{+0.6} _{-0.3}	5.07 ^{+0.02} _{-0.02}	S	S
...	10846	2504	288	2458904.828	-0.51	22	10.9 ^{+0.3} _{-0.3}	...	14.4 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.4}	...	4.95 ^{+0.02} _{-0.02}	...	S
2M1013+4647	8453	2170	88	2457105.653	-17.62	48	17.7 ^{+0.2} _{-0.2}	17.6 ^{+0.3} _{-0.4}	26.1 ^{+1.0} _{-1.0}	32.5 ^{+1.0} _{-1.0}	2399.8 ^{+0.9} _{-0.9}	2399.3 ^{+0.8} _{-0.4}	5.13 ^{+0.03} _{-0.02}	5.16 ^{+0.02} _{-0.02}	S
...	8453	2170	88	2457106.666	-17.95	155	17.6 ^{+0.3} _{-0.2}	...	37.5 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.9} _{-0.9}	...	5.17 ^{+0.02} _{-0.02}	...	S
2M1025+0512	10519	2493	66	2458190.729	-7.78	77	16.1 ^{+0.3} _{-0.5}	15.5 ^{+0.3} _{-0.5}	74.2 ^{+1.0} _{-1.1}	74.7 ^{+1.0} _{-1.1}	2399.4 ^{+0.5} _{-0.4}	2399.5 ^{+0.4} _{-0.2}	5.14 ^{+0.03} _{-0.03}	4.7 ^{+0.01} _{-0.01}	S
...	10520	2494	13	2458580.635	-18.79	46	16.6 ^{+1.6} _{-0.3}	...	72.4 ^{+1.3} _{-1.4}	...	2399.4 ^{+0.9} _{-0.4}	...	4.75 ^{+0.07} _{-0.05}	...	S
...	10520	2494	13	2458581.665	-19.26	53	14.5 ^{+0.3} _{-0.3}	...	75.9 ^{+1.2} _{-1.0}	...	2399.5 ^{+0.7} _{-0.3}	...	4.63 ^{+0.01} _{-0.01}	...	S
2M1030+3351	6769	4505	11	2456432.641	-27.27	10	-4.0 ^{+2.0} _{-1.6}	-4.0 ^{+2.0} _{-1.6}	51.7 ^{+4.1} _{-6.6}	51.7 ^{+4.1} _{-6.6}	2921.4 ^{+27.6} _{-27.1}	2921.4 ^{+27.6} _{-27.1}	4.63 ^{+0.08} _{-0.1}	4.63 ^{+0.08} _{-0.1}	B
2M1032+4035	8455	2172	168	2457399.976	14.11	37	-6.3 ^{+0.2} _{-0.2}	-6.3 ^{+0.2} _{-0.3}	12.6 ^{+1.0} _{-1.1}	12.6 ^{+1.0} _{-1.1}	3103.6 ^{+4.8} _{-6.4}	3103.6 ^{+4.8} _{-6.4}	5.45 ^{+0.03} _{-0.02}	5.45 ^{+0.03} _{-0.02}	B
2M1043+3906	9516	5247	83	2457708.993	26.62	18	7.0 ^{+0.9} _{-0.9}	8.3 ^{+0.3} _{-0.5}	59.4 ^{+2.4} _{-2.2}	55.6 ^{+1.0} _{-1.2}	2399.4 ^{+1.0} _{-0.5}	2399.3 ^{+0.2} _{-0.1}	4.13 ^{+0.05} _{-0.03}	3.85 ^{+0.01} _{-0.01}	S
...	9516	5247	86	2457762.885	16.33	16	4.8 ^{+0.6} _{-0.6}	...	59.0 ^{+2.2} _{-2.0}	...	2399.3 ^{+1.0} _{-0.5}	...	4.09 ^{+0.19} _{-0.12}	...	S
...	9516	5247	89	2457794.782	2.76	10	8.4 ^{+1.4} _{-0.7}	...	60.0 ^{+1.9} _{-1.9}	...	2399.1 ^{+1.2} _{-0.6}	...	3.53 ^{+0.02} _{-0.03}	...	S
...	9516	5247	89	2457823.719	-10.24	15	7.1 ^{+1.3} _{-1.4}	...	61.4 ^{+1.8} _{-2.2}	...	2399.2 ^{+1.0} _{-0.6}	...	4.1 ^{+0.07} _{-0.04}	...	S
...	9516	5247	89	2457825.701	-11.03	10	9.1 ^{+1.2} _{-1.2}	9.1 ^{+1.2} _{-1.2}	68.3 ^{+2.6} _{-2.2}	...	2399.0 ^{+1.7} _{-0.7}	...	3.54 ^{+0.02} _{-0.02}	...	S
...	9690	5247	83	2457850.753	-20.08	15	8.9 ^{+0.7} _{-1.2}	...	59.3 ^{+1.4} _{-1.8}	...	2399.2 ^{+0.9} _{-0.6}	...	4.59 ^{+0.18} _{-0.07}	...	S
...	9667	5247	90	2458096.900	25.02	15	6.7 ^{+0.6} _{-0.9}	...	55.7 ^{+1.9} _{-2.2}	...	2399.2 ^{+1.0} _{-0.6}	...	4.37 ^{+0.08} _{-0.06}	...	S

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	9690	5247	74	2458098.002	24.66	16	9.4 ^{+1.3} _{-0.6}	...	62.3 ^{+1.9} _{-2.5}	...	2399.5 ^{+1.0} _{-0.4}	...	4.34 ^{+0.02} _{-0.03}	...	S
...	9690	5247	89	2458117.916	19.83	15	8.0 ^{+0.4} _{-0.7}	...	55.6 ^{+2.0} _{-3.3}	...	2399.2 ^{+1.0} _{-0.6}	...	4.43 ^{+0.03} _{-0.03}	...	S
...	9667	5247	90	2458119.825	19.35	16	10.4 ^{+0.5} _{-1.5}	...	54.2 ^{+2.4} _{-2.3}	...	2399.3 ^{+0.9} _{-0.4}	...	4.58 ^{+0.19} _{-0.1}	...	S
...	9690	5247	71	2458120.907	18.87	18	8.2 ^{+0.6} _{-0.7}	...	51.5 ^{+1.7} _{-1.7}	...	2399.4 ^{+0.7} _{-0.5}	...	4.06 ^{+0.03} _{-0.03}	...	S
...	9667	5247	79	2458123.836	17.99	18	9.0 ^{+0.6} _{-0.3}	...	51.8 ^{+1.0} _{-1.8}	...	2399.4 ^{+0.7} _{-0.4}	...	4.59 ^{+0.02} _{-0.05}	...	S
...	9690	5247	89	2458124.891	17.53	11	4.2 ^{+1.5} _{-1.8}	...	60.9 ^{+3.4} _{-3.5}	...	2399.2 ^{+1.8} _{-0.5}	...	3.54 ^{+0.02} _{-0.07}	...	S
...	9667	5247	79	2458126.833	16.93	10	3.7 ^{+2.0} _{-2.0}	...	68.9 ^{+2.4} _{-3.5}	...	2398.9 ^{+1.5} _{-0.8}	...	3.54 ^{+0.03} _{-0.04}	...	S
...	9690	5247	83	2458146.831	8.70	11	5.1 ^{+0.4} _{-0.2}	...	74.3 ^{+2.3} _{-2.8}	...	2399.2 ^{+1.5} _{-0.6}	...	3.59 ^{+0.04} _{-0.05}	...	S
...	9774	5247	86	2458147.812	8.30	13	9.8 ^{+1.4} _{-1.1}	...	68.9 ^{+3.9} _{-2.9}	...	2399.1 ^{+1.2} _{-0.7}	...	3.53 ^{+0.02} _{-0.04}	...	S
...	9774	5247	89	2458153.813	5.59	14	9.4 ^{+0.3} _{-0.4}	...	55.8 ^{+1.1} _{-2.3}	...	2399.3 ^{+1.0} _{-0.5}	...	4.62 ^{+0.02} _{-0.03}	...	S
...	9774	5247	89	2458174.738	-3.99	13	-1.2 ^{+2.5} _{-2.0}	...	88.8 ^{+3.7} _{-4.2}	...	2399.2 ^{+1.3} _{-0.6}	...	3.51 ^{+0.01} _{-0.01}	...	S
2M1051+0253	11828	2658	104	2458877.908	17.24	70	7.9 ^{+0.3} _{-0.3}	8.1 ^{+0.3} _{-0.4}	13.2 ^{+1.0} _{-1.4}	...	2399.5 ^{+0.5} _{-0.3}	...	5.1 ^{+0.02} _{-0.02}	5.05 ^{+0.02} _{-0.02}	S
...	11828	2658	104	2458880.906	15.89	31	8.2 ^{+0.3} _{-0.3}	...	14.4 ^{+1.0} _{-1.8}	...	2399.2 ^{+0.9} _{-0.6}	...	4.86 ^{+0.03} _{-0.05}	...	S
2M1054+1606	5680	4448	125	2455967.813	9.54	70	22.1 ^{+0.2} _{-0.2}	22.0 ^{+0.3} _{-0.4}	7.4 ^{+1.0} _{-1.0}	< 10	2399.4 ^{+0.9} _{-0.5}	2399.5 ^{+0.4} _{0.2}	5.3 ^{+0.01} _{-0.01}	5.3 ^{+0.01} _{-0.01}	S
...	5680	4448	41	2455989.746	-1.68	42	21.5 ^{+0.3} _{-0.3}	...	10.5 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.4}	...	5.3 ^{+0.09} _{-0.09}	...	S
...	5680	4448	41	2455990.737	-2.17	71	22.1 ^{+0.2} _{-0.3}	...	9.2 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	5.3 ^{+0.03} _{-0.03}	5.05 ^{+0.02} _{-0.02}	S
2M1100+1204	5682	4444	278	2455964.847	12.51	45	-11.7 ^{+0.3} _{-0.3}	-12.6 ^{+0.4} _{-0.4}	37.9 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.4} _{-0.3}	2399.6 ^{+0.3} _{-0.2}	4.54 ^{+0.01} _{-0.03}	4.58 ^{+0.01} _{-0.01}	S
...	5682	4444	281	2456050.625	-25.54	116	-13.1 ^{+0.2} _{-0.2}	...	38.5 ^{+1.0} _{-1.0}	...	2399.7 ^{+0.5} _{-0.2}	...	4.56 ^{+0.01} _{-0.03}	...	S
...	5682	4444	281	2456054.625	-26.46	110	-12.7 ^{+0.3} _{-0.3}	...	36.7 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	4.64 ^{+0.03} _{-0.02}	...	S
2M1102-8429	9464	5231	36	2458116.869	4.32	21	27.6 ^{+1.7} _{-0.6}	26.7 ^{+0.4} _{-0.7}	68.6 ^{+1.4} _{-1.3}	...	2803.8 ^{+3.4} _{-6.6}	2803.4 ^{+2.3} _{-4.4}	4.99 ^{+0.05} _{-0.03}	5.0 ^{+0.03} _{-0.02}	S
...	9464	5231	84	2458213.609	10.14	27	26.6 ^{+0.3} _{-0.5}	...	68.5 ^{+1.6} _{-1.4}	...	2803.1 ^{+3.0} _{-6.0}	...	5.01 ^{+0.03} _{-0.03}	5.3 ^{+0.02} _{-0.02}	S
2M1115+0010	7352	4539	191	2456676.931	23.41	38	6.5 ^{+0.3} _{-0.2}	5.6 ^{+0.3} _{-0.4}	17.1 ^{+1.0} _{-1.1}	...	3188.3 ^{+5.6} _{-6.1}	3169.3 ^{+2.6} _{-3.1}	5.37 ^{+0.02} _{-0.03}	5.41 ^{+0.02} _{-0.03}	S
...	7352	4539	233	2456696.858	15.51	23	4.5 ^{+0.2} _{-0.2}	4.5 ^{+0.2} _{-0.3}	16.4 ^{+1.0} _{-1.3}	...	3175.1 ^{+6.4} _{-5.5}	3175.1 ^{+5.5} _{-6.1}	5.46 ^{+0.06} _{-0.06}	5.46 ^{+0.06} _{-0.06}	S
...	7352	4539	230	245627.753	0.17	32	5.5 ^{+0.2} _{-0.2}	5.5 ^{+0.2} _{-0.2}	17.7 ^{+1.8} _{-1.0}	...	3158.4 ^{+3.3} _{-4.9}	3158.4 ^{+3.3} _{-4.9}	5.39 ^{+0.03} _{-0.03}	5.39 ^{+0.03} _{-0.03}	S
2M1119+4641	8466	2183	297	2457151.673	-22.69	159	-64.9 ^{+0.2} _{-0.2}	-64.8 ^{+0.3} _{-0.4}	7.8 ^{+1.3} _{-1.0}	< 10	2399.5 ^{+1.0} _{-0.9}	2399.4 ^{+0.5} _{-0.3}	4.99 ^{+0.01} _{-0.01}	5.02 ^{+0.01} _{-0.01}	S
...	8946	2325	94	2457483.703	-16.56	74	-64.8 ^{+0.3} _{-0.2}	...	6.0 ^{+1.4} _{-1.0}	...	2399.3 ^{+0.9} _{-0.5}	...	4.98 ^{+0.02} _{-0.02}	...	S
...	8946	2325	94	2457484.744	-16.92	70	-64.5 ^{+0.3} _{-0.3}	...	5.7 ^{+1.1} _{-1.3}	...	2399.4 ^{+0.9} _{-0.9}	...	5.05 ^{+0.01} _{-0.02}	5.05 ^{+0.01} _{-0.02}	S
...	2M1123-0400	12396	6243	2458888.900	16.74	14	15.5 ^{+0.9} _{-1.6}	14.5 ^{+0.8} _{-0.7}	68.9 ^{+3.0} _{-3.0}	...	2936.1 ^{+16.7} _{-22.0}	2929.1 ^{+7.8} _{-9.5}	4.78 ^{+0.01} _{-0.08}	4.62 ^{+0.04} _{-0.04}	B
...	12396	6243	68	2458894.879	14.08	20	14.3 ^{+0.5} _{-0.4}	14.3 ^{+0.5} _{-0.5}	70.1 ^{+2.8} _{-2.4}	...	2927.3 ^{+8.8} _{-10.5}	...	4.57 ^{+0.05} _{-0.05}	4.57 ^{+0.05} _{-0.05}	B
2M1130+4848	8990	2342	6	2457857.646	-17.83	35	-35.8 ^{+0.3} _{-0.4}	-35.6 ^{+0.3} _{-0.4}	5.5 ^{+1.1} _{-1.1}	< 10	2399.3 ^{+1.1} _{-0.5}	2399.2 ^{+0.7} _{-0.4}	5.01 ^{+0.03} _{-0.02}	4.95 ^{+0.02} _{-0.02}	S
...	8990	2342	6	2457858.657	-18.07	23	-35.6 ^{+0.3} _{-0.3}	...	9.0 ^{+1.1} _{-1.3}	...	2399.0 ^{+1.5} _{-0.8}	2399.0 ^{+1.5} _{-0.8}	4.79 ^{+0.04} _{-0.02}	4.79 ^{+0.04} _{-0.02}	S
...	8990	2342	6	2457859.643	-18.27	39	-35.4 ^{+0.3} _{-0.3}	...	5.9 ^{+1.3} _{-1.1}	...	2399.3 ^{+1.0} _{-0.5}	2399.3 ^{+1.0} _{-0.5}	5.02 ^{+0.02} _{-0.05}	5.02 ^{+0.02} _{-0.05}	S
2M1140-0517	12398	6245	30	2458923.834	1.79	18	-4.6 ^{+1.6} _{-1.7}	-4.6 ^{+1.6} _{-1.7}	49.8 ^{+1.9} _{-1.9}	...	2942.8 ^{+16.2} _{-14.0}	2942.8 ^{+16.2} _{-14.0}	4.54 ^{+0.03} _{-0.02}	4.54 ^{+0.03} _{-0.02}	B
2M1144-1458	10710	5731	189	2458238.535	-16.63	36	-2.2 ^{+0.2} _{-0.2}	-1.8 ^{+0.3} _{-0.3}	19.8 ^{+1.0} _{-1.0}	20.8 ^{+1.0} _{-1.0}	2970.0 ^{+10.3} _{-7.8}	3035.4 ^{+2.2} _{-2.1}	5.34 ^{+0.03} _{-0.02}	5.49 ^{+0.02} _{-0.02}	B
...	10710	5731	189	2458262.508	-24.39	23	-2.4 ^{+0.2} _{-0.3}	...	23.4 ^{+1.2} _{-1.1}	...	3048.4 ^{+7.9} _{-7.8}	3048.4 ^{+7.9} _{-7.8}	5.42 ^{+0.03} _{-0.03}	5.42 ^{+0.04} _{-0.04}	B
...	10711	5731	195	2458264.525	-24.91	31	-1.2 ^{+0.3} _{-0.3}	...	22.5 ^{+1.3} _{-1.3}	...	3032.2 ^{+7.6} _{-7.6}	3032.2 ^{+7.6} _{-7.6}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	10710	5731	183	2458265.535	-25.17	22	-1.6 ^{+0.7} _{-0.3}	...	22.7 ^{+1.4} _{-1.3}	...	3075.0 ^{+9.9} _{-8.5}	...	5.47 ^{+0.04} _{-0.02}	...	B
...	10710	5731	189	2458270.462	-26.01	34	-2.4 ^{+0.2} _{-0.2}	...	20.5 ^{+1.2} _{-1.2}	...	3053.1 ^{+6.7} _{-5.0}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	10711	5731	196	2458271.464	-26.20	26	-2.0 ^{+0.2} _{-0.3}	...	23.1 ^{+1.4} _{-1.2}	...	3059.7 ^{+18.3} _{-12.9}	...	5.49 ^{+0.02} _{-0.01}	...	B
...	10710	5731	183	2458273.461	-26.54	34	-0.9 ^{+0.2} _{-0.2}	...	21.9 ^{+1.0} _{-1.1}	...	2954.2 ^{+6.7} _{-6.3}	...	5.32 ^{+0.02} _{-0.03}	...	B
...	10711	5731	196	2458274.463	-26.71	32	-2.8 ^{+0.3} _{-1.6}	...	21.1 ^{+1.4} _{-1.2}	...	3041.7 ^{+6.8} _{-8.0}	...	5.38 ^{+0.04} _{-0.04}	...	B
...	10710	5731	189	2458290.466	-28.27	31	-1.1 ^{+0.2} _{-0.2}	...	21.8 ^{+1.0} _{-1.1}	...	3070.9 ^{+5.4} _{-5.0}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10711	5731	231	2458291.472	-28.32	21	-2.8 ^{+0.3} _{-0.3}	...	22.1 ^{+1.1} _{-1.2}	...	3052.0 ^{+7.2} _{-9.4}	...	5.47 ^{+0.03} _{-0.02}	...	B
...	10711	5731	190	2458296.470	-28.33	32	-1.2 ^{+0.3} _{-0.2}	...	21.8 ^{+1.0} _{-1.0}	...	3072.0 ^{+8.5} _{-7.6}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10711	5731	190	2458473.851	29.37	16	-3.2 ^{+0.3} _{-0.3}	...	26.1 ^{+1.2} _{-1.7}	...	3049.4 ^{+15.1} _{-11.0}	...	5.38 ^{+0.07} _{-0.05}	...	B
2M1144+2818	7349	4488	289	2456702.838	9.43	34	-3.9 ^{+0.3} _{-0.5}	...	22.3 ^{+1.1} _{-1.3}	...	3078.0 ^{+7.6} _{-7.4}	...	5.48 ^{+0.01} _{-0.01}	...	B
...	7349	4488	247	2456709.789	6.31	41	-4.5 ^{+0.4} _{-1.3}	...	21.7 ^{+1.1} _{-1.0}	...	3067.3 ^{+4.9} _{-6.7}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	7349	4488	252	2456735.709	-5.86	22	-3.8 ^{+0.3} _{-0.3}	...	21.3 ^{+1.4} _{-1.3}	...	3057.5 ^{+10.1} _{-5.5}	...	5.48 ^{+0.03} _{-0.01}	...	B
2M1145+0131	5593	4124	288	2455960.866	20.64	19	4.1 ^{+0.6} _{-0.4}	5.1 ^{+0.3} _{-0.5}	56.1 ^{+2.0} _{-2.3}	62.6 ^{+1.0} _{-1.1}	2399.4 ^{+0.6} _{-0.5}	2399.4 ^{+0.6} _{-0.5}	3.54 ^{+0.03} _{-0.01}	3.8 ^{+0.01} _{-0.01}	S
...	5593	4124	300	2455990.853	6.64	18	6.5 ^{+0.5} _{-0.5}	...	63.4 ^{+1.1} _{-1.6}	...	2399.4 ^{+0.6} _{-0.4}	...	3.91 ^{+0.04} _{-0.05}	...	S
...	5593	4124	283	2455998.819	2.60	16	1.2 ^{+1.1} _{-1.3}	...	62.7 ^{+1.8} _{-2.1}	...	2399.3 ^{+1.2} _{-0.5}	...	3.57 ^{+0.04} _{-0.04}	...	S
...	5594	4124	299	2456086.642	-29.15	14	4.0 ^{+1.1} _{-0.6}	4.0 ^{+1.1} _{-0.6}	64.8 ^{+1.9} _{-1.4}	...	2399.3 ^{+1.2} _{-0.5}	...	4.05 ^{+0.06} _{-0.03}	...	S
...	5594	4124	251	2456314.935	24.49	21	6.3 ^{+0.8} _{-1.2}	...	65.3 ^{+1.6} _{-2.7}	...	2399.5 ^{+0.9} _{-0.3}	...	4.19 ^{+0.16} _{-0.11}	...	S
...	5595	4124	296	2456315.923	24.20	19	6.1 ^{+0.9} _{-1.6}	...	55.2 ^{+1.7} _{-2.3}	...	2399.3 ^{+1.0} _{-0.5}	...	4.41 ^{+0.04} _{-0.03}	...	S
...	5596	4124	295	2456316.937	23.83	22	5.2 ^{+0.3} _{-0.3}	...	55.4 ^{+1.7} _{-2.0}	...	2399.3 ^{+0.6} _{-0.4}	...	4.18 ^{+0.03} _{-0.07}	...	S
...	5594	4124	296	2456324.921	20.99	20	6.2 ^{+0.4} _{-0.7}	...	65.0 ^{+2.4} _{-3.8}	...	2399.5 ^{+0.8} _{-0.4}	...	4.38 ^{+0.04} _{-0.03}	...	S
...	5595	4124	296	2456325.928	20.58	18	3.8 ^{+1.7} _{-0.4}	...	64.2 ^{+1.8} _{-2.4}	...	2399.4 ^{+0.8} _{-0.4}	...	3.91 ^{+0.28} _{-0.28}	...	S
...	5595	4124	296	2456347.816	10.94	19	5.3 ^{+0.5} _{-0.5}	...	62.7 ^{+1.8} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.16 ^{+0.04} _{-0.03}	...	S
...	5596	4124	300	2456352.800	8.48	14	4.3 ^{+1.8} _{-0.7}	...	64.6 ^{+2.5} _{-2.1}	...	2399.1 ^{+1.1} _{-0.4}	...	3.61 ^{+0.06} _{-0.06}	...	S
...	5596	4124	283	2456381.779	-6.50	16	3.6 ^{+1.3} _{-1.0}	...	68.2 ^{+1.9} _{-1.9}	...	2399.2 ^{+1.2} _{-0.7}	...	3.52 ^{+0.04} _{-0.02}	...	S
...	10711	5731	27	2458238.535	-16.35	17	44.7 ^{+0.3} _{-0.3}	44.1 ^{+0.3} _{-0.4}	16.9 ^{+1.0} _{-1.0}	18.0 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.4}	2399.3 ^{+0.2} _{-0.1}	4.3 ^{+0.01} _{-0.01}	4.15 ^{+0.01} _{-0.01}	S
...	10711	5731	29	2458264.525	-24.73	13	45.0 ^{+0.3} _{-0.3}	...	17.9 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.9} _{-0.5}	...	3.59 ^{+0.04} _{-0.04}	...	S
...	10712	5731	29	2458266.467	-25.03	12	45.3 ^{+0.5} _{-0.5}	...	17.9 ^{+1.0} _{-1.0}	...	2399.0 ^{+1.5} _{-0.8}	...	3.65 ^{+0.08} _{-0.08}	...	S
...	10711	5731	29	2458271.464	-26.05	12	45.7 ^{+0.3} _{-0.3}	...	19.8 ^{+1.0} _{-1.0}	...	2399.3 ^{+1.0} _{-0.5}	...	3.99 ^{+0.07} _{-0.08}	...	S
...	10712	5731	29	2458272.464	-26.23	10	43.8 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	2399.1 ^{+0.8} _{-0.7}	...	4.18 ^{+0.1} _{-0.14}	...	S
...	10711	5731	29	2458274.463	-26.58	14	43.4 ^{+0.4} _{-0.4}	...	12.8 ^{+1.1} _{-1.4}	...	2399.1 ^{+1.2} _{-0.7}	...	4.51 ^{+0.08} _{-0.09}	...	S
...	10712	5731	29	2458275.461	-26.73	14	45.0 ^{+0.3} _{-0.3}	...	14.2 ^{+1.0} _{-1.0}	...	2399.4 ^{+1.0} _{-0.4}	...	4.19 ^{+0.05} _{-0.05}	...	S
...	10711	5731	29	2458296.470	-28.31	13	45.2 ^{+0.3} _{-0.3}	...	18.1 ^{+1.0} _{-1.9}	...	2399.4 ^{+1.0} _{-0.4}	...	3.88 ^{+0.05} _{-0.07}	...	S
...	10711	5731	29	2458473.851	29.32	13	42.9 ^{+0.3} _{-0.3}	...	16.3 ^{+1.0} _{-1.1}	...	2399.4 ^{+0.7} _{-0.4}	...	4.1 ^{+0.04} _{-0.06}	...	S
...	10712	5731	29	2458474.852	29.35	14	41.0 ^{+0.6} _{-0.6}	...	17.9 ^{+1.8} _{-1.0}	...	2399.1 ^{+1.0} _{-0.5}	...	4.37 ^{+0.04} _{-0.04}	...	S
...	10713	5731	26	2458475.839	29.39	13	42.2 ^{+0.4} _{-0.6}	...	21.6 ^{+1.0} _{-1.0}	...	2399.3 ^{+0.9} _{-0.5}	...	3.87 ^{+0.15} _{-0.05}	...	S
...	10712	5731	27	2458479.842	29.37	14	42.7 ^{+0.4} _{-0.4}	...	17.8 ^{+1.6} _{-1.0}	...	2399.4 ^{+0.9} _{-0.5}	...	4.26 ^{+0.09} _{-0.1}	...	S

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	10713	5731	28	2455480.838	29.35	17	41.8 ^{+0.3} _{-0.3}	...	16.2 ^{+1.0} _{-1.4}	...	2399.5 ^{+0.9} _{-0.4}	...	4.28 ^{+0.07} _{-0.03}	...
...	10713	5731	26	245500.785	27.01	19	43.3 ^{+0.4} _{-0.6}	...	17.8 ^{+1.9} _{-1.0}	...	2399.4 ^{+0.9} _{-0.4}	...	4.46 ^{+0.07} _{-0.07}	...
...	10713	5731	28	245561.629	3.26	17	43.9 ^{+0.3} _{-0.3}	...	14.1 ^{+1.0} _{-1.0}	...	2399.3 ^{+1.1} _{-0.6}	...	4.49 ^{+0.07} _{-0.07}	...
2M1151+0628	9764	5312	41	2459224.814	27.65	42	9.7 ^{+0.4} _{-1.7}	9.7 ^{+0.4} _{-1.7}	52.3 ^{+1.3} _{-1.7}	2941.8 ^{+12.6} _{-13.9}	2941.8 ^{+12.6} _{-13.9}	5.12 ^{+0.04} _{-0.04}	5.12 ^{+0.04} _{-0.04}	B
2M1152+3333	7355	4487	86	2456701.828	9.07	41	18.2 ^{+0.7} _{-0.7}	17.1 ^{+0.3} _{-0.4}	12.6 ^{+1.0} _{-1.3}	11.6 ^{+1.1} _{-1.1}	3200.3 ^{+6.7} _{-8.5}	5.48 ^{+0.02} _{-0.01}	5.48 ^{+0.01} _{-0.01}	B
...	7355	4487	137	2456707.823	6.44	61	17.0 ^{+0.2} _{-0.3}	...	11.0 ^{+1.1} _{-1.3}	...	3170.3 ^{+4.8} _{-5.0}	...	5.45 ^{+0.03} _{-0.02}	...
...	7355	4487	137	2456734.742	-5.60	30	17.6 ^{+0.2} _{-0.1}	...	10.8 ^{+1.0} _{-1.1}	...	3185.2 ^{+5.4} _{-4.0}	...	5.48 ^{+0.02} _{-0.01}	...
...	7355	4487	125	2456757.663	-14.79	62	16.5 ^{+0.2} _{-0.2}	...	12.3 ^{+1.2} _{-1.1}	...	3188.4 ^{+4.6} _{-6.1}	...	5.32 ^{+0.02} _{-0.03}	...
2M1157+3431	8798	5124	165	2457417.008	14.98	14	-5.9 ^{+0.6} _{-0.4}	-7.0 ^{+0.3} _{-0.4}	16.5 ^{+1.1} _{-1.3}	15.4 ^{+1.0} _{-1.1}	3207.4 ^{+9.0} _{-11.0}	3191.3 ^{+3.4} _{-3.5}	5.29 ^{+0.03} _{-0.05}	5.35 ^{+0.01} _{-0.01}
...	8816	5124	166	2457468.752	-6.90	12	-5.9 ^{+0.2} _{-0.2}	...	12.9 ^{+1.1} _{-1.3}	...	3173.0 ^{+6.9} _{-7.0}	...	5.38 ^{+0.04} _{-0.03}	...
...	8799	5124	172	2457469.733	-7.28	22	-6.0 ^{+0.3} _{-0.3}	...	11.9 ^{+1.6} _{-1.3}	...	3201.9 ^{+10.2} _{-10.3}	...	5.39 ^{+0.03} _{-0.03}	...
...	8816	5124	166	2457474.724	-9.35	15	-5.6 ^{+1.2} _{-0.2}	...	13.8 ^{+1.5} _{-1.2}	...	3207.8 ^{+10.3} _{-12.6}	...	5.37 ^{+0.03} _{-0.03}	...
...	8799	5124	165	2457492.669	-16.04	18	-5.5 ^{+0.3} _{-0.3}	...	13.5 ^{+1.5} _{-1.3}	...	3202.9 ^{+11.2} _{-9.2}	...	5.39 ^{+0.04} _{-0.04}	...
...	8799	5124	165	2457796.850	9.41	20	-9.1 ^{+0.3} _{-0.3}	...	16.2 ^{+1.0} _{-1.2}	...	3198.2 ^{+7.4} _{-7.0}	...	5.29 ^{+0.03} _{-0.04}	...
...	8799	5124	165	2457801.832	7.29	18	-9.4 ^{+0.2} _{-0.3}	...	16.1 ^{+1.0} _{-1.1}	...	3162.7 ^{+11.9} _{-16.1}	...	5.35 ^{+0.04} _{-0.04}	...
...	8817	5124	165	2458068.013	23.57	10	-5.1 ^{+0.3} _{-0.3}	...	14.9 ^{+1.6} _{-1.6}	...	3173.4 ^{+18.9} _{-12.8}	...	5.36 ^{+0.05} _{-0.05}	...
2M1157+1917	8801	5165	40	2457390.974	27.10	18	-23.4 ^{+0.3} _{-0.2}	-23.3 ^{+0.3} _{-0.3}	6.2 ^{+1.5} _{-1.7}	10.3 ^{+1.0} _{-1.0}	3077.3 ^{+11.3} _{-12.6}	3088.8 ^{+1.6} _{-1.6}	5.41 ^{+0.03} _{-0.04}	5.48 ^{+0.01} _{-0.0}
...	8801	5165	81	2457411.956	21.49	22	-23.1 ^{+0.3} _{-0.3}	...	10.6 ^{+1.2} _{-1.2}	...	3098.3 ^{+6.7} _{-5.5}	...	5.42 ^{+0.03} _{-0.04}	...
...	8802	5165	81	2457414.923	20.52	16	-22.9 ^{+0.3} _{-0.3}	...	10.7 ^{+1.1} _{-1.2}	...	3093.8 ^{+9.6} _{-7.5}	...	5.47 ^{+0.05} _{-0.04}	...
...	8801	5165	34	2457414.978	20.38	14	-21.9 ^{+0.4} _{-0.3}	...	9.5 ^{+1.4} _{-1.4}	...	3072.1 ^{+13.2} _{-11.6}	...	5.49 ^{+0.02} _{-0.02}	...
...	8801	5165	81	2457417.927	19.40	18	-23.2 ^{+0.3} _{-0.2}	...	10.9 ^{+1.3} _{-1.3}	...	3097.6 ^{+4.9} _{-4.8}	...	5.42 ^{+0.02} _{-0.02}	...
...	8801	5165	87	2457446.839	6.66	18	-22.4 ^{+0.3} _{-0.3}	...	9.3 ^{+1.2} _{-1.2}	...	3080.1 ^{+6.9} _{-6.0}	...	5.49 ^{+0.02} _{-0.02}	...
...	8801	5165	81	2457464.784	-2.20	20	-22.9 ^{+0.2} _{-0.3}	...	10.5 ^{+1.8} _{-1.2}	...	3084.7 ^{+7.7} _{-7.0}	...	5.48 ^{+0.02} _{-0.02}	...
...	8802	5165	87	2457466.793	-3.21	20	-23.1 ^{+0.4} _{-0.3}	...	10.0 ^{+1.7} _{-1.5}	...	3079.0 ^{+13.4} _{-13.2}	...	5.48 ^{+0.03} _{-0.02}	...
...	8802	5165	81	2457475.741	-7.43	16	-22.3 ^{+0.3} _{-0.3}	...	10.9 ^{+1.1} _{-1.3}	...	3082.9 ^{+9.5} _{-9.0}	...	5.48 ^{+0.02} _{-0.01}	...
...	8802	5165	81	2457476.763	-7.97	19	-22.3 ^{+0.3} _{-0.3}	...	11.4 ^{+1.3} _{-1.3}	...	3089.1 ^{+7.8} _{-10.7}	...	5.48 ^{+0.02} _{-0.01}	...
...	8802	5165	81	2457495.682	-16.13	13	-22.4 ^{+0.6} _{-0.6}	...	11.3 ^{+1.4} _{-1.2}	...	3100.7 ^{+9.8} _{-9.2}	...	5.48 ^{+0.02} _{-0.01}	...
...	9018	5165	88	2457498.691	-17.32	14	-22.2 ^{+0.3} _{-0.3}	...	9.4 ^{+1.2} _{-1.2}	...	3082.9 ^{+9.5} _{-9.0}	...	5.48 ^{+0.02} _{-0.01}	...
...	9018	5165	81	2457500.674	-18.03	13	-22.7 ^{+0.5} _{-1.1}	...	13.6 ^{+1.7} _{-1.3}	...	3089.1 ^{+7.8} _{-10.7}	...	5.49 ^{+0.02} _{-0.01}	...
...	9018	5165	82	2457521.632	-24.40	16	-22.3 ^{+0.3} _{-0.2}	...	10.9 ^{+1.0} _{-1.2}	...	3061.8 ^{+6.9} _{-6.8}	...	5.48 ^{+0.02} _{-0.02}	...
...	9018	5165	87	2457528.632	-25.87	21	-22.6 ^{+0.4} _{-0.5}	...	9.9 ^{+1.5} _{-1.5}	...	3075.0 ^{+12.1} _{-9.6}	...	5.46 ^{+0.03} _{-0.03}	...
...	9019	5165	86	2457532.635	-26.56	20	-22.9 ^{+0.2} _{-0.2}	...	9.1 ^{+1.1} _{-1.3}	...	3093.4 ^{+7.4} _{-5.4}	...	5.48 ^{+0.02} _{-0.01}	...
...	9018	5165	34	2457738.009	28.96	15	-24.4 ^{+0.4} _{-0.3}	...	9.5 ^{+1.3} _{-1.3}	...	3095.7 ^{+5.0} _{-6.8}	...	5.49 ^{+0.02} _{-0.01}	...
...	9018	5165	81	2457764.963	25.18	17	-24.2 ^{+0.6} _{-0.6}	...	7.9 ^{+1.4} _{-1.4}	...	3086.2 ^{+13.9} _{-10.1}	...	5.37 ^{+0.05} _{-0.05}	...
...	9019	5165	35	2457800.911	11.87	17	-25.4 ^{+0.3} _{-0.3}	...	9.6 ^{+1.4} _{-1.1}	...	3105.7 ^{+5.9} _{-5.8}	...	5.48 ^{+0.02} _{-0.01}	...
...	9019	5165	89	2457829.871	-2.28	20	-24.6 ^{+0.3} _{-0.3}	...	12.7 ^{+1.0} _{-1.1}	...	3074.8 ^{+9.8} _{-9.7}	...	5.45 ^{+0.03} _{-0.03}	...

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle b, c, d$	T_{eff} <i>f</i>	$\langle T_{\text{eff}} \rangle c, f$	$\log g$ <i>f</i>	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	9019	51065	41	2457832.862	-3.74	18	-24.5 ^{+0.2} _{-0.3}	...	9.2 ^{+1.1} _{-1.3}	...	3094.2 ^{+9.5} _{-5.1}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	9019	51065	32	2457850.823	-12.17	17	-24.5 ^{+0.3} _{-0.3}	...	9.8 ^{+1.5} _{-1.5}	...	3092.9 ^{+6.4} _{-5.1}	...	5.45 ^{+0.02} _{-0.02}	...	B
2M1158+5157	11872	2672	97	2458633.662	-20.36	24	-51.1 ^{+0.3} _{-0.3}	-51.7 ^{+0.3} _{-0.5}	9.8 ^{+1.4} _{-1.1}	10.4 ^{+1.2} _{-1.1}	2870.7 ^{+12.5} _{-19.2}	2872.3 ^{+11.9} _{-13.0}	5.49 ^{+0.01} _{-0.0}	5.49 ^{+0.01} _{-0.0}	B
...	11872	2672	97	2458634.651	-20.32	19	-52.3 ^{+0.3} _{-0.3}	...	11.4 ^{+1.3} _{-1.2}	...	2876.0 ^{+41.6} _{-17.6}	...	5.27 ^{+0.13} _{-0.08}	...	B
2M1159+2030	9018	51065	178	2457500.674	-17.96	11	21.7 ^{+1.2} _{-0.6}	17.8 ^{+0.3} _{-0.4}	26.7 ^{+1.8} _{-2.4}	28.6 ^{+1.0} _{-1.1}	3089.9 ^{+10.7} _{-9.1}	3083.1 ^{+2.7} _{-2.6}	5.49 ^{+0.02} _{-0.01}	5.49 ^{+0.01} _{-0.0}	B
...	9018	51065	178	2457521.632	-24.26	15	17.3 ^{+1.4} _{-0.5}	...	27.6 ^{+1.7} _{-1.6}	...	3093.9 ^{+10.4} _{-6.9}	...	5.49 ^{+0.02} _{-0.01}	5.49 ^{+0.02} _{-0.01}	B
...	9018	51065	178	2457528.632	-25.72	19	18.7 ^{+0.3} _{-0.4}	...	33.9 ^{+1.4} _{-1.4}	...	3081.3 ^{+11.5} _{-10.6}	...	5.4 ^{+0.04} _{-0.04}	5.4 ^{+0.04_{-0.04}}	B
...	9019	51065	261	2457532.635	-26.39	16	17.1 ^{+0.3} _{-0.7}	...	32.2 ^{+2.6} _{-2.2}	...	3067.0 ^{+11.0} _{-9.0}	...	5.49 ^{+0.02} _{-0.01}	5.49 ^{+0.02} _{-0.01}	B
...	9018	51065	262	2457738.009	28.75	16	17.8 ^{+0.5} _{-1.5}	...	32.1 ^{+1.8} _{-1.4}	...	3040.9 ^{+17.0} _{-20.1}	...	5.26 ^{+0.06} _{-0.07}	5.26 ^{+0.06} _{-0.07}	B
...	9018	51065	178	2457764.963	24.96	11	18.9 ^{+1.2} _{-1.4}	...	34.1 ^{+2.1} _{-2.7}	...	3055.3 ^{+9.2} _{-7.3}	...	5.41 ^{+0.08} _{-0.05}	5.41 ^{+0.08_{-0.05}}	B
...	9019	51065	160	2457800.911	11.71	18	18.1 ^{+0.5} _{-0.5}	...	26.9 ^{+1.7} _{-1.8}	...	3082.8 ^{+11.6} _{-10.7}	...	5.44 ^{+0.04} _{-0.04}	5.44 ^{+0.04} _{-0.04}	B
...	9019	51065	262	2457829.871	-2.34	10	19.4 ^{+0.6} _{-0.6}	...	28.9 ^{+2.5} _{-2.2}	...	3090.1 ^{+10.4} _{-9.0}	...	5.48 ^{+0.04} _{-0.04}	5.48 ^{+0.04} _{-0.04}	B
...	9019	51065	261	2457832.862	-3.79	20	16.6 ^{+0.3} _{-0.3}	...	27.7 ^{+1.1} _{-1.4}	...	3091.4 ^{+3.9} _{-5.1}	...	5.49 ^{+0.01} _{-0.0}	5.49 ^{+0.01} _{-0.0}	B
...	9019	51065	208	2457850.823	-12.15	19	18.7 ^{+0.3} _{-0.3}	...	25.6 ^{+1.1} _{-1.3}	...	3081.6 ^{+10.1} _{-8.1}	...	5.45 ^{+0.05} _{-0.03}	5.45 ^{+0.05} _{-0.03}	B
2M12113+3900	7347	4486	104	2456705.834	7.28	10	-10.4 ^{+0.5} _{-0.6}	<i>nan</i> _{-nan} ^{+nan}	18.0 ^{+1.4} _{-1.4}	<i>nan</i> _{-nan} ^{+nan}	3064.1 ^{+17.5} _{-12.5}	<i>nan</i> _{-nan} ^{+nan}	5.49 ^{+0.01} _{-0.01}	<i>nan</i> _{-nan} ^{+nan}	HSP
2M12115+4548	8261	2119	169	2457096.821	-4.72	55	-4.5 ^{+0.2} _{-0.4}	99.8 ^{+1.0} _{-1.0}	99.9 ^{+1.0} _{-1.0}	2803.9 ^{+3.8} _{-7.6}	2814.7 ^{+3.3} _{-5.2}	4.95 ^{+0.02} _{-0.04}	4.88 ^{+0.03} _{-0.03}	B	
...	8261	2119	169	2457105.783	-7.96	53	-7.8 ^{+2.0} _{-1.9}	...	99.8 ^{+1.0} _{-1.0}	...	2843.8 ^{+11.6} _{-10.6}	...	4.85 ^{+0.06} _{-0.06}	4.85 ^{+0.06} _{-0.06}	B
...	8263	2118	20	2457121.699	-13.06	35	-8.3 ^{+2.0} _{-1.9}	...	99.8 ^{+1.0} _{-1.0}	...	2823.9 ^{+11.4} _{-13.4}	...	4.88 ^{+0.04} _{-0.04}	4.88 ^{+0.04} _{-0.04}	B
...	8263	2118	20	2457122.753	-13.47	28	-8.5 ^{+2.2} _{-1.8}	...	99.7 ^{+1.1} _{-1.0}	...	2856.7 ^{+16.5} _{-14.6}	...	4.66 ^{+0.08} _{-0.08}	4.66 ^{+0.08} _{-0.08}	B
2M1220+3956	7347	4486	62	2456705.834	7.54	42	-3.4 ^{+0.2} _{-0.2}	-2.7 ^{+0.3} _{-0.4}	19.3 ^{+1.7} _{-1.7}	18.3 ^{+1.0} _{-1.1}	3033.8 ^{+7.3} _{-10.4}	3056.7 ^{+3.4} _{-3.8}	5.49 ^{+0.01} _{-0.04}	5.49 ^{+0.01} _{-0.04}	B
...	7347	4486	86	2456733.774	-3.82	51	-2.1 ^{+0.2} _{-0.2}	...	18.0 ^{+1.0} _{-1.0}	...	3065.0 ^{+4.4} _{-5.1}	...	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
...	7347	4486	62	2456738.803	-5.89	31	-2.0 ^{+0.3} _{-0.3}	...	20.6 ^{+1.3} _{-1.5}	...	3053.7 ^{+8.5} _{-6.8}	...	5.48 ^{+0.02} _{-0.02}	5.48 ^{+0.02} _{-0.02}	B
2M1224+2505	7437	4216	138	2456824.642	-26.64	11	-28.4 ^{+0.3} _{-0.3}	-28.4 ^{+0.4} _{-0.4}	14.5 ^{+1.0} _{-1.5}	14.5 ^{+1.0} _{-1.5}	2399.1 ^{+1.4} _{-1.4}	2399.1 ^{+1.4} _{-1.4}	4.13 ^{+0.04} _{-0.04}	4.13 ^{+0.04} _{-0.04}	S
2M1226+5359	11957	2719	268	2458852.980	15.48	48	-16.5 ^{+0.2} _{-0.3}	-16.5 ^{+0.3} _{-0.3}	22.0 ^{+1.0} _{-1.4}	22.0 ^{+1.0} _{-1.4}	3129.6 ^{+7.8} _{-6.9}	3129.6 ^{+7.8} _{-6.9}	5.31 ^{+0.03} _{-0.02}	5.31 ^{+0.03} _{-0.02}	B
2M1227+2614	7435	4216	204	2456756.676	-10.21	13	-14.4 ^{+0.3} _{-0.3}	-13.9 ^{+0.3} _{-0.4}	9.3 ^{+1.3} _{-1.3}	11.1 ^{+1.0} _{-1.1}	3080.0 ^{+8.0} _{-7.6}	3080.0 ^{+8.0} _{-7.6}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
...	7435	4216	156	2456761.646	-12.20	10	-14.3 ^{+0.3} _{-0.3}	...	9.4 ^{+1.4} _{-1.2}	...	3045.8 ^{+14.7} _{-16.9}	...	5.23 ^{+0.08} _{-0.08}	5.23 ^{+0.08} _{-0.08}	B
...	7438	4216	157	2456790.632	-21.82	11	-14.6 ^{+0.3} _{-0.3}	...	9.0 ^{+1.3} _{-1.3}	...	3089.5 ^{+12.5} _{-10.1}	...	5.46 ^{+0.04} _{-0.03}	5.46 ^{+0.04} _{-0.03}	B
...	7438	4216	151	2456814.643	-25.89	14	-12.7 ^{+1.1} _{-0.5}	...	11.6 ^{+1.4} _{-1.5}	...	3069.7 ^{+13.0} _{-11.4}	...	5.49 ^{+0.02} _{-0.01}	5.49 ^{+0.02} _{-0.01}	B
2M1229+2608	7438	4216	205	2456818.645	-26.11	12	-9.9 ^{+0.4} _{-0.3}	<i>nan</i> _{-nan} ^{+nan}	16.0 ^{+2.0} _{-1.9}	<i>nan</i> _{-nan} ^{+nan}	3085.4 ^{+19.5} _{-14.0}	<i>nan</i> _{-nan} ^{+nan}	5.42 ^{+0.05} _{-0.05}	<i>nan</i> _{-nan} ^{+nan}	B
2M1233+5227	11956	2718	8	2458872.021	11.58	19	-10.4 ^{+0.2} _{-0.3}	-10.4 ^{+0.3} _{-0.3}	17.4 ^{+1.1} _{-1.1}	16.7 ^{+1.0} _{-1.1}	3049.6 ^{+10.8} _{-11.9}	3000.0 ^{+10.0} _{-8.2}	5.3 ^{+0.03} _{-0.03}	5.25 ^{+0.03} _{-0.02}	B
...	11956	2718	8	2458872.947	11.42	41	-10.5 ^{+0.3} _{-0.2}	...	14.7 ^{+1.1} _{-1.7}	...	2916.6 ^{+25.1} _{-11.4}	...	5.13 ^{+0.03} _{-0.03}	5.13 ^{+0.03} _{-0.03}	B
2M1246+1258	6774	4491	283	2456379.823	-0.65	19	51.2 ^{+0.5} _{-0.4}	51.0 ^{+0.3} _{-0.4}	14.2 ^{+1.0} _{-1.0}	13.4 ^{+1.0} _{-1.0}	2399.5 ^{+0.4} _{-0.5}	2399.5 ^{+0.4} _{-0.5}	4.43 ^{+0.01} _{-0.02}	4.43 ^{+0.01} _{-0.02}	S

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	6774	4491	288	2456406.755	-13.25	30	51.1 ^{+0.2} _{-0.3}	...	14.1 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	4.44 ^{+0.01} _{-0.02}	...	S
...	6774	4491	288	2456410.713	-14.82	31	51.0 ^{+0.3} _{-0.4}	...	12.3 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.8} _{-0.4}	...	4.56 ^{+0.02} _{-0.03}	...	S
...	6774	4491	234	2456681.019	25.66	28	50.9 ^{+0.2} _{-0.3}	...	10.6 ^{+1.0} _{-1.0}	...	2399.4 ^{+1.1} _{-0.4}	...	4.69 ^{+0.03} _{-0.06}	...	S
2M1253+1233	8268	5122	260	2457059.944	22.40	12	2.6 ^{+0.7} _{-0.4}	2.8 ^{+0.3} _{-0.4}	15.9 ^{+1.8} _{-2.1}	13.9 ^{+1.0} _{-1.1}	3066.0 ^{+10.6} _{-12.3}	3113.9 ^{+3.5} _{-3.9}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.0}	B
...	8269	5122	180	2457064.899	20.81	11	2.1 ^{+0.3} _{-0.3}	...	16.5 ^{+2.2} _{-1.3}	...	3099.0 ^{+17.1} _{-9.3}	...	5.47 ^{+0.02} _{-0.02}	...	B
...	8918	5122	175	2457465.782	5.28	12	3.4 ^{+0.3} _{-0.3}	...	10.7 ^{+1.8} _{-1.4}	...	3149.7 ^{+10.1} _{-12.0}	...	5.46 ^{+0.03} _{-0.03}	...	B
...	8918	5122	180	2457472.792	1.79	11	3.3 ^{+0.3} _{-0.3}	...	12.8 ^{+1.6} _{-1.5}	...	3132.3 ^{+11.3} _{-12.2}	...	5.49 ^{+0.02} _{-0.01}	...	B
...	8918	5122	175	2457475.832	0.18	11	1.8 ^{+0.3} _{-0.3}	...	12.8 ^{+1.1} _{-1.1}	...	3155.8 ^{+10.5} _{-9.2}	...	5.46 ^{+0.02} _{-0.02}	...	B
...	8965	5122	263	2457530.702	-22.66	10	4.4 ^{+1.1} _{-0.5}	...	16.5 ^{+1.1} _{-1.3}	...	3099.8 ^{+7.5} _{-7.1}	...	5.49 ^{+0.01} _{-0.03}	...	B
...	8965	5122	176	2457533.714	-23.52	11	3.6 ^{+0.3} _{-0.3}	...	13.0 ^{+1.2} _{-2.0}	...	3113.7 ^{+11.8} _{-17.1}	...	5.32 ^{+0.04} _{-0.04}	...	B
2M1256+4832	10636	5709	149	2458182.925	1.04	31	-11.1 ^{+0.6} _{-0.6}	-11.0 ^{+0.3} _{-0.4}	19.2 ^{+1.3} _{-1.1}	18.1 ^{+1.0} _{-1.1}	3101.8 ^{+3.4} _{-3.0}	3109.2 ^{+2.4} _{-3.0}	5.26 ^{+0.01} _{-0.01}	5.29 ^{+0.01} _{-0.01}	B
...	10636	5709	98	2458186.923	-0.34	33	-10.9 ^{+0.3} _{-0.3}	...	18.0 ^{+1.0} _{-1.0}	...	3118.1 ^{+5.3} _{-5.3}	...	5.24 ^{+0.03} _{-0.03}	...	B
...	10636	5709	98	2458208.827	-7.52	34	-10.6 ^{+0.4} _{-0.4}	...	18.1 ^{+1.0} _{-1.3}	...	3107.4 ^{+6.1} _{-6.3}	...	5.35 ^{+0.03} _{-0.04}	...	B
...	10636	5709	98	2458211.863	-8.52	32	-11.1 ^{+0.3} _{-0.3}	...	18.0 ^{+1.0} _{-1.3}	...	3113.7 ^{+10.7} _{-9.0}	...	5.31 ^{+0.04} _{-0.03}	...	B
...	10636	5709	149	2458215.841	-9.68	34	-11.2 ^{+0.3} _{-0.2}	...	17.9 ^{+1.2} _{-1.0}	...	3118.4 ^{+8.0} _{-6.5}	...	5.32 ^{+0.03} _{-0.03}	...	B
...	10636	5709	149	2458231.777	-13.86	13	-10.5 ^{+0.5} _{-0.3}	...	19.9 ^{+1.4} _{-1.4}	...	3120.3 ^{+13.8} _{-14.2}	...	5.31 ^{+0.09} _{-0.07}	...	B
2M1301+4112	7345	4485	77	2456706.904	9.32	55	-0.2 ^{+0.5} _{-0.3}	-0.2 ^{+0.3} _{-0.4}	7.5 ^{+1.0} _{-1.1}	< 10	2399.4 ^{+0.8} _{-0.4}	2399.3 ^{+7.0} _{-5.3}	5.42 ^{+0.01} _{-0.03}	5.25 ^{+0.01} _{-0.02}	S
...	7345	4485	131	2456734.900	-1.18	64	-0.3 ^{+0.3} _{-0.3}	...	7.2 ^{+1.1} _{-1.3}	...	2399.2 ^{+1.2} _{-0.6}	...	5.18 ^{+0.02} _{-0.02}	...	S
...	7345	4485	125	2456756.786	-8.99	72	-0.1 ^{+0.3} _{-0.3}	...	7.0 ^{+1.5} _{-1.3}	...	2399.3 ^{+0.7} _{-0.5}	...	5.25 ^{+0.04} _{-0.03}	...	S
2M1303+2737	10774	5727	30	2458230.706	-11.86	33	-21.5 ^{+0.3} _{-0.3}	-20.9 ^{+0.3} _{-0.5}	9.0 ^{+1.0} _{-0.5}	< 10	2399.1 ^{+1.0} _{-0.6}	2399.2 ^{+0.5} _{-0.3}	5.1 ^{+0.03} _{-0.02}	5.14 ^{+0.02} _{-0.02}	S
...	10774	5727	30	2458234.815	-13.63	43	-20.3 ^{+0.4} _{-0.4}	...	9.0 ^{+1.0} _{-1.2}	...	2399.4 ^{+0.8} _{-0.4}	...	5.38 ^{+0.06} _{-0.06}	...	S
...	10774	5727	19	2458268.703	-22.86	41	-21.1 ^{+0.3} _{-0.3}	...	7.1 ^{+1.0} _{-1.2}	...	2398.9 ^{+1.2} _{-0.8}	...	5.17 ^{+0.04} _{-0.04}	...	S
2M1304+5005	11018	2522	32	2458602.731	-14.40	82	0.4 ^{+0.2} _{-0.3}	0.5 ^{+0.3} _{-0.4}	27.3 ^{+1.0} _{-1.0}	26.6 ^{+1.0} _{-1.0}	2399.5 ^{+0.6} _{-0.4}	2399.4 ^{+0.5} _{-0.3}	5.44 ^{+0.01} _{-0.01}	5.3 ^{+0.01} _{-0.01}	B
...	11830	2664	26	2458609.766	-15.79	64	0.5 ^{+0.3} _{-0.3}	...	23.3 ^{+1.0} _{-1.0}	...	2398.8 ^{+1.7} _{-0.9}	...	5.1 ^{+0.01} _{-0.02}	...	B
...	11830	2664	26	2458610.687	-15.83	54	0.5 ^{+0.2} _{-0.2}	...	26.9 ^{+1.5} _{-1.0}	...	2399.4 ^{+1.1} _{-0.4}	...	5.13 ^{+0.02} _{-0.02}	...	S
2M1311+7123	8913	5181	11	2457445.846	-4.36	15	-3.7 ^{+0.4} _{-0.4}	-1.8 ^{+0.3} _{-0.4}	37.7 ^{+3.0} _{-1.9}	35.9 ^{+1.0} _{-1.1}	2926.3 ^{+16.9} _{-17.6}	2961.6 ^{+3.4} _{-3.2}	4.71 ^{+0.06} _{-0.05}	5.21 ^{+0.01} _{-0.01}	B
...	8913	5181	113	2457448.840	-4.96	13	-1.4 ^{+0.7} _{-0.3}	-1.4 ^{+0.7} _{-0.3}	28.9 ^{+1.5} _{-1.5}	...	3051.7 ^{+12.3} _{-8.7}	...	5.47 ^{+0.02} _{-0.02}	...	B
...	8913	5181	11	2457463.788	-7.72	14	-1.3 ^{+0.6} _{-0.8}	...	37.1 ^{+1.6} _{-2.0}	...	2899.5 ^{+12.8} _{-8.9}	...	5.29 ^{+0.04} _{-0.03}	...	B
...	8913	5181	11	2457493.689	-11.43	15	-3.2 ^{+1.4} _{-0.4}	...	38.7 ^{+1.8} _{-1.3}	...	2816.5 ^{+11.4} _{-25.3}	...	4.98 ^{+0.03} _{-0.02}	...	B
...	9012	5181	9	2457497.758	-11.77	16	-4.6 ^{+0.3} _{-0.7}	...	39.8 ^{+1.7} _{-1.7}	...	2902.8 ^{+17.2} _{-17.3}	...	4.82 ^{+0.05} _{-0.05}	...	B
...	9012	5181	58	2457503.703	-12.05	13	-4.5 ^{+0.4} _{-0.6}	...	31.7 ^{+1.5} _{-1.6}	...	3076.3 ^{+10.9} _{-14.3}	...	5.47 ^{+0.04} _{-0.02}	...	B
...	9012	5181	106	2457522.629	-12.19	14	-1.8 ^{+1.6} _{-0.4}	...	29.9 ^{+1.6} _{-1.6}	...	3056.5 ^{+9.2} _{-9.7}	...	5.48 ^{+0.03} _{-0.03}	...	B
...	9012	5181	112	2457529.620	-11.93	10	0.9 ^{+0.9} _{-0.4}	...	35.2 ^{+1.5} _{-1.8}	...	2884.3 ^{+37.9} _{-12.0}	...	5.44 ^{+0.17} _{-0.04}	...	B
...	9067	5181	11	2457795.965	-1.21	15	-0.9 ^{+0.2} _{-0.3}	...	40.7 ^{+1.1} _{-1.8}	...	2833.3 ^{+14.8} _{-16.0}	...	4.99 ^{+0.06} _{-0.06}	...	B
...	9067	5181	11	2457801.949	-2.50	15	-1.2 ^{+1.4} _{-0.5}	...	35.0 ^{+2.3} _{-2.1}	...	2857.2 ^{+23.7} _{-34.9}	...	5.04 ^{+0.05} _{-0.13}	...	B
...	9067	5181	8	2457819.881	-6.13	14	-2.5 ^{+0.7} _{-1.2}	...	35.0 ^{+1.3} _{-1.5}	...	2854.6 ^{+11.0} _{-16.6}	...	4.78 ^{+0.03} _{-0.03}	...	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)			
...	9068	5181	11	2457820.885	-6.33	15	0.1 ^{+0.5} _{-0.5}	...	30.5 ^{+1.4} _{-1.7}	...	3044.4 ^{+17.2} _{-8.7}	...	5.4 ^{+0.06} _{-0.04}	...	B	
...	9067	5181	8	2457820.927	-6.37	11	-2.0 ^{+0.4} _{-0.4}	...	35.1 ^{+1.9} _{-1.8}	...	2838.0 ^{+16.5} _{-15.0}	...	4.99 ^{+0.03} _{-0.03}	...	B	
...	9068	5181	8	2457827.854	-7.55	15	-4.9 ^{+1.6} _{-0.5}	...	42.1 ^{+2.1} _{-2.2}	...	2904.1 ^{+10.1} _{-11.9}	...	4.61 ^{+0.06} _{-0.04}	...	B	
...	9068	5181	11	2457831.885	-8.25	12	-2.5 ^{+0.4} _{-0.4}	...	31.2 ^{+2.1} _{-2.0}	...	3053.3 ^{+12.3} _{-10.2}	...	5.34 ^{+0.06} _{-0.05}	...	B	
2M1313+0119	12514	2815	25	2458906.898	18.87	41	-7.3 ^{+0.4} _{-0.4}	9.1 ^{+1.4} _{-1.0}	< 10	3047.6 ^{+9.7} _{-12.7}	3047.6 ^{+9.7} _{-12.7}	5.44 ^{+0.04} _{-0.03}	5.44 ^{+0.04} _{-0.03}	B		
2M1325+3314	8444	2161	233	2457863.729	-9.56	25	-40.9 ^{+2.0} _{-1.9}	-41.3 ^{+0.3} _{-0.5}	75.9 ^{+2.0} _{-2.0}	22.1 ^{+1.2} _{-1.1}	2905.3 ^{+15.6} _{-13.0}	2994.6 ^{+5.7} _{-6.3}	4.72 ^{+0.03} _{-0.05}	5.24 ^{+0.03} _{-0.02}	B	
...	8444	2161	233	2457867.857	-11.29	23	-40.2 ^{+0.3} _{-0.3}	49.5 ^{+2.0} _{-2.3}	...	2898.9 ^{+17.6} _{-13.6}	...	4.83 ^{+0.08} _{-0.05}	...	B		
...	8444	2161	233	2457874.821	-13.58	29	-41.5 ^{+0.2} _{-0.2}	16.1 ^{+1.3} _{-1.0}	...	3040.5 ^{+6.5} _{-8.1}	...	5.45 ^{+0.03} _{-0.03}	...	B		
2M1330+7305	8913	5181	265	2457493.689	-10.74	11	-11.1 ^{+0.5} _{-0.5}	-11.1 ^{+0.5} _{-0.5}	26.0 ^{+1.1} _{-1.2}	3094.9 ^{+13.1} _{-10.0}	3087.8 ^{+4.5} _{-4.6}	5.48 ^{+0.02} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B		
...	9067	5181	265	2457795.965	-1.63	11	-11.2 ^{+1.4} _{-0.4}	...	25.7 ^{+1.6} _{-1.6}	...	3069.8 ^{+12.9} _{-18.4}	...	5.49 ^{+0.02} _{-0.01}	...	B	
...	9067	5181	265	2457801.949	-2.82	11	-10.5 ^{+1.3} _{-0.6}	...	25.9 ^{+1.4} _{-1.5}	...	3091.6 ^{+15.5} _{-9.7}	...	5.47 ^{+0.04} _{-0.02}	...	B	
...	9068	5181	270	2457820.885	-6.29	12	-12.0 ^{+1.1} _{-0.6}	24.9 ^{+1.6} _{-1.6}	...	3099.4 ^{+6.8} _{-8.0}	...	5.42 ^{+0.05} _{-0.02}	...	B		
...	9068	5181	265	2457827.854	-7.39	10	-9.4 ^{+1.5} _{-0.4}	...	25.6 ^{+1.2} _{-1.5}	...	3065.0 ^{+9.1} _{-11.9}	...	5.49 ^{+0.02} _{-0.01}	...	B	
...	2M1330+7202	8913	5181	152	2457445.846	-4.07	13	-7.9 ^{+0.5} _{-0.5}	-8.7 ^{+0.3} _{-0.4}	7.4 ^{+1.2} _{-1.3}	11.0 ^{+1.0} _{-1.1}	3118.8 ^{+9.0} _{-11.0}	3115.8 ^{+2.6} _{-2.8}	5.46 ^{+0.03} _{-0.03}	5.49 ^{+0.0} _{-0.0}	B
...	8913	5181	152	2457448.840	-4.64	10	-7.2 ^{+0.4} _{-0.3}	10.1 ^{+1.7} _{-1.7}	...	3145.5 ^{+19.3} _{-19.1}	...	5.49 ^{+0.02} _{-0.01}	...	B		
...	8913	5181	155	2457463.788	-7.21	14	-8.4 ^{+0.4} _{-0.3}	12.0 ^{+1.6} _{-1.6}	...	3117.8 ^{+12.3} _{-12.4}	...	5.48 ^{+0.03} _{-0.01}	...	B		
...	8913	5181	206	2457493.689	-10.69	16	-8.6 ^{+0.3} _{-0.3}	8.7 ^{+1.6} _{-1.2}	...	3133.3 ^{+14.1} _{-15.0}	...	5.46 ^{+0.04} _{-0.03}	...	B		
...	9012	5181	90	2457497.758	-11.01	15	-8.9 ^{+0.3} _{-0.3}	14.0 ^{+1.7} _{-1.7}	...	3102.3 ^{+6.9} _{-7.2}	...	5.49 ^{+0.02} _{-0.01}	...	B		
...	9012	5181	156	2457503.703	-11.27	11	-9.8 ^{+0.3} _{-0.3}	13.3 ^{+1.8} _{-1.6}	...	3123.0 ^{+15.9} _{-17.0}	...	5.49 ^{+0.01} _{-0.01}	...	B		
...	9012	5181	157	2457522.629	-11.40	13	-8.2 ^{+0.4} _{-0.4}	9.0 ^{+1.1} _{-1.2}	...	3119.7 ^{+9.9} _{-13.2}	...	5.49 ^{+0.01} _{-0.01}	...	B		
...	9067	5181	152	2457795.965	-1.12	14	-8.4 ^{+0.5} _{-0.5}	12.7 ^{+1.1} _{-1.2}	...	3118.3 ^{+6.5} _{-6.8}	...	5.47 ^{+0.04} _{-0.02}	...	B		
...	9067	5181	161	2457801.949	-2.33	14	-7.5 ^{+0.5} _{-0.5}	10.9 ^{+1.4} _{-1.4}	...	3137.7 ^{+20.3} _{-21.6}	...	5.49 ^{+0.01} _{-0.01}	...	B		
...	9067	5181	152	2457819.881	-5.73	14	-8.3 ^{+0.6} _{-0.6}	10.9 ^{+1.2} _{-1.2}	...	3102.8 ^{+7.9} _{-10.7}	...	5.46 ^{+0.04} _{-0.01}	...	B		
...	9068	5181	62	2457820.885	-5.91	16	-8.9 ^{+0.2} _{-0.2}	12.8 ^{+1.1} _{-1.4}	...	3112.3 ^{+8.5} _{-7.2}	...	5.49 ^{+0.01} _{-0.01}	...	B		
...	9067	5181	152	2457820.927	-5.95	10	-8.3 ^{+0.6} _{-0.6}	12.0 ^{+1.6} _{-1.4}	...	3138.1 ^{+11.4} _{-16.8}	...	5.48 ^{+0.03} _{-0.01}	...	B		
...	9068	5181	68	2457827.854	-7.06	16	-8.7 ^{+0.3} _{-0.3}	10.6 ^{+1.4} _{-1.3}	...	3108.5 ^{+7.6} _{-9.0}	...	5.49 ^{+0.01} _{-0.01}	...	B		
...	9068	5181	80	2457831.885	-7.72	11	-8.6 ^{+0.8} _{-0.7}	11.7 ^{+2.2} _{-1.5}	...	3129.0 ^{+10.4} _{-12.4}	...	5.49 ^{+0.02} _{-0.02}	...	B		
...	11734	6020	118	2458620.525	-9.11	17	8.9 ^{+0.3} _{-0.4}	52.2 ^{+1.8} _{-2.0}	...	2981.5 ^{+9.4} _{-11.6}	...	4.77 ^{+0.04} _{-0.04}	...	B		
...	11735	6020	119	2458644.459	-18.39	20	7.8 ^{+1.0} _{-1.1}	47.6 ^{+1.7} _{-1.1}	...	2968.2 ^{+12.3} _{-13.1}	...	4.59 ^{+0.05} _{-0.05}	...	B		
2M1338+2723	8952	2313	230	2457454.926	10.31	106	-11.8 ^{+0.2} _{-0.3}	-11.8 ^{+0.3} _{-0.3}	4.4 ^{+1.4} _{-1.5}	< 10	3476.3 ^{+5.3} _{-7.2}	3476.3 ^{+5.3} _{-7.2}	5.28 ^{+0.02} _{-0.03}	5.28 ^{+0.02} _{-0.03}	B	
2M1339+1627	10714	5732	274	2458238.658	-4.94	17	43.0 ^{+0.3} _{-0.3}	42.8 ^{+0.3} _{-0.3}	10.9 ^{+1.1} _{-1.1}	10.3 ^{+1.0} _{-1.1}	3167.6 ^{+4.6} _{-2.6}	3189.2 ^{+2.4} _{-3.3}	5.47 ^{+0.01} _{-0.01}	5.48 ^{+0.01} _{-0.01}	B	
...	10714	5732	286	2458266.525	-17.40	20	43.9 ^{+0.3} _{-0.3}	10.1 ^{+1.7} _{-1.3}	...	3198.3 ^{+8.3} _{-9.5}	...	5.4 ^{+0.04} _{-0.05}	...	B		
...	10714	5732	279	2458270.599	-19.16	13	43.1 ^{+0.4} _{-0.3}	11.1 ^{+1.2} _{-1.3}	...	3162.0 ^{+14.3} _{-14.3}	...	5.49 ^{+0.01} _{-0.01}	...	B		

Table A2 continued

Table A2 (*continued*)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	10715	5732	280	2458271.582	-19.48	21	42.3 ^{+0.2} _{-0.3}	...	8.9 ^{+1.3} _{-1.5}	...	3216.8 ^{+12.1} _{-11.4}	...	5.46 ^{+0.04}	...	B
...	10714	5732	291	2458273.581	-20.22	24	42.3 ^{+0.3} _{-0.8}	...	9.4 ^{+1.2} _{-1.2}	...	3186.4 ^{+8.1} _{-13.0}	...	5.47 ^{+0.02}	...	B
...	10715	5732	274	2458274.584	-20.59	17	43.1 ^{+0.3} _{-0.4}	...	12.7 ^{+1.1} _{-1.2}	...	3165.2 ^{+8.6} _{-11.7}	...	5.47 ^{+0.02}	...	B
...	10714	5732	292	2458294.528	-26.25	20	42.8 ^{+0.3} _{-0.2}	...	7.4 ^{+1.1} _{-1.2}	...	3229.2 ^{+7.2} _{-6.8}	...	5.46 ^{+0.02}	...	B
...	10715	5732	273	2458295.543	-26.51	21	43.1 ^{+0.3} _{-0.3}	...	6.8 ^{+1.9} _{-1.3}	...	3208.0 ^{+13.0} _{-11.9}	...	5.48 ^{+0.03}	...	B
...	10714	5732	285	2458297.486	-26.76	17	42.3 ^{+0.3} _{-0.3}	...	11.5 ^{+1.4} _{-1.6}	...	3186.6 ^{+21.4} _{-18.1}	...	5.48 ^{+0.02}	...	B
...	10715	5732	279	2458299.579	-27.38	12	42.0 ^{+0.4} _{-0.4}	...	11.4 ^{+1.3} _{-1.2}	...	3172.2 ^{+15.6} _{-14.3}	...	5.47 ^{+0.03}	...	B
...	10715	5732	279	2458331.455	-28.86	15	42.0 ^{+0.3} _{-0.3}	...	9.9 ^{+1.6} _{-1.4}	...	3196.3 ^{+8.0} _{-11.6}	...	5.45 ^{+0.04}	...	B
...	10715	5732	279	2458561.752	15.74	14	42.9 ^{+0.3} _{-0.2}	...	10.3 ^{+1.7} _{-1.5}	...	3205.8 ^{+10.3} _{-7.9}	...	5.49 ^{+0.01}	...	B
2M1339-1543	10715	5732	209	2458271.582	-19.56	34	1.7 ^{+0.4} _{-0.3}	2.0 ^{+0.3} _{-0.4}	17.2 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.32 ^{+0.01}	4.21 ^{+0.01}	4.21 ^{+0.01}
...	10715	5732	179	2458274.584	-20.66	28	2.6 ^{+0.3} _{-0.3}	...	16.0 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.4} _{-0.3}	...	4.37 ^{+0.02}
...	10715	5732	179	2458295.543	-26.57	29	2.0 ^{+0.4} _{-0.4}	...	21.5 ^{+2.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.7}	...	3.89 ^{+0.03}
...	10715	5732	176	2458299.579	-27.44	13	1.8 ^{+0.6} _{-0.4}	...	41.9 ^{+1.9} _{-2.5}	...	2399.0 ^{+1.4} _{-0.8}	...	3.53 ^{+0.02}
...	10715	5732	176	2458331.455	-28.88	20	2.7 ^{+0.5} _{-0.5}	...	29.2 ^{+1.0} _{-1.9}	...	2399.3 ^{+1.0} _{-0.4}	...	4.02 ^{+0.05}
...	10715	5732	179	2458561.752	15.70	31	1.6 ^{+0.3} _{-0.3}	...	16.0 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	4.36 ^{+0.04}
2M1341-1620	10716	5732	185	2458272.587	-19.68	33	5.9 ^{+0.3} _{-0.4}	5.9 ^{+0.3} _{-0.4}	20.6 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.4}	...	4.67 ^{+0.03}	4.79 ^{+0.01}	4.67 ^{+0.03}
...	10716	5732	236	2458275.583	-20.76	30	5.5 ^{+0.3} _{-0.4}	...	21.6 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.4} _{-0.3}	...	4.65 ^{+0.02}
...	10716	5732	236	2458296.532	-26.59	31	6.4 ^{+0.2} _{-0.2}	...	19.7 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.81 ^{+0.04}
...	10716	5732	185	2458562.689	15.70	25	4.7 ^{+0.3} _{-0.3}	...	21.6 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.4}	...	4.67 ^{+0.03}
...	10717	5732	191	2458563.682	15.27	32	5.1 ^{+0.3} _{-0.4}	...	19.7 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	4.89 ^{+0.02}
...	10716	5732	185	2458566.666	13.94	32	5.7 ^{+0.3} _{-0.3}	...	19.8 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.4}	...	4.85 ^{+0.02}
...	10716	5732	236	2458590.609	2.19	21	8.0 ^{+0.3} _{-0.2}	...	19.9 ^{+1.0} _{-1.0}	...	2399.2 ^{+1.1} _{-0.6}	...	4.86 ^{+0.03}
...	10717	5732	239	2458591.610	1.68	30	6.8 ^{+0.3} _{-0.3}	...	18.2 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.8} _{-0.3}	...	5.12 ^{+0.03}
...	10717	5732	185	2458594.648	0.05	34	6.6 ^{+0.3} _{-0.2}	...	19.7 ^{+1.0} _{-1.0}	...	2399.7 ^{+0.5} _{-0.2}	...	4.83 ^{+0.02}
...	10717	5732	233	2458597.601	-1.35	15	6.7 ^{+0.3} _{-0.3}	...	24.1 ^{+1.1} _{-1.7}	...	2399.3 ^{+1.2} _{-0.5}	...	4.57 ^{+0.03}
...	10717	5732	191	2458616.584	-10.68	30	3.7 ^{+0.2} _{-0.2}	...	21.6 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.6} _{-0.3}	...	4.8 ^{+0.04}
...	10717	5732	239	2458619.597	-12.11	20	4.0 ^{+0.3} _{-0.3}	...	23.5 ^{+1.0} _{-1.3}	...	2399.4 ^{+0.8} _{-0.4}	...	4.69 ^{+0.02}
...	10717	5732	4500	2456410.768	-11.40	34	-15.1 ^{+0.3} _{-0.3}	-15.0 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.1}	...	2399.4 ^{+0.8} _{-0.4}	...	4.84 ^{+0.02}	4.76 ^{+0.01}	4.76 ^{+0.01}
...	6767	4500	176	2456432.697	-14.11	23	-14.4 ^{+0.4} _{-0.3}	...	12.3 ^{+1.9} _{-1.9}	...	2399.3 ^{+0.9} _{-0.5}	...	4.62 ^{+0.03}
...	6767	4500	173	2456438.694	-14.53	35	-15.7 ^{+0.3} _{-0.3}	...	10.5 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.7} _{-0.3}	...	4.71 ^{+0.02}
2M1344+5625	6767	4500	176	2456238.658	-4.42	16	34.1 ^{+0.5} _{-0.3}	33.0 ^{+0.3} _{-0.4}	14.8 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.4}	...	4.51 ^{+0.01}	4.66 ^{+0.02}	4.51 ^{+0.01}
...	10714	5732	148	2458266.525	-16.99	22	33.2 ^{+0.4} _{-0.3}	...	8.6 ^{+1.0} _{-1.8}	...	2399.4 ^{+0.8} _{-0.5}	...	4.66 ^{+0.03}
...	10714	5732	147	2458270.599	-18.77	15	32.3 ^{+0.2} _{-0.3}	...	7.1 ^{+1.0} _{-1.2}	...	2399.1 ^{+1.1} _{-0.7}	...	4.48 ^{+0.06}
...	10715	5732	148	2458271.582	-19.11	24	32.9 ^{+0.3} _{-0.3}	...	8.6 ^{+1.0} _{-1.4}	...	2399.4 ^{+0.8} _{-0.4}	...	4.69 ^{+0.02}
...	10714	5732	147	2458273.581	-19.85	24	33.3 ^{+0.3} _{-0.5}	...	12.2 ^{+2.0} _{-1.0}	...	2399.5 ^{+0.8} _{-0.4}	...	4.65 ^{+0.03}
...	10715	5732	148	2458274.584	-20.23	15	35.0 ^{+0.3} _{-0.4}	...	17.9 ^{+1.0} _{-1.0}	...	2399.2 ^{+0.9} _{-0.6}	...	4.18 ^{+0.03}

Table A2 *continued*

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
...	10714	5732	100	2458294.528	-26.05	15	35.2 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.2}	...	2399.4 ^{+0.8} _{-0.4}	...	4.57 ^{+0.03} _{-0.03}	...	S
...	10715	5732	100	2458295.543	-26.31	14	35.0 ^{+0.4} _{-0.6}	...	16.9 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.7} _{-0.3}	...	4.39 ^{+0.03} _{-0.03}	...	S
...	10714	5732	147	2458297.486	-26.58	18	35.1 ^{+0.4} _{-0.3}	...	16.9 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	4.35 ^{+0.04} _{-0.03}	...	S
...	10715	5732	148	2458299.579	-27.22	10	34.7 ^{+0.4} _{-0.4}	...	20.2 ^{+1.1} _{-1.4}	...	2399.3 ^{+0.8} _{-0.5}	...	4.14 ^{+0.05} _{-0.03}	...	S
...	10715	5732	148	2458331.455	-28.98	15	34.2 ^{+0.3} _{-0.3}	...	16.4 ^{+1.2} _{-1.1}	...	2399.2 ^{+1.0} _{-0.5}	...	4.37 ^{+0.02} _{-0.03}	...	S
...	10715	5732	99	2458561.752	16.23	14	29.7 ^{+0.2} _{-0.3}	...	17.9 ^{+1.0} _{-1.0}	...	2399.4 ^{+1.0} _{-0.5}	...	4.54 ^{+0.03} _{-0.03}	...	S
2M1345-0057	8266	5121	141	2457058.007	28.00	14	-6.6 ^{+0.5} _{-0.4}	-5.3 ^{+0.3} _{-0.4}	31.4 ^{+1.5} _{-1.6}	28.8 ^{+1.0} _{-1.1}	3078.2 ^{+12.3} _{-10.9}	3091.0 ^{+2.5} _{-2.5}	5.39 ^{+0.04} _{-0.06}	5.45 ^{+0.01} _{-0.01}	B
...	8266	5121	135	2457060.971	27.49	15	-7.6 ^{+1.4} _{-0.8}	...	28.8 ^{+3.4} _{-2.5}	...	3091.5 ^{+7.7} _{-8.9}	...	5.47 ^{+0.03} _{-0.02}	...	B
...	8266	5121	142	2457092.891	17.15	18	-5.4 ^{+0.2} _{-0.3}	...	12.2 ^{+1.9} _{-1.2}	...	3079.7 ^{+11.3} _{-9.2}	...	5.46 ^{+0.05} _{-0.03}	...	B
...	8267	5121	99	2457093.913	16.66	16	-5.7 ^{+0.3} _{-0.3}	...	9.2 ^{+1.1} _{-1.3}	...	3074.8 ^{+8.5} _{-8.1}	...	5.44 ^{+0.03} _{-0.03}	...	B
...	8266	5121	142	2457110.844	8.91	15	-4.3 ^{+0.4} _{-0.3}	...	14.4 ^{+1.2} _{-1.3}	...	3086.6 ^{+11.8} _{-9.8}	...	5.43 ^{+0.08} _{-0.06}	...	B
...	8266	5121	33	2457113.869	7.35	15	-3.2 ^{+0.3} _{-0.3}	...	17.6 ^{+1.3} _{-1.3}	...	3090.0 ^{+5.9} _{-5.9}	...	5.45 ^{+0.04} _{-0.06}	...	B
...	8267	5121	141	2457114.854	6.89	16	-4.3 ^{+0.4} _{-0.4}	...	19.4 ^{+1.6} _{-1.5}	...	3092.0 ^{+12.1} _{-7.7}	...	5.47 ^{+0.03} _{-0.02}	...	B
...	8267	5121	135	2457123.840	2.40	15	-3.7 ^{+0.6} _{-0.4}	...	23.7 ^{+1.3} _{-1.4}	...	3094.9 ^{+15.0} _{-11.7}	...	5.35 ^{+0.05} _{-0.04}	...	B
...	8267	5121	136	2457137.790	-4.57	12	-3.5 ^{+1.4} _{-0.3}	...	25.7 ^{+1.1} _{-1.3}	...	3097.9 ^{+9.5} _{-7.5}	...	5.42 ^{+0.03} _{-0.04}	...	B
...	8581	5121	40	2457142.796	-7.05	14	-5.5 ^{+0.3} _{-0.3}	...	29.8 ^{+1.5} _{-2.0}	...	3088.0 ^{+12.2} _{-8.8}	...	5.47 ^{+0.04} _{-0.03}	...	B
...	9685	5121	34	2457823.976	16.70	11	-9.3 ^{+0.3} _{-0.3}	...	22.7 ^{+1.3} _{-1.2}	...	3191.9 ^{+14.8} _{-11.0}	...	5.25 ^{+0.07} _{-0.06}	...	B
...	9685	5121	142	2457849.892	4.53	10	-4.7 ^{+0.3} _{-0.5}	...	9.4 ^{+1.7} _{-1.9}	...	3084.3 ^{+12.9} _{-12.4}	...	5.47 ^{+0.04} _{-0.02}	...	B
...	9685	5121	142	2457876.802	-8.75	9	8.1 ^{+5.0} _{-5.1}	...	99.2 ^{+1.7} _{-1.7}	...	2837.2 ^{+32.6} _{-34.2}	...	4.96 ^{+0.11} _{-0.11}	...	B
...	9684	5121	141	2458176.962	21.63	10	-4.9 ^{+0.9} _{-1.6}	...	34.6 ^{+1.7} _{-2.0}	...	3091.5 ^{+12.5} _{-7.9}	...	5.48 ^{+0.04} _{-0.02}	...	B
...	9682	5692	4447	2456729.899	15.83	52	-22.3 ^{+0.4} _{-0.3}	-23.1 ^{+0.3} _{-0.4}	15.5 ^{+1.0} _{-1.0}	2399.5 ^{+0.6} _{-0.4}	2399.5 ^{+0.3} _{-0.2}	5.08 ^{+0.02} _{-0.02}	5.01 ^{+0.01} _{-0.01}	S	
...	5692	4447	2665	2456738.858	11.85	34	-23.5 ^{+0.3} _{-0.3}	...	14.3 ^{+1.0} _{-1.7}	...	2399.4 ^{+0.8} _{-0.4}	...	4.87 ^{+0.02} _{-0.02}	...	S
...	5692	4447	270	2456757.782	2.67	54	-23.2 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.8} _{-0.4}	...	4.99 ^{+0.05} _{-0.05}	...	S
...	5692	4447	2559	2456763.825	-0.48	56	-23.1 ^{+0.3} _{-0.2}	...	15.6 ^{+1.0} _{-1.0}	...	2399.6 ^{+0.6} _{-0.3}	...	5.1 ^{+0.03} _{-0.02}	...	S
...	2M1347+3813	8447	2164	2457134.794	-8.62	36	-37.4 ^{+0.3} _{-0.5}	-37.4 ^{+0.3} _{-0.5}	7.8 ^{+1.4} _{-1.4}	< 10	3147.4 ^{+5.1} _{-5.0}	3146.4 ^{+4.2} _{-3.4}	5.44 ^{+0.02} _{-0.02}	5.42 ^{+0.02} _{-0.02}	B
...	8447	2164	92	2457135.816	-9.00	39	-37.3 ^{+0.3} _{-0.3}	...	7.5 ^{+1.3} _{-1.4}	...	3147.9 ^{+8.9} _{-5.9}	...	5.39 ^{+0.03} _{-0.03}	...	B
...	8447	2164	92	2457137.838	-9.69	26	-37.1 ^{+0.4} _{-0.4}	...	8.8 ^{+1.8} _{-1.4}	...	3140.2 ^{+12.2} _{-8.2}	...	5.41 ^{+0.06} _{-0.06}	...	B
...	9882	2453	135	2458216.793	-0.75	134	-11.4 ^{+0.2} _{-0.2}	...	9.2 ^{+1.1} _{-1.0}	...	2399.4 ^{+0.7} _{-0.4}	...	4.88 ^{+0.02} _{-0.02}	...	S
...	2M1348+2336	8320	2130	2457153.714	-13.88	144	-10.8 ^{+0.2} _{-0.4}	-11.0 ^{+0.3} _{-0.4}	7.0 ^{+1.0} _{-1.0}	< 10	2399.5 ^{+0.6} _{-0.3}	2399.5 ^{+0.3} _{-0.2}	5.0 ^{+0.05} _{-0.04}	4.93 ^{+0.01} _{-0.01}	S
...	8320	2130	160	2457156.788	-15.12	44	-10.6 ^{+0.3} _{-0.2}	...	7.2 ^{+1.0} _{-1.2}	...	2399.4 ^{+1.1} _{-0.4}	...	5.01 ^{+0.06} _{-0.05}	...	S
...	8320	2130	160	2457159.800	-16.16	86	-11.0 ^{+0.2} _{-0.2}	...	8.3 ^{+1.0} _{-1.0}	...	2399.5 ^{+0.6} _{-0.4}	...	4.98 ^{+0.02} _{-0.02}	...	S
...	9882	2453	135	2458217.838	-9.69	26	-37.1 ^{+0.4} _{-0.3}	...	8.8 ^{+1.8} _{-1.4}	...	2399.4 ^{+0.7} _{-0.4}	...	4.88 ^{+0.02} _{-0.02}	...	S
...	11958	2720	239	2458878.007	28.36	49	-3.1 ^{+0.3} _{-0.4}	-2.1 ^{+0.3} _{-0.5}	79.8 ^{+2.0} _{-1.4}	78.3 ^{+1.1} _{-1.2}	2399.6 ^{+0.5} _{-0.3}	2399.4 ^{+0.3} _{-0.2}	4.34 ^{+0.01} _{-0.01}	4.45 ^{+0.01} _{-0.01}	S
...	11958	2720	239	245881.023	27.85	24	-5.7 ^{+0.4} _{-0.4}	...	81.8 ^{+2.2} _{-1.9}	...	2399.3 ^{+1.1} _{-0.5}	...	4.61 ^{+0.07} _{-0.05}	...	S
...	11958	2720	239	245881.998	27.74	18	-4.9 ^{+0.4} _{-0.4}	...	82.3 ^{+2.5} _{-1.9}	...	2399.2 ^{+1.1} _{-0.5}	...	4.33 ^{+0.04} _{-0.03}	...	S
...	11958	2720	185	2458904.892	21.92	50	-0.4 ^{+0.3} _{-0.2}	-0.4 ^{+0.3} _{-0.2}	76.4 ^{+1.2} _{-1.5}	...	2399.3 ^{+0.7} _{-0.5}	...	4.67 ^{+0.02} _{-0.03}	...	S
...	11958	2720	2558	2458878.007	28.35	32	-20.1 ^{+0.3} _{-0.4}	-20.1 ^{+0.3} _{-0.4}	7.9 ^{+1.4} _{-1.1}	< 10	3048.2 ^{+4.4} _{-4.2}	3031.2 ^{+3.6} _{-3.9}	5.38 ^{+0.02} _{-0.02}	5.27 ^{+0.02} _{-0.02}	B

Table A2 continued

Table A2 (*continued*)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	11958	2720	258	2455881.023	27.86	15	-19.4 ^{+1.3} _{-0.3}	...	8.2 ^{+1.6} _{-1.5}	...	3049.3 ^{+15.9} _{-21.5}	...	5.31 ^{+0.04} _{-0.05}	...	B
...	11958	2720	258	2458904.892	22.08	20	-20.1 ^{+0.4} _{-0.3}	...	10.8 ^{+1.1} _{-1.2}	...	2991.1 ^{+7.1} _{-11.0}	...	4.87 ^{+0.05} _{-0.05}	...	B
2M1354+2543	7344	4482	234	2456756.840	-1.11	64	-6.5 ^{+0.2} _{-0.2}	-6.6 ^{+0.3} _{-0.3}	9.6 ^{+1.4} _{-1.0}	< 10	3163.3 ^{+5.0} _{-8.0}	3176.2 ^{+1.9} _{-2.1}	5.42 ^{+0.02} _{-0.02}	5.39 ^{+0.01} _{-0.01}	B
...	7344	4482	216	2456761.816	-3.16	53	-7.0 ^{+0.2} _{-0.2}	...	9.9 ^{+1.5} _{-1.1}	...	3136.9 ^{+3.8} _{-4.7}	...	5.47 ^{+0.03} _{-0.01}	...	B
...	7344	4482	229	2456782.833	-11.57	64	-6.4 ^{+0.2} _{-0.2}	...	8.8 ^{+1.0} _{-1.0}	...	3177.1 ^{+4.1} _{-4.5}	...	5.41 ^{+0.02} _{-0.01}	...	B
...	8443	2160	168	2457809.011	15.99	25	-6.9 ^{+0.4} _{-0.3}	...	9.4 ^{+1.2} _{-1.2}	...	3204.3 ^{+4.7} _{-7.3}	...	5.31 ^{+0.04} _{-0.05}	...	B
...	8443	2160	168	2457809.976	15.73	54	-6.6 ^{+0.2} _{-0.2}	...	9.1 ^{+1.1} _{-1.1}	...	3198.8 ^{+3.2} _{-3.4}	...	5.22 ^{+0.02} _{-0.02}	...	B
2M1357+3415	6851	4483	269	2456380.896	1.43	34	-14.3 ^{+0.3} _{-0.2}	-14.0 ^{+0.3} _{-0.4}	11.9 ^{+1.6} _{-1.2}	< 10	3183.0 ^{+7.7} _{-5.9}	3183.2 ^{+3.0} _{-3.7}	5.31 ^{+0.04} _{-0.03}	5.42 ^{+0.02} _{-0.01}	B
...	6851	4483	266	2456405.735	-7.52	32	-14.7 ^{+0.3} _{-0.3}	...	9.9 ^{+1.5} _{-1.3}	...	3181.1 ^{+5.8} _{-7.6}	...	5.41 ^{+0.02} _{-0.03}	...	B
...	6851	4483	266	2456412.846	-10.16	36	-13.3 ^{+0.3} _{-0.2}	...	9.0 ^{+1.0} _{-1.3}	...	3185.7 ^{+8.0} _{-6.2}	...	5.47 ^{+0.03} _{-0.02}	...	B
2M1359+2514	7344	4482	79	2456756.840	-0.47	26	-32.3 ^{+0.2} _{-0.2}	-31.7 ^{+0.3} _{-0.4}	11.0 ^{+1.1} _{-1.2}	11.1 ^{+1.0} _{-1.2}	3085.2 ^{+3.8} _{-4.0}	3100.3 ^{+2.3} _{-2.3}	5.5 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
...	7344	4482	43	2456761.816	-2.52	19	-32.2 ^{+0.4} _{-0.4}	...	11.7 ^{+1.4} _{-1.2}	...	3134.8 ^{+7.1} _{-4.5}	...	5.48 ^{+0.03} _{-0.02}	...	B
...	7344	4482	43	2456782.833	-11.00	26	-31.2 ^{+0.2} _{-0.2}	...	10.8 ^{+1.2} _{-1.2}	...	3098.1 ^{+3.2} _{-3.7}	...	5.49 ^{+0.01} _{-0.01}	...	B
2M1400+1523	10896	5748	292	2458266.693	-18.30	17	-12.6 ^{+0.3} _{-0.3}	-12.7 ^{+0.3} _{-0.4}	12.1 ^{+1.5} _{-1.3}	13.6 ^{+1.0} _{-1.1}	3124.9 ^{+9.8} _{-15.3}	3107.1 ^{+1.6} _{-1.8}	5.49 ^{+0.0} _{-0.0}	5.49 ^{+0.0} _{-0.0}	B
...	10894	5748	291	2458267.777	-18.84	19	-12.7 ^{+0.6} _{-0.6}	...	11.2 ^{+1.3} _{-1.3}	...	3154.9 ^{+8.2} _{-10.3}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10897	5748	292	2458268.647	-18.82	19	-13.5 ^{+0.3} _{-0.3}	...	10.3 ^{+1.7} _{-1.4}	...	3114.2 ^{+4.6} _{-8.6}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10896	5748	243	2458269.632	-19.09	14	-12.0 ^{+0.4} _{-0.3}	...	14.1 ^{+1.6} _{-1.2}	...	3101.8 ^{+4.1} _{-7.4}	...	5.49 ^{+0.02} _{-0.01}	...	B
...	10894	5748	297	2458270.769	-19.76	18	-12.7 ^{+0.3} _{-0.3}	...	13.7 ^{+1.6} _{-1.2}	...	3128.2 ^{+13.7} _{-15.2}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10895	5748	197	2458291.652	-24.51	19	-13.0 ^{+0.5} _{-0.7}	...	14.3 ^{+1.2} _{-1.3}	...	3097.0 ^{+12.8} _{-5.5}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10896	5748	244	2458292.661	-24.70	17	-12.6 ^{+0.8} _{-0.6}	...	13.0 ^{+1.2} _{-1.4}	...	3098.2 ^{+6.7} _{-4.7}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10894	5748	291	2458292.717	-24.83	19	-12.1 ^{+0.3} _{-0.3}	...	14.2 ^{+1.2} _{-1.2}	...	3100.2 ^{+4.9} _{-4.3}	...	5.5 ^{+0.01} _{-0.01}	...	B
...	10894	5748	291	2458295.701	-25.25	16	-13.7 ^{+0.3} _{-0.3}	...	14.4 ^{+1.1} _{-1.2}	...	3131.8 ^{+7.0} _{-9.6}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10894	5748	291	2458565.916	9.50	18	-11.2 ^{+0.3} _{-0.3}	...	16.2 ^{+1.0} _{-1.2}	...	3121.0 ^{+7.8} _{-14.6}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10895	5748	209	2458592.851	-2.74	21	-12.6 ^{+0.4} _{-0.3}	...	10.9 ^{+1.4} _{-1.4}	...	3105.4 ^{+7.5} _{-8.6}	...	5.49 ^{+0.02} _{-0.01}	...	B
...	10894	5748	291	2458594.861	-3.68	21	-11.7 ^{+0.5} _{-0.5}	...	13.0 ^{+1.1} _{-1.4}	...	3136.1 ^{+9.9} _{-9.1}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10894	5748	291	2458598.848	-5.46	12	-13.1 ^{+0.5} _{-0.5}	...	13.6 ^{+1.4} _{-1.4}	...	3182.2 ^{+28.4} _{-16.4}	...	5.47 ^{+0.03} _{-0.02}	...	B
...	10895	5748	209	24585619.754	-14.09	14	-12.6 ^{+0.4} _{-0.6}	...	12.8 ^{+1.1} _{-1.2}	...	3109.2 ^{+8.2} _{-9.3}	...	5.48 ^{+0.02} _{-0.01}	...	B
...	10895	5748	200	2458029.635	-25.55	11	-13.2 ^{+0.5} _{-0.5}	...	12.4 ^{+1.4} _{-1.4}	...	3085.2 ^{+8.3} _{-9.3}	...	5.48 ^{+0.03} _{-0.01}	...	B
...	10896	5748	196	2458030.648	-25.69	21	-13.1 ^{+0.3} _{-0.3}	...	12.3 ^{+1.6} _{-1.3}	...	3096.7 ^{+5.1} _{-9.6}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	10895	5748	206	2458033.651	-25.99	20	-13.5 ^{+0.3} _{-0.3}	...	11.1 ^{+1.1} _{-1.6}	...	3095.6 ^{+4.6} _{-5.0}	...	5.49 ^{+0.01} _{-0.01}	...	B
2M1402+0214	6860	4516	39	2456349.971	22.51	53	-24.1 ^{+0.2} _{-0.3}	-24.8 ^{+0.3} _{-0.3}	9.2 ^{+1.1} _{-1.6}	10.5 ^{+1.0} _{-1.2}	3257.4 ^{+9.6} _{-6.6}	3272.3 ^{+3.4} _{-3.7}	5.33 ^{+0.03} _{-0.01}	5.35 ^{+0.01} _{-0.01}	B
...	6860	4516	51	2456353.939	21.22	60	-12.1 ^{+0.2} _{-0.3}	...	10.8 ^{+1.0} _{-1.1}	...	3281.9 ^{+25.1} _{-9.8}	...	5.38 ^{+0.04} _{-0.04}	...	B
...	6860	4516	52	2456376.851	11.82	62	-30.1 ^{+0.2} _{-0.2}	...	10.6 ^{+1.0} _{-1.2}	...	3278.3 ^{+6.7} _{-6.0}	...	5.35 ^{+0.02} _{-0.02}	...	B
2M1417+4954	9864	2435	116	2457891.688	-12.49	45	-10.8 ^{+0.4} _{-0.5}	-10.8 ^{+0.3} _{-0.5}	31.0 ^{+1.9} _{-1.0}	27.8 ^{+1.4} _{-1.0}	2399.4 ^{+0.6} _{-0.5}	2399.5 ^{+0.4} _{-0.2}	4.48 ^{+0.04} _{-0.1}	4.8 ^{+0.02} _{-0.03}	S
...	11827	2651	264	2458583.890	-4.39	59	-10.7 ^{+0.3} _{-0.3}	...	25.3 ^{+1.6} _{-1.0}	...	2399.6 ^{+0.5} _{-0.3}	...	4.87 ^{+0.02} _{-0.03}	...	S
2M1417+4935	8329	2139	176	2457072.985	10.83	37	-23.7 ^{+0.4} _{-1.7}	-22.4 ^{+0.3} _{-0.7}	74.2 ^{+1.6} _{-1.8}	72.9 ^{+1.1} _{-1.2}	2886.6 ^{+11.2} _{-8.3}	2913.6 ^{+5.1} _{-4.6}	4.56 ^{+0.01} _{-0.04}	4.52 ^{+0.01} _{-0.01}	B

Table A2 *continued*

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	8329	2139	176	2457074.008	10.54	3.4	-21.8 ^{+0.8} _{-1.1}	...	68.8 ^{+1.6} _{-1.8}	...	2874.2 ^{+22.2} _{-14.0}	...	4.6 ^{+0.04} _{-0.06}	...	B
...	8329	2139	176	2457079.966	9.06	5.3	-20.8 ^{+0.3} _{-0.3}	...	70.8 ^{+1.7} _{-1.8}	...	2927.2 ^{+9.8} _{-8.0}	...	4.5 ^{+0.01} _{-0.01}	...	B
...	8329	2139	176	2457083.017	8.15	2.8	-19.8 ^{+1.8} _{-1.9}	...	79.7 ^{+2.7} _{-2.3}	...	2925.6 ^{+10.6} _{-14.9}	...	4.52 ^{+0.02} _{-0.02}	...	B
...	8326	2136	119	2457108.917	0.68	3.6	-23.6 ^{+1.6} _{-0.5}	...	75.4 ^{+2.2} _{-1.5}	...	2954.0 ^{+16.7} _{-17.1}	...	4.66 ^{+0.06} _{-0.07}	...	B
...	8326	2136	119	2457109.897	0.42	2.4	-25.2 ^{+1.5} _{-1.7}	...	72.2 ^{+1.9} _{-2.0}	...	2921.8 ^{+15.4} _{-16.2}	...	4.56 ^{+0.05} _{-0.04}	...	B
2M1423+5146	9864	2435	247	2457891.688	-11.93	63	28.5 ^{+0.3} _{-0.3}	11.1 ^{+1.0} _{-1.0}	11.1 ^{+1.0} _{-1.1}	2398.7 ^{+1.6} _{-1.1}	2398.7 ^{+1.6} _{-1.1}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	S	
2M1430+0858	5672	4436	191	2456439.692	-14.74	78	6.4 ^{+0.2} _{-0.2}	6.0 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.1}	< 10	2399.5 ^{+0.6} _{-0.4}	2399.5 ^{+0.6} _{-0.2}	5.34 ^{+0.01} _{-0.02}	5.35 ^{+0.01} _{-0.02}	S
...	5672	4436	230	2456461.665	-22.03	82	5.7 ^{+0.2} _{-0.2}	...	9.5 ^{+1.2} _{-1.1}	...	2399.5 ^{+0.8} _{-0.4}	...	5.37 ^{+0.03} _{-0.03}	...	S
...	5672	4436	182	2456468.649	-23.72	82	5.8 ^{+0.2} _{-0.2}	2.6 ^{+0.3} _{-0.5}	9.2 ^{+1.0} _{-1.0}	...	2399.4 ^{+0.6} _{-0.8}	...	5.37 ^{+0.02} _{-0.03}	...	S
2M1433+5041	9005	5186	209	2457498.739	-5.71	27	2.3 ^{+0.3} _{-0.3}	46.1 ^{+2.1} _{-2.5}	42.3 ^{+1.0} _{-1.2}	2926.1 ^{+21.4} _{-12.0}	2988.6 ^{+3.3} _{-3.6}	4.89 ^{+0.01} _{-0.05}	5.11 ^{+0.01} _{-0.01}	B	
...	9006	5186	161	2457499.883	-6.19	23	1.9 ^{+0.4} _{-0.4}	40.8 ^{+1.2} _{-1.7}	48.0 ^{+1.2} _{-1.7}	2890.1 ^{+14.4} _{-9.0}	...	4.82 ^{+0.04} _{-0.06}	...	B	
...	9006	5186	161	2457522.738	-10.67	16	2.0 ^{+1.5} _{-1.5}	35.2 ^{+1.9} _{-2.4}	3063.1 ^{+21.8} _{-9.9}	...	3063.1 ^{+21.8} _{-9.9}	...	5.47 ^{+0.06} _{-0.06}	...	B
...	9006	5186	209	2457524.644	-10.86	17	3.2 ^{+0.4} _{-0.6}	59.3 ^{+2.0} _{-1.9}	59.3 ^{+2.0} _{-1.9}	2900.3 ^{+9.5} _{-12.6}	...	4.69 ^{+0.03} _{-0.04}	...	B	
...	9005	5186	209	2457528.725	-11.63	17	4.7 ^{+1.1} _{-1.0}	49.2 ^{+2.6} _{-2.7}	49.2 ^{+2.6} _{-19.4}	2935.4 ^{+12.3} _{-19.4}	...	4.53 ^{+0.03} _{-0.06}	...	B	
...	9006	5186	209	2457529.774	-11.86	29	2.7 ^{+0.4} _{-0.4}	38.5 ^{+2.0} _{-2.0}	38.5 ^{+2.0} _{-1.5}	3055.8 ^{+6.7} _{-12.3}	...	5.38 ^{+0.05} _{-0.06}	...	B	
...	9006	5186	257	2457532.698	-12.16	27	4.3 ^{+0.5} _{-1.5}	34.7 ^{+1.7} _{-1.4}	34.7 ^{+1.7} _{-1.4}	3071.3 ^{+6.8} _{-6.3}	...	5.48 ^{+0.03} _{-0.02}	...	B	
...	9006	5186	209	2457553.647	-14.20	26	2.0 ^{+1.6} _{-0.3}	47.5 ^{+1.6} _{-2.0}	47.5 ^{+1.6} _{-2.0}	2902.9 ^{+8.7} _{-12.5}	...	4.75 ^{+0.03} _{-0.03}	...	B	
...	9006	5186	158	2457556.694	-14.43	14	2.0 ^{+0.4} _{-0.4}	45.9 ^{+1.8} _{-1.7}	45.9 ^{+1.8} _{-1.7}	2903.3 ^{+12.1} _{-25.0}	...	4.86 ^{+0.09} _{-0.09}	...	B	
2M1442+0629	11022	2526	252	2458630.680	-13.09	24	-0.6 ^{+1.9} _{-1.3}	79.8 ^{+2.6} _{-2.0}	81.6 ^{+2.3} _{-1.8}	2861.0 ^{+17.8} _{-11.1}	2858.2 ^{+14.4} _{-10.4}	4.8 ^{+0.07} _{-0.04}	4.85 ^{+0.06} _{-0.04}	B	
...	11022	2526	252	2458631.644	-13.41	13	2.2 ^{+2.2} _{-3.0}	89.1 ^{+4.8} _{-5.5}	...	2848.8 ^{+24.5} _{-24.5}	...	5.01 ^{+0.11} _{-0.08}	...	B	
2M1445+4502	6854	4498	113	2456378.907	2.79	61	-13.7 ^{+0.3} _{-0.3}	-13.2 ^{+0.3} _{-0.4}	23.7 ^{+1.0} _{-1.1}	3222.2 ^{+7.6} _{-7.1}	3208.9 ^{+2.7} _{-2.7}	5.22 ^{+0.03} _{-0.02}	5.27 ^{+0.02} _{-0.02}	B	
...	6854	4498	107	2456404.790	-4.32	64	-13.2 ^{+0.3} _{-0.4}	23.9 ^{+1.0} _{-1.3}	...	3203.2 ^{+3.7} _{-4.4}	...	5.05 ^{+0.05} _{-0.05}	...	B	
...	6854	4498	26	2456409.857	-5.79	42	-12.9 ^{+0.2} _{-0.2}	23.8 ^{+1.0} _{-1.4}	...	3210.2 ^{+4.5} _{-4.5}	...	5.45 ^{+0.04} _{-0.04}	...	B	
2M1451+3337	9024	2355	47	2457833.854	9.16	46	-44.9 ^{+0.2} _{-0.2}	-44.7 ^{+0.3} _{-0.4}	5.8 ^{+1.2} _{-1.1}	< 10	3102.6 ^{+3.4} _{-6.0}	3111.9 ^{+2.2} _{-2.0}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
...	9024	2355	47	2457835.001	8.50	42	-44.9 ^{+0.2} _{-0.2}	...	8.6 ^{+1.3} _{-1.3}	...	3105.8 ^{+5.0} _{-4.7}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	9024	2355	47	2457837.983	7.55	50	-44.7 ^{+0.2} _{-0.3}	...	7.5 ^{+1.1} _{-1.1}	...	3121.7 ^{+5.6} _{-3.5}	...	5.49 ^{+0.01} _{-0.01}	...	B
...	9024	2355	47	2457839.005	7.17	25	-44.9 ^{+0.2} _{-0.3}	...	8.0 ^{+1.6} _{-1.5}	...	3114.4 ^{+6.8} _{-6.3}	...	5.48 ^{+0.02} _{-0.02}	...	B
...	9024	2355	47	2457839.979	6.89	52	-44.7 ^{+0.3} _{-0.3}	...	7.9 ^{+1.5} _{-1.1}	...	3115.1 ^{+6.2} _{-3.8}	...	5.48 ^{+0.02} _{-0.01}	...	B
2M1456+1755	6844	4494	160	2456432.761	-9.72	105	17.1 ^{+0.2} _{-0.3}	16.8 ^{+0.3} _{-0.4}	8.4 ^{+1.7} _{-1.3}	< 10	2399.4 ^{+0.7} _{-0.4}	2399.4 ^{+0.7} _{-0.3}	5.05 ^{+0.04} _{-0.07}	5.07 ^{+0.01} _{-0.01}	S
...	6844	4494	160	2456470.651	-21.24	126	16.6 ^{+0.3} _{-0.3}	...	6.9 ^{+1.0} _{-1.6}	...	2399.4 ^{+0.9} _{-0.5}	...	5.08 ^{+0.01} _{-0.02}	...	S
...	6844	4494	160	2456703.995	23.70	135	16.5 ^{+0.2} _{-0.2}	...	7.0 ^{+1.0} _{-1.5}	...	2399.3 ^{+0.8} _{-0.5}	...	5.05 ^{+0.03} _{-0.02}	...	S
2M1457+5639	8589	2219	215	2458577.960	-2.14	35	4.9 ^{+0.3} _{-0.2}	5.0 ^{+0.3} _{-0.4}	12.7 ^{+1.0} _{-1.4}	13.0 ^{+1.0} _{-1.1}	2399.0 ^{+2.1} _{-0.4}	2399.0 ^{+0.9} _{-0.4}	4.95 ^{+0.03} _{-0.01}	4.99 ^{+0.02} _{-0.01}	S
...	8589	2219	215	2458578.942	-2.32	41	5.1 ^{+0.2} _{-0.2}	...	12.6 ^{+1.0} _{-1.2}	...	2399.1 ^{+1.2} _{-1.2}	...	5.06 ^{+0.02} _{-0.02}	...	S
...	8589	2219	215	2458579.967	-2.55	36	5.5 ^{+0.3} _{-0.3}	...	13.4 ^{+1.4} _{-1.2}	...	2398.9 ^{+1.4} _{-0.6}	...	4.93 ^{+0.04} _{-0.02}	...	S
2M1503+2312	8914	5182	256	2457417.986	23.73	15	-4.0 ^{+0.3} _{-0.3}	-3.3 ^{+0.3} _{-0.3}	12.7 ^{+1.1} _{-1.3}	11.8 ^{+1.0} _{-1.0}	3090.7 ^{+11.1} _{-9.8}	3072.3 ^{+1.8} _{-1.8}	5.36 ^{+0.06} _{-0.05}	5.49 ^{+0.0} _{-0.0}	B
...	8914	5182	256	2457440.953	21.01	15	-3.5 ^{+0.3} _{-0.3}	...	10.0 ^{+1.6} _{-1.5}	...	3088.5 ^{+10.9} _{-7.0}	...	5.4 ^{+0.05} _{-0.04}	...	B

Table A2 continued

Table A2 (*continued*)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	8914	5182	256	2457444.946	20.18	23	-4.0 ^{+0.3} _{-0.3}	...	10.0 ^{+1.7} _{-1.3}	...	3086.4 ^{+7.4} _{-5.7}	...	5.49 ^{+0.01} _{-0.01}	...	B	
...	8914	5182	250	2457473.828	11.87	19	-3.5 ^{+0.3} _{-0.3}	...	11.4 ^{+1.3} _{-1.1}	...	3050.8 ^{+9.6} _{-14.6}	...	5.47 ^{+0.03} _{-0.02}	...	B	
...	8914	5182	243	2457476.824	10.80	15	-3.3 ^{+0.4} _{-0.3}	...	11.9 ^{+1.6} _{-1.4}	...	3047.7 ^{+9.0} _{-10.2}	...	5.47 ^{+0.03} _{-0.02}	...	B	
...	8915	5182	296	2457476.883	10.65	15	-2.4 ^{+0.3} _{-0.3}	...	12.6 ^{+1.0} _{-1.2}	...	3069.8 ^{+5.6} _{-11.7}	...	5.49 ^{+0.02} _{-0.01}	...	B	
...	8915	5182	251	2457497.809	2.68	13	-3.2 ^{+0.3} _{-0.3}	...	12.2 ^{+1.5} _{-1.4}	...	3061.0 ^{+8.7} _{-11.1}	...	5.38 ^{+0.03} _{-0.04}	...	B	
...	8915	5182	251	2457498.794	2.31	17	-2.8 ^{+0.3} _{-0.3}	...	8.8 ^{+1.2} _{-1.4}	...	3069.8 ^{+7.9} _{-8.6}	...	5.45 ^{+0.04} _{-0.03}	...	B	
...	8915	5182	251	2457524.741	-7.77	13	-4.2 ^{+0.3} _{-0.3}	...	11.2 ^{+1.3} _{-1.6}	...	3073.7 ^{+19.4} _{-9.1}	...	5.47 ^{+0.03} _{-0.02}	...	B	
...	8915	5182	251	2457529.703	-9.49	17	-2.5 ^{+0.3} _{-0.3}	...	13.3 ^{+1.4} _{-1.2}	...	3042.8 ^{+7.8} _{-8.9}	...	5.49 ^{+0.01} _{-0.01}	...	B	
...	9066	5182	251	2457552.641	-16.65	17	-2.1 ^{+0.8} _{-0.4}	...	13.3 ^{+1.2} _{-1.3}	...	2949.2 ^{+9.4} _{-18.8}	...	5.49 ^{+0.02} _{-0.01}	...	B	
...	9066	5182	251	2457554.649	-17.20	17	-2.5 ^{+0.3} _{-0.2}	...	10.9 ^{+1.1} _{-1.3}	...	3028.9 ^{+7.1} _{-9.1}	...	5.47 ^{+0.02} _{-0.02}	...	B	
...	9066	5182	242	2457556.649	-17.70	13	-3.1 ^{+0.2} _{-0.3}	...	9.6 ^{+1.2} _{-1.4}	...	3102.3 ^{+4.6} _{-5.6}	...	5.44 ^{+0.02} _{-0.02}	...	B	
...	9066	5182	251	2457559.645	-18.41	12	-2.3 ^{+0.3} _{-0.3}	...	14.5 ^{+1.3} _{-1.5}	...	3086.3 ^{+7.9} _{-7.8}	...	5.49 ^{+0.02} _{-0.02}	...	B	
...	9066	5182	257	2457765.045	23.12	10	-3.6 ^{+0.4} _{-0.4}	...	11.1 ^{+1.4} _{-1.9}	...	3092.0 ^{+15.8} _{-9.7}	...	5.49 ^{+0.02} _{-0.01}	...	B	
...	9010	5182	248	2457857.758	4.91	21	-3.5 ^{+0.3} _{-0.3}	...	10.2 ^{+1.7} _{-1.3}	...	3056.9 ^{+5.2} _{-5.9}	...	5.49 ^{+0.01} _{-0.01}	...	B	
...	9010	5182	251	2457878.684	-3.31	16	-3.3 ^{+0.2} _{-0.2}	...	9.8 ^{+1.4} _{-1.4}	...	3074.3 ^{+13.8} _{-23.6}	...	5.47 ^{+0.02} _{-0.02}	...	B	
...	9980	5182	250	2457908.702	-14.11	16	-3.4 ^{+0.4} _{-0.5}	...	12.7 ^{+1.5} _{-1.7}	...	3071.9 ^{+10.0} _{-9.4}	...	5.49 ^{+0.02} _{-0.02}	...	B	
...	9980	5182	291	2457916.758	-16.59	17	-3.1 ^{+0.3} _{-0.3}	...	12.6 ^{+1.4} _{-1.3}	...	3096.2 ^{+7.7} _{-4.6}	...	5.49 ^{+0.01} _{-0.01}	...	B	
...	9980	5182	250	2457935.649	-20.63	12	-4.1 ^{+0.4} _{-0.4}	...	14.5 ^{+1.5} _{-1.2}	...	3076.1 ^{+11.7} _{-8.4}	...	5.49 ^{+0.02} _{-0.01}	...	B	
...	2M1503+2114	8914	5182	89	2457417.986	24.35	16	-10.9 ^{+0.4} _{-0.4}	-11.9 ^{+0.3} _{-0.4}	43.5 ^{+1.6} _{-1.6}	40.2 ^{+1.0} _{-1.1}	3068.7 ^{+16.0} _{-16.0}	3053.5 ^{+2.6} _{-3.3}	5.29 ^{+0.04} _{-0.01}	5.21 ^{+0.01} _{-0.01}	B
...	8914	5182	80	2457440.953	21.70	16	-10.8 ^{+0.8} _{-1.1}	...	37.2 ^{+2.1} _{-5.3}	...	3049.3 ^{+8.8} _{-16.5}	...	5.23 ^{+0.35} _{-0.06}	...	B	
...	8914	5182	35	2457444.946	20.88	18	-10.7 ^{+0.8} _{-0.6}	...	35.1 ^{+1.9} _{-2.0}	...	3097.7 ^{+10.0} _{-7.6}	...	5.22 ^{+0.06} _{-0.04}	...	B	
...	8914	5182	32	2457449.947	19.70	11	-12.3 ^{+1.1} _{-1.7}	...	44.3 ^{+2.9} _{-3.3}	...	3100.0 ^{+38.3} _{-27.6}	...	5.1 ^{+0.25} _{-0.18}	...	B	
...	8914	5182	83	2457473.828	12.47	18	-11.3 ^{+0.3} _{-0.7}	...	36.8 ^{+1.6} _{-1.9}	...	3082.2 ^{+7.9} _{-12.2}	...	5.39 ^{+0.05} _{-0.05}	...	B	
...	8914	5182	38	2457476.824	11.39	13	-9.7 ^{+1.8} _{-0.5}	...	39.3 ^{+2.0} _{-2.7}	...	3066.0 ^{+30.2} _{-18.5}	...	5.23 ^{+0.06} _{-0.05}	...	B	
...	8915	5182	146	2457476.883	11.24	22	-11.8 ^{+0.3} _{-0.6}	...	48.6 ^{+1.9} _{-1.9}	...	2979.5 ^{+14.1} _{-11.0}	...	4.54 ^{+0.04} _{-0.07}	...	B	
...	8915	5182	38	2457497.809	3.10	13	-12.6 ^{+1.5} _{-0.7}	...	44.1 ^{+3.2} _{-3.7}	...	2952.6 ^{+12.6} _{-11.6}	...	4.63 ^{+0.06} _{-0.06}	...	B	
...	8915	5182	38	2457498.794	2.73	17	-10.5 ^{+1.3} _{-0.4}	...	40.3 ^{+1.9} _{-1.6}	...	3080.4 ^{+14.1} _{-17.2}	...	4.67 ^{+0.12} _{-0.08}	...	B	
...	8915	5182	32	2457524.741	-7.63	14	-11.3 ^{+0.5} _{-1.6}	...	39.3 ^{+1.6} _{-1.8}	...	3092.6 ^{+9.6} _{-7.5}	...	4.65 ^{+0.06} _{-0.04}	...	B	
...	9066	5182	35	2457529.703	-9.41	16	-14.3 ^{+0.5} _{-0.7}	...	46.3 ^{+1.5} _{-1.8}	...	2986.3 ^{+13.4} _{-11.1}	...	4.57 ^{+0.05} _{-0.08}	...	B	
...	9066	5182	34	2457552.641	-16.83	17	-13.0 ^{+0.3} _{-0.4}	...	39.1 ^{+1.2} _{-2.0}	...	2947.4 ^{+14.5} _{-14.4}	...	4.67 ^{+0.12} _{-0.12}	...	B	
...	9066	5182	34	2457554.649	-17.39	17	-12.2 ^{+0.4} _{-0.4}	...	42.4 ^{+4.8} _{-3.6}	...	2960.2 ^{+13.2} _{-13.4}	...	4.65 ^{+0.06} _{-0.04}	...	B	
...	9066	5182	52	2457556.649	-17.92	17	-12.6 ^{+0.4} _{-0.6}	...	52.0 ^{+2.4} _{-1.8}	...	2935.2 ^{+14.5} _{-12.1}	...	4.6 ^{+0.04} _{-0.04}	...	B	
...	9066	5182	40	2457559.645	-18.66	12	-12.7 ^{+1.8} _{-1.8}	...	41.5 ^{+2.2} _{-2.8}	...	2986.3 ^{+13.4} _{-11.1}	...	4.57 ^{+0.05} _{-0.08}	...	B	
...	9066	5182	88	2457765.045	23.61	11	-12.4 ^{+1.4} _{-1.1}	...	43.4 ^{+3.1} _{-3.8}	...	3062.2 ^{+15.7} _{-13.9}	...	4.46 ^{+0.04} _{-0.03}	...	B	
...	9010	5182	87	2457857.758	5.39	19	-11.3 ^{+1.4} _{-0.5}	...	39.4 ^{+3.8} _{-3.8}	...	3081.6 ^{+13.1} _{-11.4}	...	5.29 ^{+0.05} _{-0.07}	...	B	
...	9010	5182	34	2457878.684	-3.04	15	-12.7 ^{+0.4} _{-0.4}	...	37.9 ^{+1.6} _{-2.4}	...	3081.7 ^{+21.0} _{-12.1}	...	5.27 ^{+0.06} _{-0.06}	...	B	

Table A2 *continued*

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	9980	5182	34	2457908.702	-14.19	16	-11.0 ^{+1.4} _{-0.4}	...	36.5 ^{+1.8} _{-1.3}	...	3089.2 ^{+8.3} _{-5.9}	...	5.34 ^{+0.03} _{-0.04}	...	
...	9980	5182	33	2457913.778	-15.92	11	-13.0 ^{+1.8} _{-1.7}	...	48.0 ^{+4.5} _{-3.7}	...	2881.0 ^{+35.6} _{-23.0}	...	4.54 ^{+0.05} _{-0.18}	...	
...	9980	5182	33	2457916.758	-16.75	19	-11.1 ^{+1.6} _{-0.3}	...	44.3 ^{+2.0} _{-2.0}	...	2975.2 ^{+10.7} _{-12.0}	...	4.75 ^{+0.05} _{-0.06}	...	
...	9980	5182	88	2457935.649	-20.99	18	-9.4 ^{+1.2} _{-0.6}	...	33.0 ^{+1.6} _{-1.3}	...	3097.5 ^{+5.5} _{-6.2}	...	5.43 ^{+0.04} _{-0.03}	...	
2M1508+3647	9658	5276	189	2457794.975	17.48	22	-0.5 ^{+0.4} _{-0.4}	-1.4 ^{+0.3} _{-0.4}	19.5 ^{+1.7} _{-1.2}	17.0 ^{+1.0} _{-1.0}	3098.7 ^{+9.9} _{-5.1}	3077.3 ^{+1.7} _{-1.6}	5.44 ^{+0.04} _{-0.0}	B	
...	9688	5276	244	2457800.970	16.61	16	-0.9 ^{+0.6} _{-0.4}	...	25.3 ^{+12.0} _{-1.3}	...	3060.0 ^{+12.0} _{-12.0}	...	5.3 ^{+0.04} _{-0.08}	...	
...	9658	5276	201	2457822.939	11.98	21	-1.6 ^{+0.4} _{-0.3}	...	17.7 ^{+1.5} _{-1.2}	...	3094.4 ^{+15.1} _{-6.0}	...	5.45 ^{+0.02} _{-0.03}	...	
...	9658	5276	201	2457827.914	10.72	22	-1.2 ^{+0.3} _{-0.3}	...	18.1 ^{+1.1} _{-1.2}	...	3080.8 ^{+11.8} _{-9.5}	...	5.48 ^{+0.02} _{-0.01}	...	
...	9772	5276	209	2457829.930	10.13	21	-0.7 ^{+0.3} _{-1.3}	...	19.0 ^{+1.4} _{-1.2}	...	3091.0 ^{+9.7} _{-7.7}	...	5.46 ^{+0.04} _{-0.02}	...	
...	9658	5276	201	2457831.943	9.54	21	-2.2 ^{+0.3} _{-0.3}	...	19.7 ^{+1.6} _{-1.1}	...	3076.9 ^{+13.1} _{-12.3}	...	5.38 ^{+0.03} _{-0.05}	...	
...	9772	5276	200	2457832.921	9.31	24	-2.1 ^{+0.5} _{-0.4}	...	16.4 ^{+1.0} _{-1.2}	...	3074.7 ^{+7.4} _{-7.7}	...	5.46 ^{+0.03} _{-0.02}	...	
...	9773	5276	201	2457833.908	9.05	23	-1.4 ^{+0.6} _{-0.9}	...	18.1 ^{+1.1} _{-1.2}	...	3063.1 ^{+10.0} _{-26.1}	...	5.47 ^{+0.03} _{-0.01}	...	
...	9658	5276	189	2457849.835	4.32	22	-1.6 ^{+0.3} _{-0.3}	...	17.1 ^{+1.3} _{-1.2}	...	3064.8 ^{+4.2} _{-4.6}	...	5.49 ^{+0.04} _{-0.02}	...	
...	9772	5276	194	2457850.878	3.91	22	-1.8 ^{+0.3} _{-0.3}	...	17.0 ^{+1.3} _{-1.4}	...	3092.6 ^{+10.6} _{-7.4}	...	5.39 ^{+0.04} _{-0.05}	...	
...	9773	5276	201	2457851.852	3.65	15	-2.7 ^{+0.5} _{-1.0}	...	17.0 ^{+1.2} _{-1.2}	...	3072.4 ^{+10.1} _{-8.6}	...	5.48 ^{+0.02} _{-0.03}	...	
...	9772	5276	200	2457853.857	3.00	19	-1.5 ^{+1.4} _{-0.4}	...	16.4 ^{+1.1} _{-1.2}	...	3093.9 ^{+6.3} _{-6.1}	...	5.47 ^{+0.03} _{-0.02}	...	
...	9773	5276	201	2457854.851	2.70	12	0.0 ^{+0.3} _{-0.3}	...	17.9 ^{+1.3} _{-1.3}	...	3090.4 ^{+7.9} _{-7.3}	...	5.47 ^{+0.03} _{-0.02}	...	
...	9773	5276	201	2457857.830	1.79	26	-0.8 ^{+0.3} _{-0.3}	...	18.0 ^{+1.3} _{-1.2}	...	3073.9 ^{+11.4} _{-11.9}	...	5.44 ^{+0.05} _{-0.04}	...	
...	9772	5276	197	2457858.792	1.55	19	-2.0 ^{+0.2} _{-0.2}	...	15.3 ^{+1.3} _{-1.2}	...	3080.0 ^{+6.1} _{-6.2}	...	5.48 ^{+0.03} _{-0.01}	...	
...	9687	5276	207	2457859.955	0.87	22	-1.1 ^{+0.2} _{-0.2}	...	12.8 ^{+1.1} _{-1.2}	...	3081.6 ^{+4.9} _{-7.2}	...	5.49 ^{+0.01} _{-0.02}	...	
...	9773	5276	154	2457860.811	0.87	21	-1.7 ^{+0.3} _{-0.3}	...	18.1 ^{+1.1} _{-1.4}	...	3044.6 ^{+18.2} _{-12.8}	...	5.45 ^{+0.05} _{-0.03}	...	
...	9687	5276	202	2457862.926	-0.03	23	-1.7 ^{+0.6} _{-0.3}	...	15.5 ^{+1.4} _{-1.3}	...	3078.3 ^{+11.3} _{-10.0}	...	5.49 ^{+0.01} _{-0.01}	...	
...	9773	5276	201	2457863.907	-0.31	22	-1.2 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.1}	...	3062.8 ^{+9.9} _{-9.6}	...	5.49 ^{+0.01} _{-0.01}	...	
...	9687	5276	207	2457887.836	-7.57	20	-0.7 ^{+0.3} _{-0.3}	...	16.6 ^{+1.2} _{-1.2}	...	3066.7 ^{+7.5} _{-13.2}	...	5.49 ^{+0.01} _{-0.02}	...	
...	9687	5276	207	2457890.807	-8.36	18	-2.1 ^{+0.4} _{-0.4}	...	14.7 ^{+1.1} _{-1.2}	...	3087.1 ^{+7.6} _{-8.2}	...	5.49 ^{+0.02} _{-0.02}	...	
...	9983	5276	201	2457914.764	-14.14	22	-1.1 ^{+0.3} _{-0.3}	...	17.8 ^{+1.4} _{-1.1}	...	3048.0 ^{+5.6} _{-6.1}	...	5.49 ^{+0.01} _{-0.01}	...	
...	9773	5276	201	2457911.747	-1.79	28	1.6 ^{+0.2} _{-0.2}	1.7 ^{+0.3} _{-0.4}	10.0 ^{+1.4} _{-1.4}	12.7 ^{+1.1} _{-1.2}	2908.5 ^{+8.7} _{-7.6}	2925.8 ^{+6.1} _{-6.1}	5.34 ^{+0.04} _{-0.02}	B	
...	6848	4496	270	2456433.710	-8.83	15	1.9 ^{+0.3} _{-0.3}	...	14.4 ^{+1.3} _{-1.2}	...	2943.0 ^{+17.4} _{-51.3}	...	5.18 ^{+0.03} _{-0.09}	...	
...	6848	4496	270	2456707.935	17.96	16	2.0 ^{+0.3} _{-0.3}	...	12.4 ^{+1.2} _{-1.2}	...	2949.1 ^{+9.8} _{-10.3}	...	5.29 ^{+0.03} _{-0.04}	...	
...	2M1513+2723	9891	2462	102	2457897.683	-9.36	57	-0.4 ^{+0.2} _{-0.3}	-0.4 ^{+0.3} _{-0.3}	9.6 ^{+1.3} _{-1.1}	< 10	3136.6 ^{+5.2} _{-4.7}	3136.6 ^{+4.2} _{-3.5}	5.46 ^{+0.07} _{-0.03}	B
...	2M1521+0100	9016	5092	75	2455511.048	28.19	23	-11.3 ^{+0.2} _{-0.4}	-10.8 ^{+0.3} _{-0.4}	9.2 ^{+1.3} _{-1.3}	< 10	3160.9 ^{+9.2} _{-10.2}	3154.7 ^{+4.2} _{-3.5}	5.5 ^{+0.01} _{-0.02}	B
...	9016	5092	70	2458533.024	28.01	30	-10.5 ^{+0.2} _{-0.2}	...	9.5 ^{+1.3} _{-1.1}	...	3148.3 ^{+9.0} _{-19.3}	...	5.48 ^{+0.02} _{-0.02}	...	
...	9016	5092	75	2458536.969	27.66	17	-11.7 ^{+0.3} _{-0.3}	...	10.7 ^{+1.0} _{-1.0}	...	3138.1 ^{+9.9} _{-9.8}	...	5.48 ^{+0.02} _{-0.02}	...	
...	9016	5092	76	2458539.990	27.16	58	-10.4 ^{+0.2} _{-0.2}	...	7.5 ^{+1.2} _{-1.2}	...	3158.5 ^{+6.7} _{-6.7}	...	5.49 ^{+0.02} _{-0.02}	...	
...	2M1530+0926	11963	2725	220	2458642.780	-12.74	230	3.2 ^{+0.2} _{-0.4}	3.1 ^{+0.3} _{-0.4}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2399.6 ^{+0.7} _{-0.2}	5.16 ^{+0.01} _{-0.03}	S	
...	11963	2725	220	2458643.770	-13.10	227	2.9 ^{+0.2} _{-0.2}	...	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2399.8 ^{+0.6} _{-0.2}	5.24 ^{+0.03} _{-0.05}	S		

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1545+4350	9035	2366	37	2457548.773	-9.89	33	-13.5 ^{+0.2} _{-0.2}	-13.1 ^{+0.3} _{-0.4}	5.6 ^{+1.0} _{-1.0}	< 10	2398.9 ^{+2.0} _{-0.9}	2398.8 ^{+0.8} _{-0.4}	5.13 ^{+0.01} _{-0.01}	S
...	9035	2366	37	2457550.751	-10.20	27	-13.3 ^{+0.3} _{-0.3}	4.0 ^{+1.2} _{-1.1}	2398.4 ^{+2.0} _{-1.1}	...	5.25 ^{+0.03} _{-0.03}	S
...	9035	2366	133	2457568.749	-12.78	28	-12.0 ^{+0.3} _{-0.3}	7.3 ^{+1.1} _{-1.1}	2398.8 ^{+2.0} _{-0.9}	...	5.13 ^{+0.03} _{-0.02}	S
...	9035	2366	133	2457569.726	-12.85	38	-13.7 ^{+0.3} _{-0.3}	5.3 ^{+1.1} _{-1.4}	2398.6 ^{+1.6} _{-1.0}	...	5.17 ^{+0.03} _{-0.03}	S
...	9037	2368	169	2457863.814	1.45	29	-12.8 ^{+0.3} _{-0.3}	8.9 ^{+1.3} _{-1.1}	2399.1 ^{+1.4} _{-0.7}	...	4.98 ^{+0.05} _{-0.05}	S
2M1548+2657	9888	2459	49	2457923.730	-13.58	33	-53.2 ^{+0.2} _{-0.2}	-53.1 ^{+0.3} _{-0.4}	3.9 ^{+1.2} _{-1.1}	< 10	2398.7 ^{+1.6} _{-1.0}	2399.0 ^{+0.7} _{-0.4}	4.97 ^{+0.01} _{-0.02}	S
...	9888	2459	49	2457933.755	-16.10	25	-52.6 ^{+0.3} _{-0.3}	7.6 ^{+1.3} _{-1.2}	2399.0 ^{+1.1} _{-0.7}	...	4.89 ^{+0.02} _{-0.02}	S
...	9888	2459	49	2457934.711	-16.22	42	-53.3 ^{+0.3} _{-0.3}	5.7 ^{+1.1} _{-1.1}	2399.2 ^{+1.3} _{-0.6}	...	5.02 ^{+0.02} _{-0.02}	S
2M1555-2546	10590	5654	265	2458242.608	10.18	36	-3.6 ^{+0.2} _{-0.2}	-3.6 ^{+0.3} _{-0.3}	10.6 ^{+1.0} _{-1.0}	...	2998.1 ^{+6.9} _{-6.0}	2998.1 ^{+6.9} _{-6.0}	4.56 ^{+0.03} _{-0.03}	S
2M1555-2401	10944	5785	265	2458350.477	-29.34	19	-2.5 ^{+0.3} _{-0.4}	-2.5 ^{+0.4} _{-0.5}	25.3 ^{+2.0} _{-1.0}	...	2399.4 ^{+1.0} _{-0.5}	2399.4 ^{+1.0} _{-0.5}	3.87 ^{+0.04} _{-0.04}	S
2M1555-2031	9851	5371	241	2458176.820	30.10	31	-7.4 ^{+0.6} _{-0.5}	99.8 ^{+1.0} _{-1.0}	99.9 ^{+1.0} _{-1.0}	...	2946.4 ^{+13.9} _{-6.6}	2907.7 ^{+7.6} _{-5.4}	4.49 ^{+0.02} _{-0.01}	S
...	9851	5371	241	2458243.639	9.18	35	-3.9 ^{+1.8} _{-0.5}	99.9 ^{+1.0} _{-1.0}	2894.6 ^{+7.5} _{-6.4}	...	4.49 ^{+0.02} _{-0.02}	S
2M1556-2423	10944	5785	300	2458350.477	-29.32	28	-3.8 ^{+0.4} _{-0.3}	-3.8 ^{+0.4} _{-0.3}	21.3 ^{+1.5} _{-1.0}	...	2944.7 ^{+13.4} _{-16.8}	2944.7 ^{+13.4} _{-16.8}	4.55 ^{+0.03} _{-0.03}	S
2M1556-2259	9781	5331	294	2458177.782	30.10	51	-3.5 ^{+0.2} _{-0.2}	-3.6 ^{+0.3} _{-0.4}	22.1 ^{+1.0} _{-1.0}	...	2946.3 ^{+7.5} _{-7.8}	2938.7 ^{+7.5} _{-7.8}	4.51 ^{+0.01} _{-0.02}	S
...	9781	5331	300	2458261.573	0.63	38	-4.1 ^{+0.3} _{-0.3}	23.5 ^{+1.0} _{-1.0}	2935.5 ^{+7.3} _{-4.3}	...	4.58 ^{+0.03} _{-0.03}	S
2M1556+2352	9885	2456	192	2458253.837	-1.37	43	15.4 ^{+0.3} _{-0.2}	15.1 ^{+0.3} _{-0.4}	7.3 ^{+1.0} _{-1.2}	< 10	3279.2 ^{+6.3} _{-7.7}	3268.7 ^{+7.8} _{-7.3}	5.36 ^{+0.04} _{-0.02}	S
...	9885	2456	192	2458254.798	-1.64	64	15.0 ^{+0.2} _{-0.2}	15.0 ^{+0.2} _{-0.2}	6.5 ^{+1.7} _{-1.7}	...	3264.9 ^{+4.7} _{-7.7}	...	5.2 ^{+0.02} _{-0.02}	S
2M1556-2341	10944	5785	258	2458350.477	-29.35	29	-0.1 ^{+0.2} _{-0.2}	-0.1 ^{+0.3} _{-0.3}	19.2 ^{+1.5} _{-1.2}	...	2993.9 ^{+5.4} _{-5.2}	2993.9 ^{+5.4} _{-5.2}	4.52 ^{+0.02} _{-0.03}	S
2M1556-2341	10944	5785	257	2458350.477	-29.34	39	-3.7 ^{+0.4} _{-0.3}	-3.7 ^{+0.5} _{-0.3}	32.8 ^{+2.0} _{-1.0}	...	2834.6 ^{+10.0} _{-9.0}	2834.6 ^{+10.0} _{-9.0}	4.58 ^{+0.04} _{-0.04}	S
2M1557-2610	10590	5654	289	2458242.608	10.36	22	-0.4 ^{+0.3} _{-0.3}	-0.4 ^{+0.3} _{-0.3}	18.1 ^{+1.0} _{-1.0}	...	2860.2 ^{+11.5} _{-12.5}	2860.2 ^{+11.5} _{-12.5}	4.84 ^{+0.04} _{-0.02}	S
2M1557-2343	10944	5785	253	2458350.477	-29.34	29	-2.2 ^{+0.2} _{-0.2}	-2.2 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.1}	...	2814.0 ^{+11.7} _{-11.5}	2814.0 ^{+11.7} _{-11.5}	4.85 ^{+0.05} _{-0.03}	S
2M1557-2555	11136	5803	109	2458915.004	29.17	30	-2.3 ^{+0.3} _{-0.3}	-2.3 ^{+0.4} _{-0.3}	26.1 ^{+1.2} _{-1.4}	...	3037.3 ^{+8.9} _{-6.2}	3037.3 ^{+8.9} _{-6.2}	4.78 ^{+0.06} _{-0.06}	S
2M1557-2012	9851	5371	168	2458176.820	30.13	26	-2.1 ^{+0.3} _{-0.3}	-2.3 ^{+1.6} _{-0.3}	23.2 ^{+1.6} _{-1.1}	...	2926.5 ^{+7.4} _{-7.4}	2916.1 ^{+6.2} _{-4.8}	4.67 ^{+0.04} _{-0.03}	S
...	9851	5371	168	2458243.639	9.37	23	-2.7 ^{+0.3} _{-0.3}	-2.7 ^{+0.3} _{-0.3}	24.4 ^{+1.0} _{-1.1}	...	2904.7 ^{+11.3} _{-6.2}	2904.7 ^{+11.3} _{-6.2}	4.76 ^{+0.03} _{-0.03}	S
2M1557-2035	9851	5371	193	2458176.820	30.13	39	-1.6 ^{+0.2} _{-0.2}	-1.6 ^{+0.3} _{-0.4}	23.7 ^{+1.0} _{-1.0}	...	2979.6 ^{+3.2} _{-2.3}	2977.9 ^{+2.8} _{-2.2}	4.51 ^{+0.01} _{-0.01}	B
...	9851	5371	204	2458243.639	9.41	24	-1.8 ^{+0.3} _{-0.3}	-1.8 ^{+0.3} _{-0.3}	24.3 ^{+1.0} _{-1.1}	...	2968.0 ^{+5.7} _{-7.3}	...	4.54 ^{+0.02} _{-0.02}	B
2M1558-1815	11629	6001	152	2458913.801	29.51	43	-3.6 ^{+0.3} _{-0.3}	-3.6 ^{+0.3} _{-0.3}	47.9 ^{+1.3} _{-1.0}	...	3046.2 ^{+8.9} _{-7.7}	3046.2 ^{+8.9} _{-7.7}	4.59 ^{+0.04} _{-0.04}	B
2M1558-2401	10944	5785	194	2458350.477	-29.32	28	-2.1 ^{+0.3} _{-0.3}	-2.1 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}	...	2917.8 ^{+6.3} _{-6.2}	2917.8 ^{+6.3} _{-6.2}	4.55 ^{+0.03} _{-0.04}	B
2M1558-2402	10944	5785	197	2458350.477	-29.31	35	-5.5 ^{+0.3} _{-0.3}	-5.5 ^{+0.4} _{-0.4}	99.4 ^{+1.1} _{-1.0}	...	2973.9 ^{+10.0} _{-6.7}	2973.9 ^{+10.0} _{-6.7}	4.5 ^{+0.01} _{-0.01}	B
2M1558-2431	10944	5785	235	2458350.477	-29.29	19	-2.5 ^{+0.9} _{-0.4}	-2.5 ^{+0.9} _{-0.4}	20.4 ^{+1.2} _{-1.1}	...	2856.7 ^{+7.5} _{-7.5}	2856.7 ^{+7.5} _{-7.5}	4.73 ^{+0.04} _{-0.04}	B
2M1558-2348	10944	5785	204	2458350.477	-29.32	39	-1.7 ^{+0.3} _{-0.3}	-1.7 ^{+0.4} _{-0.4}	43.8 ^{+1.3} _{-1.1}	...	2881.8 ^{+8.8} _{-11.0}	2881.8 ^{+8.8} _{-11.0}	4.64 ^{+0.04} _{-0.04}	B
2M1558-2141	11627	5999	296	2458565.809	26.22	34	-2.4 ^{+0.5} _{-0.4}	-2.4 ^{+0.6} _{-0.5}	26.5 ^{+1.4} _{-1.2}	...	2864.1 ^{+9.3} _{-13.1}	2864.1 ^{+9.3} _{-13.1}	4.81 ^{+0.04} _{-0.04}	B
2M1558-1813	11629	6001	163	2458913.801	29.52	28	-2.1 ^{+0.3} _{-0.3}	-2.1 ^{+0.3} _{-0.3}	19.8 ^{+1.0} _{-1.0}	...	2950.5 ^{+8.9} _{-8.4}	2950.5 ^{+8.9} _{-8.4}	4.58 ^{+0.04} _{-0.04}	B
2M1558-1825	11629	6001	157	2458913.801	29.53	30	-76.4 ^{+0.9} _{-0.9}	-76.4 ^{+1.9} _{-1.9}	98.5 ^{+1.6} _{-1.4}	...	3089.8 ^{+17.4} _{-35.0}	3089.8 ^{+17.4} _{-35.0}	4.7 ^{+0.08} _{-0.08}	B
2M1559-2236	9781	5331	199	2458177.782	30.15	46	-4.0 ^{+0.3} _{-0.2}	-4.6 ^{+0.3} _{-0.4}	27.0 ^{+1.0} _{-1.0}	...	2966.4 ^{+5.2} _{-6.4}	2966.4 ^{+5.2} _{-6.4}	4.49 ^{+0.01} _{-0.01}	B
...	9781	5331	193	2458261.573	0.92	51	-4.8 ^{+0.2} _{-0.2}	-4.8 ^{+0.2} _{-0.2}	27.6 ^{+1.0} _{-1.2}	...	2966.7 ^{+5.3} _{-4.4}	2966.7 ^{+5.3} _{-4.4}	4.52 ^{+0.02} _{-0.02}	B

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	Mdle
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1559-1927	11629	6001	234	2458913.801	29.57	13	-3.5 ^{+0.3} _{-0.3}	-3.5 ^{+0.3} _{-0.3}	11.1 ^{+1.2} _{-1.3}	3234.0 ^{+7.1} _{-10.4}	3234.0 ^{+7.1} _{-10.4}	5.42 ^{+0.03}	5.42 ^{+0.03}	B
2M1559-2331	9781	5331	217	2458177.782	30.14	17	-3.7 ^{+0.4} _{-0.4}	-3.9 ^{+0.3} _{-0.5}	34.9 ^{+1.4} _{-1.3}	2858.3 ^{+19.8} _{-24.0}	2864.9 ^{+6.2} _{-6.4}	4.65 ^{+0.05}	4.66 ^{+0.05}	B
...	9781	5331	222	2458261.573	1.05	31	-4.3 ^{+0.5} _{-0.5}	...	35.2 ^{+1.0} _{-1.1}	2877.0 ^{+7.2} _{-7.2}	...	4.71 ^{+0.03}	4.71 ^{+0.03}	B
...	10944	5785	66	2458350.477	-29.32	16	-3.9 ^{+0.3} _{-0.3}	...	39.1 ^{+1.2} _{-1.5}	2807.2 ^{+16.1} _{-17.8}	...	4.39 ^{+0.08}	4.39 ^{+0.08}	B
2M1559-1858	11629	6001	197	2458913.801	29.57	31	-52.2 ^{+0.3} _{-0.3}	-52.2 ^{+0.3} _{-0.3}	3.7 ^{+1.1} _{-1.3}	3573.2 ^{+11.3} _{-10.8}	3573.2 ^{+11.3} _{-10.8}	5.26 ^{+0.02}	5.26 ^{+0.02}	B
2M1559-1836	11629	6001	205	2458913.801	29.56	29	-4.5 ^{+0.5} _{-0.3}	-4.5 ^{+0.5} _{-0.3}	23.5 ^{+1.0} _{-1.0}	2874.6 ^{+8.1} _{-6.1}	2874.6 ^{+8.1} _{-6.1}	4.58 ^{+0.04}	4.58 ^{+0.04}	B
2M1600-2130	11627	5999	289	2458565.809	26.29	31	-1.1 ^{+0.3} _{-0.6}	-1.1 ^{+0.3} _{-0.6}	22.3 ^{+1.1} _{-1.1}	3014.9 ^{+5.3} _{-3.9}	3014.9 ^{+5.3} _{-3.9}	4.51 ^{+0.01}	4.51 ^{+0.01}	B
2M1600-1902	11629	6001	192	2458913.801	29.58	40	-2.2 ^{+0.2} _{-0.2}	-2.2 ^{+0.2} _{-0.3}	21.7 ^{+1.0} _{-1.0}	3127.8 ^{+5.1} _{-10.6}	3127.8 ^{+5.1} _{-10.6}	4.78 ^{+0.03}	4.78 ^{+0.03}	B
2M1600-2400	10944	5785	37	2458350.477	-29.29	20	-0.1 ^{+0.3} _{-0.3}	-0.1 ^{+0.3} _{-0.3}	18.2 ^{+1.0} _{-1.0}	2926.8 ^{+7.1} _{-8.4}	2926.8 ^{+7.1} _{-8.4}	4.85 ^{+0.04}	4.85 ^{+0.04}	B
2M1600-2056	9851	5371	37	2458176.820	30.17	32	-0.3 ^{+0.4} _{-0.4}	-0.4 ^{+0.3} _{-0.4}	15.7 ^{+1.0} _{-1.0}	2969.5 ^{+6.7} _{-6.2}	2955.5 ^{+4.6} _{-3.7}	4.51 ^{+0.01}	4.52 ^{+0.01}	B
...	9851	5371	37	2458243.639	9.73	22	-1.0 ^{+0.3} _{-0.3}	...	16.1 ^{+1.0} _{-1.0}	2946.5 ^{+7.9} _{-6.1}	...	4.57 ^{+0.04}	4.57 ^{+0.04}	B
...	11627	5999	253	2458565.809	26.29	33	0.6 ^{+0.6} _{-0.3}	...	14.2 ^{+1.0} _{-1.0}	2945.2 ^{+10.9} _{-7.2}	...	4.56 ^{+0.04}	4.56 ^{+0.04}	B
2M1600-2450	10944	5785	17	2458350.477	-29.25	34	-3.6 ^{+0.2} _{-0.3}	-3.6 ^{+0.2} _{-0.3}	19.8 ^{+1.0} _{-1.0}	2948.2 ^{+14.7} _{-10.2}	2948.2 ^{+14.7} _{-10.2}	4.63 ^{+0.03}	4.63 ^{+0.03}	B
2M1600-2207	11627	5999	217	2458565.809	26.36	28	-5.2 ^{+0.3} _{-0.3}	-5.2 ^{+0.4} _{-0.4}	47.4 ^{+1.8} _{-1.1}	2399.6 ^{+6.6} _{-6.3}	2399.6 ^{+6.6} _{-6.3}	3.59 ^{+0.03}	3.59 ^{+0.03}	S
2M1601-2202	11627	5999	233	2458565.809	26.40	18	-1.6 ^{+0.3} _{-0.3}	-1.6 ^{+0.4} _{-0.4}	30.9 ^{+1.8} _{-1.8}	2883.6 ^{+16.8} _{-17.1}	2883.6 ^{+16.8} _{-17.1}	4.71 ^{+0.06}	4.71 ^{+0.06}	B
2M1601-2111	9851	5371	12	2458176.820	30.19	29	-5.7 ^{+0.3} _{-0.3}	-4.4 ^{+0.3} _{-0.4}	21.6 ^{+1.0} _{-1.0}	2956.2 ^{+5.6} _{-6.6}	2957.9 ^{+3.8} _{-3.8}	4.53 ^{+0.02}	4.51 ^{+0.01}	B
...	9851	5371	60	2458243.639	9.90	17	-4.5 ^{+0.3} _{-0.3}	...	25.9 ^{+1.1} _{-1.6}	2957.1 ^{+10.3} _{-11.0}	...	4.59 ^{+0.05}	4.59 ^{+0.05}	B
...	11627	5999	203	2458565.809	26.37	48	-3.7 ^{+0.3} _{-0.3}	...	23.5 ^{+1.0} _{-1.0}	2959.5 ^{+5.9} _{-5.9}	...	4.5-0.01	4.5-0.01	B
2M1601+3027	9032	2363	59	2458281.829	-10.18	81	-32.3 ^{+0.3} _{-0.3}	-32.2 ^{+0.3} _{-0.4}	18.6 ^{+1.2} _{-1.5}	3122.9 ^{+7.3} _{-5.2}	3122.9 ^{+7.3} _{-5.2}	5.34 ^{+0.04}	5.34 ^{+0.04}	B
...	9032	2363	59	2458282.672	-10.10	131	-32.2 ^{+0.2} _{-0.2}	...	18.0 ^{+1.0} _{-1.0}	3116.6 ^{+3.1} _{-3.1}	3116.6 ^{+3.1} _{-3.1}	5.32 ^{+0.02}	5.32 ^{+0.02}	B
2M1601-2441	10944	5785	60	2458350.477	-29.25	18	-3.4 ^{+0.4} _{-0.3}	-3.4 ^{+0.4} _{-0.3}	29.6 ^{+1.0} _{-1.2}	2897.9 ^{+10.5} _{-7.5}	2897.9 ^{+10.5} _{-7.5}	4.66 ^{+0.04}	4.66 ^{+0.04}	B
2M1601-2220	9781	5331	126	2458177.782	30.19	31	-4.7 ^{+0.3} _{-0.3}	-3.8 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.3}	2913.4 ^{+7.3} _{-6.9}	2920.3 ^{+5.4} _{-6.9}	4.58 ^{+0.05}	4.63 ^{+0.03}	B
...	9781	5331	126	2458261.573	1.20	26	-3.3 ^{+0.2} _{-0.2}	...	16.1 ^{+1.0} _{-1.0}	2928.8 ^{+8.1} _{-8.1}	...	4.68 ^{+0.04}	4.68 ^{+0.04}	B
2M1601-1910	11629	6001	12	2458913.801	29.63	20	-41.7 ^{+0.3} _{-0.3}	-41.7 ^{+0.3} _{-0.3}	10.8 ^{+1.0} _{-1.0}	3265.3 ^{+9.0} _{-10.9}	3265.3 ^{+9.0} _{-10.9}	5.31 ^{+0.03}	5.31 ^{+0.03}	B
2M1601-2131	11627	5999	192	2458565.809	26.40	39	-4.0 ^{+0.9} _{-0.9}	-4.0 ^{+0.9} _{-0.9}	15.6 ^{+1.0} _{-1.0}	2914.2 ^{+7.0} _{-6.9}	2914.2 ^{+7.0} _{-6.9}	4.53 ^{+0.02}	4.53 ^{+0.02}	B
2M1601-1952	9782	5332	252	2458176.882	30.04	34	-4.3 ^{+0.3} _{-0.3}	-4.1 ^{+0.3} _{-0.3}	12.0 ^{+1.0} _{-1.0}	2969.3 ^{+7.3} _{-11.1}	3006.6 ^{+7.5} _{-7.5}	4.83 ^{+0.03}	5.03 ^{+0.03}	B
...	9782	5332	252	2458177.833	30.09	31	-3.8 ^{+0.3} _{-0.3}	...	11.4 ^{+1.2} _{-1.0}	3044.1 ^{+7.7} _{-10.2}	...	4.68 ^{+0.04}	4.68 ^{+0.04}	B
2M1602-1841	11629	6001	144	2458913.801	29.62	39	-2.0 ^{+0.3} _{-0.3}	-2.0 ^{+0.4} _{-0.3}	31.1 ^{+1.0} _{-1.2}	2976.7 ^{+6.4} _{-7.3}	2976.7 ^{+6.4} _{-7.3}	5.34 ^{+0.03}	5.34 ^{+0.03}	B
2M1602-2529	10590	5654	144	2458242.608	10.88	22	-3.4 ^{+0.3} _{-1.3}	-3.4 ^{+0.4} _{-1.3}	32.1 ^{+1.3} _{-1.3}	2925.7 ^{+8.5} _{-11.6}	2925.7 ^{+8.5} _{-11.6}	4.63 ^{+0.04}	4.63 ^{+0.04}	B
2M1602-2132	11627	5999	191	2458565.809	26.44	47	-3.6 ^{+0.2} _{-0.4}	-3.6 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}	3001.5 ^{+3.3} _{-3.0}	3001.5 ^{+3.3} _{-3.0}	4.5-0.01	4.5-0.01	B
2M1602-2200	9781	5331	133	2458177.782	30.20	17	-5.0 ^{+0.3} _{-0.3}	-4.8 ^{+0.3} _{-0.4}	11.7 ^{+1.4} _{-1.0}	2926.5 ^{+6.2} _{-7.9}	2889.6 ^{+4.2} _{-5.2}	4.76 ^{+0.03}	4.91 ^{+0.02}	B
...	9781	5331	132	2458261.573	1.25	28	-1.2 ^{+0.2} _{-0.2}	...	7.4 ^{+1.0} _{-1.0}	2861.7 ^{+7.9} _{-9.2}	...	5.09 ^{+0.03}	5.09 ^{+0.03}	B
...	11627	5999	18	2458565.809	26.46	31	-3.7 ^{+0.2} _{-0.2}	...	14.3 ^{+1.0} _{-1.0}	2858.1 ^{+9.6} _{-10.1}	...	4.73 ^{+0.05}	4.73 ^{+0.05}	B
2M1602-2248	9781	5331	96	2458261.573	1.35	30	-1.1 ^{+0.2} _{-0.2}	-1.1 ^{+0.3} _{-0.3}	6.8 ^{+1.0} _{-1.0}	< 10	2933.0 ^{+8.9} _{-9.8}	5.16 ^{+0.02}	5.16 ^{+0.02}	B
2M1602-2304	9781	5331	25	2458177.782	30.19	20	-3.7 ^{+0.3} _{-0.6}	-3.7 ^{+0.3} _{-0.6}	28.8 ^{+1.9} _{-1.0}	31.7 ^{+1.5} _{-1.1}	2886.5 ^{+9.1} _{-7.4}	4.57 ^{+0.04}	4.58 ^{+0.04}	B
...	9781	5331	25	2458261.573	1.38	36	-3.7 ^{+0.7} _{-0.8}	...	32.8 ^{+2.0} _{-1.0}	2912.0 ^{+13.3} _{-11.5}	4.59 ^{+0.05}	4.59 ^{+0.05}	B	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1602-1922	11629	6001	115	2458913.801	29.66	33	-1.9 ^{+0.3} -0.2	-1.9 ^{+0.3} -0.3	44.2 ^{+1.0} -1.1	44.2 ^{+1.0} -1.1	2804.7 ^{+4.3} -6.5	4.73 ^{+0.03} -0.03	4.73 ^{+0.03} -0.03	B	
2M1602-2423	10944	5785	109	2458350.477	-29.25	20	-3.9 ^{+0.2} -0.3	-3.9 ^{+0.2} -0.3	18.7 ^{+1.2} -1.0	18.7 ^{+1.2} -1.0	2916.1 ^{+4.9} -5.4	4.9 ^{+0.05} -0.04	4.9 ^{+0.05} -0.04	B	
2M1603-2207	9781	5331	138	2458177.782	30.21	27	-4.9 ^{+0.4} -0.3	-4.3 ^{+0.4} -0.3	19.8 ^{+1.0} -1.0	20.6 ^{+1.0} -1.0	2995.7 ^{+7.8} -4.0	4.51 ^{+0.01} -0.02	4.51 ^{+0.01} -0.01	B	
...	9781	5331	127	2458261.573	1.32	32	-4.1 ^{+0.3} -0.3	19.8 ^{+1.0} -1.0	2980.1 ^{+7.3} -4.9	2980.1 ^{+7.3} -4.9	4.61 ^{+0.04} -0.05	4.61 ^{+0.04} -0.05	4.61 ^{+0.04} -0.05	B	
...	11627	5999	13	2458565.809	26.49	41	-4.1 ^{+0.3} -0.2	-2.0 ^{+0.3} -0.4	21.6 ^{+1.0} -1.0	21.6 ^{+1.0} -1.0	2991.3 ^{+6.6} -4.7	4.51 ^{+0.01} -0.02	4.51 ^{+0.01} -0.02	B	
2M1603-2034	9782	5332	271	2458176.882	30.07	34	-2.4 ^{+0.3} -0.4	-2.0 ^{+0.3} -0.4	12.8 ^{+1.0} -1.0	12.8 ^{+1.0} -1.0	2908.9 ^{+7.2} -6.8	4.55 ^{+0.03} -0.02	4.55 ^{+0.03} -0.02	B	
...	9782	5332	271	2458177.833	30.12	21	-2.3 ^{+0.2} -0.3	14.3 ^{+1.0} -1.0	2910.4 ^{+7.9} -7.5	4.53 ^{+0.04} -0.04	4.53 ^{+0.04} -0.04	B			
...	11627	5999	122	2458565.809	26.44	31	-1.5 ^{+0.3} -0.2	17.7 ^{+1.0} -1.0	2873.4 ^{+7.2} -11.9	4.55 ^{+0.04} -0.04	4.55 ^{+0.04} -0.04	B			
2M1603-1852	11137	5804	265	2458615.834	6.28	36	-2.7 ^{+0.2} -0.2	-2.5 ^{+0.3} -0.4	17.9 ^{+1.0} -1.0	21.0 ^{+1.0} -1.0	2399.6 ^{+0.7} -0.2	4.16 ^{+0.02} -0.02	4.09 ^{+0.02} -0.02	B	
...	11137	5804	265	2458617.826	5.30	26	-2.1 ^{+0.3} -0.2	19.8 ^{+1.0} -1.0	2399.5 ^{+0.6} -0.4	3.6 ^{+0.05} -0.08	3.6 ^{+0.05} -0.08	B			
...	11629	6001	96	2458913.801	29.67	34	-2.4 ^{+0.2} -0.3	21.6 ^{+1.0} -1.0	2399.7 ^{+0.4} -0.3	4.09 ^{+0.03} -0.03	4.09 ^{+0.03} -0.03	B			
2M1603-2220	10945	5786	179	2458320.473	-23.81	17	-1.8 ^{+0.4} -0.4	-1.8 ^{+0.4} -0.5	27.3 ^{+1.0} -1.0	27.3 ^{+1.0} -1.0	2399.5 ^{+0.9} -0.4	3.88 ^{+0.03} -0.03	3.88 ^{+0.03} -0.03	B	
2M1603-2147	11627	5999	7	2458565.809	26.53	49	-4.0 ^{+0.3} -0.2	-4.0 ^{+0.3} -0.3	59.9 ^{+1.2} -1.4	59.9 ^{+1.2} -1.4	2930.3 ^{+8.5} -10.1	4.43 ^{+0.03} -0.03	4.43 ^{+0.03} -0.03	B	
2M1604+2331	9885	2456	171	2458253.837	-0.42	110	-23.1 ^{+0.2} -0.2	-23.1 ^{+0.2} -0.4	16.1 ^{+1.0} -1.0	18.0 ^{+1.0} -1.0	2399.5 ^{+0.5} -0.4	4.85 ^{+0.01} -0.01	4.85 ^{+0.01} -0.01	B	
...	9885	2456	171	2458254.798	-0.69	168	-23.2 ^{+0.2} -0.2	-23.2 ^{+0.2} -0.2	16.0 ^{+1.0} -1.0	16.0 ^{+1.0} -1.0	2399.6 ^{+0.6} -0.3	4.98 ^{+0.03} -0.06	4.98 ^{+0.03} -0.06	B	
...	9087	2384	202	2458274.725	-7.69	170	-23.0 ^{+0.4} -0.3	-19.7 ^{+1.0} -1.0	19.7 ^{+1.0} -1.0	19.7 ^{+1.0} -1.0	2399.7 ^{+0.3} -0.2	4.65 ^{+0.01} -0.02	4.65 ^{+0.01} -0.02	B	
...	9087	2384	202	2458277.763	-8.81	193	-22.9 ^{+0.3} -0.2	-17.9 ^{+1.0} -1.0	17.9 ^{+1.0} -1.0	17.9 ^{+1.0} -1.0	2399.7 ^{+0.5} -0.2	4.81 ^{+0.02} -0.02	4.81 ^{+0.02} -0.02	B	
...	9089	2386	99	2458281.744	-10.09	168	-23.4 ^{+0.2} -0.3	16.0 ^{+1.0} -1.0	2399.7 ^{+0.6} -0.2	5.05 ^{+0.01} -0.01	5.05 ^{+0.01} -0.01	B			
2M1604+2728	9091	2388	258	2458251.825	-0.13	28	-54.9 ^{+0.3} -0.4	-54.9 ^{+0.3} -0.4	8.7 ^{+1.1} -1.4	< 10	3256.6 ^{+8.7} -7.8	5.19 ^{+0.07} -0.04	5.19 ^{+0.07} -0.04	B	
...	9091	2388	258	2458252.794	-0.40	41	-54.8 ^{+0.3} -0.3	-54.8 ^{+0.3} -0.3	7.3 ^{+1.1} -1.3	3252.4 ^{+10.6} -6.2	5.08 ^{+0.03} -0.04	5.08 ^{+0.03} -0.04	B		
...	9090	2387	25	2458288.787	-11.96	36	-55.5 ^{+0.3} -0.3	-55.5 ^{+0.3} -0.3	5.4 ^{+1.6} -1.2	3264.6 ^{+10.3} -15.9	5.17 ^{+0.06} -0.04	5.17 ^{+0.06} -0.04	B		
...	9093	2390	139	2458602.931	4.55	20	-55.2 ^{+0.3} -0.3	-55.2 ^{+0.3} -0.3	7.4 ^{+1.1} -1.3	3272.9 ^{+7.0} -7.0	5.24 ^{+0.02} -0.02	5.24 ^{+0.02} -0.02	B		
...	9093	2390	139	2458604.949	3.82	18	-54.6 ^{+0.3} -0.3	-54.6 ^{+0.3} -0.3	7.3 ^{+1.1} -1.2	3273.4 ^{+10.5} -19.8	5.34 ^{+0.03} -0.04	5.34 ^{+0.03} -0.04	B		
...	9093	2390	139	2458607.956	2.77	18	-54.4 ^{+0.3} -0.3	-54.4 ^{+0.3} -0.3	8.0 ^{+1.5} -1.4	3297.2 ^{+13.3} -26.5	5.27 ^{+0.03} -0.03	5.27 ^{+0.03} -0.03	B		
2M1606-2306	10945	5786	198	2458320.473	-23.59	24	-0.5 ^{+0.3} -0.3	19.0 ^{+1.4} -1.2	19.0 ^{+1.4} -1.2	3012.3 ^{+8.5} -12.5	4.6 ^{+0.05} -0.05	4.6 ^{+0.05} -0.05	B		
2M1606-2216	10945	5786	168	2458320.473	-23.62	23	-1.7 ^{+0.2} -0.3	-1.7 ^{+0.2} -0.4	40.5 ^{+1.1} -1.2	2877.3 ^{+8.4} -14.0	4.53 ^{+0.03} -0.03	4.53 ^{+0.03} -0.03	B		
2M1607-2028	9782	5332	13	2458176.882	30.11	28	-4.3 ^{+0.5} -0.5	-3.5 ^{+0.4} -0.5	19.6 ^{+1.8} -1.0	2851.9 ^{+17.6} -11.1	4.66 ^{+0.05} -0.05	4.66 ^{+0.05} -0.05	B		
...	9782	5332	13	2458177.833	30.16	15	-2.6 ^{+0.3} -0.3	-2.1 ^{+1.0} -1.0	21.3 ^{+1.0} -1.0	2842.3 ^{+11.1} -7.9	4.76 ^{+0.04} -0.03	4.76 ^{+0.04} -0.03	B		
2M1607-2019	9782	5332	1	2458176.882	30.11	36	-1.6 ^{+0.2} -0.2	-1.6 ^{+0.2} -0.4	24.9 ^{+1.0} -1.0	2981.3 ^{+6.3} -5.6	4.51 ^{+0.01} -0.01	4.51 ^{+0.01} -0.01	B		
...	9782	5332	1	2458177.833	30.16	21	-1.6 ^{+0.2} -0.2	-1.6 ^{+0.2} -0.4	23.6 ^{+1.0} -1.0	2808.5 ^{+10.1} -7.5	4.58 ^{+0.05} -0.05	4.58 ^{+0.05} -0.05	B		
2M1607-2027	9782	5332	12	2458176.882	30.11	39	-3.5 ^{+0.2} -0.2	-3.4 ^{+0.3} -0.4	19.8 ^{+1.0} -1.0	20.8 ^{+1.0} -1.0	3011.2 ^{+2.9} -3.8	4.5 ^{+0.01} -0.01	4.5 ^{+0.01} -0.01	B	
...	9782	5332	12	2458177.833	30.17	24	-3.3 ^{+0.3} -0.3	-3.2 ^{+0.3} -0.4	21.6 ^{+1.0} -1.0	21.6 ^{+1.0} -1.0	4.55 ^{+0.01} -0.01	4.55 ^{+0.01} -0.01	B		
2M1607-2125	9852	5372	199	2458243.753	10.30	49	-5.7 ^{+0.4} -0.6	-5.7 ^{+0.4} -0.6	19.8 ^{+1.0} -1.0	2969.8 ^{+8.2} -7.3	4.51 ^{+0.02} -0.02	4.51 ^{+0.02} -0.02	B		
2M1607-2443	10591	5655	181	2458243.821	10.40	23	-2.1 ^{+0.2} -0.2	-2.1 ^{+0.2} -0.3	20.0 ^{+1.0} -1.0	20.0 ^{+1.0} -1.0	2935.9 ^{+15.0} -12.7	5.09 ^{+0.04} -0.03	5.09 ^{+0.04} -0.03	B	
2M1608-2229	9852	5372	211	2458243.753	10.43	47	-5.1 ^{+0.2} -0.2	-5.1 ^{+0.2} -0.5	18.1 ^{+1.0} -1.0	17.9 ^{+1.0} -1.0	2939.4 ^{+8.3} -5.7	4.49 ^{+0.02} -0.02	4.49 ^{+0.02} -0.02	B	
...	10945	5786	36	2458320.473	-23.51	37	-5.2 ^{+0.3} -0.7	-5.2 ^{+0.3} -0.7	17.9 ^{+1.0} -1.0	17.9 ^{+1.0} -1.0	2919.8 ^{+8.3} -10.5	4.51 ^{+0.02} -0.04	4.51 ^{+0.02} -0.04	B	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i> (km s ⁻¹)	S/N	RV <i>b</i> (km s ⁻¹)	$\langle \text{RV} \rangle b, c$ (km s ⁻¹)	$v \sin i b, c, d$ (km s ⁻¹)	$\langle v \sin i \rangle b, c, d$ (km s ⁻¹)	$T_{\text{eff}} f$ (K)	$\langle T_{\text{eff}} \rangle c, f$ (K)	$\log g f$ (cm s ⁻²)	$\langle \log g \rangle c, f$ (cm s ⁻²)	$\text{M}_\odot e$
2M1608-2217	9852	5372	18	2458243.753	10.44	31	-5.4 ^{+0.2} _{-0.2}	-5.1 ^{+0.3} _{-0.4}	31.0 ^{+1.0} _{-1.0}	30.6 ^{+1.0} _{-1.1}	2858.3 ^{+6.6} _{-7.4}	2887.9 ^{+4.0} _{-3.7}	4.58 ^{+0.04} _{-0.04}	4.5 ^{+0.01} _{-0.01}	B
...	10945	5786	90	2458320.473	-23.51	32	-5.2 ^{+0.2} _{-0.2}	-5.2 ^{+0.3} _{-0.3}	32.1 ^{+1.3} _{-1.1}	32.1 ^{+1.3} _{-1.1}	2894.4 ^{+6.8} _{-6.7}	...	4.48 ^{+0.02} _{-0.02}	...	B
...	11628	6000	266	2458565.865	26.65	42	-4.3 ^{+0.3} _{-0.3}	-4.3 ^{+0.3} _{-0.3}	29.4 ^{+1.0} _{-1.1}	29.4 ^{+1.0} _{-1.1}	2906.5 ^{+7.4} _{-5.5}	...	4.49 ^{+0.01} _{-0.01}	...	B
2M1608-1911	10595	5659	270	2458242.662	10.91	35	-5.4 ^{+0.2} _{-0.3}	-5.4 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}	21.7 ^{+1.0} _{-1.0}	2877.6 ^{+5.9} _{-7.1}	2877.6 ^{+5.9} _{-7.1}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B
2M1609-2029	9782	5332	115	2458176.882	30.13	14	-4.5 ^{+0.3} _{-0.3}	-4.5 ^{+0.4} _{-0.4}	22.2 ^{+1.1} _{-1.8}	22.2 ^{+1.1} _{-1.8}	3059.1 ^{+15.2} _{-12.3}	3059.1 ^{+15.2} _{-12.3}	4.78 ^{+0.05} _{-0.04}	4.78 ^{+0.05} _{-0.04}	B
2M1609-2223	11628	6000	247	2458565.865	26.69	19	-15.6 ^{+0.2} _{-0.3}	-15.6 ^{+0.3} _{-0.3}	9.0 ^{+1.1} _{-1.2}	< 10	3156.7 ^{+10.0} _{-8.0}	3156.7 ^{+10.0} _{-8.0}	5.36 ^{+0.03} _{-0.03}	5.36 ^{+0.03} _{-0.03}	B
2M1609-2217	9852	5372	60	2458243.753	10.52	39	-3.2 ^{+0.2} _{-0.2}	-3.1 ^{+0.3} _{-0.4}	27.2 ^{+1.0} _{-1.0}	27.3 ^{+1.0} _{-1.0}	2917.6 ^{+5.3} _{-6.0}	2916.1 ^{+3.3} _{-3.3}	4.68 ^{+0.03} _{-0.03}	4.74 ^{+0.02} _{-0.01}	B
...	10945	5786	122	2458320.473	-23.45	34	-3.4 ^{+0.2} _{-0.2}	-3.4 ^{+0.2} _{-0.2}	27.3 ^{+1.0} _{-1.0}	27.3 ^{+1.0} _{-1.0}	2885.3 ^{+8.5} _{-9.1}	...	4.8 ^{+0.02} _{-0.02}	...	B
...	11628	6000	269	2458565.865	26.70	44	-2.4 ^{+0.3} _{-0.2}	-4.1 ^{+0.2} _{-0.3}	36.6 ^{+1.9} _{-1.0}	36.6 ^{+1.9} _{-1.0}	2909.5 ^{+9.2} _{-11.3}	2909.5 ^{+9.2} _{-11.3}	4.7 ^{+0.04} _{-0.04}	4.7 ^{+0.04} _{-0.04}	B
2M1609-2539	9853	5373	277	2458243.877	10.51	33	-4.1 ^{+0.2} _{-0.3}	-4.1 ^{+0.3} _{-0.3}	30.9 ^{+1.1} _{-1.0}	30.9 ^{+1.1} _{-1.0}	2956.4 ^{+6.8} _{-10.0}	2956.4 ^{+6.8_{-10.0}}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B
2M1609-2052	9852	5372	127	2458243.753	10.45	39	-1.4 ^{+0.3} _{-0.3}	-1.4 ^{+0.4} _{-0.3}	18.1 ^{+1.0} _{-1.1}	18.1 ^{+1.0} _{-1.1}	3030.1 ^{+5.4} _{-5.1}	3030.1 ^{+5.4} _{-5.1}	4.67 ^{+0.03} _{-0.03}	4.74 ^{+0.02} _{-0.02}	B
2M1609-2443	10591	5655	12	2458243.821	10.60	37	-0.6 ^{+0.3} _{-0.3}	-0.4 ^{+0.3} _{-0.4}	20.0 ^{+1.0} _{-1.0}	19.0 ^{+1.0} _{-1.1}	3031.8 ^{+11.0} _{-11.0}	3031.8 ^{+11.0} _{-11.0}	4.82 ^{+0.03} _{-0.03}	4.82 ^{+0.03} _{-0.03}	B
...	9853	5373	266	2458243.877	10.47	34	-0.3 ^{+0.2} _{-0.2}	-0.3 ^{+0.2} _{-0.2}	18.1 ^{+1.0} _{-1.1}	18.1 ^{+1.0} _{-1.1}	3041.9 ^{+4.8} _{-5.1}	3041.9 ^{+4.8} _{-5.1}	4.8 ^{+0.03} _{-0.03}	4.8 ^{+0.03} _{-0.03}	B
2M1609-2440	10591	5655	7	2458243.821	10.61	36	-1.9 ^{+0.3} _{-0.3}	-2.0 ^{+0.3} _{-0.5}	18.5 ^{+1.1} _{-1.1}	18.1 ^{+1.0} _{-1.1}	2831.7 ^{+7.2} _{-7.9}	2825.7 ^{+5.6} _{-6.7}	4.73 ^{+0.03} _{-0.04}	4.73 ^{+0.03} _{-0.04}	B
...	9853	5373	252	2458243.877	10.48	31	-2.1 ^{+0.3} _{-0.4}	-1.7 ^{+0.2} _{-0.4}	17.8 ^{+1.2} _{-1.2}	17.8 ^{+1.2} _{-1.2}	2814.4 ^{+8.8} _{-12.9}	...	4.88 ^{+0.04} _{-0.04}	...	B
2M1609-2212	11628	6000	241	2458565.865	26.74	27	-0.0 ^{+0.8} _{-0.3}	-0.0 ^{+0.9} _{-0.4}	31.5 ^{+1.1} _{-1.6}	31.5 ^{+1.1} _{-1.6}	2861.8 ^{+11.0} _{-14.8}	2861.8 ^{+11.0} _{-14.8}	4.52 ^{+0.02} _{-0.03}	4.52 ^{+0.02} _{-0.03}	B
2M1610-2152	9852	5372	114	2458243.753	10.58	37	-1.2 ^{+0.2} _{-0.2}	-0.7 ^{+0.3} _{-0.4}	14.6 ^{+1.1} _{-1.0}	15.7 ^{+1.0} _{-1.0}	2889.5 ^{+8.0} _{-13.2}	2890.5 ^{+5.8} _{-5.7}	4.67 ^{+0.03} _{-0.03}	4.62 ^{+0.02} _{-0.02}	B
...	11628	6000	161	2458565.865	26.73	47	-0.2 ^{+0.3} _{-0.3}	-0.2 ^{+0.3} _{-0.5}	15.8 ^{+1.0} _{-1.0}	15.8 ^{+1.0} _{-1.0}	2891.0 ^{+8.4} _{-9.1}	2891.0 ^{+8.4} _{-9.1}	4.58 ^{+0.03} _{-0.03}	4.58 ^{+0.03} _{-0.03}	B
2M1610-1910	10595	5659	253	2458242.662	11.12	43	-3.4 ^{+0.2} _{-0.2}	-3.4 ^{+0.3} _{-0.3}	20.8 ^{+1.1} _{-1.0}	20.8 ^{+1.1} _{-1.0}	3004.7 ^{+3.0} _{-4.0}	3004.7 ^{+3.0} _{-4.0}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B
2M1610-2208	9852	5372	12	2458243.753	10.66	37	-3.3 ^{+0.2} _{-0.3}	-3.2 ^{+0.3} _{-0.4}	20.2 ^{+1.0} _{-1.0}	19.7 ^{+1.0} _{-1.0}	2926.1 ^{+5.0} _{-4.0}	2931.3 ^{+4.3} _{-3.7}	4.51 ^{+0.01} _{-0.02}	4.5 ^{+0.01} _{-0.02}	B
...	11628	6000	257	2458565.865	26.77	51	-3.0 ^{+0.3} _{-0.3}	-3.0 ^{+0.3} _{-0.4}	19.7 ^{+1.0} _{-1.0}	19.7 ^{+1.0} _{-1.0}	2951.7 ^{+8.3} _{-9.5}	...	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B
2M1610-2222	11628	6000	191	2458565.865	26.79	25	-18.3 ^{+0.3} _{-0.3}	-18.3 ^{+0.3} _{-0.3}	8.8 ^{+1.8} _{-1.8}	< 10	3235.8 ^{+9.1} _{-10.0}	3235.8 ^{+9.1} _{-10.0}	5.29 ^{+0.04} _{-0.04}	5.29 ^{+0.04} _{-0.04}	B
2M1610-2212	11628	6000	198	2458565.865	26.79	51	-5.3 ^{+0.3} _{-0.3}	-4.5 ^{+0.3} _{-0.4}	31.0 ^{+1.0} _{-1.0}	31.0 ^{+1.0} _{-1.1}	2871.3 ^{+6.3} _{-6.1}	2871.3 ^{+6.3} _{-6.1}	4.52 ^{+0.01} _{-0.02}	4.52 ^{+0.01} _{-0.02}	B
...	11143	5810	228	2459009.759	-6.75	40	-4.2 ^{+0.2} _{-0.2}	-4.2 ^{+0.2} _{-0.2}	31.3 ^{+1.0} _{-1.2}	31.3 ^{+1.0} _{-1.2}	2834.9 ^{+8.9} _{-7.2}	2834.9 ^{+8.9} _{-7.2}	4.58 ^{+0.03} _{-0.03}	4.58 ^{+0.03} _{-0.03}	B
2M1610-2309	10945	5786	103	2458320.473	-23.27	17	-1.5 ^{+0.2} _{-0.2}	-1.9 ^{+0.3} _{-0.4}	23.8 ^{+1.0} _{-1.3}	23.8 ^{+1.0} _{-1.3}	3029.1 ^{+17.7} _{-17.9}	2948.8 ^{+3.6} _{-4.4}	5.29 ^{+0.05} _{-0.05}	4.85 ^{+0.02} _{-0.02}	B
...	9783	5333	246	2458560.866	27.92	32	-3.2 ^{+0.3} _{-0.3}	-3.2 ^{+0.3} _{-0.4}	23.8 ^{+1.0} _{-1.4}	23.8 ^{+1.0} _{-1.4}	2929.2 ^{+6.3} _{-6.3}	...	4.84 ^{+0.03} _{-0.03}	4.84 ^{+0.03} _{-0.03}	B
...	11628	6000	222	2458565.865	26.82	40	-1.9 ^{+0.3} _{-0.3}	-1.9 ^{+0.3} _{-0.4}	24.0 ^{+1.0} _{-1.6}	24.0 ^{+1.0} _{-1.6}	2965.3 ^{+6.0} _{-6.4}	2965.3 ^{+6.0} _{-6.4}	4.76 ^{+0.02} _{-0.02}	4.76 ^{+0.02} _{-0.02}	B
2M1611-2149	9852	5372	108	2458243.753	10.71	48	-5.7 ^{+0.2} _{-0.2}	-5.3 ^{+0.3} _{-0.4}	31.1 ^{+1.0} _{-1.3}	31.1 ^{+1.0} _{-1.3}	2974.8 ^{+4.3} _{-4.4}	2991.7 ^{+3.0} _{-2.2}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B
...	11628	6000	200	2458565.865	26.79	52	-5.1 ^{+0.2} _{-0.2}	-4.1 ^{+0.3} _{-0.3}	31.0 ^{+1.0} _{-1.0}	31.0 ^{+1.0} _{-1.0}	3000.5 ^{+2.6} _{-2.6}	...	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B
2M1611-1927	9763	5311	180	2457878.837	10.12	21	-4.2 ^{+0.3} _{-0.3}	-4.9 ^{+0.3} _{-0.4}	12.5 ^{+1.0} _{-1.3}	10.9 ^{+1.0} _{-1.1}	2915.1 ^{+28.3} _{-5.0}	2917.7 ^{+6.5} _{-4.5}	4.7 ^{+0.03} _{-0.03}	4.54 ^{+0.01} _{-0.01}	B
...	10595	5659	186	2458242.662	11.23	44	-5.1 ^{+0.2} _{-0.2}	-5.1 ^{+0.2} _{-0.2}	10.5 ^{+1.0} _{-1.0}	10.5 ^{+1.0} _{-1.0}	2921.1 ^{+6.7} _{-6.7}	...	4.51 ^{+0.02} _{-0.02}	4.51 ^{+0.02} _{-0.02}	B
2M1611-1847	10595	5659	204	2458242.662	11.18	42	-5.8 ^{+0.3} _{-0.3}	-5.8 ^{+0.3} _{-0.4}	12.2 ^{+1.0} _{-1.0}	12.2 ^{+1.0} _{-1.0}	2929.6 ^{+5.0} _{-4.9}	2929.6 ^{+5.0} _{-4.9}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B
2M1611-2340	9783	5333	277	2458560.866	27.95	29	-4.1 ^{+0.2} _{-0.2}	-4.1 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.0}	16.1 ^{+1.0} _{-1.0}	2903.9 ^{+9.6} _{-5.2}	2903.9 ^{+9.6} _{-5.2}	4.55 ^{+0.02} _{-0.04}	4.55 ^{+0.02} _{-0.04}	B
2M1611-2237	9783	5333	151	2458560.866	27.94	40	-5.2 ^{+0.2} _{-0.2}	-5.0 ^{+0.3} _{-0.4}	19.7 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2951.2 ^{+10.2} _{-11.9}	2988.1 ^{+3.6} _{-3.6}	4.51 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B
...	11628	6000	185	2458565.865	26.84	46	-4.8 ^{+0.3} _{-0.3}	-4.8 ^{+0.3} _{-0.4}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	2992.8 ^{+4.0} _{-3.8}	...	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B
2M1611-2219	9783	5333	175	2458560.866	27.93	32	-4.4 ^{+0.4} _{-0.3}	-4.4 ^{+0.4} _{-0.4}	23.3 ^{+1.0} _{-1.0}	23.3 ^{+1.0} _{-1.0}	2947.4 ^{+4.4} _{-4.7}	2904.7 ^{+4.4} _{-4.7}	4.55 ^{+0.01} _{-0.01}	4.51 ^{+0.01} _{-0.01}	

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	11628	6000	188	2455565.865	26.83	34	-5.0 ^{+0.4} -0.2	-4.6 ^{+0.3} -0.3	-4.6 ^{+0.3} -0.4	23.6 ^{+1.0} -1.1	... 16.3 ^{+1.0} -1.1	2907.9 ^{+5.0} -5.4	4.5 ^{+0.01} -0.01	...	B	
2M1611-2254	9783	5333	193	2455650.866	27.95	25	-4.4 ^{+0.2} -0.2	-4.7 ^{+0.2} -0.2	-4.7 ^{+0.2} -0.2	17.7 ^{+1.1} -1.0	2856.5 ^{+12.0} -8.7	2858.9 ^{+5.9} -5.4	4.62 ^{+0.04} -0.04	4.64 ^{+0.02} -0.02	B	
...	11628	6000	234	2455655.865	26.86	50	-4.7 ^{+0.2} -0.2	-5.1 ^{+0.3} -0.2	-5.1 ^{+0.3} -0.4	16.1 ^{+1.0} -1.0	... 2860.0 ^{+6.8} -6.8	4.64 ^{+0.02} -0.02	4.64 ^{+0.02} -0.02	...	B	
2M1611-1928	9763	5311	157	2457878.837	10.18	48	-5.1 ^{+0.2} -0.2	-5.1 ^{+0.3} -0.2	-5.1 ^{+0.3} -0.4	17.9 ^{+1.0} -1.0	2919.3 ^{+6.0} -8.0	2924.3 ^{+4.1} -5.3	4.52 ^{+0.02} -0.03	4.51 ^{+0.01} -0.01	B	
...	10595	5659	239	2458242.662	11.29	49	-5.0 ^{+0.2} -0.2	-5.2 ^{+0.3} -0.2	-5.2 ^{+0.3} -0.4	17.8 ^{+1.0} -1.0	2928.4 ^{+5.5} -7.5	... 4.5 ^{+0.01} -0.01	4.5 ^{+0.01} -0.01	...	B	
2M1611-2242	11628	6000	181	2455655.865	26.85	33	-2.5 ^{+0.3} -0.2	-19.4 ^{+0.2} -0.2	-19.9 ^{+0.3} -0.4	63.8 ^{+1.4} -1.3	2901.9 ^{+7.8} -7.4	2901.9 ^{+7.8} -7.4	4.51 ^{+0.01} -0.03	4.51 ^{+0.01} -0.03	B	
2M1612+3158	9866	2437	113	2455222.971	8.54	38	-19.4 ^{+0.2} -0.2	-19.9 ^{+0.3} -0.4	-19.9 ^{+0.3} -0.4	18.1 ^{+1.0} -1.0	2399.6 ^{+0.6} -0.3	2399.5 ^{+0.2} -0.2	4.85 ^{+0.03} -0.03	4.78 ^{+0.01} -0.02	S	
...	9866	2437	113	2458223.952	8.29	36	-19.9 ^{+0.3} -0.3	-21.5 ^{+0.6} -0.6	-21.5 ^{+0.6} -0.6	2399.5 ^{+0.6} -0.4	... 4.65 ^{+0.02} -0.04	... 4.65 ^{+0.02} -0.04	S	
...	9866	2437	113	2458224.949	8.01	35	-20.4 ^{+0.3} -0.3	-17.3 ^{+0.3} -0.4	-17.3 ^{+0.3} -0.4	17.9 ^{+1.0} -1.0	2399.5 ^{+0.6} -0.3	... 4.85 ^{+0.03} -0.03	
2M1612+3803	11944	2706	245	2458659.785	-11.18	62	-17.9 ^{+0.2} -0.2	-17.4 ^{+0.2} -0.2	-17.4 ^{+0.2} -0.2	< 10	3259.8 ^{+5.0} -6.8	3274.2 ^{+2.0} -3.0	5.27 ^{+0.01} -0.01	5.27 ^{+0.01} -0.01	...	
...	11944	2706	245	2458665.791	-12.30	59	-17.4 ^{+0.2} -0.2	-17.4 ^{+0.2} -0.2	-17.4 ^{+0.2} -0.2	7.1 ^{+1.0} -1.0	3275.6 ^{+6.3} -5.5	... 5.22 ^{+0.03} -0.03	
...	11944	2706	245	2458668.657	-12.53	66	-17.4 ^{+0.2} -0.2	-17.4 ^{+0.2} -0.2	-17.4 ^{+0.2} -0.2	7.2 ^{+1.1} -1.1	3273.6 ^{+3.5} -8.3	... 5.26 ^{+0.02} -0.02	
...	11944	2706	245	2458669.641	-12.66	83	-17.0 ^{+0.2} -0.2	-17.0 ^{+0.2} -0.2	-17.0 ^{+0.2} -0.2	8.1 ^{+1.7} -1.0	3280.3 ^{+3.2} -4.8	... 5.28 ^{+0.01} -0.01	
2M1612-1923	9763	5311	151	2457878.837	10.24	46	-5.4 ^{+0.4} -0.3	-5.5 ^{+0.4} -0.4	-5.5 ^{+0.4} -0.4	16.5 ^{+1.0} -1.0	2901.8 ^{+7.6} -6.6	2887.6 ^{+5.8} -5.8	4.49 ^{+0.02} -0.01	4.49 ^{+0.02} -0.01	...	
...	10595	5659	1	2458242.662	11.35	35	-5.5 ^{+0.2} -0.2	-5.5 ^{+0.2} -0.2	-5.5 ^{+0.2} -0.2	20.1 ^{+1.0} -1.0	2856.7 ^{+9.2} -12.4	... 4.48 ^{+0.03} -0.03	
2M1612-2127	11628	6000	69	2458565.865	26.84	29	-3.2 ^{+0.3} -0.3	-3.2 ^{+0.3} -0.4	-3.2 ^{+0.3} -0.4	17.3 ^{+1.0} -1.0	2861.8 ^{+8.1} -7.9	2861.8 ^{+8.1} -7.9	4.51 ^{+0.02} -0.03	4.51 ^{+0.02} -0.03	...	
2M1612-2009	9763	5311	234	2457878.837	10.33	62	-3.2 ^{+0.2} -0.2	-3.2 ^{+0.2} -0.3	-3.2 ^{+0.2} -0.3	14.1 ^{+1.0} -1.0	2924.9 ^{+6.0} -8.6	2924.9 ^{+6.0} -8.6	4.5 ^{+0.02} -0.01	4.5 ^{+0.02} -0.01	...	
2M1612-2305	9783	5333	293	2455650.866	28.00	28	-3.4 ^{+0.4} -0.3	-4.8 ^{+0.4} -0.3	-4.8 ^{+0.4} -0.4	25.9 ^{+1.1} -1.3	27.2 ^{+1.0} -1.0	2878.6 ^{+8.6} -10.0	4.68 ^{+0.04} -0.03	4.66 ^{+0.02} -0.02	...	
...	11628	6000	17	2455655.865	26.92	32	-5.1 ^{+0.3} -0.3	-5.1 ^{+0.3} -0.4	-5.1 ^{+0.3} -0.4	27.3 ^{+1.0} -1.0	2844.4 ^{+7.5} -6.8	... 4.65 ^{+0.03} -0.03	
2M1612+1742	11976	2738	139	2459011.772	-9.14	27	25.4 ^{+0.2} -0.2	25.7 ^{+0.3} -0.4	25.7 ^{+0.3} -0.4	9.1 ^{+1.6} -1.0	< 10	2399.1 ^{+1.4} -0.6	2399.0 ^{+1.0} -0.5	4.86 ^{+0.02} -0.03	4.86 ^{+0.02} -0.03	...
...	11976	2738	139	2459016.766	-10.91	32	26.1 ^{+0.2} -0.2	26.1 ^{+0.2} -0.3	26.1 ^{+0.2} -0.3	9.1 ^{+1.3} -1.0	2398.8 ^{+1.6} -0.8	... 4.86 ^{+0.03} -0.03	
2M1612-2024	9763	5311	222	2457878.837	10.39	49	-4.4 ^{+0.4} -0.3	-4.4 ^{+0.4} -0.3	-4.4 ^{+0.4} -0.3	19.3 ^{+1.4} -1.0	3127.4 ^{+5.3} -4.4	3127.4 ^{+5.3} -4.4	4.77 ^{+0.03} -0.03	4.77 ^{+0.03} -0.03	...	
2M1612-2428	10592	5636	151	2458242.848	11.33	31	-4.1 ^{+0.4} -0.4	-5.0 ^{+0.3} -0.4	-5.0 ^{+0.3} -0.4	33.1 ^{+1.0} -1.0	34.3 ^{+1.0} -1.1	3029.9 ^{+8.0} -6.2	3012.4 ^{+5.7} -4.2	4.78 ^{+0.04} -0.04	4.72 ^{+0.03} -0.03	...
...	9853	5373	72	2458243.877	10.80	29	-5.3 ^{+0.2} -0.2	-5.4 ^{+0.2} -0.3	-5.4 ^{+0.2} -0.3	36.6 ^{+1.2} -1.0	2996.3 ^{+8.2} -5.7	... 4.62 ^{+0.04} -0.04	
2M1613-2230	11628	6000	6	2455655.865	26.91	20	-34.9 ^{+0.3} -0.3	-34.9 ^{+0.3} -0.3	-34.9 ^{+0.3} -0.3	12.9 ^{+1.1} -1.3	3117.5 ^{+7.2} -6.3	3117.5 ^{+7.2} -6.3	5.48 ^{+0.02} -0.02	5.48 ^{+0.02} -0.02	...	
2M1613-1904	9763	5311	73	2457878.837	10.29	24	-0.4 ^{+0.2} -0.2	-0.0 ^{+0.3} -0.3	-0.0 ^{+0.3} -0.4	18.0 ^{+1.0} -1.0	2750.2 ^{+8.0} -9.5	2787.0 ^{+4.3} -6.0	4.29 ^{+0.05} -0.05	4.56 ^{+0.04} -0.04	B	
...	10595	5659	42	2458242.662	11.40	24	0.4 ^{+0.3} -0.3	-0.6 ^{+0.3} -0.4	-0.6 ^{+0.3} -0.4	16.0 ^{+1.0} -1.0	2804.2 ^{+5.9} -7.8	2804.2 ^{+5.9} -7.8	4.78 ^{+0.04} -0.04	4.72 ^{+0.03} -0.03	...	
2M1613-1929	9763	5311	72	2457878.837	10.33	30	-5.7 ^{+0.2} -0.2	-5.4 ^{+0.3} -0.3	-5.4 ^{+0.3} -0.3	19.9 ^{+1.0} -1.1	2807.6 ^{+3.3} -3.7	2807.6 ^{+3.3} -3.7	4.68 ^{+0.04} -0.04	4.68 ^{+0.04} -0.04	...	
...	10595	5659	12	2458242.662	11.44	26	-4.4 ^{+0.4} -0.4	-4.4 ^{+0.4} -0.3	-4.4 ^{+0.4} -0.3	19.7 ^{+1.1} -1.0	2800.2 ^{+3.8} -4.6	... 4.18 ^{+0.04} -0.05	
2M1613-2302	9783	5333	188	2455650.866	28.02	54	-1.1 ^{+0.2} -0.2	-1.2 ^{+0.3} -0.2	-1.2 ^{+0.3} -0.4	19.7 ^{+1.0} -1.0	2968.9 ^{+4.3} -4.3	2968.9 ^{+4.3} -4.3	4.51 ^{+0.01} -0.01	4.51 ^{+0.01} -0.01	B	
...	11628	6000	29	2455655.865	26.94	49	-1.2 ^{+0.2} -0.2	-1.2 ^{+0.2} -0.3	-1.2 ^{+0.2} -0.3	19.9 ^{+1.0} -1.0	2958.5 ^{+7.7} -6.7	... 4.62 ^{+0.02} -0.02	
2M1613-2313	9783	5333	191	2458560.866	28.02	58	-2.8 ^{+0.5} -0.5	-2.8 ^{+0.6} -0.5	-2.8 ^{+0.6} -0.5	19.9 ^{+1.0} -1.0	2968.4 ^{+4.3} -3.5	2968.4 ^{+4.3} -3.5	4.63 ^{+0.02} -0.02	4.63 ^{+0.02} -0.02	...	
2M1613-2149	11628	6000	35	2455655.865	26.91	15	-44.7 ^{+0.3} -0.2	-44.7 ^{+0.3} -0.3	-44.7 ^{+0.3} -0.3	6.3 ^{+1.6} -1.7	3451.5 ^{+12.2} -14.3	3451.5 ^{+12.2} -14.3	5.23 ^{+0.04} -0.04	5.23 ^{+0.04} -0.04	...	
2M1613-2328	9783	5333	222	2458560.866	28.04	23	-0.5 ^{+0.3} -0.2	-0.5 ^{+0.4} -0.3	-0.5 ^{+0.4} -0.4	23.9 ^{+1.0} -1.0	3003.2 ^{+4.6} -4.3	3003.2 ^{+4.6} -4.3	4.55 ^{+0.03} -0.03	4.55 ^{+0.03} -0.03	...	
2M1613-2509	9762	5310	79	2457878.674	11.33	24	-0.6 ^{+0.2} -0.2	-0.3 ^{+0.3} -0.3	-0.3 ^{+0.3} -0.4	17.4 ^{+1.4} -1.0	2882.2 ^{+12.1} -8.4	2882.2 ^{+12.1} -8.4	4.66 ^{+0.04} -0.04	4.66 ^{+0.04} -0.04	...	
...	10592	5656	246	2458242.848	11.48	23	0.2 ^{+0.2} -0.3	0.2 ^{+0.2} -0.3	0.2 ^{+0.2} -0.3	16.2 ^{+1.0} -1.4	2851.8 ^{+7.9} -9.9	2851.8 ^{+7.9} -9.9	4.79 ^{+0.04} -0.04	4.79 ^{+0.04} -0.04	...	

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
...	9853	5373	49	2455243.877	10.94	22	-0.5 ^{+0.3} _{-0.2}	... 0.5 ^{+0.6} _{-0.4}	-0.1 ^{+0.9} _{-0.5}	17.6 ^{+1.0} _{-1.0}	...	2886.1 ^{+12.4} _{-8.4}	4.59 ^{+0.04} _{-0.04}	...	B
2M1614-2548	10592	5656	228	2458242.848	11.55	47	0.5 ^{+0.6} _{-0.4}	-0.1 ^{+0.9} _{-0.5}	86.1 ^{+1.4} _{-1.6}	86.2 ^{+1.2} _{-1.3}	2930.3 ^{+8.9} _{-7.5}	2925.1 ^{+4.6} _{-4.9}	4.51 ^{+0.01} _{-0.01}	B	
...	9853	5373	30	2455243.877	11.02	32	1.6 ^{+1.4} _{-0.7}	...	88.5 ^{+2.1} _{-1.6}	...	2899.6 ^{+7.5} _{-6.8}	...	4.52 ^{+0.02} _{-0.03}	...	
...	11131	5781	71	245565.985	26.94	36	-0.8 ^{+0.7} _{-0.3}	...	84.6 ^{+1.7} _{-1.7}	...	2966.6 ^{+8.3} _{-12.8}	...	4.5 ^{+0.01} _{-0.02}	...	
2M1614+5007	8920	5184	133	2457439.008	10.12	18	-0.3 ^{+0.2} _{-0.2}	-0.1 ^{+0.3} _{-0.3}	13.5 ^{+1.4} _{-1.0}	11.7 ^{+1.0} _{-1.1}	3129.4 ^{+8.6} _{-8.7}	3128.0 ^{+2.5} _{-2.7}	5.42 ^{+0.04} _{-0.03}	5.48 ^{+0.01} _{-0.0}	
...	8920	5184	150	2457446.952	9.48	14	1.1 ^{+0.3} _{-1.1}	...	15.2 ^{+1.4} _{-1.5}	...	3138.2 ^{+10.6} _{-11.3}	...	5.45 ^{+0.03} _{-0.03}	...	
...	8920	5184	150	2457448.957	9.27	13	0.1 ^{+0.6} _{-0.3}	...	12.6 ^{+1.2} _{-1.3}	...	3113.8 ^{+11.2} _{-15.8}	...	5.38 ^{+0.06} _{-0.06}	...	
...	8920	5184	150	2457450.994	8.99	15	-0.1 ^{+0.3} _{-0.3}	...	12.6 ^{+1.2} _{-1.2}	...	3142.9 ^{+12.4} _{-9.7}	...	5.49 ^{+0.03} _{-0.01}	...	
...	8920	5184	102	2457466.910	7.01	16	0.2 ^{+0.3} _{-0.3}	...	10.9 ^{+1.1} _{-1.2}	...	3184.1 ^{+13.1} _{-10.4}	...	5.48 ^{+0.02} _{-0.01}	...	
...	8966	5184	146	2457469.943	6.49	11	-0.6 ^{+0.4} _{-0.7}	...	15.7 ^{+1.5} _{-1.3}	...	3182.0 ^{+21.8} _{-14.3}	...	5.38 ^{+0.05} _{-0.05}	...	
...	8967	5184	97	2457471.946	6.18	12	0.5 ^{+0.3} _{-0.3}	...	10.6 ^{+1.3} _{-1.2}	...	3123.1 ^{+8.3} _{-10.7}	...	5.45 ^{+0.05} _{-0.05}	...	
...	8966	5184	146	2457472.923	6.06	16	0.4 ^{+0.3} _{-0.3}	...	10.0 ^{+1.5} _{-1.4}	...	3198.0 ^{+11.8} _{-9.9}	...	5.35 ^{+0.03} _{-0.03}	...	
...	8967	5184	145	2457474.881	5.80	13	-0.9 ^{+0.2} _{-0.3}	...	12.7 ^{+1.3} _{-1.2}	...	3105.9 ^{+7.2} _{-12.1}	...	5.46 ^{+0.04} _{-0.04}	...	
...	8966	5184	98	2457500.828	1.27	11	0.3 ^{+0.8} _{-0.3}	...	10.1 ^{+1.6} _{-1.4}	...	3143.8 ^{+10.4} _{-17.1}	...	5.48 ^{+0.02} _{-0.02}	...	
...	9011	5184	138	2457502.871	0.82	12	0.2 ^{+0.4} _{-0.3}	...	9.5 ^{+1.4} _{-1.2}	...	3113.1 ^{+10.7} _{-12.0}	...	5.45 ^{+0.04} _{-0.03}	...	
...	8967	5184	103	2457507.834	-0.04	11	1.0 ^{+0.3} _{-0.3}	...	10.0 ^{+1.4} _{-1.4}	...	3128.6 ^{+12.7} _{-15.1}	...	5.49 ^{+0.02} _{-0.02}	...	
...	8967	5184	103	2457521.799	-2.57	11	-0.5 ^{+0.3} _{-0.4}	...	8.9 ^{+1.7} _{-1.6}	...	3131.9 ^{+11.2} _{-17.1}	...	5.49 ^{+0.01} _{-0.01}	...	
...	8967	5184	145	2457528.775	-3.75	14	-0.8 ^{+0.3} _{-0.2}	...	5.4 ^{+1.5} _{-2.3}	...	3115.7 ^{+10.8} _{-10.7}	...	5.49 ^{+0.01} _{-0.01}	...	
...	9011	5184	139	2457530.763	-4.07	10	-0.6 ^{+0.3} _{-0.3}	...	12.0 ^{+1.4} _{-1.3}	...	3106.8 ^{+7.0} _{-7.4}	...	5.49 ^{+0.01} _{-0.01}	...	
...	9011	5184	144	2457533.784	-4.61	11	0.7 ^{+0.3} _{-0.3}	...	11.1 ^{+1.4} _{-1.5}	...	3128.6 ^{+12.7} _{-15.1}	...	5.49 ^{+0.02} _{-0.02}	...	
...	9011	5184	150	2457536.820	-5.16	12	-0.0 ^{+1.0} _{-0.3}	...	8.5 ^{+1.8} _{-1.6}	...	3131.9 ^{+11.2} _{-17.1}	...	5.49 ^{+0.02} _{-0.02}	...	
...	2M1614+5106	8966	5184	51	2457469.943	6.05	29	5.1 ^{+0.2} _{-0.3}	5.9 ^{+0.3} _{-0.4}	13.2 ^{+1.2} _{-1.5}	15.0 ^{+1.0} _{-1.1}	3085.1 ^{+39.9} _{-30.0}	3076.2 ^{+4.0} _{-3.0}	5.45 ^{+0.09} _{-0.03}	5.48 ^{+0.01} _{-0.01}
...	8966	5184	51	2457500.828	0.98	25	6.5 ^{+0.2} _{-0.3}	...	13.2 ^{+1.3} _{-1.2}	...	3062.3 ^{+7.6} _{-6.2}	...	5.49 ^{+0.02} _{-0.02}	...	
...	8966	5184	39	2457472.923	5.62	41	5.6 ^{+0.2} _{-0.2}	...	14.3 ^{+1.0} _{-1.0}	...	3058.6 ^{+17.6} _{-5.9}	...	5.49 ^{+0.02} _{-0.02}	...	
...	8966	5184	51	2457475.940	5.12	26	5.2 ^{+0.3} _{-0.3}	...	16.3 ^{+1.0} _{-1.3}	...	3088.1 ^{+9.1} _{-10.4}	...	5.49 ^{+0.02} _{-0.02}	...	
...	8966	5184	52	2457480.928	4.32	24	5.7 ^{+0.4} _{-0.4}	...	16.1 ^{+1.1} _{-1.1}	...	3074.4 ^{+8.4} _{-7.3}	...	5.35 ^{+0.03} _{-0.03}	...	
...	8966	5184	45	2457500.828	0.98	25	6.5 ^{+0.2} _{-0.3}	...	13.2 ^{+1.3} _{-1.2}	...	3062.3 ^{+7.6} _{-6.2}	...	5.49 ^{+0.01} _{-0.01}	...	
...	8966	5184	39	2457560.747	-8.20	12	6.7 ^{+0.2} _{-0.3}	...	14.9 ^{+1.2} _{-1.1}	...	3104.6 ^{+7.8} _{-8.8}	...	5.48 ^{+0.02} _{-0.02}	...	
...	2M1614-1935	9763	5311	144	2457878.837	10.55	37	-2.0 ^{+0.3} _{-0.4}	-2.0 ^{+0.3} _{-0.4}	13.8 ^{+1.0} _{-1.2}	...	2957.9 ^{+7.8} _{-5.5}	...	5.46 ^{+0.03} _{-0.03}	B
...	9853	5373	149	2458243.877	11.07	43	-5.2 ^{+0.3} _{-0.3}	...	21.0 ^{+1.3} _{-1.0}	...	2956.7 ^{+6.6} _{-6.7}	...	4.62 ^{+0.04} _{-0.04}	...	
...	2M1615-2459	9762	5310	125	2457878.674	11.45	48	-3.8 ^{+0.3} _{-0.3}	-4.7 ^{+0.3} _{-0.4}	19.9 ^{+1.0} _{-1.0}	20.0 ^{+1.0} _{-1.0}	2976.5 ^{+6.6} _{-6.2}	2980.8 ^{+3.3} _{-3.0}	4.5 ^{+0.0} _{-0.0}	B
...	10592	5656	204	2458242.848	11.60	56	-4.7 ^{+0.2} _{-0.2}	...	19.8 ^{+1.0} _{-1.0}	...	2991.9 ^{+4.6} _{-3.9}	...	4.5 ^{+0.0} _{-0.01}	...	
...	9853	5373	103	2458242.662	11.65	20	-1.8 ^{+0.4} _{-0.3}	...	16.2 ^{+1.0} _{-1.1}	...	2954.8 ^{+8.6} _{-11.4}	...	4.58 ^{+0.04} _{-0.04}	...	
...	2M1615-2459	9762	5310	125	2457878.674	11.45	48	-3.8 ^{+0.3} _{-0.3}	-4.7 ^{+0.3} _{-0.4}	19.9 ^{+1.0} _{-1.0}	20.0 ^{+1.0} _{-1.0}	2976.5 ^{+6.6} _{-6.2}	2980.8 ^{+3.3} _{-3.0}	4.5 ^{+0.0} _{-0.0}	B
...	10592	5656	204	2458242.848	11.60	56	-4.7 ^{+0.2} _{-0.2}	...	19.8 ^{+1.0} _{-1.0}	...	2991.9 ^{+4.6} _{-3.9}	...	4.5 ^{+0.0} _{-0.01}	...	
...	9853	5373	114	2458243.877	11.11	11	-3.3 ^{+0.4} _{-0.9}	...	53.7 ^{+2.0} _{-2.4}	...	2837.1 ^{+14.6} _{-18.0}	...	5.13 ^{+0.05} _{-0.05}	...	
...	9853	5373	252	2458560.798	28.28	41	-3.4 ^{+0.3} _{-0.2}	-3.4 ^{+0.3} _{-0.3}	17.9 ^{+1.0} _{-1.0}	17.9 ^{+1.0} _{-1.0}	3079.3 ^{+6.8} _{-8.4}	3079.3 ^{+6.8} _{-8.4}	4.74 ^{+0.03} _{-0.02}	B	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M1615-2252	9783	5333	37	2455560.866	28.10	43	-0.2 ^{+0.3} -0.7 ^{-0.5}	29.2 ^{+1.0} -0.7 ^{-0.5}	29.8 ^{+1.0} -1.1	2993.9 ^{+6.5} -4.9	2983.9 ^{+4.5} -4.5	4.5 ^{+0.01} -0.01	4.5 ^{+0.01} -0.01	B	
...	11628	6000	7	2455565.865	27.04	30	-1.1 ^{+0.2} -0.3	31.2 ^{+1.0} -1.2	...	2958.0 ^{+7.8} -10.7	4.52 ^{+0.02} -0.03	4.52 ^{+0.02} -0.03	...	B	
2M1615-2333	9783	5333	12	2455560.866	28.12	43	-1.0 ^{+0.5} -0.3	49.9 ^{+1.0} -1.2	49.9 ^{+1.0} -1.2	2808.9 ^{+7.4} -8.2	2808.9 ^{+7.4} -8.2	4.7 ^{+0.03} -0.03	4.7 ^{+0.03} -0.03	B	
2M1615-2315	9783	5333	49	2455560.866	28.12	36	-3.1 ^{+0.2} -0.2	21.6 ^{+1.0} -1.0	21.6 ^{+1.0} -1.0	2975.5 ^{+4.8} -5.1	2975.5 ^{+4.8} -5.1	4.64 ^{+0.03} -0.03	4.64 ^{+0.03} -0.03	B	
2M1615-1854	10595	5659	98	2458242.662	11.66	43	-4.1 ^{+0.3} -0.3	25.4 ^{+1.0} -1.0	25.4 ^{+1.0} -1.0	3108.0 ^{+22.7} -7.7	3108.0 ^{+22.7} -7.7	4.38 ^{+0.04} -0.02	4.38 ^{+0.04} -0.02	B	
2M1615-2213	11628	6000	146	2455565.865	27.05	39	-1.4 ^{+0.2} -0.2	17.9 ^{+1.0} -1.0	17.9 ^{+1.0} -1.0	3028.1 ^{+5.4} -5.1	3028.1 ^{+5.4} -5.1	4.55 ^{+0.03} -0.04	4.55 ^{+0.03} -0.04	B	
2M1616-2405	10947	5788	264	2455560.798	28.33	35	-1.9 ^{+0.3} -0.3	26.5 ^{+1.3} -1.1	26.5 ^{+1.3} -1.1	3019.4 ^{+5.8} -5.8	3019.4 ^{+5.8} -5.8	4.52 ^{+0.02} -0.03	4.52 ^{+0.02} -0.03	B	
2M1616-2408	10947	5788	203	2458560.798	28.33	18	-5.6 ^{+0.3} -0.3	23.8 ^{+1.0} -1.8	23.8 ^{+1.0} -1.8	2974.1 ^{+13.1} -10.8	2974.1 ^{+13.1} -10.8	4.5 ^{+0.01} -0.02	4.5 ^{+0.01} -0.02	B	
2M1616-2412	10947	5788	204	2455560.798	28.33	11	-0.1 ^{+0.3} -0.3	25.8 ^{+1.6} -1.7	25.8 ^{+1.6} -1.7	2934.1 ^{+12.9} -16.1	2934.1 ^{+12.9} -16.1	4.52 ^{+0.02} -0.04	4.52 ^{+0.02} -0.04	B	
2M1616-2512	10592	5656	43	2458242.848	11.77	40	-2.1 ^{+0.3} -0.4	31.3 ^{+1.0} -1.2	31.3 ^{+1.0} -1.2	2962.8 ^{+9.7} -9.2	2962.8 ^{+9.7} -9.2	4.52 ^{+0.02} -0.03	4.52 ^{+0.02} -0.03	B	
2M1616-2333	10947	5788	174	2458560.798	28.34	25	-1.0 ^{+1.9} -1.9	98.8 ^{+1.3} -1.3	98.8 ^{+1.3} -1.3	2881.1 ^{+10.1} -11.3	2881.1 ^{+10.1} -11.3	4.65 ^{+0.06} -0.06	4.65 ^{+0.06} -0.06	B	
2M1616-2529	10592	5656	59	2458242.848	11.82	49	-3.3 ^{+0.3} -0.3	19.4 ^{+1.0} -1.0	19.4 ^{+1.0} -1.0	3117.1 ^{+6.7} -6.0	3117.1 ^{+6.7} -6.0	4.7 ^{+0.03} -0.03	4.7 ^{+0.03} -0.03	B	
2M1616-2620	10948	5789	281	2455320.566	-22.84	24	-0.9 ^{+0.2} -0.3	19.8 ^{+1.0} -1.0	19.8 ^{+1.0} -1.0	2399.6 ^{+6.6} -6.6	2399.6 ^{+6.6} -6.6	4.1 ^{+0.03} -0.02	4.1 ^{+0.03} -0.02	B	
2M1617-2540	10948	5789	2553	2458320.566	-22.88	14	0.5 ^{+1.5} -0.3	14.2 ^{+1.3} -1.2	14.2 ^{+1.3} -1.2	2929.3 ^{+16.6} -16.7	2929.3 ^{+16.6} -16.7	5.3 ^{+0.04} -0.05	5.3 ^{+0.04} -0.05	B	
2M1617-2350	10947	5788	162	2458560.798	28.37	28	-3.4 ^{+1.4} -1.4	35.2 ^{+1.1} -1.1	35.2 ^{+1.1} -1.1	2915.5 ^{+10.0} -11.2	2915.5 ^{+10.0} -11.2	4.67 ^{+0.03} -0.04	4.67 ^{+0.03} -0.04	B	
2M1617-2556	10592	5656	30	2458242.848	11.96	23	-3.6 ^{+0.3} -0.3	38.6 ^{+1.1} -1.9	36.9 ^{+1.0} -1.1	2938.8 ^{+12.7} -11.9	2938.8 ^{+12.7} -11.9	4.62 ^{+0.04} -0.02	4.62 ^{+0.04} -0.02	B	
...	10948	5789	241	2458320.566	-22.81	44	-2.9 ^{+0.2} -0.2	37.6 ^{+1.1} -1.0	37.6 ^{+1.1} -1.0	22.0 ^{+1.0} -1.2	22.0 ^{+1.0} -1.2	4.64 ^{+0.02} -0.02	4.64 ^{+0.02} -0.02	B	
2M1617-2329	10947	5788	163	2458560.798	28.38	27	-1.2 ^{+0.3} -0.3	22.0 ^{+1.1} -1.2	22.0 ^{+1.1} -1.2	2965.2 ^{+8.5} -8.5	2965.2 ^{+8.5} -8.5	4.62 ^{+0.03} -0.03	4.62 ^{+0.03} -0.03	B	
2M1618-2547	10592	5656	25	2458242.848	11.98	22	-2.9 ^{+0.3} -0.3	19.9 ^{+1.0} -1.1	17.4 ^{+1.0} -1.2	3037.5 ^{+9.3} -7.2	3037.5 ^{+9.3} -7.2	4.67 ^{+0.04} -0.04	4.67 ^{+0.04} -0.04	B	
...	10948	5789	205	2458320.566	-22.80	27	-2.7 ^{+0.3} -0.3	16.1 ^{+1.0} -1.3	16.1 ^{+1.0} -1.3	3013.8 ^{+4.1} -2.1	3013.8 ^{+4.1} -2.1	4.68 ^{+0.03} -0.02	4.68 ^{+0.03} -0.02	B	
2M1618-2347	10947	5788	65	2458560.798	28.40	35	-1.4 ^{+0.3} -0.3	21.7 ^{+1.0} -1.0	21.7 ^{+1.0} -1.0	2989.8 ^{+6.8} -6.5	2989.8 ^{+6.8} -6.5	4.49 ^{+0.02} -0.02	4.49 ^{+0.02} -0.02	B	
2M1618-2338	10947	5788	151	2458560.798	28.41	29	-0.7 ^{+0.3} -0.3	23.5 ^{+1.0} -1.0	23.5 ^{+1.0} -1.0	2977.2 ^{+4.5} -8.7	2977.2 ^{+4.5} -8.7	4.7 ^{+0.04} -0.04	4.7 ^{+0.04} -0.04	B	
2M1618-2516	10948	5789	162	2458320.566	-22.79	31	-1.3 ^{+0.3} -0.3	17.9 ^{+1.7} -1.7	17.9 ^{+1.7} -1.7	2994.8 ^{+5.3} -10.1	2994.8 ^{+5.3} -10.1	4.67 ^{+0.04} -0.04	4.67 ^{+0.04} -0.04	B	
2M1618-2346	10947	5788	66	2455560.798	28.43	12	-0.0 ^{+0.6} -0.5	35.3 ^{+1.2} -1.5	35.3 ^{+1.2} -1.5	2812.1 ^{+8.5} -10.9	2812.1 ^{+8.5} -10.9	4.93 ^{+0.06} -0.06	4.93 ^{+0.06} -0.06	B	
2M1619-2346	10947	5788	88	2455560.798	28.44	49	-4.5 ^{+0.3} -0.3	38.7 ^{+1.0} -1.1	38.7 ^{+1.0} -1.1	3353.6 ^{+6.7} -6.4	3353.6 ^{+6.7} -6.4	4.47 ^{+0.02} -0.02	4.47 ^{+0.02} -0.02	B	
2M1619-2220	9855	5317	289	2458243.690	11.83	38	-1.6 ^{+0.2} -0.2	12.4 ^{+1.0} -1.1	12.4 ^{+1.0} -1.1	2953.2 ^{+9.0} -7.1	2953.2 ^{+9.0} -7.1	4.61 ^{+0.03} -0.03	4.61 ^{+0.03} -0.03	B	
2M1619-2406	10947	5788	53	2458560.798	28.46	23	-1.5 ^{+1.2} -1.2	31.1 ^{+1.0} -1.0	31.1 ^{+1.0} -1.0	2919.9 ^{+8.7} -6.7	2919.9 ^{+8.7} -6.7	4.63 ^{+0.04} -0.04	4.63 ^{+0.04} -0.04	B	
2M1620-2328	10947	5788	121	2458560.798	28.47	28	-1.7 ^{+0.3} -0.3	31.0 ^{+1.1} -1.1	31.0 ^{+1.1} -1.1	3027.8 ^{+11.8} -11.9	3027.8 ^{+11.8} -11.9	4.69 ^{+0.07} -0.07	4.69 ^{+0.07} -0.07	B	
2M1620-2255	10594	5658	277	2458242.784	12.20	49	-2.1 ^{+0.2} -0.2	31.0 ^{+1.0} -1.0	31.0 ^{+1.0} -1.0	31.5 ^{+1.0} -1.1	31.5 ^{+1.0} -1.1	4.51 ^{+0.01} -0.01	4.51 ^{+0.01} -0.01	B	
...	9855	5317	217	2458243.690	28.48	20	-3.5 ^{+0.3} -0.4	16.1 ^{+1.0} -1.0	16.1 ^{+1.0} -1.0	2902.6 ^{+10.6} -9.2	2902.6 ^{+10.6} -9.2	4.66 ^{+0.04} -0.04	4.66 ^{+0.04} -0.04	B	
2M1620-2420	10947	5788	9	2458560.798	28.51	58	-2.0 ^{+0.3} -0.3	19.9 ^{+1.0} -1.0	19.9 ^{+1.0} -1.0	3376.0 ^{+6.3} -6.1	3376.0 ^{+6.3} -6.1	4.95 ^{+0.04} -0.05	4.95 ^{+0.04} -0.05	B	
2M1620-2241	10594	5658	289	2458242.784	12.27	36	-0.7 ^{+0.3} -0.4	37.0 ^{+1.0} -1.4	37.0 ^{+1.0} -1.4	2911.0 ^{+6.2} -8.2	2911.0 ^{+6.2} -8.2	4.54 ^{+0.03} -0.03	4.54 ^{+0.03} -0.03	B	
...	9855	5317	182	2458243.690	12.06	26	-0.7 ^{+0.3} -0.3	38.6 ^{+1.0} -1.1	38.6 ^{+1.0} -1.1	2900.6 ^{+7.8} -9.4	2900.6 ^{+7.8} -9.4	4.72 ^{+0.04} -0.04	4.72 ^{+0.04} -0.04	B	

Table A2 *continued*

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b$	$\langle v \sin i \rangle b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
		ID	ID	(day)	(km s ⁻¹)		(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1621-2426	10947	5788	8	24553560.798	28.53	33	-3.1 ^{+0.2} _{-0.2}	-3.1 ^{+0.3} _{-0.3}	11.1 ^{+1.1} _{-1.1}	11.1 ^{+1.1} _{-1.1}	3431.2 ^{+6.5} _{-6.9}	4.81 ^{+0.03} _{-0.02}	4.81 ^{+0.03} _{-0.02}	B	
2M1621+2443	9048	2379	197	2457867.944	8.35	35	-4.1 ^{+0.3} _{-0.3}	-3.7 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.2}	10.8 ^{+1.0} _{-1.2}	2884.9 ^{+8.8} _{-10.0}	4.8 ^{+0.03} _{-0.03}	4.83 ^{+0.01} _{-0.01}	B	
...	9048	2379	197	2457870.913	7.41	51	-3.5 ^{+0.2} _{-0.2}	...	10.6 ^{+1.0} _{-1.1}	...	2919.1 ^{+13.4} _{-8.3}	4.79 ^{+0.02} _{-0.02}	4.79 ^{+0.02} _{-0.02}	B	
...	9048	2379	197	2457874.868	6.15	43	-3.8 ^{+0.4} _{-0.4}	...	12.3 ^{+1.0} _{-1.0}	...	2908.3 ^{+7.4} _{-6.6}	4.75 ^{+0.03} _{-0.03}	4.75 ^{+0.03} _{-0.03}	B	
...	9048	2379	197	2457875.912	5.69	38	-3.3 ^{+0.3} _{-0.2}	...	9.7 ^{+1.4} _{-1.1}	...	2918.4 ^{+8.1} _{-8.4}	5.17 ^{+0.03} _{-0.04}	5.17 ^{+0.03} _{-0.04}	B	
...	9046	2377	36	2455226.956	10.35	29	-4.2 ^{+0.3} _{-0.3}	...	10.7 ^{+1.1} _{-1.1}	...	2921.0 ^{+9.0} _{-10.9}	4.8 ^{+0.04} _{-0.04}	4.8 ^{+0.04} _{-0.04}	B	
...	9046	2377	36	2455227.911	10.14	38	-4.0 ^{+0.3} _{-0.2}	...	9.4 ^{+1.3} _{-1.1}	...	2898.9 ^{+10.8} _{-14.5}	4.82 ^{+0.04} _{-0.05}	4.82 ^{+0.04} _{-0.05}	B	
...	9046	2377	36	2458230.918	9.15	35	-3.6 ^{+0.2} _{-0.2}	...	10.7 ^{+1.0} _{-1.1}	...	2913.1 ^{+9.4} _{-8.1}	4.63 ^{+0.04} _{-0.06}	4.63 ^{+0.04} _{-0.06}	B	
...	9046	2377	36	2458231.877	8.92	32	-4.0 ^{+0.4} _{-0.4}	...	10.6 ^{+1.0} _{-1.0}	...	2901.3 ^{+6.5} _{-7.3}	4.83 ^{+0.03} _{-0.03}	4.83 ^{+0.03} _{-0.03}	B	
2M1621-2628	10948	5789	18	2455320.566	-22.50	30	2.9 ^{+0.5} _{-0.3}	2.9 ^{+1.7} _{-0.4}	70.8 ^{+1.5} _{-1.8}	70.8 ^{+1.5} _{-1.8}	2837.6 ^{+13.8} _{-19.0}	4.58 ^{+0.05} _{-0.05}	4.58 ^{+0.05} _{-0.05}	B	
2M1621-2419	10947	5788	144	2458560.798	28.55	41	-1.9 ^{+0.4} _{-0.3}	-1.9 ^{+0.4} _{-0.4}	24.1 ^{+1.1} _{-1.2}	24.1 ^{+1.1} _{-1.2}	3151.8 ^{+5.9} _{-6.6}	4.77 ^{+0.03} _{-0.03}	4.77 ^{+0.03} _{-0.03}	B	
2M1621-2409	10947	5788	92	2458560.798	28.56	27	-2.9 ^{+0.2} _{-0.2}	-2.9 ^{+0.3} _{-0.3}	27.2 ^{+1.0} _{-1.2}	27.2 ^{+1.0} _{-1.2}	3207.8 ^{+6.1} _{-5.7}	4.74 ^{+0.03} _{-0.03}	4.74 ^{+0.03} _{-0.03}	B	
2M1622-2217	10594	5658	162	2458242.784	12.33	46	-5.0 ^{+0.2} _{-0.2}	-5.1 ^{+0.2} _{-0.4}	18.4 ^{+1.0} _{-1.2}	18.4 ^{+1.0} _{-1.2}	3080.8 ^{+8.4} _{-8.4}	4.72 ^{+0.03} _{-0.02}	4.72 ^{+0.03} _{-0.02}	B	
...	9855	5317	198	2458243.690	12.12	48	-5.7 ^{+0.3} _{-0.8}	...	18.4 ^{+1.0} _{-1.2}	...	3059.0 ^{+7.0} _{-5.6}	4.65 ^{+0.04} _{-0.04}	4.65 ^{+0.04} _{-0.04}	B	
2M1622-2413	10947	5788	143	2458560.798	28.56	41	-3.0 ^{+0.3} _{-0.2}	-3.0 ^{+0.3} _{-0.3}	20.0 ^{+1.0} _{-1.1}	20.0 ^{+1.0} _{-1.1}	3362.1 ^{+11.1} _{-11.4}	4.85 ^{+0.02} _{-0.02}	4.85 ^{+0.02} _{-0.02}	B	
2M1622-2445	10947	5788	27	2458560.798	28.57	16	-2.6 ^{+0.3} _{-0.3}	-2.6 ^{+0.3} _{-0.3}	12.0 ^{+1.1} _{-1.2}	12.0 ^{+1.1} _{-1.2}	3132.6 ^{+5.2} _{-7.7}	4.73 ^{+0.03} _{-0.04}	4.73 ^{+0.03} _{-0.04}	B	
2M1622-2347	10947	5788	138	2458560.798	28.56	48	-6.6 ^{+0.2} _{-0.2}	-6.6 ^{+0.3} _{-0.3}	33.0 ^{+1.0} _{-1.1}	33.0 ^{+1.0} _{-1.1}	2997.2 ^{+4.7} _{-3.6}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B	
2M1622-2352	10947	5788	137	2458560.798	28.57	51	-1.9 ^{+0.5} _{-0.4}	-1.9 ^{+0.5} _{-0.4}	29.1 ^{+1.0} _{-1.0}	29.1 ^{+1.0} _{-1.0}	3145.7 ^{+2.6} _{-6.8}	4.8 ^{+0.02} _{-0.03}	4.8 ^{+0.02} _{-0.03}	B	
2M1622-2217	10594	5658	157	2458242.784	12.36	32	-2.7 ^{+0.2} _{-0.3}	-2.5 ^{+0.3} _{-0.4}	18.3 ^{+1.0} _{-1.0}	19.0 ^{+1.0} _{-1.1}	2948.7 ^{+5.8} _{-5.2}	4.61 ^{+0.02} _{-0.02}	4.61 ^{+0.02} _{-0.02}	B	
...	9855	5317	48	2458243.690	12.15	27	-2.4 ^{+0.2} _{-0.2}	...	20.4 ^{+1.1} _{-1.1}	...	2936.2 ^{+5.6} _{-7.6}	4.59 ^{+0.03} _{-0.03}	4.59 ^{+0.03} _{-0.03}	B	
2M1622-2405	10947	5788	128	2458560.798	28.58	17	-2.3 ^{+1.9} _{-2.0}	-2.3 ^{+1.9} _{-2.0}	86.5 ^{+3.5} _{-3.9}	86.5 ^{+3.5} _{-3.9}	2874.2 ^{+18.4} _{-17.3}	4.65 ^{+0.07} _{-0.07}	4.65 ^{+0.07} _{-0.07}	B	
2M1622-2541	10948	5789	139	2458320.566	-22.48	11	-1.1 ^{+0.8} _{-0.4}	-1.1 ^{+0.8} _{-0.5}	31.0 ^{+1.8} _{-1.0}	31.0 ^{+1.8} _{-1.0}	2399.1 ^{+1.2} _{-0.7}	3.53 ^{+0.02} _{-0.02}	3.53 ^{+0.02} _{-0.02}	S	
2M1623-2118	9855	5317	78	2458243.690	12.16	38	-2.5 ^{+0.7} _{-0.7}	-2.5 ^{+0.7} _{-0.7}	23.0 ^{+1.0} _{-1.0}	23.0 ^{+1.0} _{-1.0}	2908.9 ^{+7.7} _{-5.8}	4.63 ^{+0.04} _{-0.04}	4.63 ^{+0.04} _{-0.04}	B	
2M1624-2448	10593	5657	293	2458242.722	12.91	70	-4.0 ^{+0.2} _{-0.2}	-4.0 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}	21.7 ^{+1.0} _{-1.0}	2874.2 ^{+18.4} _{-17.3}	4.69 ^{+0.02} _{-0.02}	4.69 ^{+0.02} _{-0.02}	B	
2M1624-2719	11623	5790	67	2458844.872	27.82	30	0.4 ^{+0.2} _{-0.2}	0.4 ^{+0.3} _{-0.3}	42.3 ^{+1.2} _{-1.1}	42.3 ^{+1.2} _{-1.1}	2967.5 ^{+8.2} _{-12.0}	4.57 ^{+0.03} _{-0.05}	4.57 ^{+0.03} _{-0.05}	B	
2M1625-2446	10593	5657	210	2458242.722	13.00	47	-6.1 ^{+0.3} _{-0.3}	-6.1 ^{+0.4} _{-0.4}	23.6 ^{+1.0} _{-1.0}	23.6 ^{+1.0} _{-1.0}	2967.9 ^{+5.8} _{-6.4}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B	
2M1625-2214	10594	5658	138	2458242.784	12.69	39	-5.9 ^{+0.2} _{-0.2}	-5.9 ^{+0.3} _{-0.4}	21.6 ^{+1.0} _{-1.0}	21.6 ^{+1.0} _{-1.0}	2913.0 ^{+5.7} _{-5.9}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B	
...	9855	5317	120	2458243.690	12.49	27	-5.9 ^{+0.4} _{-0.4}	...	21.7 ^{+1.0} _{-1.0}	...	2923.0 ^{+12.4} _{-10.8}	4.51 ^{+0.02} _{-0.02}	4.51 ^{+0.02} _{-0.02}	B	
2M1625-2230	10594	5658	144	2458242.784	12.74	32	-2.2 ^{+0.2} _{-0.2}	-2.2 ^{+0.2} _{-0.4}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	2984.8 ^{+7.7} _{-5.7}	4.57 ^{+0.04} _{-0.03}	4.57 ^{+0.04} _{-0.03}	B	
...	9855	5317	109	2458243.690	12.53	16	-2.3 ^{+0.3} _{-0.3}	...	14.4 ^{+1.0} _{-1.3}	...	3008.4 ^{+8.5} _{-6.7}	4.63 ^{+0.05} _{-0.05}	4.63 ^{+0.05} _{-0.05}	B	
2M1626+8558	6859	4528	155	2456351.951	-9.16	61	-45.7 ^{+0.3} _{-0.5}	-45.5 ^{+0.3} _{-0.5}	7.9 ^{+1.4} _{-1.1}	< 10	3150.0 ^{+6.7} _{-8.2}	5.39 ^{+0.01} _{-0.01}	5.39 ^{+0.01} _{-0.01}	B	
...	6859	4528	161	2456406.809	-8.80	53	-45.5 ^{+0.3} _{-0.3}	...	9.1 ^{+1.0} _{-1.1}	...	3152.0 ^{+7.3} _{-6.9}	5.38 ^{+0.02} _{-0.02}	5.38 ^{+0.02} _{-0.02}	B	
...	6859	4528	152	2456410.816	-8.45	49	-45.2 ^{+0.3} _{-0.3}	...	9.1 ^{+1.1} _{-1.3}	...	3152.4 ^{+6.1} _{-6.1}	5.38 ^{+0.03} _{-0.03}	5.38 ^{+0.03} _{-0.03}	B	
2M1626-2414	10593	5657	168	2458242.722	13.10	51	-5.3 ^{+0.3} _{-0.3}	-5.3 ^{+0.3} _{-0.3}	19.8 ^{+1.0} _{-1.0}	19.8 ^{+1.0} _{-1.0}	3009.1 ^{+4.7} _{-3.3}	4.49 ^{+0.02} _{-0.02}	4.49 ^{+0.02} _{-0.02}	B	
2M1626-2415	10593	5657	167	2458242.722	13.12	74	-5.7 ^{+0.2} _{-0.2}	-5.7 ^{+0.3} _{-0.3}	14.3 ^{+1.0} _{-1.6}	14.3 ^{+1.0} _{-1.6}	3164.2 ^{+7.0} _{-4.4}	4.38 ^{+0.02} _{-0.03}	4.38 ^{+0.02} _{-0.03}	B	
2M1626-2444	10593	5657	152	2458242.722	13.17	87	-6.9 ^{+0.3} _{-0.3}	-6.9 ^{+0.3} _{-0.3}	10.5 ^{+1.0} _{-1.7}	10.5 ^{+1.0} _{-1.7}	3317.9 ^{+3.5} _{-4.6}	4.29 ^{+0.02} _{-0.03}	4.29 ^{+0.02} _{-0.03}	B	

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	
2M1626-2442	10533	5657	1355	2458242.722	13.17	76	-6.0 ^{+0.2} _{-0.2}	-6.0 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.6}	3150.2 ^{+3.3} _{-5.0}	3150.2 ^{+3.3} _{-5.0}	4.18 ^{+0.03} _{-0.02}	4.18 ^{+0.03} _{-0.02}	B
2M1626-2413	10533	5657	61	2458242.722	13.14	36	-6.5 ^{+0.3} _{-0.4}	-6.5 ^{+0.4} _{-0.5}	31.2 ^{+1.0} _{-1.1}	3356.3 ^{+8.9} _{-8.3}	3356.3 ^{+8.9} _{-8.3}	4.54 ^{+0.04} _{-0.05}	4.54 ^{+0.04} _{-0.05}	B
2M1627-2407	10533	5657	67	2458242.722	13.16	60	-6.8 ^{+0.2} _{-0.2}	-6.8 ^{+0.3} _{-0.3}	10.9 ^{+1.0} _{-1.0}	3287.6 ^{+3.9} _{-3.8}	3287.6 ^{+3.9} _{-3.8}	4.34 ^{+0.01} _{-0.01}	4.34 ^{+0.01} _{-0.01}	B
2M1627-2441	10533	5657	151	2458242.722	13.20	76	-4.1 ^{+0.7} _{-0.3}	-4.1 ^{+0.7} _{-0.3}	17.9 ^{+1.0} _{-1.0}	2994.4 ^{+4.9} _{-4.9}	2994.4 ^{+4.9} _{-4.9}	4.44 ^{+0.02} _{-0.02}	4.44 ^{+0.02} _{-0.02}	B
2M1627-2457	10533	5657	54	2458242.722	13.29	38	-2.6 ^{+0.3} _{-0.3}	-2.6 ^{+0.3} _{-0.3}	49.3 ^{+1.6} _{-1.2}	2885.0 ^{+9.2} _{-9.6}	2885.0 ^{+9.2} _{-9.6}	4.67 ^{+0.04} _{-0.04}	4.67 ^{+0.04} _{-0.04}	B
2M1628-2448	10533	5657	96	2458242.722	13.34	49	-5.9 ^{+0.2} _{-0.2}	-5.9 ^{+0.3} _{-0.3}	8.6 ^{+1.0} _{-1.0}	3299.8 ^{+5.5} _{-5.0}	3299.8 ^{+5.5} _{-5.0}	4.43 ^{+0.02} _{-0.02}	4.43 ^{+0.02} _{-0.02}	B
2M1628-2435	10533	5657	133	2458242.722	13.33	49	-5.0 ^{+0.3} _{-0.2}	-5.0 ^{+0.3} _{-0.2}	20.0 ^{+1.0} _{-1.1}	3085.1 ^{+3.9} _{-2.1}	3085.1 ^{+3.9} _{-2.1}	4.5 ^{+0.02} _{-0.02}	4.5 ^{+0.02} _{-0.02}	B
2M1629-2505	10533	5657	110	2458242.722	13.46	55	-25.8 ^{+0.3} _{-0.2}	-25.8 ^{+0.3} _{-0.2}	7.1 ^{+1.0} _{-1.4}	3266.5 ^{+5.1} _{-4.9}	3266.5 ^{+5.1} _{-4.9}	5.44 ^{+0.02} _{-0.02}	5.44 ^{+0.02} _{-0.02}	B
2M1634-2257	11144	5811	118	2458646.782	-5.10	72	-0.6 ^{+0.3} _{-0.3}	-0.6 ^{+0.4} _{-0.3}	23.4 ^{+2.0} _{-1.0}	3108.4 ^{+6.5} _{-6.4}	3108.4 ^{+6.5} _{-6.4}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
2M1635+4140	8601	2231	186	2457192.686	-7.25	62	5.3 ^{+0.2} _{-0.2}	4.9 ^{+0.3} _{-0.4}	7.4 ^{+1.0} _{-1.1}	2399.3 ^{+0.8} _{-0.4}	2399.3 ^{+0.8} _{-0.4}	5.22 ^{+0.03} _{-0.03}	5.11 ^{+0.01} _{-0.01}	B
...	8978	2329	1	2457463.969	11.91	33	4.7 ^{+0.3} _{-0.3}	8.9 ^{+1.0} _{-1.2}	...	2399.4 ^{+0.9} _{-0.4}	...	5.09 ^{+0.03} _{-0.02}	5.09 ^{+0.03} _{-0.02}	...
...	8978	2329	1	2457465.992	11.60	25	4.3 ^{+0.2} _{-0.2}	4.3 ^{+0.2} _{-0.2}	10.7 ^{+1.0} _{-1.1}	2399.4 ^{+0.9} _{-0.4}	2399.4 ^{+0.9} _{-0.4}	4.76 ^{+0.04} _{-0.04}	4.76 ^{+0.04} _{-0.04}	...
...	9029	2360	132	2457510.921	2.96	44	4.3 ^{+0.3} _{-0.3}	4.3 ^{+0.3} _{-0.3}	7.2 ^{+1.0} _{-1.1}	2399.3 ^{+1.0} _{-0.5}	2399.3 ^{+1.0} _{-0.5}	5.23 ^{+0.01} _{-0.01}	5.23 ^{+0.01} _{-0.01}	...
...	9029	2360	132	2457511.834	2.90	36	5.0 ^{+0.2} _{-0.2}	5.0 ^{+0.2} _{-0.2}	7.3 ^{+1.1} _{-1.4}	2399.2 ^{+1.2} _{-0.6}	2399.2 ^{+1.2} _{-0.6}	5.09 ^{+0.03} _{-0.03}	5.09 ^{+0.03} _{-0.03}	...
...	11942	2704	259	2458641.850	-5.07	42	5.2 ^{+0.3} _{-0.2}	5.2 ^{+0.3} _{-0.2}	9.0 ^{+1.1} _{-1.3}	2399.2 ^{+0.9} _{-0.5}	2399.2 ^{+0.9} _{-0.5}	4.99 ^{+0.03} _{-0.03}	4.99 ^{+0.03} _{-0.03}	...
...	11942	2704	259	2458642.869	-5.32	32	4.6 ^{+0.3} _{-0.3}	4.6 ^{+0.3} _{-0.3}	10.0 ^{+1.4} _{-1.0}	2399.1 ^{+1.0} _{-0.7}	2399.1 ^{+1.0} _{-0.7}	4.91 ^{+0.02} _{-0.02}	4.91 ^{+0.02} _{-0.02}	...
2M1636+7448	10773	5755	107	2458265.812	-4.44	10	-51.9 ^{+0.4} _{-0.4}	-51.9 ^{+0.4} _{-0.4}	11.8 ^{+1.5} _{-1.3}	3157.0 ^{+11.8} _{-14.4}	3157.0 ^{+11.8} _{-14.4}	5.2 ^{+0.07} _{-0.05}	5.2 ^{+0.07} _{-0.05}	...
2M1636+2724	11737	2691	248	2458580.976	13.87	26	-19.0 ^{+0.3} _{-0.3}	-19.3 ^{+0.3} _{-0.3}	10.6 ^{+1.0} _{-1.0}	2399.4 ^{+0.9} _{-0.4}	2399.4 ^{+0.9} _{-0.4}	4.97 ^{+0.01} _{-0.01}	4.97 ^{+0.01} _{-0.01}	...
...	11757	2691	248	2458581.938	13.72	76	-19.5 ^{+0.2} _{-0.2}	-19.5 ^{+0.2} _{-0.2}	7.2 ^{+1.0} _{-1.1}	2399.5 ^{+0.8} _{-0.4}	2399.5 ^{+0.8} _{-0.4}	5.07 ^{+0.01} _{-0.01}	5.07 ^{+0.01} _{-0.01}	...
...	11823	2689	130	2458607.917	6.21	41	-19.1 ^{+0.3} _{-0.2}	-19.1 ^{+0.3} _{-0.2}	8.9 ^{+1.0} _{-1.0}	2399.4 ^{+0.9} _{-0.4}	2399.4 ^{+0.9} _{-0.4}	4.85 ^{+0.02} _{-0.02}	4.85 ^{+0.02} _{-0.02}	...
...	11823	2689	130	2458612.941	4.52	36	-19.1 ^{+0.4} _{-0.3}	-19.1 ^{+0.4} _{-0.3}	7.9 ^{+1.5} _{-1.2}	2399.2 ^{+0.9} _{-0.6}	2399.2 ^{+0.9} _{-0.6}	4.93 ^{+0.03} _{-0.03}	4.93 ^{+0.03} _{-0.03}	...
...	11823	2689	130	2458617.918	2.92	37	-19.5 ^{+0.2} _{-0.2}	-19.5 ^{+0.2} _{-0.2}	7.2 ^{+1.1} _{-1.4}	2399.3 ^{+1.0} _{-0.6}	2399.3 ^{+1.0} _{-0.6}	4.99 ^{+0.02} _{-0.02}	4.99 ^{+0.02} _{-0.02}	...
...	11823	2689	136	2458631.752	-1.34	27	-19.2 ^{+0.3} _{-0.2}	-19.2 ^{+0.3} _{-0.2}	12.3 ^{+1.0} _{-1.0}	2399.5 ^{+0.6} _{-0.3}	2399.5 ^{+0.6} _{-0.3}	4.65 ^{+0.03} _{-0.03}	4.65 ^{+0.03} _{-0.03}	...
2M1637+3535	5660	4105	113	2455965.004	16.44	55	-3.6 ^{+0.2} _{-0.2}	-3.8 ^{+0.3} _{-0.3}	7.2 ^{+1.0} _{-1.2}	2399.4 ^{+0.7} _{-0.4}	2399.4 ^{+0.7} _{-0.4}	5.17 ^{+0.02} _{-0.01}	5.17 ^{+0.02} _{-0.01}	...
...	5661	4105	118	2455969.005	16.59	79	-3.9 ^{+0.2} _{-0.2}	-3.9 ^{+0.2} _{-0.2}	5.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.9} _{-0.4}	2399.5 ^{+0.9} _{-0.4}	5.22 ^{+0.03} _{-0.02}	5.22 ^{+0.03} _{-0.02}	...
...	5660	4105	29	2455991.967	15.94	77	-3.8 ^{+0.2} _{-0.2}	-3.8 ^{+0.2} _{-0.2}	7.3 ^{+1.0} _{-1.0}	2399.5 ^{+0.6} _{-0.3}	2399.5 ^{+0.6} _{-0.3}	5.14 ^{+0.01} _{-0.01}	5.14 ^{+0.01} _{-0.01}	...
...	5661	4105	106	2455998.940	15.27	60	-3.6 ^{+0.2} _{-0.2}	-3.6 ^{+0.2} _{-0.2}	5.8 ^{+1.1} _{-1.1}	2399.2 ^{+1.0} _{-0.5}	2399.2 ^{+1.0} _{-0.5}	5.28 ^{+0.01} _{-0.02}	5.28 ^{+0.01} _{-0.02}	...
...	5660	4105	110	2456022.863	11.38	61	-4.0 ^{+0.3} _{-0.2}	-4.0 ^{+0.3} _{-0.2}	6.3 ^{+1.7} _{-1.4}	2399.3 ^{+0.9} _{-0.6}	2399.3 ^{+0.9} _{-0.6}	5.19 ^{+0.01} _{-0.02}	5.19 ^{+0.01} _{-0.02}	...
...	5661	4105	28	2456025.861	10.74	43	-4.0 ^{+0.3} _{-0.3}	-4.0 ^{+0.3} _{-0.3}	5.8 ^{+1.1} _{-1.0}	2399.2 ^{+0.9} _{-0.6}	2399.2 ^{+0.9} _{-0.6}	5.18 ^{+0.02} _{-0.01}	5.18 ^{+0.02} _{-0.01}	...
...	5661	4105	28	2456027.876	10.26	68	-3.3 ^{+0.3} _{-0.3}	-3.3 ^{+0.3} _{-0.3}	21.6 ^{+1.0} _{-1.0}	2399.8 ^{+0.3} _{-0.2}	2399.8 ^{+0.3} _{-0.2}	3.91 ^{+0.03} _{-0.03}	3.91 ^{+0.03} _{-0.03}	...
...	6862	4105	11	2456353.994	16.15	54	-4.0 ^{+0.2} _{-0.2}	-4.0 ^{+0.2} _{-0.2}	6.0 ^{+1.5} _{-1.0}	2399.2 ^{+1.0} _{-0.6}	2399.2 ^{+1.0} _{-0.6}	5.21 ^{+0.02} _{-0.02}	5.21 ^{+0.02} _{-0.02}	...
...	6862	4105	11	2456376.960	13.35	49	-4.0 ^{+0.3} _{-0.3}	-4.0 ^{+0.3} _{-0.3}	3.9 ^{+1.4} _{-1.1}	2399.3 ^{+0.9} _{-0.6}	2399.3 ^{+0.9} _{-0.6}	5.31 ^{+0.03} _{-0.04}	5.31 ^{+0.03} _{-0.04}	...
...	6863	4105	109	2456377.912	13.27	62	-3.9 ^{+0.2} _{-0.2}	-3.9 ^{+0.2} _{-0.2}	6.8 ^{+2.1} _{-1.2}	2399.3 ^{+1.3} _{-0.5}	2399.3 ^{+1.3} _{-0.5}	5.15 ^{+0.03} _{-0.06}	5.15 ^{+0.03} _{-0.06}	...
...	6862	4105	116	2456383.902	12.18	59	-3.7 ^{+0.2} _{-0.2}	-3.7 ^{+0.2} _{-0.2}	5.7 ^{+1.0} _{-1.0}	2399.4 ^{+1.2} _{-0.5}	2399.4 ^{+1.2} _{-0.5}	5.18 ^{+0.01} _{-0.01}	5.18 ^{+0.01} _{-0.01}	...
...	6863	4105	115	2456384.888	12.01	51	-3.5 ^{+0.3} _{-0.2}	-3.5 ^{+0.3} _{-0.2}	6.0 ^{+1.3} _{-1.0}	2399.4 ^{+1.4} _{-0.8}	2399.4 ^{+1.4} _{-0.8}	5.19 ^{+0.02} _{-0.02}	5.19 ^{+0.02} _{-0.02}	...
...	6863	4105	120	2456403.851	7.72	64	-3.9 ^{+0.3} _{-0.3}	-3.9 ^{+0.3} _{-0.3}	5.0 ^{+1.0} _{-1.6}	2399.1 ^{+1.0} _{-0.6}	2399.1 ^{+1.0} _{-0.6}	5.17 ^{+0.01} _{-0.01}	5.17 ^{+0.01} _{-0.01}	...

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle b, c, d$	T_{eff} <i>f</i>	$\langle T_{\text{eff}} \rangle c, f$	$\log g$ <i>f</i>	$\langle \log g \rangle c, f$	MdL <i>e</i>	
		ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)		
2M1645+3210	11948	2710	35	2455082.646	-17.46	13	-73.7 ^{+0.3} _{-0.4}	-73.7 ^{+0.4} _{-0.3}	12.3 ^{+1.8} _{-1.1}	2398.8 ^{+2.1} _{-0.9}	5.0 ^{+0.13} _{-0.15}	5.0 ^{+0.13} _{-0.15}	S			
2M1645-0219	9749	5300	295	2457851.886	22.12	34	-32.4 ^{+0.2} _{-0.2}	-32.7 ^{+0.3} _{-0.4}	23.5 ^{+1.0} _{-1.0}	2399.7 ^{+0.6} _{-0.2}	4.61 ^{+0.01} _{-0.01}	4.66 ^{+0.01} _{-0.01}	S			
...	9750	5300	289	2457855.821	21.05	39	-33.2 ^{+0.2} _{-0.4}	...	21.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.5} _{-0.3}	...	4.8 ^{+0.06} _{-0.02}	...	S		
...	9751	5300	289	2457914.626	-4.02	36	-33.4 ^{+0.3} _{-0.6}	...	21.7 ^{+1.0} _{-1.0}	2399.6 ^{+0.6} _{-0.3}	...	4.68 ^{+0.03} _{-0.03}	...	S		
2M1645+2054	9894	2465	192	2457931.802	-10.74	36	-32.3 ^{+0.3} _{-0.3}	-32.6 ^{+0.3} _{-0.4}	9.7 ^{+1.5} _{-1.0}	2399.2 ^{+1.1} _{-0.6}	4.87 ^{+0.02} _{-0.02}	4.75 ^{+0.01} _{-0.01}	S			
...	9894	2465	192	2457934.777	-11.63	36	-32.4 ^{+0.2} _{-0.3}	...	9.0 ^{+1.1} _{-1.1}	2399.4 ^{+1.0} _{-0.5}	...	4.83 ^{+0.03} _{-0.06}	...	S		
...	9894	2465	193	2458201.963	19.66	35	-33.3 ^{+0.3} _{-0.3}	...	10.7 ^{+1.0} _{-1.0}	2399.4 ^{+0.7} _{-0.4}	...	4.77 ^{+0.03} _{-0.02}	...	S		
...	9894	2465	193	2458205.937	18.95	15	-31.6 ^{+0.7} _{-0.6}	...	18.0 ^{+1.0} _{-1.0}	2399.2 ^{+1.2} _{-0.6}	...	3.62 ^{+0.06} _{-0.15}	...	S		
...	9894	2465	193	2458219.962	15.57	30	-32.6 ^{+0.4} _{-0.4}	...	15.9 ^{+2.0} _{-1.0}	2399.2 ^{+0.7} _{-0.6}	...	4.38 ^{+0.05} _{-0.18}	...	S		
...	9894	2465	193	2458220.947	15.34	34	-31.9 ^{+0.3} _{-0.3}	...	12.2 ^{+1.9} _{-1.0}	2399.5 ^{+0.7} _{-0.4}	...	4.66 ^{+0.04} _{-0.02}	...	S		
...	11978	2740	73	2458665.689	-11.54	64	-32.5 ^{+0.2} _{-0.2}	...	7.3 ^{+1.1} _{-1.2}	2399.3 ^{+0.9} _{-0.5}	...	5.02 ^{+0.08} _{-0.05}	...	S		
2M1707+6709	10833	5765	282	2458268.838	-2.65	72	-28.1 ^{+0.3} _{-0.3}	-28.1 ^{+0.3} _{-0.4}	11.7 ^{+1.0} _{-1.0}	2399.6 ^{+0.6} _{-0.3}	2399.5 ^{+0.3} _{-0.1}	4.68 ^{+0.02} _{-0.01}	4.88 ^{+0.01} _{-0.01}	S		
...	10833	5765	300	2458294.767	-2.58	66	-28.4 ^{+0.2} _{-0.2}	...	12.3 ^{+1.0} _{-1.0}	2399.6 ^{+0.6} _{-0.3}	...	4.85 ^{+0.01} _{-0.02}	...	S		
...	11930	6086	30	2458647.764	-2.64	48	-27.5 ^{+0.3} _{-0.3}	...	10.5 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.3}	...	4.86 ^{+0.03} _{-0.03}	...	S		
...	11930	6086	30	2458649.755	-2.63	79	-28.1 ^{+0.3} _{-0.3}	...	8.7 ^{+1.0} _{-1.0}	2399.5 ^{+1.2} _{-0.3}	...	4.95 ^{+0.02} _{-0.02}	...	S		
...	11930	6086	30	2458653.770	-2.63	80	-28.1 ^{+0.3} _{-0.3}	...	10.5 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.3}	...	4.95 ^{+0.02} _{-0.02}	...	S		
...	11930	6086	30	2458654.763	-2.61	72	-28.1 ^{+0.3} _{-0.3}	...	10.2 ^{+1.7} _{-1.3}	2399.4 ^{+0.8} _{-0.4}	...	4.96 ^{+0.03} _{-0.02}	...	S		
2M1718+6802	11930	6086	204	2458647.764	-2.07	36	-34.7 ^{+0.3} _{-0.3}	-34.7 ^{+0.3} _{-0.4}	10.2 ^{+1.0} _{-1.0}	< 10	2399.8 ^{+1.2} _{-0.8}	2399.2 ^{+0.5} _{-0.3}	5.16 ^{+0.01} _{-0.01}	HST		
...	11930	6086	204	2458649.755	-2.04	61	-35.0 ^{+0.2} _{-0.2}	...	8.8 ^{+1.0} _{-1.5}	2399.5 ^{+1.2} _{-0.3}	...	5.15 ^{+0.02} _{-0.01}	...	X _L		
...	11930	6086	204	2458653.770	-2.01	64	-34.6 ^{+0.2} _{-0.2}	...	8.7 ^{+1.0} _{-1.5}	2399.5 ^{+0.7} _{-0.4}	...	5.15 ^{+0.01} _{-0.01}	...	S		
...	11930	6086	204	2458654.763	-1.99	57	-34.5 ^{+0.3} _{-0.3}	...	8.8 ^{+1.0} _{-1.2}	2399.3 ^{+0.8} _{-0.5}	...	5.26 ^{+0.06} _{-0.03}	...	S		
2M1730+5242	9196	2397	128	2457897.792	1.25	78	-14.2 ^{+0.3} _{-0.3}	-14.4 ^{+0.3} _{-0.5}	12.0 ^{+1.0} _{-1.0}	2399.5 ^{+0.6} _{-0.3}	2399.4 ^{+0.5} _{-0.3}	5.12 ^{+0.02} _{-0.02}	S			
...	9196	2397	128	2457898.823	1.08	54	-14.6 ^{+0.2} _{-0.2}	...	10.6 ^{+1.0} _{-1.0}	2399.3 ^{+0.9} _{-0.5}	...	5.19 ^{+0.04} _{-0.04}	...	S		
2M1733+6312	12602	6092	187	2458031.644	-1.67	107	-26.4 ^{+0.2} _{-0.2}	-26.4 ^{+0.3} _{-0.3}	12.5 ^{+1.0} _{-1.0}	2399.6 ^{+0.4} _{-0.2}	2399.6 ^{+0.4} _{-0.2}	5.13 ^{+0.01} _{-0.01}	S			
2M1740+6242	12602	6092	37	2458031.644	-1.30	48	-15.0 ^{+0.2} _{-0.2}	-15.0 ^{+0.3} _{-0.3}	16.1 ^{+1.0} _{-1.0}	2399.2 ^{+0.9} _{-0.5}	2399.2 ^{+0.9} _{-0.5}	4.83 ^{+0.02} _{-0.02}	S			
2M1755+5824	12608	6096	245	2458901.841	0.39	45	-59.9 ^{+0.3} _{-0.3}	-59.5 ^{+0.3} _{-0.4}	6.0 ^{+1.4} _{-1.0}	2399.1 ^{+1.6} _{-0.7}	2399.5 ^{+0.6} _{-0.3}	5.31 ^{+0.04} _{-0.02}	S			
...	12608	6096	248	2458061.643	-2.77	43	-59.1 ^{+0.2} _{-0.2}	...	8.4 ^{+1.8} _{-1.4}	2399.5 ^{+0.7} _{-0.3}	...	5.11 ^{+0.03} _{-0.03}	...	S		
2M1803+6437	10891	5773	181	2458270.891	0.48	87	-40.6 ^{+0.2} _{-0.2}	-40.6 ^{+0.3} _{-0.3}	17.9 ^{+1.0} _{-1.0}	2399.6 ^{+0.6} _{-0.3}	2399.6 ^{+0.6} _{-0.3}	5.31 ^{+0.01} _{-0.01}	S			
2M1844+7408	12161	6107	149	2458010.899	0.76	65	-2.8 ^{+0.3} _{-0.2}	-2.8 ^{+0.3} _{-0.3}	30.3 ^{+1.5} _{-1.3}	2982.8 ^{+15.6} _{-49.0}	2957.9 ^{+6.6} ₋₁₂	5.27 ^{+0.02} _{-0.03}	B			
2M1856-3655	10719	5734	300	2458264.903	17.12	11	0.5 ^{+0.3} _{-0.5}	0.5 ^{+0.4} _{-0.3}	16.4 ^{+1.1} _{-1.0}	2954.7 ^{+17.7} _{-24.7}	4.48 ^{+0.06} _{-0.03}	4.48 ^{+0.06} _{-0.03}	B			
2M1857-3654	10719	5734	294	2458263.916	17.52	15	-0.3 ^{+0.3} _{-0.3}	0.0 ^{+0.3} _{-0.5}	18.0 ^{+1.0} _{-1.1}	2399.5 ^{+0.9} _{-0.7}	3.51 ^{+0.01} _{-0.01}	3.51 ^{+0.01} _{-0.01}	S			
...	10719	5734	294	2458264.903	17.16	17	0.6 ^{+0.3} _{-0.5}	...	18.0 ^{+1.0} _{-1.0}	2399.6 ^{+0.7} _{-0.3}	3.51 ^{+0.01} _{-0.02}	3.51 ^{+0.01} _{-0.02}	S			

Table A2 continued

Table A2 (continued)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle b, c$	$v \sin i b, c, d$	$T_{\text{eff}} f$	$\langle T_{\text{eff}} \rangle c, f$	$\log g f$	$\langle \log g \rangle c, f$	MdL ^e	
	ID	ID	(day)	(km s ⁻¹)	(km s ⁻⁴)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)		
2M1859-3706	10718	5733	228	2458262.905	18.11	15	1.5 ^{+0.3} _{-0.3}	1.5 ^{+0.3} _{-0.5}	19.8 ^{+1.0} _{-1.1}	19.9 ^{+1.0} _{-1.1}	2808.7 ^{+8.8} _{-11.2}	2806.5 ^{+4.1} _{-5.5}	4.75 ^{+0.05} _{-0.05}	4.83 ^{+0.03} _{-0.03}	B
...	10718	5733	228	2458263.800	17.98	22	1.5 ^{+0.3} _{-0.3}	1.5 ^{+0.3} _{-0.9}	19.9 ^{+1.0} _{-1.0}	19.7 ^{+1.0} _{-1.0}	2805.8 ^{+4.6} _{-6.3}	2805.8 ^{+4.6} _{-6.3}	4.87 ^{+0.04} _{-0.03}	4.87 ^{+0.04} _{-0.03}	...
2M1901-3701	10718	5733	181	2458262.905	18.22	24	-0.8 ^{+0.2} _{-0.2}	-0.5 ^{+0.3} _{-0.4}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.1}	3091.8 ^{+6.2} _{-16.2}	3088.6 ^{+5.9} _{-4.9}	4.63 ^{+0.04} _{-0.05}	4.65 ^{+0.02} _{-0.03}	B
...	10718	5733	181	2458263.800	18.08	28	0.0 ^{+0.3} _{-0.3}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	14.2 ^{+1.0} _{-1.0}	3086.8 ^{+8.5} _{-6.1}	3086.8 ^{+8.5} _{-6.1}	4.67 ^{+0.03} _{-0.04}	4.67 ^{+0.03} _{-0.04}	...
2M1901-3656	10718	5733	288	2458262.905	18.25	33	0.4 ^{+0.4} _{-0.5}	1.1 ^{+0.3} _{-0.4}	19.8 ^{+1.0} _{-1.0}	19.7 ^{+1.0} _{-1.0}	3004.8 ^{+4.7} _{-5.5}	3008.4 ^{+3.3} _{-3.6}	4.51 ^{+0.01} _{-0.02}	4.51 ^{+0.01} _{-0.01}	B
...	10718	5733	288	2458263.800	18.11	50	1.1 ^{+0.2} _{-0.2}	1.1 ^{+0.2} _{-0.2}	19.6 ^{+1.0} _{-1.0}	19.6 ^{+1.0} _{-1.0}	3011.5 ^{+4.7} _{-4.7}	3011.5 ^{+4.7} _{-4.7}	4.54 ^{+0.02} _{-0.03}	4.54 ^{+0.02} _{-0.03}	...
2M1901-3703	10718	5733	235	2458262.905	18.24	26	0.3 ^{+0.3} _{-0.3}	0.2 ^{+0.3} _{-0.5}	44.1 ^{+1.5} _{-1.5}	42.5 ^{+1.0} _{-1.2}	2856.9 ^{+10.5} _{-15.9}	2878.3 ^{+6.1} _{-6.9}	4.51 ^{+0.03} _{-0.02}	4.51 ^{+0.01} _{-0.02}	B
...	10718	5733	235	2458263.800	18.10	40	0.1 ^{+0.3} _{-0.4}	0.1 ^{+0.3} _{-0.4}	42.4 ^{+1.0} _{-1.1}	42.4 ^{+1.0} _{-1.1}	2886.1 ^{+7.4} _{-7.6}	2886.1 ^{+7.4} _{-7.6}	4.52 ^{+0.02} _{-0.03}	4.52 ^{+0.02} _{-0.03}	...
2M1902-3655	10718	5733	11	2458262.905	18.33	30	-0.9 ^{+0.3} _{-0.3}	-0.9 ^{+0.3} _{-0.4}	10.5 ^{+1.0} _{-1.1}	10.5 ^{+1.0} _{-1.1}	3284.3 ^{+7.6} _{-8.3}	3286.7 ^{+6.7} _{-7.6}	4.6 ^{+0.04} _{-0.03}	4.62 ^{+0.03} _{-0.03}	B
...	10718	5733	11	2458263.800	18.20	31	-0.8 ^{+0.2} _{-0.2}	-0.8 ^{+0.2} _{-0.2}	10.6 ^{+1.0} _{-1.0}	10.6 ^{+1.0} _{-1.0}	3297.1 ^{+14.7} _{-19.7}	3297.1 ^{+14.7} _{-19.7}	4.64 ^{+0.04} _{-0.04}	4.64 ^{+0.04} _{-0.04}	...
2M1902-3653	10718	5733	55	2458262.905	18.36	16	0.6 ^{+0.4} _{-0.4}	1.2 ^{+0.4} _{-0.5}	22.0 ^{+1.3} _{-1.3}	22.4 ^{+1.0} _{-1.1}	2994.3 ^{+9.5} _{-8.9}	3005.2 ^{+5.3} _{-5.2}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	B
...	10718	5733	55	2458263.800	18.22	22	1.5 ^{+0.5} _{-0.5}	1.5 ^{+0.5} _{-0.5}	22.4 ^{+1.0} _{-1.0}	23.0 ^{+1.0} _{-1.0}	3010.5 ^{+6.4} _{-6.4}	3010.5 ^{+6.4} _{-6.4}	4.5 ^{+0.01} _{-0.01}	4.5 ^{+0.01} _{-0.01}	...
2M2134-1604	11895	6057	236	2458713.716	-2.49	38	-19.1 ^{+0.2} _{-0.2}	-18.7 ^{+0.3} _{-0.4}	7.0 ^{+1.0} _{-1.0}	11.4 ^{+1.0} _{-1.1}	2399.5 ^{+5.9} _{-5.9}	2399.5 ^{+5.9} _{-5.9}	4.87 ^{+0.03} _{-0.02}	4.87 ^{+0.02} _{-0.02}	B
...	11895	6057	275	2458768.562	-25.48	13	-16.0 ^{+0.4} _{-0.3}	-16.0 ^{+0.4} _{-0.3}	12.3 ^{+1.0} _{-1.0}	12.3 ^{+1.0} _{-1.0}	2399.3 ^{+10.5} _{-5.5}	2399.3 ^{+10.5} _{-5.5}	4.7 ^{+0.02} _{-0.03}	4.7 ^{+0.02} _{-0.03}	...
...	12026	6057	284	2458800.577	-30.35	25	-17.7 ^{+0.3} _{-0.3}	-17.7 ^{+0.3} _{-0.3}	11.0 ^{+1.1} _{-1.1}	11.0 ^{+1.1} _{-1.1}	2399.5 ^{+10.6} _{-5.4}	2399.5 ^{+10.6} _{-5.4}	4.89 ^{+0.05} _{-0.05}	4.89 ^{+0.05} _{-0.05}	...
2M2208-1053	9906	5385	6	2457949.841	17.67	24	1.1 ^{+0.5} _{-0.5}	1.1 ^{+0.3} _{-0.5}	36.7 ^{+1.0} _{-1.0}	38.2 ^{+1.0} _{-1.0}	2399.5 ^{+5.6} _{-5.3}	2399.6 ^{+5.3} _{-5.2}	4.59 ^{+0.04} _{-0.05}	4.45 ^{+0.01} _{-0.01}	...
...	9906	5385	55	2457972.799	7.47	41	1.0 ^{+0.3} _{-0.3}	1.0 ^{+0.3} _{-0.3}	38.4 ^{+1.0} _{-1.0}	38.4 ^{+1.0} _{-1.0}	2399.7 ^{+7.0} _{-4.2}	2399.7 ^{+7.0} _{-4.2}	4.41 ^{+0.01} _{-0.01}	4.41 ^{+0.01} _{-0.01}	...
2M2211-1106	9906	5385	55	2457949.841	17.93	11	3.2 ^{+0.7} _{-0.7}	5.2 ^{+0.4} _{-0.6}	19.0 ^{+1.1} _{-1.3}	22.7 ^{+1.0} _{-1.3}	2399.1 ^{+1.1} _{-0.6}	2399.4 ^{+0.6} _{-0.3}	4.45 ^{+0.03} _{-0.04}	4.45 ^{+0.03} _{-0.04}	...
...	9906	5385	30	2457972.799	7.77	16	5.4 ^{+0.3} _{-0.3}	5.4 ^{+0.3} _{-0.3}	23.7 ^{+1.0} _{-1.0}	23.7 ^{+1.0} _{-1.0}	2399.5 ^{+5.6} _{-5.4}	2399.5 ^{+5.6} _{-5.4}	4.59 ^{+0.04} _{-0.04}	4.59 ^{+0.04} _{-0.04}	...
2M2212-1013	9906	5385	150	2457972.799	7.96	18	-5.3 ^{+0.2} _{-0.2}	-5.3 ^{+0.3} _{-0.3}	15.4 ^{+1.3} _{-1.3}	15.4 ^{+1.3} _{-1.3}	3055.7 ^{+15.1} _{-6.3}	3055.7 ^{+15.1} _{-6.3}	5.46 ^{+0.03} _{-0.03}	5.46 ^{+0.03} _{-0.03}	B
2M2218-0756	11237	5831	300	2458440.579	-29.88	14	-9.5 ^{+0.3} _{-0.3}	-9.6 ^{+0.3} _{-0.7}	11.2 ^{+1.3} _{-1.3}	11.9 ^{+1.1} _{-1.3}	3152.5 ^{+8.3} _{-10.3}	3141.3 ^{+8.4} _{-8.4}	5.48 ^{+0.02} _{-0.01}	5.48 ^{+0.02} _{-0.01}	...
...	11237	5831	300	2458441.545	-29.87	11	-9.7 ^{+0.3} _{-0.3}	-9.7 ^{+0.3} _{-0.3}	12.5 ^{+1.2} _{-1.4}	12.5 ^{+1.2} _{-1.4}	3120.7 ^{+10.9} _{-14.6}	3120.7 ^{+10.9} _{-14.6}	5.47 ^{+0.03} _{-0.02}	5.47 ^{+0.03} _{-0.02}	...
2M2220-1503	11228	5822	14	2458418.633	-26.60	73	17.0 ^{+0.3} _{-0.3}	17.0 ^{+0.3} _{-0.3}	40.5 ^{+1.0} _{-1.1}	40.5 ^{+1.0} _{-1.1}	2909.5 ^{+10.8} _{-6.4}	2909.5 ^{+10.8} _{-6.4}	4.88 ^{+0.04} _{-0.04}	4.88 ^{+0.04} _{-0.04}	...
2M2226+0055	12068	2752	252	2458784.585	-24.46	46	-53.9 ^{+0.3} _{-0.3}	-53.8 ^{+0.3} _{-0.4}	10.6 ^{+1.0} _{-1.0}	13.4 ^{+1.0} _{-1.0}	2399.3 ^{+10.9} _{-0.9}	2399.5 ^{+10.4} _{-0.2}	4.61 ^{+0.04} _{-0.02}	4.44 ^{+0.01} _{-0.01}	...
...	12068	2752	252	2458785.584	-24.75	29	-54.2 ^{+0.3} _{-0.3}	-54.2 ^{+0.3} _{-0.3}	10.8 ^{+1.0} _{-1.0}	10.8 ^{+1.0} _{-1.0}	2399.3 ^{+11.0} _{-0.4}	2399.3 ^{+11.0} _{-0.4}	4.46 ^{+0.03} _{-0.03}	4.46 ^{+0.03} _{-0.03}	...
...	12068	2752	252	2458786.584	-25.04	41	-53.5 ^{+0.3} _{-0.3}	-53.5 ^{+0.3} _{-0.3}	10.7 ^{+1.0} _{-1.0}	10.7 ^{+1.0} _{-1.0}	2399.5 ^{+0.7} _{-0.3}	2399.5 ^{+0.7} _{-0.3}	4.46 ^{+0.02} _{-0.02}	4.46 ^{+0.02} _{-0.02}	...
...	12068	2752	252	2458787.561	-25.26	26	-53.6 ^{+0.3} _{-0.2}	-53.6 ^{+0.3} _{-0.2}	14.1 ^{+1.0} _{-1.0}	14.1 ^{+1.0} _{-1.0}	2399.6 ^{+6.6} _{-6.3}	2399.6 ^{+6.6} _{-6.3}	4.12 ^{+0.03} _{-0.04}	4.12 ^{+0.03} _{-0.04}	...
2M2234-1659	10033	5460	130	2458032.625	-19.01	81	-6.4 ^{+0.2} _{-0.2}	-6.4 ^{+0.3} _{-0.3}	19.7 ^{+1.0} _{-1.0}	19.7 ^{+1.0} _{-1.0}	3067.4 ^{+3.7} _{-4.3}	3067.4 ^{+3.7} _{-4.3}	5.49 ^{+0.01} _{-0.01}	5.49 ^{+0.01} _{-0.01}	B
2M2245-1359	11226	5820	18	2458390.759	-14.57	13	8.7 ^{+0.3} _{-0.3}	8.7 ^{+0.4} _{-0.4}	13.8 ^{+1.7} _{-1.7}	13.8 ^{+1.7} _{-1.7}	2399.2 ^{+1.1} _{-0.6}	2399.2 ^{+1.1} _{-0.6}	4.87 ^{+0.02} _{-0.03}	4.87 ^{+0.02} _{-0.03}	S
2M2308-0511	9856	5375	233	2457942.883	25.29	60	19.4 ^{+0.3} _{-0.4}	20.1 ^{+0.3} _{-0.4}	27.3 ^{+1.0} _{-1.0}	24.9 ^{+1.0} _{-1.0}	2399.7 ^{+0.4} _{-0.2}	2399.7 ^{+0.4} _{-0.2}	4.47 ^{+0.01} _{-0.02}	4.47 ^{+0.01} _{-0.02}	S
...	9856	5375	230	2457943.903	24.98	55	19.4 ^{+0.5} _{-0.3}	19.4 ^{+0.5} _{-0.3}	27.3 ^{+1.0} _{-1.0}	27.3 ^{+1.0} _{-1.0}	2399.8 ^{+0.5} _{-0.2}	2399.8 ^{+0.5} _{-0.2}	4.44 ^{+0.03} _{-0.03}	4.44 ^{+0.03} _{-0.03}	...
...	9856	5375	230	2457973.811	14.57	56	20.5 ^{+0.3} _{-0.2}	20.5 ^{+0.3} _{-0.2}	21.6 ^{+1.0} _{-1.0}	21.6 ^{+1.0} _{-1.0}	2399.7 ^{+0.4} _{-0.2}	2399.7 ^{+0.4} _{-0.2}	4.61 ^{+0.02} _{-0.02}	4.61 ^{+0.02} _{-0.02}	S
2M2324-0946	11471	5947	95	2458438.619	-27.45	73	-0.0 ^{+0.3} _{-0.2}	-0.0 ^{+0.3} _{-0.2}	36.7 ^{+1.0} _{-1.0}	36.7 ^{+1.0} _{-1.0}	3026.7 ^{+4.3} _{-4.5}	3026.7 ^{+4.3} _{-4.5}	4.62 ^{+0.01} _{-0.01}	4.62 ^{+0.01} _{-0.01}	B

Table A2 (*continued*)

APOGEE ID	Plate	Loc.	Fiber	JD	bary. <i>a</i>	S/N	RV <i>b</i>	$\langle \text{RV} \rangle$ <i>b</i> , <i>c</i>	$v \sin i$ <i>b</i>	$\langle v \sin i \rangle$ <i>b</i> , <i>c</i> , <i>d</i>	T_{eff} <i>f</i>	$\langle T_{\text{eff}} \rangle$ <i>c</i> , <i>f</i>	$\log g$ <i>f</i>	$\langle \log g \rangle$ <i>c</i> , <i>f</i>	Mdl <i>e</i>
ID	ID		(day)	(km s ⁻¹)	(km s ⁻¹)	(K)	(K)	(cm s ⁻²)	(cm s ⁻²)	(cm s ⁻²)					

a Barycentric correction.

b Systematic uncertainties of 0.19 km s⁻¹ and 0.95 km s⁻¹ are added to RV and $v \sin i$ measurements, respectively. See Sections 4.1 and 4.2 for details.

c Weighted average over all epochs.

d Averaged $v \sin i < 10$ km s⁻¹ is below our $v \sin i$ detection limit; see Section 4.2 for details.

e Models used: S = Sonora 2018 (Marley et al. 2018); B = BT-Settl (Baraffe et al. 2015).

f Readers should not take our T_{eff} and $\log g$ measurements as accurate. We report these values only for the reproducibility of our work. See Section 4.4 for details.

NOTE—Measurements from individual spectra over individual or multiple epochs are combined using inverse uncertainty weighting (weight = $1/(\sigma_{\text{upper}}^2 + \sigma_{\text{lower}}^2)$); upper and lower uncertainties are also combined using inverse uncertainty-squared weighting. In cases where individual spectra have S/N < 10, spectral data are combined first, then modeled.

Table A3 (*continued*)**Table A3.** Summary of RV and $v \sin i$ Measurements of APOGEE DR17 Full Sample

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J00091064–2116214	7.5 $^{+0.3}_{-0.5}$	26.5 $^{+1.0}_{-1.0}$
2MASS J00111055–2021034	13.6 $^{+0.3}_{-0.5}$	37.6 $^{+1.0}_{-1.2}$
2MASS J00590731–3326248	24.8 $^{+0.3}_{-0.4}$	17.1 $^{+1.0}_{-1.1}$
2MASS J01152739+0705532	9.8 $^{+0.3}_{-0.5}$	14.0 $^{+1.0}_{-1.2}$
2MASS J01234279+1802177	-9.5 $^{+0.3}_{-0.4}$	<10
2MASS J01252949–0715591	12.0 $^{+0.3}_{-0.5}$	23.5 $^{+1.0}_{-1.1}$
2MASS J01254187+1339222	17.0 $^{+0.3}_{-0.6}$	18.1 $^{+1.0}_{-1.2}$
2MASS J02025502–7259155	13.6 $^{+0.3}_{-0.3}$	70.6 $^{+1.1}_{-1.1}$
2MASS J02221890+0124584	-22.9 $^{+0.3}_{-0.5}$	11.4 $^{+1.0}_{-1.0}$
2MASS J02414362–0642231	-43.6 $^{+0.3}_{-0.4}$	11.6 $^{+1.0}_{-1.1}$
2MASS J02431388–0623291	9.0 $^{+0.3}_{-0.4}$	20.4 $^{+1.0}_{-1.0}$
2MASS J03111547+0106307	18.4 $^{+0.3}_{-0.4}$	65.2 $^{+1.0}_{-1.1}$
2MASS J03282794+0813110	57.1 $^{+0.3}_{-0.4}$	<10
2MASS J03292369+3125095	14.9 $^{+0.3}_{-0.4}$	27.8 $^{+1.0}_{-1.0}$
2MASS J03354625+1633440	15.5 $^{+1.6}_{-0.5}$	56.9 $^{+1.9}_{-1.4}$
2MASS J03404581+1734477	36.0 $^{+0.3}_{-0.5}$	33.9 $^{+1.0}_{-1.3}$
2MASS J03405493+1929474	35.5 $^{+0.3}_{-0.5}$	14.4 $^{+1.0}_{-1.1}$
2MASS J03415139+3139031	20.9 $^{+0.3}_{-0.6}$	28.8 $^{+1.2}_{-1.2}$
2MASS J03423313+3152145	16.5 $^{+0.3}_{-0.5}$	16.1 $^{+1.0}_{-1.1}$
2MASS J03425190+3251505	10.2 $^{+0.3}_{-0.3}$	35.1 $^{+1.0}_{-1.0}$
2MASS J03430677+3150194	16.1 $^{+0.3}_{-0.4}$	30.4 $^{+1.0}_{-1.0}$
2MASS J03433453+3243287	18.1 $^{+0.3}_{-0.4}$	20.0 $^{+1.0}_{-1.1}$
2MASS J03433738+3241076	16.2 $^{+0.5}_{-0.5}$	68.9 $^{+1.1}_{-1.2}$
2MASS J03435915+3205567	17.8 $^{+0.3}_{-0.4}$	28.7 $^{+1.0}_{-1.1}$
2MASS J03440442+3204539	17.0 $^{+0.3}_{-0.4}$	16.0 $^{+1.0}_{-1.0}$
2MASS J03441276+3210552	17.7 $^{+0.3}_{-0.4}$	27.2 $^{+1.0}_{-1.1}$
2MASS J03441297+3213156	16.3 $^{+0.3}_{-0.4}$	19.7 $^{+1.0}_{-1.0}$
2MASS J03441583+3159367	18.6 $^{+0.3}_{-0.4}$	13.4 $^{+1.0}_{-1.1}$
2MASS J03441726+3200152	nan $^{+nan}_{-nan}$	nan $^{+nan}_{-nan}$
2MASS J03441801+3255042	19.5 $^{+0.3}_{-0.5}$	17.6 $^{+1.0}_{-1.2}$
2MASS J03441918+3205599	15.9 $^{+0.7}_{-1.0}$	26.0 $^{+2.1}_{-1.9}$
2MASS J03442457+3210030	14.2 $^{+0.3}_{-0.4}$	<10
2MASS J03442575+3209059	16.8 $^{+0.3}_{-0.5}$	17.5 $^{+1.0}_{-1.1}$
2MASS J03442653+2429115	6.2 $^{+0.3}_{-0.4}$	34.8 $^{+1.1}_{-1.1}$
2MASS J03443103+3205460	14.8 $^{+0.3}_{-0.5}$	26.7 $^{+1.0}_{-1.3}$
2MASS J03443141+3211293	17.8 $^{+0.3}_{-0.4}$	14.2 $^{+1.0}_{-1.0}$

APOGEE ID	$\langle RV \rangle$ (km s $^{-1}$)	$\langle v \sin i \rangle$ (km s $^{-1}$)
2MASS J03443183+3215464	18.4 $^{+0.4}_{-0.4}$	23.7 $^{+1.3}_{-1.4}$
2MASS J03443280+3204133	16.9 $^{+0.3}_{-0.4}$	20.4 $^{+1.0}_{-1.0}$
2MASS J03443412+3216357	15.3 $^{+0.3}_{-0.4}$	18.0 $^{+1.0}_{-1.1}$
2MASS J03443979+3218041	14.6 $^{+0.3}_{-0.4}$	58.1 $^{+1.0}_{-1.1}$
2MASS J03444121+3206271	19.3 $^{+0.7}_{-0.4}$	12.9 $^{+1.1}_{-1.2}$
2MASS J03444130+3204534	17.0 $^{+0.4}_{-0.6}$	22.5 $^{+1.1}_{-1.2}$
2MASS J03444301+3215596	17.1 $^{+0.3}_{-0.5}$	20.4 $^{+1.0}_{-1.1}$
2MASS J03444328+3217570	16.4 $^{+0.3}_{-0.4}$	20.1 $^{+1.0}_{-1.1}$
2MASS J03445683+3154114	17.2 $^{+0.3}_{-0.3}$	11.2 $^{+1.0}_{-1.0}$
2MASS J03445997+3222328	17.4 $^{+0.3}_{-0.3}$	15.4 $^{+1.0}_{-1.0}$
2MASS J03450063+3208190	16.3 $^{+0.3}_{-0.4}$	18.5 $^{+1.0}_{-1.1}$
2MASS J03450377+3221344	18.0 $^{+0.3}_{-0.3}$	33.5 $^{+1.0}_{-1.0}$
2MASS J03450543+3203079	17.7 $^{+0.3}_{-0.4}$	20.3 $^{+1.0}_{-1.1}$
2MASS J03451002+3204486	16.8 $^{+0.3}_{-0.5}$	22.3 $^{+1.0}_{-1.2}$
2MASS J03451349+3224347	15.9 $^{+0.3}_{-0.3}$	16.9 $^{+1.0}_{-1.0}$
2MASS J03452971+3159197	17.5 $^{+0.3}_{-0.4}$	20.8 $^{+1.0}_{-1.0}$
2MASS J03453439+3236592	17.4 $^{+0.3}_{-0.4}$	53.9 $^{+1.0}_{-1.1}$
2MASS J03454735+3143113	18.7 $^{+0.3}_{-0.4}$	20.5 $^{+1.0}_{-1.1}$
2MASS J03455520+3203516	17.3 $^{+0.3}_{-0.4}$	32.2 $^{+1.0}_{-1.1}$
2MASS J03482658+2311299	12.4 $^{+0.3}_{-0.4}$	52.1 $^{+1.0}_{-1.1}$
2MASS J03553690+2118482	37.3 $^{+0.3}_{-0.3}$	12.5 $^{+1.0}_{-1.0}$
2MASS J04041073+1548219	38.6 $^{+0.3}_{-0.5}$	42.5 $^{+1.4}_{-1.2}$
2MASS J04063732+7916012	-0.4 $^{+0.3}_{-0.3}$	<10
2MASS J04080793+2614365	11.4 $^{+0.3}_{-0.4}$	17.9 $^{+1.0}_{-1.1}$
2MASS J04135234+1521538	39.4 $^{+0.3}_{-0.4}$	<10
2MASS J04150567+1441357	18.9 $^{+0.3}_{-0.3}$	<10
2MASS J04152954+2853156	-37.8 $^{+0.3}_{-0.5}$	<10
2MASS J04154131+2915078	18.3 $^{+0.3}_{-0.4}$	16.2 $^{+1.0}_{-1.1}$
2MASS J04160031+2842022	44.0 $^{+0.3}_{-0.4}$	<10
2MASS J04173918+2809533	7.8 $^{+0.3}_{-0.4}$	<10
2MASS J04174065+2829090	19.1 $^{+0.3}_{-0.3}$	<10
2MASS J04180852+1319524	39.8 $^{+0.3}_{-0.4}$	<10
2MASS J04184554+2101544	39.9 $^{+0.7}_{-0.6}$	21.9 $^{+1.0}_{-1.0}$
2MASS J04190576+1734235	40.4 $^{+0.4}_{-0.4}$	31.5 $^{+1.1}_{-1.3}$
2MASS J04191354–7121111	4.4 $^{+0.3}_{-0.3}$	14.2 $^{+1.0}_{-1.0}$
2MASS J04202555+2700355	19.0 $^{+0.3}_{-0.4}$	16.0 $^{+1.0}_{-1.0}$
2MASS J04243058+1859131	39.9 $^{+0.3}_{-0.4}$	12.2 $^{+1.0}_{-1.1}$
2MASS J04261043+2149132	44.0 $^{+1.6}_{-1.2}$	44.7 $^{+4.0}_{-4.4}$
2MASS J04280370+2424077	23.5 $^{+0.3}_{-0.3}$	23.7 $^{+1.0}_{-1.1}$

Table A3 *continued***Table A3** *continued*

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J04291939+1736216	13.6 $^{+0.3}_{-0.4}$	63.7 $^{+1.0}_{-1.2}$
2MASS J04295422+1754041	18.4 $^{+0.3}_{-0.4}$	23.6 $^{+1.0}_{-1.0}$
2MASS J04300048+2222304	41.2 $^{+0.3}_{-0.4}$	15.8 $^{+1.0}_{-1.0}$
2MASS J04310937+1706564	18.8 $^{+0.3}_{-0.4}$	21.6 $^{+1.0}_{-1.1}$
2MASS J04311240+1709423	24.5 $^{+0.3}_{-0.4}$	13.7 $^{+1.0}_{-1.0}$
2MASS J04311634+1500122	42.0 $^{+0.3}_{-0.4}$	<10
2MASS J04341755+1711312	19.7 $^{+0.3}_{-0.4}$	17.8 $^{+1.0}_{-1.0}$
2MASS J04344544+2308027	20.4 $^{+0.3}_{-0.4}$	17.9 $^{+1.0}_{-1.0}$
2MASS J04362151+2351165	18.2 $^{+0.3}_{-0.4}$	12.8 $^{+1.0}_{-1.0}$
2MASS J04365812+2316385	41.0 $^{+0.3}_{-0.5}$	23.0 $^{+1.0}_{-1.0}$
2MASS J04373210+1645317	40.9 $^{+0.3}_{-0.4}$	17.5 $^{+1.0}_{-1.0}$
2MASS J04394496+1805413	42.0 $^{+0.4}_{-0.5}$	31.1 $^{+1.4}_{-1.2}$
2MASS J04395159+1939344	39.8 $^{+0.3}_{-0.3}$	34.9 $^{+1.0}_{-1.4}$
2MASS J04410193+1954340	42.2 $^{+0.3}_{-0.5}$	55.6 $^{+1.1}_{-1.1}$
2MASS J04471575+1333257	26.3 $^{+0.3}_{-0.3}$	12.4 $^{+1.0}_{-1.3}$
2MASS J05233065–5607005	18.0 $^{+0.4}_{-0.3}$	10.8 $^{+1.0}_{-1.0}$
2MASS J05324055–5518323	-0.0 $^{+0.3}_{-0.4}$	28.4 $^{+1.0}_{-1.1}$
2MASS J05330229–0542310	27.5 $^{+0.3}_{-0.4}$	14.3 $^{+1.0}_{-1.1}$
2MASS J05333254–0531552	29.1 $^{+0.3}_{-0.4}$	15.8 $^{+1.0}_{-1.0}$
2MASS J05343697–0449110	32.0 $^{+0.3}_{-0.4}$	16.1 $^{+1.0}_{-1.0}$
2MASS J05345307–0526276	29.1 $^{+0.3}_{-0.4}$	11.0 $^{+1.0}_{-1.1}$
2MASS J05345480–0555083	29.9 $^{+0.3}_{-0.5}$	17.9 $^{+1.0}_{-1.1}$
2MASS J05345667–0514524	29.7 $^{+0.3}_{-0.4}$	15.8 $^{+1.0}_{-1.0}$
2MASS J05345886–0547067	26.5 $^{+0.3}_{-0.5}$	20.0 $^{+1.0}_{-1.0}$
2MASS J05350358–0516004	28.7 $^{+0.3}_{-0.4}$	11.0 $^{+1.0}_{-1.1}$
2MASS J05350440–0457154	31.2 $^{+0.3}_{-0.5}$	20.0 $^{+1.0}_{-1.1}$
2MASS J05350589–0508382	31.6 $^{+0.3}_{-0.5}$	17.9 $^{+1.1}_{-1.1}$
2MASS J05350798–0518266	30.9 $^{+0.3}_{-0.4}$	21.6 $^{+1.0}_{-1.0}$
2MASS J05351269–0537290	29.7 $^{+0.3}_{-0.4}$	14.9 $^{+1.1}_{-1.2}$
2MASS J05351527–0515481	29.9 $^{+0.3}_{-0.4}$	15.6 $^{+1.0}_{-1.0}$
2MASS J05352064–0449495	31.9 $^{+0.3}_{-0.4}$	12.9 $^{+1.0}_{-1.0}$
2MASS J05353059–0457214	33.6 $^{+0.4}_{-0.4}$	19.3 $^{+1.7}_{-1.1}$
2MASS J05354459–0459577	30.7 $^{+0.5}_{-0.4}$	20.5 $^{+1.2}_{-1.5}$
2MASS J05354715–0629104	43.2 $^{+0.3}_{-0.4}$	16.3 $^{+1.0}_{-1.0}$
2MASS J05355290–0525438	24.3 $^{+0.5}_{-0.9}$	67.2 $^{+1.9}_{-1.6}$
2MASS J05360701–0601501	27.8 $^{+0.3}_{-0.4}$	22.5 $^{+1.0}_{-1.1}$
2MASS J05361178–0539503	31.5 $^{+0.3}_{-0.5}$	18.7 $^{+1.0}_{-1.1}$
2MASS J05363356–0551121	20.5 $^{+0.3}_{-0.4}$	11.5 $^{+1.0}_{-1.0}$
2MASS J05393396–6213407	56.6 $^{+2.0}_{-2.0}$	75.4 $^{+4.0}_{-5.4}$

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J06223773–6026205	-0.2 $^{+0.4}_{-0.4}$	12.3 $^{+1.0}_{-1.0}$
2MASS J06413634–6233466	10.2 $^{+0.3}_{-0.3}$	13.9 $^{+1.0}_{-1.0}$
2MASS J06504051–5731163	32.9 $^{+0.3}_{-0.4}$	19.4 $^{+1.0}_{-1.1}$
2MASS J06524152–5729103	-15.8 $^{+0.3}_{-0.4}$	17.5 $^{+1.0}_{-1.0}$
2MASS J06594570–7648263	43.4 $^{+0.3}_{-0.3}$	16.5 $^{+1.1}_{-1.6}$
2MASS J06595620–6145001	21.9 $^{+0.3}_{-0.3}$	31.0 $^{+1.0}_{-1.0}$
2MASS J07171518–6127209	20.7 $^{+1.2}_{-0.4}$	47.4 $^{+2.1}_{-1.5}$
2MASS J07234608+4232463	-64.4 $^{+0.3}_{-0.5}$	11.9 $^{+1.0}_{-1.2}$
2MASS J07310905+4556573	7.3 $^{+0.3}_{-0.4}$	53.6 $^{+1.2}_{-1.3}$
2MASS J07361405–6626337	42.0 $^{+0.4}_{-0.5}$	10.6 $^{+1.0}_{-1.1}$
2MASS J07365936+2144504	31.9 $^{+0.3}_{-0.4}$	20.7 $^{+1.0}_{-1.0}$
2MASS J07411976+6718444	-25.9 $^{+0.3}_{-0.4}$	13.8 $^{+1.0}_{-1.0}$
2MASS J07454039+4931488	13.2 $^{+0.3}_{-0.5}$	21.7 $^{+1.0}_{-1.0}$
2MASS J07472889+6600199	48.7 $^{+0.3}_{-0.4}$	<10
2MASS J07485518–6721360	23.0 $^{+0.3}_{-0.3}$	46.6 $^{+1.1}_{-1.6}$
2MASS J07553001+5100239	21.2 $^{+0.3}_{-0.4}$	<10
2MASS J07555921+6652399	-1.7 $^{+0.3}_{-0.4}$	29.6 $^{+1.0}_{-1.0}$
2MASS J08030433+1837120	14.5 $^{+0.3}_{-0.4}$	11.6 $^{+1.0}_{-1.1}$
2MASS J08032307+3930558	1.5 $^{+0.5}_{-0.6}$	99.9 $^{+1.0}_{-1.0}$
2MASS J08082978+4314149	12.8 $^{+0.3}_{-0.3}$	22.8 $^{+1.0}_{-1.0}$
2MASS J08112640–7050481	69.8 $^{+0.3}_{-0.3}$	<10
2MASS J08181797+1408485	37.1 $^{+1.5}_{-0.4}$	27.1 $^{+1.4}_{-1.2}$
2MASS J08211556+0019577	-2.7 $^{+0.3}_{-0.4}$	12.1 $^{+1.0}_{-1.1}$
2MASS J08212804+5220587	24.6 $^{+0.3}_{-0.4}$	16.6 $^{+1.0}_{-1.0}$
2MASS J08245789+2315542	47.1 $^{+0.3}_{-0.4}$	10.1 $^{+1.0}_{-1.1}$
2MASS J08381826+1300568	33.5 $^{+0.4}_{-0.4}$	15.9 $^{+1.4}_{-1.3}$
2MASS J08385103+1918335	36.7 $^{+0.3}_{-0.4}$	18.8 $^{+1.0}_{-1.1}$
2MASS J08410547+2819528	17.9 $^{+0.3}_{-0.5}$	<10
2MASS J08411307+2144275	30.9 $^{+1.1}_{-0.5}$	21.6 $^{+2.5}_{-2.2}$
2MASS J08412726+0237262	68.8 $^{+0.3}_{-0.4}$	<10
2MASS J08434468+1833236	27.8 $^{+0.3}_{-0.4}$	<10
2MASS J08563758+0009507	66.0 $^{+0.3}_{-0.4}$	<10
2MASS J08592936+2918186	6.5 $^{+0.3}_{-0.5}$	12.1 $^{+1.0}_{-1.1}$
2MASS J09120247+2308272	-13.6 $^{+0.3}_{-0.4}$	25.1 $^{+1.0}_{-1.1}$
2MASS J09252791+2653519	-6.4 $^{+0.3}_{-0.5}$	11.6 $^{+1.1}_{-1.2}$
2MASS J09324827+2659443	8.5 $^{+0.3}_{-0.5}$	30.4 $^{+1.0}_{-1.3}$
2MASS J09391173+3837561	17.8 $^{+0.3}_{-0.5}$	14.8 $^{+1.0}_{-1.0}$
2MASS J10101377+4552500	-23.4 $^{+0.3}_{-0.4}$	<10
2MASS J10110133+0106350	10.9 $^{+0.3}_{-0.5}$	13.1 $^{+1.0}_{-1.1}$

Table A3 *continued***Table A3** *continued*

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J10132098+4647259	17.6 $^{+0.3}_{-0.4}$	32.5 $^{+1.0}_{-1.0}$
2MASS J10252645+0512391	15.5 $^{+0.3}_{-0.5}$	74.7 $^{+1.0}_{-1.1}$
2MASS J10304747+3351199	-4.0 $^{+2.0}_{-1.6}$	51.7 $^{+4.1}_{-6.6}$
2MASS J10325145+4035418	-6.3 $^{+0.3}_{-0.3}$	12.6 $^{+1.0}_{-1.1}$
2MASS J10432959+3906042	8.3 $^{+0.3}_{-0.5}$	55.6 $^{+1.0}_{-1.2}$
2MASS J10514757+0253402	8.1 $^{+0.3}_{-0.4}$	13.2 $^{+1.0}_{-1.4}$
2MASS J10540048+1606059	22.0 $^{+0.3}_{-0.4}$	<10
2MASS J11005043+1204108	-12.6 $^{+0.3}_{-0.4}$	37.9 $^{+1.0}_{-1.0}$
2MASS J11025669-8429074	26.7 $^{+0.4}_{-0.7}$	68.6 $^{+1.4}_{-1.3}$
2MASS J11152125+0010022	5.6 $^{+0.3}_{-0.4}$	17.1 $^{+1.0}_{-1.1}$
2MASS J11193058+4641437	-64.8 $^{+0.3}_{-0.4}$	<10
2MASS J11235266-0400423	14.5 $^{+0.8}_{-0.7}$	69.4 $^{+2.1}_{-1.5}$
2MASS J11300628+4848234	-35.6 $^{+0.3}_{-0.4}$	<10
2MASS J11401377-0517202	-4.6 $^{+1.6}_{-1.7}$	49.8 $^{+1.9}_{-1.9}$
2MASS J11442831-1458205	-1.8 $^{+0.3}_{-0.3}$	20.8 $^{+1.0}_{-1.0}$
2MASS J11444970+2818262	-3.9 $^{+0.3}_{-0.5}$	21.8 $^{+1.0}_{-1.1}$
2MASS J11453078+0131235	5.1 $^{+0.3}_{-0.5}$	62.6 $^{+1.0}_{-1.1}$
2MASS J11462618-1525001	44.1 $^{+0.3}_{-0.4}$	18.0 $^{+1.0}_{-1.0}$
2MASS J11510589+0628199	9.7 $^{+0.4}_{-1.7}$	52.3 $^{+1.3}_{-1.7}$
2MASS J11525451+3333112	17.1 $^{+0.3}_{-0.4}$	11.6 $^{+1.0}_{-1.1}$
2MASS J11570129+3431334	-7.0 $^{+0.3}_{-0.4}$	15.4 $^{+1.0}_{-1.1}$
2MASS J11572070+1917275	-23.3 $^{+0.3}_{-0.3}$	10.3 $^{+1.0}_{-1.0}$
2MASS J11582243+5157365	-51.7 $^{+0.3}_{-0.5}$	10.4 $^{+1.2}_{-1.1}$
2MASS J11590070+2030283	17.8 $^{+0.3}_{-0.4}$	28.6 $^{+1.0}_{-1.1}$
2MASS J12132318+3900529	nan $^{+nan}_{-nan}$	nan $^{+nan}_{-nan}$
2MASS J12154767+4548508	-4.5 $^{+0.3}_{-0.4}$	99.8 $^{+1.0}_{-1.0}$
2MASS J12205025+3956338	-2.7 $^{+0.3}_{-0.4}$	18.3 $^{+1.0}_{-1.1}$
2MASS J12243115+2505182	-28.4 $^{+0.4}_{-0.4}$	14.5 $^{+1.0}_{-1.5}$
2MASS J12263172+5359397	-16.5 $^{+0.3}_{-0.3}$	22.0 $^{+1.0}_{-1.4}$
2MASS J12274113+2614303	-13.9 $^{+0.3}_{-0.4}$	11.1 $^{+1.0}_{-1.1}$
2MASS J12292183+2608058	nan $^{+nan}_{-nan}$	nan $^{+nan}_{-nan}$
2MASS J12332593+5227167	-10.4 $^{+0.3}_{-0.4}$	16.7 $^{+1.0}_{-1.1}$
2MASS J12462932+1258453	51.0 $^{+0.3}_{-0.4}$	13.4 $^{+1.0}_{-1.0}$
2MASS J12535116+1233530	2.8 $^{+0.3}_{-0.4}$	13.9 $^{+1.0}_{-1.1}$
2MASS J12563638+4832397	-11.0 $^{+0.3}_{-0.4}$	18.1 $^{+1.0}_{-1.1}$
2MASS J13011695+4112406	-0.2 $^{+0.3}_{-0.4}$	<10
2MASS J13034060+2737230	-20.9 $^{+0.3}_{-0.5}$	<10
2MASS J13042355+5005177	0.5 $^{+0.3}_{-0.4}$	26.6 $^{+1.0}_{-1.0}$
2MASS J13111353+7123074	-1.8 $^{+0.3}_{-0.4}$	35.9 $^{+1.0}_{-1.1}$

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J13132942+0119045	-7.3 $^{+0.4}_{-0.4}$	<10
2MASS J13252527+3314571	-41.3 $^{+0.3}_{-0.5}$	22.1 $^{+1.2}_{-1.1}$
2MASS J13301700+7305373	-11.1 $^{+0.5}_{-0.5}$	26.0 $^{+1.1}_{-1.2}$
2MASS J13305506+7202139	-8.7 $^{+0.3}_{-0.4}$	11.0 $^{+1.0}_{-1.1}$
2MASS J13345390-3407548	8.5 $^{+0.3}_{-0.5}$	48.0 $^{+1.2}_{-1.2}$
2MASS J13384267+2723430	-11.8 $^{+0.3}_{-0.3}$	<10
2MASS J13390856-1627370	42.8 $^{+0.3}_{-0.4}$	10.3 $^{+1.0}_{-1.1}$
2MASS J13394420-1543328	2.0 $^{+0.3}_{-0.4}$	17.2 $^{+1.0}_{-1.0}$
2MASS J13413492-1620101	5.9 $^{+0.3}_{-0.4}$	20.6 $^{+1.0}_{-1.0}$
2MASS J13442970+5625445	-15.0 $^{+0.3}_{-0.4}$	10.8 $^{+1.0}_{-1.1}$
2MASS J13443397-1557250	33.0 $^{+0.3}_{-0.4}$	14.8 $^{+1.0}_{-1.0}$
2MASS J13451873-0057289	-5.3 $^{+0.3}_{-0.4}$	28.8 $^{+1.0}_{-1.1}$
2MASS J13462582+0102336	-23.1 $^{+0.3}_{-0.4}$	15.5 $^{+1.0}_{-1.0}$
2MASS J13471675+3813201	-37.4 $^{+0.3}_{-0.5}$	<10
2MASS J13481341+2336486	-11.0 $^{+0.3}_{-0.4}$	<10
2MASS J13482141+0415324	-2.1 $^{+0.3}_{-0.5}$	78.3 $^{+1.1}_{-1.2}$
2MASS J13515288+0441433	-20.1 $^{+0.3}_{-0.4}$	<10
2MASS J13542316+2543152	-6.6 $^{+0.3}_{-0.3}$	<10
2MASS J13574060+3415236	-14.0 $^{+0.3}_{-0.4}$	<10
2MASS J13592166+2514031	-31.7 $^{+0.3}_{-0.4}$	11.1 $^{+1.0}_{-1.2}$
2MASS J14004116+1523153	-12.7 $^{+0.3}_{-0.4}$	13.6 $^{+1.0}_{-1.1}$
2MASS J14022899+0214105	-24.8 $^{+0.3}_{-0.3}$	10.5 $^{+1.0}_{-1.2}$
2MASS J14173267+4954054	-10.8 $^{+0.3}_{-0.5}$	27.8 $^{+1.4}_{-1.0}$
2MASS J14173817+4535591	-22.4 $^{+0.3}_{-0.7}$	72.9 $^{+1.1}_{-1.2}$
2MASS J14230252+5146303	28.5 $^{+0.3}_{-0.3}$	11.1 $^{+1.0}_{-1.0}$
2MASS J14305591+0858023	6.0 $^{+0.3}_{-0.4}$	<10
2MASS J14335256+5041572	2.6 $^{+0.3}_{-0.5}$	42.3 $^{+1.0}_{-1.2}$
2MASS J14420100+0629177	0.4 $^{+1.4}_{-1.3}$	81.6 $^{+2.3}_{-1.8}$
2MASS J14455808+4502080	-13.2 $^{+0.3}_{-0.4}$	23.7 $^{+1.0}_{-1.1}$
2MASS J14511760+3337466	-44.7 $^{+0.3}_{-0.4}$	<10
2MASS J14562713+1755001	16.8 $^{+0.3}_{-0.4}$	<10
2MASS J14575374+5639242	5.0 $^{+0.3}_{-0.4}$	13.0 $^{+1.0}_{-1.1}$
2MASS J15031776+2312177	-3.3 $^{+0.3}_{-0.3}$	11.8 $^{+1.0}_{-1.0}$
2MASS J15031784+2114111	-11.9 $^{+0.3}_{-0.4}$	40.2 $^{+1.0}_{-1.1}$
2MASS J15080090+3647550	-1.4 $^{+0.3}_{-0.4}$	17.0 $^{+1.0}_{-1.0}$
2MASS J15114751+3251249	1.7 $^{+0.3}_{-0.4}$	12.7 $^{+1.1}_{-1.2}$
2MASS J15134421+2723422	-0.4 $^{+0.3}_{-0.3}$	<10
2MASS J15214471+0100060	-10.8 $^{+0.3}_{-0.4}$	<10
2MASS J15303032+0926014	3.1 $^{+0.3}_{-0.4}$	19.8 $^{+1.0}_{-1.0}$

Table A3 *continued***Table A3** *continued*

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s ⁻¹)	(km s ⁻¹)
2MASS J15453035+4350540	-13.1 ^{+0.3} _{-0.4}	<10
2MASS J15484207+2657485	-53.1 ^{+0.3} _{-0.4}	<10
2MASS J15554229–2546477	-3.6 ^{+0.3} _{-0.3}	10.6 ^{+1.0} _{-1.0}
2MASS J15554732–2401321	-2.5 ^{+0.4} _{-0.5}	25.3 ^{+2.0} _{-1.0}
2MASS J15555272–2031336	-5.7 ^{+1.2} _{-0.6}	99.9 ^{+1.0} _{-1.0}
2MASS J15561978–2423288	-3.8 ^{+0.4} _{-0.3}	21.3 ^{+1.5} _{-1.0}
2MASS J15562340–2259491	-3.6 ^{+0.3} _{-0.4}	22.1 ^{+1.0} _{-1.0}
2MASS J15562472+2352565	15.1 ^{+0.3} _{-0.4}	<10
2MASS J15562846–2341411	-0.1 ^{+0.3} _{-0.3}	19.2 ^{+1.5} _{-1.2}
2MASS J15564372–2341397	-3.7 ^{+0.5} _{-0.3}	32.8 ^{+2.0} _{-1.0}
2MASS J15570350–2610081	-0.4 ^{+0.3} _{-0.3}	18.1 ^{+1.0} _{-1.0}
2MASS J15571279–2343465	-2.2 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.1}
2MASS J15573932–2555081	-2.3 ^{+0.4} _{-0.3}	26.1 ^{+1.2} _{-1.4}
2MASS J15575194–2012338	-2.3 ^{+0.3} _{-0.5}	24.4 ^{+1.0} _{-1.1}
2MASS J15575603–2035104	-1.6 ^{+0.3} _{-0.4}	24.3 ^{+1.0} _{-1.1}
2MASS J15582481–1815160	-3.6 ^{+0.3} _{-0.3}	47.9 ^{+1.3} _{-1.0}
2MASS J15582627–2401132	-2.1 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}
2MASS J15583162–2402538	-5.5 ^{+0.4} _{-1.8}	99.4 ^{+1.1} _{-1.0}
2MASS J15583264–2431271	-2.5 ^{+0.9} _{-0.4}	20.4 ^{+1.2} _{-1.1}
2MASS J15583598–2348136	-1.7 ^{+0.4} _{-0.4}	43.8 ^{+1.3} _{-1.1}
2MASS J15584813–2141338	-2.4 ^{+0.6} _{-0.5}	26.5 ^{+1.4} _{-1.2}
2MASS J15585466–1813241	-2.1 ^{+0.3} _{-0.3}	19.8 ^{+1.0} _{-1.0}
2MASS J15585576–1825448	-76.4 ^{+1.9} _{-1.9}	98.5 ^{+1.6} _{-1.4}
2MASS J15591244–2236502	-4.6 ^{+0.3} _{-0.4}	27.2 ^{+1.0} _{-1.1}
2MASS J15592070–1927450	-3.5 ^{+0.3} _{-0.3}	11.1 ^{+1.2} _{-1.3}
2MASS J15593148–2331573	-3.9 ^{+0.3} _{-0.5}	35.9 ^{+1.0} _{-1.2}
2MASS J15595651–1858163	-52.2 ^{+0.3} _{-0.3}	<10
2MASS J15595868–1836520	-4.5 ^{+0.5} _{-0.3}	23.5 ^{+1.0} _{-1.0}
2MASS J16000056–2130325	-1.1 ^{+0.3} _{-0.6}	22.3 ^{+1.1} _{-1.1}
2MASS J16000249–1902427	-2.2 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}
2MASS J16002616–2400204	-0.1 ^{+0.3} _{-0.3}	18.2 ^{+1.0} _{-1.0}
2MASS J16002669–2056316	-0.4 ^{+0.3} _{-0.4}	15.4 ^{+1.0} _{-1.0}
2MASS J16004461–2450341	-3.6 ^{+0.3} _{-0.3}	19.8 ^{+1.0} _{-1.0}
2MASS J16005357–2207273	-5.2 ^{+0.4} _{-0.4}	47.4 ^{+1.8} _{-1.1}
2MASS J16013765–2202595	-1.6 ^{+0.4} _{-0.4}	30.9 ^{+1.8} _{-1.2}
2MASS J16014157–2111380	-4.4 ^{+0.3} _{-0.4}	22.7 ^{+1.0} _{-1.0}
2MASS J16014453+3027407	-32.2 ^{+0.3} _{-0.4}	18.1 ^{+1.0} _{-1.1}
2MASS J16014769–2441011	-3.4 ^{+0.4} _{-1.2}	29.6 ^{+1.0} _{-1.2}
2MASS J16014950–2220451	-3.8 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.1}

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s ⁻¹)	(km s ⁻¹)
2MASS J16015389–1910178	-41.7 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.2}
2MASS J16015498–2131230	-4.0 ^{+0.9} _{-0.4}	15.6 ^{+1.0} _{-1.0}
2MASS J16015976–1952202	-4.1 ^{+0.3} _{-0.6}	11.8 ^{+1.0} _{-1.1}
2MASS J16020965–1841334	-2.0 ^{+0.4} _{-0.3}	31.1 ^{+1.0} _{-1.9}
2MASS J16022439–2529121	-3.4 ^{+0.4} _{-1.3}	32.1 ^{+1.3} _{-1.3}
2MASS J16023185–2132340	-3.6 ^{+0.3} _{-0.4}	16.1 ^{+1.0} _{-1.0}
2MASS J16023227–2200486	-2.8 ^{+0.3} _{-0.4}	10.8 ^{+1.0} _{-1.0}
2MASS J16024142–2248419	-1.1 ^{+0.3} _{-0.3}	<10
2MASS J16024575–2304509	-3.7 ^{+0.3} _{-0.6}	31.7 ^{+1.5} _{-1.1}
2MASS J16025529–1922431	-1.9 ^{+0.3} _{-0.3}	44.2 ^{+1.0} _{-1.1}
2MASS J16025793–2423390	-3.9 ^{+0.3} _{-0.3}	18.7 ^{+1.2} _{-1.0}
2MASS J16030161–2207523	-4.3 ^{+0.3} _{-0.4}	20.6 ^{+1.0} _{-1.0}
2MASS J16032437–2034130	-2.0 ^{+0.3} _{-0.4}	16.6 ^{+1.0} _{-1.0}
2MASS J16035107–1852212	-2.5 ^{+0.3} _{-0.4}	21.0 ^{+1.0} _{-1.0}
2MASS J16035481–2220583	-1.8 ^{+0.4} _{-0.5}	27.3 ^{+1.0} _{-1.0}
2MASS J16035532–2147093	-4.0 ^{+0.3} _{-0.3}	59.9 ^{+1.2} _{-1.4}
2MASS J16041322+2331386	-23.1 ^{+0.3} _{-0.4}	18.0 ^{+1.0} _{-1.0}
2MASS J16045167+2728335	-54.9 ^{+0.3} _{-0.4}	<10
2MASS J16062637–2306113	-0.5 ^{+0.3} _{-0.3}	19.0 ^{+1.4} _{-1.2}
2MASS J16064910–2216382	-1.7 ^{+0.3} _{-0.4}	40.5 ^{+1.1} _{-1.2}
2MASS J16070169–2028579	-3.5 ^{+0.4} _{-0.5}	21.3 ^{+1.0} _{-1.0}
2MASS J16070211–2019387	-1.6 ^{+0.3} _{-0.4}	24.9 ^{+1.0} _{-1.0}
2MASS J16073556–2027134	-3.4 ^{+0.3} _{-0.4}	20.8 ^{+1.0} _{-1.0}
2MASS J16075049–2125200	-5.7 ^{+0.4} _{-0.6}	19.8 ^{+1.0} _{-1.0}
2MASS J16075567–2443267	-2.1 ^{+0.3} _{-0.3}	20.0 ^{+1.0} _{-1.2}
2MASS J16081081–2229428	-5.1 ^{+0.3} _{-0.5}	17.9 ^{+1.0} _{-1.0}
2MASS J16082229–2217029	-5.1 ^{+0.3} _{-0.4}	30.6 ^{+1.0} _{-1.1}
2MASS J16083577–1911372	-5.4 ^{+0.3} _{-0.3}	21.7 ^{+1.0} _{-1.0}
2MASS J16090071–2029086	-4.5 ^{+0.4} _{-0.4}	22.2 ^{+1.1} _{-1.8}
2MASS J16090388–2223214	-15.6 ^{+0.3} _{-0.3}	<10
2MASS J16090884–2217466	-3.1 ^{+0.3} _{-0.4}	27.3 ^{+1.0} _{-1.0}
2MASS J16092695–2539081	-4.1 ^{+0.3} _{-0.3}	36.6 ^{+1.9} _{-1.0}
2MASS J16093706–2052529	-1.4 ^{+1.4} _{-0.3}	30.9 ^{+1.1} _{-1.0}
2MASS J16094354–2443098	-0.4 ^{+0.3} _{-0.4}	19.0 ^{+1.0} _{-1.1}
2MASS J16095198–2440197	-2.0 ^{+0.3} _{-0.5}	18.1 ^{+1.0} _{-1.1}
2MASS J16095695–2212027	-0.0 ^{+0.9} _{-0.4}	31.5 ^{+1.1} _{-1.6}
2MASS J16100129–2152243	-0.7 ^{+0.3} _{-0.4}	15.7 ^{+1.0} _{-1.0}
2MASS J16102819–1910444	-3.4 ^{+0.3} _{-0.3}	20.8 ^{+1.1} _{-1.0}
2MASS J16103069–2208229	-3.2 ^{+0.3} _{-0.4}	19.7 ^{+1.0} _{-1.0}

Table A3 *continued***Table A3** *continued*

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J16104973–2222342	$-18.3^{+0.3}_{-0.3}$	<10
2MASS J16104996–2212515	$-4.5^{+0.3}_{-0.4}$	$31.0^{+1.0}_{-1.1}$
2MASS J16105429–2309108	$-1.9^{+0.3}_{-0.4}$	$23.8^{+1.0}_{-1.2}$
2MASS J16110919–2149562	$-5.3^{+0.3}_{-0.4}$	$31.1^{+1.0}_{-1.1}$
2MASS J16111237–1927374	$-4.9^{+0.3}_{-0.4}$	$10.9^{+1.0}_{-1.1}$
2MASS J16112023–1847554	$-5.8^{+0.3}_{-0.3}$	$12.2^{+1.0}_{-1.0}$
2MASS J16112630–2340059	$-4.1^{+0.3}_{-0.3}$	$16.1^{+1.0}_{-1.0}$
2MASS J16113180–2237082	$-5.0^{+0.3}_{-0.4}$	$19.8^{+1.0}_{-1.0}$
2MASS J16113470–2219442	$-4.8^{+0.4}_{-0.4}$	$23.5^{+1.0}_{-1.1}$
2MASS J16114530–2254329	$-4.6^{+0.3}_{-0.4}$	$16.3^{+1.0}_{-1.1}$
2MASS J16114534–1928132	$-5.1^{+0.3}_{-0.4}$	$17.9^{+1.0}_{-1.0}$
2MASS J16114735–2242062	$-2.5^{+0.3}_{-1.7}$	$63.8^{+1.4}_{-1.3}$
2MASS J16120327+3158454	$-19.9^{+0.3}_{-0.4}$	$18.1^{+1.0}_{-1.0}$
2MASS J16121238+3803205	$-17.3^{+0.3}_{-0.4}$	<10
2MASS J16121845–1923324	$-5.5^{+0.3}_{-0.4}$	$16.5^{+1.0}_{-1.0}$
2MASS J16122289–2127158	$-3.2^{+0.3}_{-0.4}$	$17.3^{+1.0}_{-1.0}$
2MASS J16122737–2009596	$-3.2^{+0.3}_{-0.3}$	$14.1^{+1.0}_{-1.0}$
2MASS J16124506–2305303	$-4.8^{+0.3}_{-0.4}$	$27.2^{+1.0}_{-1.0}$
2MASS J16124847+1742283	$25.7^{+0.3}_{-0.4}$	<10
2MASS J16124897–2024302	$-4.4^{+0.4}_{-0.3}$	$19.3^{+1.4}_{-1.0}$
2MASS J16125723–2428013	$-5.0^{+0.3}_{-0.4}$	$34.3^{+1.0}_{-1.1}$
2MASS J16130217–2230112	$-34.9^{+0.3}_{-0.3}$	$12.9^{+1.1}_{-1.3}$
2MASS J16130235–1904450	$-0.0^{+0.3}_{-0.4}$	$17.5^{+1.0}_{-1.1}$
2MASS J16130306–1929319	$-5.4^{+0.3}_{-0.5}$	$19.9^{+1.0}_{-1.1}$
2MASS J16130982–2302184	$-1.2^{+0.3}_{-0.4}$	$19.7^{+1.0}_{-1.0}$
2MASS J16131082–2313514	$-2.8^{+0.6}_{-0.5}$	$19.9^{+1.0}_{-1.0}$
2MASS J16132744–2149172	$-44.7^{+0.3}_{-0.3}$	<10
2MASS J16133476–2328156	$-0.5^{+0.4}_{-0.3}$	$23.9^{+1.0}_{-1.3}$
2MASS J16134880–2509006	$-0.3^{+0.3}_{-0.4}$	$17.2^{+1.0}_{-1.0}$
2MASS J16140298–2548531	$-0.1^{+0.9}_{-0.5}$	$86.2^{+1.2}_{-1.3}$
2MASS J16141448+5007460	$-0.1^{+0.3}_{-0.3}$	$11.7^{+1.0}_{-1.1}$
2MASS J16142395+5106204	$5.9^{+0.3}_{-0.4}$	$15.0^{+1.0}_{-1.1}$
2MASS J16145178–1935402	$-2.0^{+0.3}_{-0.4}$	$13.8^{+1.0}_{-1.2}$
2MASS J16150524–2459351	$-4.7^{+0.3}_{-0.4}$	$20.0^{+1.0}_{-1.0}$
2MASS J16150702–2535528	$0.1^{+0.5}_{-0.7}$	$52.0^{+1.3}_{-1.3}$
2MASS J16151239–2420091	$-3.4^{+0.3}_{-0.3}$	$17.9^{+1.0}_{-1.0}$
2MASS J16151519–2252537	$-0.7^{+0.3}_{-0.5}$	$29.8^{+1.0}_{-1.1}$
2MASS J16152009–2333545	$-1.0^{+0.6}_{-0.4}$	$49.9^{+1.0}_{-1.2}$
2MASS J16152819–2315439	$-3.1^{+0.3}_{-0.3}$	$21.6^{+1.0}_{-1.0}$

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s $^{-1}$)	(km s $^{-1}$)
2MASS J16153341–1854249	$-4.1^{+0.3}_{-0.3}$	$25.4^{+1.0}_{-1.0}$
2MASS J16154914–2213117	$-1.4^{+0.3}_{-0.3}$	$17.9^{+1.0}_{-1.0}$
2MASS J16161948–2405301	$-1.9^{+0.3}_{-0.3}$	$26.5^{+1.3}_{-1.1}$
2MASS J16162399–2408301	$-5.6^{+0.3}_{-0.4}$	$23.8^{+1.0}_{-1.8}$
2MASS J16162531–2412057	$-0.1^{+0.4}_{-0.3}$	$25.8^{+1.6}_{-1.7}$
2MASS J16163068–2512201	$-2.1^{+0.4}_{-0.4}$	$31.3^{+1.0}_{-1.2}$
2MASS J16164539–2333413	$-1.0^{+1.9}_{-1.7}$	$98.8^{+1.3}_{-1.3}$
2MASS J16164873–2529402	$-3.3^{+0.3}_{-0.4}$	$19.4^{+1.0}_{-1.0}$
2MASS J16165225–2620387	$-0.9^{+0.3}_{-0.3}$	$19.8^{+1.0}_{-1.0}$
2MASS J16170731–2540312	$0.5^{+1.5}_{-0.4}$	$14.2^{+1.3}_{-1.2}$
2MASS J16172505–2350380	$-3.4^{+1.5}_{-0.4}$	$35.2^{+1.1}_{-1.2}$
2MASS J16174703–2556439	$-3.1^{+0.3}_{-0.4}$	$36.9^{+1.0}_{-1.1}$
2MASS J16174804–2329241	$-1.2^{+0.3}_{-0.3}$	$22.0^{+1.0}_{-1.2}$
2MASS J16180868–2547126	$-2.8^{+0.3}_{-0.4}$	$17.4^{+1.0}_{-1.2}$
2MASS J16181568–2347084	$-1.4^{+0.3}_{-0.3}$	$21.7^{+1.0}_{-1.0}$
2MASS J16182501–2338106	$-0.7^{+0.3}_{-0.3}$	$23.5^{+1.0}_{-1.0}$
2MASS J16185228–2516149	$-1.3^{+0.3}_{-0.3}$	$17.9^{+1.7}_{-1.0}$
2MASS J16185430–2346075	$-0.0^{+0.7}_{-0.5}$	$35.3^{+1.2}_{-1.5}$
2MASS J16190801–2346395	$-4.5^{+0.3}_{-0.3}$	$38.7^{+1.0}_{-1.1}$
2MASS J16192393–2220412	$-1.6^{+0.3}_{-0.3}$	$12.4^{+1.0}_{-1.1}$
2MASS J16193241–2406565	$-1.5^{+1.2}_{-0.6}$	$31.1^{+1.0}_{-1.0}$
2MASS J16200179–2328080	$-1.7^{+0.4}_{-0.3}$	$31.0^{+1.1}_{-1.1}$
2MASS J16200698–2430501	$-2.0^{+0.9}_{-0.4}$	$50.6^{+1.3}_{-1.5}$
2MASS J16200812–2342244	$-3.5^{+0.3}_{-0.4}$	$16.1^{+1.0}_{-1.0}$
2MASS J16201825–2511146	$-0.8^{+0.3}_{-0.3}$	$23.7^{+1.0}_{-1.3}$
2MASS J16202609–2255428	$-2.1^{+0.3}_{-0.4}$	$31.5^{+1.0}_{-1.1}$
2MASS J16205248–2420292	$-2.0^{+0.3}_{-0.3}$	$19.9^{+1.0}_{-1.0}$
2MASS J16211681–2241366	$-0.7^{+0.3}_{-0.4}$	$38.2^{+1.0}_{-1.1}$
2MASS J16212488–2426145	$-3.1^{+0.3}_{-0.3}$	$11.1^{+1.1}_{-1.1}$
2MASS J16212520+2443209	$-3.7^{+0.3}_{-0.4}$	$10.8^{+1.0}_{-1.0}$
2MASS J16212797–2628099	$2.9^{+1.7}_{-0.4}$	$70.8^{+1.5}_{-1.8}$
2MASS J16215455–2419286	$-1.9^{+0.4}_{-0.4}$	$24.1^{+1.1}_{-1.2}$
2MASS J16215928–2409515	$-2.9^{+0.3}_{-0.4}$	$27.2^{+1.0}_{-1.2}$
2MASS J16220533–2217130	$-5.1^{+0.3}_{-0.4}$	$18.4^{+1.0}_{-1.2}$
2MASS J16220714–2413559	$-3.0^{+0.3}_{-0.3}$	$20.0^{+1.0}_{-1.1}$
2MASS J16221322–2445378	$-2.6^{+0.3}_{-0.3}$	$12.0^{+1.1}_{-1.2}$
2MASS J16221456–2347113	$-6.6^{+0.3}_{-0.3}$	$33.0^{+1.0}_{-1.1}$
2MASS J16221828–2352370	$-1.9^{+0.5}_{-0.4}$	$29.1^{+1.0}_{-1.0}$
2MASS J16222160–2217307	$-2.5^{+0.3}_{-0.4}$	$19.0^{+1.0}_{-1.1}$

Table A3 *continued***Table A3** *continued*

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s ⁻¹)	(km s ⁻¹)
2MASS J16223132–2405399	−2.3 ^{+1.9} _{−2.0}	86.5 ^{+3.5} _{−3.9}
2MASS J16223834–2541017	−1.1 ^{+0.8} _{−0.5}	31.0 ^{+1.8} _{−1.0}
2MASS J16230475–2118593	−2.5 ^{+0.7} _{−0.4}	23.0 ^{+1.0} _{−1.0}
2MASS J16241875–2448473	−4.0 ^{+0.3} _{−0.3}	21.7 ^{+1.0} _{−1.0}
2MASS J16244448–2719036	0.4 ^{+0.3} _{−0.3}	42.3 ^{+1.2} _{−1.1}
2MASS J16251093–2446038	−6.1 ^{+0.4} _{−0.4}	23.6 ^{+1.0} _{−1.0}
2MASS J16252969–2214543	−5.9 ^{+0.3} _{−0.4}	21.6 ^{+1.0} _{−1.0}
2MASS J16254322–2230026	−2.2 ^{+0.3} _{−0.4}	14.2 ^{+1.0} _{−1.1}
2MASS J16261429+8558497	−45.5 ^{+0.3} _{−0.5}	<10
2MASS J16262568–2414278	−5.3 ^{+0.3} _{−0.3}	19.8 ^{+1.0} _{−1.0}
2MASS J16263713–2415599	−5.7 ^{+0.3} _{−0.3}	14.3 ^{+1.0} _{−1.6}
2MASS J16264705–2444298	−6.9 ^{+0.3} _{−0.3}	10.5 ^{+1.0} _{−1.7}
2MASS J16264810–2442033	−6.0 ^{+0.3} _{−0.3}	14.2 ^{+1.0} _{−1.6}
2MASS J16265048–2413522	−6.5 ^{+0.4} _{−0.5}	31.2 ^{+1.0} _{−1.1}
2MASS J16270655–2407031	−6.8 ^{+0.3} _{−0.3}	10.9 ^{+1.0} _{−1.0}
2MASS J16270659–2441488	−4.1 ^{+0.7} _{−0.3}	17.9 ^{+1.0} _{−1.0}
2MASS J16274799–2457134	−2.6 ^{+0.3} _{−0.3}	49.3 ^{+1.6} _{−1.2}
2MASS J16282296–2448289	−5.9 ^{+0.3} _{−0.3}	<10
2MASS J16282479–2435434	−5.0 ^{+0.3} _{−0.3}	20.0 ^{+1.0} _{−1.1}
2MASS J16292259–2505079	−25.8 ^{+0.3} _{−0.3}	<10
2MASS J16345805–2257207	−0.6 ^{+0.4} _{−0.3}	23.4 ^{+2.0} _{−1.0}
2MASS J16351719+4140027	4.9 ^{+0.3} _{−0.4}	<10
2MASS J16364904+7448067	−51.9 ^{+0.4} _{−0.4}	11.8 ^{+1.5} _{−1.3}
2MASS J16365595+2724223	−19.3 ^{+0.3} _{−0.4}	10.8 ^{+1.0} _{−1.0}
2MASS J16370146+3535456	−3.8 ^{+0.3} _{−0.3}	19.0 ^{+1.0} _{−1.0}
2MASS J16452337+3210381	−73.7 ^{+0.4} _{−0.4}	12.3 ^{+1.8} _{−1.1}
2MASS J16452810–0219477	−32.7 ^{+0.3} _{−0.4}	22.9 ^{+1.0} _{−1.0}
2MASS J16453689+2054174	−32.6 ^{+0.3} _{−0.4}	13.1 ^{+1.0} _{−1.0}
2MASS J17070453+6709407	−28.1 ^{+0.3} _{−0.4}	11.7 ^{+1.0} _{−1.0}
2MASS J17182421+6802330	−34.7 ^{+0.3} _{−0.4}	<10
2MASS J17302797+5242593	−14.4 ^{+0.3} _{−0.5}	11.7 ^{+1.0} _{−1.0}
2MASS J17331479+6312279	−26.4 ^{+0.3} _{−0.3}	12.5 ^{+1.0} _{−1.0}
2MASS J17405340+6242377	−15.0 ^{+0.3} _{−0.3}	16.1 ^{+1.0} _{−1.0}
2MASS J17553340+5824269	−59.5 ^{+0.3} _{−0.4}	<10
2MASS J18033058+6437298	−40.6 ^{+0.3} _{−0.3}	17.9 ^{+1.0} _{−1.0}
2MASS J18073028+6512534	3.1 ^{+0.3} _{−0.5}	29.4 ^{+1.0} _{−1.3}
2MASS J18403559+6348422	−21.8 ^{+0.3} _{−0.4}	<10
2MASS J18445350+7408555	−2.8 ^{+0.3} _{−0.3}	16.0 ^{+1.0} _{−1.0}
2MASS J18564024–3655203	0.5 ^{+0.4} _{−1.3}	16.4 ^{+1.1} _{−1.2}

Table A3 (*continued*)

APOGEE ID	$\langle RV \rangle$	$\langle v \sin i \rangle$
	(km s ⁻¹)	(km s ⁻¹)
2MASS J18570785–3654041	0.0 ^{+0.3} _{−0.5}	18.0 ^{+1.0} _{−1.1}
2MASS J18595094–3706313	1.5 ^{+0.3} _{−0.5}	19.9 ^{+1.0} _{−1.1}
2MASS J19010460–3701292	−0.5 ^{+0.3} _{−0.4}	14.2 ^{+1.0} _{−1.1}
2MASS J19011629–3656282	1.1 ^{+0.3} _{−0.4}	19.7 ^{+1.0} _{−1.0}
2MASS J19012083–3703027	0.2 ^{+0.3} _{−0.5}	42.5 ^{+1.0} _{−1.2}
2MASS J19022244–3655385	−0.9 ^{+0.3} _{−0.4}	10.5 ^{+1.0} _{−1.1}
2MASS J19023940–3653111	1.2 ^{+0.4} _{−0.5}	22.4 ^{+1.0} _{−1.1}
2MASS J21340952–1604063	−18.7 ^{+0.3} _{−0.4}	11.4 ^{+1.0} _{−1.1}
2MASS J22084470–1053504	1.1 ^{+0.3} _{−0.5}	38.2 ^{+1.0} _{−1.0}
2MASS J22114311–1106189	5.2 ^{+0.4} _{−0.6}	22.7 ^{+1.0} _{−1.3}
2MASS J22120158–1013320	−5.3 ^{+0.3} _{−0.3}	15.4 ^{+1.3} _{−1.1}
2MASS J22182754–0756051	−9.6 ^{+0.3} _{−0.7}	11.9 ^{+1.1} _{−1.3}
2MASS J22201091–1503567	17.0 ^{+0.3} _{−0.3}	40.5 ^{+1.0} _{−1.1}
2MASS J22262959+0055338	−53.8 ^{+0.3} _{−0.4}	13.4 ^{+1.0} _{−1.0}
2MASS J22342311–1659452	−6.4 ^{+0.3} _{−0.3}	19.7 ^{+1.0} _{−1.0}
2MASS J22450903–1359149	8.7 ^{+0.4} _{−0.4}	13.8 ^{+1.7} _{−1.1}
2MASS J23083553–0511036	20.1 ^{+0.3} _{−0.4}	24.9 ^{+1.0} _{−1.0}
2MASS J23241812–0946539	−0.0 ^{+0.3} _{−0.3}	36.7 ^{+1.0} _{−1.0}

NOTE—The full table is presented in a machine-readable table format.

Table A3 *continued*

B. BINARY CANDIDATE ORBITAL FIT

In Section 5.5, we presented the orbit fits for our binary candidates based on the Monte Carlo rejection sampler `The Joker`. Here, we present the fits for all of the sources listed in Table 10.





Figure B1. Same as Figure 15 for 00381273+3850323. The best-fit orbital parameters are $P_{\text{fit}} = 192^{+442}_{-174} \text{ day}$, $K_{\text{fit}} = 0.9^{+0.7}_{-0.3} \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.18^{+0.27}_{-0.14}$.





Figure B2. Same as Figure 15 for 03284407+3120528. The best-fit orbital parameters are $P_{\text{fit}} = 4^{+22}_{-3} \text{ day}$, $K_{\text{fit}} = 1.3^{+0.2}_{-0.2} \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.2^{+0.26}_{-0.19}$.





Figure B3. Same as Figure 15 for 03290413+3056127. The best-fit orbital parameters are $P_{\text{fit}} = 73^{+2}_{-36} \text{ day}$, $K_{\text{fit}} = 0.6^{+0.1}_{-0.1} \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.27^{+0.25}_{-0.18}$.




Figure B4. Same as Figure 15 for 03291130+3117175. The best-fit orbital parameters are $P_{\text{fit}} = 15^{+0}_{-0}$ day, $K_{\text{fit}} = 1.4^{+0.4}_{-0.2}$ km s⁻¹, and $e_{\text{fit}} = 0.5^{+0.09}_{-0.18}$.




Figure B5. Same as Figure 15 for 03293773+3122024. The best-fit orbital parameters are $P_{\text{fit}} = 7^{+17}_{-6}$ day, $K_{\text{fit}} = 0.7^{+0.2}_{-0.1}$ km s⁻¹, and $e_{\text{fit}} = 0.19^{+0.27}_{-0.14}$.




Figure B6. Same as Figure 15 for 03413332+3157417. The best-fit orbital parameters are $P_{\text{fit}} = 11^{+70}_{-9}$ day, $K_{\text{fit}} = 0.6^{+0.1}_{-0.2}$ km s⁻¹, and $e_{\text{fit}} = 0.14^{+0.22}_{-0.11}$.




Figure B7. Same as Figure 15 for 03413641+3216200. The best-fit orbital parameters are $P_{\text{fit}} = 4^{+3}_{-3}$ day, $K_{\text{fit}} = 2.0^{+1.3}_{-0.7}$ km s^{-1} , and $e_{\text{fit}} = 0.2^{+0.28}_{-0.16}$.




Figure B8. Same as Figure 15 for 03440291+3152277. The best-fit orbital parameters are $P_{\text{fit}} = 4^{+2}_{-3}$ day, $K_{\text{fit}} = 0.9^{+0.4}_{-0.2}$ km s^{-1} , and $e_{\text{fit}} = 0.38^{+0.25}_{-0.26}$.




Figure B9. Same as Figure 15 for 03440599+3215321. The best-fit orbital parameters are $P_{\text{fit}} = 75^{+183}_{-70}$ day, $K_{\text{fit}} = 1.0^{+0.6}_{-0.3}$ km s^{-1} , and $e_{\text{fit}} = 0.17^{+0.25}_{-0.13}$.




Figure B10. Same as Figure 15 for 04161885+2752155. The best-fit orbital parameters are $P_{\text{fit}} = 33^{+170}_{-30}$ day, $K_{\text{fit}} = 1.3^{+1.0}_{-0.4}$ km s $^{-1}$, and $e_{\text{fit}} = 0.18^{+0.26}_{-0.14}$.




Figure B11. Same as Figure 15 for 04230607+2801194. The best-fit orbital parameters are $P_{\text{fit}} = 8^{+26}_{-6}$ day, $K_{\text{fit}} = 0.7^{+0.5}_{-0.3}$ km s $^{-1}$, and $e_{\text{fit}} = 0.19^{+0.27}_{-0.15}$.




Figure B12. Same as Figure 15 for 05402570+2448090. The best-fit orbital parameters are $P_{\text{fit}} = 28^{+49}_{-25}$ day, $K_{\text{fit}} = 2.3^{+1.2}_{-0.9}$ km s $^{-1}$, and $e_{\text{fit}} = 0.19^{+0.27}_{-0.14}$.





Figure B13. Same as Figure 15 for 09373349+5534057. The best-fit orbital parameters are $P_{\text{fit}} = 6^{+13}_{-4} \text{ day}$, $K_{\text{fit}} = 0.4^{+0.3}_{-0.2} \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.27^{+0.3}_{-0.2}$.





Figure B14. Same as Figure 15 for 09453388+5458511. The best-fit orbital parameters are $P_{\text{fit}} = 15^{+120}_{-13} \text{ day}$, $K_{\text{fit}} = 1.0^{+0.5}_{-0.5} \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.31^{+0.3}_{-0.24}$.





Figure B15. Same as Figure 15 for 12261350+5605445. The best-fit orbital parameters are $P_{\text{fit}} = 15^{+48}_{-11} \text{ day}$, $K_{\text{fit}} = 1.4^{+0.9}_{-0.5} \text{ km s}^{-1}$, and $e_{\text{fit}} = 0.23^{+0.3}_{-0.17}$.




Figure B16. Same as Figure 15 for 12265349+2543556. The best-fit orbital parameters are $P_{\text{fit}} = 13^{+3}_{-9}$ day, $K_{\text{fit}} = 0.9^{+0.3}_{-0.2}$ km s⁻¹, and $e_{\text{fit}} = 0.17^{+0.24}_{-0.13}$.




Figure B17. Same as Figure 15 for 12481860-0235360. The best-fit orbital parameters are $P_{\text{fit}} = 9^{+5}_{-2}$ day, $K_{\text{fit}} = 0.8^{+0.4}_{-0.3}$ km s⁻¹, and $e_{\text{fit}} = 0.35^{+0.28}_{-0.26}$.




Figure B18. Same as Figure 15 for 13122681+7245338. The best-fit orbital parameters are $P_{\text{fit}} = 8^{+1046}_{-6}$ day, $K_{\text{fit}} = 1.3^{+0.8}_{-0.4}$ km s⁻¹, and $e_{\text{fit}} = 0.19^{+0.27}_{-0.14}$.




Figure B19. Same as Figure 15 for 13202007+7213140. The best-fit orbital parameters are $P_{\text{fit}} = 53^{+4}_{-16}$ day, $K_{\text{fit}} = 0.9^{+0.6}_{-0.5}$ km s^{-1} , and $e_{\text{fit}} = 0.34^{+0.27}_{-0.21}$.




Figure B20. Same as Figure 15 for 13232423+5132272. The best-fit orbital parameters are $P_{\text{fit}} = 4^{+8}_{-2}$ day, $K_{\text{fit}} = 0.7^{+0.4}_{-0.3}$ km s^{-1} , and $e_{\text{fit}} = 0.21^{+0.33}_{-0.15}$.




Figure B21. Same as Figure 15 for 13495109+3305136. The best-fit orbital parameters are $P_{\text{fit}} = 2^{+2}_{-1}$ day, $K_{\text{fit}} = 2.0^{+1.0}_{-0.7}$ km s^{-1} , and $e_{\text{fit}} = 0.25^{+0.32}_{-0.19}$.




Figure B22. Same as Figure 15 for 14005977+3226109. The best-fit orbital parameters are $P_{\text{fit}} = 1^{+321}_{-0}$ day, $K_{\text{fit}} = 1.5^{+1.0}_{-0.4}$ km s^{-1} , and $e_{\text{fit}} = 0.42^{+0.26}_{-0.25}$.




Figure B23. Same as Figure 15 for 15010818+2250020. The best-fit orbital parameters are $P_{\text{fit}} = 23^{+1}_{-11}$ day, $K_{\text{fit}} = 1.2^{+0.7}_{-0.3}$ km s^{-1} , and $e_{\text{fit}} = 0.19^{+0.28}_{-0.14}$.




Figure B24. Same as Figure 15 for 16271825+3538347. The best-fit orbital parameters are $P_{\text{fit}} = 70^{+18}_{-7}$ day, $K_{\text{fit}} = 3.4^{+2.1}_{-1.3}$ km s^{-1} , and $e_{\text{fit}} = 0.52^{+0.17}_{-0.24}$.




Figure B25. Same as Figure 15 for 22551142+1442456. The best-fit orbital parameters are $P_{\text{fit}} = 3^{+5}_{-1}$ day, $K_{\text{fit}} = 1.6^{+0.9}_{-0.5}$ km s^{-1} , and $e_{\text{fit}} = 0.18^{+0.26}_{-0.14}$.

REFERENCES

- Abdurro'uf, Accetta, K., Aerts, C., et al. 2022, ApJS, 259, 35, doi: [10.3847/1538-4365/ac4414](https://doi.org/10.3847/1538-4365/ac4414)
- Ahmed, S., & Warren, S. J. 2019, A&A, 623, A127, doi: [10.1051/0004-6361/201834591](https://doi.org/10.1051/0004-6361/201834591)
- Allard, F., Hauschildt, P. H., Alexander, D. R., & Starrfield, S. 1997, ARA&A, 35, 137, doi: [10.1146/annurev.astro.35.1.137](https://doi.org/10.1146/annurev.astro.35.1.137)
- Aller, K. M., Kraus, A. L., Liu, M. C., et al. 2013, ApJ, 773, 63, doi: [10.1088/0004-637X/773/1/63](https://doi.org/10.1088/0004-637X/773/1/63)
- Allers, K. N., & Liu, M. C. 2020, PASP, 132, 104401, doi: [10.1088/1538-3873/aba811](https://doi.org/10.1088/1538-3873/aba811)
- Alonso-Floriano, F. J., Morales, J. C., Caballero, J. A., et al. 2015, A&A, 577, A128, doi: [10.1051/0004-6361/201525803](https://doi.org/10.1051/0004-6361/201525803)
- Ardila, D., Martín, E., & Basri, G. 2000, AJ, 120, 479, doi: [10.1086/301443](https://doi.org/10.1086/301443)
- Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., et al. 2013, A&A, 558, A33, doi: [10.1051/0004-6361/201322068](https://doi.org/10.1051/0004-6361/201322068)
- Astropy Collaboration, Price-Whelan, A. M., Sipócz, B. M., et al. 2018, AJ, 156, 123, doi: [10.3847/1538-3881/aabc4f](https://doi.org/10.3847/1538-3881/aabc4f)
- Aumer, M., & Binney, J. J. 2009, MNRAS, 397, 1286, doi: [10.1111/j.1365-2966.2009.15053.x](https://doi.org/10.1111/j.1365-2966.2009.15053.x)
- Bai, Y., Liu, J., Wicker, J., et al. 2018, ApJS, 235, 16, doi: [10.3847/1538-4365/aaaab9](https://doi.org/10.3847/1538-4365/aaaab9)
- Baraffe, I., Chabrier, G., Barman, T. S., Allard, F., & Hauschildt, P. H. 2003, A&A, 402, 701, doi: [10.1051/0004-6361:20030252](https://doi.org/10.1051/0004-6361:20030252)
- Baraffe, I., Homeier, D., Allard, F., & Chabrier, G. 2015, A&A, 577, A42, doi: [10.1051/0004-6361/201425481](https://doi.org/10.1051/0004-6361/201425481)
- Bardalez Gagliuffi, D. C., Burgasser, A. J., Gelino, C. R., et al. 2014, ApJ, 794, 143, doi: [10.1088/0004-637X/794/2/143](https://doi.org/10.1088/0004-637X/794/2/143)
- Barnes, S. A. 2003, ApJ, 586, 464, doi: [10.1086/367639](https://doi.org/10.1086/367639)
- Barnes, S. A., & Kim, Y.-C. 2010, ApJ, 721, 675, doi: [10.1088/0004-637X/721/1/675](https://doi.org/10.1088/0004-637X/721/1/675)
- Beaton, R. L., Oelkers, R. J., Hayes, C. R., et al. 2021, AJ, 162, 302, doi: [10.3847/1538-3881/ac260c](https://doi.org/10.3847/1538-3881/ac260c)
- Becker, A. C., Bochanski, J. J., Hawley, S. L., et al. 2011, ApJ, 731, 17, doi: [10.1088/0004-637X/731/1/17](https://doi.org/10.1088/0004-637X/731/1/17)
- Bell, C. P. M., Mamajek, E. E., & Naylor, T. 2015, MNRAS, 454, 593, doi: [10.1093/mnras/stv1981](https://doi.org/10.1093/mnras/stv1981)
- Bensby, T., Feltzing, S., & Lundström, I. 2003, A&A, 410, 527, doi: [10.1051/0004-6361:20031213](https://doi.org/10.1051/0004-6361:20031213)
- Berger, E., Rutledge, R. E., Phan-Bao, N., et al. 2009, ApJ, 695, 310, doi: [10.1088/0004-637X/695/1/310](https://doi.org/10.1088/0004-637X/695/1/310)
- Best, W. M. J., Liu, M. C., Magnier, E. A., & Dupuy, T. J. 2021, AJ, 161, 42, doi: [10.3847/1538-3881/abc893](https://doi.org/10.3847/1538-3881/abc893)
- Birky, J., Hogg, D. W., Mann, A. W., & Burgasser, A. 2020, ApJ, 892, 31, doi: [10.3847/1538-4357/ab7004](https://doi.org/10.3847/1538-4357/ab7004)
- Blake, C. H., Charbonneau, D., & White, R. J. 2010, ApJ, 723, 684, doi: [10.1088/0004-637X/723/1/684](https://doi.org/10.1088/0004-637X/723/1/684)
- Blanton, M. R., Bershadsky, M. A., Abolfathi, B., et al. 2017, AJ, 154, 28, doi: [10.3847/1538-3881/aa7567](https://doi.org/10.3847/1538-3881/aa7567)
- Bochanski, J. J., Munn, J. A., Hawley, S. L., et al. 2007a, AJ, 134, 2418, doi: [10.1086/522053](https://doi.org/10.1086/522053)
- Bochanski, J. J., West, A. A., Hawley, S. L., & Covey, K. R. 2007b, AJ, 133, 531, doi: [10.1086/510240](https://doi.org/10.1086/510240)
- Bouvier, J., Matt, S. P., Mohanty, S., et al. 2014, in Protostars and Planets VI, ed. H. Beuther, R. S. Klessen, C. P. Dullemond, & T. Henning, 433, doi: [10.2458/azu_uapress_9780816531240-ch019](https://doi.org/10.2458/azu_uapress_9780816531240-ch019)
- Bovy, J. 2015, ApJS, 216, 29, doi: [10.1088/0067-0049/216/2/29](https://doi.org/10.1088/0067-0049/216/2/29)
- . 2016, ApJ, 817, 49, doi: [10.3847/0004-637X/817/1/49](https://doi.org/10.3847/0004-637X/817/1/49)
- Bovy, J., Rix, H.-W., Schlafly, E. F., et al. 2016, ApJ, 823, 30, doi: [10.3847/0004-637X/823/1/30](https://doi.org/10.3847/0004-637X/823/1/30)
- Bovy, J., & Tremaine, S. 2012, ApJ, 756, 89, doi: [10.1088/0004-637X/756/1/89](https://doi.org/10.1088/0004-637X/756/1/89)
- Bowen, I. S., & Vaughan, A. H. J. 1973, ApOpt, 12, 1430, doi: [10.1364/AO.12.001430](https://doi.org/10.1364/AO.12.001430)
- Brandt, T. D., & Huang, C. X. 2015, ApJ, 807, 24, doi: [10.1088/0004-637X/807/1/24](https://doi.org/10.1088/0004-637X/807/1/24)
- Briceño, C., Luhman, K. L., Hartmann, L., Stauffer, J. R., & Kirkpatrick, J. D. 2002, ApJ, 580, 317, doi: [10.1086/343127](https://doi.org/10.1086/343127)
- Burgasser, A. J., Blake, C. H., Gelino, C. R., Sahlmann, J., & Bardalez Gagliuffi, D. 2016, ApJ, 827, 25, doi: [10.3847/0004-637X/827/1/25](https://doi.org/10.3847/0004-637X/827/1/25)
- Burgasser, A. J., Geballe, T. R., Leggett, S. K., Kirkpatrick, J. D., & Golimowski, D. A. 2006, ApJ, 637, 1067, doi: [10.1086/498563](https://doi.org/10.1086/498563)
- Burgasser, A. J., & Splat Development Team. 2017, in Astronomical Society of India Conference Series, Vol. 14, Astronomical Society of India Conference Series, 7–12, <https://arxiv.org/abs/1707.00062>
- Burgasser, A. J., Logsdon, S. E., Gagné, J., et al. 2015, ApJS, 220, 18, doi: [10.1088/0067-0049/220/1/18](https://doi.org/10.1088/0067-0049/220/1/18)
- Burrows, A., Hubbard, W. B., Lunine, J. I., & Liebert, J. 2001, Reviews of Modern Physics, 73, 719, doi: [10.1103/RevModPhys.73.719](https://doi.org/10.1103/RevModPhys.73.719)
- Buzard, C., Casewell, S. L., Lothringer, J. D., & Blake, G. A. 2022, AJ, 163, 262, doi: [10.3847/1538-3881/ac6508](https://doi.org/10.3847/1538-3881/ac6508)
- Cañas, C. I., Mahadevan, S., Bender, C. F., et al. 2022, AJ, 163, 89, doi: [10.3847/1538-3881/ac415f](https://doi.org/10.3847/1538-3881/ac415f)

- Cabello, C., Csörnyei, G., Merc, J., Ferreira López, V., & Peshev, P. 2019, Contributions of the Astronomical Observatory Skalnate Pleso, 49, 546.
<https://arxiv.org/abs/1912.10504>
- Cantat-Gaudin, T., & Anders, F. 2020, A&A, 633, A99, doi: [10.1051/0004-6361/201936691](https://doi.org/10.1051/0004-6361/201936691)
- Cantat-Gaudin, T., Jordi, C., Vallenari, A., et al. 2018, A&A, 618, A93, doi: [10.1051/0004-6361/201833476](https://doi.org/10.1051/0004-6361/201833476)
- Cantat-Gaudin, T., Anders, F., Castro-Ginard, A., et al. 2020, A&A, 640, A1, doi: [10.1051/0004-6361/202038192](https://doi.org/10.1051/0004-6361/202038192)
- Carmichael, T. W. 2023, MNRAS, 519, 5177, doi: [10.1093/mnras/stac3720](https://doi.org/10.1093/mnras/stac3720)
- Casewell, S. L., Belardi, C., Parsons, S. G., et al. 2020, MNRAS, 497, 3571, doi: [10.1093/mnras/staa1608](https://doi.org/10.1093/mnras/staa1608)
- Cazzoletti, P., Manara, C. F., Liu, H. B., et al. 2019, A&A, 626, A11, doi: [10.1051/0004-6361/201935273](https://doi.org/10.1051/0004-6361/201935273)
- Chambers, J. M., Cleveland, W. S., Kleiner, B., & Tukey, P. A. 1983, Graphical Methods for Data Analysis (Wadsworth)
- Chen, B., Stoughton, C., Smith, J. A., et al. 2001, ApJ, 553, 184, doi: [10.1086/320647](https://doi.org/10.1086/320647)
- Close, L. M., Zuckerman, B., Song, I., et al. 2007, ApJ, 660, 1492, doi: [10.1086/513417](https://doi.org/10.1086/513417)
- Cook, B. A., Williams, P. K. G., & Berger, E. 2014, ApJ, 785, 10, doi: [10.1088/0004-637X/785/1/10](https://doi.org/10.1088/0004-637X/785/1/10)
- Cook, N. J., Pinfield, D. J., Marocco, F., et al. 2016, MNRAS, 457, 2192, doi: [10.1093/mnras/stw061](https://doi.org/10.1093/mnras/stw061)
- Cottaar, M., Covey, K. R., Meyer, M. R., et al. 2014, ApJ, 794, 125, doi: [10.1088/0004-637X/794/2/125](https://doi.org/10.1088/0004-637X/794/2/125)
- Cottaar, M., Covey, K. R., Foster, J. B., et al. 2015, ApJ, 807, 27, doi: [10.1088/0004-637X/807/1/27](https://doi.org/10.1088/0004-637X/807/1/27)
- Crifo, F., Phan-Bao, N., Delfosse, X., et al. 2005, A&A, 441, 653, doi: [10.1051/0004-6361:20052998](https://doi.org/10.1051/0004-6361:20052998)
- Crossfield, I. J. M. 2014, A&A, 566, A130, doi: [10.1051/0004-6361/201423750](https://doi.org/10.1051/0004-6361/201423750)
- Crossfield, I. J. M., Lothringer, J. D., Flores, B., et al. 2019, ApJL, 871, L3, doi: [10.3847/2041-8213/aaf9b6](https://doi.org/10.3847/2041-8213/aaf9b6)
- Cruz, K. L., Kirkpatrick, J. D., & Burgasser, A. J. 2009, AJ, 137, 3345, doi: [10.1088/0004-6256/137/2/3345](https://doi.org/10.1088/0004-6256/137/2/3345)
- Cruz, K. L., Reid, I. N., Liebert, J., Kirkpatrick, J. D., & Lowrance, P. J. 2003, AJ, 126, 2421, doi: [10.1086/378607](https://doi.org/10.1086/378607)
- Cruz, K. L., Reid, I. N., Kirkpatrick, J. D., et al. 2007, AJ, 133, 439, doi: [10.1086/510132](https://doi.org/10.1086/510132)
- Cunha, K., Smith, V. V., Johnson, J. A., et al. 2015, ApJL, 798, L41, doi: [10.1088/2041-8205/798/2/L41](https://doi.org/10.1088/2041-8205/798/2/L41)
- Curiel, S., Ortiz-León, G. N., Mioduszewski, A. J., & Torres, R. M. 2020, AJ, 160, 97, doi: [10.3847/1538-3881/ab9e6e](https://doi.org/10.3847/1538-3881/ab9e6e)
- Currie, T., & Kenyon, S. J. 2009, AJ, 138, 703, doi: [10.1088/0004-6256/138/3/703](https://doi.org/10.1088/0004-6256/138/3/703)
- Cushing, M. C., Rayner, J. T., Davis, S. P., & Vacca, W. D. 2003, ApJ, 582, 1066, doi: [10.1086/344525](https://doi.org/10.1086/344525)
- Cushing, M. C., Rayner, J. T., & Vacca, W. D. 2005, ApJ, 623, 1115, doi: [10.1086/428040](https://doi.org/10.1086/428040)
- Cushing, M. C., Kirkpatrick, J. D., Gelino, C. R., et al. 2011, ApJ, 743, 50, doi: [10.1088/0004-637X/743/1/50](https://doi.org/10.1088/0004-637X/743/1/50)
- Cutri, R. M., & et al. 2012, VizieR Online Data Catalog, II/311
- Cutri, R. M., Wright, E. L., Conrow, T., et al. 2014, VizieR Online Data Catalog, II/328
- Da Rio, N., Tan, J. C., Covey, K. R., et al. 2017, ApJ, 845, 105, doi: [10.3847/1538-4357/aa7a5b](https://doi.org/10.3847/1538-4357/aa7a5b)
- Dahm, S. E., Slesnick, C. L., & White, R. J. 2012, ApJ, 745, 56, doi: [10.1088/0004-637X/745/1/56](https://doi.org/10.1088/0004-637X/745/1/56)
- Davis, Y. T., Triaud, A. H. M. J., Freckleton, A. V., et al. 2024, MNRAS, 530, 2565, doi: [10.1093/mnras/stae842](https://doi.org/10.1093/mnras/stae842)
- Dawson, P., Scholz, A., Ray, T. P., et al. 2014, MNRAS, 442, 1586, doi: [10.1093/mnras/stu973](https://doi.org/10.1093/mnras/stu973)
- Deshpande, R., Martín, E. L., Montgomery, M. M., et al. 2012, AJ, 144, 99, doi: [10.1088/0004-6256/144/4/99](https://doi.org/10.1088/0004-6256/144/4/99)
- Deshpande, R., Blake, C. H., Bender, C. F., et al. 2013, AJ, 146, 156, doi: [10.1088/0004-6256/146/6/156](https://doi.org/10.1088/0004-6256/146/6/156)
- Dittmann, J. A., Irwin, J. M., Charbonneau, D., & Berta-Thompson, Z. K. 2014, ApJ, 784, 156, doi: [10.1088/0004-637X/784/2/156](https://doi.org/10.1088/0004-637X/784/2/156)
- Donor, J., Frinchaboy, P. M., Cunha, K., et al. 2020, AJ, 159, 199, doi: [10.3847/1538-3881/ab77bc](https://doi.org/10.3847/1538-3881/ab77bc)
- Douglas, S. T., Curtis, J. L., Agüeros, M. A., et al. 2019, ApJ, 879, 100, doi: [10.3847/1538-4357/ab2468](https://doi.org/10.3847/1538-4357/ab2468)
- Douglas, S. T., Agüeros, M. A., Covey, K. R., et al. 2014, ApJ, 795, 161, doi: [10.1088/0004-637X/795/2/161](https://doi.org/10.1088/0004-637X/795/2/161)
- Dupuy, T. J., & Liu, M. C. 2017, ApJS, 231, 15, doi: [10.3847/1538-4365/aa5e4c](https://doi.org/10.3847/1538-4365/aa5e4c)
- Eggen, O. J. 1993, AJ, 106, 1885, doi: [10.1086/116773](https://doi.org/10.1086/116773)
- Esplin, T. L., & Luhman, K. L. 2017, AJ, 154, 134, doi: [10.3847/1538-3881/aa859b](https://doi.org/10.3847/1538-3881/aa859b)
- . 2022, AJ, 163, 64, doi: [10.3847/1538-3881/ac3e64](https://doi.org/10.3847/1538-3881/ac3e64)
- Esplin, T. L., Luhman, K. L., & Mamajek, E. E. 2014, ApJ, 784, 126, doi: [10.1088/0004-637X/784/2/126](https://doi.org/10.1088/0004-637X/784/2/126)
- Esplin, T. L., Luhman, K. L., Miller, E. B., & Mamajek, E. E. 2018, AJ, 156, 75, doi: [10.3847/1538-3881/aaec00](https://doi.org/10.3847/1538-3881/aaec00)
- Faherty, J. K., Burgasser, A. J., Bochanski, J. J., et al. 2011, AJ, 141, 71, doi: [10.1088/0004-6256/141/3/71](https://doi.org/10.1088/0004-6256/141/3/71)
- Faherty, J. K., Riedel, A. R., Cruz, K. L., et al. 2016, ApJS, 225, 10, doi: [10.3847/0067-0049/225/1/10](https://doi.org/10.3847/0067-0049/225/1/10)
- Fürész, G., Hartmann, L. W., Megeath, S. T., Szentgyorgyi, A. H., & Hamden, E. T. 2008, ApJ, 676, 1109, doi: [10.1086/525844](https://doi.org/10.1086/525844)
- Filippazzo, J. C., Rice, E. L., Faherty, J., et al. 2015, ApJ, 810, 158, doi: [10.1088/0004-637X/810/2/158](https://doi.org/10.1088/0004-637X/810/2/158)

- Foreman-Mackey, D. 2016, The Journal of Open Source Software, 1, 24, doi: [10.21105/joss.00024](https://doi.org/10.21105/joss.00024)
- Foreman-Mackey, D., Hogg, D. W., Lang, D., & Goodman, J. 2013, PASP, 125, 306, doi: [10.1086/670067](https://doi.org/10.1086/670067)
- Freund, S., Robrade, J., Schneider, P. C., & Schmitt, J. H. M. M. 2020, A&A, 640, A66, doi: [10.1051/0004-6361/201937304](https://doi.org/10.1051/0004-6361/201937304)
- Gagné, J., & Faherty, J. K. 2018, ApJ, 862, 138, doi: [10.3847/1538-4357/aaaca2e](https://doi.org/10.3847/1538-4357/aaaca2e)
- Gagné, J., Lafrenière, D., Doyon, R., Malo, L., & Artigau, É. 2015a, ApJ, 798, 73, doi: [10.1088/0004-637X/798/2/73](https://doi.org/10.1088/0004-637X/798/2/73)
- Gagné, J., Faherty, J. K., Cruz, K. L., et al. 2015b, ApJS, 219, 33, doi: [10.1088/0067-0049/219/2/33](https://doi.org/10.1088/0067-0049/219/2/33)
- Gagné, J., Mamajek, E. E., Malo, L., et al. 2018, ApJ, 856, 23, doi: [10.3847/1538-4357/aaae09](https://doi.org/10.3847/1538-4357/aaae09)
- Gaia Collaboration, Babusiaux, C., van Leeuwen, F., et al. 2018, A&A, 616, A10, doi: [10.1051/0004-6361/201832843](https://doi.org/10.1051/0004-6361/201832843)
- Gaia Collaboration, Brown, A. G. A., Vallenari, A., et al. 2021a, A&A, 649, A1, doi: [10.1051/0004-6361/202039657](https://doi.org/10.1051/0004-6361/202039657)
- Gaia Collaboration, Smart, R. L., Sarro, L. M., et al. 2021b, A&A, 649, A6, doi: [10.1051/0004-6361/202039498](https://doi.org/10.1051/0004-6361/202039498)
- Gaidos, E., Mann, A. W., Lépine, S., et al. 2014, MNRAS, 443, 2561, doi: [10.1093/mnras/stu1313](https://doi.org/10.1093/mnras/stu1313)
- García Pérez, A. E., Allende Prieto, C., Holtzman, J. A., et al. 2016, AJ, 151, 144, doi: [10.3847/0004-6256/151/6/144](https://doi.org/10.3847/0004-6256/151/6/144)
- Gilhool, S. H., Blake, C. H., Terrien, R. C., et al. 2018, AJ, 155, 38, doi: [10.3847/1538-3881/aa9c7c](https://doi.org/10.3847/1538-3881/aa9c7c)
- Gizis, J. E. 2002, ApJ, 575, 484, doi: [10.1086/341259](https://doi.org/10.1086/341259)
- Gizis, J. E., Monet, D. G., Reid, I. N., et al. 2000, AJ, 120, 1085, doi: [10.1086/301456](https://doi.org/10.1086/301456)
- Gizis, J. E., Reid, I. N., & Hawley, S. L. 2002, AJ, 123, 3356, doi: [10.1086/340465](https://doi.org/10.1086/340465)
- Gray, D. F. 1992, Journal of the British Astronomical Association, 102, 230
- Guieu, S., Dougados, C., Monin, J. L., Magnier, E., & Martín, E. L. 2006, A&A, 446, 485, doi: [10.1051/0004-6361:20053493](https://doi.org/10.1051/0004-6361:20053493)
- Gunn, J. E., Siegmund, W. A., Mannery, E. J., et al. 2006, AJ, 131, 2332, doi: [10.1086/500975](https://doi.org/10.1086/500975)
- Guo, Y. X., Luo, A. L., Zhang, S., et al. 2019, MNRAS, 485, 2167, doi: [10.1093/mnras/stz458](https://doi.org/10.1093/mnras/stz458)
- Gustafsson, B., Edvardsson, B., Eriksson, K., et al. 2008, A&A, 486, 951, doi: [10.1051/0004-6361:200809724](https://doi.org/10.1051/0004-6361:200809724)
- Hallinan, G., Antonova, A., Doyle, J. G., et al. 2006, ApJ, 653, 690, doi: [10.1086/508678](https://doi.org/10.1086/508678)
- Hamuy, M., Suntzeff, N. B., Heathcote, S. R., et al. 1994, PASP, 106, 566, doi: [10.1086/133417](https://doi.org/10.1086/133417)
- Hamuy, M., Walker, A. R., Suntzeff, N. B., et al. 1992, PASP, 104, 533, doi: [10.1086/133028](https://doi.org/10.1086/133028)
- Hargreaves, R. J., Hinkle, K. H., Bauschlicher, Charles W., J., et al. 2010, AJ, 140, 919, doi: [10.1088/0004-6256/140/4/919](https://doi.org/10.1088/0004-6256/140/4/919)
- Hawley, S. L., Covey, K. R., Knapp, G. R., et al. 2002, AJ, 123, 3409, doi: [10.1086/340697](https://doi.org/10.1086/340697)
- Hayden, M. R., Bovy, J., Holtzman, J. A., et al. 2015, ApJ, 808, 132, doi: [10.1088/0004-637X/808/2/132](https://doi.org/10.1088/0004-637X/808/2/132)
- Henry, T. J., Subasavage, J. P., Brown, M. A., et al. 2004, AJ, 128, 2460, doi: [10.1086/425052](https://doi.org/10.1086/425052)
- Henry, T. J., Walkowicz, L. M., Barto, T. C., & Goliowski, D. A. 2002, AJ, 123, 2002, doi: [10.1086/339315](https://doi.org/10.1086/339315)
- Herbst, W., Eisloßel, J., Mundt, R., & Scholz, A. 2007, in Protostars and Planets V, ed. B. Reipurth, D. Jewitt, & K. Keil, 297. <https://arxiv.org/abs/astro-ph/0603673>
- Hillenbrand, L. A., Hoffer, A. S., & Herczeg, G. J. 2013, AJ, 146, 85, doi: [10.1088/0004-6256/146/4/85](https://doi.org/10.1088/0004-6256/146/4/85)
- Holtzman, J. A., Hasselquist, S., Shetrone, M., et al. 2018, AJ, 156, 125, doi: [10.3847/1538-3881/aad4f9](https://doi.org/10.3847/1538-3881/aad4f9)
- Howell, S. B., Sobeck, C., Haas, M., et al. 2014, PASP, 126, 398, doi: [10.1086/676406](https://doi.org/10.1086/676406)
- Hsu, C.-C., Burgasser, A. J., & Theissen, C. A. 2023, ApJL, 945, L6, doi: [10.3847/2041-8213/acba8c](https://doi.org/10.3847/2041-8213/acba8c)
- Hsu, C.-C., Theissen, C., Burgasser, A., & Birky, J. 2021, SMART: The Spectral Modeling Analysis and RV Tool, v1.0.0, Zenodo, doi: [10.5281/zenodo.4765258](https://doi.org/10.5281/zenodo.4765258)
- Hsu, C.-C., Burgasser, A. J., Theissen, C. A., et al. 2021, ApJS, 257, 45, doi: [10.3847/1538-4365/ac1c7d](https://doi.org/10.3847/1538-4365/ac1c7d)
- Hubeny, I., Allende Prieto, C., Osorio, Y., & Lanz, T. 2021, arXiv e-prints, arXiv:2104.02829. <https://arxiv.org/abs/2104.02829>
- Hubeny, I., & Lanz, T. 2017, arXiv e-prints, arXiv:1706.01859. <https://arxiv.org/abs/1706.01859>
- Hunter, J. D. 2007, Computing in Science and Engineering, 9, 90, doi: [10.1109/MCSE.2007.55](https://doi.org/10.1109/MCSE.2007.55)
- Husser, T.-O., Wende-von Berg, S., Dreizler, S., et al. 2013, A&A, 553, A6, doi: [10.1051/0004-6361/201219058](https://doi.org/10.1051/0004-6361/201219058)
- Irwin, J., Berta, Z. K., Burke, C. J., et al. 2011, ApJ, 727, 56, doi: [10.1088/0004-637X/727/1/56](https://doi.org/10.1088/0004-637X/727/1/56)
- Ivezić, Ž., Smith, J. A., Miknaitis, G., et al. 2007, AJ, 134, 973, doi: [10.1086/519976](https://doi.org/10.1086/519976)
- Jackson, R. J., Deliyannis, C. P., & Jeffries, R. D. 2018, MNRAS, 476, 3245, doi: [10.1093/mnras/sty374](https://doi.org/10.1093/mnras/sty374)
- Jackson, R. J., & Jeffries, R. D. 2010, MNRAS, 402, 1380, doi: [10.1111/j.1365-2966.2009.15983.x](https://doi.org/10.1111/j.1365-2966.2009.15983.x)
- . 2014, MNRAS, 441, 2111, doi: [10.1093/mnras/stu651](https://doi.org/10.1093/mnras/stu651)
- Jahreiß, H., Scholz, R., Meusinger, H., & Lehmann, I. 2001, A&A, 370, 967, doi: [10.1051/0004-6361:20010248](https://doi.org/10.1051/0004-6361:20010248)
- Janson, M., Bergfors, C., Brandner, W., et al. 2014, ApJ, 789, 102, doi: [10.1088/0004-637X/789/2/102](https://doi.org/10.1088/0004-637X/789/2/102)

- Jeffers, S. V., Schöfer, P., Lamert, A., et al. 2018, *A&A*, 614, A76, doi: [10.1051/0004-6361/201629599](https://doi.org/10.1051/0004-6361/201629599)
- Johnson, D. R. H., & Soderblom, D. R. 1987, *AJ*, 93, 864, doi: [10.1086/114370](https://doi.org/10.1086/114370)
- Jönsson, H., Holtzman, J. A., Allende Prieto, C., et al. 2020, *AJ*, 160, 120, doi: [10.3847/1538-3881/aba592](https://doi.org/10.3847/1538-3881/aba592)
- Kass, R. E., & Raftery, A. E. 1995, *Journal of the American Statistical Association*, 90, 773, doi: [10.1080/01621459.1995.10476572](https://doi.org/10.1080/01621459.1995.10476572)
- Kawaler, S. D. 1988, *ApJ*, 333, 236, doi: [10.1086/166740](https://doi.org/10.1086/166740)
- Kenyon, S. J., & Hartmann, L. 1995, *ApJS*, 101, 117, doi: [10.1086/192235](https://doi.org/10.1086/192235)
- Kesseli, A. Y., Muirhead, P. S., Mann, A. W., & Mace, G. 2018, *AJ*, 155, 225, doi: [10.3847/1538-3881/aabccb](https://doi.org/10.3847/1538-3881/aabccb)
- Kesseli, A. Y., West, A. A., Veyette, M., et al. 2017, *ApJS*, 230, 16, doi: [10.3847/1538-4365/aa656d](https://doi.org/10.3847/1538-4365/aa656d)
- Khata, D., Mondal, S., Das, R., Ghosh, S., & Ghosh, S. 2020, *MNRAS*, 493, 4533, doi: [10.1093/mnras/staa427](https://doi.org/10.1093/mnras/staa427)
- Kiman, R., Brandt, T. D., Faherty, J. K., & Popinchalk, M. 2024, arXiv e-prints, arXiv:2406.00229, doi: [10.48550/arXiv.2406.00229](https://doi.org/10.48550/arXiv.2406.00229)
- Kiman, R., Schmidt, S. J., Angus, R., et al. 2019, *AJ*, 157, 231, doi: [10.3847/1538-3881/ab1753](https://doi.org/10.3847/1538-3881/ab1753)
- Kipping, D. 2018, *Research Notes of the American Astronomical Society*, 2, 223, doi: [10.3847/2515-5172/aaf50c](https://doi.org/10.3847/2515-5172/aaf50c)
- Kipping, D. M. 2013, *MNRAS*, 434, L51, doi: [10.1093/mnrasl/slt075](https://doi.org/10.1093/mnrasl/slt075)
- Kirkpatrick, J. D. 2005, *ARA&A*, 43, 195, doi: [10.1146/annurev.astro.42.053102.134017](https://doi.org/10.1146/annurev.astro.42.053102.134017)
- Kirkpatrick, J. D., Henry, T. J., & McCarthy, Donald W., J. 1991, *ApJS*, 77, 417, doi: [10.1086/191611](https://doi.org/10.1086/191611)
- Kirkpatrick, J. D., Cushing, M. C., Gelino, C. R., et al. 2011, *ApJS*, 197, 19, doi: [10.1088/0067-0049/197/2/19](https://doi.org/10.1088/0067-0049/197/2/19)
- Konopacky, Q. M., Ghez, A. M., Barman, T. S., et al. 2010, *ApJ*, 711, 1087, doi: [10.1088/0004-637X/711/2/1087](https://doi.org/10.1088/0004-637X/711/2/1087)
- Kounkel, M., Covey, K., Moe, M., et al. 2019, *AJ*, 157, 196, doi: [10.3847/1538-3881/ab13b1](https://doi.org/10.3847/1538-3881/ab13b1)
- Kounkel, M., Covey, K. R., Stassun, K. G., et al. 2021, *AJ*, 162, 184, doi: [10.3847/1538-3881/ac1798](https://doi.org/10.3847/1538-3881/ac1798)
- Kraus, A. L., & Hillenbrand, L. A. 2007, *AJ*, 134, 2340, doi: [10.1086/522831](https://doi.org/10.1086/522831)
- Law, N. M., Hodgkin, S. T., & Mackay, C. D. 2006, *MNRAS*, 368, 1917, doi: [10.1111/j.1365-2966.2006.10265.x](https://doi.org/10.1111/j.1365-2966.2006.10265.x)
- Lépine, S., Hilton, E. J., Mann, A. W., et al. 2013, *AJ*, 145, 102, doi: [10.1088/0004-6256/145/4/102](https://doi.org/10.1088/0004-6256/145/4/102)
- Lépine, S., Rich, R. M., & Shara, M. M. 2003, *AJ*, 125, 1598, doi: [10.1086/345972](https://doi.org/10.1086/345972)
- . 2007, *ApJ*, 669, 1235, doi: [10.1086/521614](https://doi.org/10.1086/521614)
- Lépine, S., & Shara, M. M. 2005, *AJ*, 129, 1483, doi: [10.1086/427854](https://doi.org/10.1086/427854)
- Lodieu, N., Dobbie, P. D., & Hambly, N. C. 2011, *A&A*, 527, A24, doi: [10.1051/0004-6361/201014992](https://doi.org/10.1051/0004-6361/201014992)
- Lodieu, N., Smart, R. L., Pérez-Garrido, A., & Silvotti, R. 2019, *A&A*, 623, A35, doi: [10.1051/0004-6361/201834045](https://doi.org/10.1051/0004-6361/201834045)
- López-Santiago, J., Micela, G., & Montes, D. 2009, *A&A*, 499, 129, doi: [10.1051/0004-6361/200811590](https://doi.org/10.1051/0004-6361/200811590)
- Lu, H.-p., Zhang, L.-y., Shi, J., et al. 2019, *ApJS*, 243, 28, doi: [10.3847/1538-4365/ab2f8f](https://doi.org/10.3847/1538-4365/ab2f8f)
- Luhman, K. L. 2004, *ApJ*, 617, 1216, doi: [10.1086/425647](https://doi.org/10.1086/425647)
- Luhman, K. L., & Esplin, T. L. 2020, *AJ*, 160, 44, doi: [10.3847/1538-3881/ab9599](https://doi.org/10.3847/1538-3881/ab9599)
- Luhman, K. L., Herrmann, K. A., Mamajek, E. E., Esplin, T. L., & Pecaut, M. J. 2018, *AJ*, 156, 76, doi: [10.3847/1538-3881/aacc6d](https://doi.org/10.3847/1538-3881/aacc6d)
- Luhman, K. L., Mamajek, E. E., Shukla, S. J., & Loutrel, N. P. 2017, *AJ*, 153, 46, doi: [10.3847/1538-3881/153/1/46](https://doi.org/10.3847/1538-3881/153/1/46)
- Luhman, K. L., Stauffer, J. R., Muench, A. A., et al. 2003, *ApJ*, 593, 1093, doi: [10.1086/376594](https://doi.org/10.1086/376594)
- Luhman, K. L., Whitney, B. A., Meade, M. R., et al. 2006, *ApJ*, 647, 1180, doi: [10.1086/505572](https://doi.org/10.1086/505572)
- Majewski, S. R., Schiavon, R. P., Frinchaboy, P. M., et al. 2017, *AJ*, 154, 94, doi: [10.3847/1538-3881/aa784d](https://doi.org/10.3847/1538-3881/aa784d)
- Manara, C. F., Testi, L., Natta, A., & Alcalá, J. M. 2015, *A&A*, 579, A66, doi: [10.1051/0004-6361/201526169](https://doi.org/10.1051/0004-6361/201526169)
- Mann, A. W., Deacon, N. R., Gaidos, E., et al. 2014, *AJ*, 147, 160, doi: [10.1088/0004-6256/147/6/160](https://doi.org/10.1088/0004-6256/147/6/160)
- Mann, A. W., Feiden, G. A., Gaidos, E., Boyajian, T., & von Braun, K. 2015, *ApJ*, 804, 64, doi: [10.1088/0004-637X/804/1/64](https://doi.org/10.1088/0004-637X/804/1/64)
- Marley, M., Saumon, D., Morley, C., & Fortney, J. 2018, Sonora 2018: Cloud-free, solar composition, solar C/O substellar evolution models, 1.0, Zenodo, doi: [10.5281/zenodo.2628068](https://doi.org/10.5281/zenodo.2628068)
- Marley, M. S., Saumon, D., Visscher, C., et al. 2021, *ApJ*, 920, 85, doi: [10.3847/1538-4357/ac141d](https://doi.org/10.3847/1538-4357/ac141d)
- Martín, E. L., Delfosse, X., & Guieu, S. 2004, *AJ*, 127, 449, doi: [10.1086/380226](https://doi.org/10.1086/380226)
- Martín, E. L., Dougados, C., Magnier, E., et al. 2001, *ApJL*, 561, L195, doi: [10.1086/324754](https://doi.org/10.1086/324754)
- Matt, S. P., Brun, A. S., Baraffe, I., Bouvier, J., & Chabrier, G. 2015, *ApJL*, 799, L23, doi: [10.1088/2041-8205/799/2/L23](https://doi.org/10.1088/2041-8205/799/2/L23)
- McCaughrean, M. J., Scholz, R. D., & Lodieu, N. 2002, *A&A*, 390, L27, doi: [10.1051/0004-6361:20020928](https://doi.org/10.1051/0004-6361:20020928)
- McConnachie, A. W., Babusiaux, C., Balogh, M., et al. 2016, arXiv e-prints, arXiv:1606.00060, doi: [10.48550/arXiv.1606.00060](https://doi.org/10.48550/arXiv.1606.00060)
- McLaughlin, D. B. 1924, *ApJ*, 60, 22, doi: [10.1086/142826](https://doi.org/10.1086/142826)

- Meeus, G., & McCaughey, M. J. 2005, Astronomische Nachrichten, 326, 977, doi: [10.1002/asna.200510448](https://doi.org/10.1002/asna.200510448)
- Melnikov, S., & Eisloffel, J. 2012, A&A, 544, A111, doi: [10.1051/0004-6361/201219314](https://doi.org/10.1051/0004-6361/201219314)
- Menten, K. M., Reid, M. J., Forbrich, J., & Brunthaler, A. 2007, A&A, 474, 515, doi: [10.1051/0004-6361:20078247](https://doi.org/10.1051/0004-6361:20078247)
- Miller, J. S., & Stone, R. P. S. 1994, The Kast Double Spectrograph, Tech. Rep. 66, University of California Lick Observatory Technical Reports
- Miyamoto, M., & Nagai, R. 1975, PASJ, 27, 533
- Moehler, S., Modigliani, A., Freudling, W., et al. 2014, A&A, 568, A9, doi: [10.1051/0004-6361/201423790](https://doi.org/10.1051/0004-6361/201423790)
- Monet, D. G., Levine, S. E., Canzian, B., et al. 2003, AJ, 125, 984, doi: [10.1086/345888](https://doi.org/10.1086/345888)
- Monin, J. L., Guieu, S., Pinte, C., et al. 2010, A&A, 515, A91, doi: [10.1051/0004-6361/200912338](https://doi.org/10.1051/0004-6361/200912338)
- Muench, A. A., Lada, C. J., Luhman, K. L., Muzerolle, J., & Young, E. 2007, AJ, 134, 411, doi: [10.1086/518560](https://doi.org/10.1086/518560)
- Nardiello, D. 2020, MNRAS, 498, 5972, doi: [10.1093/mnras/staa2745](https://doi.org/10.1093/mnras/staa2745)
- Ness, M., Hogg, D. W., Rix, H. W., Ho, A. Y. Q., & Zasowski, G. 2015, ApJ, 808, 16, doi: [10.1088/0004-637X/808/1/16](https://doi.org/10.1088/0004-637X/808/1/16)
- Ness, M., Zasowski, G., Johnson, J. A., et al. 2016, ApJ, 819, 2, doi: [10.3847/0004-637X/819/1/2](https://doi.org/10.3847/0004-637X/819/1/2)
- Newton, E. R., Charbonneau, D., Irwin, J., et al. 2014, AJ, 147, 20, doi: [10.1088/0004-6256/147/1/20](https://doi.org/10.1088/0004-6256/147/1/20)
- Newton, E. R., Irwin, J., Charbonneau, D., et al. 2017, ApJ, 834, 85, doi: [10.3847/1538-4357/834/1/85](https://doi.org/10.3847/1538-4357/834/1/85)
- . 2016, ApJ, 821, 93, doi: [10.3847/0004-637X/821/2/93](https://doi.org/10.3847/0004-637X/821/2/93)
- Nidever, D. 2021, dnidever/doppler: Cannon and Payne models, v1.1.0, Zenodo, Zenodo, doi: [10.5281/zenodo.4906681](https://doi.org/10.5281/zenodo.4906681)
- Nidever, D. L., Holtzman, J. A., Allende Prieto, C., et al. 2015, AJ, 150, 173, doi: [10.1088/0004-6256/150/6/173](https://doi.org/10.1088/0004-6256/150/6/173)
- pandas development team, T. 2020, pandas-dev/pandas: Pandas, latest, Zenodo, doi: [10.5281/zenodo.3509134](https://doi.org/10.5281/zenodo.3509134)
- Parsons, S. G., Gänsicke, B. T., Marsh, T. R., et al. 2018, MNRAS, 481, 1083, doi: [10.1093/mnras/sty2345](https://doi.org/10.1093/mnras/sty2345)
- Pecaut, M. J., & Mamajek, E. E. 2013, ApJS, 208, 9, doi: [10.1088/0067-0049/208/1/9](https://doi.org/10.1088/0067-0049/208/1/9)
- . 2016, MNRAS, 461, 794, doi: [10.1093/mnras/stw1300](https://doi.org/10.1093/mnras/stw1300)
- Pérez, F., & Granger, B. E. 2007, Computing in Science and Engineering, 9, 21, doi: [10.1109/MCSE.2007.53](https://doi.org/10.1109/MCSE.2007.53)
- Peterson, D. E., Megeath, S. T., Luhman, K. L., et al. 2008, ApJ, 685, 313, doi: [10.1086/590527](https://doi.org/10.1086/590527)
- Pettersen, B. R. 1983, A&A, 120, 192
- Phan-Bao, N., Bessell, M. S., Martín, E. L., et al. 2008, MNRAS, 383, 831, doi: [10.1111/j.1365-2966.2007.12564.x](https://doi.org/10.1111/j.1365-2966.2007.12564.x)
- Poovelil, V. J., Zasowski, G., Hasselquist, S., et al. 2020, ApJ, 903, 55, doi: [10.3847/1538-4357/abb93e](https://doi.org/10.3847/1538-4357/abb93e)
- Popinchalk, M., Faherty, J. K., Kiman, R., et al. 2021, ApJ, 916, 77, doi: [10.3847/1538-4357/ac0444](https://doi.org/10.3847/1538-4357/ac0444)
- Preibisch, T., Brown, A. G. A., Bridges, T., Guenther, E., & Zinnecker, H. 2002, AJ, 124, 404, doi: [10.1086/341174](https://doi.org/10.1086/341174)
- Price-Whelan, A. M., Hogg, D. W., Foreman-Mackey, D., & Rix, H.-W. 2017, ApJ, 837, 20, doi: [10.3847/1538-4357/aa5e50](https://doi.org/10.3847/1538-4357/aa5e50)
- Price-Whelan, A. M., Hogg, D. W., Rix, H.-W., et al. 2018, AJ, 156, 18, doi: [10.3847/1538-3881/aac387](https://doi.org/10.3847/1538-3881/aac387)
- . 2020, ApJ, 895, 2, doi: [10.3847/1538-4357/ab8acc](https://doi.org/10.3847/1538-4357/ab8acc)
- Prša, A., Kochoska, A., Conroy, K. E., et al. 2022, ApJS, 258, 16, doi: [10.3847/1538-4365/ac324a](https://doi.org/10.3847/1538-4365/ac324a)
- Rajpurohit, A. S., Allard, F., Teixeira, G. D. C., et al. 2018, A&A, 610, A19, doi: [10.1051/0004-6361/201731507](https://doi.org/10.1051/0004-6361/201731507)
- Rebull, L. M., Hillenbrand, L. A., Strom, S. E., et al. 2000, AJ, 119, 3026, doi: [10.1086/301393](https://doi.org/10.1086/301393)
- Rebull, L. M., Stauffer, J. R., Cody, A. M., et al. 2020, AJ, 159, 273, doi: [10.3847/1538-3881/ab893c](https://doi.org/10.3847/1538-3881/ab893c)
- . 2018, AJ, 155, 196, doi: [10.3847/1538-3881/aab605](https://doi.org/10.3847/1538-3881/aab605)
- Reid, I. N., Cruz, K. L., & Allen, P. R. 2007, AJ, 133, 2825, doi: [10.1086/517914](https://doi.org/10.1086/517914)
- Reid, I. N., Cruz, K. L., Kirkpatrick, J. D., et al. 2008, AJ, 136, 1290, doi: [10.1088/0004-6256/136/3/1290](https://doi.org/10.1088/0004-6256/136/3/1290)
- Reid, I. N., & Gizis, J. E. 2005, PASP, 117, 676, doi: [10.1086/430462](https://doi.org/10.1086/430462)
- Reid, I. N., Hawley, S. L., & Gizis, J. E. 1995, AJ, 110, 1838, doi: [10.1086/117655](https://doi.org/10.1086/117655)
- Reid, I. N., Kirkpatrick, J. D., Liebert, J., et al. 2002, AJ, 124, 519, doi: [10.1086/340805](https://doi.org/10.1086/340805)
- Reid, I. N., Cruz, K. L., Allen, P., et al. 2003, AJ, 126, 3007, doi: [10.1086/379173](https://doi.org/10.1086/379173)
- Reid, M. J., Menten, K. M., Brunthaler, A., et al. 2014, ApJ, 783, 130, doi: [10.1088/0004-637X/783/2/130](https://doi.org/10.1088/0004-637X/783/2/130)
- Reiners, A., & Basri, G. 2009, ApJ, 705, 1416, doi: [10.1088/0004-637X/705/2/1416](https://doi.org/10.1088/0004-637X/705/2/1416)
- Reiners, A., Joshi, N., & Goldman, B. 2012, AJ, 143, 93, doi: [10.1088/0004-6256/143/4/93](https://doi.org/10.1088/0004-6256/143/4/93)
- Reiners, A., Zechmeister, M., Caballero, J. A., et al. 2018, A&A, 612, A49, doi: [10.1051/0004-6361/201732054](https://doi.org/10.1051/0004-6361/201732054)
- Reylé, C. 2018, A&A, 619, L8, doi: [10.1051/0004-6361/201834082](https://doi.org/10.1051/0004-6361/201834082)
- Ricker, G. R., Winn, J. N., Vanderspek, R., et al. 2015, Journal of Astronomical Telescopes, Instruments, and Systems, 1, 014003, doi: [10.1117/1.JATIS.1.1.014003](https://doi.org/10.1117/1.JATIS.1.1.014003)
- Rockenfeller, B., Bailer-Jones, C. A. L., & Mundt, R. 2006, A&A, 448, 1111, doi: [10.1051/0004-6361:20054150](https://doi.org/10.1051/0004-6361:20054150)
- Röser, S., Schilbach, E., & Goldman, B. 2019, A&A, 621, L2, doi: [10.1051/0004-6361/201834608](https://doi.org/10.1051/0004-6361/201834608)

- Rossiter, R. A. 1924, ApJ, 60, 15, doi: [10.1086/142825](https://doi.org/10.1086/142825)
- Salvatier, J., Wieckia, T. V., & Fonnesbeck, C. 2016, PyMC3: Python probabilistic programming framework, Astrophysics Source Code Library, record ascl:1610.016. <http://ascl.net/1610.016>
- Santana, F. A., Beaton, R. L., Covey, K. R., et al. 2021, AJ, 162, 303, doi: [10.3847/1538-3881/ac2cbc](https://doi.org/10.3847/1538-3881/ac2cbc)
- Sarmento, P., Rojas-Ayala, B., Delgado Mena, E., & Blanco-Cuaresma, S. 2021, A&A, 649, A147, doi: [10.1051/0004-6361/202039703](https://doi.org/10.1051/0004-6361/202039703)
- Saunders, W., & Gillingham, P. R. 2016, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 9906, Ground-based and Airborne Telescopes VI, ed. H. J. Hall, R. Gilmozzi, & H. K. Marshall, 990638, doi: [10.1117/12.2234208](https://doi.org/10.1117/12.2234208)
- Schmidt, S. J., Cruz, K. L., Bongiorno, B. J., Liebert, J., & Reid, I. N. 2007, AJ, 133, 2258, doi: [10.1086/512158](https://doi.org/10.1086/512158)
- Schmidt, S. J., Wagoner, E. L., Johnson, J. A., et al. 2016, MNRAS, 460, 2611, doi: [10.1093/mnras/stw1139](https://doi.org/10.1093/mnras/stw1139)
- Schmidt, S. J., West, A. A., Bochanski, J. J., Hawley, S. L., & Kielty, C. 2014, PASP, 126, 642, doi: [10.1086/677403](https://doi.org/10.1086/677403)
- Scholz, A., Muzic, K., Geers, V., et al. 2012, ApJ, 744, 6, doi: [10.1088/0004-637X/744/1/6](https://doi.org/10.1088/0004-637X/744/1/6)
- Schönrich, R., Binney, J., & Dehnen, W. 2010, MNRAS, 403, 1829, doi: [10.1111/j.1365-2966.2010.16253.x](https://doi.org/10.1111/j.1365-2966.2010.16253.x)
- Schwarz, G. 1978, Ann. Statist., 6, 461, doi: [10.1214/aos/1176344136](https://doi.org/10.1214/aos/1176344136)
- Sebastian, D., Gillon, M., Ducrot, E., et al. 2021, A&A, 645, A100, doi: [10.1051/0004-6361/202038827](https://doi.org/10.1051/0004-6361/202038827)
- Seli, B., Vida, K., Moór, A., Pál, A., & Oláh, K. 2021, A&A, 650, A138, doi: [10.1051/0004-6361/202040098](https://doi.org/10.1051/0004-6361/202040098)
- Sharma, S., Hayden, M. R., Bland-Hawthorn, J., et al. 2021, MNRAS, 506, 1761, doi: [10.1093/mnras/stab1086](https://doi.org/10.1093/mnras/stab1086)
- Shulyak, D., Reiners, A., Wende, S., et al. 2010, A&A, 523, A37, doi: [10.1051/0004-6361/201015229](https://doi.org/10.1051/0004-6361/201015229)
- Sicilia-Aguilar, A., Henning, T., Kainulainen, J., & Roccatagliata, V. 2011, ApJ, 736, 137, doi: [10.1088/0004-637X/736/2/137](https://doi.org/10.1088/0004-637X/736/2/137)
- Silaj, J., & Landstreet, J. D. 2014, A&A, 566, A132, doi: [10.1051/0004-6361/201321468](https://doi.org/10.1051/0004-6361/201321468)
- Skinner, J., Covey, K. R., Bender, C. F., et al. 2018, AJ, 156, 45, doi: [10.3847/1538-3881/aac9c2](https://doi.org/10.3847/1538-3881/aac9c2)
- Skrutskie, M. F., Cutri, R. M., Stiening, R., et al. 2006, AJ, 131, 1163, doi: [10.1086/498708](https://doi.org/10.1086/498708)
- Slesnick, C. L., Carpenter, J. M., & Hillenbrand, L. A. 2006a, AJ, 131, 3016, doi: [10.1086/503560](https://doi.org/10.1086/503560)
- Slesnick, C. L., Carpenter, J. M., Hillenbrand, L. A., & Mamajek, E. E. 2006b, AJ, 132, 2665, doi: [10.1086/508937](https://doi.org/10.1086/508937)
- Slesnick, C. L., Hillenbrand, L. A., & Carpenter, J. M. 2008, ApJ, 688, 377, doi: [10.1086/592265](https://doi.org/10.1086/592265)
- Souto, D., Cunha, K., & Smith, V. V. 2021, ApJ, 917, 11, doi: [10.3847/1538-4357/abfdb5](https://doi.org/10.3847/1538-4357/abfdb5)
- Souto, D., Cunha, K., García-Hernández, D. A., et al. 2017, ApJ, 835, 239, doi: [10.3847/1538-4357/835/2/239](https://doi.org/10.3847/1538-4357/835/2/239)
- Souto, D., Unterborn, C. T., Smith, V. V., et al. 2018, ApJL, 860, L15, doi: [10.3847/2041-8213/aac896](https://doi.org/10.3847/2041-8213/aac896)
- Souto, D., Cunha, K., Smith, V. V., et al. 2020, ApJ, 890, 133, doi: [10.3847/1538-4357/ab6d07](https://doi.org/10.3847/1538-4357/ab6d07)
- . 2022, ApJ, 927, 123, doi: [10.3847/1538-4357/ac4891](https://doi.org/10.3847/1538-4357/ac4891)
- Spitzer, Lyman, J., & Schwarzschild, M. 1953, ApJ, 118, 106, doi: [10.1086/145730](https://doi.org/10.1086/145730)
- Stassun, K. G., Kratter, K. M., Scholz, A., & Dupuy, T. J. 2012, ApJ, 756, 47, doi: [10.1088/0004-637X/756/1/47](https://doi.org/10.1088/0004-637X/756/1/47)
- Stephenson, C. B. 1986, AJ, 92, 139, doi: [10.1086/114146](https://doi.org/10.1086/114146)
- Strömgren, G. 1924, ApJ, 59, 228, doi: [10.1086/142813](https://doi.org/10.1086/142813)
- Sullivan, K., Prato, L., Edwards, S., Avilez, I., & Schaefer, G. H. 2019, ApJ, 884, 28, doi: [10.3847/1538-4357/ab3c52](https://doi.org/10.3847/1538-4357/ab3c52)
- Swayne, M. I., Maxted, P. F. L., Triaud, A. H. M. J., et al. 2024, MNRAS, 528, 5703, doi: [10.1093/mnras/stad3866](https://doi.org/10.1093/mnras/stad3866)
- Tannock, M. E., Metchev, S., Hood, C. E., et al. 2022, MNRAS, 514, 3160, doi: [10.1093/mnras/stac1412](https://doi.org/10.1093/mnras/stac1412)
- Tannock, M. E., Metchev, S., Heinze, A., et al. 2021, AJ, 161, 224, doi: [10.3847/1538-3881/abeb67](https://doi.org/10.3847/1538-3881/abeb67)
- Tarricq, Y., Soubiran, C., Casamiquela, L., et al. 2021, A&A, 647, A19, doi: [10.1051/0004-6361/202039388](https://doi.org/10.1051/0004-6361/202039388)
- Terrien, R. C., Mahadevan, S., Bender, C. F., Deshpande, R., & Robertson, P. 2015a, ApJL, 802, L10, doi: [10.1088/2041-8205/802/1/L10](https://doi.org/10.1088/2041-8205/802/1/L10)
- Terrien, R. C., Mahadevan, S., Deshpande, R., & Bender, C. F. 2015b, ApJS, 220, 16, doi: [10.1088/0067-0049/220/1/16](https://doi.org/10.1088/0067-0049/220/1/16)
- The MSE Science Team, Babusiaux, C., Bergemann, M., et al. 2019, arXiv e-prints, arXiv:1904.04907, doi: [10.48550/arXiv.1904.04907](https://doi.org/10.48550/arXiv.1904.04907)
- Theissen, C. A. 2018, ApJ, 862, 173, doi: [10.3847/1538-4357/aaccfa](https://doi.org/10.3847/1538-4357/aaccfa)
- Theissen, C. A., Konopacky, Q. M., Lu, J. R., et al. 2022, ApJ, 926, 141, doi: [10.3847/1538-4357/ac3252](https://doi.org/10.3847/1538-4357/ac3252)
- Theissen, C. A., West, A. A., & Dhital, S. 2016, AJ, 151, 41, doi: [10.3847/0004-6256/151/2/41](https://doi.org/10.3847/0004-6256/151/2/41)
- Theissen, C. A., West, A. A., Shippee, G., Burgasser, A. J., & Schmidt, S. J. 2017, AJ, 153, 92, doi: [10.3847/1538-3881/153/3/92](https://doi.org/10.3847/1538-3881/153/3/92)
- Tian, H.-J., Xu, Y., Liu, C., et al. 2020, ApJS, 248, 28, doi: [10.3847/1538-4365/ab8d27](https://doi.org/10.3847/1538-4365/ab8d27)
- Ting, Y.-S., & Rix, H.-W. 2019, ApJ, 878, 21, doi: [10.3847/1538-4357/ab1ea5](https://doi.org/10.3847/1538-4357/ab1ea5)

- Triaud, A. H. M. J., Collier Cameron, A., Queloz, D., et al. 2010, *A&A*, 524, A25, doi: [10.1051/0004-6361/201014525](https://doi.org/10.1051/0004-6361/201014525)
- Triaud, A. H. M. J., Burgasser, A. J., Burdanov, A., et al. 2020, *Nature Astronomy*, 4, 650, doi: [10.1038/s41550-020-1018-2](https://doi.org/10.1038/s41550-020-1018-2)
- Tsuji, T. 2016, *PASJ*, 68, 84, doi: [10.1093/pasj/psw076](https://doi.org/10.1093/pasj/psw076)
- Uehara, S., Kawahara, H., Masuda, K., Yamada, S., & Aizawa, M. 2016, *ApJ*, 822, 2, doi: [10.3847/0004-637X/822/1/2](https://doi.org/10.3847/0004-637X/822/1/2)
- van der Walt, S., Colbert, S. C., & Varoquaux, G. 2011, *Computing in Science and Engineering*, 13, 22, doi: [10.1109/MCSE.2011.37](https://doi.org/10.1109/MCSE.2011.37)
- van Saders, J. L., & Pinsonneault, M. H. 2013, *ApJ*, 776, 67, doi: [10.1088/0004-637X/776/2/67](https://doi.org/10.1088/0004-637X/776/2/67)
- Venuti, L., Bouvier, J., Cody, A. M., et al. 2017, *A&A*, 599, A23, doi: [10.1051/0004-6361/201629537](https://doi.org/10.1051/0004-6361/201629537)
- Virtanen, P., Gommers, R., Oliphant, T. E., et al. 2020, *Nature Methods*, 17, 261, doi: [10.1038/s41592-019-0686-2](https://doi.org/10.1038/s41592-019-0686-2)
- Vos, J. M., Allers, K. N., & Biller, B. A. 2017, *ApJ*, 842, 78, doi: [10.3847/1538-4357/aa73cf](https://doi.org/10.3847/1538-4357/aa73cf)
- Vos, J. M., Faherty, J. K., Gagné, J., et al. 2022, *ApJ*, 924, 68, doi: [10.3847/1538-4357/ac4502](https://doi.org/10.3847/1538-4357/ac4502)
- Vos, J. M., Biller, B. A., Bonavita, M., et al. 2019, *MNRAS*, 483, 480, doi: [10.1093/mnras/sty3123](https://doi.org/10.1093/mnras/sty3123)
- Vos, J. M., Biller, B. A., Allers, K. N., et al. 2020, *AJ*, 160, 38, doi: [10.3847/1538-3881/ab9642](https://doi.org/10.3847/1538-3881/ab9642)
- Wald, A. 1943, *Trans. Amer. Math. Soc.*, 54, 426, doi: [10.1090/S0002-9947-1943-0012401-3](https://doi.org/10.1090/S0002-9947-1943-0012401-3)
- Wallace, L., & Hinkle, K. 2001, *ApJ*, 559, 424, doi: [10.1086/322382](https://doi.org/10.1086/322382)
- Wanderley, F., Cunha, K., Souto, D., et al. 2023, *ApJ*, 951, 90, doi: [10.3847/1538-4357/acd4bd](https://doi.org/10.3847/1538-4357/acd4bd)
- Watson, C. L., Henden, A. A., & Price, A. 2006, *Society for Astronomical Sciences Annual Symposium*, 25, 47
- Wenger, M., Ochsenbein, F., Egret, D., et al. 2000, *A&AS*, 143, 9, doi: [10.1051/aas:2000332](https://doi.org/10.1051/aas:2000332)
- Wes McKinney. 2010, in *Proceedings of the 9th Python in Science Conference*, ed. Stéfan van der Walt & Jarrod Millman, 56 – 61, doi: [10.25080/Majora-92bf1922-00a](https://doi.org/10.25080/Majora-92bf1922-00a)
- West, A. A., Weisenburger, K. L., Irwin, J., et al. 2015, *ApJ*, 812, 3, doi: [10.1088/0004-637X/812/1/3](https://doi.org/10.1088/0004-637X/812/1/3)
- West, A. A., Morgan, D. P., Bochanski, J. J., et al. 2011, *AJ*, 141, 97, doi: [10.1088/0004-6256/141/3/97](https://doi.org/10.1088/0004-6256/141/3/97)
- Wielen, R. 1977, *A&A*, 60, 263
- Wilking, B. A., Meyer, M. R., Greene, T. P., Mikhail, A., & Carlson, G. 2004, *AJ*, 127, 1131, doi: [10.1086/381482](https://doi.org/10.1086/381482)
- Wilking, B. A., Meyer, M. R., Robinson, J. G., & Greene, T. P. 2005, *AJ*, 130, 1733, doi: [10.1086/432758](https://doi.org/10.1086/432758)
- Wilson, J. C., Hearty, F. R., Skrutskie, M. F., et al. 2019, *PASP*, 131, 055001, doi: [10.1088/1538-3873/ab0075](https://doi.org/10.1088/1538-3873/ab0075)
- Wilson, R. F., Teske, J., Majewski, S. R., et al. 2018, *AJ*, 155, 68, doi: [10.3847/1538-3881/aa9f27](https://doi.org/10.3847/1538-3881/aa9f27)
- Winston, E., Megeath, S. T., Wolk, S. J., et al. 2010, *AJ*, 140, 266, doi: [10.1088/0004-6256/140/1/266](https://doi.org/10.1088/0004-6256/140/1/266)
- Winters, J. G., Charbonneau, D., Henry, T. J., et al. 2021, *AJ*, 161, 63, doi: [10.3847/1538-3881/abcc74](https://doi.org/10.3847/1538-3881/abcc74)
- Yao, Y., Meyer, M. R., Covey, K. R., Tan, J. C., & Da Rio, N. 2018, *ApJ*, 869, 72, doi: [10.3847/1538-4357/aaec7a](https://doi.org/10.3847/1538-4357/aaec7a)
- York, D. G., Adelman, J., Anderson, John E., J., et al. 2000, *AJ*, 120, 1579, doi: [10.1086/301513](https://doi.org/10.1086/301513)
- Yurchenko, S. N., & Tennyson, J. 2014, *MNRAS*, 440, 1649, doi: [10.1093/mnras/stu326](https://doi.org/10.1093/mnras/stu326)
- Zacharias, N., Finch, C. T., Girard, T. M., et al. 2012, *VizieR Online Data Catalog*, I/322A
- Zamora, O., García-Hernández, D. A., Allende Prieto, C., et al. 2015, *AJ*, 149, 181, doi: [10.1088/0004-6256/149/6/181](https://doi.org/10.1088/0004-6256/149/6/181)
- Zapatero Osorio, M. R., Martín, E. L., Bouy, H., et al. 2006, *ApJ*, 647, 1405, doi: [10.1086/505484](https://doi.org/10.1086/505484)
- Zasowski, G., Johnson, J. A., Frinchaboy, P. M., et al. 2013, *AJ*, 146, 81, doi: [10.1088/0004-6256/146/4/81](https://doi.org/10.1088/0004-6256/146/4/81)
- Zasowski, G., Cohen, R. E., Chojnowski, S. D., et al. 2017, *AJ*, 154, 198, doi: [10.3847/1538-3881/aa8df9](https://doi.org/10.3847/1538-3881/aa8df9)
- Zhang, Z., Liu, M. C., Best, W. M. J., et al. 2018, *ApJ*, 858, 41, doi: [10.3847/1538-4357/aab269](https://doi.org/10.3847/1538-4357/aab269)
- Zhong, J., Li, J., Carlin, J. L., et al. 2019, *ApJS*, 244, 8, doi: [10.3847/1538-4365/ab3859](https://doi.org/10.3847/1538-4365/ab3859)
- Zuckerman, B. 2019, *ApJ*, 870, 27, doi: [10.3847/1538-4357/aaee66](https://doi.org/10.3847/1538-4357/aaee66)
- Zuckerman, B., Bessell, M. S., Song, I., & Kim, S. 2006, *ApJL*, 649, L115, doi: [10.1086/508060](https://doi.org/10.1086/508060)
- Zuckerman, B., Vican, L., Song, I., & Schneider, A. 2013, *ApJ*, 778, 5, doi: [10.1088/0004-637X/778/1/5](https://doi.org/10.1088/0004-637X/778/1/5)