

Social Life Simulation for Non-Cognitive Skills Learning

ZIHAN YAN, University of Illinois Urbana-Champaign, USA

YAOHONG XIANG, Northeastern University, USA

YUN HUANG, University of Illinois Urbana-Champaign, USA




Fig. 1. The selection and usage of the *Sage Agent* in *SimuLife++*. (a) Selecting the *Sage Agent* - Users could choose a *Sage Agent* from a displayed list of available options; (b) Receiving Comments from the *Sage Agent* - The *Sage Agent* provides comments after users make a choice or complete a chat; (c) Consulting the *Sage Agent* During Decision-Making - Users could seek advice or assistance from the *Sage Agent* when they need to make a decision, such as comparing different options or envisioning potential story developments; and (d) Consulting the *Sage Agent* During Conversations with Characters - Users could consult the *Sage Agent* during individual or group chats if they are unsure about how to continue the conversation, need additional information, or require suggestions.

Non-cognitive skills are crucial for personal and social life well-being, and such skill development can be supported by narrative-based (e.g., storytelling) technologies. While generative AI enables interactive and role-playing storytelling, little is known about how users engage with and perceive the use of AI in social life simulation for non-cognitive skills learning. Additionally, the benefits of AI mentorship on self-reflection awareness and ability in this context remain largely underexplored. To this end, we introduced *SimuLife++*, an interactive platform enabled by a large language model (LLM). The system allows users to act as protagonists, creating stories with one or multiple AI-based characters in diverse social scenarios. In particular, we expanded the Human-AI interaction to a Human-AI-AI collaboration by including a *Sage Agent*, who acts as

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Conference acronym 'XX, June 03–05, 2018, Woodstock, NY

© 2018 Association for Computing Machinery.

ACM ISBN 978-1-4503-XXXX-X/18/06...\$15.00

<https://doi.org/XXXXXXX.XXXXXXX>

a bystander, providing users with some perspectives and guidance on their choices and conversations in terms of non-cognitive skills to promote reflection. In a within-subject user study, our quantitative results reveal that, when accompanied by *Sage Agent*, users exhibit significantly higher levels of reflection on motivation, self-perceptions, and resilience & coping, along with an enhanced experience of narrative transportation. Additionally, our qualitative findings suggest that *Sage Agent* plays a crucial role in promoting reflection on non-cognitive skills, enhancing social communication and decision-making performance, and improving overall user experience within *SimuLife++*. Multiple supportive relationships between *Sage Agent* and users were also reported. We offer design implications for the application of generative AI in narrative solutions and the future potential of *Sage Agent* for non-cognitive skill development in broader social contexts.

CCS Concepts: • **Human-centered computing** → **Collaborative and social computing systems and tools**.

Additional Key Words and Phrases: Generative AI, Non-Cognitive Skill, Social Life Simulation, Narrative

ACM Reference Format:

Zihan Yan, Yaohong Xiang, and Yun Huang. 2018. Social Life Simulation for Non-Cognitive Skills Learning. In . ACM, New York, NY, USA, 36 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 INTRODUCTION

Non-cognitive skills (e.g., self-awareness, social awareness, and empathy) are essential for individual and collective well-being and success [16, 52, 62]. Narrative techniques have been applied to support the development of these skills [41, 48, 93]. Based on narrative transportation theory, when individuals become deeply immersed in a story, their attitudes and intentions can be influenced by the mental state of narrative transportation [49]. In practice, storytelling engages students by motivating them to develop empathy, social acumen, and problem-solving abilities [55]. Unlike traditional learning methods that emphasize knowledge transfer, narrative techniques promote active participation and reflection, essential for mastering interpersonal skills [7, 42]. Among these techniques, interactive storytelling offers a dynamic platform where users actively engage with the narrative, making decisions that simulate real-life challenges and thus enhancing decision-making and critical thinking skills [108]. Digital role-playing narratives combine cognitive engagement with practical application in a controlled yet dynamic environment [92, 132].

The rise of generative AI has opened possibilities for more adaptive interactive storytelling [111, 128, 131]. For example, large language models (LLMs) are used to generate narratives, creating more personalized and socially plausible stories across diverse scenarios [136]. Despite these advancements, there is still a lack of empirical understanding regarding user engagement and perceptions of generative AI in social life simulations for non-cognitive skills learning. Furthermore, the extent to which narrative transportation in LLM-simulated narrative-based social life simulations can enable users to reflect on non-cognitive skills cognitively, and emotionally, via imagery, and link these reflections to real life, remains largely unexplored.

To this end, we propose our first research question (**RQ1**): *How can we enable reflection on non-cognitive skills in LLM-simulated social life simulations with narrative transportation?* In a formative study involving 18 undergraduate students using a basic visual-language interactive storytelling prototype for social simulation (Fig. ?? (d) and (e)), where participants could make key decisions and chat with characters to influence the storyline and co-create the story with an AI agent, we observed mixed reactions to the use of storylines for non-cognitive skill development. Some participants appreciated the immersive experience, while others felt a loss of autonomy and questioned the educational effectiveness. Participants expressed concerns about the narrative's tendency to steer their choices and the limited impact on self-development. Participants suggested incorporating an "AI Helper," such as a "virtual psychologist" or "historic figure," to enhance the

learning experience. Based on this feedback, we introduced an *Sage Agent* designed to offer strategic guidance and facilitate deeper reflection.

While mentorship for non-cognitive skills learning has been explored in some human-AI interaction systems and LLM research [130], these typically use direct interaction between the user and the AI mentor. Few systems adopt the Human-AI-AI interaction, where the AI mentor observes and analyzes the user's interactions with another AI agent for other tasks. In particular, there is limited research on the role and influence of AI mentors in interactive storytelling within simulated social environments where narrative transportation and immersion are essential. Consequently, our second research question (**RQ2**) asks: *To what extent can the Sage Agent promote non-cognitive skills reflection in the context of simulated social life without disrupting the narrative experience?*

To explore this question, we designed and developed an interactive platform called *SimuLife++*, allowing users to take on the role of the protagonist who interacts with either one or multiple LLM-enabled characters in challenging social scenarios. Our system features two AI agents: one co-creates the narrative with users to provide an immersive and coherent social life experience, while the other serves as a bystander viewer, accompanying users and offering comments on non-cognitive skills reflection. As illustrated in Fig. ??, a *Sage Agent* can be called upon by users at any moment throughout their journey to help them reflect on various aspects of non-cognitive skills, particularly during social communication or key decision-making moments in their simulated social life journey. The *Sage Agent*'s just-in-time interventions do not affect the story's progress, while users' choices and interactions with the AI characters influence the progress and outcomes, helping them understand the causal relationship between words, actions, and life events' outcomes.

To evaluate the effectiveness of *SimuLife++*, we conducted a within-subject user study with and without the *Sage Agent*. The quantitative results of our ablation study showed that the *Sage Agent* role improved engagement to some extent, with participants sending longer and more frequent messages. It also significantly aided in their reflection on some aspects of non-cognitive skills, including motivation, self-perceptions, and resilience & coping. Compared to chatting with just one AI character, participants sent significantly more messages in group chats with multiple AI characters. The quantitative findings support our *Sage Agent* design's effectiveness in facilitating non-cognitive skills reflection within an LLM-simulated social life simulation. The *Sage Agent* plays a beneficial role in enhancing participants' awareness and reflection of non-cognitive skills, providing a general understanding of improvement strategies, and improving task performance in conversation and decision-making. Moreover, the *Sage Agent* helps participants reflect on real-world experiences. We also identified diverse perspectives on the *Sage Agent*'s relationship with users, including roles as a mentor, bystander, companion, and assessor. Overall, our *SimuLife++* enhances both the narrative experience and the development of non-cognitive skills.

The main contributions of this paper are as follows:

- We proposed a *Sage Agent* design to enhance the human-AI co-narrative experience by introducing human-AI-AI interaction, wherein *Sage Agent* prompts users to reflect on their non-cognitive skills from a bystander's perspective.
- We designed and developed *SimuLife++* system for reflecting on non-cognitive skills through narrative-based social life simulation, featuring a conversational interface for user interaction with multiple LLM-based characters.
- We conducted a user study and provided empirical evidence on the effect of the *Sage Agent* and group chat design. Our results provide design implications for using generative AI to better support the development of non-cognitive skills in broader social settings.

2 RELATED WORK

In this section, we present literature on non-cognitive skill enhancement, beginning with the theoretical foundations of non-cognitive skills and their importance. We then explore narrative-based solutions and their role in facilitating non-cognitive skill development. Following this, we delve into the potential of mentorship for learning purposes. Finally, we provide background information on generative AI for interactive storytelling and how Human-AI interaction and collaboration can benefit non-cognitive skills practice.

2.1 The Power of Narration for Non-Cognitive Skills Enhancement

Non-cognitive skills have the potential to develop resilient individuals and cultivate a society characterized by mutual success and well-being [56]. Before discussing how to enhance non-cognitive skills, it is important to first understand what constitutes these skills. Non-cognitive skills, also known as soft skills or interpersonal skills, are developed over time and through experience. Several theoretical models are associated with non-cognitive skills, such as the Behavioral, Emotional, and Social Skills Inventory (BESSI) [89], the Collaborative for Academic, Social, and Emotional Learning (CASEL) core competencies [28], the OECD Learning Framework [90], and the Big Five personality traits [63, 110]. In our paper, we utilize the dimensions of skills outlined by Gutman et al. [52], which include self-perceptions, motivation, perseverance, self-control, metacognitive strategies, social competencies, resilience and coping, and creativity.

These skills are amenable to cultivation and remain adaptable even into adulthood [62, 73]. For example, Dweck [35, 36] argues that abilities can be developed through sustained effort. To enhance non-cognitive skills, various methods and theories can be employed. One effective approach is the implementation of growth mindset interventions, which encourage individuals to view their abilities as malleable and improvable through effort and perseverance [35]. Additionally, social-emotional learning (SEL) programs, such as those advocated by CASEL [28], provide structured curricula to teach skills.

While the existence of different intervention methods, extensive literature demonstrates that narratives effectively influence non-cognitive beliefs and behaviors. Stories are inherently motivating, with research identifying psychological elements such as temporality, spatiality, protagonists, causality, and intentionality, which readers use to interpret events [140]. Immersion in a story, often compared to a state of flow [50, 83], aligns the reader's beliefs, emotions, and intentions with the narrative in a persuasive manner [49, 87, 121]. Narrative absorption, a state where the reader becomes fully engrossed in the story, has been shown to suppress counterarguments and reduce cognitive resistance [107]. Additionally, the entertaining nature of narratives diminishes cognitive resistance and psychological reactance, leading to increased persuasion [26, 32, 85, 96]. This phenomenon is supported by empirical studies demonstrating that deeply engaged readers are less likely to critically evaluate the narrative, making them more susceptible to its persuasive effects [107, 121]. Furthermore, the concept of "narrative engagement" extends the idea of transportation, indicating that individuals combine information from the text with personal experience to construct a mental model of story events. This process has significant impacts on attitudes and behaviors, as it fosters a deep connection between the reader and the narrative [17, 18]. By engaging with a narrative, readers not only experience the events as if they were real but also integrate the narrative's perspectives and values into their own cognitive frameworks, leading to lasting changes in beliefs and actions. However, existing research lacks empirical studies on the effectiveness of narrative transportation in AI-simulated environments for non-cognitive skills learning, which is the focus of our work.

2.2 The Mentorship for Learning Purpose

Mentorship in educational settings is well-established as a pivotal element in the development of non-cognitive skills such as resilience, motivation, and interpersonal abilities. Research by Rhodes et al. [98] underscores the importance of structured mentoring in enhancing student engagement and academic success through critical support including emotional, appraisal, and informational assistance. DuBois et al. [33] add to this by highlighting the effect of mentoring on positive outcomes across behavioral, social, emotional, and academic domains of young people's lives. They emphasize the need for consistent and high-quality mentor interactions to optimize the benefits of mentoring programs. In the context of professional settings, Kram [66] elaborates on the dual roles of mentoring, which encompass career-related functions like sponsorship and visibility, alongside psychosocial support functions such as role modeling and acceptance. These dual aspects are crucial for navigating professional challenges and fostering personal development. The mentor's design in these settings often mirrors these functionalities, providing insights that aid decision-making and enhance social interactions within simulated environments. Allen and Eby [2] provides a comprehensive review of the outcomes associated with mentoring in a corporate environment, including enhanced knowledge sharing, increased job satisfaction, and greater organizational commitment. This further substantiates the benefits of mentoring in professional growth and personal development.

The digital mentorship introduces a transformative dimension where digital agents provide consistent, unbiased feedback—an advantage seldom fully achievable in human mentorships. Bickmore and Picard [10] discuss the potential of relational agents in sustaining long-term interactions, which can effectively support personal development by forging meaningful relationships with users. This suggests a promising avenue for AI agents to assume similar mentorship roles within digital frameworks. Furthermore, the evolving capabilities of Large Language Models (LLMs) are revolutionizing the accessibility and effectiveness of training in non-cognitive skills. Yang et al. [130] introduced the "Social Skill Training through the AI Partner" framework, which utilizes AI to enable scalable experiential learning and personalized feedback. This model underscores the feasibility of AI mentors in enhancing social skills through interactive narratives and simulations. Nonetheless, the extent to which AI-driven mentorship can effectively train a broader range of non-cognitive skills without compromising the user's immersion in the narrative remains an open question.

2.3 Interactive Storytelling With Generative AI

Interactive storytelling has evolved from traditional narratives, offering dynamic platforms where users can actively shape the story through their decisions and actions, thus experiencing it from a first-person perspective rather than as mere observers [31, 81]. This participatory approach immerses users in lifelike scenarios, allowing them to apply and test skills in a controlled environment. By navigating the story in first-person view, users gain insights and learn about critical thinking, problem-solving, and decision-making through their experiences [47, 61]. Early frameworks and applications provide a foundational understanding of these mechanisms and their benefits. For instance, Colàs et al. provide a comprehensive framework and field study on collaborative storytelling systems, highlighting interaction dynamics and outcomes [27]. Similarly, Zeman explores storytelling in interactive digital media and video games, emphasizing the manipulation of narrative elements through multimedia [134].

The advent of generative AI has introduced new possibilities in interactive storytelling by enabling the creation of personalized and adaptive narratives. Utilizing generative AI, such as Large Language Models (LLMs), can generate socially plausible scenarios for diverse applications

[133, 136]. Recent research underscores the transformative potential of generative AI in interactive storytelling. Antony and Huang, for example, introduce ID.8, an open-source system designed for co-creating visual stories with generative AI, which simplifies content creation and allows for customization, providing an inclusive storytelling experience [5]. Treynor and McCoy present College Ruled, a mixed-initiative storytelling system that uses waypoints, drama management, and causality weighting to guide plot selection, demonstrating effectiveness in producing stories that meet author specifications [118].

Human-AI collaborative storytelling powered by generative AI also introduces novel possibilities in the educational domain. Han and Cai propose AIStory, an AI-powered visual storytelling application designed to enhance children's creative expression and literacy development, which has received positive evaluations from various stakeholders [53]. Fan et al. developed StoryPrompt, an interactive system that enables elementary school children to co-create stories with generative AI, demonstrating good usability and positive learning experiences [38]. Zhang et al. introduced Mathemyths, a storytelling agent that integrates mathematical terms into narratives, facilitating children's mathematical language acquisition through creative conversations [135]. Liu et al. explored the roles of LLM-based peer agents in children's collaborative learning, finding that AI effectively moderates discussions and fosters creativity, although it sometimes struggles with providing timely feedback [75]. Beyond specific educational applications, generative AI also shows potential to augment human creativity in storytelling, as demonstrated by the co-authored work "A Redhead Walks into a Bar" [45]. Despite these advancements, there remains a gap in empirical understanding regarding user engagement and perception of generative AI in social life simulations for non-cognitive skills learning.

2.4 Human-AI Interaction for Non-Cognitive Skills Learning

In the realm of Human-Computer Interaction (HCI), extensive research has been conducted on how AI can facilitate the development of non-cognitive skills. Systems designed to enhance emotional competence through retrospective video analysis demonstrate how AI can support emotional skill development in professional settings [9]. The integration of AI in educational settings has also been extensively explored. Research highlights both the challenges and opportunities of AI-mediated social interaction in online learning environments, emphasizing the importance of designing systems that support non-cognitive skill development [122].

With the rise of generative AI, studies have explored the use of generative AI tools in human-AI interaction in different dimensions related to non-cognitive skills. For instance, research has demonstrated how generative AI tools can produce diverse content to facilitate advice-seeking, mentorship, resource creation, social simulation, and therapeutic self-expression. This transformation shifts the role of technology in self-care from simply providing information to offering personalized advice and fostering creative reflection [19]. Additionally, research on cultivating positive emotions and mindsets through generative AI indicates the potential for these tools to support self-development and learning by creating engaging and supportive environments [71]. Furthermore, generative AI has been utilized to facilitate intimate conversations through co-creative world-building games, demonstrating how AI can foster emotionally intimate interactions by visualizing shared values and enabling meaningful conversations [25]. Generative AI has proven effective across diverse populations. In the context of emotional learning for children with high-functioning autism, these AI tools have been employed to develop personalized assistance, significantly enhancing children's emotional recognition and expression abilities. Tools like EmoEden leverage large language models and text-to-image models to generate diverse, high-quality content tailored to children's needs, offering substantial benefits while also highlighting potential risks [115]. For older adults, the application of generative AI in supporting care communications demonstrates how voice-based

conversational agents can enhance emotional attachment and navigate the complexities of care-related interactions, providing valuable insights into the impact of distance and autonomy in care relationships [100].

Within the Computer-Supported Cooperative Work (CSCW) domain, recent research has advanced our understanding of human-AI collaboration in contexts directly related to non-cognitive skills. Amershi et al. propose guidelines for designing human-AI interaction, highlighting the challenges and opportunities in enhancing social and emotional capabilities through AI-infused systems [3]. Kambhampati discusses synthesizing explainable behavior in AI systems to facilitate effective collaboration with humans, which is crucial for developing trust and cooperation [60]. Furthermore, studies have investigated how AI can enhance collaborative environments by providing real-time feedback and facilitating better decision-making processes, which are essential for non-cognitive skills such as teamwork and problem-solving [126]. The dynamics of managing sudden influxes of new users in online communities and how AI can help manage such situations provide insights into the role of AI in supporting social interaction and engagement [51]. These studies underscore the importance of designing AI systems that not only support cognitive tasks but also enhance users' social and emotional capabilities. However, there remains a gap in understanding the extent to which narrative transportation can work in LLM-simulated narratives to enable users to reflect on non-cognitive skills.

3 USER STUDY

To evaluate users' engagement and perception of the final design, particularly the *Sage Agent's* role in enhancing reflection on various non-cognitive skills, we conducted a within-subject user study. Given the substantial variability in individual differences, reflection abilities, and narrative engagement, a within-subject design was selected. This approach allows each participant to serve as their own control, thereby reducing variability caused by individual differences [104]. Within-subject designs are particularly effective in capturing nuanced changes in user experience and engagement over time, which is crucial for evaluating interactive systems like our *SimuLife++* [79]. This design enables direct comparison of user interactions with and without the *Sage Agent*, ensuring that observed effects result from experimental manipulation rather than inter-individual variability [39]. Moreover, prior research in human-AI collaboration suggests that within-subject designs are well-suited for assessing changes in user perceptions and behaviors in response to different system configurations [64]. Additionally, within-subject designs require fewer participants than between-subject designs to achieve the same statistical power, making them more efficient and practical [22]. This study was approved by our institute's Institutional Review Board (IRB).

3.1 Participants & Apparatus

Participants were recruited through online advertisements. Initially, a registration form was used, resulting in 36 applicants. In all the registration information we received, no one reported having a diagnosed mental health issue. From these, 18 participants (12 males, 6 females; $M_{age} = 22.72$, $std = 1.86$) were selectively invited to ensure diversity and balance in academic backgrounds. The sample size we used aligns with sample sizes used in similar within-subject user studies on human-AI collaborative systems and human-machine interaction systems [24, 106, 116]. The demographic breakdown was as follows: 14 East Asians, 2 Caucasians, 1 Middle Eastern, and 1 South Asian. Geographically, participants were distributed across the United States (7), China (6), Japan (2), Europe (2), and India (1). Academic backgrounds included: computer science (4), mechanical engineering (3), information systems (2), business management (2), economics (2), and one each in bioengineering, computational fluid dynamics, communication studies, data science, and mathematics. Four participants had research experience in HCI domains, and nine were students.

Fifteen participants had previous experience with generative AI, including four professionals familiar with OpenAI API and ChatGPT. Participants used their own laptops to access the user interface of the *SimuLife++* system and take part in the Zoom interview.

3.2 Procedures & Tasks

During our study, each participant started by signing an informed consent form, understanding the study's purpose, tasks, and risks, and completing a demographic survey that gathered personal information such as age, gender, education, and experience in generative AI or digital storytelling tools. This was followed by a brief tutorial on how to use our system, *SimuLife++*, during which we addressed any concerns and provided clarifications.

Participants engaged with *SimuLife++* for a total of 40 minutes, exploring its functionalities both with and without a *Sage Agent* across two distinct stories, dedicating 20 minutes to each scenario. We designed two specific tasks for each participant, as detailed below.

- **Without *Sage Agent* (20 minutes).** Participants were instructed to create stories independently using *SimuLife++*, without the assistance of a *Sage Agent*.
- **With *Sage Agent* (20 minutes).** Participants selected a *Sage Agent* of their choice to assist them in the story creation and simulated life-experience process.

The task sequence counterbalanced across participants. Which varies the sequence of tasks for each participant, we aim to control for order effects such as learning curves and provide an unbiased assessment of task performance by ensuring the order is unpredictable and varied throughout the study [103].

Note that although participants could choose the same script for both tasks, each story was co-created by GPT and the participant, introducing variability. This approach suggests that even if the same script is chosen, the experienced story will differ due to the generative model's variability. Research indicates that generative models like GPT-4 can produce diverse and unique outputs from the same prompt, ensuring variability and novelty in narratives [4, 112, 123].

After each task, they completed a post-task survey, which included rating scales and open-ended questions for detailed feedback. The session concluded with a 20-minute semi-structured interview, where we delved deeper into their experiences with the tool. This interview focused on aspects such as ease of use, decision-making processes, communication with characters, the impact of the *Sage Agent*, and the overall story creation process and its effectiveness in fostering non-cognitive skills development. The overall user study needed around 100mins. Each participant received \$25 as compensation for their time and effort.

3.3 Subjective Measurement Constructs

We use three constructs to evaluate *SimuLife++*'s impact: the usability of the system, the depth of user engagement in the narrative, and the perceived reflection on the development of essential non-cognitive skills.

3.3.1 System Usability Scale. Usability is an umbrella construct which conceived by HCI researchers to denote a desired quality of interactive systems [117]. For the system's usability evaluation, we used the System Usability Scale (SUS) [74], which has proven reliability and validity. It consists of 10 dimensions that assess factors such as learnability, efficiency, and satisfaction.

3.3.2 Narrative Transportation Scale. Participants' level of narrative transportation was measured with a 14-item scale proposed by Green et al. [49]. This Transportation Scale ($\alpha = .78$) quantifies differences in the psychological states of being immersed in a narrative. While the original scale is designed as a six-point Likert-type scale, we used a seven-point Likert scale ranging from 1 (not at

all) to 7 (very much) to provide a larger range of responses due to our small sample. Such a change could, to some extent, maintain reliability and validity while offering finer granularity in responses [40]. Example items included "*While I was reading the narrative, I could easily picture the events in it taking place.*" The overall questions can be seen in Fig. 2b.

3.3.3 Perceived Reflection of Non-Cognitive Skills. We customized a questionnaire to enable users to rate their perceived reflection of non-cognitive skills with *SimuLife++*. By using these customized questionnaires, we can gather more specific feedback on the effectiveness of *SimuLife++* in relation to the objective of our system and study. The items are rated on a 7-point Likert scale. It focuses on identifying which types of non-cognitive skills our system could benefit significantly. The assessed skills, informed by Gutman et al. [52], include self-perceptions, motivation, perseverance, self-control, metacognitive strategies, social competencies, resilience & coping, and creativity.

3.4 Hypotheses

Based on our research objectives and the measurements utilized, we formulate the following hypotheses regarding the impact of the *Sage Agent* on users' narrative transportation experience and reflection on non-cognitive skills. Previous studies have suggested that just-in-time interventions can influence user engagement and cognitive processing in interactive storytelling. Research by Green and Brock emphasizes the importance of narrative transportation for immersive storytelling experiences, suggesting that high levels of engagement can lead to significant changes in attitudes and beliefs [49]. The interruptions, such as distraction and even the language disfluencies, might disrupt this immersive experience due to the increasing cognitive load and working memory [17, 137]. Consequently, we hypothesize that the introduction of the *Sage Agent* might interrupt the storytelling experience and negatively impact narrative transportation. However, considering that the *Sage Agent* will prompt reflection, we also hypothesize that it will benefit the reflection on non-cognitive skills. And it might enhance user interaction with our *SimuLife++*. Our detailed hypotheses are as follows:

- **H1:** The use of *SimuLife++* with the *Sage Agent* may lead to a lower level of Narrative Transportation compared to using *SimuLife++* without the *Sage Agent*.
- **H2:** The use of *SimuLife++* with the *Sage Agent* will result in higher scores on certain dimensions of the Perceived Reflection of Non-Cognitive Skills scale compared to using *SimuLife++* without the *Sage Agent*.
- **H3:** Participants using *SimuLife++* with the *Sage Agent* will exhibit higher levels of engagement in the conversation process, as measured by conversation analysis.
- **H4:** Participants using *SimuLife++* with the *Sage Agent* may create narratives with more complex narrative arcs.

3.5 Data Analysis Methods

3.5.1 Questionnaires Analysis. For the SUS questionnaire, we compute the overall score by summing the individual item scores, rated on a 5-point Likert scale, and then multiplying the sum by 2.5 to convert the range from 0 to 100, as described by Brooke [15]. For the Narrative Transportation and Non-cognitive Skill Scale, we employ both descriptive and inferential statistical analyses at the item level. Descriptive statistics, such as mean and standard deviation, offer an overview of data tendencies and distributions [30]. For inferential analysis, we utilize non-parametric tests, specifically the Wilcoxon Signed-Rank test [29, 127], which are appropriate given the ordinal nature of Likert scale data [59], and the relatively small sample size associated with paired data from within-subject user studies [57].

3.5.2 Conversation Analysis and Narrative Arc Analysis on Story Content. In the conversation analysis, user engagement was assessed by extracting user-generated content from individual and group chats, explicitly excluding AI-generated messages. This cleaned dataset was subsequently divided into individual and group chat subgroups for comparative analysis. Given the dataset's deviation from normality and the varying number of chats across both subgroups, statistical analysis will be conducted using the Mann-Whitney U Test. For message lengths, the conversations were extracted from the dataset to calculate the total length of all messages. The lengths of single and multi-user messages are defined as follows:

$$L_{\text{single}} = \bigcup_{i=1}^n \{\ell(m_{ij}) \mid m_{ij} \in \text{chat}_i, \text{role}(m_{ij}) = \text{user}\}$$

$$L_{\text{multi}} = \bigcup_{i=1}^n \{\ell(m_{ij}) \mid m_{ij} \in \text{chat}_i, \text{speaker}(m_{ij}) \in \text{roles}\}$$

where n is the number of conversation rounds, m_{ij} is the j -th message in the i -th round, and $\ell(m_{ij})$ denotes the length of the message content.

The Mann-Whitney U test was selected due to the Shapiro-Wilk test results indicating a non-normal distribution of the dataset. Additionally, the analysis necessitated paired data, making the Mann-Whitney U test the appropriate choice [82]. The same metrics were calculated for both word count and message count to ensure a comprehensive analysis.

Given the interactive and co-creative nature of our narratives, the narrative arc of the story can provide insight into the cognitive map and decision-making processes of the participants as they navigate the story. To analyze the narrative arc of the co-created story plots, we utilized the Linguistic Inquiry and Word Count (LIWC) tool, which is a widely used method for analyzing narrative processes¹. The Narrative Arc analysis focuses on understanding the progression of the narrative processes within the story and compares them across multiple texts [13]. In our study, the Narrative Arc analysis quantified the "shape" of three key narrative processes (staging, plot progression, and cognitive tension) and provided a "narrativity" score that reflects their similarity to established norms. Stage refers to the setting, background context, or environment that sets the scene for the action or dialogue in a narrative. Plot progression is the sequence of events and developments that move the story from beginning to end, such as a character's journey from poverty to riches, a mystery being unraveled, or a conflict between two factions reaching a climax. Cognitive tension refers to the internal conflicts and psychological dilemmas faced by the characters, which could include conflicting beliefs, values, or thoughts.

3.5.3 Semi-Structured Interview Analysis. We conducted an analysis of the interview transcripts and observational notes using a bottom-up thematic analysis approach, as described by Braun and Clarke [14]. Initially, one researcher transcribed the exit interviews and sectioned the transcripts into quotes, applying an open-coding methodology [21, 101]. Following this, the researcher organized the quotes through an affinity diagramming process [58]. After multiple rounds of revision, the researcher achieved code saturation, indicating no new codes or interpretations emerged. Subsequently, an additional researcher reviewed the themes and provided feedback. The final themes were collaboratively decided by two researchers. This process identified a comprehensive range of current user behaviors, perspectives, and preferences, as well as opportunities and concerns related to system design. In alignment with McDonald et al. [80], we did not compute inter-rater reliability (IRR), as the coding process aimed to uncover emergent themes and recurrent topics, allowing for multiple interpretations of the codes' meanings.

¹<https://www.liwc.app>




Fig. 2. Comparative Analysis of Non-cognitive Skill Scale and Narrative Transportation Scale. (a) A radar chart illustrating the differences in non-cognitive skills between groups with and without the Sage Agent intervention. Skills assessed include resilience & coping, social competencies, metacognitive strategies, self-control, motivation, perseverance, and self-perceptions. (b) A bar graph showing responses to narrative transportation scale questions, with orange bars representing the "with Sage Agent" group and blue bars representing the "without Sage Agent" group. Error bars indicate standard deviation, and p-values are provided to show statistical significance.

4 QUANTITATIVE RESULTS

The user study data is categorized into three main components: user questionnaire data, system usage data, and user interview transcripts. The first includes responses from 18 participants who completed two questionnaires assessing the system with and without the Sage Agent. The system usage data records interactions within our system, covering generated stories, questions, and user communications in individual and group chats, including those with the Sage Agent. Out of the initial 43 system usage records, 19 instances each for the groups using and not using the Sage Agent were retained after eliminating 5 erroneous and empty entries, accounting for participants who attempted the task twice due to operational errors. This data was further subdivided into three categories: (b1) generative story data, capturing raw narratives post-interaction ($N_{without_sage} = 19$, $N_{with_sage} = 19$); (b2) individual chat messages, consisting of user input messages in one-to-one conversations with AI characters ($N_{without_sage} = 59$, $N_{with_sage} = 51$); and (b3) group chat messages, detailing group chat inputs ($N_{without_sage} = 52$, $N_{with_sage} = 41$). The statistical analysis of the user study data indicates a partial rejection of H1, partial support for H3, and full support for H2. And, H4 was not supported. For overall system usability, our SimuLife++ has an average total score of 72.63 ($std = 15.49$), which is above the benchmark score of 68. Additional analyses are presented in this section. All participants took part in semi-structured interviews.

4.1 Sage Agent Enhancing Perceived Immersion: Insights from Narrative Transportation Scales

The analysis of the narrative transportation scale results (Fig. 2(b)) offers insight into user engagement and cognitive involvement during the narrative experience. A significant difference is found where users exhibit a higher level of engagement with the presence of a Sage Agent in response to the questions "I could picture myself in the scene of the events described in the

narrative" ($Z = 16.5, p = 0.0183$) and "I was mentally involved in the narrative while reading it" ($Z = 15.0, p = 0.027$). Additionally, the reversed question "While I was reading the narrative, what was actively going on in the room around me was on my mind" also shows a significant difference between the two groups ($Z = 17.5, p = 0.0271$), with higher distraction levels when without the Sage Agent. This suggests a higher level of narrative immersion with the presence of the Sage Agent, indicating that users were less distracted by their surroundings and more absorbed in the narrative.

Furthermore, significant differences were observed for "The narrative affected me emotionally" ($Z = 21.5, p = 0.048$) and "The events in the narrative have changed my life" ($Z = 2.5, p = 0.047$), indicating that the Sage Agent enhances emotional engagement and the impact of the narrative on users' lives. However, the rest of the questions did not show a significant difference. These results partially refute **H1**, which posited that the Sage Agent would reduce Narrative Transportation. Instead, the Sage Agent enhances the interactive storytelling experience.

4.2 Sage Agent Improving Reflection on Motivation, Self-Perceptions, and Resilience & Coping

In the study utilizing the non-cognitive skill scale (Fig. 2(a)), the Sage Agent intervention demonstrated statistically significant improvements in certain domains using the Wilcoxon Signed-Rank test. "Motivation," which encompasses internal or external factors driving behavior, showed improvement ($Z = 6.0, p = 0.012$), as did "self-perceptions," referring to an individual's beliefs and attitudes about their own abilities, qualities, and characteristics ($Z = 12.0, p = 0.031$), and "resilience & coping," which are concepts relating to the ability to manage stress, adversity, and challenges in a positive and effective way ($Z = 3.5, p = 0.012$). However, other domains like "perseverance" (the ability to maintain effort and focus towards achieving a goal despite obstacles), "creativity" (the capacity to generate novel and useful ideas or solutions), "social competencies" (the skills needed for effective communication and interaction in various social contexts), "meta-cognitive strategies" skills (the cognitive processes for monitoring and regulating one's own thinking and learning), and "self-control" (the ability to regulate one's emotions, impulses, and behaviors) did not show significant changes, as their p-values exceeded the 0.05 threshold. These results support **H2** that the use of *SimuLife++* with the Sage Agent results in higher scores on certain dimensions of the Perceived Reflection of Non-Cognitive Skills scale compared to using *SimuLife++* without the Sage Agent.

4.3 Sage Agent Increasing Conversational Messages in Group Chats

We analyzed message length, word count, and message count per chat across two primary metrics: (1) individual chat versus group chat and (2) with Sage Agent versus without Sage Agent. For the first comparison, we examined individual and group chats, both with and without a Sage Agent. The findings suggest enhanced user engagement in group chats (Fig. 3 (a), (b), (c)), regardless of the presence of a Sage Agent. This is evident from the statistically significant differences in message length ($U_{without_agent} = 12018.5, p_{without_agent} < 0.001$ and $U_{with_agent} = 6189.5, p_{with_agent} < 0.001$) and word counts ($U_{without_agent} = 12376.5, p_{without_agent} < 0.001$ and $U_{with_agent} = 6369.0, p_{with_agent} < 0.001$) but the number of messages per chat is not significant ($U_{without_agent} = 1352.0, p_{without_agent} = 0.28$ and $U_{with_agent} = 862.0, p_{with_agent} = 0.15$).

The comparative analysis between "individual chat" and "group chat" interactions, conducted using the Mann-Whitney U test and depicted in Fig. 3 (d) (e) (f), reveals a significant distinction between these two modalities when a "Sage Agent" accompanies users in group chat. This difference is evident in message length ($U = 12126.0, p < 0.01$) and word count ($U = 16493.5, p = 0.02$). However, no substantial difference is observed in the message count per chat ($U_{individual_chat} = 1583.5, p_{individual_chat} = 0.64$ and $U_{group_chat} = 1073.0, p_{group_chat} = 0.96$), nor in individual chats




Fig. 3. Box plots of communication metrics in conversations with a *Sage Agent* versus without a *Sage Agent* in the top panel line and individual chats versus group chat in the bottom panel. Note that the term "message" in this context refers to the input provided by the user to the AI in conversations, and does not include the output generated by the AI in response. Message length is the total length of user messages of all conversations during the time, word count refers to the total number of words, and message count refers to the number of messages.

(a) Significant differences found in message length comparing individual chats and group chats, in both with and without *Sage Agent* groups; (b) Significant differences found in word count comparing individual chats and group chats, in both with and without *Sage Agent* groups; (c) No significant differences in message count per chat comparing individual chats and group chats, in both with and without *Sage Agent* groups; (d) Significant difference found in message length when comparing with and without *Sage Agent* in group chat, but no significant difference in individual chat; (e) Significant difference found in word count when comparing with and without *Sage Agent* in group chat, but no significant difference in individual chat; (f) No significant difference found in message count per chat when comparing with and without *Sage Agent* in both individual chat and group chat.

regarding message length ($U = 12114.5, p = 0.60$) and word count ($U = 12152.5, p = 0.63$). These results suggest that the involvement of a "*Sage Agent*" significantly enhances user engagement in group chat contexts. This indicates that the *Sage Agent* increased user engagement in group chats but not in individual chats, partially confirming H3.

4.4 *Sage Agent* Affecting Story Content Generation: Insights from Narrative Arc Analysis

To conduct narrative arc analysis, we first categorized the story data into the "with *Sage Agent*" group and the "without *Sage Agent*" group. To analyze the language usage and trajectory of the story scripts, we employed the five-act structure commonly used in narrative analysis [11, 77]. Each script was divided into five equal segments based on word count, allowing for a comprehensive examination of language trends and shifts throughout the story, as Nalabandian et al. [88] did. After segmenting the stories, we generated line plots for each narrative dimension, comparing the mean and standard deviation for both groups (see Fig. 4). Our findings indicated that the "with *Sage Agent*" group exhibited a higher narratives staging score ($S_{without_sage} = -12.8, S_{with_sage} = 4.54$), overall narratives score ($S_{without_sage} = -4.62, S_{with_sage} = 2.04$), and plot narratives score ($S_{without_sage} =$




Fig. 4. Comparative Analysis of generated story with and without a *Sage Agent*. (a) The line graphs illustrate the average scores across three categories - Staging, Plot Progression, and Cognitive Tension - comparing scenarios with and without the use of a *Sage Agent*. (b) A radar chart summarizing the overall and individual category effects.

-9.12 , $S_{with_sage} = -3.86$), but a lower cognitive narratives score ($S_{without_sage} = 8.07$, $S_{with_sage} = 5.46$). We conducted the Mann-Whitney U test to examine staging, plot progression, and cognitive tension across the five sections. The tests yielded no statistically significant results, suggesting that the presence of a *Sage Agent* in the story had minimal influence on script play. This implies that users' decision-making processes were more heavily influenced by their cognitive processes rather than the generated story content. Additionally, when analyzing the changes between each section, we found no significant differences between the two groups. These results do not support **H4**, which hypothesized that participants using *SimuLife++* with the *Sage Agent* would create narratives with more complex narrative arcs, indicative of deeper cognitive processing and reflection, compared to those using *SimuLife++* without the *Sage Agent*.

5 QUALITATIVE FINDINGS

We conducted a thematic analysis and employed the affinity diagramming process to analyze the exit interview data (see Section 3.5.3). Our findings are organized into five themes related to the use of *SimuLife++* and its features. The first three themes focus on the *Sage Agent* [**R1**]: its role in supporting non-cognitive skills reflection (Section 5.1), the enhancement of interaction and task performance (Section 5.2), and various perspectives on the *Sage Agent*'s relationship with humans (Section 5.3). And later, we have two more themes. The fourth is about the narrative experience, the impact on non-cognitive skills, and the resonance of real-life experiences with the entire interactive storytelling system (Section 5.4). The last theme is about engagement with interaction and communication with AI personas [**R2 & R3**] (Section 5.5).

5.1 *Sage Agent*'s Supporting Role for Non-Cognitive Skills Reflection

Participants highlighted the *Sage Agent*'s instrumental role in promoting reflective thinking on non-cognitive skills. Several participants observed that the *Sage Agent*'s interventions prompted them to pay closer attention and reflect more frequently on their behavior, thereby increasing their awareness of non-cognitive skills and associated behaviors. This heightened awareness is often considered the foundational step toward personal improvement and development.

"[With] the Sage character added, I think I will [reflect on] my activity more often. I'll question what is right and what is wrong because the Sage always reminds me to [calm down]. So, I think that [the] Sage may help me to not only focus on the story but also [on] the activity." - P5

The *Sage Agent* provided an effective feedback system that included both positive and constructive feedback. The consistent encouragement and constructive criticism helped users cultivate a mindset

geared towards continuous improvement. This reflective practice, fostered by the *Sage Agent's* feedback, enabled participants to better understand their own emotional responses and behaviors, ultimately contributing to their personal growth. Similar to real-life scenarios, individuals often seek feedback from impartial, non-biased sources. Non-cognitive skills frequently involve issues that individuals may not be consciously aware of, underscoring the importance of external feedback.

"So, I think I have improved my skill, because my sage on the sidebar continuously encouraged me, [offering] praise when I did something great, and warning me if I did something [less than optimal]" - P14

"In the first trial, I didn't notice that I couldn't improve any of my [non-cognitive] skills. That's because I was just interacting with the characters in the story. But in the second trial, after I [had a sage with me], the sage always [told] me what I did well and when I did badly" - P13

The *Sage Agent* also enhanced participants' self-awareness and confidence by consistently reminding them of their abilities. This aspect of the *Sage Agent's* feedback underscores the importance of external validation in reinforcing self-efficacy and encouraging a positive self-concept. By acknowledging participants' strengths and capabilities at every step, the *Sage Agent* helped individuals recognize their potential and build confidence in their abilities.

"The sage's page and the comments that the sage provided at every step were something that [reminded] me of my abilities." - P14

The *Sage Agent* also encouraged participants to maintain an open mind, which is essential for non-cognitive skills reflection, as it allowed individuals to better understand and integrate various viewpoints, leading to more comprehensive self-awareness and personal growth. Participants noted that the *Sage Agent's* guidance helped them appreciate the value of considering diverse perspectives. This open-minded approach.

"The sage helped me in the second round, said that I should keep an open mind and embrace people's opinions." - P13

Furthermore, the *Sage Agent* encouraged participants to look beyond their initial impulses and consider alternatives on what they could do and what they could say. This guidance helped individuals move away from reactive behaviors towards more thoughtful and intentional responses. The ability to pause and reconsider one's words and actions is an important part of non-cognitive skills reflection.

"I think every time it gets better when I [reconsider] his words." - P10

More specifically, the *Sage Agent* provided context-aware guidance on non-cognitive skills, offering alternatives along with their rationale. This type of feedback was instrumental in helping participants navigate complex social and ethical scenarios. For instance, the *Sage Agent* provided specific, context-aware advice that encouraged participants to consider not just the immediate benefits of their actions but also the broader implications and values, such as maintaining fairness in a competitive environment. This approach supported participants in developing a deeper understanding of non-cognitive skills and their application in various scenarios.

"Yes, I would say, experience about non-cognitive skills with sage is a definite difference. He told like not." - P18

"And also, when I was in the contest, I didn't share my knowledge with my competitors in the game. [However], my sage told me that I should keep in mind that although it is [understandable] for me not to share with my competitors, I still need to remember [to maintain] fairness in the competition." - P13

Participants also suggested that the *Sage Agent* might articulate deeper aspirations, indicating that the *Sage Agent* not only aids in surface-level reflections but also in uncovering personal goals and motivations. Sometimes, as reported, it encourages individuals to explore and understand their intrinsic desires and long-term objectives.

"The *Sage Agent* [will] express maybe the [in-depth] aspiration." - P2

Some participants also specifically mentioned how the *Sage Agent*'s insights prompted them to reconsider a real-life decision, demonstrating the agent's ability to influence users beyond the immediate context of the system.

"The *Sage Agent*'s comments, which [provided] much insight into my thought process. For example, it made me think about one specific decision I took in my real life, something like that" - P14

5.2 *Sage Agent*'s Influence on Task Performance and User Experience

In our *SimuLife++*, users primarily engage in decision-making and conversations. Participants highly valued the personalized feedback provided by the *Sage Agent*. Participants generally appreciated the additional information the *Sage Agent* provided, as it often supplemented their understanding.

"Without the sage, I was just making decisions based on the character, and what I remembered [about] the character. But with the sage, like the pop-ups did tell you things that are more [accurate], or how [they] would have [been] made so that like slowed my decisions a little bit." - P9

This additional feedback was particularly useful before critical decision points, helping participants better understand character dynamics. Participants emphasized the importance of using the *Sage Agent*'s advice to navigate complex relationships within the story.

"I always click that before making a decision because I need to understand the people's relationships so that I can interact more wisely, especially for the first story, because [there are] betrayal elements and old friends. So I need to understand the deep relationships behind them so that I can say something more reliable." - P1

Regarding decision-making, the *Sage Agent* effectively facilitated reflective decision-making processes among participants. Participants noted that the *Sage Agent*'s interventions encouraged them to think beyond their initial impulses and consider alternative approaches. For instance, one participant described an instance where their initial reluctance to consider an alternative viewpoint was transformed by the *Sage Agent*'s encouragement to be open-minded. This intervention not only altered the participant's immediate decision but also led to a more enriching narrative outcome.

"When Luna suggested that we investigate some special animals, I initially didn't want to consider that opinion and just skipped that dialogue. But then, my Sage said that I should be open-minded and listen to others. Then I changed my decision, and it turns out that the story becomes better." - P13

In terms of conversation, the *Sage Agent* also assisted in developing effective communication and negotiation strategies. Participants described how the *Sage Agent* helped them negotiate and communicate better with AI characters, leading to more constructive conversation. For example, P13 shared how the *Sage Agent* helped in negotiating with an AI character named Raj.

"Raj, [re-enters] as an old friend of my character. But my colleagues and I think he's kind of [untrustworthy]. So, the AI taught me how to communicate and negotiate with Raj. With the help of the AI, I think I changed some of my words that I originally wanted to [use] with him, like not [to be confrontational] in front of him, but [to use] observation to [create] a better approach to working with him" - P13

In terms of user experience, while *Sage Agent* is helpful, participants also mentioned that the comments were sometimes too vague or abstract. They suggested that the advice could be more specific and contextually relevant to better support decision-making and narrative integration. Several participants noted that the abstract nature of the advice made it challenging to apply to their decisions.

"Maybe that's because I chose the Tagore agent; his response was kind of too abstract for me. When I asked what would you propose as the next step for me to proceed with, he said something like, Okay, you should probably follow some high-level suggestions. But it's not particularly related to the plot itself. I wish there were choices that were more specific, like just telling me, Okay, maybe you should choose that." - P3

"his ideas are very general. I was saying, so like, maybe you should trust. I mean, for example, he would advise you to trust others and advise you to not kill others. Otherwise, you can negotiate with others. That's more like a social value thing. You know, that is not so story specific." - P4

Outside of general, participants also noted that *Sage Agent*'s comments were occasionally too lengthy, which disrupted the narrative flow and made it difficult to stay focused on the main storyline. They recommended that the *Sage Agent*'s guidance should be more concise and direct to avoid increasing the participants' cognitive workload.

"But I think the [words], the sentences, [that] the sage [states] to me [are] too long. And when I try to focus on what [the sage says] to me, I will miss the main function of the system, which is about the story." - P5

"Additionally, I think the messages from the *Sage Agent* could be a bit shorter. This change would allow the user to progress more smoothly through the story" - P14

5.3 Different Perspectives on the *Sage Agent*'s Relationship with Humans

Participants perceived the *Sage Agent*'s role in various dimensions. These perspectives highlight the multifaceted relationship between the participants and the *Sage Agent* within the interactive storytelling experience.

Serving as a Mentor. The *Sage Agent* frequently acted as a mentor, offering personalized guidance and fostering participants' growth and learning. Participants highlighted the *Sage Agent*'s role in encouraging communication and social interaction, particularly for those who were shy or reluctant to engage with others. The mentoring role of the *Sage Agent* was crucial in helping participants develop their skills and confidence.

"The experience when I used the AI companion was insightful. The companion gave me wise and thoughtful advice, and sometimes it was very helpful for me." - P15

Bystanding as a Reminder. Some participants viewed the *Sage Agent* as a bystander who guides them from the sidelines, serving as a moral compass without directly involving themselves in the story's journey. This perspective sees the *Sage Agent* as a reminder, helping participants navigate morally ambiguous or challenging scenarios. The *Sage Agent*'s feedback encouraged ethical decision-making and helped participants resist temptations.

"I am [trying] some dark spells and dark hours, and the sage continuously reminds me not to put myself in dangerous situations. So, I think it will help me to resist temptation." - P5

"The sage's page and the comments that the sage provided at every step were something that reminded me of my abilities." - P14

Companioning as an Encourager. Beyond functional guidance, the *Sage Agent* played a pivotal role in fostering a sense of companionship and support. Participants appreciated the emotional connection, feeling heard and valued through their interactions with the *Sage Agent*. This sense of companionship enhanced the overall experience, making it more engaging and reflective.

"I think he encouraged me, it's the most important thing. It helped me with it. [He was] convinced that my words [are] really contained, someone is listening to my words." - P1

"The *Sage Agent* always praises my choice [...] It will encourage people like [those], [who] are shy or are unwilling to talk with others, it can encourage [them] to talk with others and get [their] own points." - P2

Evaluating as an Assessor. From the viewpoints of some participants, the *Sage Agent* also served as an evaluator, providing feedback and assessments that helped participants understand the consequences of their actions. This evaluative role encouraged participants to think critically about their choices and their impact on the narrative.

"The sage always told me what I did well and when I did badly. Additionally, my sage encouraged me by saying that my cooperation with others was good, and I felt great about that." - P13

"After I have a conversation and then finish it, Sage provides a corresponding evaluation. It assesses whether the outcome of my conversation is more meaningful or potentially harmful. I think this kind of summary is quite good, especially compared to scenarios without a Sage Agent." - P7

5.4 *SimuLife++* for Narrative Transportation and Non-Cognitive Skill Reflection

In the first theme (Section 5.1), we highlight the role of the *Sage Agent*. In this theme, we examine the holistic impact of *SimuLife++* on narrative transportation and non-cognitive skill reflection, particularly focusing on the extent to which these influences can be applied to real-life situations or assist in reflecting on real-life behaviors (e.g., decisions and conversations made in the past).

Narrative Immersive and Transportation. From the perspective of narrative immersion, a key component of narrative transportation, participants consistently reported the engaging and immersive nature of the interactive storytelling in *SimuLife++*. The dynamic narrative design captivated participants, allowing them to lose track of time and remain voluntarily engaged. This high level of engagement effectively immersed participants, fostering a sense of temporal flow and sustained interest.

"I found I could easily immerse myself in it [the interactive storytelling], and time flew by. I spent 40 minutes without really feeling the passage of time [even though I] could exit immediately when I wanted to." - P8

Context-Aware Practice for Experimental Learning. In *SimuLife++*, interactive storytelling not only entertains but also enhances non-cognitive skills that can be practiced within the system. Participants found the system effective in creating a dynamic and immersive environment that required them to communicate and collaborate with others to overcome challenges. Some scenarios closely resembled real-life situations, facilitating practical skill development.

"In the first part of the story, it asked me to find the locations of the Horcruxes and the number [of them], but I do not have enough information about where to start. So, I should communicate with other teammates, and they will give me some useful information about where to start." - P5

Connection with Real Life. Despite the fictional nature of the stories, participants found significant connections to real-life situations. The interactive storytelling in *SimuLife++* prompted profound self-reflection, especially during challenging scenarios. One participant emphasized how the decisions they were required to make necessitated consideration of their real-life characteristics and modes of self-expression. By integrating self-reflection and alignment with real-life traits into the decision-making process, *SimuLife++* effectively supports participants in developing a deeper understanding of themselves and their behaviors.

"As I said, the [decisions] that I needed to make required me to think about myself and how my character expresses. This is especially true in challenging situations. For example, a decision forced me to reflect on my characteristics in real life. For instance, if I'm a calmer, more conservative person, I should [choose] one decision, and otherwise, I should take another. This was the aspect that reflected some of my real-life characteristics." - P14

Emotion is a key aspect linking the story to real life. Participants noted how the interactive storytelling in *SimuLife++* effectively engaged their emotions by presenting various choices. One participant shared that the story's requirement to choose between good and bad options resonated with their past experiences, triggering emotional responses and reflections on real-life decisions.

"From the beginning of this story, it was really interesting and it involved my emotions when I saw I needed to choose between good and bad choices... I have had some experiences like that in the past, and when I saw those choices in the story, I remembered those experiences and it triggered my emotions." - P15

Adaptiveness of the Narratives for User Response. Participants highlighted the adaptive nature of *SimuLife++*, noting that the system dynamically adjusts to their responses, thereby creating a personalized and resonant experience. By enabling participants to connect the narrative with their personal histories, the system fosters a deeper level of engagement and self-reflection. This adaptability is a key strength, ensuring that each participant's journey is unique and meaningful, tailored to their individual reactions and experiences.

"I think eventually it gets to a point where the participant [will] find the plot [that] really resonates with their past, and try to dive deep into that. So, I think this is the strongest [aspect] of the system because it's adaptive to how the participant reacts to it." - P6

However, some participants felt that the predefined storyline created a sense of constraint. While the AI characters are designed to chat with participants along a specific narrative, this can sometimes feel restrictive. Participants observed that the characters in *SimuLife++* often nudged them back onto a specific storyline, designed to adhere to particular topics or narrative paths. One participant noted that this guidance made them aware of a predefined way of behavior and oversight behind the characters' actions. By incorporating characters that guide participants along predefined storylines, *SimuLife++* ensures a cohesive and directed narrative experience. This approach helps maintain thematic consistency while still allowing for participant engagement and interaction within the story.

"I find that the characters try to nudge me back onto a specific storyline that I suppose you have probably designed in the back end that it should stick to a particular topic or line of the story. And in that case, I could feel there is a predefined way of behavior, or [oversight] behind these kinds of characters." - P6

5.5 Social Interaction and Conversation With AI Characters

Participants highlighted the value of interacting with AI characters that possess distinct personalities, motivations, and beliefs. Engaging with these diverse perspectives allowed participants to think critically about their decisions and the consequences that followed. Unlike direct comments from the *Sage Agent*, this approach might be beneficial to a deeper cognitive engagement and self-reflection. For instance, P6 reflects on their experience with the Witcher story in *SimuLife++*, recalling a scene where multiple agents with different personas interact around a campfire. The participant was particularly struck by how each character's unique beliefs influenced their perception and subsequent decision-making. This interaction demonstrates that diverse character perspectives not only enrich the narrative but also encourage participants to consider these beliefs in their real-life choices and behaviors.

"I chose the Witcher story. I remember there was a scene where multiple agents with different personas. I was sitting around the campfire and talked to each other. What left a strong impression on me is that each of the persons has their own beliefs, which has an effect on my perception of and also the choice I made later on after the exchange of opinions with the characters." - P6

However, some participants observed that the AI characters in *SimuLife++* are consistently positive and lack the emotional depth of real people. They note that these characters often use predictable phrases such as "indeed" or "fantastic" and tend to follow the participant's lead without expressing their own viewpoints. This feedback suggests that while the AI characters are polite and agreeable, they could benefit from more authentic emotional expression and independent perspectives to enhance the realism and depth of interactions.

"The AI characters are always good and nice. It's not like real people, as they don't have too [many] emotions. I can pick out certain modes of their words. Like they will always give me a word like indeed or fantastic something like that. And they will always follow what I say but it's not like they are expressing their own point." - P2

Participants emphasized the importance of balance in the number of characters involved in group interactions within *SimuLife++*. They found that engaging with two or three characters provided a more immersive and engaging experience compared to interacting with a single character, which felt less engaging. However, too many characters can create confusion. This insight highlights the need for careful design in interactive storytelling to ensure optimal engagement and clarity for participants.

"Group chatting was good. In the instances where we had to make a decision and I had to interact with different characters, I think there should be a balance in the number of characters involved. If there are too many, it can become a little confusing. On the other hand, when there's only one character, it's less engaging than when there are two or three characters. Having two or three characters feels more like you are [immersed] in the story, more so than talking to just one." - P14

Participants noted that after posting a sentence, all AI characters in the group respond simultaneously, making them feel more like story facilitators rather than active participants. Specifically, when they ask a question, multiple AI agents respond with follow-up questions at the same time, causing confusion about which one to address. Additionally, the length of some replies makes it difficult for participants to follow, leading to a sense of being lost during the interaction. This feedback suggests that the current system design could be improved by staggering AI responses to create a more natural and interactive dialogue, thereby enhancing the participants' sense of

engagement and involvement in the narrative. Streamlining and managing the responses from AI agents would improve clarity and engagement in the dialogue.

"It seems that after I post a sentence, everyone [AI character] in the group will post their words at once. I become a story facilitator rather than an interaction." - P3

"I was asking a question, but three of the agents asked me follow-up questions. And I'm not sure which one I should respond to. Sometimes the reply also gets a little bit too long, and I just get lost during the reading." - P6

A major issue identified when interacting with multiple AI characters is that they tend to engage in their own conversations, effectively excluding the participant from the interaction. This leads to the AI generating numerous statements simultaneously, leaving no opportunity for the participant to contribute. This feedback highlights the need for the system to better manage AI interactions, ensuring that the participant remains an active and integral part of the conversation. Addressing this issue is essential for creating a more inclusive and engaging experience for participants.

"With multiple AIs, I encountered several obvious issues. One issue is that these AIs would engage in their own conversations, and once they start talking among themselves, they completely exclude me... They generate over a dozen statements at once, without any room for me [to participate in]." - P11

6 DISCUSSION

6.1 LLM-enabled Interactive Storytelling for Skill Development, Guided by an AI Sage

Our quantitative and qualitative findings suggest that *SimuLife++* enhances reflection on non-cognitive skills. Participants' interview feedback revealed several contributing factors: the generation of story content based on decisions and conversations, the characters' reactions embodying distinct personas, the emotional engagement triggered by role-playing that connects with real-life experiences through narrative transportation, and the influence of the *Sage Agent*. This is aligned with previous research findings that digital storytelling significantly improves social-emotional learning skills and creative writing [120]. Our results provide new empirical understandings about the effect of group chat and a new AI role, the *Sage Agent*, who further promoted the interactive storytelling process.

The efficacy of most interactive storytelling involves interplay among characters' persona, narrative plot, and users' role-playing. For instance, we found that persona is very important for users' perception and engagement of storytelling. Pera et al. already highlight the role of compelling personas in engaging users and enhancing narrative experiences [95]. However, previous studies haven't extensively explored the role of a *Sage Agent* in reflecting non-cognitive skills in storytelling. Our research highlights the need for context-specific guidance from the *Sage Agent*, supporting Turner et al.'s emphasis on context-mediated behavior for intelligent agents [119]. Context-aware personalization is key for effective narrative interventions, aligning with personalized prompting [37] and "just-in-time" strategies in behavioral support [102]. The *Sage Agent's* role in providing encouragement and reflective narrative summaries could enhance engagement and learning. Future research could focus on the *Sage Agent's* design, determining effective implementation moments and methods. Exploring a question-driven versus comment-based *Sage Agent*, and comparing "just-in-time" intervention with constant presence, could offer insights into effectiveness and user preferences in narrative processes.

6.2 Design Implications

6.2.1 Integrating Human-Like Characters and Social Norms in Digital Social Simulations. Our interview results suggest that characters should be developed with more well-rounded personas and

social relationships. We believe it is important to build more dynamic interrelationships among characters, pre-setting their social roles and relationships. Their social roles and relationships, encompassing various degrees of friendship, rivalry, and other dynamics, could influence the agents' responses and communication tone. Additionally, building on previous research, relationships can change depending on the context. For example, existing collaborative or conflictual relationships tend to foster future interactions of the same nature, while diminishing the likelihood of forming relationships of a different type [114]. In the future, we aim to design character agents that can form and evolve relationships based on conversations and narrative decisions. If the characters' personal relationships vary during storytelling, it could enhance learning. For example, the protagonist might help someone who previously wronged her, leading to a friendship. This could transform the character from being irritable to gentle, illustrating dynamic character development.

Additionally, our qualitative findings suggest AI characters should have emotional intelligence. This is an echo to existing work that deems that agents should respond to emotional states in the chats for empathetic interactions, as suggested by Chaves et al. [23]. We believe that equipping agents with an emotional model would allow for a range of emotions, deepening social connections and mirroring human social dynamics. The Media Equation theory [97] suggests that people view computers and media as social actors, tending to assign human characteristics to agents. In the future, we could design agents with human-like needs, such as hunger and health, to create more dynamic and realistic characters. These needs would influence their behaviors and decisions, with factors like health affecting their decision-making and social interactions. Prior research on "Humanoid Agents" [124] indicates that including basic needs, emotions, and relationships makes agents behave more like humans. Incorporating these aspects is crucial for realistic social life simulation.

Incorporating social norms into the *SimuLife++* platform might enhance the realism and community engagement of the user experience. Although only a few participants directly mentioned this point in our interviews, some of the feedback indirectly relates to it. For example, comments were made regarding aspects like jail and escaping from jail after interacting with the story *Shantaram*. Drawing inspiration from resources like NormBank [138] and studies on online health communities about modeling social roles [129], we can embed situational social norms into the platform to create a more authentic and dynamic social environment. For instance, in a virtual marketplace scenario, integrating norms for appropriate buyer-seller interactions can help guide users toward more realistic and effective social conduct. By tailoring these norms to different scenarios and contexts, the platform might be able to promote positive community engagement and foster a more engaging and immersive user experience. Additionally, assigning varied social roles, such as seekers, providers, welcomers, and storytellers, enriches community dynamics, and might allow users to engage in activities that align with their roles, fostering a sense of belonging and active participation. It's essential, however, to ensure inclusivity and cultural sensitivity in the portrayal of these norms and roles, avoiding stereotypes and biases.

6.2.2 Expanding to Challenge Real-Life Social Scenarios, Such as Conflict. LLM could have more potential for general social skills training [130]. As reported by some participants in the interview, our current story plot is relatively smooth, involving teamwork but seldom includes social conflict. The integration of real-life scenarios, such as conflict resolution, is crucial for enhancing learning, as indicated by Zins et al. [139]. Specifically, conflict is a crucial element in interactive storytelling platforms like *SimuLife++*, where it serves as a catalyst for character development and user engagement. By confronting conflicts, users gain valuable experience in resolving issues, from interpersonal disputes to existential threats. This process helps users to learn effective communication strategies and make moral choices, enhancing their overall experience. For example,

the Rehearsal system allows users to practice conflict resolution realistically [105]. Additionally, conflicts in *SimuLife++* add emotional depth and realism, mirroring real life's conflicts. They make stories more immersive and impactful, fostering investment, critical thinking, and empathy. Users learn to understand different perspectives and consider their actions' consequences. However, conflict must be balanced with story coherence and user enjoyment. Conflicts should be relevant and meaningful, not overwhelming, and consider user diversity for accessibility and engagement.

6.2.3 Enhancing User Agency with Storyline Visualization and Control of Narrative Structure. Our study reveals a user preference for more control in story progression, with a desire for greater influence over scene selection, pacing, and plot impact. This aligns with Aarseth's emphasis on user agency in narratives [1] and Laurel's focus on user-driven narratives [67]. Balancing AI guidance with user autonomy, as discussed by Mateas and Stern [78], is vital in interactive storytelling. Adapting decision complexity to match individual preferences, reflecting Mirvis's theory of flow [83], is key for optimal user engagement and user agency. Enhancing future system versions with storyline visualization could offer users a visual representation of narrative changes in response to their decisions. This feature helps users understand the overall plot and their impact on it, increasing their sense of agency. Possible formats include flowcharts, mind maps, or interactive graphs, aiming to provide a comprehensive view of the story's trajectory. Taking cues from Ogawa and Ma [91] and StoryFlow [76], we can employ advanced techniques for better depicting complex narrative relationships. This is especially useful for narratives with multiple storylines and characters, aiding users in understanding element interconnections and guiding story shaping. Adding storyline visualization to an adaptive narrative system enhances user control and ownership. It lets users see the consequences of their choices on the plot and characters, facilitating informed and meaningful decisions. Extending this with an editable, interactive storyline allows users to construct and customize the plot non-linearly. Blythe et al. support this concept, noting that well-crafted research fiction enhances reflection and learning [12]. Integrating storyline visualization and editing tools can create a personalized and engaging storytelling experience.

6.2.4 Enabling Multi-players Co-Interaction. Our current system only supports single-player use, but we can make the system support multi-player use. Some participants asked us that since this system simulates a social scene, why not just allow multiple users to participate at the same time. Such a transition to supporting multi-player use aligns with the growing emphasis on social interactivity in digital environments. As mentioned by Pearce [94], we believe that multi-player platforms can enhance the realism of social simulations, offering more authentic experiences. These platforms provide opportunities for collaborative and competitive interactions among players, echoing the findings of Ducheneaut et al. [34], who observed the emergence of community and shared purpose in multiplayer online games. Further, introducing multiplayer mode introduces unique challenges and complexities, such as managing conflicts and accommodating diverse play styles, as discussed by Castronova [20]. These dynamics could be crucial for a comprehensive understanding of human behavior and social interactions in digital settings. The system's capability to model and simulate these interactions can be informed by the work of Bainbridge [6], who emphasizes the importance of virtual environments in studying social phenomena. Furthermore, we could explore whether users can distinguish between AI characters and human-played characters when both are involved in the same setting. In the future, we might also investigate human social behaviors in environments where multiple humans and AIs interact and converse.

6.3 Future Study to Understand the Potential of *Sage Agent*

While the *Sage Agent* seems to have been introduced based on feedback from the Initial Design, we acknowledge that the impact of mentor feedback on non-cognitive skill improvement in traditional

communication settings has been studied. However, in our context, the AI mentor is relatively new and has a lot of new possibilities that could be further explored. Our exploration into the roles of *Sage Agent* within interactive storytelling platforms reveals significant potential for enhancing the learning experience through human-AI interaction. To further our understanding of *Sage Agents*, we propose a series of empirical investigations. Specifically, we could explore how varying the type and amount of information provided by *Sage Agent* affects user experiences. For example, investigating the impact of *Sage Agents* with different personality traits and their effects on user engagement and learning outcomes could yield valuable insights. Currently, our *Sage Agent* communicates in a relatively direct manner. Direct communication or feedback can sometimes harm self-esteem and foster a negative mindset [86]. Therefore, we might design the *Sage Agent*'s communication style based on Conceptual Metaphor Theory (CMT) [46, 65]. For instance, consider a scenario where the role-played character, Mike, consistently enters his mother's room without knocking, showing a lack of respect for her privacy and personal space. The *Sage Agent* could say something like, "Mike, imagine your room is like a special castle, and every castle has a drawbridge. Now, think of my room as my castle, just like yours. When you want to visit someone's castle, you have to knock on their drawbridge before crossing it, right? One day, a brave knight named Mike wanted to visit his mother, the queen of her castle. But instead of knocking on her drawbridge, he charged right in without warning! The queen was startled and felt her castle wasn't safe anymore. She kindly asked the knight, 'Dear Mike, next time, could you please remember to knock on my drawbridge before entering?' The knight realized his mistake and understood that knocking on the drawbridge was like saying 'Hello, may I come in?' It showed respect for the queen's castle and made her feel valued. From then on, every time Knight Mike wanted to visit the queen's castle, he made sure to knock first, making their kingdom a happier and more respectful place." And we could compare the differences among various types of intervention or persuasion. Another experimental design could involve varying the information density and complexity presented by the *Sage Agents* and measuring corresponding changes in user cognitive engagement and satisfaction. Drawing on principles from cognitive load theory, which emphasizes the importance of balancing information presentation to avoid overwhelming users, we could further understand how to maintain engagement and facilitate deeper narrative involvement [113] while providing information oriented towards non-cognitive skills learning.

6.4 Ethical Concerns

Analyzing user interaction data revealed some participants role-playing as "bad people," making harmful choices or being rude to AI characters. This observation is not uncommon, as prior research has found that some users engage in emotionally charged and sensitive conversations with chatbots, including discussing experiences related to abuse and depression [69]. To ensure the safety and privacy of users, the interactive storytelling system should have clear protocols for handling sensitive information, especially that related to self-disclosure information, including measures to keep it confidential and de-identified [68]. As our interactive storytelling system could be perceived as the expansion of Conversational AI (CAI) systems, privacy, security, and trust perceptions need to be evaluated for real-world application as Leschanowsky et al. discussed [72]. In addition, this behavior prompts questions about user motivations and the ethics of interactive storytelling. It's crucial to consider if such actions signify deeper psychological needs or frustrations. Our current participants are screened for mental health issues, a challenging requirement in real-world deployment. We also need to be more cognizant of the story settings. For instance, feedback from a participant highlighted the necessity of carefully handling sensitive themes: *"Some biases, privacy, ethical considerations can be sensitive topics brought into the storytelling. For example in the prisoner/mafia one they brought in Bombay which was okay but just some careful considerations"*

on how far to take it before it becomes a sensitive topic." This concern echoes the discussion of ethical storytelling practices that respect cultural and social sensitivities in the prior work [70, 109]. Ensuring that storytelling approaches are mindful of ethical considerations and cultural contexts is crucial for maintaining the integrity and impact of narrative-based interventions [43].

The ethical implications of using Large Language Models (LLMs) in interactive storytelling systems and AI mentorship for non-cognitive skills need to be considered. LLMs, while powerful, can sometimes generate biased or inappropriate content based on the data they were trained on [8]. This raises concerns about the potential for these models to perpetuate harmful stereotypes or misinformation [125]. It is imperative to implement rigorous filtering and moderation mechanisms to monitor and mitigate these risks [44]. Transparency about how the models function and the sources of their training data can help build trust and allow users to better understand the potential limitations and biases of the system [84]. Additionally, the ethical use of AI in educational settings, such as AI mentorship for non-cognitive skills, should be carefully evaluated to ensure that these systems do not inadvertently reinforce existing inequities or overlook the nuanced needs of diverse learner populations [99]. Designers and researchers should prioritize users' mental and emotional well-being, designing systems that foster healthy interactions. We should consider implementing features like behavior guidelines, empathy-promoting prompts, or reporting mechanisms for abusive interactions. This approach will contribute to a safer, more responsible interactive storytelling experience.

6.5 Limitations

Our study was limited to a single intervention, which did not allow us to determine the long-term effects of the system. Due to the lack of longitudinal study, our current research primarily explores user perspectives on their experience with LLM-based agents and their views on learning non-cognitive skills reflection. We acknowledge that this study does not provide concrete evidence that users have improved their non-cognitive skills, which often require longitudinal studies and varied assessment methods to capture accurately [52, 54]. It is essential to understand if the benefits observed are transient or enduring to evaluate the system's sustained impact effectively. For future research, longitudinal study designs are recommended to assess the long-term effects of the system. Such studies would provide valuable insights into the intervention's lasting influence and how it performs across various settings. Incorporating more robust evaluation techniques, such as pre-and post-intervention assessments, control groups, and long-term follow-up studies, would provide more definitive evidence of the impact on non-cognitive skills [62]. Currently, the absence of follow-up interviews to gauge users' post-intervention status represents a limitation, as it impedes understanding of how individuals with low self-esteem may respond to behavioral control challenges post-intervention. Such individuals may experience self-disappointment and blame, potentially leading to decreased motivation to re-engage with the system and adapt to new challenges. Furthermore, our reliance on the OpenAI API, as opposed to a more tailored or fine-tuned model, may have affected the quality of stories and conversations generated by the system, potentially diminishing the user experience. Future iterations of the system could benefit from the development and integration of a fine-tuned model to enhance narrative and conversational quality.

7 CONCLUSION

We have designed and developed *SimuLife++*, an interactive platform that plunges users into a variety of social scenarios, positioning them as the protagonists to experience and interact. This platform is designed to enable users to navigate through stories, make decisions, and engage in deep conversations with AI characters. Guided by a "*Sage Agent*", users are encouraged to reflect

on non-cognitive behaviors. With a *Sage Agent*, participants demonstrated increased motivation, improved self-perceptions, and enhanced resilience & coping abilities. We also found that while the *Sage Agent* could enhance narrative and conversation immersion, it still requires more context-specific guidance and user control as per the qualitative analysis. Interview results from participants revealed that the *Sage Agent* assisted in decision-making, ethical dilemmas, and problem-solving, while also indicating a need for enhanced user control and balanced responses from multiple characters.

REFERENCES

- [1] Espen J. Aarseth. 1997. *Cybertext: Perspectives on Ergodic Literature*. Johns Hopkins University Press.
- [2] Tammy D Allen and Lillian T Eby. 2011. *The Blackwell handbook of mentoring: A multiple perspectives approach*. John Wiley & Sons.
- [3] Saleema Amershi, Dan Weld, Mihaela Vorvoreanu, Adam Fourney, Besmira Nushi, Penny Collisson, Jina Suh, Shamsi Iqbal, Paul N. Bennett, Kori Inkpen, Jaime Teevan, Ruth Kikin-Gil, and Eric Horvitz. 2019. Guidelines for Human-AI Interaction. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (*CHI '19*). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3290605.3300233>
- [4] Victor Nikhil Antony and Chien-Ming Huang. 2023. ID. 8: Co-Creating Visual Stories with Generative AI. *ACM Transactions on Interactive Intelligent Systems* (2023).
- [5] Victor Nikhil Antony and Chien-Ming Huang. 2024. ID.8: Co-Creating Visual Stories with Generative AI. *ACM Trans. Interact. Intell. Syst.* (jun 2024). <https://doi.org/10.1145/3672277> Just Accepted.
- [6] William Sims Bainbridge. 2007. The scientific research potential of virtual worlds. *science* 317, 5837 (2007), 472–476.
- [7] Fran Baum, Colin MacDougall, and Danielle Smith. 2006. Participatory action research. *Journal of epidemiology and community health* 60, 10 (2006), 854.
- [8] Emily M Bender, Timnit Gebru, Angelina McMillan-Major, and Shmargaret Shmitchell. 2021. On the dangers of stochastic parrots: Can language models be too big?. In *Proceedings of the 2021 ACM conference on fairness, accountability, and transparency*. 610–623.
- [9] Ivo Benke, Maren Schneider, Xuanhui Liu, and Alexander Maedche. 2022. TeamSpiritous - A Retrospective Emotional Competence Development System for Video-Meetings. *Proc. ACM Hum.-Comput. Interact.* 6, CSCW2, Article 392 (nov 2022), 28 pages. <https://doi.org/10.1145/3555117>
- [10] Timothy W. Bickmore and Rosalind W. Picard. 2005. Establishing and maintaining long-term human-computer relationships. *ACM Trans. Comput.-Hum. Interact.* 12, 2 (jun 2005), 293–327. <https://doi.org/10.1145/1067860.1067867>
- [11] Katherine Geraldine Blackburn et al. 2015. *The narrative arc: Exploring the linguistic structure of narrative*. Ph.D. Dissertation.
- [12] Mark Blythe. 2017. Research Fiction: Storytelling, Plot and Design. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (*CHI '17*). Association for Computing Machinery, New York, NY, USA, 5400–5411. <https://doi.org/10.1145/3025453.3026023>
- [13] Ryan L Boyd, Kate G Blackburn, and James W Pennebaker. 2020. The narrative arc: Revealing core narrative structures through text analysis. *Science advances* 6, 32 (2020), eaba2196.
- [14] Virginia Braun and Victoria Clarke. 2006. Using thematic analysis in psychology. *Qualitative research in psychology* 3, 2 (2006), 77–101.
- [15] John Brooke et al. 1996. SUS-A quick and dirty usability scale. *Usability evaluation in industry* 189, 194 (1996), 4–7.
- [16] Giorgio Brunello and Martin Schlotter. 2011. Non-cognitive skills and personality traits: Labour market relevance and their development in education & training systems. (2011).
- [17] Rick Busselle and Helena Bilandzic. 2008. Fictionality and perceived realism in experiencing stories: A model of narrative comprehension and engagement. *Communication theory* 18, 2 (2008), 255–280.
- [18] Rick Busselle and Helena Bilandzic. 2009. Measuring narrative engagement. *Media psychology* 12, 4 (2009), 321–347.
- [19] Tara Capel, Bernd Ploderer, Filip Bircanin, Simon Hanmer, Jamie Paige Yates, Jiaxuan Wang, Kai Ling Khor, Tuck Wah Leong, Greg Wadley, and Michelle Newcomb. 2024. Studying Self-Care with Generative AI Tools: Lessons for Design. In *Proceedings of the 2024 ACM Designing Interactive Systems Conference* (IT University of Copenhagen, Denmark) (*DIS '24*). Association for Computing Machinery, New York, NY, USA, 1620–1637. <https://doi.org/10.1145/3643834.3661614>
- [20] Edward Castronova. 2008. *Synthetic worlds: The business and culture of online games*. University of Chicago press.
- [21] Kathy Charmaz. 2006. *Constructing grounded theory: A practical guide through qualitative analysis*. sage.
- [22] Gary Charness, Uri Gneezy, and Michael A Kuhn. 2012. Experimental methods: Between-subject and within-subject design. *Journal of economic behavior & organization* 81, 1 (2012), 1–8.

- [23] Ana Paula Chaves and Marco Aurelio Gerosa. 2021. How should my chatbot interact? A survey on social characteristics in human–chatbot interaction design. *International Journal of Human–Computer Interaction* 37, 8 (2021), 729–758.
- [24] Junjian Chen, Yuqian Wang, and Yan Luximon. 2024. CamTroller: An Auxiliary Tool for Controlling Your Avatar in PC Games Using Natural Motion Mapping. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (<conf-loc>, <city>Honolulu</city>, <state>HI</state>, <country>USA</country>, </conf-loc>) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 108, 17 pages. <https://doi.org/10.1145/3613904.3642511>
- [25] Tiffany Chen, Cassandra Lee, Jessica R Mindel, Neska Elhaouij, and Rosalind Picard. 2023. Closer Worlds: Using Generative AI to Facilitate Intimate Conversations. In *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI EA '23). Association for Computing Machinery, New York, NY, USA, Article 68, 15 pages. <https://doi.org/10.1145/3544549.3585651>
- [26] Jonathan Cohen. 2018. Defining identification: A theoretical look at the identification of audiences with media characters. In *Advances in Foundational Mass Communication Theories*. Routledge, 253–272.
- [27] Joaquim Colás, Alan Tapscott, Valeria Righi, Ayman Moghnieh, and Josep Blat. 2017. Interaction and outcomes in collaborative storytelling systems: A framework, a field study, and a model. *Computer Supported Cooperative Work (CSCW)* 26 (2017), 627–662.
- [28] Collaborative for Academic, Social, and Emotional Learning. 2020. What is the CASEL Framework? <https://casel.org/fundamentals-of-sel/what-is-the-casel-framework/>
- [29] William Jay Conover. 1999. *Practical nonparametric statistics*. Vol. 350. John Wiley & Sons.
- [30] John W Creswell and J David Creswell. 2017. *Research design: Qualitative, quantitative, and mixed methods approaches*. Sage publications.
- [31] Ashlee Cunsolo Willox, Sherilee L Harper, Victoria L Edge, 'My Word': Storytelling, Digital Media Lab, and Rigolet Inuit Community Government. 2013. Storytelling in a digital age: digital storytelling as an emerging narrative method for preserving and promoting indigenous oral wisdom. *Qualitative Research* 13, 2 (2013), 127–147.
- [32] James Price Dillard and Lijiang Shen. 2005. On the nature of reactance and its role in persuasive health communication. *Communication monographs* 72, 2 (2005), 144–168.
- [33] David L DuBois, Bruce E Holloway, Jeffrey C Valentine, and Harris Cooper. 2002. Effectiveness of mentoring programs for youth: A meta-analytic review. *American journal of community psychology* 30, 2 (2002), 157–197.
- [34] Nicolas Ducheneaut, Nick Yee, Eric Nickell, and Robert J Moore. 2006. Building an MMO with mass appeal: A look at gameplay in World of Warcraft. *Games and Culture* 1, 4, 281–317.
- [35] Carol Dweck. 2015. Carol Dweck revisits the growth mindset. *Education week* 35, 5 (2015), 20–24.
- [36] Carol Dweck. 2016. What having a “growth mindset” actually means. *Harvard business review* 13, 2 (2016), 2–5.
- [37] Ramin Fallahzadeh, Samaneh Aminikhanghahi, Ashley Nichole Gibson, and Diane J Cook. 2016. Toward personalized and context-aware prompting for smartphone-based intervention. In *2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. IEEE, 6010–6013.
- [38] Min Fan, Xinyue Cui, Jing Hao, Renxuan Ye, Wanqing Ma, Xin Tong, and Meng Li. 2024. StoryPrompt: Exploring the Design Space of an AI-Empowered Creative Storytelling System for Elementary Children. In *Extended Abstracts of the 2024 CHI Conference on Human Factors in Computing Systems (CHI EA '24)*. Association for Computing Machinery, New York, NY, USA, Article 303, 8 pages. <https://doi.org/10.1145/3613905.3651118>
- [39] Andy Field. 2002. How to design and report experiments. (2002).
- [40] Kraig Finstad. 2010. Response interpolation and scale sensitivity: Evidence against 5-point scales. *Journal of usability studies* 5, 3 (2010), 104–110.
- [41] Laura S Foote. 2015. Re-storying life as a means of critical reflection: The power of narrative learning. *Christian higher education* 14, 3 (2015), 116–126.
- [42] Barbara Fresko, Lena Rubinstein Reich, Tina Eriksson Sjöö, and Carina Sild Lönröth. 2013. Developing narratives as a pedagogical approach to fostering professional interpersonal competences. *Studies in Educational Evaluation* 39, 4 (2013), 232–239.
- [43] Daniela Gachago, Jacqui Scheepers, and C Livingstone. 2021. Telling stories about stories: Towards ethical guidelines for HE in digital storytelling. *Challenging the “Apartheids” of knowledge in higher education social innovation* (2021), 225–248.
- [44] Timnit Gebru, Jamie Morgenstern, Briana Vecchione, Jennifer Wortman Vaughan, Hanna Wallach, Hal Daumé Iii, and Kate Crawford. 2021. Datasheets for datasets. *Commun. ACM* 64, 12 (2021), 86–92.
- [45] Maliheh Ghajargar, Jeffrey Bardzell, and Love Lagerkvist. 2022. A Redhead Walks into a Bar: Experiences of Writing Fiction with Artificial Intelligence. In *25th International Academic Mindtrek Conference* (Tampere, Finland) (*Academic Mindtrek 2022*). Association for Computing Machinery, New York, NY, USA, 230–241. <https://doi.org/10.1145/3569219.3569418>
- [46] Raymond W Gibbs Jr. 2011. Evaluating conceptual metaphor theory. *Discourse processes* 48, 8 (2011), 529–562.

- [47] Sophie Goldingay, Sarah Epstein, and Darci Taylor. 2018. Simulating social work practice online with digital storytelling: Challenges and opportunities. *Social work education* 37, 6 (2018), 790–803.
- [48] Ivor F Goodson, Gert Biesta, Michael Tedder, and Norma Adair. 2010. *Narrative learning*. Routledge.
- [49] Melanie C Green and Timothy C Brock. 2000. The role of transportation in the persuasiveness of public narratives. *Journal of personality and social psychology* 79, 5 (2000), 701.
- [50] Melanie C Green, Timothy C Brock, and Geoff F Kaufman. 2004. Understanding media enjoyment: The role of transportation into narrative worlds. *Communication theory* 14, 4 (2004), 311–327.
- [51] Qingyu Guo, Chuhan Shi, Zhuohao Yin, Chengzhong Liu, and Xiaojuan Ma. 2023. Exploring the Effects of Event-induced Sudden Influx of Newcomers to Online Pop Music Fandom Communities: Content, Interaction, and Engagement. *Proc. ACM Hum.-Comput. Interact.* 7, CSCW2, Article 272 (oct 2023), 24 pages. <https://doi.org/10.1145/3610063>
- [52] Leslie Morrison Gutman and Ingrid Schoon. 2013. The impact of non-cognitive skills on outcomes for young people. A literature review. (2013).
- [53] Ariel Han and Zhenyao Cai. 2023. Design implications of generative AI systems for visual storytelling for young learners. In *Proceedings of the 22nd Annual ACM Interaction Design and Children Conference* (Chicago, IL, USA) (IDC '23). Association for Computing Machinery, New York, NY, USA, 470–474. <https://doi.org/10.1145/3585088.3593867>
- [54] James J Heckman and Tim Kautz. 2012. Hard evidence on soft skills. *Labour economics* 19, 4 (2012), 451–464.
- [55] Leah Henrickson, William Jephcote, and Rhys Comissiong. 2022. Soft skills, stories, and self-reflection: Applied digital storytelling for self-branding. *Convergence* 28, 6 (2022), 1577–1597.
- [56] Richard H Hersh, Matt Bundick, Richard Keeling, Corey Keyes, Amy Kurpius, Richard Shavelson, Daniel Silverman, and Lynn Swaner. 2009. A well-rounded education for a flat world. *Educational leadership* 67, 1 (2009), 50–53.
- [57] Myles Hollander, Douglas A Wolfe, and Eric Chicken. 2013. *Nonparametric statistical methods*. John Wiley & Sons.
- [58] Karen Holtzblatt and Hugh Beyer. 1997. *Contextual design: defining customer-centered systems*. Elsevier.
- [59] Susan Jamieson. 2004. Likert scales: How to (ab) use them? *Medical education* 38, 12 (2004), 1217–1218.
- [60] Subbarao Kambhampati. 2019. Synthesizing Explainable Behavior for Human-AI Collaboration. In *Proceedings of the 18th International Conference on Autonomous Agents and MultiAgent Systems* (Montreal QC, Canada) (AAMAS '19). International Foundation for Autonomous Agents and Multiagent Systems, Richland, SC, 1–2.
- [61] Karl M Kapp. 2012. *The gamification of learning and instruction: game-based methods and strategies for training and education*. John Wiley & Sons.
- [62] Tim Kautz, James J Heckman, Ron Diris, Bas Ter Weel, and Lex Borghans. 2014. Fostering and measuring skills: Improving cognitive and non-cognitive skills to promote lifetime success. (2014).
- [63] Meera Komarraju, Steven J Karau, Ronald R Schmeck, and Alen Avdic. 2011. The Big Five personality traits, learning styles, and academic achievement. *Personality and individual differences* 51, 4 (2011), 472–477.
- [64] Wouter Kool, Joseph T McGuire, Zev B Rosen, and Matthew M Botvinick. 2010. Decision making and the avoidance of cognitive demand. *Journal of experimental psychology: general* 139, 4 (2010), 665.
- [65] Zoltán Kövecses. 2016. Conceptual metaphor theory. In *The Routledge handbook of metaphor and language*. Routledge, 31–45.
- [66] Kathy E Kram. 1988. *Mentoring at work: Developmental relationships in organizational life*. University Press of America.
- [67] Brenda Laurel. 2013. *Computers as theatre*. Addison-Wesley.
- [68] Yi-Chieh Lee, Naomi Yamashita, and Yun Huang. 2020. Designing a Chatbot as a Mediator for Promoting Deep Self-Disclosure to a Real Mental Health Professional. *Proc. ACM Hum.-Comput. Interact.* 4, CSCW1, Article 31 (may 2020), 27 pages. <https://doi.org/10.1145/3392836>
- [69] Yi-Chieh Lee, Naomi Yamashita, Yun Huang, and Wai Fu. 2020. "I Hear You, I Feel You": Encouraging Deep Self-Disclosure through a Chatbot. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (<conf-loc>, <city>Honolulu</city>, <state>HI</state>, <country>USA</country>, </conf-loc>) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3313831.3376175>
- [70] Caroline Lenette, Leonie Cox, and Mark Brough. 2015. Digital storytelling as a social work tool: Learning from ethnographic research with women from refugee backgrounds. *The British Journal of Social Work* 45, 3 (2015), 988–1005.
- [71] Joanne Leong. 2023. Using Generative AI to Cultivate Positive Emotions and Mindsets for Self-Development and Learning. *XRDS* 29, 3 (apr 2023), 52–56. <https://doi.org/10.1145/3589659>
- [72] Anna Leschanowsky, Silas Rech, Birgit Popp, and Tom Bäckström. 2024. Evaluating privacy, security, and trust perceptions in conversational AI: A systematic review. *Computers in Human Behavior* 159 (2024), 108344. <https://doi.org/10.1016/j.chb.2024.108344>
- [73] Henry M Levin. 2013. The utility and need for incorporating noncognitive skills into large-scale educational assessments. *The role of international large-scale assessments: Perspectives from technology, economy, and educational research* (2013), 67–86.

- [74] James R Lewis. 2018. The system usability scale: past, present, and future. *International Journal of Human-Computer Interaction* 34, 7 (2018), 577–590.
- [75] Jiawen Liu, Yuanyuan Yao, Pengcheng An, and Qi Wang. 2024. PeerGPT: Probing the Roles of LLM-based Peer Agents as Team Moderators and Participants in Children’s Collaborative Learning. In *Extended Abstracts of the 2024 CHI Conference on Human Factors in Computing Systems (CHI EA '24)*. Association for Computing Machinery, New York, NY, USA, Article 263, 6 pages. <https://doi.org/10.1145/3613905.3651008>
- [76] Shixia Liu, Yingcai Wu, Enxun Wei, Mengchen Liu, and Yang Liu. 2013. StoryFlow: Tracking the Evolution of Stories. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (2013), 2436–2445. <https://doi.org/10.1109/TVCG.2013.196>
- [77] Jennifer J Malin, Vera J Vine, Amelia Stanton, Kaitlin Cannava, Graham Bodie, and James W Pennebaker. 2014. The arc of narrative: Using language markers to identify stories. In *Poster presented at the annual meeting of the Society for Personality and Social Psychology, Austin, TX*.
- [78] Michael Mateas and Andrew Stern. 2005. Structuring content in the Façade interactive drama architecture. In *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, Vol. 1. 93–98.
- [79] Scott E Maxwell, Harold D Delaney, and Ken Kelley. 2017. *Designing experiments and analyzing data: A model comparison perspective*. Routledge.
- [80] Nora McDonald, Sarita Schoenebeck, and Andrea Forte. 2019. Reliability and inter-rater reliability in qualitative research: Norms and guidelines for CSCW and HCI practice. *Proceedings of the ACM on human-computer interaction* 3, CSCW (2019), 1–23.
- [81] Kelly McErlean. 2018. *Interactive narratives and transmedia storytelling: Creating immersive stories across new media platforms*. Taylor & Francis.
- [82] Patrick E McKnight and Julius Najab. 2010. Mann-Whitney U Test. *The Corsini encyclopedia of psychology* (2010), 1–1.
- [83] Philip H Mirvis. 1991. *Flow: The psychology of optimal experience*. JSTOR.
- [84] Margaret Mitchell, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru. 2019. Model cards for model reporting. In *Proceedings of the conference on fairness, accountability, and transparency*. 220–229.
- [85] Emily Moyer-Gusé. 2008. Toward a theory of entertainment persuasion: Explaining the persuasive effects of entertainment-education messages. *Communication theory* 18, 3 (2008), 407–425.
- [86] Elizabeth L. Murnane, Xin Jiang, Anna Kong, Michelle Park, Weili Shi, Connor Soohoo, Luke Vink, Iris Xia, Xin Yu, John Yang-Sammataro, Grace Young, Jenny Zhi, Paula Moya, and James A. Landay. 2020. Designing Ambient Narrative-Based Interfaces to Reflect and Motivate Physical Activity. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (Honolulu, HI, USA) (CHI '20)*. Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3313831.3376478>
- [87] Sheila T Murphy, Lauren B Frank, Meghan B Moran, and Paula Patnoe-Woodley. 2011. Involved, transported, or emotional? Exploring the determinants of change in knowledge, attitudes, and behavior in entertainment-education. *Journal of communication* 61, 3 (2011), 407–431.
- [88] Taleen Nalabandian and Molly E Ireland. 2019. Genre-typical narrative arcs in films are less appealing to lay audiences and professional film critics. *Behavior research methods* 51 (2019), 1636–1650.
- [89] Christopher M Napolitano, Madison N Sewell, Hee J Yoon, Christopher J Soto, and Brent W Roberts. 2021. Social, emotional, and behavioral skills: An integrative model of the skills associated with success during adolescence and across the life span. In *Frontiers in Education*, Vol. 6. Frontiers Media SA, 679561.
- [90] OECD. 2019. An OECD Learning Framework 2030. *The Future of Education and Labor* (2019), 23–35.
- [91] Michael Ogawa and Kwan-Liu Ma. 2010. Software Evolution Storylines. In *Proceedings of the 5th International Symposium on Software Visualization (Salt Lake City, Utah, USA) (SOFTVIS '10)*. Association for Computing Machinery, New York, NY, USA, 35–42. <https://doi.org/10.1145/1879211.1879219>
- [92] Julia Othlinghaus-Wulhorst and H Ulrich Hoppe. 2020. A technical and conceptual framework for serious role-playing games in the area of social skill training. *Frontiers in Computer Science* 2 (2020), 28.
- [93] M Pasupathi, C Wainryb, K Oldroyd, and S Bourne. 2019. Storied lessons: Learning from anger in childhood by narrating. *International journal of behavioral development* 43, 6 (2019), 553–562.
- [94] Celia Pearce. 2011. Communities of play: Emergent cultures in multiplayer games and virtual worlds. (2011).
- [95] Rebecca Pera, Giampaolo Viglia, and Roberto Furlan. 2016. Who am I? How compelling self-storytelling builds digital personal reputation. *Journal of Interactive Marketing* 35, 1 (2016), 44–55.
- [96] Brian L Quick and Michael T Stephenson. 2007. Further evidence that psychological reactance can be modeled as a combination of anger and negative cognitions. *Communication Research* 34, 3 (2007), 255–276.
- [97] Byron Reeves and Clifford Nass. 1996. The media equation: How people treat computers, television, and new media like real people. *Cambridge, UK* 10, 10 (1996).

- [98] Jean Rhodes, Ranjini Reddy, Jennifer Roffman, and Jean B Grossman. 2005. Promoting successful youth mentoring relationships: A preliminary screening questionnaire. *Journal of Primary Prevention* 26 (2005), 147–167.
- [99] Maryam Roshanaei, Hanna Olivares, and Rafael Rangel Lopez. 2023. Harnessing AI to foster equity in education: Opportunities, challenges, and emerging strategies. *Journal of Intelligent Learning Systems and Applications* 15, 04 (2023), 123–143.
- [100] John Rudnik, Sharadhi Raghuraj, Mingyi Li, and Robin N. Brewer. 2024. CareJournal: A Voice-Based Conversational Agent for Supporting Care Communications. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (*CHI '24*). Association for Computing Machinery, New York, NY, USA, Article 526, 22 pages. <https://doi.org/10.1145/3613904.3642163>
- [101] Johnny Saldaña. 2021. The coding manual for qualitative researchers. (2021).
- [102] Susan M Schembre, Yue Liao, Michael C Robertson, Genevieve Fridlund Dunton, Jacqueline Kerr, Meghan E Haffey, Taylor Burnett, Karen Basen-Engquist, and Rachel S Hicklen. 2018. Just-in-time feedback in diet and physical activity interventions: systematic review and practical design framework. *Journal of medical Internet research* 20, 3 (2018), e106.
- [103] Howard J Seltman. 2012. Experimental design and analysis.
- [104] Howard J Seltman. 2018. Experimental design and analysis. *Book is on the World Wide Web* (2018).
- [105] Omar Shaikh, Valentino Chai, Michele J Gelfand, Diyi Yang, and Michael S Bernstein. 2023. Rehearsal: Simulating conflict to teach conflict resolution. *arXiv preprint arXiv:2309.12309* (2023).
- [106] Chuhan Shi, Yicheng Hu, Shenan Wang, Shuai Ma, Chengbo Zheng, Xiaojuan Ma, and Qiong Luo. 2023. RetroLens: A Human-AI Collaborative System for Multi-step Retrosynthetic Route Planning. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (<conf-loc>, <city>Hamburg</city>, <country>Germany</country>, </conf-loc>) (*CHI '23*). Association for Computing Machinery, New York, NY, USA, Article 770, 20 pages. <https://doi.org/10.1145/3544548.3581469>
- [107] Michael D Slater and Donna Rouner. 2002. Entertainment—education and elaboration likelihood: Understanding the processing of narrative persuasion. *Communication theory* 12, 2 (2002), 173–191.
- [108] Najat Smeda, Eva Dakich, and Nalin Sharda. 2014. The effectiveness of digital storytelling in the classrooms: a comprehensive study. *Smart Learning Environments* 1 (2014), 1–21.
- [109] William E Smythe and Maureen J Murray. 2000. Owning the story: Ethical considerations in narrative research. *Ethics & behavior* 10, 4 (2000), 311–336.
- [110] Christopher J Soto and Oliver P John. 2017. The next Big Five Inventory (BFI-2): Developing and assessing a hierarchical model with 15 facets to enhance bandwidth, fidelity, and predictive power. *Journal of personality and social psychology* 113, 1 (2017), 117.
- [111] Yuqian Sun, Zhouyi Li, Ke Fang, Chang Hee Lee, and Ali Asadipour. 2023. Language as Reality: A Co-Creative Storytelling Game Experience in 1001 Nights Using Generative AI. In *Proceedings of the Nineteenth AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment* (Salt Lake City) (*AIIDE '23*). AAAI Press, Article 44, 10 pages. <https://doi.org/10.1609/aiide.v19i1.27539>
- [112] Yuqian Sun, Zhouyi Li, Ke Fang, Chang Hee Lee, and Ali Asadipour. 2023. Language as reality: a co-creative storytelling game experience in 1001 nights using generative AI. In *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, Vol. 19. 425–434.
- [113] John Sweller. 1988. Cognitive load during problem solving: Effects on learning. *Cognitive science* 12, 2 (1988), 257–285.
- [114] Maxim Sytch and Adam Tatarynowicz. 2014. Friends and foes: The dynamics of dual social structures. *Academy of Management Journal* 57, 2 (2014), 585–613.
- [115] Yilin Tang, Liuqing Chen, Ziyu Chen, Wenkai Chen, Yu Cai, Yao Du, Fan Yang, and Lingyun Sun. 2024. EmoEden: Applying Generative Artificial Intelligence to Emotional Learning for Children with High-Function Autism. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (*CHI '24*). Association for Computing Machinery, New York, NY, USA, Article 1001, 20 pages. <https://doi.org/10.1145/3613904.3642899>
- [116] Myrthe Tielman, Mark Neerincx, John-Jules Meyer, and Rosemarijn Looije. 2014. Adaptive emotional expression in robot-child interaction. In *Proceedings of the 2014 ACM/IEEE International Conference on Human-Robot Interaction* (Bielefeld, Germany) (*HRI '14*). Association for Computing Machinery, New York, NY, USA, 407–414. <https://doi.org/10.1145/2559636.2559663>
- [117] Noam Tractinsky. 2018. The usability construct: a dead end? *Human-Computer Interaction* 33, 2 (2018), 131–177.
- [118] Nicholas Sloss Treyner and Joshua McCoy. 2024. College Ruled: A Pathfinding Approach to Generative Storytelling. In *Proceedings of the 19th International Conference on the Foundations of Digital Games* (Worcester, MA, USA) (*FDG '24*). Association for Computing Machinery, New York, NY, USA, Article 15, 10 pages. <https://doi.org/10.1145/3649921.3649994>
- [119] Roy M Turner. 1998. Context-mediated behavior for intelligent agents. *International Journal of Human-Computer Studies* 48, 3 (1998), 307–330.

- [120] Ali Uslu and Nilüfer Atman Uslu. 2021. Improving primary school students' creative writing and social-emotional learning skills through collaborative digital storytelling. *Acta Educationis Generalis* 11, 2 (2021), 1–18.
- [121] Tom Van Laer, Ko De Ruyter, Luca M Visconti, and Martin Wetzels. 2014. The extended transportation-imagery model: A meta-analysis of the antecedents and consequences of consumers' narrative transportation. *Journal of Consumer research* 40, 5 (2014), 797–817.
- [122] Qiaosi Wang, Ida Camacho, Shan Jing, and Ashok K. Goel. 2022. Understanding the Design Space of AI-Mediated Social Interaction in Online Learning: Challenges and Opportunities. *Proc. ACM Hum.-Comput. Interact.* 6, CSCW1, Article 130 (apr 2022), 26 pages. <https://doi.org/10.1145/3512977>
- [123] Yi Wang, Qian Zhou, and David Ledo. 2024. StoryVerse: Towards Co-authoring Dynamic Plot with LLM-based Character Simulation via Narrative Planning. In *Proceedings of the 19th International Conference on the Foundations of Digital Games*. 1–4.
- [124] Zhilin Wang, Yu Ying Chiu, and Yu Cheung Chiu. 2023. Humanoid agents: Platform for simulating human-like generative agents. *arXiv preprint arXiv:2310.05418* (2023).
- [125] Laura Weidinger, John Mellor, Maribeth Rauh, Conor Griffin, Jonathan Uesato, Po-Sen Huang, Myra Cheng, Mia Glaese, Borja Balle, Atoosa Kasirzadeh, et al. 2021. Ethical and social risks of harm from language models. *arXiv preprint arXiv:2112.04359* (2021).
- [126] Lauren Wilcox, Robin Brewer, and Fernando Diaz. 2023. AI Consent Futures: A Case Study on Voice Data Collection with Clinicians. *Proc. ACM Hum.-Comput. Interact.* 7, CSCW2, Article 316 (oct 2023), 30 pages. <https://doi.org/10.1145/3610107>
- [127] Robert F Woolson. 2005. Wilcoxon signed-rank test. *Encyclopedia of Biostatistics* 8 (2005).
- [128] Zihan Yan, Chunxu Yang, Qihao Liang, and Xiang 'Anthony' Chen. 2023. XCreation: A Graph-Based Crossmodal Generative Creativity Support Tool. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology* (San Francisco, CA, USA) (UIST '23). Association for Computing Machinery, New York, NY, USA, Article 48, 15 pages. <https://doi.org/10.1145/3586183.3606826>
- [129] Diyi Yang, Robert E Kraut, Tenbroeck Smith, Elijah Mayfield, and Dan Jurafsky. 2019. Seekers, providers, welcomers, and storytellers: Modeling social roles in online health communities. In *Proceedings of the 2019 CHI conference on human factors in computing systems*. 1–14.
- [130] Diyi Yang, Caleb Ziems, William Held, Omar Shaikh, Michael S. Bernstein, and John Mitchell. 2024. Social Skill Training with Large Language Models. *arXiv:2404.04204*
- [131] Pengcheng Yang, Fuli Luo, Peng Chen, Lei Li, Zhiyi Yin, Xiaodong He, and Xu Sun. 2019. Knowledgeable Storyteller: A Commonsense-Driven Generative Model for Visual Storytelling.. In *IJCAI*. 5356–5362.
- [132] Michael F Young, Stephen T Slota, Roger Travis, and Beomkyu Choi. 2015. Game narrative, interactive fiction, and storytelling: Creating a “time for telling” in the classroom. In *Video games and creativity*. Elsevier, 199–222.
- [133] Ann Yuan, Andy Coenen, Emily Reif, and Daphne Ippolito. 2022. Wordcraft: story writing with large language models. In *27th International Conference on Intelligent User Interfaces*. 841–852.
- [134] Nicholas B. Zeman. 2017. *Storytelling for Interactive Digital Media and Video Games* (1st ed.). A. K. Peters, Ltd., USA.
- [135] Chao Zhang, Xuechen Liu, Katherine Ziska, Soobin Jeon, Chi-Lin Yu, and Ying Xu. 2024. Mathemyths: Leveraging Large Language Models to Teach Mathematical Language through Child-AI Co-Creative Storytelling. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 274, 23 pages. <https://doi.org/10.1145/3613904.3642647>
- [136] Zoie Zhao, Sophie Song, Bridget Duah, Jamie Macbeth, Scott Carter, Monica P Van, Nayeli Suseth Bravo, Matthew Klenk, Kate Sick, and Alexandre L. S. Filipowicz. 2023. More Human than Human: LLM-Generated Narratives Outperform Human-LLM Interleaved Narratives. In *Proceedings of the 15th Conference on Creativity and Cognition* (Virtual Event, USA) (C&C '23). Association for Computing Machinery, New York, NY, USA, 368–370. <https://doi.org/10.1145/3591196.3596612>
- [137] Bianca Zickerick, Sven Thönes, S Oliver Kobald, Edmund Wascher, Daniel Schneider, and Kristina Küper. 2020. Differential effects of interruptions and distractions on working memory processes in an ERP study. *Frontiers in Human Neuroscience* 14 (2020), 84.
- [138] Caleb Ziems, Jane Dwivedi-Yu, Yi-Chia Wang, Alon Halevy, and Diyi Yang. 2023. NormBank: A Knowledge Bank of Situational Social Norms. *arXiv preprint arXiv:2305.17008* (2023).
- [139] Joseph E Zins, Michelle R Bloodworth, Robert P Weissberg, Herbert J Walberg, et al. 2004. The scientific base linking social and emotional learning to school success. *Building academic success on social and emotional learning: What does the research say* 3 (2004), 22.
- [140] Rolf A Zwaan, Mark C Langston, and Arthur C Graesser. 1995. The construction of situation models in narrative comprehension: An event-indexing model. *Psychological science* 6, 5 (1995), 292–297.

A APPENDIX

A.1 JSON Schemas for Prompt Response

The JSON response schema provides several benefits. It eases response parsing by eliminating the need for custom functions and reduces parsing errors, as responses are in a consistent format. For instance, generating character data for a story plot, including plot, keywords, names, personalities, descriptions, and social media posts, sees error rates drop from about 80% with plain text to under 5% with JSON.

```

1 {
2     keywords: "forgiveness, unexpected friendships, vibrant backdrop",
3     story: "You have been in Mumbai for several years now, working as a doctor in
4     the slums and trying to make amends for your past. One day, you receive a
5     call from an old friend, Raj, who is in trouble with the mafia. He begs for
6     your help, knowing that you have connections. As you weigh your options, you
7     reflect on the unexpected friendships you have made and the vibrant backdrop
8     of Mumbai.",
9     question: "Will you help your friend Raj?",
10    option_1: "I can't risk getting involved with the mafia again.",
11    option_2: "I owe it to Raj to help him out of this situation.",
12    option_3: "I'll try to find a safer way to assist Raj without directly
13    involving myself with the mafia."
14 }
```

A.2 Prompts for LLMs

A.2.1 Prompts for Story Generation. Prompts were crafted for *SimuLife++*'s scalability, focusing on: (1) adding new story scripts, and (2) multiple plot experiences within a script. Templates are customized with script metadata upon selection. For script events like decision-making or chats, relevant templates are populated with metadata and sent to "gpt-3.5-turbo." Take "Shantaram" for example.

```

1 {
2     username = "Lin"
3     script_name="Shantaram"
4     character_list = [
5     {
6         name: "Lin",
7         description: "The protagonist, an escaped Australian convict seeking
8         redemption in the
9         slums of Mumbai.",
10        url: "/shantaram/ch_lin.png",
11    },
12    ]
13 }
```

The "wrap_prompt_head" template configures "gpt-3.5-turbo" for story generation in role-playing games. It prefixes user prompts with instructions, defining the model's role as a creative assistant for generating random follow-up stories.

```

1 def wrap_prompt_head(prompt):
2     return "You are a story generator for a role-playing game. The user plays the
3     main character, and you create random follow-up stories, to help the user
4     experience the entire narrative. This is the story of the user: " + prompt
```

The "ask_story" function generates a continuation of a story. It takes a username and instructs the model to generate a story's next part, incorporating 3 to 5 relevant keywords within 70 words,

in the second person perspective. The output is in JSON format, ensuring structured, consistent, and brief content.

```

1 def ask_story(username):
2     return """Using the preceding story, generate the next storyline with 3 to 5
3     story-relevant keywords in 70 words in the second person's view. Present the
4     outcome in JSON format with the following structure:
5
6     Desired format:
7     {{
8         keywords: <comma_separated_list_of_key_words>
9         story:
10    }}""" .format(username=username)

```

A.2.2 Prompts for Decision Making and Story Continuation. The "ask_options" function creates decision-making elements in interactive stories. It generates a new story segment, up to 70 words, with 3 to 5 keywords, from the second person's view, upon receiving a "username". It uniquely offers the user three choices, each under 30 words. The narrative, keywords, and options are formatted in JSON, enhancing user engagement and providing a clear structure for interactive storytelling.

```

1 def ask_options(username):
2     return """Using the preceding story, generate the next storyline with 3 to 5
3     story-relevant keywords in 70 words in the second person's view. Include
4     decision-making choices for {username} with three options, each not exceeding
5     30 words. Present the results in JSON format as follows:
6
7     Desired format:
8     {{
9         keywords: <comma_separated_list_of_key_words>
10        story:
11        question:
12        option_1:
13        option_2:
14        option_3:
15    }}""" .format(username=username)

```

The "continue_options" function processes user decisions in storylines. It requires a "username" and "choice" (the user's decision). Its main function is to guide the model in advancing the story based on the user's selected path indicated by "choice".

```

1 def continue_options(username, choice):
2     return """{username} made his choice as: {choice}. Generate the next
3     storyline with 3 to 5 story-relevant keywords in 70 words based on
4     {username}'s choice in the second person's view. Present the outcome in JSON
5     format with the following structure:
6
7     Desired format:
8     {{
9         keywords: <comma_separated_list_of_key_words>
10        story:
11    }}""" .format(username=username, choice=choice)

```

A.2.3 Prompts for Characters and Conversation. The "ask_character" function enriches interactive storytelling by adding a new character. Taking "username" as input, it continues the story with 3 to 5 keywords in a 70-word, second-person segment. It focuses on character introduction and

development, requiring the model to create three social media posts that showcase the character's personality. Outputs, including story, character details, and posts, are formatted in structured JSON.

```

1 def ask_character(username):
2     return """Using the preceding story, generate the next storyline with 3 to 5
3     story-relevant keywords in 70 words in the second person's view. Include a
4     character that {username} is going to converse with. Define the relationship
5     between this character and {username} and provide the character's first
6     sentence he/she said to {username}. Additionally, create three social media
7     posts for the characters to reveal their personality. Present the results in
8     JSON format as specified:
9
10    Desired format:
11    {{
12    keywords: <comma_separated_list_of_key_words>
13    story:
14    character_name:
15    character_description:
16    character_personality:
17    relationship:
18    first_sentence:
19    post_1: %content%
20    post_2: %content%
21    post_3: %content%
22    }}"""
23     .format(username=username)

```

This prompt configures the "gpt-3.5-turbo" API for individual chat settings. It generates a scene-setting string for a role-playing conversation between the user and an AI agent, using a multi-line string defined with triple quotes.

```

1 def get_chat_background(username, character_name, personality, prompt):
2     return """You are a role-playing agent. Now you should play the character:
3     {character_name}. The user will be: {username}. Your job is to have a
4     conversation with {username} as if you are the {character_name} in the
5     following story. This is your personality {personality}. Your response should
6     be less than 30 words. The following is the story background of how
7     {username} meet {character_name} in {username}'s view:
8
9     Background Story:
10    {prompt}"""
11     .format(username = username, character_name=character_name,
12     personality=personality, prompt=prompt)

```

The "end_conversation" function in the "gpt-3.5-turbo" toolkit concludes user-character interactions in story environments. It takes "messages", "character_name", and "username" to format the dialogue within the story context.

```

1 def end_conversation(messages, character_name, username):
2     return """This is the conversation {username} had with the character:
3     {conversation}. Using the preceding story and conversation, generate the next
4     storyline with 3 to 5 story-relevant keywords in 70 words in the second
5     person's view. Present the outcome in JSON format with the following
6     structure:
7
8     Desired format:
9     {{
10    keywords: <comma_separated_list_of_key_words>
11    story:

```

```

8         }}""".format(username=username,
          conversation=str([PromptTemplate.map_messages(message,
9             character_name, username) for message in messages[1:]])

```

The "ask_groupchat" function for "gpt-3.5-turbo" creates multi-character dialogues in stories. It takes "username" as input and forms a group conversation with 3 to 5 characters, each having a defined relationship to "username". The function requires brief descriptions (up to 30 words) of each character's personality traits.

```

1 def ask_groupchat(username):
2     return """Using the preceding story, generate the next storyline with 3 to 5
3     story-relevant keywords in 70 words in the second person's view. Include a
4     group conversation involving 3 to 5 characters for {username} to converse
5     with and specify each character's relationship to {username}. Exclude
6     {username} from the list. For each character, provide a brief 30-word
7     description and personality traits. Also, include a first sentence for the
8     conversation, spoken by a character other than {username}. Present the
9     results in JSON format as follows:
10
11     Example format:
12     {{
13         keywords: <comma_separated_list_of_key_words>
14         story:
15         character_list:
16             [{"character_name":"Ron", "relationship":"friend to Harry",
17             description:"A
18             young good man", "personality":"humorous"}],
19             [{"character_name":"Hermione", "relationship":"friend to Harry",
20             description:
21             "A smart wizard", "personality":"warm, nice"}],
22         ]
23         first_sentence: {"speaker":"Ron", "content":"Hi, Harry"}}
24     }}""".format(username = username)

```

The "get_groupchat_bg" function in the "gpt-3.5-turbo" toolkit generates elements like "username", "script", "character_list", "messages", and "chat_background".

```

1 def get_groupchat_bg(username, script, character_list, messages,
2     chat_background):
3     return """You are an AI conversation agent facilitating a role-play scenario.
4     The user, referred to as '{username}', is part of a narrative outlined in
5     '{script}'. They interact with various characters listed here:
6     '{character_list}'. Based on the existing dialogue '{messages}' and the
7     context provided by '{chat_background}', continue the conversation by
8     generating responses for at least one character from the list. Note that you
9     are not creating responses for '{username}'. Format the AI-generated
10    character responses in JSON, following this example structure:
11
12    Example format:
13    {{
14        conversations:
15        [
16            [{"speaker":"Ron", "content":"Hi, Harry. This is Hermione."}],
17            [{"speaker":"Hermione", "content":"Nice to meet you,
18            Harry."}],
19        ]
20    }}

```

```

11     }}"".format(username = username, script=script,
12     character_list=str(character_list),
        messages=str(messages), chat_background=chat_background)

```

The "end_groupchat" function continues story generation after a user's group chat, basing the next plot on the conversation's content.

```

1 def end_groupchat(messages, username):
2     return """This is the group conversation {username} had with the characters
3     in the story: {conversation}. Using the preceding story and conversation,
4     generate the next storyline with 3 to 5 story-relevant keywords in 70 words
5     in the second person's view. Present the outcome in JSON format with the
6     following structure:
7
8     Desired format:
9     {{
10        keywords: <comma_separated_list_of_key_words>
11        story:
12    }}"".format(username=username, conversation=str(messages))

```

A.2.4 Prompts for Sage Agent. To provide users with a sage agent to give comments on users' actions, we use "gpt-3.5-turbo" to generate comments in a given sage's tone. The following setting will be combined with stories or user input to generate a response.

```

1 def get_sage_settings(widget_name):
2     return """Your task is to write a comment in 30 tokens for user input to
3     help users reflect on their non-cognitive skills in decision-making or
4     dialogue while aiding in the development of these abilities. It would be
5     ideal to also make users aware of which non-cognitive skill needs to be
6     enhanced. You should write in the tone of {widget_name}.
7     """.format(widget_name=widget_name)

```

A.2.5 Summarization. To manage the input length limit, we use a summarization technique. After generating enough story plots or reaching a length limit, we request "gpt-3.5-turbo" to summarize the oldest plots. Here's the summarization function:

```

1 {
2 def summarize_prompt(prompt):
3     return "Summarize the story in 150 words: " + prompt
4 }

```