

---

# Vidu: a Highly Consistent, Dynamic and Skilled Text-to-Video Generator with Diffusion Models

---

Fan Bao<sup>†1,2</sup> Chendong Xiang<sup>\*1,2</sup> Gang Yue<sup>\*2</sup> Guande He<sup>\*1,2</sup> Hongzhou Zhu<sup>\*1,2</sup>  
Kaiwen Zheng<sup>\*1,2</sup> Min Zhao<sup>\*1,2</sup> Shilong Liu<sup>\*1,2</sup> Yaole Wang<sup>\*2</sup> Jun Zhu<sup>‡1,2</sup>  
<sup>†</sup> bf19@mails.tsinghua.edu.cn; <sup>‡</sup> dcszj@tsinghua.edu.cn  
<sup>1</sup>Tsinghua University <sup>2</sup>ShengShu  
<https://www.shengshu-ai.com/vidu>

## Abstract

We introduce Vidu, a high-performance text-to-video generator that is capable of producing 1080p videos up to 16 seconds in a single generation. Vidu is a diffusion model with U-ViT as its backbone, which unlocks the scalability and the capability for handling long videos. Vidu exhibits strong coherence and dynamism, and is capable of generating both realistic and imaginative videos, as well as understanding some professional photography techniques, on par with Sora – the most powerful reported text-to-video generator. Finally, we perform initial experiments on other controllable video generation, including canny-to-video generation, video prediction and subject-driven generation, which demonstrate promising results.

## 1 Introduction

Diffusion models have obtained breakthrough progress on generating high-quality images, videos and other types of data, outperforming alternative approaches like auto-regressive networks. Previously, video generation models primarily relied on diffusion models [13, 9, 14] with the U-Net backbone [11], and focused on a single limited duration like 4 seconds [8, 5, 7, 4]. Our model, Vidu, demonstrates that a text-to-video diffusion model with U-ViT [1, 2] as its backbone can break this duration limitation by leveraging the scalability and the long sequence modeling ability of a transformer [15]. Vidu is capable of producing 1080p videos up to 16 seconds in a single generation, as well as images as videos of a single frame.

Additionally, Vidu exhibits strong coherence and dynamism, and is capable of generating both realistic and imaginative videos. Vidu also has a preliminary understanding of some professional photography techniques, such as transitions, camera movements, lighting effects and emotional portrayal. We observe that to some extent, the generation performance of Vidu is comparable with that of Sora [6], which is currently the most powerful text-to-video generator, much better than the other text-to-video generators. Finally, we perform initial experiments on other controllable video generation, including canny-to-video generation [16], video prediction and subject-driven generation [12]. All of them demonstrate promising results.

## 2 Text-to-Video Generation

Vidu firstly employs a video autoencoder [10] to reduce both the spatial and temporal dimensions of videos for efficient training and inference. After that, Vidu employs a U-ViT [1] as the noise prediction network to model these compressed representations. Specifically, as shown in Figure 1, U-ViT splits the compressed videos into 3D patches, treats all inputs including the time, text condition

---

<sup>\*</sup>Second authors listed alphabetically. <sup>‡</sup>The corresponding author.




Figure 1: The U-ViT architecture for predicting the noise in videos.

and noisy 3D patches as tokens, and employs long skip connections between shallow and deep layers in a transformer. By leveraging the ability of transformers to process variable-length sequences, Vidu can handle videos with variable durations.


Vidu is trained on vast amount of text-video pairs, and it is infeasible to have all videos labeled by humans. To address it, we firstly train a high-performance video captioner optimized for understanding dynamic information in videos, and then automatically annotate all the training videos using this captioner. During inference, we apply the re-captioning technique [3] to rephrase user inputs into a form that is more suitable for the model.

## 2.1 Generating Videos of Different Lengths

Since Vidu is trained on videos of various lengths, it can generate 1080p videos of all lengths up to 16 seconds, including images as videos of a single frame. We present examples in Figure 2.



(a) 16 seconds. Prompt: A person clad in a space suit with a helmet and equipped with a chest light and arm device is seen closely examining and interacting with a variety of plants in a lush, indoor botanical setting.



(b) 8 seconds. Prompt: A desolate lunar landscape with craters and a large moon in the sky transitions to a warmly lit interior of a spacecraft-like structure where a group of people are engaged in various activities.



(c) Image. Prompt: An exquisite silverware piece, aesthetically adorned with intricate patterns and scenes, exhibits the detailed artisanship and metallic sheen.



(d) Image. Prompt: Under the veil of nightfall, a rose reveals its subtle, exquisite beauty in the gentle moonlight.

Figure 2: Vidu can generate videos of all lengths up to 16 seconds, including images.

## 2.2 3D Consistency

The video generated by Vidu exhibits strong 3D consistency. As the camera rotates, the video presents projections of the same object from different angles. For instance, as shown in Figure 3, the hair of the generated cat naturally occludes as the camera rotates.



(a) Prompt: This portrait depicts an orange cat with blue eyes, slowly rotating, inspired by Vermeer's 'Girl with a Pearl Earring'. The cat is adorned with pearl earrings and has brown fur styled like a Dutch cap against a black background, illuminated by studio lighting.



(b) Prompt: In a studio, there is a painting depicting a ship sailing through the rough sea.



(c) Prompt: A red car is stuck in the snow, with the entire vehicle emitting green light and red signal lights flashing on the back. The camera slowly pans around the car.


Figure 3: 3D consistency of Vidu.

### 2.3 Generating Cuts

Vidu is capable of generating videos incorporating cuts. As shown in Figure 4, these videos present different perspectives of the same scene by switching camera angles, while maintaining consistency of subjects in the scene.



(a) Prompt: A sculptor is intently working on a clay bust, meticulously refining its facial features with precise hand movements.




(b) Prompt: Churning ocean waves at night with a lighthouse on the coast create an intense and somewhat foreboding atmosphere. The scene is set under an overcast sky, with the ocean's dark waters illuminated by natural light, highlighting the white foam of the waves.

Figure 4: Vidu is capable of generating videos with cuts.

## 2.4 Generating Transitions

Vidu is capable of producing videos with transitions in a single generation. As shown in Figure 5, these transitions can connect two different scenes in an engaging manner.



(a) Prompt: An elderly man with glasses, dressed in formal attire, is deeply engrossed in examining a large, ornate pocket watch. As the video progresses, there is a cinematic transition to a fantastical mechanical cityscape, viewed through the openwork of the watch. This shift evokes a sense of wonder and transports the viewer into a steampunk-inspired world where buildings and structures are made of metal and gears.



(b) Prompt: A person holding a dessert with a fluffy layer of whipped cream elegantly drizzled with smooth chocolate sauce. As a dollop of cream falls, a mini polar bear appears, with floating icebergs nearby, set against a serene blue backdrop.

Figure 5: Vidu is capable of generating videos with transitions.

## 2.5 Camera Movements

Camera movements involve the physical adjustments or movements of a camera during filming, enhancing visual narrative and conveying various perspectives and emotions within scenes. Vidu learned these techniques from the data, enhancing the visual experience of viewers. For instance, as shown in Figure 6, Vidu is capable of generating videos with camera movements including zoom, pan and dolly.



(a) Zoom. Prompt: A large sailing ship sails slowly through the fog.



(b) Pan. Prompt: An elderly man with a white beard is seated in a room filled with wooden bookshelves, brimming with old books. He is dressed in a dark suit and tie, and he is engrossed in reading a large book. The room is bathed in the warm glow of sunlight streaming through a window, creating a serene and contemplative atmosphere.




(c) Dolly. Prompt: An animated hedgehog with distinctive spiky hair and large eyes is seen exploring a lush, grassy environment.

Figure 6: Camera movements generated by Vidu.

## 2.6 Lighting Effects

Vidu is capable of generating videos with impressive lighting effects, which help enhance the overall atmosphere. For example, as shown in Figure 7, the generated videos can evoke atmospheres of mystery and tranquility. Therefore, besides the entities within the video content, Vidu has the preliminary ability to convey some abstract feelings.



(a) Prompt: A man wearing a hat and a dark suit walks from the corridor towards the room. The lighting casts a bluish tint over the scene, creating a suspenseful atmosphere.



(b) Prompt: A rustic wooden cabin nestles by the shore of a clear, sunlit lake, surrounded by verdant trees and mountains. The water is calm, reflecting the sky above, with a few clouds scattered across it. Sailboats and kayaks are moored on the lake, inviting leisure and tranquility.

Figure 7: Lighting effects generated by Vidu.

## 2.7 Emotional Portrayal

Vidu is able to depict characters' emotions effectively. For example, as shown in Figure 8, Vidu can express emotions such as happiness, loneliness, embarrassment, and joy.



(a) Prompt: A man and a woman are sharing a close and affectionate interaction in an indoor setting that suggests a romantic ambiance.



(b) Prompt: An elderly woman with white hair and a lined face is seated inside an older model car, looking out through the side window with a contemplative or mildly sad expression.



(c) Prompt: A couple about to get divorced sat awkwardly in the waiting room.




(d) Prompt: Audience members in a theater are captured in a series of medium shots, with a young man and woman in formal attire centrally positioned and illuminated by a spotlight effect.

Figure 8: Emotional portrayal of Vidu.

## 2.8 Imaginative Ability


In addition to generating real-world scenes, Vidu also possesses a rich imagination. As shown in Figure 9, Vidu is able to generate scenes that do not exist in the real world.



(a) Prompt: A painting of a boat on water comes to life, with waves crashing and the boat becoming submerged.



(b) Prompt: An animated rabbit in a playful pink snowboarding outfit is carving its way down a snowy mountain slope under a clear blue sky.




(c) Prompt: A model train with a blue engine is seen traveling through a meticulously crafted miniature landscape. The train is pulling several red and cream-colored passenger cars along a track that winds through a rural or suburban setting with small-scale houses, verdant trees, and miniature waterfalls.


Figure 9: Imaginative ability of Vidu.

## 2.9 Comparison with Sora

Sora [6] is currently the most powerful text-to-video generator, capable of producing high-definition videos with high consistency. However, as Sora is not publicly accessible, we compare them by inserting the example prompts released by Sora directly to Vidu. Figure 10 and Figure 11 illustrate the comparison between Vidu and Sora, indicating that to some extent, the generation performance of Vidu is comparable to Sora.



(a) Sora



(b) Vidu

Figure 10: Prompt: The camera rotates around a large stack of vintage televisions all showing different programs — 1950s sci-fi movies, horror movies, news, static, a 1970s sitcom, etc, set inside a large New York museum gallery.



(a) Sora



(b) Vidu


Figure 11: Prompt: The camera follows behind a white vintage SUV with a black roof rack as it speeds up a steep dirt road surrounded by pine trees on a steep mountain slope, dust kicks up from its tires, the sunlight shines on the SUV as it speeds along the dirt road, casting a warm glow over the scene. The dirt road curves gently into the distance, with no other cars or vehicles in sight. The trees on either side of the road are redwoods, with patches of greenery scattered throughout. The car is seen from the rear following the curve with ease, making it seem as if it is on a rugged drive through the rugged terrain. The dirt road itself is surrounded by steep hills and mountains, with a clear blue sky above with wispy clouds.

### 3 Other Controllable Video Generation

We also perform several initial experiments at 512 resolution on other controllable video generation, including canny-to-video generation [16], video prediction, and subject-driven generation [12]. All of them demonstrate promising results.

#### 3.1 Canny-to-Video Generation

Vidu can add additional control by using techniques similar to ControlNet [16], as shown in Figure 12.



(a) Input canny.



(b) Prompt: During the day, a white car drove towards me and splashed water as it passed by a pond, realistic visual style.



(c) Prompt: During the day, a red car drove towards me and splashed water as it passed by a pond, realistic visual style.




(d) Prompt: During the day, a white car drove towards me and splashed water as it passed by a pond, anime style.


Figure 12: Canny-to-video generation examples of Vidu.

### 3.2 Video Prediction

As shown in Figure 13, Vidu can generate subsequent frames, given an input image, or several input frames (marked with red boxes).



(a) Prompt: A pink chrysanthemum flower with intricate petals is the focal point, resting on a wooden surface in an indoor setting.



(b) Prompt: A serene mountainous landscape bathed in the warm glow of sunset or twilight, with snow-capped peaks rising above the green vegetation-covered slopes. A calm body of water rests in the foreground, reflecting the sky above, which is dotted with clouds tinged with pink and orange hues.

Figure 13: Video prediction examples of Vidu.

### 3.3 Subject-Driven Generation

We surprisingly find that Vidu can perform subject-driven video generation by finetuning solely on images without videos. For example, we use the DreamBooth [12] technique to designate the learned subject as a special symbol  $\langle V \rangle$  for finetuning. As shown in Figure 14, the generated videos faithfully recreates the learned subject.



(a) Input images.



(b) Prompt: A  $\langle V \rangle$  dog lies on the ground and then goes to eat from the bowl.



(c) Prompt: A  $\langle V \rangle$  dog bit his tail happily and shakes his head.

Figure 14: Subject-driven generation examples of Vidu.

## 4 Conclusion

We present Vidu, a high-definition text-to-video generator that demonstrates strong abilities in various aspects, including duration, coherence, and dynamism of the generated videos, on par with Sora. In the future, Vidu still has room for improvement. For instance, there are occasional flaws in details, and interactions between different subjects in the video sometimes deviate from physical laws. We believe that these issues can be effectively addressed by further scaling Vidu.

## 5 Acknowledgements

We appreciate the support of the data team and the product team for the project at Shengshu. This work was partly supported by NSFC Projects (Nos. 62061136001, 62106123, 61972224), Tsinghua Institute for Guo Qiang, and the High Performance Computing Center, Tsinghua University. J.Z is also supported by the XPlorer Prize.

## References

- [1] Fan Bao, Shen Nie, Kaiwen Xue, Yue Cao, Chongxuan Li, Hang Su, and Jun Zhu. All are worth words: A vit backbone for diffusion models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 22669–22679, 2023.
- [2] Fan Bao, Shen Nie, Kaiwen Xue, Chongxuan Li, Shi Pu, Yaole Wang, Gang Yue, Yue Cao, Hang Su, and Jun Zhu. One transformer fits all distributions in multi-modal diffusion at scale. In *International Conference on Machine Learning*, pages 1692–1717. PMLR, 2023.
- [3] James Betker, Gabriel Goh, Li Jing, Tim Brooks, Jianfeng Wang, Linjie Li, Long Ouyang, Juntang Zhuang, Joyce Lee, Yufei Guo, et al. Improving image generation with better captions. *Computer Science*. <https://cdn.openai.com/papers/dall-e-3.pdf>, 2(3):8, 2023.
- [4] Andreas Blattmann, Tim Dockhorn, Sumith Kulal, Daniel Mendelevitch, Maciej Kilian, Dominik Lorenz, Yam Levi, Zion English, Vikram Voleti, Adam Letts, et al. Stable video diffusion: Scaling latent video diffusion models to large datasets. *arXiv preprint arXiv:2311.15127*, 2023.
- [5] Andreas Blattmann, Robin Rombach, Huan Ling, Tim Dockhorn, Seung Wook Kim, Sanja Fidler, and Karsten Kreis. Align your latents: High-resolution video synthesis with latent diffusion models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 22563–22575, 2023.
- [6] Tim Brooks, Bill Peebles, Connor Holmes, Will DePue, Yufei Guo, Li Jing, David Schnurr, Joe Taylor, Troy Luhman, Eric Luhman, Clarence Ng, Ricky Wang, and Aditya Ramesh. Video generation models as world simulators. 2024.
- [7] Rohit Girdhar, Mannat Singh, Andrew Brown, Quentin Duval, Samaneh Azadi, Sai Saketh Rambhatla, Akbar Shah, Xi Yin, Devi Parikh, and Ishan Misra. Emu video: Factorizing text-to-video generation by explicit image conditioning. *arXiv preprint arXiv:2311.10709*, 2023.
- [8] Jonathan Ho, William Chan, Chitwan Saharia, Jay Whang, Ruiqi Gao, Alexey Gritsenko, Diederik P Kingma, Ben Poole, Mohammad Norouzi, David J Fleet, et al. Imagen video: High definition video generation with diffusion models. *arXiv preprint arXiv:2210.02303*, 2022.
- [9] Jonathan Ho, Ajay Jain, and Pieter Abbeel. Denoising diffusion probabilistic models. *Advances in neural information processing systems*, 33:6840–6851, 2020.
- [10] Diederik P Kingma and Max Welling. Auto-encoding variational bayes. *arXiv preprint arXiv:1312.6114*, 2013.
- [11] Olaf Ronneberger, Philipp Fischer, and Thomas Brox. U-net: Convolutional networks for biomedical image segmentation. In *Medical image computing and computer-assisted intervention—MICCAI 2015: 18th international conference, Munich, Germany, October 5-9, 2015, proceedings, part III 18*, pages 234–241. Springer, 2015.

- [12] Nataniel Ruiz, Yuanzhen Li, Varun Jampani, Yael Pritch, Michael Rubinstein, and Kfir Aberman. Dreambooth: Fine tuning text-to-image diffusion models for subject-driven generation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 22500–22510, 2023.
- [13] Jascha Sohl-Dickstein, Eric Weiss, Niru Maheswaranathan, and Surya Ganguli. Deep unsupervised learning using nonequilibrium thermodynamics. In *International conference on machine learning*, pages 2256–2265. PMLR, 2015.
- [14] Yang Song, Jascha Sohl-Dickstein, Diederik P Kingma, Abhishek Kumar, Stefano Ermon, and Ben Poole. Score-based generative modeling through stochastic differential equations. *arXiv preprint arXiv:2011.13456*, 2020.
- [15] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. *Advances in neural information processing systems*, 30, 2017.
- [16] Lvmin Zhang, Anyi Rao, and Maneesh Agrawala. Adding conditional control to text-to-image diffusion models. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 3836–3847, 2023.