Intelligent Information Retrieval

Michael J. Kurtz, Guenther Eichhorn, Alberto Accomazzi, Carolyn Grant, Edwin Henneken, Stephen S. Murray

Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138

Abstract.

Since it was first announced at ADASS 2 the Smithsonian/NASA Astrophysics System Abstract Service (ADS) has played a central role in the information seeking behavior of astronomers. Central to the ability of the ADS to act as a search and discovery tool is its role as metadata agregator. Over the past 13 years the ADS has introduced many new techniques to facilitate information retrieval, broadly defined. We discuss some of these developments; with particular attention to how the ADS might interact with the virtual observatory, and to the new myADS-arXiv customized open access virtual journal.

The ADS is at http://ads.harvard.edu

1. Introduction

Information is just noise if we do not know it exists, or how to use it. The Smithsonian/NASA Astrophysics Data System, in collaboration with astronomy's data centers and publishers, has been working for somewhat more than a decade towards making the information of astronomy increasingly discoverable, available, and useful.

The test of an organization which provides its users with information is whether it has provided the information which the users need, and at what cost. A cost benefit analysis of the information system in astronomy, consisting of the ADS, the CDS, and the journals (the data archives were not included in the analysis) shows a benefit of about 7% of the total cost of the entire discipline can be ascribed to the joint effors of these organizations in creating the current on-line system, compared with the paper system of a decade ago (Kurtz, et al, 2005). This ten times the total cost of running these organizations, and about a factor of 100 times the differential cost of making the services on-line.

Astronomy is currently creating another layer of on-line information services, beginning with the archives, as opposed to the journals. This effort, known as the "Virtual Observatory," has likely much in common with the efforts which preceeded it, and which now collaborate with it. The greatest lesson to be learned from the recent past is that massive success is possible; however it is not inevitable.

2. Information Concentration

Concentrated, complex organized information is the basis of intellegence. Before an information system can provide sophisticated tools to facilitate the search and retrieval of complex information, it must actually have sufficient information about the information (meta-data) to allow the information to be organized with a degree of sophistication equal to the capabilities of the search.

From its inception the ADS has put a substantial fraction of its total resources toward the task of collecting, creating, and organizing meta-data. Grant, et al (2000) list hundreds of sources of these data; this is but a partial list. Very often a single source can require several years of patient negotiation with different entities (e.g. the copyright holder and the publisher).

Collecting data from existing data providers consumes substantial effort. There is no widely used standard for meta-data transmission; the OAI-PMH system (www.openarchives.org), while promising in concept, actually is only used by a fraction ($\sim 15\%$) of our sources, and even with these each individual provider has unique extensions. This means that the responsibility for parsing the meta-data and putting it into a standard format rests with the ADS staff.

This is different than for some other information services, where the data sources are required to adhere to a standard format. Examples are Citeseer (citeseer.ist.psu.edu) and Citebase (www.citebase.org). The difference resulting from the two approches is large. ADS has been a mature research tool since its inception; researchers have been able to count on it to be up to date and complete for the past decade. The services which require provider compliance are still quite incomplete; they function primarily as research tools for computer scientists interested in text retrieval.a754-1.ps

This is also different than for Google Scholar (scholar.google.com) which, like ADS, negotiates access to meta-data from providers, but unlike ADS is not able to devote the resources to understanding, and individually parsing, the peculiarities of each individual source. For the areas ADS covers its abilities far exceed those of Google Scholar.

There is a lesson here for other information services: Just do it! Waiting for all the information to be included in the service to be available in just the right form delays the full implementation of the service by a substantial factor. If a service is valuable enough to offer, it is valuable enough for the service provider to make work. This is not a totally overwhelming task; the three major data services in astronomy today, ADS, CDS, and NED all function with relativly small staffs (the ADS staff size is six), and all are able to put substantial effort into data ingest.

3. Information Retrieval

Information retrieval is successful if you find the information you need, not, as Mick Jagger might say, the information you want. It is also important that this be able to be done quickly, as the most valuable commodity in any research endevour is the time of the best researchers. a754-1.ps There are many different techniques for achieving this, some as simple as making the send button on the web site a bright color. The ADS has been developing and implementing these techniques, often in advance of any other group, throughout its entire history, begining with our use of combination of evidence (Belkin, et al 1995); partial match, natural language techniques, astronomy specific ontologies, and hyperlinks from the outset (Kurtz, et al 1993). The connection with CDS/SIMBAD (Grant, et al 1993, Wenger, et al 2000) was another early achievement.

Linking directly to data has been a feature of the ADS since its inception, with links to the $A \mathscr{C}A$ data tables (Ochsenbein & Lequeux 1995) and to the archival data-sets in the ADIL (Plante, et al 1996) being early examples.

Much of the talk at the conference described the IR advances made by ADS, the interested reader is referred to Kurtz, et al (2000) and Kurtz, et al (2005) for historical summaries.

4. 2nd Order Operators

Second order database operators (Kurtz, 1992) are database functions which, instead of returning the data corresponding to a query, performs some function on data associated with those data. For example a query might return a list of papers concerning redshift surveys; these papers have lists of papers they reference. A 2^{nd} order operator could take these lists, collate and sort them, then return a list of those papers which are most cited by papers concerning redshift surveys.

Kurtz, et al (2002, 2005) discuss how using these operators within ADS one can obtain the most recent, most popular, most useful, and most educational papers on a complex topic of interest.

Here we demonstrate how to use ADS, and 2^{nd} order queries, to discovery the most useful on-line data sets for a particular topic. We begin, in figure 1, by asking for all articles with linked data-sets (this requirement is not shown, it is futher down the form) on the x-ray properties of the nearby cluster of galaxies Abell 754. The result of this simple ADS/SIMBAD query is shown in figure 2, there are 79 articles which meet this description.

Now we are ready to use a $2^{nd}a754$ -1.ps order operator. We assert that, on average, people who have read the articles in the list in figure 2 are people interested in data about the x-ray properties of Abell 754. The articles these people read the most, will, on average, be important to us, as we are interested in data concerning the x-ray properties of Abell 754. Next we go to the bottom of that list, shown in figure 3, we select all 79 articles from the list, and request the also-read articles for that group.

The result of that query is shown in figure 4. The top five articles are compendium articles on the x-ray properties of nearby clusters from the Chandra, ROSAT, XMM, ASCA, and Einstein satellites, including Abell 754. This confirms our assertion above. If we follow the "D" link for the top article, we go to the associated page in the Chandra archive, shown in figure 5. From here one can download a substantial fraction of the Chandra data on nearby x-ray clusters, and one can also access the software tools necessary to reduce and analyze it.

The basic data used by this service is currently being created by the archives, establishing links between data in the archives and published papers. Recently

Smithsonian/NASA ADS Astronomy Query Form for Michael Kurtz

Sitemap What's New Feedback Preferences FAQ HELP

myADS: We now provide a personalized notification service. Sign up at http://myads.harvard.edu

thors:	(Last, F.I., one per line) SIMBAD NED LPI LAUC Objects
M	iddle Initial name search Object name/position search
	Require author for selection 🗹 Require object for selection
()	R O AND O simple logic) (Combine with: ③ OR O AND)
	abell 754
	Publication Date between and (MM) (YYYY) (MM) (YYYY)
Б	Require title for selection
(Cor	bine with: O DR O AND O simple logic O boolean logic)
Ent	ar Abstract Words/Kevwords
Ent (Cor	er Abstract Words/Keywords Require text for selection white with: OR O AND Simple logic O boolean logic
Ent (Cor	er Abstract Words/Keywords wbine with: O OR O AND O simple logic O boolean logic) av
Ent (Cor x-r	er Abstract Words/Keywords who in the with: O OR O AND O simple logic O boolean logic) ay

Figure 1. A combined ADS-SIMBAD query asking for papers on the x-ray properties of Abell 754, with data links (not shown).

						b					
S	mithsonian/NASA Astrophysics Data Sys	tem (ADS	<u>5)</u>								
Q	uery Results from the Astronomy Databa elected and retrieved 79 abstracts.	ase									
#	Bibcode Authors	Score Title	Date	Lis Ac	t of Lin	i <u>ks</u> ontrol I	<u>Ielp</u>				
1	2004AJ128.15588 Smith, Russell J.; Hudson, Michael J.; Nelan, Jenica E.; Moore, Stephen A. W.; Quimey, Stephen J.; Wegner, Gary A.; Lucey, John R.; Davies, Roger L.; Malecki, Justin J.; Schade, David; Smitzeff, Nicholas B.	1.000 NOAO Fu	10/2004 ndamental Plane	<u>A</u> e Survey.	<u>E</u> E LSurv	ey Desi	<u>D</u> gn, Redsi	<u>R</u> <u>C</u> hifts, and '	<u>S</u> <u>N</u> Velocity I	민 Dispersion Data	
2	2004ApJ610L81H	1.000	08/2004	A	<u>E</u> <u>F</u>	X	D	<u>R</u> <u>C</u>	<u>s</u> <u>N</u>	<u>U</u> Н	
_	Haliman, Eric J.; Markevitch, Maxim	Chandra C	bservation of th	e Mergin	g Cluste	r A168	A Late	Stage in the	ne Evoluti	on of a Cold Front	
3	2004ApJ610762H Henriksen, Mark J.; Hudson, Daniel S.; Tittley, Eric	1.000 A Soft X-F	08/2004 Ray Excess in th	<u>A</u> e A754 (<u>E</u> F Cluster	X	₫	<u>R</u> <u>C</u>	<u>s</u> <u>N</u>	<u>и</u> н	
4	2004ApJ609603H Henry, J. Patrick	1.000 X-Ray Ter Equation o	07/2004 nperatures for ti f State	<u>A</u> he Exten	E F ded Mee	<u>X</u> fium-Se	D nsitivity S	<u>R</u> C Survey Hig	<u>S</u> N gh-Redshi	<u> 번</u> <u>H</u> ift Cluster Sample: Co	mstraints on Cosmology and the Dark Energ
5	2004A&A420135T Tamura, T.; Kaastra, J. S.; den Herder, J. W. A.; Bleeker, J. A. M.; Peterson, J. R.	1.000 Elemental	06/2004 abundances in th	<u>A</u> ne intracl	<u>E</u> <u>F</u> uster me	<u>X</u> sdium as	D s observe	<u>R</u> C d with XN	<u>S</u> N MM-New	QU ton	

Figure 2. The result of the A754/x-ray query, showing the most recent such papers

Deselect Al Records] or select indivi	dual records above for the retrieval options below
Retrieve the above records in other	formats or sort order
Return short list format 🗸 Displa	yon screen V Sort by citation count V
Custom format	
Email results to:	
Retrieve selected records To retriev	e all records above, use the "Select All Records" button above.
Add selected articles to private library Ren	sove selected addes from private library
Find papers related to the above arti	cles (Sort by score V)
	Use: 🗌 Authors 🗹 Titles 🗌 Key words 🗹 Abstract
Find papers similar to selected articles	Return: ③ Results 〇 Form for manual query
Get reference lists for selected articles	Number of records to return: 100 starting with record number: 1 Publication Date between and and
Get citation lists for selected articles	
Get refereed citation lists for selected articles	10 get hists for all records above, use the "Select All Records" button above.
Get also read lists for selected articles	
Get form to query selected articles only	☐ Include terms from previous search in the form This button brings up a query form that returns only articles selected from the above list. This allows you to further refine the previous query.

Figure 3. The bottom of the results page, showing the 2^{nd} order queries

Smithsonian/NASA Astrophysics Data System (ADS)

Citations from the ADS Database

The Citation database in the ADS is NOT complete. Please keep this in mind when using the ADS Citation lists.

Retrieved 100 abstracts, starting with number 1. Total number selected: 63426.

#	Bibcode Authors	Reads Títle	Date	List Acc	of Lin	<u>ks</u> ontrol l	<u>Help</u>						
1	2004ApJ605695G	418.000	04/2004	A	EE	X	D	RC	<u>s</u> N	<u>U</u> Н			
	Govoni, F.; Markevitch, M.; Vikhlinin, A.; VanSpeybroeck, L.; Feretti, L.; Giovannini, G.	Chandra Temperature Maps for Galaxy Chasters with Radio Halos											
2	2002ApJ567716R	412.000	03/2002	A	<u>E</u> <u>F</u>	X	D	<u>R</u> <u>C</u>	<u>s</u> <u>N</u>	<u>U</u>			
	Reiprich, Thomas H.; Böhringer, Hans	The Mass F	The Mass Function of an X-Ray Flux-limited Sample of Galaxy Clusters										
3	2004A&A413415K	391.000	01/2004	A	ΕĒ	X	D	<u>R</u> <u>C</u>	<u>s</u> N	<u>U H</u>			
	Kaastra, J. S.; Tamura, T.; Peterson, J. R.; Bleeker, J. A. M.; Ferrigno, C.; Kahn, S. M.; Paerels, F. B. S.; Piffaretti, R.; Branduardi-Raymont, G.; Böhringer, H.	Spatially resolved X-ray spectroscopy of cooling clusters of galaxies											
4	1998ApJ50377M	330.000	08/1998	A	ΕĒ	X	D	<u>R</u> C	<u>s n</u>	<u>U H</u>			
	Markevitch, Maxim; Forman, William R.; Sarazin, Craig L.; Vikhlinin, Alexey	The Temper	ature Structure o	f 30 Near	by Clu	sters O	bserved v	with ASCA	.: Similar	ity of Temperature Profiles			
5	1997MNRAS.292419W	315.000	12/1997	A	E	<u>G X</u>	D	RC	<u>s</u> N	<u>ouh</u>			
	White, D. A .; Jones, C .; Forman, W.	An investigation of cooling flows and general cluster properties from an X-ray image deprojection analysis of 207 clusters of galar											

Figure 4. The result of the 2^{nd} order query, compendium articles of data from the major recent x-ray telescopes on nearby clusters of galaxies, including Abell 754

Kurtz, et al.

		Chano	lra		Search Results													
¥4	1	K-ray (Cente	er <u>New Sea</u>	uch									Ret	nieval List Help	1		
View Of	xerv Uns	ation Informa	ation)						Add to Retrieval List)	<u>Primary 1</u> <u>Sacondar</u>	oroducts v products					"Chandra Do	la Archive	
Select	Row	Seq Num	Obs ID	Instrument	Grating	Appr Exp (ks)	Exposure (ks)	Target Name	PIName	RA	Dec	Status	Data Mode	Start Date	Public Release Date	Proposal Num	Cate	
	1	S00036	528	ACIS-I	NONE	10.0	9.59	A520	VANSPEYBROECK	04 54 09.26	-02 55 21.75	archived	VFAINT	2000-10-10 12:39:51	2001-10-17 11:20:00	01800146	CLUSTERS C	
	2	\$00039	531	ACIS-I	NONE	10.0	9.13	A665	VANSPEYBROECK	08 30 57.40	-65 51 14.40	aschived	VFAINT	1999-12-29 16:59.11	2001-01-23 09:30:00	01300146	CLUSTERS C	
	3	800041	533	ACIS-I	NONE	10.0	11.4	A773	VANSPEYBROECK	09 17 53.20	-51 43 35.75	archived	VFAINT	2000-09-05 01:48:58	2001-09-14 16:40:00	01800146	CLUSTERS C	
	4	800061	1454	ACIS.I	NONE	13.0	11.56	ABELL 2218	Garmire	16 35 56.00	-66 12 45.00	archived	FAINT	1999-10-19 15:29:16	2000-11-10 15:35:00	01800147	CLUSTERS C	
	5	800121	1653	ACIS-I	NONE	SO .0	72.09	ABELL 2163	Murray	16 15 45.77	-06 08 55.00	archived	VFAINT	2001-06-16 11:38:07	2002-06-21 10:00:00	02800085	CLUSTERS C	
	6	800134	1666	ACIS-I	NONE	50.0	49.24	A2218	VANSPEYBROECK	16 35 52.10	-66 12 10.40	archived	VFAINT	2001-08-30 06:05:19	2002-09-05 11:30:00	02800019	CLUSTERS C	
	7	800184	3184	ACIS-I	NONE	90.0	88.63	IE 0657-56	Munay	06 58 19.70	-55 56 20.00	archived	VFAINT	2002-07-12 05:05:36	2003-07-18 06.16:49	03800039	CLUSTERS C	
	8	\$00231	3231	ACIS-I	NONE	15.0	14.62	ABELL 2319	MOHR	19 21 12.00	-43 56 43.70	archived	VFAINT	2002-03-15 04:48:49	2003-03-21 10:14:32	03800615	CLUSTERS C	
	9	\$00307	3586	ACIS.I	NONE	30.0	30.12	A665	VANSPE YBROECK	01 30 53.30	-65 50 62.40	aschived	VFAINT	2002-12-28 10:28:52	2004-01-06 20:30:05	04200103	CLUSTERS C	
-	10	000200	2500	1 950 6	NONT	10.0	0.00	1.775	WANTED FYDDOLOV	06 17 52 10	61 49 44 AA		STPARPT	1002 AL 15 10.12.12	2004 01 20 20 20.14	04030102	COLUMN TETTER	
12 obse Observa Status= Instrum Grating Type= Sort Or	ent= NO der=	ions found ID-1666,52 rved; archive HRC-I; HRI NE; LETG; ; CAL; GO; Sequence Nt	13,577,32 sd; partial C-S; ACIS HETG GTO; Di mber asco	31,1454,531, ly observed S-J; ACIS-S DT ending	3184,3586	,528,3588,1653	3193								,	Chang	p Search Criteri	

For online support please contact the CXC Helpdesk.

Figure 5. The "D" link for the top article from the last query leads to the associated data page in the Chandra archive.

the Astrophysical Journal has established a method of doing this directly by authors.

5. myADS-arXiv

Since late 2003 (Kurtz, et al 2003) the ADS has provided a notification service, myADS, which uses the 2^{nd} order operators to give our users a sophisticated and powerful means of keeping abreast of the current literature in their sub fields of astronomy and physics.

Beginning in the spring of 2005 we have extended this service with the collaboration of the arXiv (www.arxiv.org) to include the arXiv e-print service. We now have three different, complimentary services: myADS-Astronomy, myADS-Physics, and myADS-arXiv.

MyADS-arXiv is facilitated by a tight collaboration between ADS and arXiv, this includes sharing of readership information, parsing the reference lists, and merging the preprints with the journal articles for the same article. Once an article appears in the final published source ADS adopts that version as definitive.

MyADS-arXiv is a fully customized (to each individual user), open access virtual journal covering the most important papers of the past week in physics and astronomy. Between a fifth and a quarter of all working astronomers already subscribe to myADS. Figure 6 shows the custom version belonging to the first author, for the week preceeding the conference. It is also possible to make a myADS page which is not associated with an individual; for example the link http://adsabs.harvard.edu/myADS/cache/278851069_PRE.html points to a myADS-arXiv page covering virtual observatory matters. This can be viewed as an automatically generated newsletter.

Intelligent Information Retrieval



Figure 6. An example of myADS-arXiv, for the first author of this paper

6. Discovery of Pointed Observations

Szalay (2005) has presented the challenges and goals of a mode of astronomy based on very large, homogeneous data-sets, such as the SDSS, or in the future the LSST. The scientific case for these developments is exciting and compelling.

It seems likely, however, that for at least the next twenty years most of the money and effort of astronomy will be devoted to pointed observations with very large and expensive instruments. Currently HST, XMM, Keck, VLT, VLA and many other large pointeed instruments dominate top level astronomy. In the future, in addition to the mega survey instruments, OWL, GMT, CELT, Con-X, JWST, ALMA and other very costly pointed instruments will play a major role.

With the cost of dark time on a \$1,000,000,000 telescope running around \$50,000 per hour the re-use of data in the telescope archives would seem a highly cost effective means of doing research, as is now the case with many current archives.

In order for astronomers to be able to find relevant data-sets from pointed observations the ADS will index the abstracts of observing proposals, and will point to the page in the archive devoted to that project. We have begun by indexing the proposals from several leading archives.

We hope to do this in collaboration with with all interested groups, and especially with the data centers and archives. We ask for your assistance and ideas on how to proceed.

Acknowledgments. The ADS is supported by NASA via NCC5-189 and by the Smithsonian Institution. MJK acknowledges partial financial support from the NVO project.

References

- Belkin, N.J., Kantor, P., Fox, E.A., & Shaw, J.A. Information Processing and Management 31, 431.
- Grant, C. S., Accomazzi, A., Eichhorn, G., Kurtz, M. J., & Murray, S. S. 2000, A&AS, 143, 111
- Kurtz, M. J. 1992, Astronomy from Large Databases II, 85
- Kurtz, M. J., Karakashian, T., Grant, C. S., Eichhorn, G., Murray, S. S., Watson, J. M., Ossorio, P. G., & Stoner, J. L. 1993, in ASP Conf. Ser., Vol. 52, ADASS II, ed. R. J. Hanisch, R. J. V. Brissenden, & J. Barnes (San Francisco: ASP), 132
- Kurtz, M. J., Eichhorn, G., Accomazzi, A., Grant, C. S., Murray, S. S., & Watson, J. M. 2000, A&AS, 143, 41
- Kurtz, M. J., Eichhorn, G., Accomazzi, A., Grant, C. S., & Murray, S. S. 2002, Proceedings of SPIE, 4847, 238
- Kurtz, M. J., Eichhorn, G., Accomazzi, A., Grant, C. S., Henneken, E. A., Thompson, D. M., Bohlen, E. H., & Murray, S. S. 2003, American Astronomical Society Meeting Abstracts, 203,

- Kurtz, M. J., Eichhorn, G., Accomazzi, A., Grant, C. S., Demleitner, M., & Murray, S. S. 2005, Journal of the American Society for Information Science and Technology, 56, 36
- Ochsenbein, F. & Lequeux, J., 1995, Vistas in Astronomy, 39, 227.
- Plante, R. L., Crutcher, R. M., & Sharpe, R. K. 1986, in ASP Conf. Ser., Vol. 101, ADASS V, ed. G. H. Jacoby & J. Barnes (San Francisco: ASP), 581.
- Szalay, A. 2005, this volume, [O11.1]
- Wenger, M. F., Ochsenbein, F., Egret, D., Dubois, P., Bonneral, F., Borde, S., Genova, F., Jasniewicz, G., Laloe, S., Lesteven, S., & Monier, R., 2000, A&AS, 143, 9.