Fluorescence (arb. unit)

1.0
0.8
0.6
0.4
0.2
0.0

-6
-4
-2
0
2
4
6

Detuning of excitation beam (MHz)

Fluorescence (a. u.)

10
8
6
4
2
0

-6
-4
-2
0
2
4
6

Detuning of excitation beam (MHz)


(a)
Transmittance
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
-6
-4
-2
0
2
4
6
Probe detuning (MHz)
(b)
Rotation angle (°)
15
10
5
0
-5
-10
-15
-6
-4
-2
0
2
4
6
Probe detuning (MHz)

(a)


Population of the spin-down state
1.0
0.8
0.6
0.4
0.2
0.0
0
20
40
60
80
100
120
140
160
180
P(↓)=3/4
P(↓)=1/2
P(↓)=1/4
Polarization angle of measurement basis ϕ (°)

(b)


Population of the spin-down state
1.0
0.8
0.6
0.4
0.2
0.0
0
20
40
60
80
100
120
140
160
180
P(↓)=3/4
P(↓)=1/2
P(↓)=1/4
Polarization angle of measurement basis ϕ (°)
Population
1
0.5
0
-3
0
3
Detuning (MHz)

(a)

MOT

gravity

x

z

y

Excitation

Probe

B

WP

PBS

SM fiber

SPCM2

Spin Polarization ($\sigma^{\perp}_{-}$)

SM fiber

SPCM1

(b)

$|F', m_{F'}\rangle$

$|3/2,-3/2\rangle$

$|3/2,-1/2\rangle$

$|3/2,1/2\rangle$

$|3/2,3/2\rangle$

$^3P_1$

Δ

δ

Cavity ω_c

Excitation ω_e

Probe

ω_p

ω_a

($\lambda = 556$ nm)

$^1S_0$ (I = 1/2)

$|\downarrow\rangle$

$|\uparrow\rangle$

(a)

Photon count

Coincidence

Excitation beam

Faraday rotation beam (probe)

Gate of measurement (Faraday rotation)

0 4 34

Time after coincidence (μs)

(b)

Photon count

Coincidence

Excitation beam

Spin polarization beam

Faraday rotation beam (probe)

Gate of measurement (Faraday rotation)

Gate of measurement (spin projection)

0 1 3 5 9 12 32

Time after coincidence (μs)