

$$\begin{aligned}
 C'(\psi) &= \text{Diagram 1} = \text{Diagram 2} = \text{Diagram 3} \\
 &\quad \cdot \det(\blacksquare) \cdot \det(\square)
 \end{aligned}$$

The diagrammatic equation shows the simplification of the operator  $C'(\psi)$ . 
   
 - **Diagram 1:** A diamond-shaped node labeled  $\psi$  is connected to two parallel circles, each labeled  $\epsilon$ . These circles are then connected to another diamond-shaped node labeled  $\bar{\psi}$ .
   
 - **Diagram 2:** Two diamond-shaped nodes are connected by two parallel paths. The top path consists of a black square node labeled  $T$ , a circle labeled  $\epsilon$ , and an empty black square node. The bottom path consists of an empty square node, a circle labeled  $\epsilon$ , and a square node labeled  $T$ .
   
 - **Diagram 3:** A single horizontal chain of nodes: a diamond node, a circle labeled  $\epsilon$ , another diamond node, and a final circle labeled  $\epsilon$ . A long curved line connects the left and right diamond nodes, passing below the central circles.
   
 The final result is the expression  $\det(\blacksquare) \cdot \det(\square)$ , where  $\blacksquare$  is a black square and  $\square$  is an empty square.