

# Speech-to-speech Simultaneous Translation

# Contributions

- dynamic fixed-latency training
- fluent incremental speech synthesis
- speech-to-speech simultaneous translation metrics
- human simultaneous interpretation data

# Contributions



# Latency Control

- previous neural simultaneous translation models generate target sentences with a stable source/target length ratio
- incremental TTS's speech has a stable speed
- main problem for speech-to-speech simultaneous translation
  - if source speaker's speech is much faster than TTS, translation will accumulate large delays
  - if source speaker's speech is much slower than TTS, target speech will not be fluent and there will be a lot gaps between words in target speech



# Latency Control

- translation length adaption with speech speed
  - during a speech, each sentence has a stable word speed, but the word speed is varied in different speeches
    - word duration variance for all sentences: 0.006, mean
    - word duration variance for sentences within speech: 0.003
  - our TTS has a stable word speed
  - thus to do fluent translation, our translation model need to adapt different source target length ratios
- why we train MT models to adapt different source speech speed not TTS?
  - because MT dataset already provides different source/target length ratio
  - but TTS dataset doesn't

# Latency Control



- translation length adaption with speech speed
  - different speakers have different speed
  - ideally, simultaneous translations should have same amount of delay in both beginning and ending
  - train the models by mimic speech translation with latency control
  - models trained in this way can adaptively control translation length

# Source Speech Speed



- speech speeds (word duration) vary a lot for different speakers' speeches



# Ideal Source / Target Length Ratio



- to do fluent translation, our translation model need to adapt different source target length ratios




# Training Data Source / Target Length Ratio




- training data already provides different source target length ratios


# Latency Control



1. slow source speech




2. moderate source speech




3. fast source speech


# Latency Control




(a) slow source speech



(b) moderate source speech




(c) fast source speech



(a) slow source speech



(b) moderate source speech



(c) fast source speech

# wait-k

那些	人	热心	待	你们	却	不是	好意			
		They	zealously	affect	you	,	but	not	well	.

那些	人	热心	待	你们	却	不是	好意							
		They	are	zealous	to	win	you	over	,	but	for	no	good	.

# Length-adaptive wait-k (wait-3)

那些	人	热心	待	你们	却	不是	好意			
		They	zealously	affect	you	,	but	not	well	.

那些	人	热心		待		你们	却		不是		好意			
		They	are	zealous	to	win	you	over	,	but	for	no	good	.

# wait-k

人们	是	不合逻辑的	、	不讲理的	并且	自我	为	中心	的	,	不管	怎样	,	爱	他们	。			
		people		are		illogical		unreasonable		and		self		centered		,	love	them	anyway

对	牛津	来说		只		出		网络版		更		符合		经济效益		。			
		for	oxford	,	the	decision	to	go	online	only	would	make	a	great	deal	of	economic	sense	

# Latency Control

- how harry came into the possession of this outlandish stuff makes an interesting story which he is fond of relating .
- 哈里 如何 得了 这种 稀奇古怪 的东西 , 构成了 一个 他 津津乐道 的 有趣 故事 。
- 哈里 如何 得到 这种 稀奇古怪 的东西 的 , 这里 有个 有趣 的 故事 , 而且 他 挺 爱 把 它 讲 给 别人 听 。
- a dreamer is one who can only find his way by moonlight and his punishment is that he sees the dawn before the rest of the world .
- 梦想家 只能 在 月光 下 找到 自己 的 路 , 他 的 惩罚 是 第一个 看见 黎明 。
- 梦想家 是 那种 只能 依靠 月光 才能 找到 路 的 人 。 他 受到 的 惩罚 是 比 整个 世界 都 提早 看到 黎明 。

# Latency Control

- the very philosophers themselves , even in those books which they write on contempt of glory , inscribe their names .
- 就算哲人们自己在他们表示的不屑的书里也要表上自己的名字。
- 就说哲学家吧，即使在他们自己写的那些蔑视荣耀的书里，也写上他们的名字。
- do you stay because a blinding , incomprehensible mix of pain and relation pulls you close and holds you to her ?
- 你留下，因为一种盲目，不能理解的痛和关系把你拉向她？。
- 你留下来，是因为一种盲目，无以名状的痛苦和关系交织在一起，将你紧紧地拉向她身边吗？



# Latency Control

- translation length adaption with speech speed (Zh-En)

Adaptive wait-3					Fixed wait-3				
decoding	tgt/src ratio	length ratio	BLEU	tgt/src ratio	tail length	length ratio	BLEU	tgt/src ratio	tail len
	0.91	0.898	30.92	1.09	6.99	1.021	35.94	1.33	13.85
	1.0	0.915	31.45	1.11	5.05	1.021	35.20	1.32	11.16
	1.1	0.965	31.87	1.18	4.23	1.023	33.56	1.34	8.08
	1.25	1.021	30.75	1.29	3.74	1.002	31.82	1.34	3.31
	1.42	1.101	27.39	1.45	3.32	1.004	28.72	1.37	-1.7

- examples
  - source: 印度 金融 中心 孟@@ 买 亦 受到 波@@ 及
  - r=1.1: the m@@ umb@@ ai , india 's financial center , was affected . (13)
  - r=0.7: the m@@ umb@@ ai financial center of india has also been affected by this . (15)

# Adaptive Incremental Speech Synthesis

- fluent incremental TTS decoding
  - train TTS model with different pauses, control prosody with pause when decoding
- comparisons
  - baseline: strict wait-k
  - after wait k words in the beginning, continuously generating target words until comma or period

# Metrics

- latency
  - next slide
- translation quality (Rouge, BLEU, F-1)
  - Google: case-sensitive BLEU after aligning the unsegmented translation output with the provided reference sentences by minimizing WER
  - or take a paragraph as a sentence
- speech quality
  - MOS of different speech synthesis algorithm

# Latency



- latency

- Google

- measures the latency between target word generation time and aligned source word generation time

- ours

- measures the latency between target word generation time and ideal target word generation time
- ideally the words should be generated evenly in time




# Latency

Google

source

target




- How about this case?

ours

source

ideal target

target



# Data

- data, human interpreter data
  - train on human interpretation data
  - compare performance with human

# Data

- training: WMT 18 +
-