



# Measurement of the nuclear modification factor and prompt charged particle production in $p\text{Pb}$ and $pp$ collisions at $\sqrt{s_{\text{NN}}} = 5 \text{ TeV}$

LHCb collaboration<sup>†</sup>

## Abstract

The production of prompt charged particles in proton-lead collisions and in proton-proton collisions at the nucleon-nucleon centre-of-mass energy  $\sqrt{s_{\text{NN}}} = 5 \text{ TeV}$  is studied at LHCb as a function of pseudorapidity ( $\eta$ ) and transverse momentum ( $p_{\text{T}}$ ) with respect to the proton beam direction. The nuclear modification factor for charged particles is determined as a function of  $\eta$  between  $-4.8 < \eta < -2.5$  (backward region) and  $2.0 < \eta < 4.8$  (forward region), and  $p_{\text{T}}$  between  $0.2 < p_{\text{T}} < 8.0 \text{ GeV}/c$ . The results show a suppression of charged particle production in proton-lead collisions relative to proton-proton collisions in the forward region and an enhancement in the backward region for  $p_{\text{T}}$  larger than  $1.5 \text{ GeV}/c$ . This measurement constrains nuclear PDFs and saturation models at previously unexplored values of the parton momentum fraction down to  $10^{-6}$ .

Submitted to Phys. Rev. Lett.

© 2021 CERN for the benefit of the LHCb collaboration. CC BY 4.0 licence.

---

<sup>†</sup>Authors are listed at the end of this paper.



Charged particle production in hadronic collisions is a fundamental observable for studying the properties of the strong interaction through quantum chromodynamics (QCD). In high-energy collisions at the Large Hadron Collider (LHC), charged particles can be produced in soft and hard interactions which correspond to small and large momentum exchanges between the interacting partons of the hadrons, respectively. While hard interactions can be described by perturbative QCD (pQCD), the soft regime is less well understood and predictions currently rely on phenomenological considerations [1, 2]. Even at the LHC energies, charged particles from soft interactions dominate over those from hard interactions. For this reason, experimental insight is crucial to improve models and generators for hadron collider and cosmic ray physics [3–5].

The study of the hard regime, which corresponds to charged particles of high transverse momentum ( $p_T$ ) with respect to the axis of the colliding hadrons, provides valuable information on the physics of heavy-ion collisions [6]. Modifications of the charged particle production rate in proton-lead ( $pPb$ ) collisions relative to proton-proton ( $pp$ ) collisions can be modelled using cold nuclear matter (CNM) effects [7, 8]. These effects are critical to understand the physics of heavy-ion collisions. Moreover, recent indications of collective fluid-like phenomena in small systems could suggest the presence of dynamics not generally classified as CNM effects but as signatures of a quark gluon plasma [9].

For charged particles, these modifications are generally associated with initial-state effects, such as modifications to the parton distribution functions in a nucleus with respect to a proton [10–12]. These modifications are parameterised in nuclear parton distribution functions (nPDFs) constrained by fits to experimental data. Other nuclear effects are related to initial- or final-state multiple scatterings of incoming and outgoing partons [13, 14], and could manifest in a Cronin enhancement [15]. Another approach considers models based on parton saturation. Parton saturation is expected to occur when the gluon density within protons and nuclei becomes large, *i.e.* at low values of the parton momentum fraction,  $x$ , and for nuclei with large mass numbers [16]. In this regime, the QCD dynamics can be described by the colour glass condensate (CGC) effective field theory [17]. Pion production at central rapidity [18] is well described by modified nPDFs, energy loss and CGC calculations [10, 11, 19, 20]. Low values of  $x$ , where saturation effects are most likely to occur, can be probed with high-energy collisions at the most forward rapidities.

Previous studies at the LHC [21–23] have measured prompt charged particle production in  $pPb$  collisions at the centre-of-mass energy in the nucleon-nucleon system  $\sqrt{s_{NN}} = 5$  TeV in the central pseudorapidity region. At the Relativistic Heavy Ion Collider (RHIC), measurements with deuteron-gold and proton-gold ( $pAu$ ) collisions at more forward rapidities but lower energy ( $\sqrt{s_{NN}} = 200$  GeV) have been performed [24–26]. The LHCb experiment can uniquely probe the lowest  $x$  ranges currently accessible, given its forward rapidity coverage and higher collision energy.

This Letter presents the measurement of the prompt charged particle spectra in  $pPb$  and  $pp$  collisions at  $\sqrt{s_{NN}} = 5$  TeV in the  $0.2 < p_T < 8.0$  GeV/ $c$  range, thus covering the soft and hard production regimes. The  $pPb$  measurement covers the *backward* pseudorapidity range of  $-5.2 < \eta < -2.5$ , where the lead beam enters the LHCb spectrometer at the interaction point, and the *forward* pseudorapidity range of  $1.6 < \eta < 4.3$ , where the proton beam enters the LHCb spectrometer at the interaction point. The  $pp$  measurement spans over  $2.0 < \eta < 4.8$ , and complements the recent measurement of prompt charged particle production at  $\sqrt{s_{NN}} = 13$  TeV [27]. Throughout the text  $\eta$  is expressed in the nucleon-

nucleon centre-of-mass system, and is related with the pseudorapidity in the laboratory frame  $\eta_{\text{lab}}$  by  $\eta = \eta_{\text{lab}} - 0.465$  for  $p\text{Pb}$  and  $\eta = \eta_{\text{lab}}$  for  $pp$  collisions.

The double-differential production cross-section for prompt charged particles is measured as

$$\frac{d^2\sigma^{\text{ch}}(\eta, p_{\text{T}})}{dp_{\text{T}}d\eta} \equiv \frac{1}{\mathcal{L}} \frac{N^{\text{ch}}(\eta, p_{\text{T}})}{\Delta p_{\text{T}}\Delta\eta}. \quad (1)$$

Here,  $N^{\text{ch}}$  is the number of prompt charged particles produced in a given interval of  $\eta$  and  $p_{\text{T}}$ ,  $\Delta\eta$  and  $\Delta p_{\text{T}}$ , respectively, and  $\mathcal{L}$  is the integrated luminosity of the corresponding data sample. In this study a prompt charged particle is any charged hadron or lepton with a mean lifetime above  $0.3 \times 10^{-10}$  s produced directly in the collision or from decays of shorter-lifetime particles [28]. The nuclear modification factor,  $R_{p\text{Pb}}$ , is defined as

$$R_{p\text{Pb}}(\eta, p_{\text{T}}) \equiv \frac{1}{A} \frac{d^2\sigma_{p\text{Pb}}^{\text{ch}}(\eta, p_{\text{T}})/dp_{\text{T}}d\eta}{d^2\sigma_{pp}^{\text{ch}}(\eta, p_{\text{T}})/dp_{\text{T}}d\eta}, \quad (2)$$

where  $A = 208$  is the number of nucleons in the lead ion and  $d^2\sigma_{p\text{Pb},pp}^{\text{ch}}(\eta, p_{\text{T}})/dp_{\text{T}}d\eta$  is the double-differential cross-section in  $p\text{Pb}$  and  $pp$  collisions, respectively.

The LHCb detector is a single-arm forward spectrometer described in detail in Refs. [29, 30]. The detector elements that are particularly relevant to this analysis are a silicon-strip vertex detector (VELO) surrounding the interaction region that allows the determination of the position of the collision point, known as the primary vertex (PV), a tracking system that provides a measurement of the momentum,  $p$ , of charged particles and two ring-imaging Cherenkov detectors that are able to discriminate between different species of charged particles.

The corresponding integrated luminosity for the forward (backward)  $p\text{Pb}$  data sample is  $42.7 \pm 1.0 \mu\text{b}^{-1}$  ( $38.7 \pm 1.0 \mu\text{b}^{-1}$ ) [31], where the uncertainties are uncorrelated between the two data samples. Events are required to pass a minimum-bias trigger which requires at least one reconstructed track in the VELO detector. Additionally, only events with one reconstructed PV within three standard deviations from the mean PV position of the full sample are considered.

The  $pp$  data correspond to an integrated luminosity of  $3.49 \pm 0.07 \text{ nb}^{-1}$ . An unbiased trigger for  $pp$  events is used to select every leading bunch crossing that occurred during the data taking period, thus avoiding potential contamination between neighbouring bunches.

Simulation is used to model the reconstruction efficiency, the effects of the selection requirements, and the contribution from background tracks. In the simulation,  $p\text{Pb}$  collisions are generated using EPOS-LHC [32], while  $pp$  collisions are generated using PYTHIA [33] with a specific LHCb configuration [34]. Particle decays are described by EVTGEN [35], while the interaction of particles with the detector, and its response in simulation, are implemented using the GEANT4 toolkit [36,37] as described in Ref. [38].

Prompt charged particle candidates are defined as tracks with hits in the VELO and the tracking stations after the LHCb detector dipole. This last condition requires the measured particle to have  $p > 2 \text{ GeV}/c$ . Background contributions due to fake tracks and secondary particles are considered in this study. Fake tracks are reconstruction artefacts that do not correspond to actual charged particles, which are particularly relevant for large detector occupancies and in the high- $p_{\text{T}}$  region. Secondary particles are tracks produced by charged particles that do not meet the prompt particle definition and originate from interactions of particles with the detector material or from decays of prompt particles.

A selection is applied to reduce these background contributions. Fake tracks are suppressed with a tight requirement on the output of a neural-net based algorithm (ghost probability) [39]. To suppress further the fake track background, when two or more candidates from the same event share a segment reconstructed in the VELO, only the candidate with the best track fit-quality is retained. Secondary particles are reduced by requiring small impact parameters with respect to the mean of the PV distribution in the full sample. This criterion is particularly effective at removing hadrons produced in decays of prompt  $K_S^0$  and  $\Lambda$  particles and in interactions of hadrons with the detector material without inducing a bias by requiring a PV.

The prompt charged particle yield,  $N^{\text{ch}}$ , for the  $p\text{Pb}$  and  $pp$  samples is obtained from the number of candidates, which is corrected with the reconstruction efficiency, the selection efficiency and the signal purity. The reconstruction efficiency accounts for detector inefficiencies or acceptance effects. The track-finding efficiency from simulation is corrected with a tag-and-probe method applied to data and simulation in two-dimensional intervals of  $\eta_{\text{lab}}$  and  $p_{\text{T}}$  using  $J/\psi \rightarrow \mu^+\mu^-$  decays in the range  $5 < p < 200 \text{ GeV}/c$  [40]. Since the reconstruction efficiency depends on the detector occupancy, the simulated samples are weighted to reproduce the occupancy distributions from different LHCb subdetectors in data. Additionally, the reconstruction efficiency depends on the particle type. The relative abundance of particles determined from simulation are validated with data from the ALICE [41–44] and LHCb [45] experiments. The LHCb PYTHIA tune for  $pp$  collisions does not reproduce the kaon and prompt hyperons relative abundance at high  $p_{\text{T}}$  in data. Therefore, a dedicated simulated sample generated with EPOS-LHC [32] is used to parameterise the particle composition in  $pp$  collisions. The relative abundances produced with the EPOS-LHC generator are in agreement with the data within 30% in  $pp$  and  $p\text{Pb}$  collisions. As a cross-check, the relative abundances from EPOS-LHC in the LHCb acceptance are found to be compatible with those produced with PYTHIA using the rope hadronisation model [46, 47]. The use of the uncorrected LHCb PYTHIA tune would imply an overestimation of the reconstruction efficiency up to a 7% at high  $p_{\text{T}}$ .

The selection efficiency accounts for the fraction of prompt charged particles removed from the candidate sample by the selection. The efficiency is estimated using simulation and a dedicated calibration procedure using a tag-and-probe technique applied to  $\phi(1020) \rightarrow K^+K^-$  decays in data and simulation.

The signal purity is determined in simulation and corrected with background-enriched samples of data. Two independent samples dominated by fake tracks are constructed: using tracks with high ghost probability, and tracks which share their reconstructed VELO segment with a better fit-quality track. For secondary particles, the contributions from hadrons and electrons are studied separately. An enriched sample of hadrons from prompt-particle decays, such as  $\Lambda$  baryons and  $K_S^0$  mesons, and hadrons produced in material interactions is obtained using tracks with a large estimated effective impact parameter with respect to the mean of the PV distribution. The abundance of electrons from  $\gamma$  conversions, which is considerable at low  $p_{\text{T}}$ , is validated using particle identification detectors.

Additionally, bin migration effects due to the resolution of the detector are found to have a negligible contribution to the measured yields. Another minor correction in  $p\text{Pb}$  collisions accounts for neglecting the mass of the charged particles in the expression  $\eta = \eta_{\text{lab}} - 0.465$  used to translate the pseudorapidity measured in the laboratory system to that in the centre-of-mass system of the nucleon-nucleon collision.

Table 1: Relative uncertainties for  $p\text{Pb}$  and  $pp$  charged particle cross-sections. The range indicates the minimum and the maximum value among the two-dimensional  $\eta$  and  $p_{\text{T}}$  intervals. The systematic uncertainty due to luminosity is fully correlated across the intervals. The other sources of systematic uncertainties are fully uncorrelated between different intervals.

| Uncertainty source                          | $p\text{Pb}$ [%]<br>(forward) | $p\text{Pb}$ [%]<br>(backward) | $pp$ [%]  |
|---|-------------------------------|--------------------------------|-----------|
| Track-finding efficiency                    | 1.5 – 5.0                     | 1.5 – 5.0                      | 1.6 – 5.3 |
| Detector occupancy                          | 0.0 – 2.8                     | 0.6 – 2.9                      | 0.1 – 1.6 |
| Particle composition                        | 0.4 – 4.1                     | 0.4 – 4.6                      | 0.3 – 2.4 |
| Selection efficiency                        | 0.7 – 2.2                     | 0.7 – 3.0                      | 1.0 – 1.7 |
| Signal purity                               | 0.1 – 1.8                     | 0.1 – 11.7                     | 0.1 – 5.8 |
| Luminosity                                  | 2.3                           | 2.5                            | 2.0       |
| Statistical uncertainty                     | 0.0 – 0.6                     | 0.0 – 1.0                      | 0.0 – 1.1 |
| Total (in $d^2\sigma/d\eta dp_{\text{T}}$ ) | 3.0 – 6.7                     | 3.3 – 14.5                     | 2.8 – 8.7 |
| Total (in $R_{p\text{Pb}}$ )                | 4.2 – 9.2                     | 4.4 – 16.9                     | –         |

Several sources of systematic uncertainty are considered. For candidates in the range  $5 < p < 200 \text{ GeV}/c$  the track-finding efficiency carries an uncertainty due to the limited size of the calibration samples and the difference between hadron and muon material interactions. For candidates outside this range, a 5% uncertainty is assigned. An uncertainty is assigned accounting for the detector occupancy description, which is estimated considering alternative weights. The uncertainty due to imperfect knowledge of the relative particle composition is determined from a 30% variation in the relative abundances of particles obtained from simulation. The uncertainty on the selection efficiency originates primarily from the limited size of the calibration sample. For the purity, the systematic uncertainty is estimated from the background abundance in the background-enriched samples and the data-simulation discrepancy in the background fraction from the independent samples. This uncertainty has a large  $\eta$  and  $p_{\text{T}}$  dependence: while negligible in regions with a small background level, it is the dominant contribution for intervals with large background contributions. These intervals correspond to high  $p_{\text{T}}$  for fake tracks in  $p\text{Pb}$  collisions in the backward region. The uncertainties are given in Table 1, where all uncertainties are treated as uncorrelated.

The measured prompt charged particle cross-sections for  $pp$  and  $p\text{Pb}$  are presented in Fig. 1. The total uncertainty is the sum in quadrature of statistical, systematic, and luminosity uncertainties. On average  $0.1035 \pm 0.0029$  charged particles (with  $0.961 < p_{\text{T}} < 1.249 \text{ GeV}/c$  and  $3.0 < \eta < 3.5$ ) are produced in  $pp$  collisions, when scaled by the total inelastic nucleon-nucleon cross-section of  $67.6 \pm 0.6 \text{ mb}$  at  $\sqrt{s_{\text{NN}}} = 5 \text{ TeV}$  [48]. This is two orders of magnitude smaller than for  $p\text{Pb}$  collisions, assuming the same total inelastic nucleon-nucleon cross-section. The cross-section for  $pp$  collisions at  $\sqrt{s_{\text{NN}}} = 5 \text{ TeV}$  is compared with the result at  $\sqrt{s_{\text{NN}}} = 13 \text{ TeV}$  [27]. Both results are consistent, showing an increase in the cross-section at 13 TeV of a factor 1 to 3, depending on  $p_{\text{T}}$ .

The result for  $R_{p\text{Pb}}$  in different  $(\eta, p_{\text{T}})$  intervals is presented in Fig. 2, where the uncertainties arise from statistical, systematic and luminosity sources. In the forward region, the measurement indicates a suppression of charged particle production in  $p\text{Pb}$  collisions relative to that in  $pp$  collisions, which increases towards forward pseudorapidities. In the low  $p_{\text{T}}$  regime,  $R_{p\text{Pb}}$  reaches values of about 0.3 in the most forward pseudorapidities.




Figure 1: Differential cross-section of prompt charged particle production as a function of  $p_T$  in different  $\eta$  intervals in (left)  $pp$ , (middle) forward  $pPb$  and (right) backward  $pPb$  collisions. The cross-section values for  $pp$  are scaled by the lead mass number ( $A = 208$ ) for comparison with the  $pPb$  cross-sections.

In the backward region, a significant enhancement of  $R_{pPb}$  is observed for  $p_T > 1.5 \text{ GeV}/c$ . This can be interpreted as Cronin enhancement [15]. The enhancement reaches a maximum at different  $p_T$  values depending on  $\eta$ , followed by a decreasing trend towards unity. This decrease is more pronounced in the most backward pseudorapidities. The maximum value of  $R_{pPb}$  is found to be  $\sim 1.3$  and depends slightly on  $\eta$ .

The  $R_{pPb}$  measurement is compared in Fig. 2 with predictions from phenomenological models covering the  $p_T \gtrsim 1.5 \text{ GeV}/c$  region. The prediction in Ref. [49] is based on the nPDFs set EPPS16 [10] for the lead nucleus and the PDF set CT14 [50] for the proton. The calculation also employs the parton-to-hadron fragmentation functions set DSS [51]. The prediction reproduces the data in the forward region although with large uncertainties. However, it fails to reproduce the  $R_{pPb}$  enhancement in the backward region for  $p_T > 2 \text{ GeV}/c$ .

The second prediction is based on the CGC effective field theory [20]. The model is only applicable to the saturation region and thus to forward rapidities. The predicted gradual decrease of  $R_{pPb}$  with  $\eta$  is observed in the data, although the prediction overestimates  $R_{pPb}$  in the lower  $p_T$  intervals. The prediction does not include an uncertainty estimation.

The third prediction is a pQCD calculation within the high-twist factorisation formalism in the backward region [13, 52]. The calculation shows an enhancement due to incoherent multiple scattering inside the nucleus before and after the hard scattering, and reproduces the enhancement seen in  $pAu$  collisions in the backward region by the PHENIX experiment at  $\sqrt{s_{NN}} = 200 \text{ GeV}$  [25]. The prediction shows a  $p_T$  trend similar to data for  $p_T > 3 \text{ GeV}/c$




Figure 2: Nuclear modification factor as a function of  $p_T$  in different  $\eta$  intervals for the (top) forward and (bottom) backward regions, compared with the predictions from Refs. [13, 20, 49, 52]. Vertical error bars correspond to statistical uncertainties, open boxes to uncorrelated systematic uncertainty and the filled box at  $R_{pPb} = 1$  to the correlated uncertainty from the luminosity.

in the most backward  $\eta$  interval, although it does not reproduce the data for the other intervals in the backward configuration.

Understanding the evolution of  $R_{pPb}$  with  $x$  and the momentum transfer  $Q^2$ , is a critical point for the study of CNM effects. However,  $x$  and  $Q^2$  are partonic quantities and cannot be directly measured. Instead, experimental proxies for  $x$  and  $Q^2$  [53], defined as

$$Q_{\text{exp}}^2 \equiv m^2 + p_T^2 \quad \text{and} \quad x_{\text{exp}} \equiv \frac{Q_{\text{exp}}}{\sqrt{s_{NN}}} e^{-\eta}, \quad (3)$$

are considered. Here,  $m$  is the mass of the produced particle and is taken as  $m = 256 \text{ MeV}/c^2$ , the average charged particle mass in  $pPb$  collisions determined with EPOS-LHC. The variable  $x_{\text{exp}}$  is approximately  $x$  for a two body scattering, and  $Q_{\text{exp}}$  is the transverse mass of the produced particle.

Figure 3 shows the  $R_{pPb}$  evolution with  $x_{\text{exp}}$  for four  $Q_{\text{exp}}^2$  intervals from this study and the results from the ALICE [21] and CMS [22] collaborations. Since the  $p_T$  binning is different among the three experiments, the  $Q_{\text{exp}}^2$  ranges are selected to contain at least one  $p_T$  interval from each experiment. A consistent trend between this measurement in the forward region, the measurements in the central region from ALICE and CMS and the result in the backward region is observed for the four  $Q_{\text{exp}}^2$  intervals. The evolution of  $R_{pPb}$  with  $x_{\text{exp}}$  is  $Q_{\text{exp}}^2$ -dependent. For low  $Q_{\text{exp}}^2$  ( $0.75 < Q_{\text{exp}}^2 < 0.85 \text{ GeV}^2/c^2$ ) a suppression is observed in every interval. For intermediate  $Q_{\text{exp}}^2$  ( $3 < Q_{\text{exp}}^2 < 4 \text{ GeV}^2/c^2$ )






Figure 3: Evolution of the nuclear modification factor with  $x_{\text{exp}}$  from this study, ALICE [21], and CMS [22], for different  $Q_{\text{exp}}^2$  ranges. Each plot includes all the  $R_{p\text{Pb}}$  ( $\eta, p_{\text{T}}$ ) intervals with a  $p_{\text{T}}$  centre within the  $Q_{\text{exp}}^2$  range specified in the plot. Horizontal error bars account for the minimum and maximum  $x_{\text{exp}}$  value for a given ( $\eta, p_{\text{T}}$ ) interval. Vertical error bars correspond to statistical, systematic and luminosity (normalisation) uncertainties for LHCb (ALICE, CMS), added in quadrature.

and  $7 < Q_{\text{exp}}^2 < 10 \text{ GeV}^2/c^2$ ) the value of  $R_{p\text{Pb}}$  increases strongly from a suppression at low  $x_{\text{exp}}$  to an enhancement at higher  $x_{\text{exp}}$ . For high  $Q_{\text{exp}}^2$  ( $45 < Q_{\text{exp}}^2 < 50 \text{ GeV}^2/c^2$ ) the variation of  $R_{p\text{Pb}}$  becomes less  $x_{\text{exp}}$ -dependent. The start of a decreasing trend of  $R_{p\text{Pb}}$  is hinted at  $x_{\text{exp}} > 10^{-1}$ .

In summary, the differential production cross-sections have been measured in  $p_{\text{T}}$  and  $\eta$  intervals for prompt charged particles produced in  $pp$  and  $p\text{Pb}$  collisions at  $\sqrt{s_{\text{NN}}} = 5 \text{ TeV}$ . The measurement corresponds to  $p > 2 \text{ GeV}/c$  and  $0.2 < p_{\text{T}} < 8.0 \text{ GeV}/c$  prompt charged particles with  $2.0 < \eta < 4.8$  in  $pp$  and  $-5.2 < \eta < -2.5$  and  $1.5 < \eta < 4.3$  in  $p\text{Pb}$  collisions. This is the first determination of such cross-sections in  $p\text{Pb}$  collisions in the forward and backward regions at the LHC, and the first measurement in  $pp$  collisions at  $\sqrt{s_{\text{NN}}} = 5 \text{ TeV}$ . The total uncertainty is around 3% for most kinematic intervals both in  $pp$  and  $p\text{Pb}$  collisions. As a result, the data places stringent constraints on non-perturbative QCD models in high-energy nuclear collisions.

The nuclear modification factor  $R_{p\text{Pb}}$  is also determined and is one of the most precise to date. The total uncertainty, including the normalisation contribution, is below 5% for most of the ( $\eta, p_{\text{T}}$ ) intervals. In the forward region, a suppression of the charged particle production is observed, especially for low  $p_{\text{T}}$  and the most forward  $\eta$ . In the backward region, the production of charged particles with  $p_{\text{T}} > 1.5 \text{ GeV}/c$  is significantly

enhanced. The  $R_{p\text{Pb}}$  shape exhibits a clear pseudorapidity dependence. These data cannot be simultaneously described across the entire measured  $\eta$  range by nPDFs alone. Contrary to what is observed at central rapidity [18], the forward data are inconsistent with CGC calculations at the lowest  $p_{\text{T}}$ . Multiple scattering calculations, which successfully reproduce PHENIX results [25], fail to describe the backward region. These measurements provide strong constraints on nuclear PDFs at the lowest accessible  $x$  ranges, and show that additional, previously unconsidered mechanisms are required to provide a consistent description of particle production in nuclear collisions at the LHC.

## Acknowledgements

We would like to thank to Hannu Paukkunen, Ilka Helenius, Heikki Mäntysaari and Zhong-Bo Kang, for providing LHCb specific theoretical predictions. We express our gratitude to our colleagues in the CERN accelerator departments for the excellent performance of the LHC. We thank the technical and administrative staff at the LHCb institutes. We acknowledge support from CERN and from the national agencies: CAPES, CNPq, FAPERJ and FINEP (Brazil); MOST and NSFC (China); CNRS/IN2P3 (France); BMBF, DFG and MPG (Germany); INFN (Italy); NWO (Netherlands); MNiSW and NCN (Poland); MEN/IFA (Romania); MSHE (Russia); MICINN (Spain); SNSF and SER (Switzerland); NASU (Ukraine); STFC (United Kingdom); DOE NP and NSF (USA). We acknowledge the computing resources that are provided by CERN, IN2P3 (France), KIT and DESY (Germany), INFN (Italy), SURF (Netherlands), PIC (Spain), GridPP (United Kingdom), RRCKI and Yandex LLC (Russia), CSCS (Switzerland), IFIN-HH (Romania), CBPF (Brazil), PL-GRID (Poland) and OSC (USA). We are indebted to the communities behind the multiple open-source software packages on which we depend. Individual groups or members have received support from AvH Foundation (Germany); EPLANET, Marie Skłodowska-Curie Actions and ERC (European Union); A\*MIDEX, ANR, Labex P2IO and OCEVU, and Région Auvergne-Rhône-Alpes (France); Key Research Program of Frontier Sciences of CAS, CAS PIFI, Thousand Talents Program, and Sci. & Tech. Program of Guangzhou (China); RFBR, RSF and Yandex LLC (Russia); GVA, XuntaGal and GENCAT (Spain); the Royal Society and the Leverhulme Trust (United Kingdom).

## References

- [1] A. B. Kaidalov and K. A. Ter-Martirosyan, *Multihadron production at high energies in the model of quark gluon strings*, Sov. J. Nucl. Phys. **40** (1984) 135.
- [2] A. Capella, U. Sukhatme, C.-I. Tan, and J. Tran Thanh Van, *Dual parton model*, Physics Reports **236** (1994) 225.
- [3] A. Buckley *et al.*, *General-purpose event generators for LHC physics*, Phys. Rept. **504** (2011) 145, [arXiv:1101.2599](#).
- [4] D. d’Enterria *et al.*, *Constraints from the first LHC data on hadronic event generators for ultra-high energy cosmic-ray physics*, Astropart. Phys. **35** (2011) 98, [arXiv:1101.5596](#).
- [5] J. Albrecht *et al.*, *The Muon Puzzle in cosmic-ray induced air showers and its connection to the Large Hadron Collider*, [arXiv:2105.06148](#).
- [6] C. A. Salgado *et al.*, *Proton-Nucleus collisions at the LHC: scientific opportunities and requirements*, J. Phys. **G39** (2012) 015010, [arXiv:1105.3919](#).
- [7] J. L. Albacete *et al.*, *Predictions for p+Pb collisions at  $\sqrt{s_{NN}} = 5$  TeV*, Int. J. Mod. Phys. **E22** (2013) 1330007, [arXiv:1301.3395](#).
- [8] J. L. Albacete *et al.*, *Predictions for cold nuclear matter effects in p+Pb collisions at  $\sqrt{s_{NN}} = 8.16$  TeV*, Nucl. Phys. **A972** (2018) 18, [arXiv:1707.09973](#).

- [9] J. L. Nagle and W. A. Zajc, *Small system collectivity in relativistic hadronic and nuclear collisions*, Ann. Rev. Nucl. Part. Sci. **68** (2018) 211, [arXiv:1801.03477](#).
- [10] K. J. Eskola, P. Paakkinen, H. Paukkunen, and C. A. Salgado, *EPPS16: Nuclear parton distributions with LHC data*, Eur. Phys. J. **C77** (2017) 163, [arXiv:1612.05741](#).
- [11] K. Kovarik *et al.*, *nCTEQ15 - Global analysis of nuclear parton distributions with uncertainties in the CTEQ framework*, Phys. Rev. **D93** (2016) 085037, [arXiv:1509.00792](#).
- [12] D. de Florian, R. Sassot, P. Zurita, and M. Stratmann, *Global analysis of nuclear parton distributions*, Phys. Rev. **D85** (2012) 074028, [arXiv:1112.6324](#).
- [13] Z.-B. Kang, I. Vitev, and H. Xing, *Multiple scattering effects on inclusive particle production in the large- $x$  regime*, Phys. Rev. **D88** (2013) 054010, [arXiv:1307.3557](#).
- [14] A. Accardi, *Cronin effect in proton nucleus collisions: A survey of theoretical models*, [arXiv:hep-ph/0212148](#).
- [15] J. W. Cronin *et al.*, *Production of hadrons with large transverse momentum at 200, 300, and 400 GeV*, Phys. Rev. **D11** (1975) 3105.
- [16] H. Kowalski, T. Lappi, and R. Venugopalan, *Nuclear enhancement of universal dynamics of high parton densities*, Phys. Rev. Lett. **100** (2008) 022303, [arXiv:0705.3047](#).
- [17] L. D. McLerran and R. Venugopalan, *Gluon distribution functions for very large nuclei at small transverse momentum*, Phys. Rev. **D49** (1994) 3352, [arXiv:hep-ph/9311205](#).
- [18] ALICE collaboration, S. Acharya *et al.*, *Nuclear modification factor of light neutral-meson spectra up to high transverse momentum in p-Pb collisions at  $\sqrt{s_{NN}} = 8.16$  TeV*, [arXiv:2104.03116](#).
- [19] F. Arleo, F. Cougoulic, and S. Peigné, *Fully coherent energy loss effects on light hadron production in pA collisions*, JHEP **09** (2020) 190, [arXiv:2003.06337](#).
- [20] T. Lappi and H. Mäntysaari, *Single inclusive particle production at high energy from HERA data to proton-nucleus collisions*, Phys. Rev. **D88** (2013) 114020, [arXiv:1309.6963](#).
- [21] ALICE collaboration, S. Acharya *et al.*, *Transverse momentum spectra and nuclear modification factors of charged particles in pp, p-Pb and Pb-Pb collisions at the LHC*, JHEP **11** (2018) 013, [arXiv:1802.09145](#).
- [22] CMS collaboration, V. Khachatryan *et al.*, *Charged-particle nuclear modification factors in PbPb and pPb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV*, JHEP **04** (2017) 039, [arXiv:1611.01664](#).
- [23] ATLAS collaboration, G. Aad *et al.*, *Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in  $\sqrt{s_{NN}} = 5.02$  TeV p + Pb collisions measured by the ATLAS experiment*, Phys. Lett. **B763** (2016) 313, [arXiv:1605.06436](#).

- [24] BRAHMS collaboration, I. Arsene *et al.*, *On the evolution of the nuclear modification factors with rapidity and centrality in  $d + Au$  collisions at  $\sqrt{s_{NN}} = 200$  GeV*, Phys. Rev. Lett. **93** (2004) 242303, [arXiv:nucl-ex/0403005](#).
- [25] PHENIX collaboration, C. Aidala *et al.*, *Nuclear-modification factor of charged hadrons at forward and backward rapidity in  $p+Al$  and  $p+Au$  collisions at  $\sqrt{s_{NN}} = 200$  GeV*, Phys. Rev. **C101** (2020) 034910, [arXiv:1906.09928](#).
- [26] PHOBOS collaboration, B. B. Back *et al.*, *Pseudorapidity dependence of charged hadron transverse momentum spectra in  $d+Au$  collisions at  $\sqrt{s_{NN}} = 200$  GeV*, Phys. Rev. **C70** (2004) 061901, [arXiv:nucl-ex/0406017](#).
- [27] LHCb collaboration, R. Aaij *et al.*, *Measurement of prompt charged-particle production in proton-proton collisions at  $\sqrt{s} = 13$  TeV*, [arXiv:2107.10090](#), submitted to JHEP.
- [28] ALICE collaboration, S. Acharya *et al.*, *The ALICE definition of primary particles*, ALICE-PUBLIC-2017-005, CERN, 2017.
- [29] LHCb collaboration, A. A. Alves Jr. *et al.*, *The LHCb detector at the LHC*, JINST **3** (2008) S08005.
- [30] LHCb collaboration, R. Aaij *et al.*, *LHCb detector performance*, Int. J. Mod. Phys. **A30** (2015) 1530022, [arXiv:1412.6352](#).
- [31] LHCb collaboration, R. Aaij *et al.*, *Precision luminosity measurements at LHCb*, JINST **9** (2014) P12005, [arXiv:1410.0149](#).
- [32] T. Pierog *et al.*, *EPOS LHC: Test of collective hadronization with data measured at the CERN Large Hadron Collider*, Phys. Rev. **C92** (2015) 034906, [arXiv:1306.0121](#).
- [33] T. Sjöstrand, S. Mrenna, and P. Skands, *A brief introduction to PYTHIA 8.1*, Comput. Phys. Commun. **178** (2008) 852, [arXiv:0710.3820](#).
- [34] I. Belyaev *et al.*, *Handling of the generation of primary events in Gauss, the LHCb simulation framework*, J. Phys. Conf. Ser. **331** (2011) 032047.
- [35] D. J. Lange, *The EvtGen particle decay simulation package*, Nucl. Instrum. Meth. **A462** (2001) 152.
- [36] Geant4 collaboration, S. Agostinelli *et al.*, *Geant4: A simulation toolkit*, Nucl. Instrum. Meth. **A506** (2003) 250.
- [37] Geant4 collaboration, J. Allison *et al.*, *Geant4 developments and applications*, IEEE Trans. Nucl. Sci. **53** (2006) 270.
- [38] M. Clemencic *et al.*, *The LHCb simulation application, Gauss: Design, evolution and experience*, J. Phys. Conf. Ser. **331** (2011) 032023.
- [39] M. De Cian, S. Farry, P. Seyfert, and S. Stahl, *Fast neural-net based fake track rejection in the LHCb reconstruction*, LHCb-PUB-2017-011, 2017.
- [40] LHCb collaboration, R. Aaij *et al.*, *Measurement of the track reconstruction efficiency at LHCb*, JINST **10** (2015) P02007, [arXiv:1408.1251](#).

- [41] ALICE collaboration, J. Adam *et al.*, *Multiplicity dependence of charged pion, kaon, and (anti)proton production at large transverse momentum in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV*, Phys. Lett. **B760** (2016) 720, [arXiv:1601.03658](#).
- [42] ALICE collaboration, J. Adam *et al.*, *Enhanced production of multi-strange hadrons in high-multiplicity proton-proton collisions*, Nature Phys. **13** (2017) 535, [arXiv:1606.07424](#).
- [43] ALICE collaboration, J. Adam *et al.*, *Multi-strange baryon production in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV*, Phys. Lett. **B758** (2016) 389, [arXiv:1512.07227](#).
- [44] ALICE collaboration, B. B. Abelev *et al.*, *Multiplicity Dependence of pion, kaon, proton and lambda production in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV*, Phys. Lett. **B728** (2014) 25, [arXiv:1307.6796](#).
- [45] LHCb collaboration, R. Aaij *et al.*, *Measurement of prompt hadron production ratios in pp collisions at  $\sqrt{s} = 0.9$  and 7 TeV*, Eur. Phys. J. **C72** (2012) 2168, [arXiv:1206.5160](#).
- [46] T. Sjöstrand *et al.*, *An introduction to PYTHIA 8.2*, Comput. Phys. Commun. **191** (2015) 159, [arXiv:1410.3012](#).
- [47] C. Bierlich, *Microscopic collectivity: The ridge and strangeness enhancement from string-string interactions*, Nucl. Phys. **A982** (2019) 499, [arXiv:1807.05271](#).
- [48] C. Loizides, J. Kamin, and D. d’Enterria, *Improved Monte Carlo Glauber predictions at present and future nuclear colliders*, Phys. Rev. **C97** (2018) 054910, [arXiv:1710.07098](#), [Erratum: Phys. Rev. **C99**, 019901 (2019)].
- [49] I. Helenius, K. J. Eskola, and H. Paukkunen, *Probing the small- $x$  nuclear gluon distributions with isolated photons at forward rapidities in p+Pb collisions at the LHC*, JHEP **09** (2014) 138, [arXiv:1406.1689](#).
- [50] S. Dulat *et al.*, *New parton distribution functions from a global analysis of quantum chromodynamics*, Phys. Rev. **D93** (2016) 033006, [arXiv:1506.07443](#).
- [51] D. de Florian, R. Sassot, and M. Stratmann, *Global analysis of fragmentation functions for pions and kaons and their uncertainties*, Phys. Rev. **D75** (2007) 114010, [arXiv:hep-ph/0703242](#).
- [52] Z.-B. Kang *et al.*, *Multiple scattering effects on heavy meson production in p+A collisions at backward rapidity*, Phys. Lett. **B740** (2015) 23, [arXiv:1409.2494](#).
- [53] N. Armesto, *Nuclear shadowing*, J. Phys. **G32** (2006) R367, [arXiv:hep-ph/0604108](#).

## LHCb collaboration

R. Aaij<sup>32</sup>, C. Abellán Beteta<sup>50</sup>, T. Ackernley<sup>60</sup>, B. Adeva<sup>46</sup>, M. Adinolfi<sup>54</sup>, H. Afsharnia<sup>9</sup>, C.A. Aidala<sup>86</sup>, S. Aiola<sup>25</sup>, Z. Ajaltouni<sup>9</sup>, S. Akar<sup>65</sup>, J. Albrecht<sup>15</sup>, F. Alessio<sup>48</sup>, M. Alexander<sup>59</sup>, A. Alfonso Alberio<sup>45</sup>, Z. Aliouche<sup>62</sup>, G. Alkhazov<sup>38</sup>, P. Alvarez Cartelle<sup>55</sup>, S. Amato<sup>2</sup>, J.L. Amey<sup>54</sup>, Y. Amhis<sup>11</sup>, L. An<sup>48</sup>, L. Anderlini<sup>22</sup>, A. Andreianov<sup>38</sup>, M. Andreotti<sup>21</sup>, F. Archilli<sup>17</sup>, A. Artamonov<sup>44</sup>, M. Artuso<sup>68</sup>, K. Arzymatov<sup>42</sup>, E. Aslanides<sup>10</sup>, M. Atzeni<sup>50</sup>, B. Audurier<sup>12</sup>, S. Bachmann<sup>17</sup>, M. Bachmayer<sup>49</sup>, J.J. Back<sup>56</sup>, P. Baladron Rodriguez<sup>46</sup>, V. Balagura<sup>12</sup>, W. Baldini<sup>21</sup>, J. Baptista Leite<sup>1</sup>, R.J. Barlow<sup>62</sup>, S. Barsuk<sup>11</sup>, W. Barter<sup>61</sup>, M. Bartolini<sup>24,h</sup>, F. Baryshnikov<sup>83</sup>, J.M. Basels<sup>14</sup>, G. Bassi<sup>29</sup>, B. Batsukh<sup>68</sup>, A. Battig<sup>15</sup>, A. Bay<sup>49</sup>, M. Becker<sup>15</sup>, F. Bedeschi<sup>29</sup>, I. Bediaga<sup>1</sup>, A. Beiter<sup>68</sup>, V. Belavin<sup>42</sup>, S. Belin<sup>27</sup>, V. Bellee<sup>49</sup>, K. Belous<sup>44</sup>, I. Belov<sup>40</sup>, I. Belyaev<sup>41</sup>, G. Bencivenni<sup>23</sup>, E. Ben-Haim<sup>13</sup>, A. Berezhnoy<sup>40</sup>, R. Bernet<sup>50</sup>, D. Berninghoff<sup>17</sup>, H.C. Bernstein<sup>68</sup>, C. Bertella<sup>48</sup>, A. Bertolin<sup>28</sup>, C. Betancourt<sup>50</sup>, F. Betti<sup>48</sup>, Ia. Bezshyiko<sup>50</sup>, S. Bhasin<sup>54</sup>, J. Bhom<sup>35</sup>, L. Bian<sup>73</sup>, M.S. Bieker<sup>15</sup>, S. Bifani<sup>53</sup>, P. Billoir<sup>13</sup>, M. Birch<sup>61</sup>, F.C.R. Bishop<sup>55</sup>, A. Bitadze<sup>62</sup>, A. Bizzeti<sup>22,k</sup>, M. Bjørn<sup>63</sup>, M.P. Blago<sup>48</sup>, T. Blake<sup>56</sup>, F. Blanc<sup>49</sup>, S. Blusk<sup>68</sup>, D. Bobulska<sup>59</sup>, J.A. Boelhauve<sup>15</sup>, O. Boente Garcia<sup>46</sup>, T. Boettcher<sup>65</sup>, A. Boldyrev<sup>82</sup>, A. Bondar<sup>43</sup>, N. Bondar<sup>38,48</sup>, S. Borghi<sup>62</sup>, M. Borisyak<sup>42</sup>, M. Borsato<sup>17</sup>, J.T. Borsuk<sup>35</sup>, S.A. Bouchiba<sup>49</sup>, T.J.V. Bowcock<sup>60</sup>, A. Boyer<sup>48</sup>, C. Bozzi<sup>21</sup>, M.J. Bradley<sup>61</sup>, S. Braun<sup>66</sup>, A. Brea Rodriguez<sup>46</sup>, M. Brodski<sup>48</sup>, J. Brodzicka<sup>35</sup>, A. Brossa Gonzalo<sup>56</sup>, D. Brundu<sup>27</sup>, A. Buonauro<sup>50</sup>, A.T. Burke<sup>62</sup>, C. Burr<sup>48</sup>, A. Bursche<sup>72</sup>, A. Butkevich<sup>39</sup>, J.S. Butter<sup>32</sup>, J. Buytaert<sup>48</sup>, W. Byczynski<sup>48</sup>, S. Cadeddu<sup>27</sup>, H. Cai<sup>73</sup>, R. Calabrese<sup>21,f</sup>, L. Calefice<sup>15,13</sup>, L. Calero Diaz<sup>23</sup>, S. Cali<sup>23</sup>, R. Calladine<sup>53</sup>, M. Calvi<sup>26,j</sup>, M. Calvo Gomez<sup>85</sup>, P. Camargo Magalhaes<sup>54</sup>, P. Campana<sup>23</sup>, A.F. Campoverde Quezada<sup>6</sup>, S. Capelli<sup>26,j</sup>, L. Capriotti<sup>20,d</sup>, A. Carbone<sup>20,d</sup>, G. Carboni<sup>31</sup>, R. Cardinale<sup>24,h</sup>, A. Cardini<sup>27</sup>, I. Carli<sup>4</sup>, P. Carniti<sup>26,j</sup>, L. Carus<sup>14</sup>, K. Carvalho Akiba<sup>32</sup>, A. Casais Vidal<sup>46</sup>, G. Casse<sup>60</sup>, M. Cattaneo<sup>48</sup>, G. Cavallero<sup>48</sup>, S. Celani<sup>49</sup>, J. Cerasoli<sup>10</sup>, A.J. Chadwick<sup>60</sup>, M.G. Chapman<sup>54</sup>, M. Charles<sup>13</sup>, Ph. Charpentier<sup>48</sup>, G. Chatzikonstantinidis<sup>53</sup>, C.A. Chavez Barajas<sup>60</sup>, M. Chefdeville<sup>8</sup>, C. Chen<sup>3</sup>, S. Chen<sup>4</sup>, A. Chernov<sup>35</sup>, V. Chobanova<sup>46</sup>, S. Cholak<sup>49</sup>, M. Chrzasczcz<sup>35</sup>, A. Chubykin<sup>38</sup>, V. Chulikov<sup>38</sup>, P. Ciambrone<sup>23</sup>, M.F. Cicala<sup>56</sup>, X. Cid Vidal<sup>46</sup>, G. Ciezarek<sup>48</sup>, P.E.L. Clarke<sup>58</sup>, M. Clemencic<sup>48</sup>, H.V. Cliff<sup>55</sup>, J. Closier<sup>48</sup>, J.L. Cobbledick<sup>62</sup>, V. Coco<sup>48</sup>, J.A.B. Coelho<sup>11</sup>, J. Cogan<sup>10</sup>, E. Cogneras<sup>9</sup>, L. Cojocariu<sup>37</sup>, P. Collins<sup>48</sup>, T. Colombo<sup>48</sup>, L. Congedo<sup>19,c</sup>, A. Contu<sup>27</sup>, N. Cooke<sup>53</sup>, G. Coombs<sup>59</sup>, I. Corredoira<sup>46</sup>, G. Corti<sup>48</sup>, C.M. Costa Sobral<sup>56</sup>, B. Couturier<sup>48</sup>, D.C. Craik<sup>64</sup>, J. Crkovská<sup>67</sup>, M. Cruz Torres<sup>1</sup>, R. Currie<sup>58</sup>, C.L. Da Silva<sup>67</sup>, S. Dadabaev<sup>83</sup>, L. Dai<sup>71</sup>, E. Dall'Occo<sup>15</sup>, J. Dalseno<sup>46</sup>, C. D'Ambrosio<sup>48</sup>, A. Danilina<sup>41</sup>, P. d'Argent<sup>48</sup>, J.E. Davies<sup>62</sup>, A. Davis<sup>62</sup>, O. De Aguiar Francisco<sup>62</sup>, K. De Bruyn<sup>79</sup>, S. De Capua<sup>62</sup>, M. De Cian<sup>49</sup>, J.M. De Miranda<sup>1</sup>, L. De Paula<sup>2</sup>, M. De Serio<sup>19,c</sup>, D. De Simone<sup>50</sup>, P. De Simone<sup>23</sup>, J.A. de Vries<sup>80</sup>, C.T. Dean<sup>67</sup>, D. Decamp<sup>8</sup>, L. Del Buono<sup>13</sup>, B. Delaney<sup>55</sup>, H.-P. Dembinski<sup>15</sup>, A. Dendek<sup>34</sup>, V. Denysenko<sup>50</sup>, D. Derkach<sup>82</sup>, O. Deschamps<sup>9</sup>, F. Desse<sup>11</sup>, F. Dettori<sup>27,e</sup>, B. Dey<sup>77</sup>, A. Di Cicco<sup>23</sup>, P. Di Nezza<sup>23</sup>, S. Didenko<sup>83</sup>, L. Dieste Maronas<sup>46</sup>, H. Dijkstra<sup>48</sup>, V. Dobishuk<sup>52</sup>, A.M. Donohoe<sup>18</sup>, F. Dordei<sup>27</sup>, A.C. dos Reis<sup>1</sup>, L. Douglas<sup>59</sup>, A. Dovbnya<sup>51</sup>, A.G. Downes<sup>8</sup>, K. Dreimanis<sup>60</sup>, M.W. Dudek<sup>35</sup>, L. Dufour<sup>48</sup>, V. Duk<sup>78</sup>, P. Durante<sup>48</sup>, J.M. Durham<sup>67</sup>, D. Dutta<sup>62</sup>, A. Dziurda<sup>35</sup>, A. Dzyuba<sup>38</sup>, S. Easo<sup>57</sup>, U. Egede<sup>69</sup>, V. Egorychev<sup>41</sup>, S. Eidelman<sup>43,v</sup>, S. Eisenhardt<sup>58</sup>, S. Ek-In<sup>49</sup>, L. Eklund<sup>59,w</sup>, S. Ely<sup>68</sup>, A. Ene<sup>37</sup>, E. Epple<sup>67</sup>, S. Escher<sup>14</sup>, J. Eschle<sup>50</sup>, S. Esen<sup>13</sup>, T. Evans<sup>48</sup>, A. Falabella<sup>20</sup>, J. Fan<sup>3</sup>, Y. Fan<sup>6</sup>, B. Fang<sup>73</sup>, S. Farry<sup>60</sup>, D. Fazzini<sup>26,j</sup>, M. Féo<sup>48</sup>, A. Fernandez Prieto<sup>46</sup>, A.D. Fernez<sup>66</sup>, F. Ferrari<sup>20,d</sup>, L. Ferreira Lopes<sup>49</sup>, F. Ferreira Rodrigues<sup>2</sup>, S. Ferreres Sole<sup>32</sup>, M. Ferrillo<sup>50</sup>, M. Ferro-Luzzi<sup>48</sup>, S. Filippov<sup>39</sup>, R.A. Fini<sup>19</sup>, M. Fiorini<sup>21,f</sup>, M. Firlej<sup>34</sup>, K.M. Fischer<sup>63</sup>, D.S. Fitzgerald<sup>86</sup>, C. Fitzpatrick<sup>62</sup>, T. Fiutowski<sup>34</sup>, A. Fkiaras<sup>48</sup>, F. Fleuret<sup>12</sup>, M. Fontana<sup>13</sup>, F. Fontanelli<sup>24,h</sup>, R. Forty<sup>48</sup>, V. Franco Lima<sup>60</sup>, M. Franco Sevilla<sup>66</sup>, M. Frank<sup>48</sup>, E. Franzoso<sup>21</sup>, G. Frau<sup>17</sup>, C. Frei<sup>48</sup>, D.A. Friday<sup>59</sup>, J. Fu<sup>25</sup>, Q. Fuehring<sup>15</sup>,

W. Funk<sup>48</sup>, E. Gabriel<sup>32</sup>, T. Gaintseva<sup>42</sup>, A. Gallas Torreira<sup>46</sup>, D. Galli<sup>20,d</sup>, S. Gambetta<sup>58,48</sup>, Y. Gan<sup>3</sup>, M. Gandelman<sup>2</sup>, P. Gandini<sup>25</sup>, Y. Gao<sup>5</sup>, M. Garau<sup>27</sup>, L.M. Garcia Martin<sup>56</sup>, P. Garcia Moreno<sup>45</sup>, J. García Pardiñas<sup>26,j</sup>, B. Garcia Plana<sup>46</sup>, F.A. Garcia Rosales<sup>12</sup>, L. Garrido<sup>45</sup>, C. Gaspar<sup>48</sup>, R.E. Geertsema<sup>32</sup>, D. Gerick<sup>17</sup>, L.L. Gerken<sup>15</sup>, E. Gersabeck<sup>62</sup>, M. Gersabeck<sup>62</sup>, T. Gershon<sup>56</sup>, D. Gerstel<sup>10</sup>, Ph. Ghez<sup>8</sup>, V. Gibson<sup>55</sup>, H.K. Giemza<sup>36</sup>, M. Giovannetti<sup>23,p</sup>, A. Gioventù<sup>46</sup>, P. Gironella Gironell<sup>45</sup>, L. Giubega<sup>37</sup>, C. Giugliano<sup>21,f,48</sup>, K. Gizdov<sup>58</sup>, E.L. Gkougkousis<sup>48</sup>, V.V. Gligorov<sup>13</sup>, C. Göbel<sup>70</sup>, E. Golobardes<sup>85</sup>, D. Golubkov<sup>41</sup>, A. Golutvin<sup>61,83</sup>, A. Gomes<sup>1,a</sup>, S. Gomez Fernandez<sup>45</sup>, F. Goncalves Abrantes<sup>63</sup>, M. Goncerz<sup>35</sup>, G. Gong<sup>3</sup>, P. Gorbounov<sup>41</sup>, I.V. Gorelov<sup>40</sup>, C. Gotti<sup>26</sup>, E. Govorkova<sup>48</sup>, J.P. Grabowski<sup>17</sup>, T. Grammatico<sup>13</sup>, L.A. Granado Cardoso<sup>48</sup>, E. Graugés<sup>45</sup>, E. Graverini<sup>49</sup>, G. Graziani<sup>22</sup>, A. Grecu<sup>37</sup>, L.M. Greeven<sup>32</sup>, P. Griffith<sup>21,f</sup>, L. Grillo<sup>62</sup>, S. Gromov<sup>83</sup>, B.R. Gruberg Cazon<sup>63</sup>, C. Gu<sup>3</sup>, M. Guarise<sup>21</sup>, P. A. Günther<sup>17</sup>, E. Gushchin<sup>39</sup>, A. Guth<sup>14</sup>, Y. Guz<sup>44</sup>, T. Gys<sup>48</sup>, T. Hadavizadeh<sup>69</sup>, G. Haefeli<sup>49</sup>, C. Haen<sup>48</sup>, J. Haimberger<sup>48</sup>, T. Halewood-leagas<sup>60</sup>, P.M. Hamilton<sup>66</sup>, J.P. Hammerich<sup>60</sup>, Q. Han<sup>7</sup>, X. Han<sup>17</sup>, T.H. Hancock<sup>63</sup>, S. Hansmann-Menzemer<sup>17</sup>, N. Harnew<sup>63</sup>, T. Harrison<sup>60</sup>, C. Hasse<sup>48</sup>, M. Hatch<sup>48</sup>, J. He<sup>6,b</sup>, M. Hecker<sup>61</sup>, K. Heijhoff<sup>32</sup>, K. Heinicke<sup>15</sup>, A.M. Hennequin<sup>48</sup>, K. Hennessy<sup>60</sup>, L. Henry<sup>48</sup>, J. Heuel<sup>14</sup>, A. Hicheur<sup>2</sup>, D. Hill<sup>49</sup>, M. Hilton<sup>62</sup>, S.E. Hollitt<sup>15</sup>, J. Hu<sup>17</sup>, J. Hu<sup>72</sup>, W. Hu<sup>7</sup>, X. Hu<sup>3</sup>, W. Huang<sup>6</sup>, X. Huang<sup>73</sup>, W. Hulsbergen<sup>32</sup>, R.J. Hunter<sup>56</sup>, M. Hushchyn<sup>82</sup>, D. Hutchcroft<sup>60</sup>, D. Hynds<sup>32</sup>, P. Ibis<sup>15</sup>, M. Idzik<sup>34</sup>, D. Ilin<sup>38</sup>, P. Ilten<sup>65</sup>, A. Inglessi<sup>38</sup>, A. Ishteev<sup>83</sup>, K. Ivshin<sup>38</sup>, R. Jacobsson<sup>48</sup>, S. Jakobsen<sup>48</sup>, E. Jans<sup>32</sup>, B.K. Jashal<sup>47</sup>, A. Jawahery<sup>66</sup>, V. Jevtic<sup>15</sup>, F. Jiang<sup>3</sup>, M. John<sup>63</sup>, D. Johnson<sup>48</sup>, C.R. Jones<sup>55</sup>, T.P. Jones<sup>56</sup>, B. Jost<sup>48</sup>, N. Jurik<sup>48</sup>, S. Kandybei<sup>51</sup>, Y. Kang<sup>3</sup>, M. Karacson<sup>48</sup>, M. Karpov<sup>82</sup>, F. Keizer<sup>48</sup>, M. Kenzie<sup>56</sup>, T. Ketel<sup>33</sup>, B. Khanji<sup>15</sup>, A. Kharisova<sup>84</sup>, S. Kholodenko<sup>44</sup>, T. Kirn<sup>14</sup>, V.S. Kirsebom<sup>49</sup>, O. Kitouni<sup>64</sup>, S. Klaver<sup>32</sup>, K. Klimaszewski<sup>36</sup>, S. Koliiev<sup>52</sup>, A. Kondybayeva<sup>83</sup>, A. Konoplyannikov<sup>41</sup>, P. Kopciwicz<sup>34</sup>, R. Kopecna<sup>17</sup>, P. Koppenburg<sup>32</sup>, M. Korolev<sup>40</sup>, I. Kostiuk<sup>32,52</sup>, O. Kot<sup>52</sup>, S. Kotriakhova<sup>21,38</sup>, P. Kravchenko<sup>38</sup>, L. Kravchuk<sup>39</sup>, R.D. Krawczyk<sup>48</sup>, M. Kreps<sup>56</sup>, F. Kress<sup>61</sup>, S. Kretzschmar<sup>14</sup>, P. Krokovny<sup>43,v</sup>, W. Krupa<sup>34</sup>, W. Krzemien<sup>36</sup>, W. Kucewicz<sup>35,t</sup>, M. Kucharczyk<sup>35</sup>, V. Kudryavtsev<sup>43,v</sup>, H.S. Kuindersma<sup>32,33</sup>, G.J. Kunde<sup>67</sup>, T. Kvaratskheliya<sup>41</sup>, D. Lacarrere<sup>48</sup>, G. Lafferty<sup>62</sup>, A. Lai<sup>27</sup>, A. Lampis<sup>27</sup>, D. Lancierini<sup>50</sup>, J.J. Lane<sup>62</sup>, R. Lane<sup>54</sup>, G. Lanfranchi<sup>23</sup>, C. Langenbruch<sup>14</sup>, J. Langer<sup>15</sup>, O. Lantwin<sup>50</sup>, T. Latham<sup>56</sup>, F. Lazzari<sup>29,q</sup>, R. Le Gac<sup>10</sup>, S.H. Lee<sup>86</sup>, R. Lefèvre<sup>9</sup>, A. Leflat<sup>40</sup>, S. Legotin<sup>83</sup>, O. Leroy<sup>10</sup>, T. Lesiak<sup>35</sup>, B. Leverington<sup>17</sup>, H. Li<sup>72</sup>, L. Li<sup>63</sup>, P. Li<sup>17</sup>, S. Li<sup>7</sup>, Y. Li<sup>4</sup>, Y. Li<sup>4</sup>, Z. Li<sup>68</sup>, X. Liang<sup>68</sup>, T. Lin<sup>61</sup>, R. Lindner<sup>48</sup>, V. Lisovskyi<sup>15</sup>, R. Litvinov<sup>27</sup>, G. Liu<sup>72</sup>, H. Liu<sup>6</sup>, S. Liu<sup>4</sup>, A. Loi<sup>27</sup>, J. Lomba Castro<sup>46</sup>, I. Longstaff<sup>59</sup>, J.H. Lopes<sup>2</sup>, S. Lopez Solino<sup>46</sup>, G.H. Lovell<sup>55</sup>, Y. Lu<sup>4</sup>, D. Lucchesi<sup>28,l</sup>, S. Luchuk<sup>39</sup>, M. Lucio Martinez<sup>32</sup>, V. Lukashenko<sup>32,52</sup>, Y. Luo<sup>3</sup>, A. Lupato<sup>62</sup>, E. Luppi<sup>21,f</sup>, O. Lupton<sup>56</sup>, A. Lusiani<sup>29,m</sup>, X. Lyu<sup>6</sup>, L. Ma<sup>4</sup>, R. Ma<sup>6</sup>, S. Maccolini<sup>20,d</sup>, F. Machefert<sup>11</sup>, F. Maciuc<sup>37</sup>, V. Macko<sup>49</sup>, P. Mackowiak<sup>15</sup>, S. Maddrell-Mander<sup>54</sup>, O. Madejczyk<sup>34</sup>, L.R. Madhan Mohan<sup>54</sup>, O. Maev<sup>38</sup>, A. Maevskiy<sup>82</sup>, D. Maisuzenko<sup>38</sup>, M.W. Majewski<sup>34</sup>, J.J. Malczewski<sup>35</sup>, S. Malde<sup>63</sup>, B. Malecki<sup>48</sup>, A. Malinin<sup>81</sup>, T. Maltsev<sup>43,v</sup>, H. Malygina<sup>17</sup>, G. Manca<sup>27,e</sup>, G. Mancinelli<sup>10</sup>, D. Manuzzi<sup>20,d</sup>, D. Marangotto<sup>25,i</sup>, J. Maratas<sup>9,s</sup>, J.F. Marchand<sup>8</sup>, U. Marconi<sup>20</sup>, S. Mariani<sup>22,g</sup>, C. Marin Benito<sup>48</sup>, M. Marinangeli<sup>49</sup>, J. Marks<sup>17</sup>, A.M. Marshall<sup>54</sup>, P.J. Marshall<sup>60</sup>, G. Martellotti<sup>30</sup>, L. Martinazzoli<sup>48,j</sup>, M. Martinelli<sup>26,j</sup>, D. Martinez Santos<sup>46</sup>, F. Martinez Vidal<sup>47</sup>, A. Massafferri<sup>1</sup>, M. Materok<sup>14</sup>, R. Matev<sup>48</sup>, A. Mathad<sup>50</sup>, Z. Mathe<sup>48</sup>, V. Matiunin<sup>41</sup>, C. Matteuzzi<sup>26</sup>, K.R. Mattioli<sup>86</sup>, A. Mauri<sup>32</sup>, E. Maurice<sup>12</sup>, J. Mauricio<sup>45</sup>, M. Mazurek<sup>48</sup>, M. McCann<sup>61</sup>, L. Mcconnell<sup>18</sup>, T.H. Mcgrath<sup>62</sup>, A. McNab<sup>62</sup>, R. McNulty<sup>18</sup>, J.V. Mead<sup>60</sup>, B. Meadows<sup>65</sup>, G. Meier<sup>15</sup>, N. Meinert<sup>76</sup>, D. Melnychuk<sup>36</sup>, S. Meloni<sup>26,j</sup>, M. Merk<sup>32,80</sup>, A. Merli<sup>25</sup>, L. Meyer Garcia<sup>2</sup>, M. Mikhasenko<sup>48</sup>, D.A. Milanese<sup>74</sup>, E. Millard<sup>56</sup>, M. Milovanovic<sup>48</sup>, M.-N. Minard<sup>8</sup>, A. Minotti<sup>21</sup>, L. Minzoni<sup>21,f</sup>, S.E. Mitchell<sup>58</sup>, B. Mitreska<sup>62</sup>, D.S. Mitzel<sup>48</sup>, A. Mödden<sup>15</sup>, R.A. Mohammed<sup>63</sup>, R.D. Moise<sup>61</sup>, T. Mombächer<sup>46</sup>, I.A. Monroy<sup>74</sup>, S. Monteil<sup>9</sup>, M. Morandin<sup>28</sup>, G. Morello<sup>23</sup>, M.J. Morello<sup>29,m</sup>,



J. Moron<sup>34</sup>, A.B. Morris<sup>75</sup>, A.G. Morris<sup>56</sup>, R. Mountain<sup>68</sup>, H. Mu<sup>3</sup>, F. Muheim<sup>58,48</sup>,  
 M. Mulder<sup>48</sup>, D. Müller<sup>48</sup>, K. Müller<sup>50</sup>, C.H. Murphy<sup>63</sup>, D. Murray<sup>62</sup>, P. Muzzetto<sup>27,48</sup>,  
 P. Naik<sup>54</sup>, T. Nakada<sup>49</sup>, R. Nandakumar<sup>57</sup>, T. Nanut<sup>49</sup>, I. Nasteva<sup>2</sup>, M. Needham<sup>58</sup>, I. Neri<sup>21</sup>,  
 N. Neri<sup>25,i</sup>, S. Neubert<sup>75</sup>, N. Neufeld<sup>48</sup>, R. Newcombe<sup>61</sup>, T.D. Nguyen<sup>49</sup>, C. Nguyen-Mau<sup>49,x</sup>,  
 E.M. Niel<sup>11</sup>, S. Nieswand<sup>14</sup>, N. Nikitin<sup>40</sup>, N.S. Nolte<sup>64</sup>, C. Normand<sup>8</sup>, C. Nunez<sup>86</sup>,  
 A. Oblakowska-Mucha<sup>34</sup>, V. Obraztsov<sup>44</sup>, D.P. O'Hanlon<sup>54</sup>, R. Oldeman<sup>27,e</sup>, M.E. Olivares<sup>68</sup>,  
 C.J.G. Onderwater<sup>79</sup>, R.H. O'neil<sup>58</sup>, A. Ossowska<sup>35</sup>, J.M. Otalora Goicochea<sup>2</sup>,  
 T. Ovsianikova<sup>41</sup>, P. Owen<sup>50</sup>, A. Oyanguren<sup>47</sup>, B. Pagare<sup>56</sup>, P.R. Pais<sup>48</sup>, T. Pajero<sup>63</sup>,  
 A. Palano<sup>19</sup>, M. Palutan<sup>23</sup>, Y. Pan<sup>62</sup>, G. Panshin<sup>84</sup>, A. Papanestis<sup>57</sup>, M. Pappagallo<sup>19,c</sup>,  
 L.L. Pappalardo<sup>21,f</sup>, C. Pappenheimer<sup>65</sup>, W. Parker<sup>66</sup>, C. Parkes<sup>62</sup>, C.J. Parkinson<sup>46</sup>,  
 B. Passalacqua<sup>21</sup>, G. Passaleva<sup>22</sup>, A. Pastore<sup>19</sup>, M. Patel<sup>61</sup>, C. Patrignani<sup>20,d</sup>, C.J. Pawley<sup>80</sup>,  
 A. Pearce<sup>48</sup>, A. Pellegrino<sup>32</sup>, M. Pepe Altarelli<sup>48</sup>, S. Perazzini<sup>20</sup>, D. Pereima<sup>41</sup>, P. Perret<sup>9</sup>,  
 M. Petric<sup>59,48</sup>, K. Petridis<sup>54</sup>, A. Petrolini<sup>24,h</sup>, A. Petrov<sup>81</sup>, S. Petrucci<sup>58</sup>, M. Petruzzo<sup>25</sup>,  
 T.T.H. Pham<sup>68</sup>, A. Philippov<sup>42</sup>, L. Pica<sup>29,m</sup>, M. Piccini<sup>78</sup>, B. Pietrzyk<sup>8</sup>, G. Pietrzyk<sup>49</sup>,  
 M. Pili<sup>63</sup>, D. Pinci<sup>30</sup>, F. Pisani<sup>48</sup>, Resmi P.K<sup>10</sup>, V. Placinta<sup>37</sup>, J. Plews<sup>53</sup>, M. Plo Casasus<sup>46</sup>,  
 F. Polci<sup>13</sup>, M. Poli Lener<sup>23</sup>, M. Poliakov<sup>68</sup>, A. Poluektov<sup>10</sup>, N. Polukhina<sup>83,u</sup>, I. Polyakov<sup>68</sup>,  
 E. Polcarpo<sup>2</sup>, G.J. Pomery<sup>54</sup>, S. Ponce<sup>48</sup>, D. Popov<sup>6,48</sup>, S. Popov<sup>42</sup>, S. Poslavskii<sup>44</sup>,  
 K. Prasanth<sup>35</sup>, L. Promberger<sup>48</sup>, C. Prouve<sup>46</sup>, V. Pugatch<sup>52</sup>, H. Pullen<sup>63</sup>, G. Punzi<sup>29,n</sup>, H. Qi<sup>3</sup>,  
 W. Qian<sup>6</sup>, J. Qin<sup>6</sup>, N. Qin<sup>3</sup>, R. Quagliani<sup>13</sup>, B. Quintana<sup>8</sup>, N.V. Raab<sup>18</sup>, R.I. Rabadan Trejo<sup>10</sup>,  
 B. Rachwal<sup>34</sup>, J.H. Rademacker<sup>54</sup>, M. Rama<sup>29</sup>, M. Ramos Pernas<sup>56</sup>, M.S. Rangel<sup>2</sup>,  
 F. Ratnikov<sup>42,82</sup>, G. Raven<sup>33</sup>, M. Reboud<sup>8</sup>, F. Redi<sup>49</sup>, F. Reiss<sup>62</sup>, C. Remon Alepuz<sup>47</sup>, Z. Ren<sup>3</sup>,  
 V. Renaudin<sup>63</sup>, R. Ribatti<sup>29</sup>, S. Ricciardi<sup>57</sup>, K. Rinnert<sup>60</sup>, P. Robbe<sup>11</sup>, G. Robertson<sup>58</sup>,  
 A.B. Rodrigues<sup>49</sup>, E. Rodrigues<sup>60</sup>, J.A. Rodriguez Lopez<sup>74</sup>, E.R.R. Rodriguez Rodriguez<sup>46</sup>,  
 A. Rollings<sup>63</sup>, P. Roloff<sup>48</sup>, V. Romanovskiy<sup>44</sup>, M. Romero Lamas<sup>46</sup>, A. Romero Vidal<sup>46</sup>,  
 J.D. Roth<sup>86</sup>, M. Rotondo<sup>23</sup>, M.S. Rudolph<sup>68</sup>, T. Ruf<sup>48</sup>, J. Ruiz Vidal<sup>47</sup>, A. Ryzhikov<sup>82</sup>,  
 J. Ryzka<sup>34</sup>, J.J. Saborido Silva<sup>46</sup>, N. Sagidova<sup>38</sup>, N. Sahoo<sup>56</sup>, B. Saitta<sup>27,e</sup>, M. Salomoni<sup>48</sup>,  
 C. Sanchez Gras<sup>32</sup>, R. Santacesaria<sup>30</sup>, C. Santamarina Rios<sup>46</sup>, M. Santimaria<sup>23</sup>,  
 E. Santovetti<sup>31,p</sup>, D. Saranin<sup>83</sup>, G. Sarpis<sup>14</sup>, M. Sarpis<sup>75</sup>, A. Sarti<sup>30</sup>, C. Satriano<sup>30,o</sup>, A. Satta<sup>31</sup>,  
 M. Saur<sup>15</sup>, D. Savrina<sup>41,40</sup>, H. Sazak<sup>9</sup>, L.G. Scantlebury Smead<sup>63</sup>, A. Scarabotto<sup>13</sup>, S. Schael<sup>14</sup>,  
 M. Schiller<sup>59</sup>, H. Schindler<sup>48</sup>, M. Schmelling<sup>16</sup>, B. Schmidt<sup>48</sup>, O. Schneider<sup>49</sup>, A. Schopper<sup>48</sup>,  
 M. Schubiger<sup>32</sup>, S. Schulte<sup>49</sup>, M.H. Schune<sup>11</sup>, R. Schwemmer<sup>48</sup>, B. Sciascia<sup>23</sup>, S. Sellam<sup>46</sup>,  
 A. Semennikov<sup>41</sup>, M. Senghi Soares<sup>33</sup>, A. Sergi<sup>24,h</sup>, N. Serra<sup>50</sup>, L. Sestini<sup>28</sup>, A. Seuthe<sup>15</sup>,  
 P. Seyfert<sup>48</sup>, Y. Shang<sup>5</sup>, D.M. Shangase<sup>86</sup>, M. Shapkin<sup>44</sup>, I. Shchemerov<sup>83</sup>, L. Shchutska<sup>49</sup>,  
 T. Shears<sup>60</sup>, L. Shekhtman<sup>43,v</sup>, Z. Shen<sup>5</sup>, V. Shevchenko<sup>81</sup>, E.B. Shields<sup>26,j</sup>, E. Shmanin<sup>83</sup>,  
 J.D. Shupperd<sup>68</sup>, B.G. Siddi<sup>21</sup>, R. Silva Coutinho<sup>50</sup>, G. Simi<sup>28</sup>, S. Simone<sup>19,c</sup>, N. Skidmore<sup>62</sup>,  
 T. Skwarnicki<sup>68</sup>, M.W. Slater<sup>53</sup>, I. Slazyk<sup>21,f</sup>, J.C. Smallwood<sup>63</sup>, J.G. Smeaton<sup>55</sup>,  
 A. Smetkina<sup>41</sup>, E. Smith<sup>50</sup>, M. Smith<sup>61</sup>, A. Snoch<sup>32</sup>, M. Soares<sup>20</sup>, L. Soares Lavra<sup>9</sup>,  
 M.D. Sokoloff<sup>65</sup>, F.J.P. Soler<sup>59</sup>, A. Solovov<sup>38</sup>, I. Solovyevev<sup>38</sup>, F.L. Souza De Almeida<sup>2</sup>,  
 B. Souza De Paula<sup>2</sup>, B. Spaan<sup>15</sup>, E. Spadaro Norella<sup>25,i</sup>, P. Spradlin<sup>59</sup>, F. Stagni<sup>48</sup>, M. Stahl<sup>65</sup>,  
 S. Stahl<sup>48</sup>, P. Stefko<sup>49</sup>, O. Steinkamp<sup>50,83</sup>, O. Stenyakin<sup>44</sup>, H. Stevens<sup>15</sup>, S. Stone<sup>68</sup>,  
 M.E. Stramaglia<sup>49</sup>, M. Straticiu<sup>37</sup>, D. Strekalina<sup>83</sup>, F. Suljik<sup>63</sup>, J. Sun<sup>27</sup>, L. Sun<sup>73</sup>, Y. Sun<sup>66</sup>,  
 P. Sviha<sup>62</sup>, P.N. Swallow<sup>53</sup>, K. Swientek<sup>34</sup>, A. Szabelski<sup>36</sup>, T. Szumlak<sup>34</sup>, M. Szymanski<sup>48</sup>,  
 S. Taneja<sup>62</sup>, A.R. Tanner<sup>54</sup>, A. Terentev<sup>83</sup>, F. Teubert<sup>48</sup>, E. Thomas<sup>48</sup>, D.J.D. Thompson<sup>53</sup>,  
 K.A. Thomson<sup>60</sup>, V. Tisserand<sup>9</sup>, S. T'Jampens<sup>8</sup>, M. Tobin<sup>4</sup>, L. Tomassetti<sup>21,f</sup>,  
 D. Torres Machado<sup>1</sup>, D.Y. Tou<sup>13</sup>, M.T. Tran<sup>49</sup>, E. Trifonova<sup>83</sup>, C. Tripp<sup>49</sup>, G. Tuci<sup>29,n</sup>,  
 A. Tully<sup>49</sup>, N. Tuning<sup>32,48</sup>, A. Ukleja<sup>36</sup>, D.J. Unverzagt<sup>17</sup>, E. Ursov<sup>83</sup>, A. Usachov<sup>32</sup>,  
 A. Ustyuzhanin<sup>42,82</sup>, U. Uwer<sup>17</sup>, A. Vagner<sup>84</sup>, V. Vagnoni<sup>20</sup>, A. Valassi<sup>48</sup>, G. Valenti<sup>20</sup>,  
 N. Valls Canudas<sup>85</sup>, M. van Beuzekom<sup>32</sup>, M. Van Dijk<sup>49</sup>, E. van Herwijnen<sup>83</sup>, C.B. Van Hulse<sup>18</sup>,  
 M. van Veghel<sup>79</sup>, R. Vazquez Gomez<sup>45</sup>, P. Vazquez Regueiro<sup>46</sup>, C. Vázquez Sierra<sup>48</sup>, S. Vecchi<sup>21</sup>,  
 J.J. Velthuis<sup>54</sup>, M. Veltri<sup>22,r</sup>, A. Venkateswaran<sup>68</sup>, M. Veronesi<sup>32</sup>, M. Vesterinen<sup>56</sup>, D. Vieira<sup>65</sup>,

M. Vieites Diaz<sup>49</sup>, H. Viemann<sup>76</sup>, X. Vilasis-Cardona<sup>85</sup>, E. Vilella Figueras<sup>60</sup>, A. Villa<sup>20</sup>, P. Vincent<sup>13</sup>, D. Vom Bruch<sup>10</sup>, A. Vorobyev<sup>38</sup>, V. Vorobyev<sup>43,v</sup>, N. Voropaev<sup>38</sup>, K. Vos<sup>80</sup>, R. Waldi<sup>17</sup>, J. Walsh<sup>29</sup>, C. Wang<sup>17</sup>, J. Wang<sup>5</sup>, J. Wang<sup>4</sup>, J. Wang<sup>3</sup>, J. Wang<sup>73</sup>, M. Wang<sup>3</sup>, R. Wang<sup>54</sup>, Y. Wang<sup>7</sup>, Z. Wang<sup>50</sup>, Z. Wang<sup>3</sup>, H.M. Wark<sup>60</sup>, N.K. Watson<sup>53</sup>, S.G. Weber<sup>13</sup>, D. Websdale<sup>61</sup>, C. Weisser<sup>64</sup>, B.D.C. Westhenry<sup>54</sup>, D.J. White<sup>62</sup>, M. Whitehead<sup>54</sup>, D. Wiedner<sup>15</sup>, G. Wilkinson<sup>63</sup>, M. Wilkinson<sup>68</sup>, I. Williams<sup>55</sup>, M. Williams<sup>64</sup>, M.R.J. Williams<sup>58</sup>, F.F. Wilson<sup>57</sup>, W. Wislicki<sup>36</sup>, M. Witek<sup>35</sup>, L. Witola<sup>17</sup>, G. Wormser<sup>11</sup>, S.A. Wotton<sup>55</sup>, H. Wu<sup>68</sup>, K. Wyllie<sup>48</sup>, Z. Xiang<sup>6</sup>, D. Xiao<sup>7</sup>, Y. Xie<sup>7</sup>, A. Xu<sup>5</sup>, J. Xu<sup>6</sup>, L. Xu<sup>3</sup>, M. Xu<sup>7</sup>, Q. Xu<sup>6</sup>, Z. Xu<sup>5</sup>, Z. Xu<sup>6</sup>, D. Yang<sup>3</sup>, S. Yang<sup>6</sup>, Y. Yang<sup>6</sup>, Z. Yang<sup>3</sup>, Z. Yang<sup>66</sup>, Y. Yao<sup>68</sup>, L.E. Yeomans<sup>60</sup>, H. Yin<sup>7</sup>, J. Yu<sup>71</sup>, X. Yuan<sup>68</sup>, O. Yushchenko<sup>44</sup>, E. Zaffaroni<sup>49</sup>, M. Zavertyaev<sup>16,u</sup>, M. Zdybal<sup>35</sup>, O. Zenaiev<sup>48</sup>, M. Zeng<sup>3</sup>, D. Zhang<sup>7</sup>, L. Zhang<sup>3</sup>, S. Zhang<sup>71</sup>, S. Zhang<sup>5</sup>, Y. Zhang<sup>5</sup>, Y. Zhang<sup>63</sup>, A. Zharkova<sup>83</sup>, A. Zhelezov<sup>17</sup>, Y. Zheng<sup>6</sup>, X. Zhou<sup>6</sup>, Y. Zhou<sup>6</sup>, X. Zhu<sup>3</sup>, Z. Zhu<sup>6</sup>, V. Zhukov<sup>14,40</sup>, J.B. Zonneveld<sup>58</sup>, Q. Zou<sup>4</sup>, S. Zucchelli<sup>20,d</sup>, D. Zuliani<sup>28</sup>, G. Zunica<sup>62</sup>.

<sup>1</sup>Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro, Brazil

<sup>2</sup>Universidade Federal do Rio de Janeiro (UFRJ), Rio de Janeiro, Brazil

<sup>3</sup>Center for High Energy Physics, Tsinghua University, Beijing, China

<sup>4</sup>Institute Of High Energy Physics (IHEP), Beijing, China

<sup>5</sup>School of Physics State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

<sup>6</sup>University of Chinese Academy of Sciences, Beijing, China

<sup>7</sup>Institute of Particle Physics, Central China Normal University, Wuhan, Hubei, China

<sup>8</sup>Univ. Savoie Mont Blanc, CNRS, IN2P3-LAPP, Annecy, France

<sup>9</sup>Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

<sup>10</sup>Aix Marseille Univ, CNRS/IN2P3, CPPM, Marseille, France

<sup>11</sup>Université Paris-Saclay, CNRS/IN2P3, IJCLab, Orsay, France

<sup>12</sup>Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France

<sup>13</sup>LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France

<sup>14</sup>I. Physikalisches Institut, RWTH Aachen University, Aachen, Germany

<sup>15</sup>Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany

<sup>16</sup>Max-Planck-Institut für Kernphysik (MPIK), Heidelberg, Germany

<sup>17</sup>Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

<sup>18</sup>School of Physics, University College Dublin, Dublin, Ireland

<sup>19</sup>INFN Sezione di Bari, Bari, Italy

<sup>20</sup>INFN Sezione di Bologna, Bologna, Italy

<sup>21</sup>INFN Sezione di Ferrara, Ferrara, Italy

<sup>22</sup>INFN Sezione di Firenze, Firenze, Italy

<sup>23</sup>INFN Laboratori Nazionali di Frascati, Frascati, Italy

<sup>24</sup>INFN Sezione di Genova, Genova, Italy

<sup>25</sup>INFN Sezione di Milano, Milano, Italy

<sup>26</sup>INFN Sezione di Milano-Bicocca, Milano, Italy

<sup>27</sup>INFN Sezione di Cagliari, Monserrato, Italy

<sup>28</sup>Università degli Studi di Padova, Università e INFN, Padova, Padova, Italy

<sup>29</sup>INFN Sezione di Pisa, Pisa, Italy

<sup>30</sup>INFN Sezione di Roma La Sapienza, Roma, Italy

<sup>31</sup>INFN Sezione di Roma Tor Vergata, Roma, Italy

<sup>32</sup>Nikhef National Institute for Subatomic Physics, Amsterdam, Netherlands

<sup>33</sup>Nikhef National Institute for Subatomic Physics and VU University Amsterdam, Amsterdam, Netherlands

<sup>34</sup>AGH - University of Science and Technology, Faculty of Physics and Applied Computer Science, Kraków, Poland

<sup>35</sup>Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Kraków, Poland

<sup>36</sup>National Center for Nuclear Research (NCBJ), Warsaw, Poland

<sup>37</sup>Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest-Magurele, Romania

- <sup>38</sup> *Petersburg Nuclear Physics Institute NRC Kurchatov Institute (PNPI NRC KI), Gatchina, Russia*
- <sup>39</sup> *Institute for Nuclear Research of the Russian Academy of Sciences (INR RAS), Moscow, Russia*
- <sup>40</sup> *Institute of Nuclear Physics, Moscow State University (SINP MSU), Moscow, Russia*
- <sup>41</sup> *Institute of Theoretical and Experimental Physics NRC Kurchatov Institute (ITEP NRC KI), Moscow, Russia*
- <sup>42</sup> *Yandex School of Data Analysis, Moscow, Russia*
- <sup>43</sup> *Budker Institute of Nuclear Physics (SB RAS), Novosibirsk, Russia*
- <sup>44</sup> *Institute for High Energy Physics NRC Kurchatov Institute (IHEP NRC KI), Protvino, Russia, Protvino, Russia*
- <sup>45</sup> *ICCUB, Universitat de Barcelona, Barcelona, Spain*
- <sup>46</sup> *Instituto Galego de Física de Altas Enerxías (IGFAE), Universidade de Santiago de Compostela, Santiago de Compostela, Spain*
- <sup>47</sup> *Instituto de Física Corpuscular, Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain*
- <sup>48</sup> *European Organization for Nuclear Research (CERN), Geneva, Switzerland*
- <sup>49</sup> *Institute of Physics, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland*
- <sup>50</sup> *Physik-Institut, Universität Zürich, Zürich, Switzerland*
- <sup>51</sup> *NSC Kharkiv Institute of Physics and Technology (NSC KIPT), Kharkiv, Ukraine*
- <sup>52</sup> *Institute for Nuclear Research of the National Academy of Sciences (KINR), Kyiv, Ukraine*
- <sup>53</sup> *University of Birmingham, Birmingham, United Kingdom*
- <sup>54</sup> *H.H. Wills Physics Laboratory, University of Bristol, Bristol, United Kingdom*
- <sup>55</sup> *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
- <sup>56</sup> *Department of Physics, University of Warwick, Coventry, United Kingdom*
- <sup>57</sup> *STFC Rutherford Appleton Laboratory, Didcot, United Kingdom*
- <sup>58</sup> *School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom*
- <sup>59</sup> *School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom*
- <sup>60</sup> *Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
- <sup>61</sup> *Imperial College London, London, United Kingdom*
- <sup>62</sup> *Department of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
- <sup>63</sup> *Department of Physics, University of Oxford, Oxford, United Kingdom*
- <sup>64</sup> *Massachusetts Institute of Technology, Cambridge, MA, United States*
- <sup>65</sup> *University of Cincinnati, Cincinnati, OH, United States*
- <sup>66</sup> *University of Maryland, College Park, MD, United States*
- <sup>67</sup> *Los Alamos National Laboratory (LANL), Los Alamos, United States*
- <sup>68</sup> *Syracuse University, Syracuse, NY, United States*
- <sup>69</sup> *School of Physics and Astronomy, Monash University, Melbourne, Australia, associated to <sup>56</sup>*
- <sup>70</sup> *Pontifícia Universidade Católica do Rio de Janeiro (PUC-Rio), Rio de Janeiro, Brazil, associated to <sup>2</sup>*
- <sup>71</sup> *Physics and Micro Electronic College, Hunan University, Changsha City, China, associated to <sup>7</sup>*
- <sup>72</sup> *Guangdong Provincial Key Laboratory of Nuclear Science, Guangdong-Hong Kong Joint Laboratory of Quantum Matter, Institute of Quantum Matter, South China Normal University, Guangzhou, China, associated to <sup>3</sup>*
- <sup>73</sup> *School of Physics and Technology, Wuhan University, Wuhan, China, associated to <sup>3</sup>*
- <sup>74</sup> *Departamento de Física, Universidad Nacional de Colombia, Bogota, Colombia, associated to <sup>13</sup>*
- <sup>75</sup> *Universität Bonn - Helmholtz-Institut für Strahlen und Kernphysik, Bonn, Germany, associated to <sup>17</sup>*
- <sup>76</sup> *Institut für Physik, Universität Rostock, Rostock, Germany, associated to <sup>17</sup>*
- <sup>77</sup> *Eotvos Lorand University, Budapest, Hungary, associated to <sup>48</sup>*
- <sup>78</sup> *INFN Sezione di Perugia, Perugia, Italy, associated to <sup>21</sup>*
- <sup>79</sup> *Van Swinderen Institute, University of Groningen, Groningen, Netherlands, associated to <sup>32</sup>*
- <sup>80</sup> *Universiteit Maastricht, Maastricht, Netherlands, associated to <sup>32</sup>*
- <sup>81</sup> *National Research Centre Kurchatov Institute, Moscow, Russia, associated to <sup>41</sup>*
- <sup>82</sup> *National Research University Higher School of Economics, Moscow, Russia, associated to <sup>42</sup>*
- <sup>83</sup> *National University of Science and Technology "MISIS", Moscow, Russia, associated to <sup>41</sup>*
- <sup>84</sup> *National Research Tomsk Polytechnic University, Tomsk, Russia, associated to <sup>41</sup>*
- <sup>85</sup> *DS4DS, La Salle, Universitat Ramon Llull, Barcelona, Spain, associated to <sup>45</sup>*
- <sup>86</sup> *University of Michigan, Ann Arbor, United States, associated to <sup>68</sup>*

<sup>a</sup> *Universidade Federal do Triângulo Mineiro (UFTM), Uberaba-MG, Brazil*

<sup>b</sup> *Hangzhou Institute for Advanced Study, UCAS, Hangzhou, China*

- <sup>c</sup> *Università di Bari, Bari, Italy*
- <sup>d</sup> *Università di Bologna, Bologna, Italy*
- <sup>e</sup> *Università di Cagliari, Cagliari, Italy*
- <sup>f</sup> *Università di Ferrara, Ferrara, Italy*
- <sup>g</sup> *Università di Firenze, Firenze, Italy*
- <sup>h</sup> *Università di Genova, Genova, Italy*
- <sup>i</sup> *Università degli Studi di Milano, Milano, Italy*
- <sup>j</sup> *Università di Milano Bicocca, Milano, Italy*
- <sup>k</sup> *Università di Modena e Reggio Emilia, Modena, Italy*
- <sup>l</sup> *Università di Padova, Padova, Italy*
- <sup>m</sup> *Scuola Normale Superiore, Pisa, Italy*
- <sup>n</sup> *Università di Pisa, Pisa, Italy*
- <sup>o</sup> *Università della Basilicata, Potenza, Italy*
- <sup>p</sup> *Università di Roma Tor Vergata, Roma, Italy*
- <sup>q</sup> *Università di Siena, Siena, Italy*
- <sup>r</sup> *Università di Urbino, Urbino, Italy*
- <sup>s</sup> *MSU - Iligan Institute of Technology (MSU-IIT), Iligan, Philippines*
- <sup>t</sup> *AGH - University of Science and Technology, Faculty of Computer Science, Electronics and Telecommunications, Kraków, Poland*
- <sup>u</sup> *P.N. Lebedev Physical Institute, Russian Academy of Science (LPI RAS), Moscow, Russia*
- <sup>v</sup> *Novosibirsk State University, Novosibirsk, Russia*
- <sup>w</sup> *Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden*
- <sup>x</sup> *Hanoi University of Science, Hanoi, Vietnam*