## S5: Qualitative results

Javier Pérez de Frutos<sup>1\*</sup>, André Pedersen<sup>1,2,3</sup>, Egidijus Pelanis<sup>4</sup>, David Bouget<sup>1</sup>, Shanmugapriya Survarachakan<sup>5</sup>, Thomas Langø<sup>1,6</sup>, Ole-Jakob Elle<sup>4</sup>, and Frank Lindseth<sup>5</sup>

<sup>1</sup>Department of Health Research, SINTEF, Trondheim, Norway

<sup>2</sup>Department of Clinical and Molecular Medicine, Norwegian University of Science and University (NTNU), Trondheim, Norway

<sup>3</sup>Clinic of Surgery, St. Olavs hospital, Trondheim University Hospital, Trondheim, Norway

<sup>4</sup>Intervention Centre, Oslo University Hospital, Oslo, Norway

<sup>5</sup>Department of Computer Science, Norwegian University of Science and University (NTNU), Trondheim, Norway

<sup>6</sup>Research Department, Future Operating Room, St. Olavs hopsital, Trondheim University Hospital, Trondheim, Norway

<sup>\*</sup>Corresponding author: Javier Pérez de Frutos, javier.perezdefrutos@sintef.no

## Document description

models.

This document contains examples of predictions on the IXI and Oslo-CoMet test datasets.






Figure A. Sample image of the IXI test set, and predictions of the


1




BL-N BL-NS SG-ND SG-NSD UW-NSD UW-NSDH (b) Predictions of the models trained on the Oslo-CoMet dataset. Figure B. Sample image of the Oslo-CoMet test set, and predictions of the models trained on the Oslo-CoMet dataset.




(a) Predictions of the models trained on the Oslo-CoMet dataset from finetuning the entire architecture.



(b) Predictions of the models trained on the Oslo-CoMet dataset from finetuning in two steps.





(c) Predictions of the SyN and SyNCC algorithms. Figure C. Predictions of the finetuned models and ANTs on the Oslo-CoMet test set sample.