

$$\min_{\mathbf{u} \in \mathcal{U}} F(\mathbf{u}, \mathbf{v}; \mathcal{D}_{\text{val}})$$

$$s.t. \mathbf{v} \in \mathcal{S}(\mathbf{u}), \mathcal{S}(\mathbf{u}) := \arg \min_{\mathbf{v}} f(\mathbf{u}, \mathbf{v}; \mathcal{D}_{\text{tr}})$$

“Learning **scene-irrelevant** encoder”

(a) Bilevel Learning (BL)


$$\min_{\mathbf{u} \in \mathcal{U}, \tilde{\mathbf{v}} \in \mathcal{V}} F(\mathbf{u}, \tilde{\mathbf{v}}, \mathbf{v}; \mathcal{D}_{\text{val}})$$

$$s.t. \mathbf{v} \in \mathcal{S}(\mathbf{u}), \mathcal{S}(\mathbf{u}) := \arg \min_{\mathbf{v}} f(\mathbf{u}, \mathbf{v}; \mathcal{D}_{\text{tr}})$$


“Learning **scene-irrelevant** encoder +
Learning **meta-initialization** of scene-specific decode”

(b) Reinforced Bilevel Learning (RBL)

Learning on diverse scenes



Fast adaptation on the unseen scene



(c) Learning & Fast Adaptation Phases