

	(5)EMA parameters							
	J_{max}	J_{final}	ℓ_{min}	ℓ_{final}	μ_{mid}	$range_{mid}$	t_{early}	t_{worse}
(4L 1024d MLP)	1.00	1.00	0.016	0.016	0.95	0.19	0.14	0.60
(MLP + EMA)	1.00	1.00	0.016	0.016	1.00	0.03	0.06	0.07
freq. 2	1.00	1.00	0.016	0.016	0.99	0.03	0.06	0.14
freq. 5	1.00	1.00	0.016	0.016	1.00	0.03	0.06	0.25
freq. 10	1.00	1.00	0.018	0.018	0.99	0.09	0.17	0.41
freq. 20	1.00	1.00	0.023	0.023	0.84	0.37	0.50	0.81
freq. 50	0.53	0.41	0.089	0.221	0.26	0.09	0.93	-
freq. 100	0.35	0.22	0.077	0.604	0.21	0.01	0.02	-
burn-in 0	1.00	1.00	0.016	0.016	0.99	0.03	0.06	0.12
burn-in 50	1.00	1.00	0.016	0.016	1.00	0.03	0.07	0.12
burn-in 100	1.00	1.00	0.016	0.016	1.00	0.03	0.06	0.12
burn-in 1000	1.00	1.00	0.016	0.016	1.00	0.03	0.07	0.12
burn-in 10000	1.00	1.00	0.016	0.016	0.99	0.04	0.06	0.12
annealing $\alpha = 1$	1.00	1.00	0.016	0.016	0.99	0.03	0.14	0.26
no burn-in, $\alpha = 1$	1.00	1.00	0.016	0.016	0.99	0.04	0.15	0.26
(4L 1024d Tf.)	1.00	1.00	0.013	0.013	0.84	0.56	0.17	0.95
(Tf. + EMA)	1.00	1.00	0.013	0.013	0.98	0.10	0.07	0.60
freq. 2	1.00	0.98	0.013	0.013	0.98	0.09	0.07	0.57
freq. 5	1.00	1.00	0.014	0.014	0.96	0.13	0.13	0.67
freq. 10	0.99	0.99	0.023	0.023	0.84	0.33	0.63	0.96
freq. 20	0.86	0.62	0.058	0.076	0.57	0.51	0.71	-
freq. 50	0.42	0.20	0.087	0.272	0.21	0.05	0.01	-
freq. 100	0.31	0.21	0.091	0.713	0.22	0.05	0.01	-
burn-in 0	1.00	1.00	0.013	0.013	0.98	0.07	0.06	0.89
burn-in 50	1.00	1.00	0.013	0.013	0.98	0.08	0.06	0.57
burn-in 100	1.00	1.00	0.013	0.013	0.98	0.07	0.07	0.57
burn-in 1000	1.00	1.00	0.013	0.013	0.98	0.10	0.06	0.57
burn-in 10000	1.00	1.00	0.013	0.013	0.98	0.05	0.06	0.87
annealing $\alpha = 1$	1.00	1.00	0.013	0.013	0.98	0.09	0.24	0.58
no burn-in, $\alpha = 1$	1.00	1.00	0.013	0.013	0.98	0.10	0.23	0.58