

STREAMLINE Testing Data Evaluation Report: 2023-09-26 12:57:00.921630

General Pipeline Settings:

CV Partitions: 10
Partition Method: Stratified
Categorical Cutoff: 10
Statistical Significance Cutoff: 0.05
Random Seed: 42
Run From Notebook: False

Feature Importance/Selection Settings:

Use Mutual Information: True
Use MultiSURF: True
Use TURF: False
Turf Cutoff: 0.5
MultiSURF Instance Subset: 2000
Max Features to Keep: 2000
Filter Poor Features: True
Top Features to Display: 40
Export Feature Importance Plot: True

ML Modeling Algorithms:

Artificial Neural Network: True
Category Gradient Boosting: True
Decision Tree: True
Elastic Net: True
ExSTraCS: True
Extreme Gradient Boosting: True
Genetic Programming: True
Gradient Boosting: True
K-Nearest Neighbors: True
Light Gradient Boosting: True
Logistic Regression: True
Naive Bayes: True
Random Forest: True
Support Vector Machine: True
XCS: False
eLCS: False

Modeling Settings:

Primary Metric: balanced_accuracy
Training Subsample for KNN,ANN,SVM,and XGB: 0
Uniform Feature Importance Estimation (Models): True
Hyperparameter Sweep Number of Trials: 200
Hyperparameter Timeout: 900
Export Hyperparameter Sweep Plots: False

LCS Settings (eLCS,XCS,ExSTraCS):

Do LCS Hyperparameter Sweep: False
nu: 1
Training Iterations: 200000
N (Rule Population Size): 2000
LCS Hyperparameter Sweep Timeout: 1200

Stats and Figure Settings:

Export ROC Plot: True
Export PRC Plot: True
Export Metric Boxplots: True
Export Feature Importance Boxplots: True
Metric Weighting Composite FI Plots: balanced_accuracy
Top Model Features To Display: 40
Export Feature Correlations: True

EDA and Processing Settings:

Engineering Missingness Cutoff: 0.5
Cleaning Missingness Cutoff: 0.5
Correlation Removal Threshold: 1.0
List of Exploratory Analysis Ran: ['Describe', 'Univariate Analysis', 'Feature Correlation']
List of Exploratory Plots Saved: ['Describe', 'Univariate Analysis', 'Feature Correlation']
Use Data Scaling: True
Use Data Imputation: True
Use Multivariate Imputation: True
Overwrite CV Datasets: True

Target Dataset(s):

D1 = hcc_data
D2 = hcc_data_custom

Target Data Settings:

Data Path: ./data/DemoData
Output Path: /home/ryanurb/idata/output
Experiment Name: hcc_exp
Class Label: Class
Instance Label: InstanceID
Match Label: None
Ignored Features: None
Specified Categorical Features: ./data/DemoFeatureTypes/hcc_cat_feat.csv
Specified Quantitative Features: ./data/DemoFeatureTypes/hcc_quant_feat.csv

Univariate Analysis of Each Dataset (Top 10 Features for Each)

D1 = hcc_data

Feature	p-value	Test-statistic	Test-name
Alkaline phosphatase (U/L)	8.425494437393163e-07	1684.5	Mann-Whitney U Test
Performance Status*	1.8787043290235831e-06	1886.0	Mann-Whitney U Test
Alpha-Fetoprotein (ng/mL)	3.763225766746508e-06	1629.5	Mann-Whitney U Test
Haemoglobin (g/dL)	6.806983230077955e-05	4278.0	Mann-Whitney U Test
Albumin (mg/dL)	0.000209728656698	4056.0	Mann-Whitney U Test
Symptoms	0.0006092985105592	11.747352356529046	Chi Square Test
Ascites degree*	0.0010580963945994	2352.0	Mann-Whitney U Test
Direct Bilirubin (mg/dL)	0.0013544764761447	1148.5	Mann-Whitney U Test
Aspartate transaminase (U/L)	0.0016188344745582	2200.5	Mann-Whitney U Test
Ferritin (ng/mL)	0.0019988859548087	548.5	Mann-Whitney U Test

D2 = hcc_data_custom

Feature	p-value	Test-statistic	Test-name
Alkaline phosphatase (U/L)	8.425494437393163e-07	1684.5	Mann-Whitney U Test
Performance Status*	1.8787043290235831e-06	1886.0	Mann-Whitney U Test
Alpha-Fetoprotein (ng/mL)	3.763225766746508e-06	1629.5	Mann-Whitney U Test
Haemoglobin (g/dL)	6.806983230077955e-05	4278.0	Mann-Whitney U Test
Albumin (mg/dL)	0.000209728656698	4056.0	Mann-Whitney U Test
Symptoms	0.0006092985105592	11.747352356529046	Chi Square Test
Ascites degree*	0.0010580963945994	2352.0	Mann-Whitney U Test
Direct Bilirubin (mg/dL)	0.0013544764761447	1148.5	Mann-Whitney U Test
Aspartate transaminase (U/L)	0.0016188344745582	2200.5	Mann-Whitney U Test
Ferritin (ng/mL)	0.0019988859548087	548.5	Mann-Whitney U Test

Dataset and Model Prediction Summary: D1 = hcc_data

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	165	49	23	26	826	0.1022	102	63
C1	165	49	23	26	826	0.1022	102	63
E1	165	49	23	26	826	0.1022	102	63
C2	165	49	23	26	826	0.1022	102	63
C3	165	49	23	26	826	0.1022	102	63
E2	165	49	23	26	826	0.1022	102	63
C4	165	49	23	26	826	0.1022	102	63
Processed	165	49	23	26	826	0.1022	102	63

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Extreme Gradient Boosting = 0.800
Best (Balanced Acc.): Elastic Net = 0.728
Best (F1 Score): Elastic Net = 0.667
Best (PRC AUC): Support Vector Machine = 0.718
Best (PRC APS): Support Vector Machine = 0.743

ROC



PRC



Dataset and Model Prediction Summary: D2 = hcc_data_custom


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	169	64	31	33	1323	0.1223	104	63
C1	167	64	31	33	1308	0.1224	104	63
E1	167	67	34	33	1308	0.1169	104	63
C2	167	61	30	31	899	0.0882	104	63
C3	165	61	30	31	826	0.0821	102	63
E2	165	71	40	31	826	0.0705	102	63
C4	165	69	40	29	826	0.0726	102	63
Processed	165	69	40	29	826	0.0726	102	63


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Extreme Gradient Boosting = 0.794
Best (Balanced Acc.): Random Forest = 0.697
Best (F1 Score): Random Forest = 0.627
Best (PRC AUC): Support Vector Machine = 0.696
Best (PRC APS): Random Forest = 0.727

ROC



PRC



Average Model Prediction Statistics (Rounded to 3 Decimal Points)

D1 = hcc_data

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.689	0.708	0.618	0.614	0.763	0.644	3.9	7.8	2.4	2.4	0.766	2.603	0.51	0.774	0.681	0.713
Category Gradient Boosting	0.684	0.715	0.569	0.555	0.814	0.64	3.5	8.3	1.9	2.8	0.764	2.955	0.551	0.781	0.662	0.697
Decision Tree	0.627	0.619	0.562	0.667	0.588	0.506	4.2	6.0	4.2	2.1	0.775	1.831	0.542	0.642	0.583	0.517
Elastic Net	0.728	0.74	0.667	0.69	0.765	0.669	4.4	7.8	2.4	1.9	0.814	2.758	0.397	0.789	0.704	0.731
ExSTraCS	0.653	0.679	0.559	0.55	0.756	0.6	3.5	7.7	2.5	2.8	0.738	2.876	0.627	0.743	0.629	0.667
Extreme Gradient Boosting	0.718	0.733	0.637	0.662	0.775	0.631	4.2	7.9	2.3	2.1	0.805	3.5	0.441	0.8	0.661	0.708
Genetic Programming	0.612	0.647	0.48	0.46	0.764	0.541	2.9	7.8	2.4	3.4	0.703	2.481	0.711	0.656	0.586	0.605
Gradient Boosting	0.704	0.733	0.595	0.583	0.825	0.65	3.7	8.4	1.8	2.6	0.779	3.539	0.502	0.78	0.65	0.694
K-Nearest Neighbors	0.695	0.741	0.581	0.498	0.892	0.735	3.1	9.1	1.1	3.2	0.747	2.957	0.571	0.771	0.7	0.69
Light Gradient Boosting	0.672	0.696	0.583	0.581	0.764	0.642	3.7	7.8	2.4	2.6	0.762	2.717	0.543	0.771	0.666	0.704
Logistic Regression	0.714	0.715	0.655	0.724	0.705	0.61	4.6	7.2	3.0	1.7	0.818	2.637	0.382	0.788	0.686	0.716
Naive Bayes	0.549	0.637	0.247	0.188	0.91	0.44	1.2	9.3	0.9	5.1	0.649	1.0	0.891	0.742	0.617	0.658
Random Forest	0.657	0.667	0.579	0.617	0.698	0.567	3.9	7.1	3.1	2.4	0.756	2.823	0.585	0.794	0.674	0.709
Support Vector Machine	0.707	0.71	0.653	0.71	0.705	0.631	4.5	7.2	3.0	1.8	0.805	2.373	0.408	0.788	0.718	0.743

D2 = hcc_data_custom

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.664	0.697	0.556	0.533	0.795	0.631	3.4	8.1	2.1	2.9	0.746	2.278	0.578	0.751	0.635	0.677
Category Gradient Boosting	0.674	0.715	0.562	0.495	0.853	0.694	3.1	8.7	1.5	3.2	0.735	3.428	0.593	0.776	0.671	0.706
Decision Tree	0.562	0.581	0.464	0.488	0.636	0.479	3.1	6.5	3.7	3.2	0.683	1.241	0.844	0.589	0.557	0.502
Elastic Net	0.665	0.691	0.56	0.564	0.765	0.617	3.6	7.8	2.4	2.7	0.757	2.428	0.562	0.783	0.673	0.709
ExSTraCS	0.63	0.643	0.545	0.581	0.679	0.527	3.7	6.9	3.3	2.6	0.735	2.849	0.677	0.732	0.638	0.67
Extreme Gradient Boosting	0.673	0.685	0.596	0.619	0.727	0.599	3.9	7.4	2.8	2.4	0.76	2.893	0.536	0.794	0.694	0.727
Genetic Programming	0.584	0.623	0.448	0.414	0.754	0.52	2.6	7.7	2.5	3.7	0.674	2.098	0.823	0.661	0.575	0.603
Gradient Boosting	0.69	0.716	0.612	0.583	0.796	0.649	3.7	8.1	2.1	2.6	0.756	4.215	0.558	0.762	0.659	0.694
K-Nearest Neighbors	0.569	0.643	0.34	0.255	0.883	0.525	1.6	9.0	1.2	4.7	0.658	1.475	0.866	0.672	0.605	0.617
Light Gradient Boosting	0.682	0.704	0.6	0.588	0.776	0.671	3.7	7.9	2.3	2.6	0.755	2.44	0.556	0.741	0.646	0.682
Logistic Regression	0.682	0.692	0.609	0.66	0.705	0.583	4.2	7.2	3.0	2.1	0.795	2.405	0.46	0.769	0.673	0.705
Naive Bayes	0.571	0.632	0.353	0.321	0.821	0.413	2.0	8.4	1.8	4.3	0.67	2.014	0.832	0.71	0.582	0.621
Random Forest	0.697	0.704	0.627	0.667	0.726	0.61	4.2	7.4	2.8	2.1	0.787	2.779	0.458	0.792	0.696	0.727
Support Vector Machine	0.671	0.667	0.608	0.707	0.635	0.546	4.5	6.5	3.7	1.8	0.804	2.014	0.433	0.776	0.696	0.722

Median Model Prediction Statistics (Rounded to 3 Decimal Points)


D1 = hcc_data

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.694	0.697	0.62	0.619	0.7	0.586	4.0	7.0	3.0	2.5	0.76	1.964	0.476	0.768	0.671	0.699
Category Gradient Boosting	0.71	0.728	0.641	0.619	0.8	0.667	4.0	8.0	2.0	2.5	0.764	3.095	0.476	0.825	0.645	0.699
Decision Tree	0.65	0.625	0.598	0.667	0.6	0.5	4.0	6.0	4.0	2.0	0.75	1.667	0.516	0.666	0.596	0.508
Elastic Net	0.731	0.728	0.686	0.667	0.8	0.618	4.0	8.0	2.0	2.0	0.8	2.5	0.394	0.793	0.731	0.756
ExSTraCS	0.652	0.697	0.558	0.536	0.75	0.667	3.5	7.5	2.5	3.0	0.721	2.857	0.625	0.746	0.64	0.674
Extreme Gradient Boosting	0.716	0.735	0.641	0.667	0.764	0.633	4.0	8.0	2.5	2.0	0.789	2.804	0.467	0.842	0.647	0.694
Genetic Programming	0.589	0.618	0.497	0.5	0.764	0.536	3.0	8.0	2.5	3.0	0.667	1.825	0.754	0.655	0.569	0.603
Gradient Boosting	0.74	0.757	0.665	0.667	0.85	0.667	4.0	8.5	1.5	2.0	0.809	2.817	0.414	0.808	0.637	0.691
K-Nearest Neighbors	0.668	0.697	0.573	0.5	0.9	0.667	3.0	9.0	1.0	3.0	0.727	2.857	0.59	0.788	0.714	0.679
Light Gradient Boosting	0.683	0.706	0.6	0.5	0.764	0.633	3.0	8.0	2.5	3.0	0.739	2.321	0.563	0.779	0.651	0.698
Logistic Regression	0.708	0.728	0.667	0.667	0.714	0.612	4.0	7.5	3.0	2.0	0.8	2.625	0.417	0.815	0.73	0.756
Naive Bayes	0.552	0.647	0.254	0.155	0.9	0.536	1.0	9.0	1.0	5.5	0.657	0.0	0.893	0.75	0.625	0.659
Random Forest	0.686	0.697	0.606	0.667	0.668	0.6	4.0	7.0	3.5	2.0	0.764	2.262	0.514	0.85	0.703	0.734
Support Vector Machine	0.712	0.706	0.667	0.69	0.7	0.6	4.5	7.0	3.0	2.0	0.809	2.113	0.364	0.778	0.739	0.756


D2 = hcc_data_custom

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.662	0.706	0.558	0.583	0.809	0.612	3.5	8.5	2.0	2.5	0.75	2.262	0.583	0.75	0.615	0.66
Category Gradient Boosting	0.674	0.706	0.573	0.5	0.859	0.708	3.0	9.0	1.5	3.0	0.739	2.804	0.581	0.792	0.684	0.728
Decision Tree	0.55	0.546	0.453	0.464	0.6	0.429	3.0	6.0	4.0	3.5	0.667	1.147	0.833	0.554	0.555	0.46
Elastic Net	0.675	0.697	0.558	0.583	0.727	0.586	3.5	8.0	3.0	2.5	0.746	2.143	0.571	0.786	0.651	0.692
ExSTraCS	0.624	0.636	0.552	0.667	0.6	0.55	4.0	6.0	4.0	2.0	0.75	1.905	0.583	0.772	0.674	0.702
Extreme Gradient Boosting	0.685	0.688	0.615	0.619	0.764	0.619	4.0	8.0	2.5	2.5	0.727	2.54	0.536	0.85	0.708	0.744
Genetic Programming	0.618	0.638	0.539	0.464	0.8	0.55	3.0	8.0	2.0	3.5	0.679	1.964	0.675	0.695	0.574	0.626
Gradient Boosting	0.735	0.757	0.667	0.667	0.85	0.733	4.0	8.5	1.5	2.0	0.789	4.524	0.412	0.736	0.636	0.672
K-Nearest Neighbors	0.568	0.636	0.382	0.286	0.9	0.583	2.0	9.0	1.0	5.0	0.643	0.815	0.843	0.636	0.564	0.536
Light Gradient Boosting	0.698	0.728	0.62	0.667	0.764	0.646	4.0	8.0	2.5	2.0	0.775	2.115	0.467	0.693	0.595	0.642
Logistic Regression	0.693	0.697	0.641	0.667	0.727	0.612	4.0	8.0	3.0	2.0	0.775	2.639	0.476	0.771	0.675	0.703
Naive Bayes	0.582	0.636	0.444	0.333	0.85	0.5	2.0	8.5	1.5	4.0	0.67	1.548	0.779	0.73	0.569	0.607
Random Forest	0.723	0.706	0.667	0.667	0.764	0.633	4.0	8.0	2.5	2.0	0.8	2.738	0.417	0.831	0.71	0.731
Support Vector Machine	0.675	0.667	0.62	0.69	0.65	0.556	4.5	6.5	3.5	2.0	0.778	1.935	0.476	0.775	0.712	0.733


Feature Importance Summary: D1 = hcc_data




Composite Feature Importance Plot (Normalized and Performance Weighted)





Feature Importance Summary: D2 = hcc_data_custom



Composite Feature Importance Plot (Normalized and Performance Weighted)



Compare ML Performance Across Datasets



Using Best Performing Algorithms (Kruskall Wallis Compare Datasets)

Metrics	P-Value	Best Alg D1	Median D1	Best Alg D2	Median D2
Balanced Accuracy	0.9093	Gradient Boosting	0.7405	Gradient Boosting	0.7345
Accuracy	0.879	Gradient Boosting	0.7574	Gradient Boosting	0.7574
F1 Score	0.6474	Elastic Net	0.6863	Gradient Boosting	0.6667
Sensitivity (Recall)	1.0	Support Vector Machine	0.6905	Support Vector Machine	0.6905
Specificity	0.9688	K-Nearest Neighbors	0.9	K-Nearest Neighbors	0.9
Precision (PPV)	0.8477	Category Gradient Boosting	0.6667	Gradient Boosting	0.7333
TP	1.0	Support Vector Machine	4.5	Support Vector Machine	4.5
TN	0.4144	K-Nearest Neighbors	9.0	Category Gradient Boosting	9.0
FP	0.7299	Decision Tree	4.0	Decision Tree	4.0
FN	0.457	Naive Bayes	5.5	K-Nearest Neighbors	5.0
NPV	0.8493	Gradient Boosting	0.8091	Random Forest	0.8
LR+	0.3422	Category Gradient Boosting	3.0952	Gradient Boosting	4.5238
LR-	0.7906	Naive Bayes	0.8929	K-Nearest Neighbors	0.8433
ROC AUC	0.7909	Random Forest	0.85	Extreme Gradient Boosting	0.85
PRC AUC	0.4963	Support Vector Machine	0.7394	Support Vector Machine	0.7117
PRC APS	0.7336	Logistic Regression	0.7564	Extreme Gradient Boosting	0.7435

Pipeline Runtime Summary

hcc_data			hcc_data_custom		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	6.69871997833252	Exploratory Analysis	1	7.054031610488892
Scale and Impute	2	4.99834680557251	Scale and Impute	2	7.219606637954712
Mutual Information (Feature Importance)	3	1.0242455005645752	Mutual Information (Feature Importance)	3	1.4163403511047363
MultiSURF (Feature Importance)	3	4.875789165496826	MultiSURF (Feature Importance)	3	6.310750484466553
Feature Selection	4	2.1783766746521	Feature Selection	4	2.297215223312378
Artificial Neural Network(Modeling)	5	720.1215507984161	Artificial Neural Network(Modeling)	5	761.2310092449188
Category Gradient Boosting(Modeling)	5	9967.622057437897	Category Gradient Boosting(Modeling)	5	10083.57385969162
Decision Tree(Modeling)	5	26.297697067260746	Decision Tree(Modeling)	5	25.31545352935791
Elastic Net(Modeling)	5	28.32166838645935	Elastic Net(Modeling)	5	29.377707719802856
ExSTraCS(Modeling)	5	33330.48515915871	ExSTraCS(Modeling)	5	31350.81368899345
Extreme Gradient Boosting(Modeling)	5	4925.967653751373	Extreme Gradient Boosting(Modeling)	5	5393.255163908005
Genetic Programming(Modeling)	5	10287.782114505768	Genetic Programming(Modeling)	5	10472.36819267273
Gradient Boosting(Modeling)	5	2174.4500358104706	Gradient Boosting(Modeling)	5	1999.266121149063
K-Nearest Neighbors(Modeling)	5	94.96456122398376	K-Nearest Neighbors(Modeling)	5	173.91551637649536
Light Gradient Boosting(Modeling)	5	248.33601021766663	Light Gradient Boosting(Modeling)	5	325.8518924713135
Logistic Regression(Modeling)	5	30.337548971176147	Logistic Regression(Modeling)	5	32.568302154541016
Naive Bayes(Modeling)	5	3.310241222381592	Naive Bayes(Modeling)	5	3.9420104026794434
Random Forest(Modeling)	5	3903.347003221512	Random Forest(Modeling)	5	4630.939676761627
Support Vector Machine(Modeling)	5	61.54033136367798	Support Vector Machine(Modeling)	5	62.88093090057373
Stats Summary	6	35.92398118972778	Stats Summary	6	40.3692798614502