

STREAMLINE Testing Data Evaluation Report: 2023-09-30 18:57:24.427470

General Pipeline Settings:

CV Partitions: 10
Partition Method: Stratified
Categorical Cutoff: 2
Statistical Significance Cutoff: 0.05
Random Seed: 42
Run From Notebook: False

Feature Importance/Selection Settings:

Use Mutual Information: True
Use MultiSURF: True
Use TURF: False
TURF Cutoff: 0.5
MultiSURF Instance Subset: 2000
Max Features to Keep: 2000
Filter Poor Features: True
Top Features to Display: 40
Export Feature Importance Plot: True

ML Modeling Algorithms:

Artificial Neural Network: True
Category Gradient Boosting: True
Decision Tree: True
Elastic Net: True
ExSTraCS: True
Extreme Gradient Boosting: True
Genetic Programming: True
Gradient Boosting: True
K-Nearest Neighbors: True
Light Gradient Boosting: True
Logistic Regression: True
Naive Bayes: True
Random Forest: True
Support Vector Machine: True
XCS: False
eLCS: False

Modeling Settings:

Primary Metric: balanced_accuracy
Training Subsample for KNN,ANN,SVM,and XGB: 0
Uniform Feature Importance Estimation (Models): True
Hyperparameter Sweep Number of Trials: 200
Hyperparameter Timeout: 900
Export Hyperparameter Sweep Plots: False

LCS Settings (eLCS,XCS,ExSTraCS):

Do LCS Hyperparameter Sweep: False
nu: 1
Training Iterations: 200000
N (Rule Population Size): 2000
LCS Hyperparameter Sweep Timeout: 1200

Stats and Figure Settings:

Export ROC Plot: True
Export PRC Plot: True
Export Metric Boxplots: True
Export Feature Importance Boxplots: True
Metric Weighting Composite FI Plots: balanced_accuracy
Top Model Features To Display: 40

EDA and Processing Settings:

Engineering Missingness Cutoff: 0.5
Cleaning Missingness Cutoff: 0.5
Correlation Removal Threshold: 1.0
List of Exploratory Analysis Ran: ['Describe', 'Univariate Analysis', 'Feature Correlation']
List of Exploratory Plots Saved: ['Describe', 'Univariate Analysis', 'Feature Correlation']
Use Data Scaling: True
Use Data Imputation: True
Use Multivariate Imputation: True
Overwrite CV Datasets: True

Target Dataset(s):

D1 = xor_2_a_20s_1600_EDM-1_01
D2 = xor_3_a_20s_1600_EDM-1_01
D3 = xor_4_a_20s_1600_EDM-1_01
D4 = xor_5_a_20s_1600_EDM-1_01

Target Data Settings:

Data Path: /home/ryanurb/idata/datasets/xor_set
Output Path: /home/ryanurb/idata/output
Experiment Name: xor_exp
Class Label: Class
Instance Label: None
Match Label: None
Ignored Features: None
Specified Categorical Features: None
Specified Quantitative Features: None

Univariate Analysis of Each Dataset (Top 10 Features for Each)

D1 = xor_2_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
N10	0.2008159114176192	329187.5	Mann-Whitney U Test
N16	0.2161131395026099	330469.0	Mann-Whitney U Test
N14	0.2177044748605101	330157.5	Mann-Whitney U Test
N12	0.219701376834725	309757.0	Mann-Whitney U Test
M0P2	0.2247856260437952	309727.0	Mann-Whitney U Test
N6	0.3325323994182377	311781.5	Mann-Whitney U Test
N17	0.4024957721639753	326097.0	Mann-Whitney U Test
N5	0.4049861226590078	326404.5	Mann-Whitney U Test
N13	0.4220032930197887	314864.0	Mann-Whitney U Test
N0	0.523664179550604	315495.0	Mann-Whitney U Test

D2 = xor_3_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
N1	0.0627337878366858	304417.0	Mann-Whitney U Test
N0	0.0910751126707113	334260.5	Mann-Whitney U Test
N6	0.1328817197220447	307911.5	Mann-Whitney U Test
N9	0.1705225466340459	308678.0	Mann-Whitney U Test
M0P1	0.1959159346687257	330938.5	Mann-Whitney U Test
N7	0.3618337703410067	312358.0	Mann-Whitney U Test
N15	0.4519178816847056	315966.0	Mann-Whitney U Test
N12	0.6283966964155301	315956.0	Mann-Whitney U Test
M0P3	0.637291337012047	316016.0	Mann-Whitney U Test
N2	0.6658888818546207	316331.0	Mann-Whitney U Test

D3 = xor_4_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
M0P2	0.0398778601679427	337466.0	Mann-Whitney U Test
N9	0.1159345401469505	332276.0	Mann-Whitney U Test
N11	0.2467408986646957	327160.0	Mann-Whitney U Test
M0P4	0.2562882495187207	310373.5	Mann-Whitney U Test
N1	0.4123734834476052	313408.5	Mann-Whitney U Test
N8	0.4533372546131419	314808.5	Mann-Whitney U Test
N2	0.4538014359208079	313690.5	Mann-Whitney U Test
N6	0.4975936546344156	314324.0	Mann-Whitney U Test
N7	0.5099863357899403	325557.5	Mann-Whitney U Test
N13	0.5245440373971155	314878.0	Mann-Whitney U Test

D4 = xor_5_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
N13	0.0213637537754956	338747.5	Mann-Whitney U Test
N5	0.030316904724263	301642.5	Mann-Whitney U Test
N14	0.1689647199913863	309932.0	Mann-Whitney U Test
M0P1	0.1718939792980206	331622.0	Mann-Whitney U Test
N10	0.2440534842431895	329083.5	Mann-Whitney U Test
M0P5	0.2975384753029626	311206.0	Mann-Whitney U Test
N4	0.299435231416699	311249.5	Mann-Whitney U Test
N9	0.3198095781608477	313902.5	Mann-Whitney U Test
N7	0.3486654469538642	312163.5	Mann-Whitney U Test
M0P4	0.3629442966393856	312361.0	Mann-Whitney U Test

Dataset and Model Prediction Summary: D1 = xor_2_a_20s_1600_EDM-1_01

Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting (TIE) = 1.000
Best (Balanced Acc.): Category Gradient Boosting (TIE) = 1.000
Best (F1 Score): Category Gradient Boosting (TIE) = 1.000
Best (PRC AUC): Category Gradient Boosting (TIE) = 1.000
Best (PRC APS): Category Gradient Boosting (TIE) = 1.000

ROC



PRC




Dataset and Model Prediction Summary: D2 = xor_3_a_20s_1600_EDM-1_01

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting (TIE) = 1.000
Best (Balanced Acc.): Category Gradient Boosting (TIE) = 1.000
Best (F1 Score): Category Gradient Boosting (TIE) = 1.000
Best (PRC AUC): Category Gradient Boosting (TIE) = 1.000
Best (PRC APS): Category Gradient Boosting (TIE) = 1.000

ROC



PRC




Dataset and Model Prediction Summary: D3 = xor_4_a_20s_1600_EDM-1_01

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Decision Tree = 0.517
Best (Balanced Acc.): Decision Tree = 0.508
Best (F1 Score): Artificial Neural Network = 0.548
Best (PRC AUC): Genetic Programming = 0.733
Best (PRC APS): Decision Tree = 0.527

ROC



PRC




Dataset and Model Prediction Summary: D4 = xor_5_a_20s_1600_EDM-1_01

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Elastic Net = 0.529
Best (Balanced Acc.): Category Gradient Boosting = 0.528
Best (F1 Score): Gradient Boosting = 0.532
Best (PRC AUC): Genetic Programming = 0.734
Best (PRC APS): Category Gradient Boosting = 0.546

ROC



PRC



Average Model Prediction Statistics (Rounded to 3 Decimal Points)

D1 = xor_2_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.992	0.992	0.993	0.996	0.989	0.989	79.7	79.1	0.9	0.3	0.996	12.247	0.004	1.0	0.999	0.999
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.961	0.961	0.959	0.949	0.974	0.972	75.9	77.9	2.1	4.1	0.953	24.961	0.056	0.98	0.984	0.977
Elastic Net	0.473	0.473	0.492	0.512	0.434	0.475	41.0	34.7	45.3	39.0	0.47	0.91	1.138	0.478	0.492	0.497
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.817	0.817	0.818	0.824	0.81	0.814	65.9	64.8	15.2	14.1	0.822	5.861	0.225	0.905	0.905	0.906
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.485	0.485	0.37	0.361	0.609	0.386	28.9	48.7	31.3	51.1	0.484	0.754	1.073	0.484	0.537	0.492
Naive Bayes	0.476	0.476	0.482	0.491	0.46	0.475	39.3	36.8	43.2	40.7	0.476	0.919	1.124	0.47	0.472	0.48
Random Forest	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Support Vector Machine	0.889	0.889	0.891	0.904	0.874	0.879	72.3	69.9	10.1	7.7	0.901	9.739	0.115	0.915	0.858	0.863

D2 = xor_3_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.561	0.561	0.563	0.571	0.55	0.558	45.7	44.0	36.0	34.3	0.564	1.345	0.811	0.572	0.575	0.581
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.598	0.598	0.593	0.588	0.609	0.601	47.0	48.7	31.3	33.0	0.596	1.724	0.709	0.63	0.661	0.621
Elastic Net	0.492	0.492	0.476	0.461	0.524	0.493	36.9	41.9	38.1	43.1	0.492	0.98	1.04	0.498	0.507	0.514
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	0.551	0.551	0.588	0.814	0.288	0.502	65.1	23.0	57.0	14.9	0.2	0.81	0.199	0.551	0.755	0.551
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.556	0.556	0.527	0.51	0.601	0.56	40.8	48.1	31.9	39.2	0.555	1.293	0.813	0.574	0.584	0.575
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.494	0.494	0.289	0.286	0.701	0.295	22.9	56.1	23.9	57.1	0.492	0.589	1.038	0.49	0.599	0.503
Naive Bayes	0.499	0.499	0.519	0.542	0.456	0.5	43.4	36.5	43.5	36.6	0.499	1.007	1.021	0.487	0.495	0.503
Random Forest	0.85	0.85	0.849	0.846	0.854	0.854	67.7	68.3	11.7	12.3	0.848	7.18	0.184	0.92	0.917	0.918
Support Vector Machine	0.529	0.529	0.51	0.499	0.56	0.532	39.9	44.8	35.2	40.1	0.53	1.155	0.899	0.533	0.549	0.528

D3 = xor_4_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.502	0.502	0.548	0.626	0.379	0.501	50.1	30.3	49.7	29.9	0.458	1.01	0.886	0.497	0.511	0.518
Category Gradient Boosting	0.483	0.483	0.471	0.461	0.505	0.482	36.9	40.4	39.6	43.1	0.484	0.938	1.074	0.471	0.481	0.489
Decision Tree	0.508	0.508	0.468	0.445	0.571	0.505	35.6	45.7	34.3	44.4	0.509	1.03	0.967	0.517	0.528	0.527
Elastic Net	0.489	0.489	0.494	0.502	0.476	0.489	40.2	38.1	41.9	39.8	0.489	0.962	1.049	0.488	0.489	0.496
ExSTraCS	0.479	0.479	0.459	0.456	0.503	0.478	36.5	40.2	39.8	43.5	0.478	0.922	1.095	0.472	0.482	0.49
Extreme Gradient Boosting	0.489	0.489	0.368	0.334	0.644	0.499	26.7	51.5	28.5	53.3	0.486	1.057	1.071	0.479	0.51	0.501
Genetic Programming	0.498	0.498	0.464	0.691	0.305	0.349	55.3	24.4	55.6	24.7	0.186	0.696	0.475	0.498	0.733	0.499
Gradient Boosting	0.488	0.488	0.489	0.491	0.485	0.488	39.3	38.8	41.2	40.7	0.488	0.958	1.053	0.481	0.501	0.503
K-Nearest Neighbors	0.487	0.487	0.455	0.43	0.544	0.489	34.4	43.5	36.5	45.6	0.485	0.974	1.074	0.486	0.521	0.51
Light Gradient Boosting	0.469	0.469	0.439	0.424	0.514	0.465	33.9	41.1	38.9	46.1	0.471	0.872	1.128	0.453	0.476	0.483
Logistic Regression	0.504	0.504	0.293	0.291	0.716	0.301	23.3	57.3	22.7	56.7	0.508	0.613	0.984	0.507	0.608	0.513
Naive Bayes	0.506	0.506	0.533	0.565	0.446	0.505	45.2	35.7	44.3	34.8	0.506	1.025	0.982	0.504	0.512	0.519
Random Forest	0.485	0.485	0.479	0.478	0.492	0.484	38.2	39.4	40.6	41.8	0.486	0.942	1.064	0.476	0.486	0.494
Support Vector Machine	0.486	0.486	0.474	0.465	0.506	0.486	37.2	40.5	39.5	42.8	0.485	0.953	1.069	0.496	0.551	0.515

D4 = xor_5_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.523	0.523	0.519	0.518	0.529	0.523	41.4	42.3	37.7	38.6	0.524	1.121	0.926	0.516	0.522	0.529
Category Gradient Boosting	0.528	0.528	0.526	0.525	0.531	0.529	42.0	42.5	37.5	38.0	0.528	1.134	0.904	0.524	0.539	0.546
Decision Tree	0.498	0.498	0.491	0.486	0.51	0.499	38.9	40.8	39.2	41.1	0.497	1.01	1.023	0.504	0.52	0.512
Elastic Net	0.524	0.524	0.495	0.47	0.579	0.528	37.6	46.3	33.7	42.4	0.522	1.128	0.919	0.529	0.522	0.528
ExSTraCS	0.518	0.518	0.495	0.481	0.555	0.52	38.5	44.4	35.6	41.5	0.517	1.098	0.942	0.514	0.515	0.523
Extreme Gradient Boosting	0.513	0.513	0.519	0.528	0.499	0.513	42.2	39.9	40.1	37.8	0.514	1.059	0.955	0.518	0.515	0.524
Genetic Programming	0.499	0.499	0.532	0.794	0.205	0.4	63.5	16.4	63.6	16.5	0.144	0.799	0.325	0.497	0.734	0.499
Gradient Boosting	0.523	0.523	0.532	0.544	0.502	0.522	43.5	40.2	39.8	36.5	0.525	1.103	0.914	0.52	0.525	0.533
K-Nearest Neighbors	0.489	0.489	0.471	0.462	0.516	0.486	37.0	41.3	38.7	43.0	0.492	0.96	1.053	0.507	0.527	0.523
Light Gradient Boosting	0.519	0.519	0.53	0.548	0.49	0.517	43.8	39.2	40.8	36.2	0.522	1.076	0.922	0.526	0.524	0.532
Logistic Regression	0.522	0.522	0.474	0.476	0.569	0.472	38.1	45.5	34.5	41.9	0.523	1.005	0.923	0.525	0.549	0.532
Naive Bayes	0.513	0.512	0.509	0.506	0.519	0.513	40.5	41.5	38.5	39.5	0.513	1.055	0.954	0.527	0.522	0.529
Random Forest	0.522	0.522	0.513	0.506	0.539	0.522	40.5	43.1	36.9	39.5	0.523	1.1	0.917	0.52	0.53	0.537
Support Vector Machine	0.501	0.501	0.505	0.516	0.485	0.498	41.3	38.8	41.2	38.7	0.504	1.003	0.998	0.493	0.509	0.511

Median Model Prediction Statistics (Rounded to 3 Decimal Points)

D1 = xor_2_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.997	0.997	0.997	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.991	0.991	0.991	0.994	0.994	0.994	79.5	79.5	0.5	0.5	0.994	3.091	0.006	0.996	0.996	0.993
Elastic Net	0.469	0.469	0.503	0.519	0.438	0.474	41.5	35.0	45.0	38.5	0.465	0.902	1.149	0.488	0.502	0.503
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.809	0.809	0.817	0.825	0.794	0.791	66.0	63.5	16.5	14.0	0.814	3.798	0.228	0.91	0.915	0.915
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.494	0.494	0.476	0.469	0.506	0.473	37.5	40.5	39.5	42.5	0.494	0.899	1.026	0.5	0.506	0.5
Naive Bayes	0.484	0.484	0.482	0.488	0.475	0.484	39.0	38.0	42.0	41.0	0.485	0.94	1.066	0.456	0.47	0.478
Random Forest	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Support Vector Machine	0.919	0.919	0.917	0.919	0.9	0.905	73.5	72.0	8.0	6.5	0.916	9.651	0.092	0.936	0.899	0.901

D2 = xor_3_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.531	0.531	0.547	0.562	0.544	0.528	45.0	43.5	36.5	35.0	0.537	1.121	0.868	0.542	0.553	0.558
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.572	0.572	0.582	0.575	0.594	0.568	46.0	47.5	32.5	34.0	0.577	1.314	0.732	0.623	0.659	0.613
Elastic Net	0.484	0.484	0.467	0.456	0.525	0.482	36.5	42.0	38.0	43.5	0.486	0.931	1.057	0.486	0.502	0.508
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	0.5	0.5	0.667	1.0	0.0	0.5	80.0	0.0	80.0	0.0	0.0	1.0	0.0	0.5	0.75	0.5
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.553	0.553	0.545	0.525	0.594	0.557	42.0	47.5	32.5	38.0	0.554	1.259	0.805	0.575	0.585	0.566
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.5	0.5	0.436	0.412	0.606	0.459	33.0	48.5	31.5	47.0	0.5	0.849	1.0	0.495	0.547	0.5
Naive Bayes	0.506	0.506	0.527	0.544	0.469	0.507	43.5	37.5	42.5	36.5	0.505	1.029	0.984	0.478	0.481	0.49
Random Forest	0.834	0.834	0.836	0.831	0.844	0.84	66.5	67.5	12.5	13.5	0.831	5.25	0.203	0.924	0.924	0.924
Support Vector Machine	0.516	0.516	0.487	0.475	0.531	0.516	38.0	42.5	37.5	42.0	0.515	1.065	0.941	0.532	0.539	0.525


D3 = xor_4_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.5	0.5	0.537	0.581	0.4	0.5	46.5	32.0	48.0	33.5	0.5	1.0	0.95	0.5	0.523	0.529
Category Gradient Boosting	0.488	0.488	0.474	0.462	0.506	0.487	37.0	40.5	39.5	43.0	0.488	0.948	1.049	0.478	0.483	0.49
Decision Tree	0.509	0.509	0.498	0.481	0.562	0.508	38.5	45.0	35.0	41.5	0.509	1.034	0.964	0.519	0.531	0.528
Elastic Net	0.491	0.491	0.5	0.506	0.462	0.491	40.5	37.0	43.0	39.5	0.49	0.966	1.041	0.483	0.485	0.498
ExSTraCS	0.481	0.481	0.458	0.444	0.494	0.478	35.5	39.5	40.5	44.5	0.476	0.915	1.099	0.473	0.48	0.488
Extreme Gradient Boosting	0.484	0.484	0.433	0.388	0.6	0.482	31.0	48.0	32.0	49.0	0.49	0.93	1.042	0.478	0.505	0.504
Genetic Programming	0.5	0.5	0.667	1.0	0.0	0.5	80.0	0.0	80.0	0.0	0.0	1.0	0.0	0.5	0.75	0.5
Gradient Boosting	0.481	0.481	0.481	0.488	0.481	0.481	39.0	38.5	41.5	41.0	0.481	0.927	1.079	0.476	0.493	0.503
K-Nearest Neighbors	0.475	0.475	0.465	0.425	0.55	0.476	34.0	44.0	36.0	46.0	0.478	0.907	1.093	0.481	0.505	0.507
Light Gradient Boosting	0.478	0.478	0.43	0.425	0.494	0.473	34.0	39.5	40.5	46.0	0.477	0.899	1.095	0.453	0.48	0.487
Logistic Regression	0.5	0.5	0.412	0.369	0.619	0.452	29.5	49.5	30.5	50.5	0.5	0.831	1.0	0.5	0.548	0.504
Naive Bayes	0.497	0.497	0.528	0.569	0.444	0.497	45.5	35.5	44.5	34.5	0.497	0.989	1.014	0.509	0.514	0.522
Random Forest	0.481	0.481	0.49	0.481	0.488	0.48	38.5	39.0	41.0	41.5	0.482	0.924	1.075	0.468	0.479	0.487
Support Vector Machine	0.491	0.491	0.473	0.462	0.506	0.49	37.0	40.5	39.5	43.0	0.491	0.961	1.036	0.503	0.544	0.503


D4 = xor_5_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.512	0.512	0.523	0.5	0.506	0.514	40.0	40.5	39.5	40.0	0.512	1.057	0.954	0.504	0.509	0.518
Category Gradient Boosting	0.525	0.525	0.513	0.512	0.544	0.524	41.0	43.5	36.5	39.0	0.524	1.103	0.91	0.513	0.523	0.531
Decision Tree	0.488	0.488	0.481	0.475	0.506	0.489	38.0	40.5	39.5	42.0	0.486	0.955	1.059	0.505	0.513	0.514
Elastic Net	0.534	0.534	0.479	0.438	0.562	0.536	35.0	45.0	35.0	45.0	0.532	1.154	0.878	0.539	0.522	0.53
ExSTraCS	0.522	0.522	0.506	0.488	0.519	0.53	39.0	41.5	38.0	41.0	0.519	1.126	0.929	0.524	0.511	0.52
Extreme Gradient Boosting	0.512	0.512	0.517	0.519	0.488	0.512	41.5	39.0	41.0	38.5	0.513	1.05	0.95	0.515	0.52	0.529
Genetic Programming	0.5	0.5	0.667	1.0	0.0	0.5	80.0	0.0	80.0	0.0	0.0	1.0	0.0	0.5	0.75	0.5
Gradient Boosting	0.525	0.525	0.535	0.55	0.5	0.524	44.0	40.0	40.0	36.0	0.527	1.101	0.901	0.505	0.518	0.526
K-Nearest Neighbors	0.481	0.481	0.447	0.438	0.512	0.482	35.0	41.0	39.0	45.0	0.48	0.932	1.086	0.511	0.529	0.526
Light Gradient Boosting	0.531	0.531	0.537	0.569	0.481	0.528	45.5	38.5	41.5	34.5	0.528	1.118	0.895	0.537	0.521	0.529
Logistic Regression	0.525	0.525	0.525	0.525	0.531	0.525	42.0	42.5	37.5	38.0	0.525	1.105	0.904	0.542	0.523	0.53
Naive Bayes	0.519	0.519	0.515	0.5	0.519	0.519	40.0	41.5	38.5	40.0	0.518	1.077	0.931	0.529	0.523	0.53
Random Forest	0.525	0.525	0.511	0.494	0.538	0.525	39.5	43.0	37.0	40.5	0.523	1.105	0.911	0.514	0.524	0.531
Support Vector Machine	0.494	0.494	0.512	0.531	0.469	0.494	42.5	37.5	42.5	37.5	0.493	0.977	1.027	0.497	0.512	0.504


Feature Importance Summary: D1 = xor_2_a_20s_1600_EDM-1_01




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D2 = xor_3_a_20s_1600_EDM-1_01




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D3 = xor_4_a_20s_1600_EDM-1_01




Composite Feature Importance Plot (Normalized and Performance Weighted)





Feature Importance Summary: D4 = xor_5_a_20s_1600_EDM-1_01



Composite Feature Importance Plot (Normalized and Performance Weighted)



Compare ML Performance Across Datasets



Using Best Performing Algorithms (Kruskall Wallis Compare Datasets)

Metrics	P-Value	Best Alg_D1	Median_D1	Best Alg_D2	Median_D2	Best Alg_D3	Median_D3
Balanced Accuracy	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	Decision Tree	0.5094
Accuracy	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	Decision Tree	0.5094
F1 Score	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	Genetic Programming	0.6667
Sensitivity (Recall)	0.1614	Artificial Neural Network	1.0	Category Gradient Boosting	1.0	Genetic Programming	1.0
Specificity	0.0001	Artificial Neural Network	1.0	Category Gradient Boosting	1.0	Logistic Regression	0.6188
Precision (PPV)	0.0	Artificial Neural Network	1.0	Category Gradient Boosting	1.0	Decision Tree	0.5083
TP	0.1614	Artificial Neural Network	80.0	Category Gradient Boosting	80.0	Genetic Programming	80.0
TN	0.0001	Artificial Neural Network	80.0	Category Gradient Boosting	80.0	Logistic Regression	49.5
FP	0.1221	Elastic Net	45.0	Genetic Programming	80.0	Genetic Programming	80.0
FN	0.338	Logistic Regression	42.5	Logistic Regression	47.0	Logistic Regression	50.5
NPV	0.0	Artificial Neural Network	1.0	Category Gradient Boosting	1.0	Decision Tree	0.5091
LR+	0.0	Support Vector Machine	9.6508	Random Forest	5.25	Decision Tree	1.0336
LR-	0.4471	Elastic Net	1.1488	Elastic Net	1.0571	ExSTraCS	1.0994
ROC AUC	0.0	Artificial Neural Network	1.0	Category Gradient Boosting	1.0	Decision Tree	0.5194
PRC AUC	0.0	Artificial Neural Network	1.0	Category Gradient Boosting	1.0	Genetic Programming	0.75
PRC APS	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	Artificial Neural Network	0.5287

Metrics	P-Value	Best Alg_D4	Median_D4
Balanced Accuracy	0.0	Elastic Net	0.5344
Accuracy	0.0	Elastic Net	0.5344
F1 Score	0.0	Genetic Programming	0.6667
Sensitivity (Recall)	0.1614	Genetic Programming	1.0
Specificity	0.0001	Elastic Net	0.5625
Precision (PPV)	0.0	Elastic Net	0.5358
TP	0.1614	Genetic Programming	80.0
TN	0.0001	Elastic Net	45.0
FP	0.1221	Genetic Programming	80.0
FN	0.338	Elastic Net	45.0
NPV	0.0	Elastic Net	0.5324
LR+	0.0	Elastic Net	1.1543
LR-	0.4471	K-Nearest Neighbors	1.0859
ROC AUC	0.0	Logistic Regression	0.5423
PRC AUC	0.0	Genetic Programming	0.75
PRC APS	0.0	Category Gradient Boosting	0.531

Pipeline Runtime Summary

xor_2_a_20s_1600_EDM-1_01			xor_3_a_20s_1600_EDM-1_01		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	3.145313262939453	Exploratory Analysis	1	2.576210260391236
Scale and Impute	2	0.6574831008911133	Scale and Impute	2	0.5576777458190918
Mutual Information (Feature Importance)	3	1.3483061790466309	Mutual Information (Feature Importance)	3	1.1732399463653564
MultiSURF (Feature Importance)	3	145.609313249588	MultiSURF (Feature Importance)	3	145.8568000793457
Feature Selection	4	1.3617405891418457	Feature Selection	4	1.1193673610687256
Artificial Neural Network(Modeling)	5	3195.1384270191197	Artificial Neural Network(Modeling)	5	3341.891882181168
Category Gradient Boosting(Modeling)	5	9461.663464069366	Category Gradient Boosting(Modeling)	5	9430.814992904665
Decision Tree(Modeling)	5	22.22918462753296	Decision Tree(Modeling)	5	26.315868139266968
Elastic Net(Modeling)	5	31.828819274902344	Elastic Net(Modeling)	5	35.87022829055786
ExSTraCS(Modeling)	5	17171.630984783173	ExSTraCS(Modeling)	5	21987.367011785507
Extreme Gradient Boosting(Modeling)	5	6485.944395780563	Extreme Gradient Boosting(Modeling)	5	8511.398111343384
Genetic Programming(Modeling)	5	10761.848734378817	Genetic Programming(Modeling)	5	12497.989577531816
Gradient Boosting(Modeling)	5	2851.1358003616333	Gradient Boosting(Modeling)	5	5599.801402807236
K-Nearest Neighbors(Modeling)	5	198.48015809059143	K-Nearest Neighbors(Modeling)	5	354.5848412513733
Light Gradient Boosting(Modeling)	5	638.7833018302917	Light Gradient Boosting(Modeling)	5	1345.3816685676577
Logistic Regression(Modeling)	5	25.598609685897827	Logistic Regression(Modeling)	5	28.244282007217407
Naive Bayes(Modeling)	5	1.25596022605896	Naive Bayes(Modeling)	5	1.772735357284546
Random Forest(Modeling)	5	5262.394448518753	Random Forest(Modeling)	5	8100.918696403503
Support Vector Machine(Modeling)	5	7251.915402412415	Support Vector Machine(Modeling)	5	5004.429639339447
Stats Summary	6	32.52580666542053	Stats Summary	6	36.44613432884216

xor_4_a_20s_1600_EDM-1_01			xor_5_a_20s_1600_EDM-1_01		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	2.5925300121307373	Exploratory Analysis	1	3.118624210357666
Scale and Impute	2	0.5919315814971924	Scale and Impute	2	0.5569663047790527
Mutual Information (Feature Importance)	3	1.215752363204956	Mutual Information (Feature Importance)	3	1.167409896850586
MultiSURF (Feature Importance)	3	145.2647740840912	MultiSURF (Feature Importance)	3	143.575500457763672
Feature Selection	4	1.129136323928833	Feature Selection	4	1.3206396102905271
Artificial Neural Network(Modeling)	5	1559.968222141266	Artificial Neural Network(Modeling)	5	3860.554863929749
Category Gradient Boosting(Modeling)	5	8251.8798828125	Category Gradient Boosting(Modeling)	5	8903.73549079895
Decision Tree(Modeling)	5	24.51191997528076	Decision Tree(Modeling)	5	27.224817991256717
Elastic Net(Modeling)	5	36.1223030090332	Elastic Net(Modeling)	5	37.27079224586487
ExSTraCS(Modeling)	5	40393.85705780983	ExSTraCS(Modeling)	5	38740.87343645096
Extreme Gradient Boosting(Modeling)	5	3431.322578191757	Extreme Gradient Boosting(Modeling)	5	7037.292566776276
Genetic Programming(Modeling)	5	11621.343264102936	Genetic Programming(Modeling)	5	11410.549880743029
Gradient Boosting(Modeling)	5	5961.704326629639	Gradient Boosting(Modeling)	5	5077.902999639511
K-Nearest Neighbors(Modeling)	5	1800.2933955192566	K-Nearest Neighbors(Modeling)	5	814.6629889011383
Light Gradient Boosting(Modeling)	5	641.5503857135773	Light Gradient Boosting(Modeling)	5	1764.252518415451
Logistic Regression(Modeling)	5	55.14080047607422	Logistic Regression(Modeling)	5	35.97503304481506
Naive Bayes(Modeling)	5	1.904062271118164	Naive Bayes(Modeling)	5	1.643091917037964
Random Forest(Modeling)	5	5058.18715429306	Random Forest(Modeling)	5	5280.75880074501
Support Vector Machine(Modeling)	5	6449.941166162491	Support Vector Machine(Modeling)	5	5337.419611930847
Stats Summary	6	33.2203209400177	Stats Summary	6	37.68315410614014