

STREAMLINE Testing Data Evaluation Report: 2023-10-01 20:28:19.662910

General Pipeline Settings:

CV Partitions: 10
Partition Method: Stratified
Categorical Cutoff: 2
Statistical Significance Cutoff: 0.05
Random Seed: 42
Run From Notebook: False

Feature Importance/Selection Settings:

Use Mutual Information: True
Use MultiSURF: True
Use TURF: False
TURF Cutoff: 0.5
MultiSURF Instance Subset: 2000
Max Features to Keep: 2000
Filter Poor Features: False
Top Features to Display: 40
Export Feature Importance Plot: True

ML Modeling Algorithms:

Artificial Neural Network: True
Category Gradient Boosting: True
Decision Tree: True
Elastic Net: True
ExSTraCS: True
Extreme Gradient Boosting: True
Genetic Programming: True
Gradient Boosting: True
K-Nearest Neighbors: True
Light Gradient Boosting: True
Logistic Regression: True
Naive Bayes: True
Random Forest: True
Support Vector Machine: True
XCS: False
eLCS: False

Modeling Settings:

Primary Metric: balanced_accuracy
Training Subsample for KNN,ANN,SVM,and XGB: 0
Uniform Feature Importance Estimation (Models): True
Hyperparameter Sweep Number of Trials: 200
Hyperparameter Timeout: 900
Export Hyperparameter Sweep Plots: False

LCS Settings (eLCS,XCS,ExSTraCS):

Do LCS Hyperparameter Sweep: False
nu: 1
Training Iterations: 200000
N (Rule Population Size): 2000
LCS Hyperparameter Sweep Timeout: 1200

Stats and Figure Settings:

Export ROC Plot: True
Export PRC Plot: True
Export Metric Boxplots: True
Export Feature Importance Boxplots: True
Metric Weighting Composite FI Plots: balanced_accuracy
Top Model Features To Display: 40

EDA and Processing Settings:

Engineering Missingness Cutoff: 0.5
Cleaning Missingness Cutoff: 0.5
Correlation Removal Threshold: 1.0
List of Exploratory Analysis Ran: ['Describe', 'Univariate Analysis', 'Feature Correlation']
List of Exploratory Plots Saved: ['Describe', 'Univariate Analysis', 'Feature Correlation']
Use Data Scaling: True
Use Data Imputation: True
Use Multivariate Imputation: True
Overwrite CV Datasets: True

Target Dataset(s):

D1 = xor_2_a_20s_1600_EDM-1_01
D2 = xor_3_a_20s_1600_EDM-1_01
D3 = xor_4_a_20s_1600_EDM-1_01
D4 = xor_5_a_20s_1600_EDM-1_01

Target Data Settings:

Data Path: /home/ryanurb/idata/datasets/xor_set
Output Path: /home/ryanurb/idata/output
Experiment Name: xor_nofs_exp
Class Label: Class
Instance Label: None
Match Label: None
Ignored Features: None
Specified Categorical Features: None
Specified Quantitative Features: None

Univariate Analysis of Each Dataset (Top 10 Features for Each)

D1 = xor_2_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
N10	0.2008159114176192	329187.5	Mann-Whitney U Test
N16	0.2161131395026099	330469.0	Mann-Whitney U Test
N14	0.2177044748605101	330157.5	Mann-Whitney U Test
N12	0.219701376834725	309757.0	Mann-Whitney U Test
M0P2	0.2247856260437952	309727.0	Mann-Whitney U Test
N6	0.3325323994182377	311781.5	Mann-Whitney U Test
N17	0.4024957721639753	326097.0	Mann-Whitney U Test
N5	0.4049861226590078	326404.5	Mann-Whitney U Test
N13	0.4220032930197887	314864.0	Mann-Whitney U Test
N0	0.523664179550604	315495.0	Mann-Whitney U Test

D2 = xor_3_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
N1	0.0627337878366858	304417.0	Mann-Whitney U Test
N0	0.0910751126707113	334260.5	Mann-Whitney U Test
N6	0.1328817197220447	307911.5	Mann-Whitney U Test
N9	0.1705225466340459	308678.0	Mann-Whitney U Test
M0P1	0.1959159346687257	330938.5	Mann-Whitney U Test
N7	0.3618337703410067	312358.0	Mann-Whitney U Test
N15	0.4519178816847056	315966.0	Mann-Whitney U Test
N12	0.6283966964155301	315956.0	Mann-Whitney U Test
M0P3	0.637291337012047	316016.0	Mann-Whitney U Test
N2	0.6658888818546207	316331.0	Mann-Whitney U Test

D3 = xor_4_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
M0P2	0.0398778601679427	337466.0	Mann-Whitney U Test
N9	0.1159345401469505	332276.0	Mann-Whitney U Test
N11	0.2467408986646957	327160.0	Mann-Whitney U Test
M0P4	0.2562882495187207	310373.5	Mann-Whitney U Test
N1	0.4123734834476052	313408.5	Mann-Whitney U Test
N8	0.4533372546131419	314808.5	Mann-Whitney U Test
N2	0.4538014359208079	313690.5	Mann-Whitney U Test
N6	0.4975936546344156	314324.0	Mann-Whitney U Test
N7	0.5099863357899403	325557.5	Mann-Whitney U Test
N13	0.5245440373971155	314878.0	Mann-Whitney U Test

D4 = xor_5_a_20s_1600_EDM-1_01

Feature	p-value	Test-statistic	Test-name
N13	0.0213637537754956	338747.5	Mann-Whitney U Test
N5	0.030316904724263	301642.5	Mann-Whitney U Test
N14	0.1689647199913863	309932.0	Mann-Whitney U Test
M0P1	0.1718939792980206	331622.0	Mann-Whitney U Test
N10	0.2440534842431895	329083.5	Mann-Whitney U Test
M0P5	0.2975384753029626	311206.0	Mann-Whitney U Test
N4	0.299435231416699	311249.5	Mann-Whitney U Test
N9	0.3198095781608477	313902.5	Mann-Whitney U Test
N7	0.3486654469538642	312163.5	Mann-Whitney U Test
M0P4	0.3629442966393856	312361.0	Mann-Whitney U Test

Dataset and Model Prediction Summary: D1 = xor_2_a_20s_1600_EDM-1_01

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting (TIE) = 1.000
Best (Balanced Acc.): Category Gradient Boosting (TIE) = 1.000
Best (F1 Score): Category Gradient Boosting (TIE) = 1.000
Best (PRC AUC): Category Gradient Boosting (TIE) = 1.000
Best (PRC APS): Category Gradient Boosting (TIE) = 1.000

ROC



PRC




Dataset and Model Prediction Summary: D2 = xor_3_a_20s_1600_EDM-1_01

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting (TIE) = 1.000
Best (Balanced Acc.): Category Gradient Boosting (TIE) = 1.000
Best (F1 Score): Category Gradient Boosting (TIE) = 1.000
Best (PRC AUC): Category Gradient Boosting (TIE) = 1.000
Best (PRC APS): Category Gradient Boosting (TIE) = 1.000

ROC



PRC



Dataset and Model Prediction Summary: D3 = xor_4_a_20s_1600_EDM-1_01


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

- Best (ROC_AUC): ExSTraCS = 0.980
- Best (Balanced Acc.): ExSTraCS = 0.922
- Best (F1 Score): ExSTraCS = 0.919
- Best (PRC AUC): ExSTraCS = 0.981
- Best (PRC APS): ExSTraCS = 0.981

ROC



PRC




Dataset and Model Prediction Summary: D4 = xor_5_a_20s_1600_EDM-1_01

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	1600	20	0	20	0	0.0	800	800
C1	1600	20	0	20	0	0.0	800	800
E1	1600	20	0	20	0	0.0	800	800
C2	1600	20	0	20	0	0.0	800	800
C3	1600	20	0	20	0	0.0	800	800
E2	1600	20	0	20	0	0.0	800	800
C4	1600	20	0	20	0	0.0	800	800
Processed	1600	20	0	20	0	0.0	800	800

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): ExSTraCS = 0.522
Best (Balanced Acc.): ExSTraCS = 0.519
Best (F1 Score): Naive Bayes = 0.510
Best (PRC AUC): Genetic Programming = 0.716
Best (PRC APS): Random Forest = 0.529

ROC



PRC



Average Model Prediction Statistics (Rounded to 3 Decimal Points)

D1 = xor_2_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.771	0.771	0.775	0.796	0.745	0.757	63.7	59.6	20.4	16.3	0.788	3.266	0.278	0.847	0.822	0.824
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.826	0.826	0.821	0.814	0.838	0.832	65.1	67.0	13.0	14.9	0.822	3.027	0.263	0.882	0.894	0.872
Elastic Net	0.458	0.458	0.461	0.472	0.442	0.457	37.8	35.4	44.6	42.2	0.458	0.856	1.216	0.452	0.469	0.477
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.618	0.618	0.615	0.612	0.624	0.619	49.0	49.9	30.1	31.0	0.618	1.678	0.631	0.661	0.66	0.631
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.458	0.458	0.259	0.262	0.654	0.258	21.0	52.3	27.7	59.0	0.458	0.455	1.205	0.451	0.571	0.474
Naive Bayes	0.451	0.451	0.465	0.485	0.416	0.452	38.8	33.3	46.7	41.2	0.448	0.841	1.261	0.443	0.455	0.462
Random Forest	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Support Vector Machine	0.579	0.579	0.573	0.568	0.59	0.581	45.4	47.2	32.8	34.6	0.578	1.401	0.736	0.587	0.559	0.564

D2 = xor_3_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.494	0.494	0.541	0.622	0.366	0.492	49.8	29.3	50.7	30.2	0.51	0.971	0.98	0.499	0.5	0.508
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.492	0.492	0.478	0.468	0.516	0.492	37.4	41.3	38.7	42.6	0.492	0.98	1.044	0.493	0.52	0.504
Elastic Net	0.509	0.509	0.501	0.494	0.525	0.511	39.5	42.0	38.0	40.5	0.508	1.058	0.978	0.509	0.515	0.523
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	0.999	0.999	0.999	1.0	0.998	0.998	80.0	79.8	0.2	0.0	1.0	16.0	0.0	1.0	1.0	1.0
Genetic Programming	0.5	0.5	0.0	0.0	1.0	0.0	0.0	80.0	0.0	80.0	0.5	0.0	1.0	0.5	0.75	0.5
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.516	0.516	0.509	0.501	0.53	0.517	40.1	42.4	37.6	39.9	0.514	1.091	0.959	0.517	0.534	0.522
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.493	0.493	0.348	0.352	0.634	0.344	28.2	50.7	29.3	51.8	0.492	0.682	1.041	0.484	0.563	0.494
Naive Bayes	0.496	0.496	0.499	0.505	0.488	0.496	40.4	39.0	41.0	39.6	0.496	0.999	1.031	0.49	0.497	0.504
Random Forest	0.735	0.735	0.734	0.732	0.738	0.738	58.6	59.0	21.0	21.4	0.735	2.945	0.366	0.811	0.799	0.801
Support Vector Machine	0.512	0.512	0.479	0.461	0.562	0.517	36.9	45.0	35.0	43.1	0.51	1.094	0.966	0.501	0.505	0.511

D3 = xor_4_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.503	0.503	0.587	0.719	0.288	0.501	57.5	23.0	57.0	22.5	0.514	1.008	0.96	0.507	0.504	0.512
Category Gradient Boosting	0.754	0.754	0.754	0.752	0.756	0.758	60.2	60.5	19.5	19.8	0.753	4.755	0.366	0.814	0.807	0.81
Decision Tree	0.468	0.468	0.449	0.438	0.499	0.464	35.0	39.9	40.1	45.0	0.471	0.876	1.136	0.459	0.474	0.476
Elastic Net	0.498	0.498	0.479	0.47	0.525	0.497	37.6	42.0	38.0	42.4	0.498	0.994	1.013	0.492	0.513	0.502
ExSTraCS	0.922	0.922	0.919	0.896	0.948	0.945	71.7	75.8	4.2	8.3	0.905	21.418	0.109	0.98	0.981	0.981
Extreme Gradient Boosting	0.608	0.608	0.593	0.582	0.632	0.608	46.6	50.6	29.4	33.4	0.608	1.771	0.685	0.63	0.62	0.626
Genetic Programming	0.499	0.499	0.015	0.009	0.99	0.047	0.7	79.2	0.8	79.3	0.5	0.088	1.001	0.499	0.726	0.499
Gradient Boosting	0.809	0.809	0.813	0.821	0.798	0.807	65.7	63.8	16.2	14.3	0.813	6.568	0.318	0.828	0.827	0.827
K-Nearest Neighbors	0.499	0.499	0.471	0.448	0.55	0.501	35.8	44.0	36.0	44.2	0.497	1.008	1.014	0.483	0.506	0.511
Light Gradient Boosting	0.562	0.562	0.566	0.57	0.554	0.564	45.6	44.3	35.7	34.4	0.56	1.353	0.811	0.58	0.584	0.59
Logistic Regression	0.491	0.491	0.396	0.402	0.579	0.39	32.2	46.3	33.7	47.8	0.491	0.765	1.041	0.489	0.552	0.508
Naive Bayes	0.498	0.498	0.529	0.565	0.43	0.498	45.2	34.4	45.6	34.8	0.497	0.994	1.017	0.504	0.511	0.518
Random Forest	0.522	0.522	0.54	0.568	0.478	0.52	45.4	38.2	41.8	34.6	0.528	1.089	0.901	0.504	0.503	0.511
Support Vector Machine	0.474	0.474	0.445	0.431	0.518	0.471	34.5	41.4	38.6	45.5	0.476	0.896	1.109	0.489	0.55	0.503

D4 = xor_5_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.504	0.504	0.501	0.501	0.507	0.504	40.1	40.6	39.4	39.9	0.505	1.033	0.988	0.513	0.516	0.523
Category Gradient Boosting	0.497	0.497	0.498	0.501	0.492	0.496	40.1	39.4	40.6	39.9	0.498	0.993	1.018	0.504	0.508	0.516
Decision Tree	0.496	0.496	0.483	0.476	0.516	0.495	38.1	41.3	38.7	41.9	0.497	0.988	1.019	0.487	0.51	0.51
Elastic Net	0.506	0.506	0.509	0.516	0.495	0.505	41.3	39.6	40.4	38.7	0.506	1.028	0.986	0.514	0.513	0.52
ExSTraCS	0.519	0.519	0.499	0.488	0.551	0.522	39.0	44.1	35.9	41.0	0.518	1.101	0.935	0.522	0.521	0.529
Extreme Gradient Boosting	0.497	0.497	0.502	0.507	0.486	0.498	40.6	38.9	41.1	39.4	0.495	1.005	1.031	0.502	0.512	0.52
Genetic Programming	0.499	0.499	0.181	0.241	0.756	0.149	19.3	60.5	19.5	60.7	0.502	0.295	1.0	0.5	0.716	0.5
Gradient Boosting	0.484	0.484	0.483	0.482	0.486	0.486	38.6	38.9	41.1	41.4	0.483	0.95	1.078	0.484	0.503	0.508
K-Nearest Neighbors	0.504	0.504	0.439	0.394	0.615	0.504	31.5	49.2	30.8	48.5	0.504	1.025	0.987	0.501	0.514	0.512
Light Gradient Boosting	0.495	0.495	0.497	0.5	0.49	0.496	40.0	39.2	40.8	40.0	0.494	0.996	1.038	0.502	0.518	0.525
Logistic Regression	0.507	0.507	0.464	0.474	0.54	0.457	37.9	43.2	36.8	42.1	0.507	0.936	0.981	0.509	0.543	0.524
Naive Bayes	0.508	0.508	0.51	0.514	0.502	0.508	41.1	40.2	39.8	38.9	0.509	1.042	0.974	0.517	0.513	0.52
Random Forest	0.513	0.513	0.509	0.51	0.516	0.512	40.8	41.3	38.7	39.2	0.515	1.059	0.952	0.516	0.521	0.529
Support Vector Machine	0.497	0.497	0.504	0.515	0.479	0.495	41.2	38.3	41.7	38.8	0.499	0.995	1.022	0.48	0.517	0.502

Median Model Prediction Statistics (Rounded to 3 Decimal Points)

D1 = xor_2_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.775	0.775	0.784	0.819	0.75	0.753	65.5	60.0	20.0	14.5	0.801	3.066	0.249	0.86	0.829	0.831
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.859	0.859	0.859	0.856	0.838	0.846	68.5	67.0	13.0	11.5	0.857	2.25	0.167	0.952	0.956	0.95
Elastic Net	0.456	0.456	0.469	0.462	0.4	0.461	37.0	32.0	48.0	43.0	0.45	0.856	1.222	0.444	0.459	0.465
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.625	0.625	0.628	0.638	0.612	0.622	51.0	49.0	31.0	29.0	0.626	1.645	0.598	0.677	0.676	0.659
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.459	0.459	0.377	0.362	0.488	0.394	29.0	39.0	41.0	51.0	0.453	0.653	1.206	0.448	0.479	0.477
Naive Bayes	0.428	0.428	0.464	0.462	0.412	0.439	37.0	33.0	47.0	43.0	0.417	0.784	1.397	0.424	0.441	0.449
Random Forest	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Support Vector Machine	0.572	0.572	0.576	0.575	0.581	0.571	46.0	46.5	33.5	34.0	0.573	1.329	0.744	0.591	0.566	0.573

D2 = xor_3_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.497	0.497	0.494	0.5	0.431	0.497	40.0	34.5	45.5	40.0	0.497	0.987	1.012	0.494	0.504	0.51
Category Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Decision Tree	0.481	0.481	0.469	0.469	0.5	0.48	37.5	40.0	40.0	42.5	0.482	0.922	1.073	0.48	0.515	0.485
Elastic Net	0.512	0.512	0.511	0.506	0.525	0.513	40.5	42.0	38.0	39.5	0.512	1.053	0.953	0.493	0.497	0.504
ExSTraCS	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Extreme Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Genetic Programming	0.5	0.5	0.0	0.0	1.0	0.0	0.0	80.0	0.0	80.0	0.5	0.0	1.0	0.5	0.75	0.5
Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
K-Nearest Neighbors	0.516	0.516	0.508	0.5	0.525	0.516	40.0	42.0	38.0	40.0	0.515	1.067	0.941	0.525	0.521	0.52
Light Gradient Boosting	1.0	1.0	1.0	1.0	1.0	1.0	80.0	80.0	0.0	0.0	1.0	0.0	0.0	1.0	1.0	1.0
Logistic Regression	0.494	0.494	0.468	0.456	0.525	0.462	36.5	42.0	38.0	43.5	0.494	0.859	1.024	0.487	0.499	0.5
Naive Bayes	0.481	0.481	0.5	0.5	0.481	0.483	40.0	38.5	41.5	40.0	0.48	0.933	1.085	0.464	0.479	0.488
Random Forest	0.734	0.734	0.733	0.744	0.738	0.735	59.5	59.0	21.0	20.5	0.736	2.792	0.359	0.796	0.782	0.784
Support Vector Machine	0.506	0.506	0.517	0.506	0.506	0.506	40.5	40.5	39.5	39.5	0.507	1.024	0.974	0.506	0.505	0.507


D3 = xor_4_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.512	0.512	0.608	0.762	0.238	0.508	61.0	19.0	61.0	19.0	0.526	1.033	0.9	0.514	0.513	0.52
Category Gradient Boosting	0.769	0.769	0.772	0.762	0.769	0.763	61.0	61.5	18.5	19.0	0.77	3.336	0.3	0.854	0.837	0.839
Decision Tree	0.481	0.481	0.461	0.444	0.512	0.48	35.5	41.0	39.0	44.5	0.482	0.925	1.076	0.469	0.476	0.473
Elastic Net	0.494	0.494	0.501	0.5	0.512	0.495	40.0	41.0	39.0	40.0	0.493	0.978	1.03	0.495	0.526	0.51
ExSTraCS	0.931	0.931	0.932	0.925	0.95	0.945	74.0	76.0	4.0	6.0	0.929	17.275	0.077	0.982	0.983	0.983
Extreme Gradient Boosting	0.556	0.556	0.556	0.562	0.625	0.564	45.0	50.0	30.0	35.0	0.551	1.296	0.815	0.574	0.57	0.575
Genetic Programming	0.5	0.5	0.0	0.0	1.0	0.0	0.0	80.0	0.0	80.0	0.5	0.0	1.0	0.5	0.75	0.5
Gradient Boosting	0.875	0.875	0.874	0.869	0.875	0.875	69.5	70.0	10.0	10.5	0.87	2.514	0.156	0.924	0.914	0.916
K-Nearest Neighbors	0.494	0.494	0.464	0.45	0.55	0.494	36.0	44.0	36.0	44.0	0.494	0.975	1.023	0.492	0.501	0.502
Light Gradient Boosting	0.566	0.566	0.578	0.581	0.544	0.562	46.5	43.5	36.5	33.5	0.569	1.285	0.756	0.555	0.565	0.573
Logistic Regression	0.494	0.494	0.483	0.494	0.5	0.478	39.5	40.0	40.0	40.5	0.494	0.916	1.026	0.487	0.518	0.508
Naive Bayes	0.497	0.497	0.532	0.569	0.438	0.497	45.5	35.0	45.0	34.5	0.496	0.989	1.014	0.504	0.519	0.527
Random Forest	0.531	0.531	0.546	0.556	0.512	0.529	44.5	41.0	39.0	35.5	0.534	1.123	0.873	0.497	0.493	0.503
Support Vector Machine	0.478	0.478	0.464	0.456	0.494	0.472	36.5	39.5	40.5	43.5	0.482	0.893	1.073	0.49	0.524	0.501


D4 = xor_5_a_20s_1600_EDM-1_01

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.506	0.506	0.493	0.462	0.488	0.505	37.0	39.0	41.0	43.0	0.508	1.02	0.969	0.516	0.503	0.513
Category Gradient Boosting	0.491	0.491	0.483	0.481	0.488	0.491	38.5	39.0	41.0	41.5	0.491	0.965	1.038	0.506	0.51	0.519
Decision Tree	0.503	0.503	0.479	0.462	0.519	0.504	37.0	41.5	38.5	43.0	0.502	1.017	0.992	0.495	0.511	0.511
Elastic Net	0.516	0.516	0.526	0.538	0.494	0.514	43.0	39.5	40.5	37.0	0.516	1.056	0.937	0.518	0.505	0.514
ExSTraCS	0.522	0.522	0.506	0.506	0.55	0.52	40.5	44.0	36.0	39.5	0.521	1.083	0.92	0.527	0.525	0.532
Extreme Gradient Boosting	0.497	0.497	0.5	0.519	0.481	0.496	41.5	38.5	41.5	38.5	0.497	0.986	1.012	0.491	0.514	0.52
Genetic Programming	0.5	0.5	0.0	0.0	1.0	0.0	0.0	80.0	0.0	80.0	0.5	0.0	1.0	0.5	0.75	0.5
Gradient Boosting	0.478	0.478	0.476	0.488	0.481	0.477	39.0	38.5	41.5	41.0	0.479	0.913	1.087	0.477	0.5	0.507
K-Nearest Neighbors	0.503	0.503	0.44	0.4	0.606	0.503	32.0	48.5	31.5	48.0	0.503	1.014	0.989	0.503	0.508	0.506
Light Gradient Boosting	0.491	0.491	0.5	0.494	0.494	0.492	39.5	39.5	40.5	40.5	0.491	0.968	1.039	0.504	0.52	0.526
Logistic Regression	0.509	0.509	0.516	0.525	0.481	0.505	42.0	38.5	41.5	38.0	0.51	1.022	0.962	0.501	0.517	0.518
Naive Bayes	0.5	0.5	0.499	0.494	0.488	0.5	39.5	39.0	41.0	40.5	0.5	1.0	1.0	0.519	0.505	0.512
Random Forest	0.506	0.506	0.503	0.512	0.519	0.507	41.0	41.5	38.5	39.0	0.506	1.029	0.978	0.506	0.521	0.527
Support Vector Machine	0.516	0.516	0.52	0.544	0.475	0.516	43.5	38.0	42.0	36.5	0.515	1.068	0.94	0.491	0.49	0.503


Feature Importance Summary: D1 = xor_2_a_20s_1600_EDM-1_01




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D2 = xor_3_a_20s_1600_EDM-1_01




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D3 = xor_4_a_20s_1600_EDM-1_01




Composite Feature Importance Plot (Normalized and Performance Weighted)





Feature Importance Summary: D4 = xor_5_a_20s_1600_EDM-1_01



Composite Feature Importance Plot (Normalized and Performance Weighted)



Compare ML Performance Across Datasets



Using Best Performing Algorithms (Kruskall Wallis Compare Datasets)

Metrics	P-Value	Best Alg D1	Median_D1	Best Alg D2	Median_D2	Best Alg D3	Median_D3
Balanced Accuracy	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9312
Accuracy	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9312
F1 Score	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9318
Sensitivity (Recall)	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.925
Specificity	0.0781	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	Genetic Programming	1.0
Precision (PPV)	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9449
TP	0.0	Category Gradient Boosting	80.0	Category Gradient Boosting	80.0	ExSTraCS	74.0
TN	0.0781	Category Gradient Boosting	80.0	Category Gradient Boosting	80.0	Genetic Programming	80.0
FP	0.0097	Elastic Net	48.0	Artificial Neural Network	45.5	Artificial Neural Network	61.0
FN	0.0148	Logistic Regression	51.0	Genetic Programming	80.0	Genetic Programming	80.0
NPV	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9286
LR+	0.0	Artificial Neural Network	3.0663	Random Forest	2.7917	ExSTraCS	17.275
LR-	0.15	Naive Bayes	1.3974	Naive Bayes	1.0847	Decision Tree	1.0763
ROC AUC	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9818
PRC AUC	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.983
PRC APS	0.0	Category Gradient Boosting	1.0	Category Gradient Boosting	1.0	ExSTraCS	0.9831

Metrics	P-Value	Best Alg D4	Median D4
Balanced Accuracy	0.0	ExSTraCS	0.5219
Accuracy	0.0	ExSTraCS	0.5219
F1 Score	0.0	Elastic Net	0.5259
Sensitivity (Recall)	0.0	Support Vector Machine	0.5438
Specificity	0.0781	Genetic Programming	1.0
Precision (PPV)	0.0	ExSTraCS	0.5198
TP	0.0	Support Vector Machine	43.5
TN	0.0781	Genetic Programming	80.0
FP	0.0097	Support Vector Machine	42.0
FN	0.0148	Genetic Programming	80.0
NPV	0.0	ExSTraCS	0.5207
LR+	0.0	ExSTraCS	1.0829
LR-	0.15	Gradient Boosting	1.0868
ROC AUC	0.0	ExSTraCS	0.527
PRC AUC	0.0	Genetic Programming	0.75
PRC APS	0.0	ExSTraCS	0.5324

Pipeline Runtime Summary

xor_2_a_20s_1600_EDM-1_01			xor_3_a_20s_1600_EDM-1_01		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	3.0641753673553467	Exploratory Analysis	1	2.5221493244171143
Scale and Impute	2	0.5761666297912598	Scale and Impute	2	0.568861722946167
Mutual Information (Feature Importance)	3	1.2682886123657229	Mutual Information (Feature Importance)	3	1.2114510536193848
MultiSURF (Feature Importance)	3	145.02469658851624	MultiSURF (Feature Importance)	3	144.6504111289978
Feature Selection	4	0.6764473915100098	Feature Selection	4	0.7352635860443115
Artificial Neural Network(Modeling)	5	3130.707916736603	Artificial Neural Network(Modeling)	5	2047.5548272132876
Category Gradient Boosting(Modeling)	5	9690.398255586624	Category Gradient Boosting(Modeling)	5	9570.083825588226
Decision Tree(Modeling)	5	27.0238299369812	Decision Tree(Modeling)	5	26.238165616989136
Elastic Net(Modeling)	5	39.38248324394226	Elastic Net(Modeling)	5	36.95730662345886
ExSTraCS(Modeling)	5	18330.742682933807	ExSTraCS(Modeling)	5	22486.603338956837
Extreme Gradient Boosting(Modeling)	5	7293.579026222229	Extreme Gradient Boosting(Modeling)	5	8834.424510717392
Genetic Programming(Modeling)	5	11647.765572547913	Genetic Programming(Modeling)	5	11283.093751192093
Gradient Boosting(Modeling)	5	3307.247713804245	Gradient Boosting(Modeling)	5	5698.811798095703
K-Nearest Neighbors(Modeling)	5	389.5638744831085	K-Nearest Neighbors(Modeling)	5	1550.8836629390717
Light Gradient Boosting(Modeling)	5	792.0739045143127	Light Gradient Boosting(Modeling)	5	1651.2995171546936
Logistic Regression(Modeling)	5	30.819337844848636	Logistic Regression(Modeling)	5	35.38793110847473
Naive Bayes(Modeling)	5	2.143057346343994	Naive Bayes(Modeling)	5	2.1282293796539307
Random Forest(Modeling)	5	7364.39542222023	Random Forest(Modeling)	5	8980.076310157776
Support Vector Machine(Modeling)	5	6726.231264829636	Support Vector Machine(Modeling)	5	5477.692789554596
Stats Summary	6	27.392427682876587	Stats Summary	6	35.92071866989136

xor_4_a_20s_1600_EDM-1_01			xor_5_a_20s_1600_EDM-1_01		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	2.571923017501831	Exploratory Analysis	1	3.0902271270751958
Scale and Impute	2	0.5517351627349854	Scale and Impute	2	0.5537581443786621
Mutual Information (Feature Importance)	3	1.1954491138458252	Mutual Information (Feature Importance)	3	1.1895241737365725
MultiSURF (Feature Importance)	3	144.2349021434784	MultiSURF (Feature Importance)	3	143.6202838420868
Feature Selection	4	0.9309043884277344	Feature Selection	4	0.8595414161682129
Artificial Neural Network(Modeling)	5	1220.663622379303	Artificial Neural Network(Modeling)	5	3243.3570375442505
Category Gradient Boosting(Modeling)	5	9693.93657040596	Category Gradient Boosting(Modeling)	5	9251.708213329315
Decision Tree(Modeling)	5	25.483894109725952	Decision Tree(Modeling)	5	27.77396583557129
Elastic Net(Modeling)	5	40.83524131774902	Elastic Net(Modeling)	5	44.86685919761658
ExSTraCS(Modeling)	5	35908.66883325577	ExSTraCS(Modeling)	5	40980.76172685623
Extreme Gradient Boosting(Modeling)	5	6187.943474054337	Extreme Gradient Boosting(Modeling)	5	6289.808042526245
Genetic Programming(Modeling)	5	10896.477407455444	Genetic Programming(Modeling)	5	10805.960580348969
Gradient Boosting(Modeling)	5	9037.12207865715	Gradient Boosting(Modeling)	5	7488.537938117981
K-Nearest Neighbors(Modeling)	5	3650.027170658112	K-Nearest Neighbors(Modeling)	5	2781.982298135757
Light Gradient Boosting(Modeling)	5	2109.323344707489	Light Gradient Boosting(Modeling)	5	1410.9272165298462
Logistic Regression(Modeling)	5	37.49015116691589	Logistic Regression(Modeling)	5	38.25356483459473
Naive Bayes(Modeling)	5	2.330973625183105	Naive Bayes(Modeling)	5	2.3054206371307373
Random Forest(Modeling)	5	4867.79810667038	Random Forest(Modeling)	5	4442.682507514954
Support Vector Machine(Modeling)	5	5666.484535217285	Support Vector Machine(Modeling)	5	4996.406463861465
Stats Summary	6	32.07957887649536	Stats Summary	6	35.730658531188965