

STREAMLINE Testing Data Evaluation Report: 2023-10-14 14:27:18.674361

General Pipeline Settings:

CV Partitions: 10
Partition Method: Stratified
Categorical Cutoff: 10
Statistical Significance Cutoff: 0.05
Random Seed: 42
Run From Notebook: False

Feature Importance/Selection Settings:

Use Mutual Information: True
Use MultiSURF: True
Use TURF: False
TURF Cutoff: 0.5
MultiSURF Instance Subset: 3000
Max Features to Keep: 2000
Filter Poor Features: True
Top Features to Display: 40
Export Feature Importance Plot: True

ML Modeling Algorithms:

Artificial Neural Network: True
Category Gradient Boosting: True
Decision Tree: True
Elastic Net: True
ExSTraCS: True
Extreme Gradient Boosting: True
Genetic Programming: True
Gradient Boosting: True
K-Nearest Neighbors: True
Light Gradient Boosting: True
Logistic Regression: True
Naive Bayes: True
Random Forest: True
Support Vector Machine: True
XCS: False
eLCS: False

Modeling Settings:

Primary Metric: balanced_accuracy
Training Subsample for KNN,ANN,SVM,and XGB: 0
Uniform Feature Importance Estimation (Models): True
Hyperparameter Sweep Number of Trials: 200
Hyperparameter Timeout: 900
Export Hyperparameter Sweep Plots: False

LCS Settings (eLCS,XCS,ExSTraCS):

Do LCS Hyperparameter Sweep: False
nu: 1
Training Iterations: 400000
N (Rule Population Size): 2000
LCS Hyperparameter Sweep Timeout: 1200

Stats and Figure Settings:

Export ROC Plot: True
Export PRC Plot: True
Export Metric Boxplots: True
Export Feature Importance Boxplots: True
Metric Weighting Composite FI Plots: balanced_accuracy
Top Model Features To Display: 40

EDA and Processing Settings:

Engineering Missingness Cutoff: 0.5
Cleaning Missingness Cutoff: 0.5
Correlation Removal Threshold: 1.0
List of Exploratory Analysis Ran: ['Describe', 'Univariate Analysis', 'Feature Correlation']
List of Exploratory Plots Saved: ['Describe', 'Univariate Analysis', 'Feature Correlation']
Use Data Scaling: True
Use Data Imputation: True
Use Multivariate Imputation: True
Overwrite CV Datasets: True

Target Dataset(s):

D1 = A_GE15_DEM
D2 = B_GE15_DX
D3 = C_GE15_SYM
D4 = D_GE15_CF
D5 = E_GE15_IO
D6 = F_GE15_DEMDX
D7 = G_GE15_DEMDXSYM
D8 = H_GE15_DEMDXSYMCF
D9 = I_GE15_DEMDXSYMIO
D10 = J_GE15_DEMDXSYMCFIO
D11 = K_GE5_DEM
D12 = L_GE5_DX
D13 = M_GE5_SYM
D14 = N_GE5_CF
D15 = O_GE5_IO
D16 = P_GE5_DEMDX
D17 = Q_GE5_DEMDXSYM
D18 = R_GE5_DEMDXSYMCF
D19 = S_GE5_DEMDXSYMIO
D20 = T_GE5_DEMDXSYMCFIO

Target Data Settings:

Data Path: /home/ryanurb/idata/datasets/OSA_9_25_23
Output Path: /home/ryanurb/idata/output
Experiment Name: sagic_exp
Class Label: class
Instance Label: subnum
Match Label: None
Ignored Features: None
Specified Categorical Features:
/home/ryanurb/idata/datasets/OSA_9_25_23_Rep/FeatureTypes/SAGIC_Cat_Features.csv
Specified Quantitative Features: None

Univariate Analysis of Each Dataset (Top 10 Features for Each): Page 1

D1 = A_GE15_DEM

Feature	p-value	Test-statistic	Test-name
bmi	1.3279641470736552e-38	400589.5	Mann-Whitney U Test
male	4.063766784119089e-24	102.6182292551845	Chi Square Test
csamer	6.122341940895255e-14	56.3316035421966	Chi Square Test
asian	2.723022010333082e-07	26.436805154571545	Chi Square Test
age	0.0003928813591798	538872.5	Mann-Whitney U Test
aframer	0.0188088690561117	5.5191990106447655	Chi Square Test
other	0.3552586983732356	0.8545842635793259	Chi Square Test
caucasian	0.5714063223516979	0.3203351155752309	Chi Square Test

D2 = B_GE15_DX

Feature	p-value	Test-statistic	Test-name
medhx_hbp	5.436404585485976e-06	20.677037913403264	Chi Square Test
medhx_ldl	0.0156053557685671	5.846805305518504	Chi Square Test
medhx_cad	0.0221031111289531	5.237650038798381	Chi Square Test
medhx_stroke	0.053245659900618	3.7361920818776966	Chi Square Test
medhx_heart_fail	0.2735592031749072	1.1988122367733356	Chi Square Test
medhx_dm	0.2802812113271561	1.165725828523342	Chi Square Test
medhx_afib	0.7071614752558567	0.1411287251795834	Chi Square Test

D3 = C_GE15_SYM

Feature	p-value	Test-statistic	Test-name
loud_snore	1.3390949170859947e-24	299477.5	Mann-Whitney U Test
map_index	2.95727320453731e-23	299237.0	Mann-Whitney U Test
choke	5.71259367300313e-16	325136.5	Mann-Whitney U Test
gasping	5.053318765476038e-10	342768.5	Mann-Whitney U Test

D4 = D_GE15_CF

Feature	p-value	Test-statistic	Test-name
face_width	1.0456019441332584e-51	371046.5	Mann-Whitney U Test
mand_width	1.4138297267890205e-50	373520.5	Mann-Whitney U Test
max_mand_vol	9.670980103736678e-36	407717.0	Mann-Whitney U Test
max_tri_area	2.541450087867167e-34	412405.0	Mann-Whitney U Test
cer_ang	8.806560696102838e-31	342422.0	Mann-Whitney U Test
cranial_base_tri_area	1.529649920196137e-28	429862.5	Mann-Whitney U Test
mand_vol	3.193897432853109e-28	431267.5	Mann-Whitney U Test
mand_tri_area	6.9060105404607e-27	435382.0	Mann-Whitney U Test
max_mand_box_area	1.249565144133052e-26	434456.5	Mann-Whitney U Test
lat_fac_ht	2.386581976985256e-26	435398.0	Mann-Whitney U Test

D5 = E_GE15_IO

Feature	p-value	Test-statistic	Test-name
tongue_width_f_te_m	2.9412683339317208e-08	478698.0	Mann-Whitney U Test
tongue_thickness_p_te_m	1.176660747491191e-07	483558.5	Mann-Whitney U Test
tongue_curvature_p_te_m	2.190800737870203e-05	620727.5	Mann-Whitney U Test
mal_score_ftem_c2	0.0001939169943048	13.889127633950542	Chi Square Test
tongue_width_tim_nph	0.0008556357128635	406956.5	Mann-Whitney U Test
mal_score_ftem_c4	0.0011588349812228	10.554851888071893	Chi Square Test
open_wid_f_te_m	0.0161205985985049	512054.0	Mann-Whitney U Test
tongue_length_f	0.0380529957228	562047.0	Mann-Whitney U Test
tongue_length_p_te_m	0.0407263438803211	590342.5	Mann-Whitney U Test
open_wid_tim_nph	0.0659470910577001	537129.5	Mann-Whitney U Test

Univariate Analysis of Each Dataset (Top 10 Features for Each): Page 2

D6 = F_GE15_DEMDX

Feature	p-value	Test-statistic	Test-name
bmi	1.3509487479288172e-27	287292.5	Mann-Whitney U Test
male	1.0711955315634748e-19	82.47307251944947	Chi Square Test
asian	1.2112176647400883e-06	23.5593128435826	Chi Square Test
medhx_hbp	1.1965811309096403e-05	19.16872140582105	Chi Square Test
csamer	4.5337438301078574e-05	16.633733967283316	Chi Square Test
medhx_ldl	0.0143765463631614	5.991306999906243	Chi Square Test
age	0.0261830241509545	383435.5	Mann-Whitney U Test
medhx_cad	0.0328738640882567	4.5523361473384245	Chi Square Test
caucasian	0.055191637017405	3.6762867442781815	Chi Square Test
medhx_stroke	0.0574187129523506	3.6104172216344153	Chi Square Test

D7 = G_GE15_DEMDXSYM

Feature	p-value	Test-statistic	Test-name
bmi	7.240125083249458e-28	295298.5	Mann-Whitney U Test
loud_snore	5.1510060637006595e-24	304207.0	Mann-Whitney U Test
map_index	9.093977834331397e-22	309380.5	Mann-Whitney U Test
male	2.1910609515206543e-20	85.61052527333156	Chi Square Test
choke	9.372957385296172e-16	327983.0	Mann-Whitney U Test
gasping	6.638321702334852e-10	344036.0	Mann-Whitney U Test
asian	3.742082708726812e-06	21.392622806929	Chi Square Test
medhx_hbp	1.1965811309096403e-05	19.16872140582105	Chi Square Test
csamer	4.776502299174941e-05	16.534812259483008	Chi Square Test
medhx_ldl	0.0143765463631614	5.991306999906243	Chi Square Test

D8 = H_GE15_DEMDXSYMCF

Feature	p-value	Test-statistic	Test-name
face_width	1.0456019441332584e-51	371046.5	Mann-Whitney U Test
mand_width	1.4138297267890205e-50	373520.5	Mann-Whitney U Test
bmi	1.0818438086456103e-38	402018.5	Mann-Whitney U Test
max_mand_vol	9.670980103736678e-36	407717.0	Mann-Whitney U Test
max_tri_area	2.541450087867167e-34	412405.0	Mann-Whitney U Test
cer_ang	8.806560696102838e-31	342422.0	Mann-Whitney U Test
cranial_base_tri_area	1.529649920196137e-28	429862.5	Mann-Whitney U Test
mand_vol	3.193897432853109e-28	431267.5	Mann-Whitney U Test
mand_tri_area	6.9060105404607e-27	435382.0	Mann-Whitney U Test
max_mand_box_area	1.249565144133052e-26	434456.5	Mann-Whitney U Test

D9 = I_GE15_DEMDXSYMIO

Feature	p-value	Test-statistic	Test-name
bmi	5.547109003672217e-38	398904.5	Mann-Whitney U Test
loud_snore	3.9958061444914374e-24	304329.5	Mann-Whitney U Test
male	9.147462276938349e-24	101.0109873113873	Chi Square Test
map_index	1.0236239731714e-21	310646.0	Mann-Whitney U Test
choke	9.372957385296172e-16	327983.0	Mann-Whitney U Test
csamer	4.550759920307722e-14	56.91493771208839	Chi Square Test
gasping	7.64987826488691e-10	345050.0	Mann-Whitney U Test
tongue_width_f_te_m	1.2155027739330397e-07	480890.5	Mann-Whitney U Test
asian	1.485453007400471e-07	27.608231086037208	Chi Square Test
tongue_thickness_p_te_m	2.111475179835431e-07	484665.0	Mann-Whitney U Test

D10 = J_GE15_DEMDXSYMCFFIO

Feature	p-value	Test-statistic	Test-name
face_width	1.0456019441332584e-51	371046.5	Mann-Whitney U Test
mand_width	1.4138297267890205e-50	373520.5	Mann-Whitney U Test
bmi	1.0818438086456103e-38	402018.5	Mann-Whitney U Test
max_mand_vol	9.670980103736678e-36	407717.0	Mann-Whitney U Test
max_tri_area	2.541450087867167e-34	412405.0	Mann-Whitney U Test
cer_ang	8.806560696102838e-31	342422.0	Mann-Whitney U Test
cranial_base_tri_area	1.529649920196137e-28	429862.5	Mann-Whitney U Test
mand_vol	3.193897432853109e-28	431267.5	Mann-Whitney U Test
mand_tri_area	6.9060105404607e-27	435382.0	Mann-Whitney U Test
max_mand_box_area	1.249565144133052e-26	434456.5	Mann-Whitney U Test

Univariate Analysis of Each Dataset (Top 10 Features for Each): Page 3

D11 = K_GE5_DEM

Feature	p-value	Test-statistic	Test-name
bmi	8.174211225062187e-43	294715.5	Mann-Whitney U Test
male	1.7536240458986958e-16	67.86183983520638	Chi Square Test
age	3.0297735055184925e-13	378982.5	Mann-Whitney U Test
csamer	2.3995020523019037e-10	40.11086887325932	Chi Square Test
asian	7.584227701175714e-05	15.659211361477006	Chi Square Test
aframer	0.0050007757272225	7.879158026395546	Chi Square Test
other	0.3344824686692011	0.9314652551850056	Chi Square Test
caucasian	0.6219577202789	0.2431255717360346	Chi Square Test

D12 = L_GE5_DX

Feature	p-value	Test-statistic	Test-name
medhx_hbp	1.9001513332403911e-06	22.693443333051277	Chi Square Test
medhx_dm	0.0004250504516488	12.418724486621256	Chi Square Test
medhx_ldl	0.0038811086030071	8.338619100187122	Chi Square Test
medhx_cad	0.0336632260136647	4.511727460751411	Chi Square Test
medhx_stroke	0.4490145880663584	0.5731381472424522	Chi Square Test
medhx_afib	0.5728854962096509	0.3178783185915509	Chi Square Test
medhx_heart_fail	0.6235836030881907	0.2408628630548689	Chi Square Test

D13 = M_GE5_SYM

Feature	p-value	Test-statistic	Test-name
loud_snore	2.9470901078367264e-26	210278.5	Mann-Whitney U Test
map_index	5.108187821901815e-25	209085.0	Mann-Whitney U Test
choke	7.692701180983842e-16	235826.0	Mann-Whitney U Test
gasping	4.6037830784688426e-10	250504.0	Mann-Whitney U Test

D14 = N_GE5_CF

Feature	p-value	Test-statistic	Test-name
mand_width	1.3393701011729151e-40	301119.0	Mann-Whitney U Test
face_width	5.267142235112682e-38	307115.0	Mann-Whitney U Test
cer_ang	6.350365104348193e-33	258706.5	Mann-Whitney U Test
max_mand_vol	1.4636689241435042e-30	323896.5	Mann-Whitney U Test
mand_vol	1.623254199885122e-27	333591.0	Mann-Whitney U Test
max_tri_area	1.8651129514064285e-26	336101.0	Mann-Whitney U Test
mand_tri_area	4.20290678553797e-24	343357.0	Mann-Whitney U Test
lat_fac_ht	4.6352654751415204e-24	342626.0	Mann-Whitney U Test
cranial_base_tri_area	3.0334437247273095e-23	345693.5	Mann-Whitney U Test
max_mand_box_area	8.271108273066063e-23	346783.0	Mann-Whitney U Test

D15 = O_GE5_IO

Feature	p-value	Test-statistic	Test-name
tongue_thickness_p_te_m	5.995536263941659e-13	361769.5	Mann-Whitney U Test
tongue_width_f_te_m	6.868829440250053e-07	388283.5	Mann-Whitney U Test
tongue_width_tim_nph	6.589098297641054e-06	320494.0	Mann-Whitney U Test
mal_score_ftem_c4	0.0008462948680038	11.136849928250667	Chi Square Test
mal_score_ftem_c2	0.0098983591298759	6.653097658472456	Chi Square Test
tongue_area_p_te_m	0.011647351812285	422843.5	Mann-Whitney U Test
tongue_curvature_p_te_m	0.0342119818329418	481625.0	Mann-Whitney U Test
open_wid_tim_nph	0.0454824932563639	429708.5	Mann-Whitney U Test
open_area_tim_nph	0.0482015205412715	429450.5	Mann-Whitney U Test
mal_score_ftem_c3	0.0606163903246592	3.5204389844228148	Chi Square Test

Univariate Analysis of Each Dataset (Top 10 Features for Each): Page 4

D16 = P_GE5_DEMDX

Feature	p-value	Test-statistic	Test-name
bmi	8.222363047682099e-31	195395.0	Mann-Whitney U Test
male	4.940864212277696e-14	56.75319915006119	Chi Square Test
age	4.057311159061167e-09	249863.0	Mann-Whitney U Test
medhx_hbp	1.8139793244436493e-06	22.782629005241255	Chi Square Test
asian	0.0003223753495614	12.935696029321257	Chi Square Test
medhx_dm	0.0004481372301081	12.319972804490098	Chi Square Test
csamer	0.0022522296235311	9.33170286312965	Chi Square Test
medhx_ldl	0.0031388257879919	8.724962192762037	Chi Square Test
other	0.0233267600825835	5.144006089823659	Chi Square Test
aframer	0.024385105233409	5.067031717329436	Chi Square Test

D17 = Q_GE5_DEMDXSYM

Feature	p-value	Test-statistic	Test-name
bmi	3.379652374764037e-31	201622.5	Mann-Whitney U Test
loud_snore	1.8667013832208623e-25	213808.0	Mann-Whitney U Test
map_index	1.0143364282727228e-23	215547.5	Mann-Whitney U Test
choke	1.521767249141592e-15	237437.0	Mann-Whitney U Test
male	1.0288074897552176e-14	59.84019245637027	Chi Square Test
gasping	5.643276533262147e-10	250176.0	Mann-Whitney U Test
age	5.874496693712653e-09	258716.0	Mann-Whitney U Test
medhx_hbp	1.8139793244436493e-06	22.782629005241255	Chi Square Test
asian	0.0003544367676502	12.758279483045012	Chi Square Test
medhx_dm	0.0004481372301081	12.319972804490098	Chi Square Test

D18 = R_GE5_DEMDXSYCMF

Feature	p-value	Test-statistic	Test-name
bmi	1.0604459797522213e-42	296375.5	Mann-Whitney U Test
mand_width	1.3393701011729151e-40	301119.0	Mann-Whitney U Test
face_width	5.267142235112682e-38	307115.0	Mann-Whitney U Test
cer_ang	6.350365104348193e-33	258706.5	Mann-Whitney U Test
max_mand_vol	1.4636689241435042e-30	323896.5	Mann-Whitney U Test
mand_vol	1.623254199885122e-27	333591.0	Mann-Whitney U Test
max_tri_area	1.8651129514064285e-26	336101.0	Mann-Whitney U Test
loud_snore	1.7214821169803898e-25	214783.5	Mann-Whitney U Test
mand_tri_area	4.20290678553797e-24	343357.0	Mann-Whitney U Test
lat_fac_ht	4.6352654751415204e-24	342626.0	Mann-Whitney U Test

D19 = S_GE5_DEMDXSYMIO

Feature	p-value	Test-statistic	Test-name
bmi	5.811619782519763e-42	293407.0	Mann-Whitney U Test
loud_snore	1.7214821169803898e-25	214783.5	Mann-Whitney U Test
map_index	1.6435813725692653e-23	217793.5	Mann-Whitney U Test
male	2.288366194636403e-16	67.33708115720516	Chi Square Test
choke	1.331628057579479e-15	238082.0	Mann-Whitney U Test
age	5.161276452115644e-13	376257.5	Mann-Whitney U Test
tongue thickness p te m	5.998664232296849e-13	360361.0	Mann-Whitney U Test
csamer	1.2797205050439662e-10	41.33926910426314	Chi Square Test
gasping	5.521829753902209e-10	251721.0	Mann-Whitney U Test
tongue width f te m	1.4431742102266163e-06	388827.5	Mann-Whitney U Test

D20 = T_GE5_DEMDXSYCMFIO

Feature	p-value	Test-statistic	Test-name
bmi	1.0604459797522213e-42	296375.5	Mann-Whitney U Test
mand_width	1.3393701011729151e-40	301119.0	Mann-Whitney U Test
face_width	5.267142235112682e-38	307115.0	Mann-Whitney U Test
cer_ang	6.350365104348193e-33	258706.5	Mann-Whitney U Test
max_mand_vol	1.4636689241435042e-30	323896.5	Mann-Whitney U Test
mand_vol	1.623254199885122e-27	333591.0	Mann-Whitney U Test
max_tri_area	1.8651129514064285e-26	336101.0	Mann-Whitney U Test
loud_snore	1.7214821169803898e-25	214783.5	Mann-Whitney U Test
mand_tri_area	4.20290678553797e-24	343357.0	Mann-Whitney U Test
lat_fac_ht	4.6352654751415204e-24	342626.0	Mann-Whitney U Test


Dataset and Model Prediction Summary: D1 = A_GE15_DEM

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	8	6	2	20	0.0011	1098	1080
C1	2178	8	6	2	20	0.0011	1098	1080
E1	2178	8	6	2	20	0.0011	1098	1080
C2	2178	8	6	2	20	0.0011	1098	1080
C3	2174	8	6	2	0	0.0	1097	1077
E2	2174	8	6	2	0	0.0	1097	1077
C4	2174	8	6	2	0	0.0	1097	1077
Processed	2174	8	6	2	0	0.0	1097	1077

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting = 0.736
Best (Balanced Acc.): Category Gradient Boosting = 0.670
Best (F1 Score): ExSTraCS = 0.681
Best (PRC AUC): Category Gradient Boosting = 0.725
Best (PRC APS): Category Gradient Boosting = 0.727

ROC



PRC




Dataset and Model Prediction Summary: D2 = B_GE15_DX

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	7	7	0	2877	0.1887	1098	1080
C1	2178	7	7	0	2877	0.1887	1098	1080
E1	2178	7	7	0	2877	0.1887	1098	1080
C2	2178	7	7	0	2877	0.1887	1098	1080
C3	1794	7	7	0	229	0.0182	840	954
E2	1794	7	7	0	229	0.0182	840	954
C4	1794	7	7	0	229	0.0182	840	954
Processed	1794	7	7	0	229	0.0182	840	954

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Naive Bayes = 0.571
Best (Balanced Acc.): Extreme Gradient Boosting = 0.560
Best (F1 Score): Naive Bayes = 0.585
Best (PRC AUC): Genetic Programming = 0.679
Best (PRC APS): Naive Bayes = 0.582

ROC



PRC




Dataset and Model Prediction Summary: D3 = C_GE15_SYM

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	4	0	4	1442	0.1655	1098	1080
C1	2178	4	0	4	1442	0.1655	1098	1080
E1	2178	4	0	4	1442	0.1655	1098	1080
C2	2178	4	0	4	1442	0.1655	1098	1080
C3	1810	4	0	4	10	0.0014	855	955
E2	1810	4	0	4	10	0.0014	855	955
C4	1810	4	0	4	10	0.0014	855	955
Processed	1810	4	0	4	10	0.0014	855	955

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting = 0.649
Best (Balanced Acc.): Light Gradient Boosting = 0.623
Best (F1 Score): Gradient Boosting = 0.629
Best (PRC AUC): Genetic Programming = 0.704
Best (PRC APS): Elastic Net = 0.669

ROC



PRC




Dataset and Model Prediction Summary: D4 = D_GE15_CF

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	46	0	46	360	0.0036	1098	1080
C1	2178	46	0	46	360	0.0036	1098	1080
E1	2178	46	0	46	360	0.0036	1098	1080
C2	2178	46	0	46	360	0.0036	1098	1080
C3	2178	46	0	46	360	0.0036	1098	1080
E2	2178	46	0	46	360	0.0036	1098	1080
C4	2178	46	0	46	360	0.0036	1098	1080
Processed	2178	46	0	46	360	0.0036	1098	1080

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Elastic Net = 0.729
Best (Balanced Acc.): Elastic Net = 0.670
Best (F1 Score): Artificial Neural Network = 0.670
Best (PRC AUC): Category Gradient Boosting = 0.714
Best (PRC APS): Category Gradient Boosting = 0.717

ROC



PRC



Dataset and Model Prediction Summary: D5 = E_GE15_IO


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	20	8	12	2183	0.0501	1098	1080
C1	2178	20	8	12	2183	0.0501	1098	1080
E1	2178	20	8	12	2183	0.0501	1098	1080
C2	2178	20	8	12	2183	0.0501	1098	1080
C3	2139	20	8	12	1719	0.0402	1090	1049
E2	2139	20	8	12	1719	0.0402	1090	1049
C4	2139	20	8	12	1719	0.0402	1090	1049
Processed	2139	20	8	12	1719	0.0402	1090	1049


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Logistic Regression = 0.640
Best (Balanced Acc.): Logistic Regression = 0.602
Best (F1 Score): Logistic Regression = 0.596
Best (PRC AUC): Support Vector Machine = 0.624
Best (PRC APS): Artificial Neural Network = 0.628

ROC



PRC




Dataset and Model Prediction Summary: D6 = F_GE15_DEMDX

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	15	13	2	2897	0.0887	1098	1080
C1	2178	15	13	2	2897	0.0887	1098	1080
E1	2178	15	13	2	2897	0.0887	1098	1080
C2	2178	15	13	2	2897	0.0887	1098	1080
C3	1810	15	13	2	306	0.0113	852	958
E2	1810	15	13	2	306	0.0113	852	958
C4	1810	15	13	2	306	0.0113	852	958
Processed	1810	15	13	2	306	0.0113	852	958

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting = 0.719
Best (Balanced Acc.): Extreme Gradient Boosting = 0.661
Best (F1 Score): Category Gradient Boosting = 0.695
Best (PRC AUC): Category Gradient Boosting = 0.736
Best (PRC APS): Category Gradient Boosting = 0.738

ROC



PRC



Dataset and Model Prediction Summary: D7 = G_GE15_DEMDXSYM


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	19	13	6	4339	0.1048	1098	1080
C1	2178	19	13	6	4339	0.1048	1098	1080
E1	2178	19	13	6	4339	0.1048	1098	1080
C2	2178	19	13	6	4339	0.1048	1098	1080
C3	1834	19	13	6	546	0.0157	867	967
E2	1834	19	13	6	546	0.0157	867	967
C4	1834	19	13	6	546	0.0157	867	967
Processed	1834	19	13	6	546	0.0157	867	967


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Extreme Gradient Boosting = 0.739
Best (Balanced Acc.): ExSTraCS = 0.677
Best (F1 Score): Gradient Boosting = 0.710
Best (PRC AUC): Extreme Gradient Boosting = 0.748
Best (PRC APS): Extreme Gradient Boosting = 0.751

ROC



PRC



Dataset and Model Prediction Summary: D8 = H_GE15_DEMDXSYMCF


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	65	13	52	4699	0.0332	1098	1080
C1	2178	65	13	52	4699	0.0332	1098	1080
E1	2178	65	13	52	4699	0.0332	1098	1080
C2	2178	65	13	52	4699	0.0332	1098	1080
C3	2178	65	13	52	4699	0.0332	1098	1080
E2	2178	65	13	52	4699	0.0332	1098	1080
C4	2178	65	13	52	4699	0.0332	1098	1080
Processed	2178	65	13	52	4699	0.0332	1098	1080


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Logistic Regression = 0.765
Best (Balanced Acc.): ExSTraCS = 0.691
Best (F1 Score): ExSTraCS = 0.704
Best (PRC AUC): Random Forest = 0.750
Best (PRC APS): Random Forest = 0.752

ROC



PRC




Dataset and Model Prediction Summary: D9 = I_GE15_DEMDXSYMIO

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	39	21	18	6522	0.0768	1098	1080
C1	2178	39	21	18	6522	0.0768	1098	1080
E1	2178	39	21	18	6522	0.0768	1098	1080
C2	2178	39	21	18	6522	0.0768	1098	1080
C3	2166	39	21	18	6281	0.0743	1092	1074
E2	2166	39	21	18	6281	0.0743	1092	1074
C4	2166	39	21	18	6281	0.0743	1092	1074
Processed	2166	39	21	18	6281	0.0743	1092	1074

- Cleaning (C) and Engineering (E) Elements**
- * C1 - Remove instances with no outcome and features to ignore
 - * E1 - Add missingness features
 - * C2 - Remove features with invariance or high missingness
 - * C3 - Remove instances with high missingness
 - * E2 - Add one-hot-encoding of categorical features
 - * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): ExSTraCS = 0.752
Best (Balanced Acc.): Random Forest = 0.678
Best (F1 Score): Random Forest = 0.689
Best (PRC AUC): ExSTraCS = 0.739
Best (PRC APS): ExSTraCS = 0.741

ROC



PRC




Dataset and Model Prediction Summary: D10 = J_GE15_DEMDXSYMCFIO

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2178	85	21	64	6882	0.0372	1098	1080
C1	2178	85	21	64	6882	0.0372	1098	1080
E1	2178	85	21	64	6882	0.0372	1098	1080
C2	2178	85	21	64	6882	0.0372	1098	1080
C3	2178	85	21	64	6882	0.0372	1098	1080
E2	2178	85	21	64	6882	0.0372	1098	1080
C4	2178	85	21	64	6882	0.0372	1098	1080
Processed	2178	85	21	64	6882	0.0372	1098	1080

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Random Forest = 0.763
Best (Balanced Acc.): Category Gradient Boosting = 0.696
Best (F1 Score): Category Gradient Boosting = 0.693
Best (PRC AUC): Random Forest = 0.750
Best (PRC APS): Random Forest = 0.753

ROC



PRC




Dataset and Model Prediction Summary: D11 = K_GE5_DEM

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	8	6	2	25	0.0014	606	1573
C1	2179	8	6	2	25	0.0014	606	1573
E1	2179	8	6	2	25	0.0014	606	1573
C2	2179	8	6	2	25	0.0014	606	1573
C3	2174	8	6	2	0	0.0	605	1569
E2	2174	8	6	2	0	0.0	605	1569
C4	2174	8	6	2	0	0.0	605	1569
Processed	2174	8	6	2	0	0.0	605	1569

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Artificial Neural Network = 0.763
Best (Balanced Acc.): Light Gradient Boosting = 0.692
Best (F1 Score): Artificial Neural Network = 0.866
Best (PRC AUC): Artificial Neural Network = 0.873
Best (PRC APS): Artificial Neural Network = 0.874

ROC



PRC



Dataset and Model Prediction Summary: D12 = L_GE5_DX


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	7	7	0	2866	0.1879	606	1573
C1	2179	7	7	0	2866	0.1879	606	1573
E1	2179	7	7	0	2866	0.1879	606	1573
C2	2179	7	7	0	2866	0.1879	606	1573
C3	1798	7	7	0	233	0.0185	447	1351
E2	1798	7	7	0	233	0.0185	447	1351
C4	1798	7	7	0	233	0.0185	447	1351
Processed	1798	7	7	0	233	0.0185	447	1351


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Elastic Net = 0.591
Best (Balanced Acc.): Light Gradient Boosting = 0.579
Best (F1 Score): Genetic Programming = 0.858
Best (PRC AUC): Genetic Programming = 0.845
Best (PRC APS): Extreme Gradient Boosting = 0.797

ROC



PRC




Dataset and Model Prediction Summary: D13 = M_GE5_SYM

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	4	0	4	1408	0.1615	606	1573
C1	2179	4	0	4	1408	0.1615	606	1573
E1	2179	4	0	4	1408	0.1615	606	1573
C2	2179	4	0	4	1408	0.1615	606	1573
C3	1820	4	0	4	10	0.0014	449	1371
E2	1820	4	0	4	10	0.0014	449	1371
C4	1820	4	0	4	10	0.0014	449	1371
Processed	1820	4	0	4	10	0.0014	449	1371

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Elastic Net = 0.667
Best (Balanced Acc.): Extreme Gradient Boosting = 0.650
Best (F1 Score): Artificial Neural Network = 0.859
Best (PRC AUC): Genetic Programming = 0.867
Best (PRC APS): Elastic Net = 0.850

ROC



PRC




Dataset and Model Prediction Summary: D14 = N_GE5_CF

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	46	0	46	336	0.0034	606	1573
C1	2179	46	0	46	336	0.0034	606	1573
E1	2179	46	0	46	336	0.0034	606	1573
C2	2179	46	0	46	336	0.0034	606	1573
C3	2179	46	0	46	336	0.0034	606	1573
E2	2179	46	0	46	336	0.0034	606	1573
C4	2179	46	0	46	336	0.0034	606	1573
Processed	2179	46	0	46	336	0.0034	606	1573

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Random Forest = 0.746
Best (Balanced Acc.): Support Vector Machine = 0.684
Best (F1 Score): Category Gradient Boosting = 0.851
Best (PRC AUC): Support Vector Machine = 0.867
Best (PRC APS): Support Vector Machine = 0.868

ROC



PRC



Dataset and Model Prediction Summary: D15 = O_GE5_IO


Data Processing/Counts Summary

	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	20	8	12	2170	0.0498	606	1573
C1	2179	20	8	12	2170	0.0498	606	1573
E1	2179	20	8	12	2170	0.0498	606	1573
C2	2179	20	8	12	2170	0.0498	606	1573
C3	2137	20	8	12	1673	0.0391	603	1534
E2	2137	20	8	12	1673	0.0391	603	1534
C4	2137	20	8	12	1673	0.0391	603	1534
Processed	2137	20	8	12	1673	0.0391	603	1534


Cleaning (C) and Engineering (E) Elements

- * C1 - Remove instances with no outcome and features to ignore
- * E1 - Add missingness features
- * C2 - Remove features with invariance or high missingness
- * C3 - Remove instances with high missingness
- * E2 - Add one-hot-encoding of categorical features
- * C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Elastic Net = 0.650
Best (Balanced Acc.): Elastic Net = 0.618
Best (F1 Score): Category Gradient Boosting = 0.837
Best (PRC AUC): Genetic Programming = 0.842
Best (PRC APS): Random Forest = 0.818

ROC



PRC




Dataset and Model Prediction Summary: D16 = P_GE5_DEMDX

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	15	13	2	2891	0.0885	606	1573
C1	2179	15	13	2	2891	0.0885	606	1573
E1	2179	15	13	2	2891	0.0885	606	1573
C2	2179	15	13	2	2891	0.0885	606	1573
C3	1812	15	13	2	302	0.0111	450	1362
E2	1812	15	13	2	302	0.0111	450	1362
C4	1812	15	13	2	302	0.0111	450	1362
Processed	1812	15	13	2	302	0.0111	450	1362

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Artificial Neural Network = 0.754
Best (Balanced Acc.): ExSTraCS = 0.687
Best (F1 Score): Artificial Neural Network = 0.872
Best (PRC AUC): Category Gradient Boosting = 0.883
Best (PRC APS): Category Gradient Boosting = 0.884

ROC



PRC




Dataset and Model Prediction Summary: D17 = Q_GE5_DEMDXSYM

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	19	13	6	4299	0.1038	606	1573
C1	2179	19	13	6	4299	0.1038	606	1573
E1	2179	19	13	6	4299	0.1038	606	1573
C2	2179	19	13	6	4299	0.1038	606	1573
C3	1840	19	13	6	566	0.0162	457	1383
E2	1840	19	13	6	566	0.0162	457	1383
C4	1840	19	13	6	566	0.0162	457	1383
Processed	1840	19	13	6	566	0.0162	457	1383

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Logistic Regression = 0.769
Best (Balanced Acc.): Support Vector Machine = 0.702
Best (F1 Score): Artificial Neural Network = 0.874
Best (PRC AUC): Logistic Regression = 0.897
Best (PRC APS): Logistic Regression = 0.898

ROC



PRC




Dataset and Model Prediction Summary: D18 = R_GE5_DEMDXSYMCF

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	65	13	52	4635	0.0327	606	1573
C1	2179	65	13	52	4635	0.0327	606	1573
E1	2179	65	13	52	4635	0.0327	606	1573
C2	2179	65	13	52	4635	0.0327	606	1573
C3	2179	65	13	52	4635	0.0327	606	1573
E2	2179	65	13	52	4635	0.0327	606	1573
C4	2179	65	13	52	4635	0.0327	606	1573
Processed	2179	65	13	52	4635	0.0327	606	1573

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Extreme Gradient Boosting = 0.793
Best (Balanced Acc.): ExSTraCS = 0.719
Best (F1 Score): Category Gradient Boosting = 0.867
Best (PRC AUC): Extreme Gradient Boosting = 0.895
Best (PRC APS): Extreme Gradient Boosting = 0.895

ROC



PRC




Dataset and Model Prediction Summary: D19 = S_GE5_DEMDXSYMIO

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	39	21	18	6469	0.0761	606	1573
C1	2179	39	21	18	6469	0.0761	606	1573
E1	2179	39	21	18	6469	0.0761	606	1573
C2	2179	39	21	18	6469	0.0761	606	1573
C3	2168	39	21	18	6244	0.0738	600	1568
E2	2168	39	21	18	6244	0.0738	600	1568
C4	2168	39	21	18	6244	0.0738	600	1568
Processed	2168	39	21	18	6244	0.0738	600	1568

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)



Feature Correlations (Pearson)



Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Category Gradient Boosting = 0.774


Best (Balanced Acc.): ExSTraCS = 0.705

Best (F1 Score): Category Gradient Boosting = 0.863


Best (PRC AUC): Logistic Regression = 0.885

Best (PRC APS): Logistic Regression = 0.886


ROC




- Artificial Neural Network, AUC=0.764
- Category Gradient Boosting, AUC=0.774
- Decision Tree, AUC=0.733
- Elastic Net, AUC=0.769
- ExSTraCS, AUC=0.766
- Extreme Gradient Boosting, AUC=0.768
- Genetic Programming, AUC=0.695
- Gradient Boosting, AUC=0.766
- K-Nearest Neighbors, AUC=0.686
- Light Gradient Boosting, AUC=0.764
- Logistic Regression, AUC=0.772
- Naive Bayes, AUC=0.713
- Random Forest, AUC=0.771
- Support Vector Machine, AUC=0.770
- No-Skill



PRC



- Artificial Neural Network, AUC=0.882, APS=0.882
- Category Gradient Boosting, AUC=0.884, APS=0.885
- Decision Tree, AUC=0.863, APS=0.857
- Elastic Net, AUC=0.883, APS=0.884
- ExSTraCS, AUC=0.882, APS=0.883
- Extreme Gradient Boosting, AUC=0.880, APS=0.881
- Genetic Programming, AUC=0.843, APS=0.841
- Gradient Boosting, AUC=0.879, APS=0.880
- K-Nearest Neighbors, AUC=0.843, APS=0.820
- Light Gradient Boosting, AUC=0.877, APS=0.878
- Logistic Regression, AUC=0.885, APS=0.886
- Naive Bayes, AUC=0.850, APS=0.851
- Random Forest, AUC=0.885, APS=0.886
- Support Vector Machine, AUC=0.882, APS=0.883
- No-Skill




Dataset and Model Prediction Summary: D20 = T_GE5_DEMDXSYMCFIO

Data Processing/Counts Summary


	Instances	Total Features	Categorical Features	Quantitative Features	Missing Values	Missing Percent	Class 0	Class 1
Original	2179	85	21	64	6805	0.0367	606	1573
C1	2179	85	21	64	6805	0.0367	606	1573
E1	2179	85	21	64	6805	0.0367	606	1573
C2	2179	85	21	64	6805	0.0367	606	1573
C3	2179	85	21	64	6805	0.0367	606	1573
E2	2179	85	21	64	6805	0.0367	606	1573
C4	2179	85	21	64	6805	0.0367	606	1573
Processed	2179	85	21	64	6805	0.0367	606	1573

Cleaning (C) and Engineering (E) Elements
* C1 - Remove instances with no outcome and features to ignore
* E1 - Add missingness features
* C2 - Remove features with invariance or high missingness
* C3 - Remove instances with high missingness
* E2 - Add one-hot-encoding of categorical features
* C4 - Remove highly correlated features

Class Balance (Processed)





Feature Correlations (Pearson)





Top ML Algorithm Results (Averaged Over CV Runs):

Best (ROC_AUC): Extreme Gradient Boosting = 0.790
Best (Balanced Acc.): ExSTraCS = 0.716
Best (F1 Score): Category Gradient Boosting = 0.869
Best (PRC AUC): Extreme Gradient Boosting = 0.895
Best (PRC APS): Extreme Gradient Boosting = 0.896

ROC



PRC



Average Model Prediction Statistics (Rounded to 3 Decimal Points): Page 1

D1 = A_GE15_DEM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.659	0.659	0.661	0.672	0.645	0.651	72.4	70.8	38.9	35.3	0.668	1.913	0.508	0.726	0.707	0.71
Category Gradient Boosting	0.67	0.67	0.669	0.676	0.664	0.664	72.8	72.8	36.9	34.9	0.678	2.024	0.486	0.736	0.725	0.727
Decision Tree	0.653	0.652	0.655	0.671	0.635	0.644	72.2	69.6	40.1	35.5	0.665	1.855	0.517	0.707	0.679	0.68
Elastic Net	0.664	0.663	0.672	0.696	0.631	0.649	75.0	69.2	40.5	32.7	0.68	1.901	0.483	0.725	0.692	0.695
ExSTraCS	0.663	0.663	0.681	0.727	0.6	0.642	78.3	65.8	43.9	29.4	0.692	1.848	0.457	0.732	0.715	0.718
Extreme Gradient Boosting	0.662	0.661	0.667	0.685	0.638	0.652	73.8	70.0	39.7	33.9	0.676	1.919	0.491	0.729	0.72	0.722
Genetic Programming	0.636	0.636	0.633	0.635	0.637	0.634	68.4	69.9	39.8	39.3	0.642	1.78	0.571	0.693	0.669	0.668
Gradient Boosting	0.656	0.656	0.663	0.685	0.627	0.645	73.8	68.8	40.9	33.9	0.672	1.866	0.501	0.723	0.711	0.712
K-Nearest Neighbors	0.653	0.653	0.654	0.663	0.644	0.647	71.4	70.6	39.1	36.3	0.661	1.894	0.527	0.714	0.689	0.683
Light Gradient Boosting	0.659	0.659	0.667	0.693	0.625	0.647	74.6	68.6	41.1	33.1	0.676	1.874	0.489	0.727	0.713	0.714
Logistic Regression	0.664	0.664	0.67	0.69	0.638	0.652	74.3	70.0	39.7	33.4	0.678	1.924	0.488	0.725	0.692	0.696
Naive Bayes	0.64	0.64	0.64	0.65	0.63	0.634	70.0	69.1	40.6	37.7	0.649	1.776	0.553	0.69	0.654	0.659
Random Forest	0.662	0.662	0.665	0.678	0.646	0.654	73.0	70.9	38.8	34.7	0.672	1.941	0.498	0.732	0.72	0.723
Support Vector Machine	0.659	0.658	0.673	0.71	0.607	0.64	76.5	66.6	43.1	31.2	0.682	1.832	0.478	0.72	0.7	0.703

D2 = B_GE15_DX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.555	0.555	0.569	0.56	0.55	0.587	53.4	46.2	37.8	42.0	0.525	1.276	0.807	0.558	0.582	0.569
Category Gradient Boosting	0.551	0.552	0.571	0.567	0.536	0.583	54.1	45.0	39.0	41.3	0.522	1.259	0.817	0.558	0.587	0.571
Decision Tree	0.548	0.548	0.561	0.551	0.544	0.581	52.6	45.7	38.3	42.8	0.517	1.264	0.837	0.557	0.573	0.569
Elastic Net	0.557	0.553	0.545	0.506	0.607	0.598	48.3	51.0	33.0	47.1	0.519	1.349	0.824	0.563	0.598	0.571
ExSTraCS	0.554	0.555	0.573	0.569	0.539	0.587	54.3	45.3	38.7	41.1	0.525	1.288	0.81	0.559	0.612	0.573
Extreme Gradient Boosting	0.56	0.561	0.575	0.568	0.552	0.593	54.2	46.4	37.6	41.2	0.531	1.324	0.791	0.565	0.592	0.574
Genetic Programming	0.555	0.551	0.539	0.495	0.614	0.594	47.2	51.6	32.4	48.2	0.517	1.314	0.829	0.555	0.679	0.564
Gradient Boosting	0.555	0.555	0.57	0.563	0.546	0.587	53.7	45.9	38.1	41.7	0.525	1.281	0.808	0.559	0.588	0.57
K-Nearest Neighbors	0.53	0.517	0.39	0.327	0.732	0.594	31.2	61.5	22.5	64.2	0.492	1.429	0.915	0.556	0.579	0.568
Light Gradient Boosting	0.553	0.553	0.57	0.564	0.542	0.584	53.8	45.5	38.5	41.6	0.524	1.263	0.812	0.563	0.594	0.576
Logistic Regression	0.554	0.552	0.549	0.519	0.589	0.594	49.5	49.5	34.5	45.9	0.517	1.339	0.829	0.566	0.597	0.575
Naive Bayes	0.546	0.551	0.585	0.624	0.469	0.579	59.5	39.4	44.6	35.9	0.553	1.234	0.736	0.571	0.601	0.582
Random Forest	0.555	0.555	0.57	0.563	0.546	0.587	53.7	45.9	38.1	41.7	0.526	1.279	0.807	0.559	0.583	0.569
Support Vector Machine	0.551	0.55	0.559	0.543	0.558	0.587	51.8	46.9	37.1	43.6	0.517	1.28	0.827	0.544	0.579	0.563

D3 = C_GE15_SYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.617	0.617	0.624	0.605	0.629	0.645	57.8	53.8	31.7	37.7	0.59	1.636	0.627	0.643	0.674	0.665
Category Gradient Boosting	0.608	0.608	0.62	0.607	0.61	0.635	58.0	52.1	33.4	37.5	0.583	1.585	0.647	0.649	0.688	0.667
Decision Tree	0.616	0.614	0.611	0.579	0.653	0.653	55.3	55.8	29.7	40.2	0.583	1.729	0.645	0.641	0.684	0.658
Elastic Net	0.612	0.613	0.629	0.624	0.6	0.638	59.6	51.3	34.2	35.9	0.589	1.595	0.626	0.641	0.677	0.669
ExSTraCS	0.594	0.584	0.512	0.419	0.768	0.668	40.0	65.7	19.8	55.5	0.543	1.83	0.756	0.642	0.682	0.664
Extreme Gradient Boosting	0.615	0.613	0.61	0.576	0.655	0.652	55.0	56.0	29.5	40.5	0.581	1.712	0.651	0.648	0.682	0.665
Genetic Programming	0.605	0.604	0.606	0.581	0.629	0.636	55.5	53.8	31.7	40.0	0.576	1.583	0.664	0.633	0.704	0.626
Gradient Boosting	0.614	0.614	0.629	0.622	0.606	0.64	59.4	51.8	33.7	36.1	0.59	1.608	0.625	0.648	0.684	0.665
K-Nearest Neighbors	0.607	0.606	0.608	0.583	0.63	0.639	55.7	53.9	31.6	39.8	0.577	1.609	0.663	0.638	0.675	0.659
Light Gradient Boosting	0.623	0.619	0.609	0.562	0.683	0.667	53.7	58.4	27.1	41.8	0.583	1.843	0.643	0.645	0.674	0.663
Logistic Regression	0.614	0.614	0.627	0.619	0.608	0.64	59.1	52.0	33.5	36.4	0.59	1.612	0.627	0.645	0.681	0.669
Naive Bayes	0.602	0.596	0.561	0.494	0.709	0.653	47.2	60.6	24.9	48.3	0.558	1.734	0.717	0.635	0.678	0.661
Random Forest	0.611	0.609	0.604	0.567	0.656	0.651	54.1	56.1	29.4	41.4	0.576	1.73	0.665	0.647	0.685	0.666
Support Vector Machine	0.613	0.611	0.61	0.578	0.648	0.649	55.2	55.4	30.1	40.3	0.58	1.677	0.651	0.64	0.658	0.654

D4 = D_GE15_CF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.67	0.67	0.67	0.678	0.662	0.664	73.2	72.7	37.1	34.8	0.677	2.03	0.489	0.726	0.705	0.708
Category Gradient Boosting	0.665	0.666	0.648	0.623	0.708	0.677	67.3	77.7	32.1	40.7	0.657	2.141	0.532	0.727	0.714	0.717
Decision Tree	0.626	0.626	0.622	0.625	0.626	0.624	67.5	68.8	41.0	40.5	0.631	1.707	0.598	0.684	0.672	0.663
Elastic Net	0.67	0.67	0.668	0.669	0.672	0.668	72.2	73.8	36.0	35.8	0.674	2.082	0.496	0.729	0.706	0.708
ExSTraCS	0.661	0.66	0.667	0.689	0.632	0.65	74.4	69.4	40.4	33.6	0.675	1.922	0.494	0.716	0.698	0.702
Extreme Gradient Boosting	0.661	0.662	0.654	0.645	0.678	0.663	69.7	74.4	35.4	38.3	0.661	2.012	0.523	0.723	0.711	0.714
Genetic Programming	0.631	0.632	0.618	0.601	0.662	0.636	64.9	72.7	37.1	43.1	0.628	1.784	0.603	0.681	0.667	0.665
Gradient Boosting	0.657	0.658	0.651	0.644	0.67	0.658	69.6	73.6	36.2	38.4	0.658	1.987	0.532	0.717	0.704	0.708
K-Nearest Neighbors	0.661	0.661	0.649	0.633	0.689	0.669	68.4	75.6	34.2	39.6	0.656	2.099	0.535	0.718	0.701	0.701
Light Gradient Boosting	0.656	0.657	0.65	0.645	0.665	0.657	69.7	73.3	36.5	38.3	0.659	1.959	0.531	0.722	0.709	0.712
Logistic Regression	0.669	0.669	0.669	0.674	0.665	0.664	72.8	73.0	36.8	35.2	0.676	2.031	0.492	0.728	0.703	0.707
Naive Bayes	0.642	0.642	0.632	0.621	0.663	0.645	67.1	72.8	37.0	40.9	0.641	1.868	0.572	0.701	0.673	0.677
Random Forest	0.663	0.663	0.658	0.656	0.67	0.662	70.8	73.6	36.2	37.2	0.665	2.002	0.514	0.727	0.712	0.716
Support Vector Machine	0.657	0.657	0.658	0.667	0.647	0.65	72.0	71.1	38.7	36.0	0.665	1.912	0.518	0.719	0.696	0.7

D5 = E_GE15_IO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.597	0.597	0.586	0.582	0.611	0.59	61.1	66.6	42.4	43.8	0.604	1.509	0.685	0.638	0.624	0.628
Category Gradient Boosting	0.576	0.577	0.548	0.525	0.627	0.574	55.1	68.3	40.7	49.8	0.58	1.419	0.759	0.614	0.592	0.596
Decision Tree	0.548	0.548	0.551	0.568	0.528	0.537	59.6	57.6	51.4	45.3	0.561	1.213	0.821	0.567	0.557	0.55
Elastic Net	0.591	0.591	0.58	0.577	0.606	0.584	60.5	66.0	43.0	44.4	0.598	1.471	0.701	0.635	0.621	0.625
ExSTraCS	0.577	0.576	0.571	0.58	0.573	0.566	60.8	62.5	46.5	44.1	0.589	1.364	0.731	0.604	0.587	0.592
Extreme Gradient Boosting	0.582	0.582	0.566	0.557	0.606	0.578	58.4	66.1	42.9	46.5	0.587	1.43	0.733	0.619	0.607	0.611
Genetic Programming	0.573	0.573	0.559	0.553	0.593	0.566	58.0	64.6	44.4	46.9	0.58	1.366	0.757	0.603	0.577	0.583
Gradient Boosting	0.573	0.573	0.553	0.539	0.606	0.57	56.5	66.1	42.9	48.4	0.577	1.393	0.765	0.614	0.6	0.604
K-Nearest Neighbors	0.562	0.564	0.52	0.484	0.64	0.563	50.8	69.8	39.2	54.1	0.565	1.355	0.806	0.594	0.582	0.584
Light Gradient Boosting	0.569	0.569	0.557	0.555	0.583	0.561	58.2	63.5	45.5	46.7	0.577	1.338	0.765	0.614	0.594	0.599
Logistic Regression	0.602	0.602	0.596	0.599	0.606	0.594	62.8	66.0	43.0	42.1	0.611	1.527	0.664	0.64	0.621	0.626
Naive Bayes	0.576	0.576	0.588	0.624	0.529	0.559	65.4	57.7	51.3	39.5	0.597	1.327	0.708	0.601	0.586	0

Average Model Prediction Statistics (Rounded to 3 Decimal Points): Page 2

D6 = F_GE15_DEMDX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.645	0.65	0.684	0.718	0.573	0.654	68.8	48.8	36.4	27.0	0.646	1.693	0.494	0.706	0.704	0.708
Category Gradient Boosting	0.646	0.652	0.695	0.749	0.543	0.649	71.8	46.3	38.9	24.0	0.659	1.664	0.464	0.719	0.736	0.738
Decision Tree	0.643	0.645	0.667	0.676	0.61	0.661	64.8	52.0	33.2	31.0	0.629	1.74	0.528	0.687	0.697	0.689
Elastic Net	0.646	0.65	0.681	0.708	0.585	0.658	67.8	49.8	35.4	28.0	0.642	1.728	0.501	0.706	0.706	0.709
ExSTraCS	0.64	0.642	0.664	0.669	0.611	0.66	64.1	52.1	33.1	31.7	0.622	1.734	0.543	0.706	0.716	0.719
Extreme Gradient Boosting	0.661	0.664	0.692	0.713	0.609	0.673	68.3	51.9	33.3	27.5	0.655	1.862	0.474	0.714	0.725	0.727
Genetic Programming	0.626	0.629	0.657	0.674	0.577	0.643	64.6	49.2	36.0	31.2	0.613	1.608	0.565	0.674	0.701	0.687
Gradient Boosting	0.65	0.656	0.695	0.741	0.56	0.655	71.0	47.7	37.5	24.8	0.658	1.7	0.465	0.715	0.726	0.729
K-Nearest Neighbors	0.611	0.617	0.658	0.699	0.523	0.623	67.0	44.6	40.6	28.8	0.609	1.476	0.575	0.668	0.665	0.666
Light Gradient Boosting	0.649	0.652	0.682	0.705	0.594	0.662	67.5	50.6	34.6	28.3	0.642	1.775	0.501	0.718	0.73	0.732
Logistic Regression	0.655	0.657	0.682	0.695	0.615	0.67	66.6	52.4	32.8	29.2	0.644	1.827	0.497	0.714	0.712	0.716
Naive Bayes	0.61	0.615	0.657	0.697	0.523	0.623	66.8	44.6	40.6	29.0	0.607	1.479	0.579	0.652	0.646	0.651
Random Forest	0.656	0.659	0.689	0.716	0.595	0.667	68.6	50.7	34.5	27.2	0.653	1.805	0.477	0.718	0.731	0.733
Support Vector Machine	0.648	0.653	0.691	0.734	0.562	0.654	70.3	47.9	37.3	25.5	0.655	1.692	0.474	0.708	0.712	0.716

D7 = G_GE15_DEMDXSYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.661	0.665	0.697	0.732	0.59	0.666	70.8	51.2	35.5	25.9	0.666	1.806	0.456	0.731	0.737	0.74
Category Gradient Boosting	0.662	0.666	0.7	0.737	0.587	0.667	71.3	50.9	35.8	25.4	0.667	1.825	0.452	0.732	0.742	0.745
Decision Tree	0.654	0.657	0.683	0.702	0.607	0.667	67.9	52.6	34.1	28.8	0.648	1.837	0.494	0.708	0.708	0.702
Elastic Net	0.664	0.666	0.69	0.706	0.622	0.677	68.3	53.9	32.8	28.4	0.656	1.899	0.475	0.734	0.742	0.745
ExSTraCS	0.677	0.68	0.707	0.734	0.619	0.686	71.0	53.7	33.0	25.7	0.678	1.992	0.428	0.734	0.74	0.744
Extreme Gradient Boosting	0.666	0.669	0.696	0.719	0.613	0.676	69.5	53.2	33.5	27.2	0.662	1.904	0.462	0.739	0.748	0.751
Genetic Programming	0.64	0.643	0.675	0.711	0.569	0.648	68.7	49.3	37.4	28.0	0.645	1.665	0.506	0.7	0.715	0.706
Gradient Boosting	0.675	0.679	0.71	0.747	0.604	0.679	72.2	52.4	34.3	24.5	0.683	1.935	0.424	0.735	0.74	0.742
K-Nearest Neighbors	0.641	0.646	0.686	0.735	0.547	0.644	71.1	47.4	39.3	25.6	0.652	1.638	0.487	0.7	0.71	0.709
Light Gradient Boosting	0.668	0.67	0.694	0.713	0.623	0.679	68.9	54.0	32.7	27.8	0.662	1.928	0.463	0.738	0.746	0.749
Logistic Regression	0.662	0.665	0.691	0.71	0.613	0.673	68.7	53.2	33.5	28.0	0.655	1.876	0.478	0.736	0.738	0.742
Naive Bayes	0.63	0.629	0.635	0.614	0.646	0.66	59.4	56.0	30.7	37.3	0.601	1.764	0.6	0.684	0.692	0.696
Random Forest	0.664	0.668	0.704	0.749	0.579	0.666	72.4	50.2	38.5	24.3	0.673	1.822	0.441	0.728	0.736	0.739
Support Vector Machine	0.659	0.665	0.705	0.761	0.557	0.659	73.6	48.3	36.4	23.1	0.678	1.744	0.429	0.736	0.742	0.745

D8 = H_GE15_DEMDXSYMCF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.688	0.688	0.686	0.687	0.689	0.685	74.2	75.7	34.1	33.8	0.692	2.232	0.455	0.764	0.741	0.744
Category Gradient Boosting	0.681	0.681	0.678	0.676	0.687	0.681	73.0	75.4	34.4	35.0	0.684	2.195	0.473	0.761	0.749	0.751
Decision Tree	0.651	0.651	0.653	0.662	0.639	0.646	71.5	70.2	39.6	36.5	0.657	1.893	0.534	0.707	0.684	0.676
Elastic Net	0.684	0.684	0.684	0.692	0.676	0.677	74.7	74.2	35.6	33.3	0.691	2.153	0.458	0.762	0.745	0.746
ExSTraCS	0.691	0.691	0.704	0.741	0.642	0.672	80.0	70.5	39.3	28.0	0.717	2.115	0.404	0.759	0.738	0.741
Extreme Gradient Boosting	0.682	0.682	0.682	0.689	0.675	0.676	74.4	74.1	35.7	33.6	0.689	2.138	0.462	0.763	0.75	0.752
Genetic Programming	0.637	0.637	0.634	0.638	0.637	0.632	68.9	69.9	39.9	39.1	0.644	1.754	0.566	0.685	0.674	0.675
Gradient Boosting	0.681	0.681	0.677	0.676	0.686	0.68	73.0	75.3	34.5	35.0	0.683	2.172	0.472	0.757	0.745	0.748
K-Nearest Neighbors	0.669	0.669	0.651	0.624	0.713	0.682	67.4	78.3	31.5	40.6	0.659	2.2	0.527	0.737	0.724	0.724
Light Gradient Boosting	0.687	0.687	0.69	0.702	0.673	0.68	75.8	73.9	35.9	32.2	0.697	2.184	0.443	0.763	0.75	0.752
Logistic Regression	0.69	0.69	0.69	0.698	0.681	0.683	75.4	74.8	35.0	32.6	0.697	2.211	0.444	0.765	0.743	0.746
Naive Bayes	0.658	0.658	0.654	0.664	0.662	0.657	70.6	72.7	37.1	37.4	0.661	1.965	0.524	0.718	0.693	0.695
Random Forest	0.686	0.685	0.687	0.697	0.674	0.678	75.3	74.0	35.8	32.7	0.694	2.15	0.449	0.763	0.75	0.752
Support Vector Machine	0.689	0.689	0.693	0.706	0.672	0.68	76.3	73.8	36.0	31.7	0.7	2.174	0.438	0.76	0.742	0.745

D9 = I_GE15_DEMDXSYMIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.668	0.668	0.669	0.679	0.657	0.662	72.9	71.7	37.5	34.5	0.676	2.03	0.493	0.743	0.729	0.732
Category Gradient Boosting	0.675	0.675	0.685	0.713	0.637	0.66	76.6	69.6	39.6	30.8	0.693	2.0	0.453	0.743	0.724	0.727
Decision Tree	0.633	0.633	0.635	0.648	0.617	0.627	69.6	67.4	41.8	37.8	0.642	1.725	0.57	0.69	0.67	0.661
Elastic Net	0.671	0.671	0.675	0.688	0.655	0.664	73.9	71.5	37.7	33.5	0.681	2.053	0.481	0.743	0.733	0.736
ExSTraCS	0.674	0.674	0.686	0.717	0.631	0.66	77.0	68.9	40.3	30.4	0.693	2.034	0.454	0.752	0.739	0.741
Extreme Gradient Boosting	0.678	0.678	0.684	0.705	0.651	0.666	75.7	71.1	38.1	31.7	0.692	2.049	0.455	0.743	0.733	0.735
Genetic Programming	0.647	0.647	0.652	0.669	0.625	0.639	71.9	68.2	41.0	35.5	0.659	1.829	0.529	0.7	0.675	0.677
Gradient Boosting	0.673	0.673	0.679	0.696	0.651	0.664	74.7	71.1	38.1	32.7	0.685	2.053	0.471	0.746	0.734	0.736
K-Nearest Neighbors	0.635	0.635	0.624	0.613	0.657	0.638	65.8	71.8	37.4	41.6	0.634	1.812	0.591	0.707	0.692	0.693
Light Gradient Boosting	0.675	0.675	0.68	0.696	0.655	0.666	74.7	71.5	37.7	32.7	0.686	2.052	0.467	0.744	0.734	0.736
Logistic Regression	0.663	0.663	0.667	0.681	0.646	0.655	73.1	70.5	38.7	34.3	0.673	1.978	0.5	0.742	0.728	0.731
Naive Bayes	0.625	0.625	0.593	0.554	0.695	0.641	59.5	75.9	33.3	47.9	0.614	1.858	0.645	0.686	0.663	0.667
Random Forest	0.678	0.678	0.689	0.721	0.635	0.661	77.4	69.4	39.8	30.0	0.698	2.004	0.441	0.746	0.73	0.733
Support Vector Machine	0.666	0.666	0.673	0.694	0.638	0.655	74.5	69.7	39.5	32.9	0.68	1.973	0.484	0.743	0.73	0.733

D10 = J_GE15_DEMDXSYMCFIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.685	0.685	0.685	0.691	0.678	0.68	74.6	74.5	35.3	33.4	0.691	2.169	0.456	0.759	0.739	0.742
Category Gradient Boosting	0.696	0.696	0.693	0.694	0.697	0.693	75.0	76.5	33.3	33.0	0.7	2.31	0.438	0.761	0.748	0.75
Decision Tree	0.661	0.661	0.666	0.685	0.637	0.651	74.0	70.0	39.8	34.0	0.676	1.911	0.493	0.719	0.694	0.686
Elastic Net	0.678	0.678	0.678	0.684	0.672	0.672	73.9	73.8	36.0	34.1	0.684	2.105	0.472	0.761	0.745	0.747
ExSTraCS	0.679	0.679	0.688	0.716	0.642	0.664	77.3	70.5	39.3	30.7	0.697	2.03	0.444	0.748	0.733	0.736
Extreme Gradient Boosting	0.685	0.685	0.683	0.684	0.685	0.681	73.9	75.2	34.6	34.1	0.688	2.184	0.461	0.758	0.746	0.748
Genetic Programming	0.633	0.633	0.623	0.614	0.651	0.634	66.3	71.5	38.3	41.7	0.633	1.763	0.591	0.685	0.676	0.675
Gradient Boosting	0.68	0.68	0.677	0.676	0.684	0.679	73.0	75.1	34.7	35.0	0.683	2.177	0.474	0.754	0.739	0.741
K-Nearest Neighbors	0.668	0.669	0.646	0.609	0.728	0.688	65.8	79.9	29.9	42.2	0.655	2.248	0.537	0.739	0.729	0.73
Light Gradient Boosting	0.684	0.684	0.681	0.681	0.687	0.682	73.5	75.4	34.4	34.5	0.687	2.194	0.466	0.761	0.744	0.746
Logistic Regression	0.684	0.684	0.684	0.689	0.679	0.679	74.4	74.6	35.2	33.6	0.69	2.16	0.459	0.762	0.742	0.745
Naive Bayes	0.654	0.654	0.652	0.655	0.653	0.65	70.7	71.7	38.1	37.3	0.659	1.905	0.529	0.719	0.695	0.697
Random Forest	0.685	0.685	0.687	0.696	0.674	0.678	75.2	74.0	35.8	32.8	0.693	2.177	0.452	0.763	0.75	0.753
Support Vector Machine	0.687	0.687	0.688	0.695	0.679	0.681	75.1	74.6	35.2	32.9	0.694	2.178	0.449	0.757	0.739	0.741

Average Model Prediction Statistics (Rounded to 3 Decimal Points): Page 3

D11 = K_GE5_DEM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.66	0.788	0.866	0.949	0.372	0.797	148.9	22.5	38.0	8.0	0.736	1.527	0.144	0.763	0.873	0.874
Category Gradient Boosting	0.645	0.779	0.861	0.946	0.344	0.789	148.5	20.8	39.7	8.4	0.719	1.457	0.166	0.761	0.872	0.873
Decision Tree	0.657	0.672	0.75	0.69	0.623	0.828	108.3	37.7	22.8	48.6	0.441	1.934	0.496	0.713	0.842	0.837
Elastic Net	0.678	0.68	0.754	0.683	0.673	0.844	107.1	40.7	19.8	49.8	0.451	2.144	0.477	0.748	0.859	0.86
ExSTraCS	0.687	0.731	0.808	0.786	0.587	0.832	123.4	35.5	25.0	33.5	0.516	1.952	0.371	0.754	0.863	0.864
Extreme Gradient Boosting	0.689	0.718	0.794	0.753	0.625	0.839	118.2	37.8	22.7	38.7	0.495	2.056	0.401	0.755	0.868	0.869
Genetic Programming	0.63	0.757	0.844	0.915	0.345	0.785	143.6	20.9	39.6	13.3	0.616	1.433	0.25	0.717	0.852	0.846
Gradient Boosting	0.649	0.773	0.855	0.929	0.368	0.792	145.7	22.3	38.2	11.2	0.679	1.49	0.2	0.743	0.857	0.859
K-Nearest Neighbors	0.632	0.749	0.837	0.897	0.367	0.786	140.7	22.2	38.3	16.2	0.605	1.423	0.285	0.721	0.855	0.842
Light Gradient Boosting	0.692	0.712	0.786	0.737	0.646	0.844	115.6	39.1	21.4	41.3	0.488	2.129	0.412	0.754	0.865	0.866
Logistic Regression	0.68	0.682	0.756	0.685	0.674	0.845	107.5	40.8	19.7	49.4	0.455	2.177	0.474	0.75	0.861	0.862
Naive Bayes	0.652	0.729	0.815	0.826	0.478	0.804	129.6	28.9	31.6	27.3	0.517	1.609	0.373	0.71	0.841	0.842
Random Forest	0.683	0.713	0.791	0.752	0.613	0.834	118.0	37.1	23.4	38.9	0.491	1.98	0.409	0.759	0.869	0.87
Support Vector Machine	0.689	0.71	0.785	0.735	0.643	0.843	115.4	38.9	21.6	41.5	0.485	2.146	0.416	0.751	0.862	0.864

D12 = L_GE5_DX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.518	0.594	0.674	0.672	0.365	0.772	90.7	16.2	28.5	44.4	0.253	1.2	0.598	0.521	0.769	0.767
Category Gradient Boosting	0.501	0.75	0.857	0.997	0.004	0.752	134.7	0.2	44.5	0.4	0.2	1.002	0.0	0.584	0.805	0.795
Decision Tree	0.57	0.566	0.659	0.563	0.577	0.802	76.0	25.8	18.9	59.1	0.304	1.353	0.762	0.586	0.803	0.796
Elastic Net	0.578	0.536	0.615	0.494	0.662	0.816	66.8	29.6	15.1	68.3	0.302	1.508	0.768	0.591	0.812	0.797
ExSTraCS	0.546	0.673	0.779	0.799	0.292	0.779	108.0	13.0	31.7	27.1	0.316	1.201	0.554	0.585	0.805	0.794
Extreme Gradient Boosting	0.57	0.568	0.661	0.565	0.575	0.802	76.4	25.7	19.0	58.7	0.304	1.355	0.762	0.585	0.807	0.797
Genetic Programming	0.5	0.751	0.858	1.0	0.0	0.751	135.1	0.0	44.7	0.0	0.0	1.0	0.0	0.539	0.845	0.767
Gradient Boosting	0.498	0.747	0.855	0.994	0.002	0.751	134.3	0.1	44.6	0.8	0.1	0.996	0.0	0.585	0.804	0.795
K-Nearest Neighbors	0.52	0.662	0.772	0.802	0.238	0.764	108.4	10.6	34.1	26.7	0.203	1.101	0.638	0.561	0.798	0.787
Light Gradient Boosting	0.579	0.578	0.669	0.577	0.581	0.808	78.0	26.0	18.7	57.1	0.315	1.421	0.736	0.583	0.807	0.796
Logistic Regression	0.578	0.544	0.627	0.511	0.644	0.813	69.0	28.8	15.9	66.1	0.303	1.486	0.766	0.587	0.808	0.796
Naive Bayes	0.503	0.729	0.84	0.952	0.054	0.753	128.6	2.4	42.3	6.5	0.263	1.007	1.001	0.585	0.805	0.793
Random Forest	0.563	0.566	0.66	0.568	0.559	0.798	76.7	25.0	19.7	58.4	0.299	1.319	0.783	0.584	0.807	0.795
Support Vector Machine	0.564	0.554	0.644	0.544	0.584	0.801	73.5	26.1	18.6	61.6	0.295	1.361	0.798	0.57	0.789	0.779

D13 = M_GE5_SYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.499	0.752	0.859	0.999	0.0	0.753	136.9	0.0	44.9	0.2	0.0	0.999	0.0	0.667	0.854	0.848
Category Gradient Boosting	0.497	0.741	0.85	0.978	0.016	0.752	134.1	0.7	44.2	3.0	0.159	0.994	0.898	0.653	0.844	0.84
Decision Tree	0.646	0.627	0.71	0.608	0.684	0.855	83.4	30.7	14.2	53.7	0.364	1.982	0.575	0.667	0.859	0.841
Elastic Net	0.649	0.64	0.725	0.632	0.666	0.853	86.6	29.9	15.0	50.5	0.372	1.946	0.556	0.667	0.858	0.85
ExSTraCS	0.626	0.607	0.688	0.587	0.666	0.843	80.5	29.9	15.0	56.6	0.351	1.8	0.617	0.663	0.858	0.85
Extreme Gradient Boosting	0.65	0.64	0.725	0.63	0.67	0.855	86.4	30.1	14.8	50.7	0.373	1.971	0.553	0.665	0.86	0.849
Genetic Programming	0.502	0.742	0.849	0.975	0.029	0.754	133.7	1.3	43.6	3.4	0.028	1.006	0.086	0.517	0.867	0.764
Gradient Boosting	0.501	0.737	0.847	0.968	0.033	0.754	132.7	1.5	43.4	4.4	0.213	1.003	0.865	0.635	0.826	0.825
K-Nearest Neighbors	0.567	0.647	0.752	0.724	0.41	0.792	99.3	18.4	26.5	37.8	0.32	1.268	0.731	0.624	0.84	0.822
Light Gradient Boosting	0.639	0.627	0.712	0.615	0.664	0.848	84.3	29.8	15.1	52.8	0.362	1.887	0.586	0.662	0.854	0.847
Logistic Regression	0.649	0.642	0.728	0.635	0.664	0.853	87.1	29.8	15.1	50.0	0.373	1.929	0.552	0.665	0.853	0.847
Naive Bayes	0.631	0.658	0.75	0.683	0.579	0.832	93.7	26.0	18.9	43.4	0.375	1.654	0.552	0.659	0.857	0.849
Random Forest	0.646	0.641	0.727	0.636	0.657	0.851	87.2	29.5	15.4	49.9	0.372	1.912	0.557	0.662	0.859	0.849
Support Vector Machine	0.646	0.635	0.72	0.624	0.668	0.853	85.6	30.0	14.9	51.5	0.368	1.931	0.564	0.663	0.844	0.84

D14 = N_GE5_CF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.645	0.751	0.836	0.883	0.408	0.795	138.9	24.7	35.9	18.4	0.574	1.505	0.289	0.731	0.863	0.864
Category Gradient Boosting	0.608	0.76	0.851	0.95	0.266	0.771	149.5	16.1	44.5	7.8	0.682	1.3	0.189	0.742	0.864	0.865
Decision Tree	0.633	0.642	0.724	0.652	0.614	0.814	102.6	37.2	23.4	54.7	0.407	1.733	0.574	0.679	0.824	0.824
Elastic Net	0.684	0.68	0.752	0.675	0.693	0.851	106.1	42.0	18.6	51.2	0.451	2.301	0.475	0.742	0.865	0.866
ExSTraCS	0.664	0.72	0.802	0.789	0.54	0.817	124.1	32.7	27.9	33.2	0.497	1.76	0.401	0.727	0.855	0.857
Extreme Gradient Boosting	0.676	0.706	0.784	0.743	0.609	0.831	116.9	36.9	23.7	40.4	0.483	1.953	0.428	0.745	0.866	0.867
Genetic Programming	0.584	0.729	0.828	0.912	0.256	0.765	143.4	15.5	45.1	13.9	0.452	1.299	0.272	0.707	0.85	0.85
Gradient Boosting	0.643	0.767	0.851	0.922	0.365	0.79	145.0	22.1	38.5	12.3	0.647	1.458	0.217	0.739	0.857	0.857
K-Nearest Neighbors	0.637	0.732	0.821	0.852	0.422	0.793	134.0	25.6	35.0	23.3	0.536	1.494	0.348	0.7	0.849	0.827
Light Gradient Boosting	0.666	0.685	0.764	0.708	0.625	0.831	111.3	37.9	22.7	46.0	0.452	1.952	0.475	0.734	0.861	0.863
Logistic Regression	0.672	0.671	0.745	0.669	0.675	0.842	105.2	40.9	19.7	52.1	0.441	2.13	0.496	0.737	0.862	0.863
Naive Bayes	0.658	0.649	0.724	0.637	0.68	0.838	100.2	41.2	19.4	57.1	0.419	2.073	0.539	0.706	0.841	0.842
Random Forest	0.674	0.721	0.801	0.779	0.569	0.825	122.6	34.5	26.1	34.7	0.501	1.839	0.392	0.746	0.865	0.867
Support Vector Machine	0.684	0.696	0.77	0.71	0.658	0.844	111.7	39.9	20.7	45.6	0.469	2.15	0.444	0.743	0.867	0.868

D15 = O_GE5_IO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.551	0.694	0.8	0.879	0.222	0.745	134.9	13.4	46.9	18.5	0.452	1.155	0.493	0.614	0.797	0.799
Category Gradient Boosting	0.513	0.722	0.837	0.993	0.033	0.724	152.3	2.0	58.3	1.1	0.312	1.032	0.063	0.637	0.805	0.807
Decision Tree	0.563	0.567	0.65	0.571	0.555	0.767	87.6	33.5	26.8	65.8	0.342	1.31	0.772	0.58	0.772	0.769
Elastic Net	0.618	0.616	0.695	0.613	0.622	0.806	94.1	37.5	22.8	59.3	0.388	1.672	0.626	0.65	0.814	0.816
ExSTraCS	0.568	0.635	0.737	0.722	0.415	0.758	110.7	25.0	35.3	42.7	0.375	1.245	0.679	0.613	0.791	0.793
Extreme Gradient Boosting	0.572	0.589	0.679	0.611	0.532	0.768	93.7	32.1	28.2	59.7	0.352	1.323	0.734	0.621	0.802	0.803
Genetic Programming	0.502	0.716	0.834	0.993	0.01	0.719	152.4	0.6	59.7	1.0	0.038	1.004	0.066	0.512	0.842	0.728
Gradient Boosting	0.55	0.688	0.799	0.867	0.232	0.742	133.0	14.0	46.3	20.4	0.431	1.131	0.568	0.579	0.775	0.777
K-Nearest Neighbors	0.524	0.664	0.783	0.847	0.201	0.73	129.9	12.1	48.2	23.5	0.352	1.066	0.794	0.541	0.757	0.739
Light Gradient Boosting	0.592	0.597	0.681	0.602	0.582	0.785	92.4	35.1	25.2	61.0	0.366	1.454	0.688	0.635	0.812	0.813
Logistic Regression	0.6	0.599	0.681	0.598	0.602	0.793	91.7	36.3	24.0	61.7	0.371	1.566	0.678	0.648	0.814	0.815
Naive Bayes	0.535	0.685	0.8	0.879	0.191	0.734	134.9	11.5	48.8	18.5	0.389	1.09	0.656	0.602	0.787	0.7

D16 = P_GE5_DEMDX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.645	0.793	0.872	0.939	0.351	0.814	127.9	15.8	29.2	8.3	0.665	1.463	0.175	0.754	0.882	0.884
Category Gradient Boosting	0.633	0.786	0.868	0.938	0.329	0.809	127.7	14.8	30.2	8.5	0.641	1.41	0.196	0.738	0.883	0.884
Decision Tree	0.657	0.662	0.747	0.667	0.647	0.852	90.9	29.1	15.9	45.3	0.392	1.983	0.518	0.722	0.868	0.865
Elastic Net	0.664	0.677	0.762	0.689	0.638	0.853	93.9	28.7	16.3	42.3	0.404	2.022	0.499	0.736	0.872	0.873
ExSTraCS	0.687	0.753	0.832	0.818	0.556	0.849	111.4	25.0	20.0	24.8	0.502	1.909	0.334	0.74	0.876	0.877
Extreme Gradient Boosting	0.654	0.693	0.781	0.73	0.578	0.841	99.5	26.0	19.0	36.7	0.414	1.866	0.481	0.726	0.868	0.869
Genetic Programming	0.563	0.76	0.857	0.955	0.171	0.778	130.1	7.7	37.3	6.1	0.449	1.171	0.219	0.667	0.854	0.841
Gradient Boosting	0.634	0.78	0.863	0.924	0.344	0.81	125.8	15.5	29.5	10.4	0.6	1.42	0.228	0.72	0.864	0.865
K-Nearest Neighbors	0.634	0.746	0.835	0.856	0.411	0.816	116.6	18.5	26.5	19.6	0.489	1.482	0.349	0.686	0.872	0.839
Light Gradient Boosting	0.666	0.702	0.788	0.737	0.596	0.847	100.4	26.8	18.2	35.8	0.428	1.932	0.459	0.737	0.881	0.881
Logistic Regression	0.664	0.673	0.758	0.681	0.647	0.854	92.8	29.1	15.9	43.4	0.402	2.009	0.502	0.736	0.873	0.874
Naive Bayes	0.623	0.737	0.828	0.85	0.396	0.811	115.7	17.8	27.2	20.5	0.481	1.444	0.378	0.682	0.845	0.846
Random Forest	0.671	0.724	0.809	0.777	0.564	0.845	105.8	25.4	19.6	30.4	0.454	1.863	0.405	0.741	0.881	0.882
Support Vector Machine	0.671	0.701	0.786	0.731	0.611	0.851	99.6	27.5	17.5	36.6	0.429	1.969	0.451	0.735	0.874	0.876

D17 = Q_GE5_DEMDXSYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.661	0.798	0.874	0.933	0.389	0.822	129.1	17.8	27.9	9.2	0.665	1.541	0.174	0.762	0.894	0.895
Category Gradient Boosting	0.65	0.795	0.873	0.938	0.363	0.817	129.7	16.6	29.1	8.6	0.665	1.488	0.174	0.759	0.892	0.893
Decision Tree	0.645	0.646	0.731	0.646	0.643	0.848	89.4	29.4	16.3	48.9	0.377	1.908	0.554	0.7	0.861	0.852
Elastic Net	0.689	0.703	0.784	0.717	0.661	0.865	99.1	30.2	15.5	39.2	0.435	2.216	0.435	0.768	0.897	0.897
ExSTraCS	0.699	0.755	0.833	0.81	0.588	0.858	112.0	26.9	18.8	26.3	0.503	2.115	0.33	0.761	0.889	0.89
Extreme Gradient Boosting	0.68	0.728	0.81	0.774	0.586	0.851	107.1	26.8	18.9	31.2	0.462	1.965	0.391	0.749	0.887	0.888
Genetic Programming	0.595	0.767	0.858	0.936	0.254	0.792	129.5	11.6	34.1	8.8	0.514	1.276	0.242	0.706	0.864	0.865
Gradient Boosting	0.65	0.788	0.867	0.923	0.376	0.818	127.7	17.2	28.5	10.6	0.626	1.489	0.206	0.746	0.884	0.885
K-Nearest Neighbors	0.644	0.746	0.833	0.847	0.442	0.822	117.1	20.2	25.5	21.2	0.492	1.533	0.35	0.7	0.879	0.843
Light Gradient Boosting	0.679	0.716	0.799	0.752	0.606	0.854	104.0	27.7	18.0	34.3	0.442	2.002	0.411	0.752	0.886	0.887
Logistic Regression	0.697	0.709	0.788	0.72	0.674	0.871	99.6	30.8	14.9	38.7	0.442	2.359	0.421	0.769	0.897	0.898
Naive Bayes	0.651	0.682	0.769	0.711	0.59	0.841	98.4	27.0	18.7	39.9	0.407	1.783	0.488	0.719	0.869	0.87
Random Forest	0.686	0.746	0.827	0.806	0.567	0.85	111.4	25.9	19.8	26.9	0.491	1.938	0.346	0.758	0.891	0.892
Support Vector Machine	0.702	0.725	0.803	0.748	0.656	0.869	103.4	30.0	15.7	34.9	0.464	2.332	0.39	0.76	0.886	0.888

D18 = R_GE5_DEMDXSYMCF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.682	0.785	0.86	0.914	0.451	0.812	143.7	27.3	33.3	13.6	0.668	1.704	0.203	0.778	0.885	0.886
Category Gradient Boosting	0.651	0.788	0.867	0.959	0.343	0.792	150.8	20.8	39.8	6.5	0.762	1.476	0.127	0.789	0.893	0.894
Decision Tree	0.678	0.695	0.771	0.715	0.642	0.839	112.5	38.9	21.7	44.8	0.466	2.084	0.446	0.731	0.859	0.852
Elastic Net	0.714	0.718	0.787	0.723	0.705	0.864	113.8	42.7	17.9	43.5	0.498	2.503	0.395	0.786	0.888	0.888
ExSTraCS	0.719	0.76	0.83	0.811	0.627	0.85	127.6	38.0	22.6	29.7	0.565	2.245	0.301	0.78	0.889	0.889
Extreme Gradient Boosting	0.705	0.746	0.819	0.797	0.612	0.842	125.4	37.1	23.5	31.9	0.54	2.086	0.334	0.793	0.895	0.895
Genetic Programming	0.625	0.755	0.844	0.917	0.333	0.782	144.3	20.2	40.4	13.0	0.608	1.407	0.258	0.724	0.852	0.851
Gradient Boosting	0.674	0.786	0.862	0.926	0.423	0.806	145.7	25.6	35.0	11.6	0.689	1.619	0.179	0.784	0.887	0.887
K-Nearest Neighbors	0.666	0.746	0.828	0.847	0.485	0.81	133.2	29.4	31.2	24.1	0.554	1.678	0.321	0.743	0.868	0.852
Light Gradient Boosting	0.702	0.73	0.803	0.766	0.637	0.845	120.5	38.6	22.0	36.8	0.514	2.137	0.369	0.784	0.887	0.888
Logistic Regression	0.704	0.71	0.781	0.718	0.69	0.857	112.9	41.8	18.8	44.4	0.487	2.378	0.412	0.785	0.889	0.89
Naive Bayes	0.679	0.672	0.745	0.664	0.693	0.849	104.5	42.0	18.6	52.8	0.444	2.247	0.487	0.736	0.86	0.86
Random Forest	0.704	0.748	0.82	0.802	0.605	0.841	126.2	36.7	23.9	31.1	0.549	2.06	0.327	0.784	0.889	0.889
Support Vector Machine	0.705	0.736	0.809	0.774	0.635	0.847	121.8	38.5	22.1	35.5	0.521	2.188	0.359	0.783	0.886	0.887

D19 = S_GE5_DEMDXSYMIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.667	0.78	0.858	0.92	0.413	0.804	144.3	24.8	35.2	12.5	0.669	1.591	0.198	0.764	0.882	0.882
Category Gradient Boosting	0.63	0.779	0.863	0.963	0.297	0.782	151.0	17.8	42.2	5.8	0.754	1.378	0.134	0.774	0.884	0.885
Decision Tree	0.673	0.692	0.77	0.716	0.63	0.837	112.3	37.8	22.2	44.5	0.461	2.056	0.454	0.733	0.863	0.857
Elastic Net	0.689	0.699	0.773	0.711	0.668	0.848	111.4	40.1	19.9	45.4	0.471	2.255	0.441	0.769	0.883	0.884
ExSTraCS	0.705	0.74	0.813	0.784	0.627	0.845	122.9	37.6	22.4	33.9	0.534	2.197	0.355	0.766	0.882	0.883
Extreme Gradient Boosting	0.694	0.74	0.816	0.797	0.59	0.836	125.0	35.4	24.6	31.8	0.527	2.043	0.354	0.768	0.88	0.881
Genetic Programming	0.585	0.715	0.815	0.877	0.293	0.767	137.5	17.6	42.4	19.3	0.447	1.275	0.365	0.695	0.843	0.841
Gradient Boosting	0.665	0.779	0.857	0.92	0.41	0.803	144.2	24.6	35.4	12.6	0.665	1.576	0.201	0.766	0.879	0.88
K-Nearest Neighbors	0.629	0.731	0.82	0.857	0.4	0.789	134.4	24.0	36.0	22.4	0.536	1.445	0.356	0.686	0.843	0.82
Light Gradient Boosting	0.691	0.726	0.802	0.769	0.613	0.839	120.5	36.8	23.2	36.3	0.506	2.058	0.383	0.764	0.877	0.878
Logistic Regression	0.694	0.703	0.777	0.715	0.673	0.851	112.1	40.4	19.6	44.7	0.477	2.268	0.429	0.772	0.885	0.886
Naive Bayes	0.647	0.659	0.74	0.673	0.622	0.823	105.5	37.3	22.7	51.3	0.423	1.885	0.541	0.713	0.85	0.851
Random Forest	0.694	0.747	0.822	0.812	0.577	0.834	127.3	34.6	25.4	29.5	0.546	1.971	0.334	0.771	0.885	0.886
Support Vector Machine	0.698	0.715	0.788	0.736	0.66	0.85	115.4	39.6	20.4	41.4	0.49	2.253	0.407	0.77	0.882	0.883

D20 = T_GE5_DEMDXSYMCFIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.673	0.772	0.85	0.896	0.449	0.809	141.0	27.2	33.4	16.3	0.627	1.65	0.234	0.785	0.891	0.891
Category Gradient Boosting	0.65	0.79	0.869	0.966	0.333	0.79	152.0	20.2	40.4	5.3	0.793	1.46	0.105	0.788	0.891	0.892
Decision Tree	0.666	0.685	0.763	0.708	0.625	0.832	111.3	37.9	22.7	46.0	0.455	1.941	0.467	0.733	0.865	0.857
Elastic Net	0.716	0.724	0.793	0.734	0.698	0.863	115.4	42.3	18.3	41.9	0.504	2.504	0.384	0.789	0.894	0.894
ExSTraCS	0.716	0.753	0.823	0.799	0.634	0.85	125.7	38.4	22.2	31.6	0.551	2.247	0.319	0.78	0.885	0.886
Extreme Gradient Boosting	0.713	0.747	0.818	0.79	0.635	0.849	124.3	38.5	22.1	33.0	0.544	2.182	0.331	0.79	0.895	0.896
Genetic Programming	0.598	0.742	0.838	0.923	0.272	0.768	145.2	16.5	44.1	12.1	0.588	1.279	0.28	0.697	0.843	0.841
Gradient Boosting	0.672	0.78	0.857	0.916	0.427	0.806	144.1	25.9	34.7	13.2	0.666	1.613	0.199	0.788	0.894	0.893
K-Nearest Neighbors	0.672	0.752	0.832	0.852	0.492	0.813	134.0	29.8	30.8	23.3	0.567	1.705	0.304	0.741	0.87	0.855
Light Gradient Boosting	0.705	0.736	0.809	0.776	0.634	0.846	122.0	38.4	22.2	35.3	0.523	2.144	0.355	0.784	0.89	0.891
Logistic Regression	0.715	0.72	0.789	0.727	0.703	0.864	114.3	42.6	18.0	43.0	0.499	2.537	0.391	0.789	0.892	0.893
Naive Bayes	0.675	0.67	0.743	0.663	0.687	0.846	104.3	41.6	19.0	53.0	0.44	2.203	0.495	0.734	0.859	0.859
Random Forest	0.704	0.756	0.829	0.822	0.586	0.837	129.3	35.5	25.1	28.0	0.563	2.002	0.306	0.786	0.892	0.893
Support Vector Machine	0.705	0.728	0.801	0.757	0.654	0.85	119.0	39.6	21.0	38.3	0.508	2.248	0.376	0.784	0.89	0.89

Median Model Prediction Statistics (Rounded to 3 Decimal Points): Page 1

D1 = A_GE15_DEM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.658	0.658	0.658	0.665	0.65	0.652	71.5	71.5	38.5	36.0	0.664	1.918	0.517	0.723	0.698	0.702
Category Gradient Boosting	0.675	0.675	0.679	0.681	0.662	0.665	73.5	72.5	37.0	34.5	0.684	2.005	0.469	0.737	0.727	0.729
Decision Tree	0.66	0.66	0.662	0.679	0.63	0.646	73.0	69.0	40.5	34.5	0.672	1.875	0.503	0.704	0.679	0.672
Elastic Net	0.656	0.656	0.664	0.685	0.63	0.646	74.0	69.0	40.5	34.0	0.668	1.859	0.503	0.723	0.691	0.692
ExSTraCS	0.667	0.667	0.677	0.731	0.618	0.649	79.0	68.0	42.0	29.0	0.685	1.888	0.469	0.739	0.718	0.721
Extreme Gradient Boosting	0.664	0.664	0.67	0.685	0.673	0.655	74.0	74.0	36.0	34.0	0.677	1.936	0.488	0.729	0.716	0.717
Genetic Programming	0.637	0.637	0.636	0.648	0.639	0.63	70.0	70.0	39.5	38.0	0.644	1.731	0.566	0.697	0.681	0.669
Gradient Boosting	0.656	0.656	0.668	0.694	0.635	0.64	75.0	69.5	40.0	33.0	0.675	1.81	0.49	0.723	0.713	0.715
K-Nearest Neighbors	0.658	0.658	0.656	0.657	0.644	0.648	71.0	70.5	39.0	37.0	0.664	1.882	0.519	0.727	0.701	0.689
Light Gradient Boosting	0.659	0.658	0.673	0.694	0.648	0.651	75.0	71.0	38.5	33.0	0.682	1.902	0.477	0.731	0.713	0.709
Logistic Regression	0.653	0.653	0.661	0.679	0.626	0.643	73.0	68.5	41.0	34.5	0.667	1.833	0.511	0.721	0.691	0.694
Naive Bayes	0.641	0.641	0.65	0.674	0.618	0.631	72.5	68.0	42.0	35.0	0.657	1.743	0.535	0.688	0.654	0.66
Random Forest	0.657	0.657	0.664	0.698	0.667	0.663	75.0	73.0	36.5	32.5	0.671	1.988	0.5	0.727	0.71	0.713
Support Vector Machine	0.664	0.664	0.68	0.704	0.595	0.639	76.0	65.5	44.5	32.0	0.69	1.813	0.456	0.723	0.699	0.701

D2 = B_GE15_DX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.547	0.549	0.576	0.563	0.56	0.573	53.5	47.0	37.0	41.5	0.514	1.188	0.832	0.542	0.58	0.566
Category Gradient Boosting	0.534	0.539	0.58	0.563	0.53	0.562	53.5	44.5	39.5	41.5	0.51	1.132	0.851	0.549	0.57	0.565
Decision Tree	0.531	0.535	0.568	0.547	0.536	0.56	52.0	45.0	39.0	43.0	0.503	1.122	0.87	0.561	0.577	0.575
Elastic Net	0.556	0.554	0.549	0.492	0.607	0.591	47.0	51.0	33.0	48.5	0.52	1.271	0.812	0.538	0.577	0.554
ExSTraCS	0.544	0.547	0.578	0.558	0.524	0.569	53.0	44.0	40.0	42.0	0.517	1.167	0.823	0.543	0.603	0.562
Extreme Gradient Boosting	0.552	0.556	0.589	0.574	0.542	0.578	54.5	45.5	38.5	40.5	0.529	1.21	0.789	0.552	0.587	0.572
Genetic Programming	0.559	0.553	0.528	0.474	0.613	0.601	45.5	51.5	32.5	50.5	0.517	1.326	0.819	0.559	0.678	0.566
Gradient Boosting	0.544	0.547	0.576	0.558	0.536	0.57	53.0	45.0	39.0	42.0	0.517	1.171	0.823	0.552	0.582	0.564
K-Nearest Neighbors	0.525	0.508	0.442	0.367	0.738	0.604	35.0	62.0	22.0	60.5	0.484	1.342	0.943	0.555	0.564	0.563
Light Gradient Boosting	0.547	0.55	0.58	0.563	0.542	0.572	53.5	45.5	38.5	41.5	0.518	1.182	0.82	0.562	0.583	0.571
Logistic Regression	0.539	0.543	0.553	0.487	0.583	0.568	46.5	49.0	35.0	49.0	0.512	1.162	0.838	0.546	0.586	0.564
Naive Bayes	0.539	0.55	0.571	0.558	0.536	0.569	53.0	45.0	39.0	42.0	0.533	1.167	0.771	0.551	0.591	0.569
Random Forest	0.548	0.55	0.574	0.553	0.536	0.574	52.5	45.0	39.0	42.5	0.517	1.191	0.822	0.558	0.576	0.575
Support Vector Machine	0.544	0.547	0.556	0.532	0.56	0.569	50.5	47.0	37.0	44.5	0.517	1.169	0.82	0.555	0.564	0.571

D3 = C_GE15_SYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.623	0.622	0.631	0.616	0.628	0.648	58.5	54.0	32.0	36.5	0.597	1.664	0.612	0.647	0.67	0.66
Category Gradient Boosting	0.614	0.616	0.624	0.615	0.585	0.627	59.0	50.0	35.5	37.0	0.589	1.521	0.624	0.644	0.685	0.667
Decision Tree	0.617	0.616	0.607	0.576	0.647	0.644	55.0	55.0	30.0	40.5	0.579	1.622	0.652	0.646	0.688	0.668
Elastic Net	0.619	0.622	0.626	0.613	0.579	0.629	58.5	49.5	36.0	37.0	0.585	1.536	0.628	0.646	0.678	0.661
ExSTraCS	0.592	0.583	0.519	0.419	0.76	0.674	40.0	65.0	20.5	55.5	0.543	1.855	0.754	0.655	0.683	0.663
Extreme Gradient Boosting	0.615	0.613	0.61	0.578	0.651	0.65	55.5	56.0	30.0	40.5	0.579	1.659	0.646	0.657	0.685	0.675
Genetic Programming	0.607	0.608	0.622	0.597	0.616	0.63	57.0	53.0	33.0	38.5	0.585	1.527	0.636	0.632	0.709	0.624
Gradient Boosting	0.608	0.608	0.635	0.615	0.597	0.634	59.0	51.0	34.5	37.0	0.591	1.57	0.625	0.66	0.684	0.673
K-Nearest Neighbors	0.618	0.619	0.63	0.618	0.616	0.642	59.0	53.0	33.0	36.5	0.594	1.604	0.611	0.638	0.671	0.65
Light Gradient Boosting	0.624	0.622	0.602	0.56	0.678	0.659	53.5	58.0	27.5	42.0	0.579	1.748	0.651	0.647	0.671	0.666
Logistic Regression	0.622	0.622	0.628	0.615	0.593	0.641	59.0	51.0	35.0	37.0	0.592	1.616	0.618	0.655	0.675	0.671
Naive Bayes	0.613	0.608	0.582	0.516	0.708	0.671	49.5	60.5	25.0	46.5	0.568	1.813	0.681	0.652	0.68	0.662
Random Forest	0.612	0.61	0.592	0.552	0.637	0.647	53.0	54.5	31.0	43.0	0.571	1.628	0.673	0.66	0.692	0.673
Support Vector Machine	0.61	0.608	0.611	0.578	0.64	0.638	55.5	55.0	31.0	40.5	0.576	1.597	0.664	0.649	0.652	0.649

D4 = D_GE15_CF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.677	0.677	0.679	0.699	0.662	0.668	75.5	72.5	37.0	32.5	0.686	2.051	0.466	0.726	0.713	0.716
Category Gradient Boosting	0.664	0.664	0.651	0.62	0.708	0.676	67.0	77.5	32.0	41.0	0.657	2.107	0.53	0.733	0.718	0.72
Decision Tree	0.628	0.628	0.627	0.634	0.614	0.62	68.5	67.5	42.5	39.5	0.63	1.665	0.596	0.685	0.687	0.674
Elastic Net	0.674	0.674	0.679	0.681	0.659	0.661	73.5	72.5	37.5	34.5	0.686	1.981	0.466	0.734	0.717	0.72
ExSTraCS	0.657	0.656	0.667	0.69	0.644	0.639	74.5	70.5	39.0	33.5	0.677	1.994	0.486	0.724	0.698	0.702
Extreme Gradient Boosting	0.671	0.671	0.66	0.644	0.677	0.664	69.5	74.5	35.5	38.5	0.667	2.009	0.509	0.728	0.72	0.722
Genetic Programming	0.627	0.628	0.618	0.606	0.655	0.631	65.5	72.0	38.0	42.5	0.625	1.734	0.608	0.689	0.672	0.669
Gradient Boosting	0.663	0.663	0.651	0.653	0.65	0.661	70.5	71.5	38.5	37.5	0.658	1.975	0.53	0.722	0.719	0.721
K-Nearest Neighbors	0.663	0.663	0.66	0.639	0.677	0.66	69.0	74.5	35.5	39.0	0.667	1.981	0.509	0.719	0.703	0.707
Light Gradient Boosting	0.661	0.661	0.664	0.653	0.664	0.663	70.5	73.0	37.0	37.5	0.668	1.991	0.503	0.725	0.714	0.717
Logistic Regression	0.678	0.678	0.679	0.681	0.671	0.673	73.5	73.5	36.0	34.5	0.683	2.085	0.47	0.731	0.709	0.714
Naive Bayes	0.642	0.642	0.639	0.602	0.659	0.639	65.0	72.5	37.5	43.0	0.644	1.792	0.56	0.702	0.681	0.686
Random Forest	0.669	0.669	0.667	0.653	0.68	0.67	70.5	74.5	35.0	37.5	0.673	2.057	0.496	0.734	0.708	0.711
Support Vector Machine	0.661	0.661	0.662	0.667	0.645	0.658	72.0	71.0	39.0	36.0	0.668	1.959	0.506	0.722	0.7	0.703

D5 = E_GE15_IO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.597	0.597	0.592	0.589	0.615	0.587	61.5	67.0	42.0	43.0	0.607	1.483	0.674	0.633	0.603	0.607
Category Gradient Boosting	0.573	0.574	0.536	0.505	0.624	0.532	53.0	68.0	41.0	52.0	0.573	1.392	0.774	0.618	0.571	0.578
Decision Tree	0.55	0.549	0.55	0.548	0.541	0.537	57.5	59.0	50.0	47.5	0.564	1.204	0.804	0.567	0.558	0.549
Elastic Net	0.591	0.591	0.586	0.576	0.619	0.588	60.5	67.5	41.5	44.5	0.6	1.481	0.691	0.64	0.626	0.629
ExSTraCS	0.582	0.582	0.582	0.595	0.592	0.567	62.5	64.5	44.5	42.5	0.59	1.364	0.721	0.612	0.573	0.58
Extreme Gradient Boosting	0.574	0.575	0.569	0.562	0.615	0.574	59.0	67.0	42.0	46.0	0.582	1.399	0.746	0.614	0.596	0.6
Genetic Programming	0.579	0.579	0.554	0.543	0.596	0.574	57.0	65.0	44.0	48.0	0.582	1.397	0.747	0.615	0.596	0.601
Gradient Boosting	0.568	0.568	0.552	0.529	0.596	0.56	55.5	65.0	44.0	49.5	0.576	1.323	0.766	0.612	0.599	0.603
K-Nearest Neighbors	0.562	0.563	0.526	0.481	0.647	0.561	50.5	70.5	38.5	54.5	0.567	1.329	0.798	0.596	0.578	0.582
Light Gradient Boosting	0.58	0.579	0.575	0.557	0.587	0.567	58.5	64.0	45.0	46.5	0.594	1.36	0.71	0.615	0.597	0.603
Logistic Regression	0.602	0.602	0.597	0.595	0.61	0.593	62.5	66.5	42.5	42.5	0.612	1.523	0.66	0.639	0.603	0.609
Naive Bayes	0.581	0.578	0.602	0.624	0.55	0.56	65.5	60.0	49.0	39.5	0.611	1.324	0.661	0.617	0.594	0.59

Median Model Prediction Statistics (Rounded to 3 Decimal Points): Page 2

D6 = F_GE15_DEMDX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.637	0.641	0.673	0.698	0.571	0.646	67.0	48.5	36.5	29.0	0.632	1.613	0.521	0.703	0.694	0.699
Category Gradient Boosting	0.642	0.649	0.692	0.738	0.52	0.642	70.5	44.5	41.0	25.0	0.657	1.587	0.467	0.72	0.734	0.736
Decision Tree	0.646	0.649	0.675	0.677	0.608	0.662	65.0	52.0	33.5	31.0	0.633	1.732	0.514	0.686	0.695	0.678
Elastic Net	0.642	0.646	0.681	0.696	0.561	0.646	66.5	48.0	37.5	29.0	0.641	1.614	0.501	0.703	0.696	0.698
ExSTraCS	0.638	0.638	0.663	0.663	0.624	0.66	63.0	53.0	32.0	32.0	0.621	1.735	0.546	0.702	0.707	0.711
Extreme Gradient Boosting	0.662	0.666	0.703	0.724	0.6	0.671	69.5	51.0	34.0	26.5	0.667	1.81	0.443	0.715	0.729	0.731
Genetic Programming	0.623	0.624	0.657	0.677	0.588	0.645	65.0	50.0	35.0	31.0	0.608	1.607	0.577	0.679	0.712	0.699
Gradient Boosting	0.641	0.649	0.7	0.745	0.556	0.645	71.5	47.5	38.0	24.5	0.664	1.625	0.447	0.706	0.718	0.723
K-Nearest Neighbors	0.616	0.622	0.663	0.703	0.529	0.63	67.5	45.0	40.0	28.5	0.611	1.523	0.563	0.678	0.664	0.667
Light Gradient Boosting	0.642	0.646	0.688	0.703	0.582	0.653	67.5	49.5	35.5	28.5	0.647	1.663	0.483	0.721	0.724	0.726
Logistic Regression	0.647	0.649	0.674	0.688	0.612	0.662	66.0	52.0	33.0	30.0	0.634	1.751	0.517	0.711	0.706	0.71
Naive Bayes	0.609	0.613	0.66	0.698	0.532	0.621	67.0	45.5	40.0	29.0	0.603	1.465	0.588	0.65	0.646	0.653
Random Forest	0.657	0.663	0.693	0.729	0.576	0.664	70.0	49.0	36.0	26.0	0.652	1.764	0.472	0.719	0.736	0.739
Support Vector Machine	0.64	0.644	0.686	0.728	0.556	0.647	69.5	47.5	38.0	26.0	0.647	1.642	0.488	0.704	0.714	0.719

D7 = G_GE15_DEMDXSYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.662	0.665	0.7	0.751	0.603	0.67	72.5	52.5	34.5	24.0	0.674	1.833	0.439	0.737	0.735	0.74
Category Gradient Boosting	0.67	0.673	0.704	0.747	0.615	0.674	72.5	53.5	33.5	24.5	0.67	1.867	0.441	0.737	0.735	0.74
Decision Tree	0.658	0.658	0.68	0.706	0.603	0.665	68.5	52.5	34.5	28.5	0.638	1.801	0.507	0.712	0.711	0.7
Elastic Net	0.675	0.676	0.701	0.716	0.626	0.679	69.5	54.5	32.5	27.5	0.67	1.921	0.442	0.738	0.743	0.746
ExSTraCS	0.691	0.691	0.706	0.732	0.621	0.683	71.0	54.0	33.0	26.0	0.677	1.931	0.432	0.734	0.74	0.743
Extreme Gradient Boosting	0.667	0.67	0.697	0.711	0.626	0.67	69.0	54.5	32.5	28.0	0.663	1.83	0.457	0.737	0.74	0.743
Genetic Programming	0.634	0.635	0.671	0.686	0.598	0.645	66.5	52.0	35.0	30.5	0.626	1.626	0.536	0.701	0.738	0.707
Gradient Boosting	0.689	0.692	0.719	0.741	0.626	0.684	71.5	54.5	32.5	25.0	0.691	1.954	0.403	0.732	0.735	0.738
K-Nearest Neighbors	0.643	0.648	0.689	0.762	0.561	0.654	73.5	48.5	38.0	23.0	0.654	1.683	0.477	0.702	0.717	0.716
Light Gradient Boosting	0.658	0.658	0.691	0.74	0.632	0.685	71.0	55.0	32.0	25.0	0.655	1.948	0.472	0.742	0.75	0.752
Logistic Regression	0.666	0.668	0.696	0.706	0.638	0.68	68.5	55.5	31.5	28.5	0.665	1.918	0.455	0.738	0.739	0.745
Naive Bayes	0.624	0.624	0.628	0.613	0.644	0.658	59.5	56.0	31.0	37.5	0.597	1.733	0.609	0.675	0.69	0.694
Random Forest	0.669	0.673	0.705	0.751	0.592	0.667	72.5	51.5	35.5	24.0	0.675	1.804	0.434	0.733	0.736	0.738
Support Vector Machine	0.67	0.673	0.715	0.768	0.566	0.665	74.5	49.0	37.5	22.5	0.69	1.791	0.404	0.741	0.74	0.744

D8 = H_GE15_DEMDXSYMCF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.69	0.69	0.687	0.694	0.695	0.687	75.0	76.5	33.5	33.0	0.691	2.236	0.453	0.767	0.747	0.751
Category Gradient Boosting	0.674	0.674	0.671	0.685	0.689	0.682	74.0	75.5	34.0	34.0	0.678	2.187	0.484	0.76	0.753	0.754
Decision Tree	0.663	0.663	0.663	0.676	0.636	0.652	73.0	70.0	40.0	35.0	0.67	1.91	0.502	0.71	0.665	0.662
Elastic Net	0.677	0.677	0.674	0.685	0.682	0.675	74.0	75.0	35.0	34.0	0.679	2.111	0.479	0.76	0.748	0.75
ExSTraCS	0.694	0.694	0.703	0.741	0.644	0.67	80.0	70.5	39.0	28.0	0.717	2.055	0.4	0.757	0.741	0.743
Extreme Gradient Boosting	0.687	0.687	0.687	0.685	0.68	0.68	74.0	74.5	35.0	34.0	0.691	2.158	0.454	0.762	0.752	0.754
Genetic Programming	0.642	0.642	0.64	0.639	0.641	0.634	69.0	70.5	39.5	39.0	0.647	1.765	0.556	0.696	0.683	0.681
Gradient Boosting	0.683	0.683	0.676	0.671	0.682	0.676	72.5	75.0	35.0	35.5	0.68	2.123	0.477	0.757	0.739	0.741
K-Nearest Neighbors	0.672	0.672	0.651	0.63	0.718	0.68	68.0	79.0	31.0	40.0	0.657	2.169	0.53	0.744	0.711	0.715
Light Gradient Boosting	0.681	0.68	0.696	0.708	0.673	0.667	76.5	74.0	36.0	31.5	0.703	2.029	0.431	0.761	0.746	0.748
Logistic Regression	0.679	0.679	0.687	0.704	0.691	0.675	76.0	76.0	34.0	32.0	0.695	2.105	0.445	0.764	0.75	0.753
Naive Bayes	0.665	0.665	0.659	0.648	0.655	0.657	70.0	72.0	38.0	38.0	0.665	1.947	0.513	0.728	0.705	0.709
Random Forest	0.685	0.685	0.687	0.694	0.668	0.674	75.0	73.5	36.5	33.0	0.692	2.096	0.452	0.76	0.752	0.754
Support Vector Machine	0.685	0.685	0.687	0.704	0.658	0.671	76.0	72.0	37.5	32.0	0.693	2.068	0.451	0.765	0.749	0.751

D9 = I_GE15_DEMDXSYMIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.661	0.661	0.668	0.682	0.642	0.657	73.0	70.0	39.0	34.0	0.673	1.956	0.492	0.737	0.731	0.734
Category Gradient Boosting	0.672	0.672	0.68	0.721	0.656	0.668	77.5	71.5	37.5	30.0	0.689	2.043	0.46	0.745	0.724	0.727
Decision Tree	0.632	0.633	0.635	0.657	0.626	0.636	71.0	68.5	41.0	37.0	0.638	1.772	0.578	0.696	0.667	0.66
Elastic Net	0.685	0.685	0.685	0.693	0.665	0.675	74.5	72.5	36.5	33.0	0.691	2.104	0.455	0.741	0.729	0.731
ExSTraCS	0.685	0.685	0.692	0.729	0.647	0.67	78.0	70.5	38.5	29.0	0.699	2.057	0.437	0.752	0.723	0.725
Extreme Gradient Boosting	0.682	0.682	0.689	0.712	0.656	0.674	76.5	71.5	37.5	31.0	0.693	2.108	0.447	0.749	0.733	0.734
Genetic Programming	0.647	0.647	0.652	0.673	0.628	0.634	72.0	68.5	40.5	35.0	0.654	1.757	0.537	0.704	0.673	0.679
Gradient Boosting	0.676	0.676	0.676	0.679	0.647	0.66	73.0	70.5	38.5	34.5	0.681	1.98	0.476	0.75	0.725	0.728
K-Nearest Neighbors	0.626	0.626	0.617	0.611	0.661	0.631	66.0	72.0	37.0	42.0	0.624	1.735	0.611	0.706	0.675	0.677
Light Gradient Boosting	0.682	0.681	0.686	0.698	0.661	0.665	75.0	72.0	37.0	32.5	0.691	2.024	0.452	0.755	0.729	0.732
Logistic Regression	0.658	0.658	0.657	0.684	0.647	0.657	73.5	70.5	38.5	34.0	0.664	1.946	0.517	0.746	0.719	0.722
Naive Bayes	0.611	0.612	0.585	0.549	0.697	0.633	59.0	76.0	33.0	48.5	0.601	1.761	0.674	0.682	0.663	0.667
Random Forest	0.683	0.683	0.69	0.721	0.648	0.668	77.5	71.0	38.5	30.0	0.697	2.041	0.438	0.745	0.727	0.73
Support Vector Machine	0.665	0.665	0.671	0.702	0.628	0.657	75.5	68.5	40.5	32.0	0.68	1.96	0.483	0.745	0.726	0.728

D10 = J_GE15_DEMDXSYMCFIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.681	0.68	0.686	0.685	0.686	0.675	74.0	75.5	34.5	34.0	0.693	2.111	0.45	0.761	0.739	0.742
Category Gradient Boosting	0.693	0.693	0.699	0.704	0.694	0.692	76.0	76.0	33.5	32.0	0.705	2.285	0.425	0.758	0.746	0.748
Decision Tree	0.656	0.656	0.667	0.69	0.627	0.641	74.5	69.0	41.0	33.5	0.674	1.819	0.494	0.724	0.708	0.696
Elastic Net	0.68	0.68	0.68	0.681	0.677	0.676	73.5	74.5	35.5	34.5	0.685	2.115	0.466	0.761	0.751	0.752
ExSTraCS	0.68	0.679	0.693	0.722	0.641	0.655	78.0	70.5	39.5	30.0	0.701	1.937	0.431	0.744	0.726	0.729
Extreme Gradient Boosting	0.677	0.677	0.679	0.681	0.679	0.676	73.5	74.0	35.0	34.5	0.684	2.128	0.47	0.757	0.749	0.751
Genetic Programming	0.631	0.631	0.619	0.602	0.655	0.631	65.0	72.0	38.0	43.0	0.628	1.734	0.601	0.691	0.672	0.671
Gradient Boosting	0.682	0.682	0.682	0.69	0.677	0.674	74.5	74.5	35.5	33.5	0.687	2.097	0.463	0.754	0.734	0.736
K-Nearest Neighbors	0.665	0.665	0.646	0.62	0.723	0.691	67.0	79.5	30.5	41.0	0.652	2.267	0.54	0.739	0.721	0.723
Light Gradient Boosting	0.677	0.677	0.673	0.681	0.691	0.68	73.5	76.0	34.0	34.5	0.679	2.16	0.482	0.758	0.746	0.748
Logistic Regression	0.688	0.688	0.685	0.685	0.677	0.683	74.0	74.5	35.5	34.0	0.691	2.188	0.456	0.76	0.753	0.756
Naive Bayes	0.655	0.654	0.664	0.648	0.659	0.644	70.0	72.5	37.5	38.0	0.668	1.846	0.504	0.727	0.709	0.711
Random Forest	0.683	0.683	0.688	0.704	0.662	0.668	76.0	72.5	37.0	32.0	0.694	2.043	0.447	0.76	0.756	0.758
Support Vector Machine	0.693	0.693	0.69	0.69	0.671	0.682	74.5	73.5	36.0	33.5	0.696	2.184	0.445	0.756	0.742	0.744

Median Model Prediction Statistics (Rounded to 3 Decimal Points): Page 3

D11 = K_GE5_DEM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.654	0.783	0.864	0.949	0.372	0.795	149.0	22.5	38.0	8.0	0.723	1.491	0.148	0.754	0.86	0.861
Category Gradient Boosting	0.646	0.775	0.857	0.946	0.339	0.789	148.5	20.5	40.0	8.5	0.691	1.44	0.172	0.764	0.873	0.874
Decision Tree	0.649	0.683	0.758	0.704	0.628	0.822	110.5	38.0	22.5	46.5	0.45	1.77	0.472	0.707	0.832	0.833
Elastic Net	0.678	0.678	0.753	0.682	0.694	0.851	107.0	42.0	18.5	50.0	0.447	2.187	0.474	0.74	0.857	0.858
ExSTraCS	0.693	0.729	0.803	0.777	0.6	0.837	122.0	36.0	24.0	35.0	0.51	1.976	0.371	0.754	0.862	0.863
Extreme Gradient Boosting	0.703	0.729	0.803	0.768	0.633	0.847	120.5	38.0	22.0	36.5	0.509	2.126	0.372	0.755	0.87	0.87
Genetic Programming	0.63	0.761	0.84	0.92	0.339	0.783	144.5	20.5	40.0	12.5	0.601	1.392	0.257	0.718	0.846	0.845
Gradient Boosting	0.63	0.77	0.856	0.939	0.342	0.785	147.5	20.5	39.5	9.5	0.667	1.408	0.193	0.743	0.861	0.862
K-Nearest Neighbors	0.632	0.752	0.84	0.908	0.385	0.786	142.5	23.5	37.5	14.5	0.587	1.404	0.271	0.723	0.853	0.84
Light Gradient Boosting	0.703	0.719	0.792	0.744	0.658	0.85	116.5	39.5	20.5	40.0	0.494	2.186	0.391	0.755	0.861	0.863
Logistic Regression	0.677	0.677	0.754	0.682	0.678	0.848	107.0	41.0	19.5	50.0	0.444	2.142	0.479	0.751	0.86	0.861
Naive Bayes	0.64	0.722	0.811	0.825	0.471	0.799	129.5	28.5	32.0	27.5	0.5	1.529	0.386	0.705	0.841	0.842
Random Forest	0.686	0.729	0.802	0.76	0.612	0.837	119.0	37.0	23.5	37.5	0.51	1.978	0.37	0.768	0.867	0.868
Support Vector Machine	0.695	0.72	0.791	0.742	0.656	0.845	116.5	40.0	21.0	40.5	0.497	2.143	0.39	0.752	0.862	0.862

D12 = L_GE5_DX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.506	0.597	0.678	0.652	0.329	0.752	88.0	14.5	30.0	47.0	0.241	1.011	0.798	0.53	0.775	0.768
Category Gradient Boosting	0.5	0.75	0.857	1.0	0.0	0.751	135.0	0.0	44.5	0.0	0.0	1.0	0.0	0.576	0.804	0.792
Decision Tree	0.574	0.565	0.662	0.557	0.614	0.804	75.5	27.0	17.0	60.0	0.303	1.363	0.76	0.584	0.819	0.794
Elastic Net	0.576	0.531	0.614	0.5	0.663	0.812	67.5	29.5	15.0	67.5	0.301	1.44	0.774	0.58	0.809	0.791
ExSTraCS	0.522	0.668	0.767	0.734	0.348	0.764	99.5	15.5	29.0	36.0	0.306	1.069	0.656	0.565	0.796	0.787
Extreme Gradient Boosting	0.58	0.569	0.664	0.57	0.602	0.808	77.0	26.5	17.5	58.0	0.309	1.402	0.747	0.581	0.804	0.791
Genetic Programming	0.5	0.75	0.857	1.0	0.0	0.75	135.0	0.0	45.0	0.0	0.0	1.0	0.0	0.546	0.839	0.768
Gradient Boosting	0.5	0.75	0.857	1.0	0.0	0.75	135.0	0.0	45.0	0.0	0.0	1.0	0.0	0.576	0.799	0.791
K-Nearest Neighbors	0.5	0.689	0.797	0.812	0.167	0.752	110.0	7.5	37.5	25.5	0.223	1.0	0.658	0.564	0.79	0.779
Light Gradient Boosting	0.576	0.578	0.683	0.593	0.618	0.806	80.0	27.5	17.0	55.0	0.309	1.381	0.747	0.585	0.805	0.793
Logistic Regression	0.578	0.532	0.625	0.504	0.641	0.815	68.0	28.5	16.0	67.0	0.302	1.467	0.771	0.569	0.807	0.793
Naive Bayes	0.502	0.731	0.841	0.956	0.044	0.752	129.0	2.0	43.0	6.0	0.268	1.004	0.783	0.572	0.795	0.787
Random Forest	0.57	0.564	0.66	0.557	0.607	0.803	75.5	27.0	17.5	60.0	0.3	1.351	0.778	0.581	0.799	0.79
Support Vector Machine	0.568	0.549	0.632	0.515	0.641	0.805	69.5	28.5	16.0	65.5	0.297	1.358	0.779	0.568	0.787	0.782

D13 = M_GE5_SYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.5	0.753	0.859	1.0	0.0	0.753	137.0	0.0	45.0	0.0	0.0	1.0	0.0	0.668	0.85	0.841
Category Gradient Boosting	0.5	0.747	0.855	0.989	0.022	0.753	135.5	1.0	44.0	1.5	0.108	1.0	0.411	0.665	0.849	0.847
Decision Tree	0.651	0.621	0.701	0.595	0.689	0.858	81.5	31.0	14.0	55.5	0.364	1.988	0.575	0.665	0.857	0.84
Elastic Net	0.649	0.646	0.728	0.631	0.667	0.851	86.5	30.0	15.0	50.5	0.373	1.875	0.546	0.68	0.859	0.849
ExSTraCS	0.631	0.626	0.72	0.628	0.667	0.844	86.0	30.0	15.0	51.0	0.35	1.747	0.611	0.672	0.859	0.849
Extreme Gradient Boosting	0.655	0.637	0.723	0.628	0.652	0.853	86.0	29.0	15.5	51.0	0.375	1.903	0.547	0.664	0.859	0.847
Genetic Programming	0.5	0.753	0.859	1.0	0.0	0.753	137.0	0.0	45.0	0.0	0.0	1.0	0.0	0.5	0.876	0.753
Gradient Boosting	0.496	0.736	0.846	0.971	0.022	0.753	133.0	1.0	44.0	4.0	0.155	0.993	0.411	0.645	0.828	0.83
K-Nearest Neighbors	0.577	0.657	0.762	0.73	0.456	0.798	100.0	20.5	24.5	37.0	0.323	1.299	0.69	0.639	0.841	0.827
Light Gradient Boosting	0.649	0.637	0.717	0.617	0.674	0.853	84.5	30.0	14.5	52.5	0.375	1.912	0.548	0.672	0.863	0.849
Logistic Regression	0.651	0.646	0.728	0.631	0.667	0.852	86.5	30.0	15.0	50.5	0.377	1.886	0.535	0.673	0.853	0.845
Naive Bayes	0.639	0.659	0.751	0.686	0.589	0.839	94.0	26.5	18.5	43.0	0.377	1.713	0.543	0.664	0.853	0.845
Random Forest	0.649	0.646	0.731	0.639	0.656	0.854	87.5	29.5	15.5	49.5	0.376	1.928	0.538	0.657	0.855	0.845
Support Vector Machine	0.653	0.637	0.721	0.617	0.667	0.852	84.5	30.0	15.0	52.5	0.373	1.886	0.553	0.676	0.851	0.848

D14 = N_GE5_CF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.653	0.748	0.836	0.886	0.438	0.802	139.5	26.5	34.0	18.0	0.566	1.547	0.295	0.731	0.864	0.865
Category Gradient Boosting	0.603	0.757	0.849	0.946	0.264	0.767	149.0	16.0	44.5	8.5	0.663	1.279	0.198	0.753	0.86	0.862
Decision Tree	0.627	0.638	0.722	0.651	0.607	0.81	102.5	37.0	24.0	55.0	0.399	1.641	0.579	0.684	0.822	0.829
Elastic Net	0.683	0.686	0.755	0.67	0.713	0.852	105.5	43.5	17.5	52.0	0.455	2.24	0.46	0.757	0.871	0.872
ExSTraCS	0.671	0.725	0.804	0.797	0.554	0.821	125.5	33.5	27.0	32.0	0.503	1.768	0.379	0.745	0.858	0.86
Extreme Gradient Boosting	0.693	0.706	0.781	0.745	0.639	0.841	117.0	39.0	22.0	40.0	0.482	2.029	0.417	0.767	0.872	0.874
Genetic Programming	0.577	0.732	0.836	0.93	0.231	0.755	146.0	14.0	46.5	11.0	0.542	1.194	0.262	0.711	0.851	0.851
Gradient Boosting	0.644	0.761	0.845	0.917	0.372	0.792	144.5	22.5	38.0	13.0	0.61	1.465	0.248	0.725	0.86	0.854
K-Nearest Neighbors	0.633	0.743	0.829	0.87	0.402	0.793	137.0	24.5	36.5	20.5	0.544	1.487	0.32	0.7	0.852	0.826
Light Gradient Boosting	0.683	0.692	0.768	0.711	0.645	0.845	112.0	39.0	21.5	45.5	0.463	2.077	0.445	0.761	0.872	0.875
Logistic Regression	0.664	0.654	0.734	0.667	0.689	0.839	105.0	42.0	19.0	52.5	0.426	2.007	0.523	0.738	0.861	0.861
Naive Bayes	0.666	0.648	0.719	0.64	0.694	0.845	100.5	42.0	18.5	56.5	0.421	2.117	0.533	0.717	0.842	0.842
Random Forest	0.686	0.72	0.801	0.78	0.587	0.829	122.5	35.5	25.0	34.5	0.497	1.868	0.393	0.762	0.875	0.877
Support Vector Machine	0.678	0.688	0.773	0.721	0.672	0.847	113.5	41.0	20.0	44.0	0.452	2.153	0.463	0.746	0.861	0.863

D15 = O_GE5_IO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.555	0.71	0.819	0.915	0.173	0.743	140.5	10.5	50.0	13.0	0.45	1.137	0.479	0.596	0.784	0.786
Category Gradient Boosting	0.5	0.719	0.837	1.0	0.0	0.72	153.0	0.0	60.0	0.0	0.0	1.0	0.0	0.633	0.804	0.807
Decision Tree	0.568	0.567	0.657	0.567	0.542	0.769	87.0	32.5	27.5	66.5	0.335	1.329	0.785	0.571	0.765	0.764
Elastic Net	0.612	0.607	0.69	0.606	0.625	0.799	93.0	37.5	22.5	60.5	0.381	1.56	0.643	0.639	0.807	0.808
ExSTraCS	0.563	0.628	0.729	0.704	0.425	0.76	108.0	25.5	34.5	45.5	0.371	1.257	0.67	0.614	0.784	0.787
Extreme Gradient Boosting	0.57	0.591	0.681	0.621	0.525	0.766	95.0	31.5	28.5	58.0	0.353	1.273	0.719	0.619	0.801	0.801
Genetic Programming	0.5	0.718	0.836	1.0	0.0	0.719	153.0	0.0	60.0	0.0	0.0	1.0	0.0	0.5	0.859	0.72
Gradient Boosting	0.544	0.687	0.796	0.854	0.217	0.738	131.5	13.0	47.0	22.5	0.396	1.11	0.602	0.577	0.778	0.777
K-Nearest Neighbors	0.521	0.656	0.78	0.85	0.217	0.726	130.5	13.0	47.0	23.0	0.342	1.053	0.759	0.54	0.762	0.739
Light Gradient Boosting	0.609	0.61	0.691	0.607	0.578	0.794	93.5	35.0	25.5	60.5	0.379	1.52	0.637	0.627	0.813	0.815
Logistic Regression	0.587	0.588	0.673	0.588	0.575	0.783	90.0	34.5	25.5	63.0	0.36	1.424	0.702	0.635	0.805	0.806
Naive Bayes	0.539	0.689	0.802	0.88	0.173	0.736	135.0	10.5	50.0	18.5	0.401	1.093	0.593	0.602	0.785	0.787
Random Forest	0.602	0.617	0.706	0.642	0.545	0.787	98.5	33.0	27.5	55.0	0.378	1.445	0.643	0.654	0.815	0.817
Support Vector Machine	0.591	0.588	0.67	0.581	0.617	0.788	89.5	37.0	23.0	64.5	0.362	1.455	0.697	0.632	0.808	0.809

Median Model Prediction Statistics (Rounded to 3 Decimal Points): Page 4

D16 = P_GE5_DEMDX

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.652	0.796	0.875	0.934	0.389	0.82	127.5	17.5	27.5	9.0	0.673	1.499	0.16	0.762	0.884	0.885
Category Gradient Boosting	0.637	0.785	0.87	0.941	0.333	0.811	128.0	15.0	30.0	8.0	0.667	1.419	0.165	0.745	0.89	0.891
Decision Tree	0.664	0.666	0.752	0.658	0.644	0.853	89.5	29.0	16.0	46.5	0.394	1.926	0.509	0.73	0.866	0.86
Elastic Net	0.674	0.677	0.764	0.696	0.667	0.864	95.0	30.0	15.0	41.5	0.404	2.095	0.486	0.757	0.879	0.879
ExSTraCS	0.684	0.754	0.831	0.82	0.556	0.846	111.5	25.0	20.0	24.5	0.504	1.814	0.325	0.754	0.883	0.883
Extreme Gradient Boosting	0.666	0.696	0.78	0.739	0.6	0.847	100.5	27.0	18.0	35.5	0.418	1.832	0.459	0.741	0.872	0.874
Genetic Programming	0.58	0.76	0.859	0.949	0.2	0.784	129.0	9.0	36.0	7.0	0.567	1.2	0.226	0.67	0.858	0.841
Gradient Boosting	0.632	0.779	0.862	0.919	0.344	0.81	125.0	15.5	29.5	11.0	0.588	1.415	0.233	0.743	0.871	0.872
K-Nearest Neighbors	0.623	0.746	0.837	0.857	0.4	0.81	116.5	18.0	27.0	19.5	0.488	1.41	0.348	0.705	0.873	0.842
Light Gradient Boosting	0.686	0.713	0.794	0.74	0.633	0.861	101.0	28.5	16.5	35.5	0.446	2.047	0.41	0.75	0.888	0.888
Logistic Regression	0.667	0.676	0.761	0.684	0.667	0.859	93.0	30.0	15.0	43.0	0.4	2.006	0.492	0.76	0.879	0.88
Naive Bayes	0.629	0.74	0.83	0.846	0.4	0.814	115.0	18.0	27.0	21.0	0.481	1.446	0.358	0.695	0.851	0.853
Random Forest	0.671	0.728	0.811	0.779	0.6	0.849	106.0	27.0	18.0	30.0	0.462	1.859	0.384	0.753	0.887	0.888
Support Vector Machine	0.688	0.71	0.79	0.733	0.633	0.862	100.0	28.5	16.5	36.5	0.443	2.06	0.415	0.756	0.883	0.884

D17 = Q_GE5_DEMDXSYM

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.649	0.802	0.878	0.942	0.374	0.817	130.0	17.0	28.5	8.0	0.681	1.468	0.152	0.744	0.886	0.887
Category Gradient Boosting	0.652	0.793	0.872	0.935	0.351	0.817	129.0	16.0	29.5	9.0	0.642	1.47	0.183	0.756	0.887	0.888
Decision Tree	0.645	0.66	0.744	0.663	0.641	0.846	91.5	29.5	16.5	46.5	0.382	1.833	0.532	0.716	0.863	0.858
Elastic Net	0.68	0.701	0.781	0.717	0.656	0.863	99.0	29.5	15.5	39.0	0.435	2.035	0.432	0.762	0.894	0.895
ExSTraCS	0.696	0.755	0.833	0.805	0.554	0.849	111.5	25.5	20.5	27.0	0.504	1.891	0.325	0.754	0.886	0.886
Extreme Gradient Boosting	0.674	0.728	0.81	0.765	0.589	0.851	106.0	26.5	18.5	32.5	0.462	1.846	0.382	0.736	0.884	0.885
Genetic Programming	0.605	0.766	0.859	0.931	0.264	0.794	128.5	12.0	33.5	9.5	0.559	1.284	0.213	0.69	0.863	0.864
Gradient Boosting	0.647	0.791	0.869	0.92	0.363	0.816	127.0	16.5	29.0	11.0	0.618	1.453	0.203	0.751	0.883	0.884
K-Nearest Neighbors	0.655	0.755	0.843	0.862	0.45	0.828	119.0	20.5	25.0	19.0	0.506	1.584	0.32	0.708	0.881	0.844
Light Gradient Boosting	0.671	0.717	0.8	0.747	0.616	0.852	103.5	28.0	17.5	35.0	0.446	1.894	0.414	0.747	0.882	0.883
Logistic Regression	0.68	0.707	0.783	0.718	0.656	0.863	99.5	29.5	15.5	39.0	0.435	2.037	0.426	0.759	0.894	0.895
Naive Bayes	0.647	0.682	0.772	0.729	0.583	0.835	101.0	26.5	19.0	37.5	0.412	1.684	0.469	0.713	0.864	0.865
Random Forest	0.676	0.747	0.826	0.798	0.578	0.85	110.5	26.0	19.0	28.0	0.489	1.838	0.343	0.75	0.886	0.887
Support Vector Machine	0.695	0.717	0.794	0.736	0.667	0.87	102.0	30.0	15.0	36.5	0.457	2.177	0.396	0.747	0.883	0.885

D18 = R_GE5_DEMDXSYMCF

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.681	0.782	0.858	0.911	0.454	0.813	144.0	27.5	33.0	14.0	0.656	1.666	0.201	0.778	0.885	0.886
Category Gradient Boosting	0.649	0.789	0.869	0.962	0.344	0.791	152.0	21.0	40.0	6.0	0.76	1.45	0.122	0.787	0.888	0.888
Decision Tree	0.678	0.686	0.766	0.726	0.645	0.843	114.0	39.0	21.5	43.0	0.454	2.077	0.467	0.738	0.866	0.86
Elastic Net	0.719	0.72	0.788	0.721	0.705	0.863	113.5	43.0	18.0	44.0	0.494	2.439	0.391	0.781	0.892	0.89
ExSTraCS	0.719	0.754	0.829	0.806	0.648	0.853	126.5	39.5	21.5	30.5	0.553	2.26	0.308	0.79	0.888	0.889
Extreme Gradient Boosting	0.702	0.748	0.819	0.796	0.603	0.838	125.0	36.5	24.0	32.0	0.541	2.017	0.328	0.793	0.895	0.896
Genetic Programming	0.621	0.755	0.843	0.911	0.306	0.778	143.5	18.5	42.0	14.0	0.607	1.349	0.252	0.727	0.85	0.85
Gradient Boosting	0.667	0.782	0.86	0.927	0.422	0.803	146.0	25.5	35.0	11.5	0.685	1.582	0.177	0.786	0.888	0.887
K-Nearest Neighbors	0.659	0.743	0.824	0.844	0.475	0.805	133.0	29.0	32.0	24.5	0.544	1.585	0.326	0.756	0.868	0.86
Light Gradient Boosting	0.694	0.725	0.799	0.753	0.623	0.839	119.0	38.0	23.0	39.0	0.5	2.028	0.381	0.792	0.887	0.889
Logistic Regression	0.704	0.704	0.773	0.699	0.686	0.855	110.5	41.5	19.0	47.5	0.478	2.265	0.421	0.773	0.887	0.888
Naive Bayes	0.679	0.67	0.743	0.666	0.689	0.848	104.5	42.0	19.0	52.5	0.443	2.153	0.488	0.74	0.859	0.86
Random Forest	0.71	0.743	0.82	0.803	0.612	0.844	126.5	37.0	23.5	31.0	0.533	2.101	0.332	0.776	0.884	0.885
Support Vector Machine	0.699	0.734	0.806	0.771	0.639	0.844	121.0	39.0	22.0	36.0	0.517	2.102	0.358	0.783	0.886	0.887


D19 = S_GE5_DEMDXSYMIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.668	0.776	0.856	0.911	0.425	0.804	143.0	25.5	34.5	14.0	0.648	1.568	0.208	0.765	0.89	0.89
Category Gradient Boosting	0.628	0.776	0.861	0.962	0.292	0.781	151.0	17.5	42.5	6.0	0.735	1.363	0.138	0.779	0.885	0.886
Decision Tree	0.685	0.702	0.778	0.71	0.658	0.839	111.5	39.5	20.5	45.5	0.466	1.995	0.439	0.742	0.866	0.858
Elastic Net	0.694	0.694	0.762	0.688	0.667	0.847	108.0	40.0	20.0	49.0	0.465	2.122	0.439	0.766	0.885	0.885
ExSTraCS	0.709	0.74	0.812	0.786	0.625	0.847	123.0	37.5	22.5	33.5	0.524	2.123	0.347	0.764	0.879	0.88
Extreme Gradient Boosting	0.687	0.735	0.812	0.792	0.6	0.835	124.0	36.0	24.0	32.5	0.52	1.935	0.353	0.777	0.883	0.884
Genetic Programming	0.593	0.711	0.819	0.889	0.317	0.772	139.5	19.0	41.0	17.5	0.459	1.297	0.434	0.692	0.855	0.842
Gradient Boosting	0.662	0.776	0.855	0.92	0.425	0.803	144.5	25.5	34.5	12.5	0.662	1.562	0.195	0.765	0.884	0.885
K-Nearest Neighbors	0.623	0.749	0.832	0.872	0.392	0.782	136.5	23.5	36.5	20.0	0.558	1.375	0.303	0.696	0.846	0.82
Light Gradient Boosting	0.678	0.721	0.799	0.764	0.592	0.83	119.5	35.5	24.5	37.0	0.496	1.87	0.389	0.76	0.884	0.885
Logistic Regression	0.701	0.694	0.765	0.697	0.683	0.857	109.5	41.0	19.0	47.5	0.465	2.299	0.441	0.773	0.892	0.893
Naive Bayes	0.665	0.666	0.746	0.669	0.633	0.833	105.0	38.0	22.0	52.0	0.432	1.903	0.502	0.714	0.854	0.855
Random Forest	0.695	0.739	0.819	0.825	0.592	0.838	129.5	35.5	24.5	27.5	0.53	1.987	0.34	0.777	0.886	0.887
Support Vector Machine	0.702	0.718	0.787	0.719	0.683	0.852	112.5	41.0	19.0	44.0	0.494	2.202	0.393	0.775	0.892	0.893


D20 = T_GE5_DEMDXSYMCFIO

ML Algorithm	Balanced Accuracy	Accuracy	F1 Score	Sensitivity (Recall)	Specificity	Precision (PPV)	TP	TN	FP	FN	NPV	LR+	LR-	ROC AUC	PRC AUC	PRC APS
Artificial Neural Network	0.666	0.768	0.849	0.902	0.438	0.805	142.0	26.5	34.0	15.5	0.624	1.588	0.234	0.779	0.893	0.894
Category Gradient Boosting	0.654	0.794	0.871	0.965	0.352	0.791	152.0	21.5	39.5	5.5	0.789	1.468	0.103	0.789	0.89	0.89
Decision Tree	0.679	0.687	0.761	0.691	0.645	0.836	108.5	39.0	21.5	48.5	0.458	1.958	0.456	0.733	0.871	0.862
Elastic Net	0.719	0.725	0.795	0.733	0.697	0.864	115.5	42.5	18.5	42.0	0.502	2.464	0.383	0.787	0.897	0.897
ExSTraCS	0.707	0.748	0.818	0.803	0.631	0.848	126.5	38.5	22.5	31.0	0.539	2.168	0.332	0.787	0.886	0.887
Extreme Gradient Boosting	0.717	0.75	0.819	0.79	0.636	0.851	124.0	38.5	22.0	33.0	0.541	2.193	0.328	0.79	0.896	0.896
Genetic Programming	0.605	0.745	0.841	0.93	0.283	0.771	146.5	17.0	43.0	11.0	0.59	1.293	0.267	0.699	0.844	0.843
Gradient Boosting	0.675	0.782	0.858	0.917	0.421	0.808	144.5	25.5	35.0	13.0	0.667	1.602	0.193	0.793	0.893	0.894
K-Nearest Neighbors	0.669	0.764	0.846	0.867	0.508	0.812	136.5	31.0	30.0	21.0	0.606	1.682	0.25	0.764	0.876	0.868
Light Gradient Boosting	0.707	0.733	0.807	0.775	0.628	0.845	122.0	38.0	22.5	35.5	0.517	2.097	0.36	0.787	0.892	0.892
Logistic Regression	0.717	0.725	0.794	0.729	0.705	0.864	114.5	43.0	18.0	42.5	0.502	2.49	0.381	0.789	0.896	0.897
Naive Bayes	0.673	0.663	0.735	0.65	0.694	0.847	102.0	42.0	18.5	55.0	0.432	2.157	0.508	0.736	0.862	0.862
Random Forest	0.704	0.761	0.835	0.834	0.582	0.837	131.0	35.5	25.5	26.0	0.57	1.995	0.29	0.787	0.887	0.888
Support Vector Machine	0.708	0.727	0.798	0.759	0.661	0.853	119.5	40.0	20.5	38.0	0.509	2.234	0.376	0.788	0.895	0.896


Feature Importance Summary: D1 = A_GE15_DEM




Composite Feature Importance Plot (Normalized and Performance Weighted)



Feature Importance Summary: D2 = B_GE15_DX




Composite Feature Importance Plot (Normalized and Performance Weighted)




Features (ranked by sum of mean feature importance: weighted by mean model balanced accuracy)


Feature Importance Summary: D3 = C_GE15_SYM




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D4 = D_GE15_CF




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D5 = E_GE15_IO




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D6 = F_GE15_DEMDX




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D7 = G_GE15_DEMDXSYM




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D8 = H_GE15_DEMDXSYMCF




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D9 = I_GE15_DEMDXSVMIO




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D10 = J_GE15_DEMDXSYMCFIO




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D11 = K_GE5_DEM




Composite Feature Importance Plot (Normalized and Performance Weighted)



Feature Importance Summary: D12 = L_GE5_DX




Composite Feature Importance Plot (Normalized and Performance Weighted)




Features (ranked by sum of mean feature importance: weighted by mean model balanced accuracy)


Feature Importance Summary: D13 = M_GE5_SYM




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D14 = N_GE5_CF




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D15 = O_GE5_IO




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D16 = P_GE5_DEMDX




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D17 = Q_GE5_DEMDXSYM




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D18 = R_GE5_DEMDXSYMCF




Composite Feature Importance Plot (Normalized and Performance Weighted)




Feature Importance Summary: D19 = S_GE5_DEMDXSVMIO




Composite Feature Importance Plot (Normalized and Performance Weighted)



Feature Importance Summary: D20 = T_GE5_DEMDXSYMCFIO



Composite Feature Importance Plot (Normalized and Performance Weighted)



Compare ML Performance Across Datasets



Using Best Performing Algorithms (Kruskall Wallis Compare Datasets): Page 1

Metrics	P-Value	Best Alg D1	Median D1	Best Alg D2	Median D2	Best Alg D3	Median D3
Balanced Accuracy	0.0	Category Gradient Boosting	0.6749	Genetic Programming	0.5588	Light Gradient Boosting	0.6238
Accuracy	0.0	Category Gradient Boosting	0.6751	Extreme Gradient Boosting	0.5559	Artificial Neural Network	0.6215
F1 Score	0.0	Support Vector Machine	0.6797	Extreme Gradient Boosting	0.5891	Gradient Boosting	0.6352
Sensitivity (Recall)	0.0	ExSTraCS	0.7315	Extreme Gradient Boosting	0.5737	K-Nearest Neighbors	0.6178
Specificity	0.0	Extreme Gradient Boosting	0.6727	K-Nearest Neighbors	0.7381	ExSTraCS	0.7603
Precision (PPV)	0.0	Category Gradient Boosting	0.6652	K-Nearest Neighbors	0.604	ExSTraCS	0.6742
TP	0.0	ExSTraCS	79.0	Extreme Gradient Boosting	54.5	Category Gradient Boosting	59.0
TN	0.0	Extreme Gradient Boosting	74.0	K-Nearest Neighbors	62.0	ExSTraCS	65.0
FP	0.0	Support Vector Machine	44.5	ExSTraCS	40.0	Elastic Net	36.0
FN	0.0	Genetic Programming	38.0	K-Nearest Neighbors	60.5	ExSTraCS	55.5
NPV	0.0	Support Vector Machine	0.6901	Naive Bayes	0.533	Artificial Neural Network	0.5967
LR+	0.0	Category Gradient Boosting	2.0052	K-Nearest Neighbors	1.3423	ExSTraCS	1.8553
LR-	0.0	Genetic Programming	0.5665	K-Nearest Neighbors	0.9432	ExSTraCS	0.7543
ROC AUC	0.0	ExSTraCS	0.7387	Light Gradient Boosting	0.5616	Gradient Boosting	0.66
PRC AUC	0.0	Category Gradient Boosting	0.7269	Genetic Programming	0.6781	Genetic Programming	0.7085
PRC APS	0.0	Category Gradient Boosting	0.729	Decision Tree	0.575	Extreme Gradient Boosting	0.6749
Metrics	P-Value	Best Alg D4	Median D4	Best Alg D5	Median D5	Best Alg D6	Median D6
Balanced Accuracy	0.0	Logistic Regression	0.6784	Logistic Regression	0.6017	Extreme Gradient Boosting	0.662
Accuracy	0.0	Logistic Regression	0.6782	Logistic Regression	0.6019	Extreme Gradient Boosting	0.6657
F1 Score	0.0	Logistic Regression	0.679	Naive Bayes	0.6022	Extreme Gradient Boosting	0.7027
Sensitivity (Recall)	0.0	Artificial Neural Network	0.6991	Naive Bayes	0.6238	Gradient Boosting	0.7448
Specificity	0.0	Category Gradient Boosting	0.7078	K-Nearest Neighbors	0.6468	ExSTraCS	0.6235
Precision (PPV)	0.0	Category Gradient Boosting	0.6761	Logistic Regression	0.5934	Extreme Gradient Boosting	0.6714
TP	0.0	Artificial Neural Network	75.5	Naive Bayes	65.5	Gradient Boosting	71.5
TN	0.0	Category Gradient Boosting	77.5	K-Nearest Neighbors	70.5	ExSTraCS	53.0
FP	0.0	Decision Tree	42.5	Decision Tree	50.0	Category Gradient Boosting	41.0
FN	0.0	Naive Bayes	43.0	K-Nearest Neighbors	54.5	ExSTraCS	32.0
NPV	0.0	Elastic Net	0.6862	Logistic Regression	0.6122	Extreme Gradient Boosting	0.6665
LR+	0.0	Category Gradient Boosting	2.1067	Logistic Regression	1.5228	Extreme Gradient Boosting	1.8099
LR-	0.0	Genetic Programming	0.6084	Decision Tree	0.8035	Naive Bayes	0.5876
ROC AUC	0.0	Random Forest	0.7343	Support Vector Machine	0.6405	Light Gradient Boosting	0.7205
PRC AUC	0.0	Extreme Gradient Boosting	0.7196	Elastic Net	0.626	Random Forest	0.7359
PRC APS	0.0	Extreme Gradient Boosting	0.7218	Elastic Net	0.6292	Random Forest	0.7393
Metrics	P-Value	Best Alg D7	Median D7	Best Alg D8	Median D8	Best Alg D9	Median D9
Balanced Accuracy	0.0	ExSTraCS	0.6908	ExSTraCS	0.6943	ExSTraCS	0.6855
Accuracy	0.0	Gradient Boosting	0.6921	ExSTraCS	0.6942	Elastic Net	0.6852
F1 Score	0.0	Gradient Boosting	0.719	ExSTraCS	0.7032	ExSTraCS	0.6922
Sensitivity (Recall)	0.0	Support Vector Machine	0.768	ExSTraCS	0.7407	ExSTraCS	0.729
Specificity	0.0	Naive Bayes	0.6437	K-Nearest Neighbors	0.7182	Naive Bayes	0.6972
Precision (PPV)	0.0	Light Gradient Boosting	0.6848	Artificial Neural Network	0.6867	Elastic Net	0.6748
TP	0.0	Support Vector Machine	74.5	ExSTraCS	80.0	ExSTraCS	78.0
TN	0.0	Naive Bayes	56.0	K-Nearest Neighbors	79.0	Naive Bayes	76.0
FP	0.0	K-Nearest Neighbors	38.0	Decision Tree	40.0	Decision Tree	41.0
FN	0.0	Naive Bayes	37.5	K-Nearest Neighbors	40.0	Naive Bayes	48.5
NPV	0.0	Gradient Boosting	0.6912	ExSTraCS	0.7172	ExSTraCS	0.6991
LR+	0.0	Gradient Boosting	1.9539	Artificial Neural Network	2.2363	Extreme Gradient Boosting	2.1084
LR-	0.0	Naive Bayes	0.6089	Genetic Programming	0.556	Naive Bayes	0.6738
ROC AUC	0.0	Light Gradient Boosting	0.7421	Artificial Neural Network	0.7668	Light Gradient Boosting	0.7554
PRC AUC	0.0	Light Gradient Boosting	0.7499	Category Gradient Boosting	0.7525	Extreme Gradient Boosting	0.7326
PRC APS	0.0	Light Gradient Boosting	0.7518	Category Gradient Boosting	0.7545	Extreme Gradient Boosting	0.7344
Metrics	P-Value	Best Alg D10	Median D10	Best Alg D11	Median D11	Best Alg D12	Median D12
Balanced Accuracy	0.0	Category Gradient Boosting	0.6929	Extreme Gradient Boosting	0.7028	Extreme Gradient Boosting	0.5796
Accuracy	0.0	Category Gradient Boosting	0.6927	Artificial Neural Network	0.7834	Category Gradient Boosting	0.75
F1 Score	0.0	Category Gradient Boosting	0.6985	Artificial Neural Network	0.8638	Category Gradient Boosting	0.8571
Sensitivity (Recall)	0.0	ExSTraCS	0.7222	Artificial Neural Network	0.949	Category Gradient Boosting	1.0
Specificity	0.0	K-Nearest Neighbors	0.7227	Elastic Net	0.6943	Elastic Net	0.6629
Precision (PPV)	0.0	Category Gradient Boosting	0.6917	Elastic Net	0.8511	Logistic Regression	0.8149
TP	0.0	ExSTraCS	78.0	Artificial Neural Network	149.0	Category Gradient Boosting	135.0
TN	0.0	K-Nearest Neighbors	79.5	Elastic Net	42.0	Elastic Net	29.5
FP	0.0	Decision Tree	41.0	Category Gradient Boosting	40.0	Genetic Programming	45.0
FN	0.0	Genetic Programming	43.0	Elastic Net	50.0	Elastic Net	67.5
NPV	0.0	Category Gradient Boosting	0.7047	Artificial Neural Network	0.7225	Light Gradient Boosting	0.3087
LR+	0.0	Category Gradient Boosting	2.2849	Elastic Net	2.1868	Logistic Regression	1.4673
LR-	0.0	Genetic Programming	0.6011	Logistic Regression	0.4794	Artificial Neural Network	0.7984
ROC AUC	0.0	Artificial Neural Network	0.7608	Random Forest	0.7684	Light Gradient Boosting	0.5846
PRC AUC	0.0	Random Forest	0.7564	Category Gradient Boosting	0.8732	Genetic Programming	0.8386
PRC APS	0.0	Random Forest	0.7585	Category Gradient Boosting	0.8741	Decision Tree	0.7942
Metrics	P-Value	Best Alg D13	Median D13	Best Alg D14	Median D14	Best Alg D15	Median D15
Balanced Accuracy	0.0	Extreme Gradient Boosting	0.6546	Extreme Gradient Boosting	0.6934	Elastic Net	0.6122
Accuracy	0.0	Artificial Neural Network	0.7527	Gradient Boosting	0.7615	Category Gradient Boosting	0.719
F1 Score	0.0	Artificial Neural Network	0.8589	Category Gradient Boosting	0.8494	Category Gradient Boosting	0.8365
Sensitivity (Recall)	0.0	Artificial Neural Network	1.0	Category Gradient Boosting	0.946	Category Gradient Boosting	1.0
Specificity	0.0	Decision Tree	0.6889	Elastic Net	0.7131	Elastic Net	0.625
Precision (PPV)	0.0	Decision Tree	0.8581	Elastic Net	0.8521	Elastic Net	0.7991
TP	0.0	Artificial Neural Network	137.0	Category Gradient Boosting	149.0	Category Gradient Boosting	153.0
TN	0.0	Decision Tree	31.0	Elastic Net	43.5	Elastic Net	37.5
FP	0.0	Artificial Neural Network	45.0	Genetic Programming	46.5	Category Gradient Boosting	60.0
FN	0.0	Decision Tree	55.5	Naive Bayes	56.5	Decision Tree	66.5
NPV	0.0	Logistic Regression	0.3774	Category Gradient Boosting	0.6629	Artificial Neural Network	0.45
LR+	0.0	Decision Tree	1.9882	Elastic Net	2.2404	Elastic Net	1.5601
LR-	0.0	K-Nearest Neighbors	0.6898	Decision Tree	0.5789	Decision Tree	0.7855
ROC AUC	0.0	Elastic Net	0.6796	Extreme Gradient Boosting	0.7673	Random Forest	0.6538
PRC AUC	0.0	Genetic Programming	0.8764	Random Forest	0.8753	Genetic Programming	0.8592
PRC APS	0.0	Light Gradient Boosting	0.8495	Random Forest	0.8769	Random Forest	0.817
Metrics	P-Value	Best Alg D16	Median D16	Best Alg D17	Median D17	Best Alg D18	Median D18
Balanced Accuracy	0.0	Support Vector Machine	0.6885	ExSTraCS	0.6957	ExSTraCS	0.7187
Accuracy	0.0	Artificial Neural Network	0.7956	Artificial Neural Network	0.8016	Category Gradient Boosting	0.789
F1 Score	0.0	Artificial Neural Network	0.875	Artificial Neural Network	0.8781	Category Gradient Boosting	0.8686
Sensitivity (Recall)	0.0	Genetic Programming	0.9485	Artificial Neural Network	0.942	Category Gradient Boosting	0.962
Specificity	0.0	Elastic Net	0.6667	Support Vector Machine	0.6667	Elastic Net	0.7049
Precision (PPV)	0.0	Elastic Net	0.8636	Support Vector Machine	0.8703	Elastic Net	0.8632
TP	0.0	Genetic Programming	129.0	Artificial Neural Network	130.0	Category Gradient Boosting	152.0
TN	0.0	Elastic Net	30.0	Support Vector Machine	30.0	Elastic Net	43.0
FP	0.0	Genetic Programming	36.0	Genetic Programming	33.5	Genetic Programming	42.0
FN	0.0	Decision Tree	46.5	Decision Tree	46.5	Naive Bayes	52.5
NPV	0.0	Artificial Neural Network	0.6726	Artificial Neural Network	0.6809	Category Gradient Boosting	0.7596
LR+	0.0	Elastic Net	2.095	Support Vector Machine	2.1766	Elastic Net	2.4391
LR-	0.0	Decision Tree	0.5089	Decision Tree	0.5316	Naive Bayes	0.488
ROC AUC	0.0	Artificial Neural Network	0.7619	Elastic Net	0.762	Extreme Gradient Boosting	0.793
PRC AUC	0.0	Category Gradient Boosting	0.8898	Elastic Net	0.894	Extreme Gradient Boosting	0.8949
PRC APS	0.0	Category Gradient Boosting	0.8913	Elastic Net	0.8952	Extreme Gradient Boosting	0.8957

Using Best Performing Algorithms (Kruskall Wallis Compare Datasets): Page 2

Metrics	P-Value	Best Alg_D19	Median_D19	Best Alg_D20	Median_D20
Balanced Accuracy	0.0	ExSTraCS	0.7094	Elastic Net	0.7189
Accuracy	0.0	Artificial Neural Network	0.7765	Category Gradient Boosting	0.7936
F1 Score	0.0	Category Gradient Boosting	0.8612	Category Gradient Boosting	0.8714
Sensitivity (Recall)	0.0	Category Gradient Boosting	0.9618	Category Gradient Boosting	0.9651
Specificity	0.0	Logistic Regression	0.6833	Logistic Regression	0.7049
Precision (PPV)	0.0	Logistic Regression	0.8571	Logistic Regression	0.8645
TP	0.0	Category Gradient Boosting	151.0	Category Gradient Boosting	152.0
TN	0.0	Logistic Regression	41.0	Logistic Regression	43.0
FP	0.0	Category Gradient Boosting	42.5	Genetic Programming	43.0
FN	0.0	Naive Bayes	52.0	Naive Bayes	55.0
NPV	0.0	Category Gradient Boosting	0.735	Category Gradient Boosting	0.7894
LR+	0.0	Logistic Regression	2.2992	Logistic Regression	2.4896
LR-	0.0	Naive Bayes	0.5018	Naive Bayes	0.5078
ROC AUC	0.0	Category Gradient Boosting	0.779	Gradient Boosting	0.7929
PRC AUC	0.0	Support Vector Machine	0.8924	Elastic Net	0.8966
PRC APS	0.0	Support Vector Machine	0.8929	Elastic Net	0.8972

Pipeline Runtime Summary: Page 1

A_GE15_DEM			B_GE15_DX		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	2.736199140548706	Exploratory Analysis	1	2.4778053760528564
Scale and Impute	2	0.5808000564575195	Scale and Impute	2	0.7988710403442383
Mutual Information (Feature Importance)	3	0.6648447513580322	Mutual Information (Feature Importance)	3	0.5441083908081055
MultiSURF (Feature Importance)	3	131.99613165855408	MultiSURF (Feature Importance)	3	70.17340803146362
Feature Selection	4	0.7935709953308105	Feature Selection	4	0.8237946033477783
Artificial Neural Network(Modeling)	5	3708.1571187973022	Artificial Neural Network(Modeling)	5	1329.291328907013
Category Gradient Boosting(Modeling)	5	9529.533482789991	Category Gradient Boosting(Modeling)	5	9363.329277515411
Decision Tree(Modeling)	5	25.564898252487183	Decision Tree(Modeling)	5	21.403674602508545
Elastic Net(Modeling)	5	29.126837730407715	Elastic Net(Modeling)	5	28.816012620925903
ExSTraCS(Modeling)	5	62569.96095848084	ExSTraCS(Modeling)	5	17781.627497911453
Extreme Gradient Boosting(Modeling)	5	6398.502605438232	Extreme Gradient Boosting(Modeling)	5	5056.750956058502
Genetic Programming(Modeling)	5	10367.453958034515	Genetic Programming(Modeling)	5	11580.340677022934
Gradient Boosting(Modeling)	5	4790.504416704178	Gradient Boosting(Modeling)	5	2102.121607065201
K-Nearest Neighbors(Modeling)	5	407.98421001434326	K-Nearest Neighbors(Modeling)	5	474.8917410373688
Light Gradient Boosting(Modeling)	5	315.812863111496	Light Gradient Boosting(Modeling)	5	505.1450881958008
Logistic Regression(Modeling)	5	36.70223426818848	Logistic Regression(Modeling)	5	33.89331293106079
Naive Bayes(Modeling)	5	0.8935542106628418	Naive Bayes(Modeling)	5	0.7515935897827148
Random Forest(Modeling)	5	6211.194876194	Random Forest(Modeling)	5	3916.4958379268646
Support Vector Machine(Modeling)	5	5699.444601774216	Support Vector Machine(Modeling)	5	10139.609081745148
Stats Summary	6	27.12745213508606	Stats Summary	6	27.251802682876587

C_GE15_SYM			D_GE15_CF		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	2.351451873779297	Exploratory Analysis	1	9.99558973312378
Scale and Impute	2	0.714827299118042	Scale and Impute	2	63.53515529632568
Mutual Information (Feature Importance)	3	0.3655650615692138	Mutual Information (Feature Importance)	3	3.200991630554199
MultiSURF (Feature Importance)	3	59.95705556869507	MultiSURF (Feature Importance)	3	794.59216765158905
Feature Selection	4	0.723142147064209	Feature Selection	4	1.740147352218628
Artificial Neural Network(Modeling)	5	1991.5963234901428	Artificial Neural Network(Modeling)	5	6443.804703950882
Category Gradient Boosting(Modeling)	5	9463.100090026855	Category Gradient Boosting(Modeling)	5	13429.509245872498
Decision Tree(Modeling)	5	23.38175940513611	Decision Tree(Modeling)	5	54.54532337188721
Elastic Net(Modeling)	5	27.0253484249115	Elastic Net(Modeling)	5	69.70918607711792
ExSTraCS(Modeling)	5	49164.19173336029	ExSTraCS(Modeling)	5	108419.95375442503
Extreme Gradient Boosting(Modeling)	5	5568.8841145038605	Extreme Gradient Boosting(Modeling)	5	9288.579190969467
Genetic Programming(Modeling)	5	12134.772771120071	Genetic Programming(Modeling)	5	13149.608915805817
Gradient Boosting(Modeling)	5	2973.687061786652	Gradient Boosting(Modeling)	5	9539.089315891266
K-Nearest Neighbors(Modeling)	5	305.31446862220764	K-Nearest Neighbors(Modeling)	5	22244.26331615448
Light Gradient Boosting(Modeling)	5	262.7659912109375	Light Gradient Boosting(Modeling)	5	584.0369462966919
Logistic Regression(Modeling)	5	36.314871311187744	Logistic Regression(Modeling)	5	324.0871162414551
Naive Bayes(Modeling)	5	0.6484284400939941	Naive Bayes(Modeling)	5	5.151625156402588
Random Forest(Modeling)	5	5074.207618713379	Random Forest(Modeling)	5	9344.169716835022
Support Vector Machine(Modeling)	5	8911.37706041336	Support Vector Machine(Modeling)	5	11340.881962060928
Stats Summary	6	27.942686796188354	Stats Summary	6	38.16250395774841

E_GE15_IO			F_GE15_DEMDX		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	4.113210678100586	Exploratory Analysis	1	3.2148666381835938
Scale and Impute	2	12.957643985748293	Scale and Impute	2	1.1499619483947754
Mutual Information (Feature Importance)	3	1.4939005374908447	Mutual Information (Feature Importance)	3	1.030620574951172
MultiSURF (Feature Importance)	3	392.2613925933838	MultiSURF (Feature Importance)	3	151.34648084640503
Feature Selection	4	1.1527338027954102	Feature Selection	4	0.981947422027588
Artificial Neural Network(Modeling)	5	3296.1173374652863	Artificial Neural Network(Modeling)	5	3088.033630132675
Category Gradient Boosting(Modeling)	5	11171.047201156616	Category Gradient Boosting(Modeling)	5	10721.229006767271
Decision Tree(Modeling)	5	50.97388195991516	Decision Tree(Modeling)	5	29.826205253601078
Elastic Net(Modeling)	5	44.032020568847656	Elastic Net(Modeling)	5	39.33396363258362
ExSTraCS(Modeling)	5	89819.82364273071	ExSTraCS(Modeling)	5	71628.76627469063
Extreme Gradient Boosting(Modeling)	5	8705.768526792526	Extreme Gradient Boosting(Modeling)	5	7321.496260881424
Genetic Programming(Modeling)	5	13250.99503350258	Genetic Programming(Modeling)	5	12485.08402442932
Gradient Boosting(Modeling)	5	9168.55330491066	Gradient Boosting(Modeling)	5	5878.918683052063
K-Nearest Neighbors(Modeling)	5	4746.95511507988	K-Nearest Neighbors(Modeling)	5	811.7625603675842
Light Gradient Boosting(Modeling)	5	542.7813186645508	Light Gradient Boosting(Modeling)	5	410.2245268821716
Logistic Regression(Modeling)	5	67.07617092132568	Logistic Regression(Modeling)	5	45.56774830818176
Naive Bayes(Modeling)	5	2.3079776763916016	Naive Bayes(Modeling)	5	1.6519339084625244
Random Forest(Modeling)	5	8648.693257570267	Random Forest(Modeling)	5	6634.867425441742
Support Vector Machine(Modeling)	5	8395.923493146896	Support Vector Machine(Modeling)	5	7776.370207071304
Stats Summary	6	33.0876841545105	Stats Summary	6	29.264193773269653

Pipeline Runtime Summary: Page 2

G_GE15_DEMDXSYM			H_GE15_DEMDXSYMCF		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	3.666923761367798	Exploratory Analysis	1	11.368979454040527
Scale and Impute	2	1.6598670482635498	Scale and Impute	2	139.65527820587158
Mutual Information (Feature Importance)	3	1.2556984424591064	Mutual Information (Feature Importance)	3	4.421320915222168
MultiSURF (Feature Importance)	3	197.9333963394165	MultiSURF (Feature Importance)	3	1001.7658998966216
Feature Selection	4	0.978212833404541	Feature Selection	4	2.0576705932617188
Artificial Neural Network(Modeling)	5	2790.062906265259	Artificial Neural Network(Modeling)	5	6672.881328821182
Category Gradient Boosting(Modeling)	5	10453.57788991928	Category Gradient Boosting(Modeling)	5	12060.14352798462
Decision Tree(Modeling)	5	31.939983129501343	Decision Tree(Modeling)	5	50.65711331367493
Elastic Net(Modeling)	5	40.2475049495697	Elastic Net(Modeling)	5	118.44589257240295
ExSTraCS(Modeling)	5	81166.38758635521	ExSTraCS(Modeling)	5	122748.9160554409
Extreme Gradient Boosting(Modeling)	5	8492.647159814835	Extreme Gradient Boosting(Modeling)	5	9436.533944368362
Genetic Programming(Modeling)	5	12400.067398786545	Genetic Programming(Modeling)	5	11935.05197095871
Gradient Boosting(Modeling)	5	5354.769142866135	Gradient Boosting(Modeling)	5	9531.837909460068
K-Nearest Neighbors(Modeling)	5	977.6632361412048	K-Nearest Neighbors(Modeling)	5	2793.845855951309
Light Gradient Boosting(Modeling)	5	393.1347811222077	Light Gradient Boosting(Modeling)	5	1095.2793900966644
Logistic Regression(Modeling)	5	47.08355379104614	Logistic Regression(Modeling)	5	430.2276036739349
Naive Bayes(Modeling)	5	1.9624443054199217	Naive Bayes(Modeling)	5	9.56229305267334
Random Forest(Modeling)	5	8702.394047260284	Random Forest(Modeling)	5	9594.420408964155
Support Vector Machine(Modeling)	5	5557.184834480286	Support Vector Machine(Modeling)	5	19348.0153298378
Stats Summary	6	30.378585815429688	Stats Summary	6	36.04674243927002

I_GE15_DEMDXSYMIO			J_GE15_DEMDXSYMCFIO		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	6.940638780593872	Exploratory Analysis	1	12.391699314117432
Scale and Impute	2	37.81039762496948	Scale and Impute	2	245.2783389091492
Mutual Information (Feature Importance)	3	2.768164157867432	Mutual Information (Feature Importance)	3	5.640100479125977
MultiSURF (Feature Importance)	3	565.8541371822357	MultiSURF (Feature Importance)	3	1285.842236995697
Feature Selection	4	1.780963897705078	Feature Selection	4	2.444354772567749
Artificial Neural Network(Modeling)	5	5102.498142004013	Artificial Neural Network(Modeling)	5	5793.202986001968
Category Gradient Boosting(Modeling)	5	11476.19186925888	Category Gradient Boosting(Modeling)	5	13200.718185901642
Decision Tree(Modeling)	5	57.67974519729614	Decision Tree(Modeling)	5	72.8807852268219
Elastic Net(Modeling)	5	55.80314421653748	Elastic Net(Modeling)	5	164.36100149154663
ExSTraCS(Modeling)	5	95548.56536316872	ExSTraCS(Modeling)	5	133321.0840716362
Extreme Gradient Boosting(Modeling)	5	9121.256692409515	Extreme Gradient Boosting(Modeling)	5	9844.894379377363
Genetic Programming(Modeling)	5	11405.31778550148	Genetic Programming(Modeling)	5	12379.732833862305
Gradient Boosting(Modeling)	5	9099.361944198608	Gradient Boosting(Modeling)	5	9881.044662475586
K-Nearest Neighbors(Modeling)	5	957.814840078354	K-Nearest Neighbors(Modeling)	5	14668.23715686798
Light Gradient Boosting(Modeling)	5	676.647675037384	Light Gradient Boosting(Modeling)	5	988.7148814201356
Logistic Regression(Modeling)	5	65.81187224388123	Logistic Regression(Modeling)	5	536.0783994197845
Naive Bayes(Modeling)	5	4.252352476119995	Naive Bayes(Modeling)	5	12.585328578948976
Random Forest(Modeling)	5	8897.513707637787	Random Forest(Modeling)	5	10348.637086391447
Support Vector Machine(Modeling)	5	12645.113326311111	Support Vector Machine(Modeling)	5	18154.73348236084
Stats Summary	6	34.52153754234314	Stats Summary	6	36.67437124252319

K_GE5_DEM			L_GE5_DX		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	2.738342761993408	Exploratory Analysis	1	2.2770259380340576
Scale and Impute	2	0.4294099807739258	Scale and Impute	2	0.7675566673278809
Mutual Information (Feature Importance)	3	0.6721868515014648	Mutual Information (Feature Importance)	3	0.5571210384368896
MultiSURF (Feature Importance)	3	131.19042897224426	MultiSURF (Feature Importance)	3	68.36309742927551
Feature Selection	4	0.7913060188293457	Feature Selection	4	0.7683730125427246
Artificial Neural Network(Modeling)	5	4479.830198526382	Artificial Neural Network(Modeling)	5	2019.4962491989136
Category Gradient Boosting(Modeling)	5	9313.724751710892	Category Gradient Boosting(Modeling)	5	9036.509687423706
Decision Tree(Modeling)	5	30.51618504524231	Decision Tree(Modeling)	5	25.56378149986267
Elastic Net(Modeling)	5	35.77742123603821	Elastic Net(Modeling)	5	31.36198902130127
ExSTraCS(Modeling)	5	60222.08992314339	ExSTraCS(Modeling)	5	24079.49163532257
Extreme Gradient Boosting(Modeling)	5	6381.247848033905	Extreme Gradient Boosting(Modeling)	5	6406.604341745377
Genetic Programming(Modeling)	5	11081.37850356102	Genetic Programming(Modeling)	5	12644.980162858965
Gradient Boosting(Modeling)	5	5198.188378334045	Gradient Boosting(Modeling)	5	3010.084730863571
K-Nearest Neighbors(Modeling)	5	276.2680141925812	K-Nearest Neighbors(Modeling)	5	351.2051818370819
Light Gradient Boosting(Modeling)	5	485.11595129966736	Light Gradient Boosting(Modeling)	5	663.7972512245178
Logistic Regression(Modeling)	5	40.2816436290741	Logistic Regression(Modeling)	5	36.42190456390381
Naive Bayes(Modeling)	5	1.05806565284729	Naive Bayes(Modeling)	5	0.9104824066162108
Random Forest(Modeling)	5	5925.115648508072	Random Forest(Modeling)	5	4655.819127559662
Support Vector Machine(Modeling)	5	5603.331168889999	Support Vector Machine(Modeling)	5	7971.84702706337
Stats Summary	6	29.02877831459045	Stats Summary	6	26.856804609298703

Pipeline Runtime Summary: Page 3

M_GE5_SYM			N_GE5_CF		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	2.299518585205078	Exploratory Analysis	1	8.499229669570923
Scale and Impute	2	0.7066469192504883	Scale and Impute	2	22.49206113815308
Mutual Information (Feature Importance)	3	0.4284877777099609	Mutual Information (Feature Importance)	3	3.345311164855957
MultiSURF (Feature Importance)	3	60.67499351501465	MultiSURF (Feature Importance)	3	806.9920718669891
Feature Selection	4	0.6837139129638672	Feature Selection	4	2.0349338054656982
Artificial Neural Network(Modeling)	5	3345.0420231819157	Artificial Neural Network(Modeling)	5	7876.607294082642
Category Gradient Boosting(Modeling)	5	8599.303049087524	Category Gradient Boosting(Modeling)	5	14245.46318101883
Decision Tree(Modeling)	5	25.2120578289032	Decision Tree(Modeling)	5	68.7890260219574
Elastic Net(Modeling)	5	31.464089393615723	Elastic Net(Modeling)	5	73.82219696044922
ExSTraCS(Modeling)	5	46537.3706407547	ExSTraCS(Modeling)	5	106966.28651213646
Extreme Gradient Boosting(Modeling)	5	6045.448290348053	Extreme Gradient Boosting(Modeling)	5	9331.2950527668
Genetic Programming(Modeling)	5	12791.123330831528	Genetic Programming(Modeling)	5	12417.905377149582
Gradient Boosting(Modeling)	5	4435.598383903503	Gradient Boosting(Modeling)	5	9849.24455165863
K-Nearest Neighbors(Modeling)	5	183.33197331428528	K-Nearest Neighbors(Modeling)	5	26087.822072029117
Light Gradient Boosting(Modeling)	5	552.2008409500122	Light Gradient Boosting(Modeling)	5	1055.870061635971
Logistic Regression(Modeling)	5	39.161131381988525	Logistic Regression(Modeling)	5	305.77005887031555
Naive Bayes(Modeling)	5	0.7575957775115967	Naive Bayes(Modeling)	5	6.147997617721558
Random Forest(Modeling)	5	5721.906391382217	Random Forest(Modeling)	5	9434.799124002457
Support Vector Machine(Modeling)	5	2305.4584381580357	Support Vector Machine(Modeling)	5	6841.207145929337
Stats Summary	6	26.27703285217285	Stats Summary	6	35.944570779800415

O_GE5_IO			P_GE5_DEMDX		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	3.71018648147583	Exploratory Analysis	1	3.5429255962371826
Scale and Impute	2	12.774019002914429	Scale and Impute	2	1.0639572143554688
Mutual Information (Feature Importance)	3	1.5110681056976318	Mutual Information (Feature Importance)	3	0.9986371994018556
MultiSURF (Feature Importance)	3	394.39750599861145	MultiSURF (Feature Importance)	3	154.72269368171692
Feature Selection	4	1.1929571628570557	Feature Selection	4	0.9235823154449464
Artificial Neural Network(Modeling)	5	5262.633613348007	Artificial Neural Network(Modeling)	5	3864.9913918972015
Category Gradient Boosting(Modeling)	5	10553.43864274025	Category Gradient Boosting(Modeling)	5	9520.709733009338
Decision Tree(Modeling)	5	37.08332943916321	Decision Tree(Modeling)	5	32.978456020355225
Elastic Net(Modeling)	5	45.09104990959168	Elastic Net(Modeling)	5	37.15324068069458
ExSTraCS(Modeling)	5	79939.6334066391	ExSTraCS(Modeling)	5	64373.92537951469
Extreme Gradient Boosting(Modeling)	5	7482.444770812988	Extreme Gradient Boosting(Modeling)	5	6819.847410440445
Genetic Programming(Modeling)	5	12619.506680488586	Genetic Programming(Modeling)	5	11442.709577798843
Gradient Boosting(Modeling)	5	9240.272183418274	Gradient Boosting(Modeling)	5	7797.969977855682
K-Nearest Neighbors(Modeling)	5	1800.7040603160858	K-Nearest Neighbors(Modeling)	5	300.92607855796814
Light Gradient Boosting(Modeling)	5	711.9019055366516	Light Gradient Boosting(Modeling)	5	549.3834645748138
Logistic Regression(Modeling)	5	52.352970123291016	Logistic Regression(Modeling)	5	57.23288059234619
Naive Bayes(Modeling)	5	2.097081184387207	Naive Bayes(Modeling)	5	1.524719476699829
Random Forest(Modeling)	5	8496.992241382599	Random Forest(Modeling)	5	6110.774478435516
Support Vector Machine(Modeling)	5	14503.108617067335	Support Vector Machine(Modeling)	5	5824.41738653183
Stats Summary	6	33.019352197647095	Stats Summary	6	27.61832022666931

Q_GE5_DEMDXSYM			R_GE5_DEMDXSYMCF		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	3.978061437606812	Exploratory Analysis	1	11.319032430648804
Scale and Impute	2	1.6132757663726809	Scale and Impute	2	54.96133041381836
Mutual Information (Feature Importance)	3	1.2964074611663818	Mutual Information (Feature Importance)	3	4.649731636047363
MultiSURF (Feature Importance)	3	201.34130096435547	MultiSURF (Feature Importance)	3	1021.7614789009094
Feature Selection	4	1.1063811779022217	Feature Selection	4	2.1531765460968018
Artificial Neural Network(Modeling)	5	4687.17145895958	Artificial Neural Network(Modeling)	5	7238.746876239777
Category Gradient Boosting(Modeling)	5	9558.452844142914	Category Gradient Boosting(Modeling)	5	11713.577274084091
Decision Tree(Modeling)	5	34.67382097244263	Decision Tree(Modeling)	5	105.3693528175354
Elastic Net(Modeling)	5	42.04599070549011	Elastic Net(Modeling)	5	108.03834533691406
ExSTraCS(Modeling)	5	71456.9042096138	ExSTraCS(Modeling)	5	113557.26822257042
Extreme Gradient Boosting(Modeling)	5	7875.315236091614	Extreme Gradient Boosting(Modeling)	5	9361.169572353365
Genetic Programming(Modeling)	5	11849.325545310974	Genetic Programming(Modeling)	5	12642.829085350037
Gradient Boosting(Modeling)	5	6467.702733755112	Gradient Boosting(Modeling)	5	9528.912678480148
K-Nearest Neighbors(Modeling)	5	1321.207248210907	K-Nearest Neighbors(Modeling)	5	1980.5813300609589
Light Gradient Boosting(Modeling)	5	564.9719412326813	Light Gradient Boosting(Modeling)	5	1156.6040470600128
Logistic Regression(Modeling)	5	51.067782402038574	Logistic Regression(Modeling)	5	325.7730679512024
Naive Bayes(Modeling)	5	2.084380626678467	Naive Bayes(Modeling)	5	9.47347092628479
Random Forest(Modeling)	5	6168.620606184006	Random Forest(Modeling)	5	9685.304824829102
Support Vector Machine(Modeling)	5	5712.158212423325	Support Vector Machine(Modeling)	5	11397.061574459076
Stats Summary	6	29.41591739654541	Stats Summary	6	35.34916138648987

S_GE5_DEMDXSYMIO			T_GE5_DEMDXSYMCFIO		
Pipeline Component	Phase	Time (sec)	Pipeline Component	Phase	Time (sec)
Exploratory Analysis	1	6.842856168746948	Exploratory Analysis	1	12.254991054534912
Scale and Impute	2	40.97619986534119	Scale and Impute	2	100.09028244018556
Mutual Information (Feature Importance)	3	2.7698090076446533	Mutual Information (Feature Importance)	3	6.65814995765686
MultiSURF (Feature Importance)	3	565.3565111160278	MultiSURF (Feature Importance)	3	1338.3030951023102
Feature Selection	4	1.704500675201416	Feature Selection	4	3.347966432571411
Artificial Neural Network(Modeling)	5	5933.380658626556	Artificial Neural Network(Modeling)	5	5848.371684074402
Category Gradient Boosting(Modeling)	5	10789.813467741013	Category Gradient Boosting(Modeling)	5	13419.847387075424
Decision Tree(Modeling)	5	68.80575776100159	Decision Tree(Modeling)	5	66.41126346588135
Elastic Net(Modeling)	5	67.19651436805725	Elastic Net(Modeling)	5	108.08236122131348
ExSTraCS(Modeling)	5	89347.71777367592	ExSTraCS(Modeling)	5	132024.3506913185
Extreme Gradient Boosting(Modeling)	5	9241.673788785934	Extreme Gradient Boosting(Modeling)	5	9537.53766298294
Genetic Programming(Modeling)	5	10618.93819475174	Genetic Programming(Modeling)	5	12163.415115833282
Gradient Boosting(Modeling)	5	9237.427114725111	Gradient Boosting(Modeling)	5	9586.512859106064
K-Nearest Neighbors(Modeling)	5	1122.401423454285	K-Nearest Neighbors(Modeling)	5	2716.985781431198
Light Gradient Boosting(Modeling)	5	1015.3675396442412	Light Gradient Boosting(Modeling)	5	1236.759967803955
Logistic Regression(Modeling)	5	74.97450828552246	Logistic Regression(Modeling)	5	908.5430879592896
Naive Bayes(Modeling)	5	4.522921085357666	Naive Bayes(Modeling)	5	9.7320396900177
Random Forest(Modeling)	5	8625.576086044312	Random Forest(Modeling)	5	10117.3725836277
Support Vector Machine(Modeling)	5	8549.789148807526	Support Vector Machine(Modeling)	5	21266.101005792618
Stats Summary	6	37.79141807556152	Stats Summary	6	38.429627656936646