



Input



Region features



...



UARF

animal

food*

raccoon

hedge

branch

advertisement

tree

chunk

raincoat

panda

bear*

Roi-tags

Positives

Negatives



Reference model

out

A raccoon sitting ... [MASK] [SEP]

Fox branch tree **Panda** **Raincoat**



Words

ROI-tags & Contrastive tags

ROIs

Multi-layer Transformer



L_G




L_{inner}




L_{cross}


Output

A close up of a red panda on a tree branch





tion




A raccoon sitting ... [MASK] [SEP]

raccoon tree grass branch ... [SEP]

ng with





A raccoon sitting ... [MASK] [SEP]


raccoon tree grass branch ... [SEP]



g with

Multi-layer Transformer

The diagram shows three input sequences being processed by a "Multi-layer Transformer". The first sequence is "A raccoon sitting ... [MASK] [SEP]" with three orange downward-pointing arrows. The second sequence is "raccoon tree grass branch ... [SEP]" with two orange downward-pointing arrows. The third sequence consists of a red panda image, a tree image, a green placeholder, and another tree image, with two green downward-pointing arrows. Below the transformer, a row of colored boxes (gray, blue, orange, green, orange) represents the output tokens.



A raccoon sitting ... [MASK] [SEP]

raccoon tree grass branch ... [SEP]

g with

Multi-layer Transformer

The diagram shows three input sequences being processed by a Multi-layer Transformer. The first sequence is "A raccoon sitting ... [MASK] [SEP]" with three orange downward-pointing arrows. The second sequence is "raccoon tree grass branch ... [SEP]" with two orange downward-pointing arrows. The third sequence consists of three images (a red panda, a tree, and a branch) with two green downward-pointing arrows. Below the transformer, there are several colored blocks representing the output or internal states: three gray blocks, one blue block, one orange block, one green block, and one red block.



Input



Tree

Panda

Branch

Raincoat

Hedge

Advertisement

...



Branch



Context Aware
Gneration

Finetuning with NCCL



Raccoon

Grass

Wood

Panda

Broccoli

...

Inference



Raccoon

Tree


...

Panda

Branch

Forest

Hedge



Reference: *Red panda* sitting on the branch of a tree

V/L+VIVO: A *raccoon* sitting in a tree.



Reference: A *red panda* sits on a tree branch with its eyes closed

VINVL+VIVO: a *raccoon* sitting in a tree with no leaves