

## Landscape of QCD Vacuum

### RIEMANNIAN GEOMETRY & TENSOR CALCULUS

Tensor calculations in the Riemannian Geometry and General Relativity - EDCRGTC

This package was developed by the late colleague and friend Dr. Sotirios Bonanos.

The package can be downloaded here: <http://www.inp.demokritos.gr/~sbonano/>

```
In[*]:= << EDCRGTCcode.m
```

```
In[*]:= f[a_, b_, c_] := Signature[{a, b, c}];  
fabc = Table[f[a, b, c], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}];
```

The unit colour vector  $n$

```
In[*]:= n := {Sin[f[a1 x]] Cos[ $\frac{b2 y}{f'[a1 x] \text{Sin}[f[a1 x]]}$ ],  
Sin[f[a1 x]] Sin[ $\frac{b2 y}{f'[a1 x] \text{Sin}[f[a1 x]]}$ ], Cos[f[a1 x]]};
```

```
FullSimplify[n.n]
```

```
n0 := D[n, t]
```

```
n1 := D[n, x]
```

```
n2 := D[n, y]
```

```
n3 := D[n, z]
```

```
Out[*]=
```

```
1
```

Calculation of the  $S_{\mu\nu}$  tensor components

```
In[*]:= S01 =  
FullSimplify[Sum[f[a, b, c] × n[[a]] × n0[[b]] × n1[[c]], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}]]  
S02 =  
FullSimplify[Sum[f[a, b, c] × n[[a]] × n0[[b]] × n2[[c]], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}]]  
S03 =  
FullSimplify[Sum[f[a, b, c] × n[[a]] × n0[[b]] × n3[[c]], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}]]  
S12 =  
FullSimplify[Sum[f[a, b, c] × n[[a]] × n1[[b]] × n2[[c]], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}]]  
S13 =  
FullSimplify[Sum[f[a, b, c] × n[[a]] × n1[[b]] × n3[[c]], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}]]  
S23 =  
FullSimplify[Sum[f[a, b, c] × n[[a]] × n2[[b]] × n3[[c]], {a, 1, 3}, {b, 1, 3}, {c, 1, 3}]]
```

Calculation of the covariantly constant gauge field components

```

In[*]:= A0 =  $\frac{1}{g}$  FullSimplify[
    Contract[Outer[Times, Contract[Outer[Times, fabc, n], {2, 4}], n0], {2, 3}]] ;
A1 =  $\frac{1}{g}$  FullSimplify[
    Contract[Outer[Times, Contract[Outer[Times, fabc, n], {2, 4}], n1], {2, 3}]] ;
A2 =  $\frac{1}{g}$  FullSimplify[
    Contract[Outer[Times, Contract[Outer[Times, fabc, n], {2, 4}], n2], {2, 3}]] ;
A3 =  $\frac{1}{g}$  FullSimplify[
    Contract[Outer[Times, Contract[Outer[Times, fabc, n], {2, 4}], n3], {2, 3}]] ;

In[*]:= F12 = FullSimplify[D[A2, x] - D[A1, y] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], A2], {2, 3}]]
F13 = FullSimplify[D[A3, x] - D[A1, z] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], A3], {2, 3}]]
F23 = FullSimplify[D[A3, y] - D[A2, z] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, A2], {2, 4}], A3], {2, 3}]]
F01 = D[A1, t] - D[A0, x];
F02 = D[A2, t] - D[A0, y];
F03 = D[A3, t] - D[A0, x];
 $\varepsilon = \frac{1}{4} \times 2$  FullSimplify[F12.F12 + F13.F13 + F23.F23]

Out[*]=

$$\left\{ \frac{a_1 b_2 \cos\left[\frac{b_2 y \csc[f[a_1 x]]}{f'[a_1 x]}\right] \sin[f[a_1 x]]}{g}, \right.$$


$$\left. \frac{a_1 b_2 \sin[f[a_1 x]] \sin\left[\frac{b_2 y \csc[f[a_1 x]]}{f'[a_1 x]}\right]}{g}, \frac{a_1 b_2 \cos[f[a_1 x]]}{g} \right\}$$


Out[*]=
{0, 0, 0}

Out[*]=
{0, 0, 0}

Out[*]=

$$\frac{a_1^2 b_2^2}{2 g^2}$$


```

## Yang Mills equation

```

In[*]:= FullSimplify[ D[F12, x] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], F12], {2, 3}] ]
FullSimplify[ D[F13, x] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], F13], {2, 3}] ]
FullSimplify[ D[F23, x] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], F23], {2, 3}] ]

Out[*]=
{0, 0, 0}

Out[*]=
{0, 0, 0}

Out[*]=
{0, 0, 0}

In[*]:= FullSimplify[ D[F12, y] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A2], {2, 4}], F12], {2, 3}] ]
FullSimplify[ D[F13, y] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A2], {2, 4}], F13], {2, 3}] ]
FullSimplify[ D[F23, y] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, A2], {2, 4}], F23], {2, 3}] ]

In[*]:= FullSimplify[ D[F12, z] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A3], {2, 4}], F12], {2, 3}] ]
FullSimplify[ D[F13, z] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A3], {2, 4}], F13], {2, 3}] ]
FullSimplify[ D[F23, z] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, A3], {2, 4}], F23], {2, 3}] ]

In[*]:= FullSimplify[ D[F12, t] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A0], {2, 4}], F12], {2, 3}] ]
FullSimplify[ D[F13, t] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, A0], {2, 4}], F13], {2, 3}] ]
FullSimplify[ D[F23, t] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, A0], {2, 4}], F23], {2, 3}] ]

```

## Covariant derivative of n

```

In[*]:= FullSimplify[D[n, x] -
  g Contract[Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], n], {2, 3}]]
FullSimplify[D[n, y] -
  g Contract[Outer[Times, Contract[Outer[Times, fabc, A2], {2, 4}], n], {2, 3}]]
FullSimplify[D[n, z] -
  g Contract[Outer[Times, Contract[Outer[Times, fabc, A3], {2, 4}], n], {2, 3}]]

Out[*]=
{0, 0, 0}

Out[*]=
{0, 0, 0}

Out[*]=
{0, 0, 0}

```

## Components of the conserved current

```

In[*]:= J2 = FullSimplify[
  g Contract[Outer[Times, Contract[Outer[Times, fabc, A1], {2, 4}], F12], {2, 3}]]
J1 = -FullSimplify[g Contract[
  Outer[Times, Contract[Outer[Times, fabc, A2], {2, 4}], F12], {2, 3}]]
FullSimplify[D[J1, x] + D[J2, y]]

Out[*]=

$$\left\{ \frac{1}{g f' [a1 x]^2} a1^2 b2 \left( b2 y \cot[f[a1 x]] \sin\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right] f' [a1 x]^2 + \cos[f[a1 x]] \right. \right.$$


$$\left. \cos\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right] f' [a1 x]^3 + b2 y \sin\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right] f'' [a1 x] \right),$$


$$- \frac{1}{g f' [a1 x]^2} a1^2 b2 \left( b2 y \cos\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right] \cot[f[a1 x]] f' [a1 x]^2 - \right.$$


$$\left. \cos[f[a1 x]] \sin\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right] f' [a1 x]^3 + \right.$$


$$\left. b2 y \cos\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right] f'' [a1 x] \right), - \frac{a1^2 b2 \sin[f[a1 x]] f' [a1 x]}{g} \}$$


Out[*]=

$$\left\{ \frac{a1 b2^2 \sin\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right]}{g f' [a1 x]}, - \frac{a1 b2^2 \cos\left[\frac{b2 y \csc[f[a1 x]]}{f' [a1 x]}\right]}{g f' [a1 x]}, 0 \right\}$$


Out[*]=
{0, 0, 0}

```

Singular gauge transformation U that rotates n into (0,0,1)

```

In[*]:= sig[1] = {{0, 1}, {1, 0}};
sig[2] = {{0, -I}, {I, 0}};
sig[3] = {{1, 0}, {0, -1}};
sig[2].sig[3] - sig[3].sig[2] - 2 I sig[1];
sig[1].sig[3] - sig[3].sig[1] + 2 I sig[2];
sig[1].sig[2] - sig[2].sig[1] - 2 I sig[3];
Tr[1/4 sig[1].sig[1]];
U = {{Cos[ $\frac{\theta}{2}$ ] e $\frac{i}{2}(\varphi+\psi)$ , I Sin[ $\frac{\theta}{2}$ ] e $\frac{-i}{2}(\varphi-\psi)$ }, {I Sin[ $\frac{\theta}{2}$ ] e $\frac{i}{2}(\varphi-\psi)$ , Cos[ $\frac{\theta}{2}$ ] e $\frac{-i}{2}(\varphi+\psi)$ }};
CU = {{Cos[ $\frac{\theta}{2}$ ] e $\frac{-i}{2}(\varphi+\psi)$ , -I Sin[ $\frac{\theta}{2}$ ] e $\frac{-i}{2}(\varphi-\psi)$ }, {-I Sin[ $\frac{\theta}{2}$ ] e $\frac{i}{2}(\varphi-\psi)$ , Cos[ $\frac{\theta}{2}$ ] e $\frac{i}{2}(\varphi+\psi)$ }};
FullSimplify[U.CU];
UU = FullSimplify[U /.  $\varphi \rightarrow \theta$  /.  $\psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]}$  /.  $\theta \rightarrow f[a1 x]$ ];
CUU = FullSimplify[CU /.  $\varphi \rightarrow \theta$  /.  $\psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]}$  /.  $\theta \rightarrow f[a1 x]$ ];
nsingular = FullSimplify[Sum[sig[a] x n[a], {a, 1, 3}]];
FullSimplify[CU.nsingular.U /.  $\varphi \rightarrow \theta$  /.  $\psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]}$  /.  $\theta \rightarrow f[a1 x]$ ]

Out[*]=
{{(-1)1/4 e $-\frac{i b2 y \text{Csc}[f[a1 x]]}{2 f'[a1 x]}$  Cos[ $\frac{1}{2} f[a1 x]$ ], (-1)3/4 e $-\frac{i b2 y \text{Csc}[f[a1 x]]}{2 f'[a1 x]}$  Sin[ $\frac{1}{2} f[a1 x]$ ]},
{(-1)1/4 e $\frac{i b2 y \text{Csc}[f[a1 x]]}{2 f'[a1 x]}$  Sin[ $\frac{1}{2} f[a1 x]$ ], -(-1)3/4 e $\frac{i b2 y \text{Csc}[f[a1 x]]}{2 f'[a1 x]}$  Cos[ $\frac{1}{2} f[a1 x]$ ]}}

Out[*]=
{{1, 0}, {0, -1}}

```

$$\begin{aligned}
In[ ] := & \text{DUx} = \left\{ \left\{ D \left[ U[1, 1] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, x \right\}, \right. \\
& D \left[ U[1, 2] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, x \left. \right\}, \\
& \left\{ D \left[ U[2, 1] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, x \right\}, \\
& D \left[ U[2, 2] \right] /. \psi \rightarrow b2 y \text{Cosh}[a1 x]^2 /. \theta \rightarrow \text{ArcTan} \left[ \frac{1}{\text{Sinh}[a1 x]} \right] /. \varphi \rightarrow \theta, x \left. \right\} \}; \\
& \text{DUy} = \left\{ \left\{ D \left[ U[1, 1] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, y \right\}, \right. \\
& D \left[ U[1, 2] \right] /. \psi \rightarrow b2 z \text{Cosh}[a1 x]^2 /. \theta \rightarrow \text{ArcTan} \left[ \frac{1}{\text{Sinh}[a1 x]} \right] /. \varphi \rightarrow \theta, y \left. \right\}, \\
& \left\{ D \left[ U[2, 1] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, y \right\}, \\
& D \left[ U[2, 2] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, y \left. \right\} \}; \\
& \text{DUz} = \left\{ \left\{ D \left[ U[1, 1] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, z \right\}, \right. \\
& D \left[ U[1, 2] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, z \left. \right\}, \\
& \left\{ D \left[ U[2, 1] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, z \right\}, \\
& D \left[ U[2, 2] \right] /. \psi \rightarrow \frac{\pi}{2} - \frac{b2 y \text{Csc}[f[a1 x]]}{f'[a1 x]} /. \theta \rightarrow f[a1 x] /. \varphi \rightarrow \theta, z \left. \right\} \};
\end{aligned}$$

## Matrix representation of the gauge field

$$\begin{aligned}
In[ ] := & \text{P0} = 0 \text{ DiagonalMatrix}[\{1, 1\}]; \\
& \text{P1} = \text{FullSimplify} \left[ A1[1] \frac{1}{2} \text{sig}[1] + A1[2] \frac{1}{2} \text{sig}[2] + A1[3] \frac{1}{2} \text{sig}[3] \right]; \\
& \text{P2} = \text{FullSimplify} \left[ A2[1] \frac{1}{2} \text{sig}[1] + A2[2] \frac{1}{2} \text{sig}[2] + A2[3] \frac{1}{2} \text{sig}[3] \right]; \\
& \text{P3} = \text{FullSimplify} \left[ A3[1] \frac{1}{2} \text{sig}[1] + A3[2] \frac{1}{2} \text{sig}[2] + A3[3] \frac{1}{2} \text{sig}[3] \right];
\end{aligned}$$

```

In[*]:= P12 =  $\frac{2}{3}$  FullSimplify[D[P2, x] - D[P1, y] -  $\mathbf{i}$  g (P1.P2 - P2.P1)]
P13 =  $\frac{2}{3}$  FullSimplify[D[P3, x] - D[P1, z] -  $\mathbf{i}$  g (P1.P3 - P3.P1)]
P23 =  $\frac{2}{3}$  FullSimplify[D[P3, y] - D[P2, z] -  $\mathbf{i}$  g (P2.P3 - P3.P2)]
P01 =  $\frac{2}{3}$  FullSimplify[D[P1, t] - D[P0, x] -  $\mathbf{i}$  g (P0.P1 - P1.P0)];
P02 =  $\frac{2}{3}$  FullSimplify[D[P2, t] - D[P0, y] -  $\mathbf{i}$  g (P0.P2 - P2.P0)];
P03 =  $\frac{2}{3}$  FullSimplify[D[P3, t] - D[P0, x] -  $\mathbf{i}$  g (P0.P3 - P3.P0)];

 $\frac{1}{8} \times 2$  FullSimplify[Tr[P12.P12 + P13.P13 + P23.P23]]

```

```

Out[*]=

$$\left\{ \frac{a_1 b_2 \cos[f[a_1 x]]}{g}, \frac{a_1 b_2 \sin[f[a_1 x]] \left( \cos\left[\frac{b_2 y \csc[f[a_1 x]]}{f'[a_1 x]} \right] - \mathbf{i} \sin\left[\frac{b_2 y \csc[f[a_1 x]]}{f'[a_1 x]} \right] \right)}{g} \right\},$$


$$\left\{ \frac{a_1 b_2 \sin[f[a_1 x]] \left( \cos\left[\frac{b_2 y \csc[f[a_1 x]]}{f'[a_1 x]} \right] + \mathbf{i} \sin\left[\frac{b_2 y \csc[f[a_1 x]]}{f'[a_1 x]} \right] \right)}{g}, -\frac{a_1 b_2 \cos[f[a_1 x]]}{g} \right\}$$


```

```

Out[*]=
{{0, 0}, {0, 0}}

```

```

Out[*]=
{{0, 0}, {0, 0}}

```

```

Out[*]=

$$\frac{a_1^2 b_2^2}{2 g^2}$$


```

Singular gauge transformation U of the gauge field in the matrix representation

$$\begin{aligned}
& 2 \left( \text{CUU.P1.UU} - \mathbf{i} \frac{1}{g} \text{CUU.DUx} \right) \\
& 2 \left( \text{CUU.P2.UU} - \mathbf{i} \frac{1}{g} \text{CUU.DUy} \right) \\
& 2 \left( \text{CUU.P3.UU} - \mathbf{i} \frac{1}{g} \text{CUU.DUz} \right)
\end{aligned}$$

```

Out[*]=

$$\frac{a_1 b_2 y \cot[f[a_1 x]] \left( \cot[f[a_1 x]] f'[a_1 x]^2 + f''[a_1 x] \right)}{g f'[a_1 x]^2}$$


```

```

Out[*]=

$$-\frac{b_2 \cot[f[a_1 x]]}{g f'[a_1 x]}$$


```

```

Out[*]=
0

```

## Vector representation of the gauge field after singular gauge transformation U

```

In[ ]:= L1 = {0, 0,  $\frac{a1 b2 y \text{Cot}[f[a1 x]] (\text{Cot}[f[a1 x]] f'[a1 x]^2 + f''[a1 x])}{g f'[a1 x]^2}$ };

L2 = {0, 0,  $-\frac{b2 \text{Cot}[f[a1 x]]}{g f'[a1 x]}$ };

L3 = {0, 0, 0};

In[ ]:= L12 = FullSimplify[D[L2, x] - D[L1, y] -
      g Contract[Outer[Times, Contract[Outer[Times, fabc, L1], {2, 4}], L2], {2, 3}]]
L13 = FullSimplify[D[L3, x] - D[L1, z] -
      g Contract[Outer[Times, Contract[Outer[Times, fabc, L1], {2, 4}], L3], {2, 3}]]
L23 = FullSimplify[D[L3, y] - D[L2, z] -
      g Contract[Outer[Times, Contract[Outer[Times, fabc, L2], {2, 4}], L3], {2, 3}]]
 $\epsilon = \frac{1}{4} \times 2 \text{FullSimplify}[L12.L12 + L13.L13 + L23.L23]$ 

Out[ ]:=
 $\{0, 0, \frac{a1 b2}{g}\}$ 

Out[ ]:=
{0, 0, 0}

Out[ ]:=
{0, 0, 0}

Out[ ]:=
 $\frac{a1^2 b2^2}{2 g^2}$ 

```

## The potential barrier between A and A' fields

```

In[ ]:= K0 = A0 w  $\left[\frac{1}{2} - \alpha\right]$ ;

K1 = A1 w  $\left[\frac{1}{2} - \alpha\right]$  + w  $\left[\frac{1}{2} + \alpha\right]$  L1;

K2 = A2 w  $\left[\frac{1}{2} - \alpha\right]$  + w  $\left[\frac{1}{2} + \alpha\right]$  L2;

K3 = A3 w  $\left[\frac{1}{2} - \alpha\right]$  + w  $\left[\frac{1}{2} + \alpha\right]$  L3;

```



```

In[*]:= K12 = FullSimplify[D[K2, x] - D[K1, y] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, K1], {2, 4}], K2], {2, 3}]] ;
K13 = FullSimplify[D[K3, x] - D[K1, z] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, K1], {2, 4}], K3], {2, 3}]] ;
K23 = FullSimplify[D[K3, y] - D[K2, z] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, K2], {2, 4}], K3], {2, 3}]] ;
K01 = FullSimplify[D[K1, t] - D[K0, x] - g Contract[
    Outer[Times, Contract[Outer[Times, fabc, K0], {2, 4}], K1], {2, 3}]] ;
K02 = D[K2, t] - D[K0, y] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, K0], {2, 4}], K2], {2, 3}] ;
K03 = D[K3, t] - D[K0, x] -
    g Contract[Outer[Times, Contract[Outer[Times, fabc, K0], {2, 4}], K3], {2, 3}] ;
1
4 × 2 FullSimplify[K12.K12 + K13.K13 + K23.K23]

```

Out[\*]=

$$\frac{1}{2 g^2} a_1^2 b_2^2 \left( \left( -2 + w \left[ \frac{1}{2} - \alpha \right] \right)^2 w \left[ \frac{1}{2} - \alpha \right]^2 - 2 \cos[f[a_1 x]] \left( -2 + w \left[ \frac{1}{2} - \alpha \right] \right) w \left[ \frac{1}{2} - \alpha \right] \left( 1 + w \left[ \frac{1}{2} - \alpha \right] \right) \right. \\
 \left. w \left[ \frac{1}{2} + \alpha \right] + \left( 1 + \cot[f[a_1 x]]^2 w \left[ \frac{1}{2} - \alpha \right]^2 \right) w \left[ \frac{1}{2} + \alpha \right]^2 \right)$$