

---

# Interaction Concepts for Collaborative Visual Analysis of Scatterplots on Large Vertically-Mounted High-Resolution Multi-Touch Displays

Mohammad Chegini\*, Lin Shao\*, Dirk J. Lehmann<sup>†</sup>, Keith Andrews<sup>‡</sup> and Tobias Schreck\*

\*Institute of Computer Graphics and Knowledge Visualisation, Graz University of Technology, Austria

Email: {m.chegini, l.shao, t.schreck}@cgv.tugraz.at

<sup>†</sup>University of Magdeburg, Germany

Email: dirk@isg.cs.uni-magdeburg.de

<sup>‡</sup>Institute of Interactive Systems and Data Science, Graz University of Technology, Austria

Email: kandrews@tugraz.at

**Abstract**—Large vertically-mounted high-resolution multi-touch displays are becoming increasingly available for interactive data visualisation. Such devices are well-suited to small-team collaborative visual analysis. In particular, the visual analysis of large high-dimensional datasets can benefit from high-resolution displays capable of showing multiple coordinated views.

This paper identifies some of the advantages of using large, high-resolution displays for visual analytics in general, and introduces a set of interactions to explore high-dimensional datasets on large vertically-mounted high-resolution multi-touch displays using scatterplots. A set of touch interactions for collaborative visual analysis of scatterplots have been implemented and are presented. Finally, three perception-based level of detail techniques are introduced for such displays as a concept for further implementation.

## I. INTRODUCTION

Large high-resolution displays are becoming an affordable option for the visualisation of data [1]. Large displays have proved to be effective for tasks such as comparative genomics analysis [2], graph topology exploration [3], and sensemaking [4]. Large vertically-mounted (landscape-orientation) high-resolution multi-touch displays are particularly effective for collaborative analysis by small teams. However, previous research has often focused on horizontally-mounted tabletop surfaces or vertically-mounted displays with more distant interaction [5]. In this paper, a set of user interactions to support scatterplot matrices analysis on vertically-mounted displays are introduced. These techniques help analysts to efficiently select a scatterplot from scatterplot matrices and explore it collaboratively.

Some physical and virtual interactions with large displays were described in the previous literature. Modalities range from natural interactions like speech, body tracking, gaze, and gestures to the use of secondary control devices like mobile phones, tablets, or Wii controllers [6]. Of these, multi-touch interactions provide a fluid and intuitive interface suitable for up-close interaction in front of the display by small groups.

Although there are studies about collaborative interaction with large displays (e.g. [7], [8]), they usually focus on single-user interaction [9]. Since typical multi-touch interactions do not support collaboration, more research needs to be done on cooperative gestures, modalities and the dynamics of group work around these devices. Cooperative gestures are known to enhance the sense of teamwork and increase the participation of team members [10].

Screen size and resolution are particularly important for information visualisation of multivariate datasets. Having a large display allows multiple, linked views, such as scatterplot matrices and parallel coordinates [11] to be provided simultaneously. If the screen is not high-resolution, the user experience of near distance interaction decreases significantly. For instance, on screens with less than sixty pixels per inch, the user is not able to read from the screen up-close [12]. Furthermore, users can make more observations with less effort using physical navigation (e.g., walking) rather than virtual [1]. More screen space can be used to either provide a better overview of a dataset or to provide more details of a portion of it. For example, users can see both an entire scatterplot matrix, specific scatterplots, and parallel coordinates plots at the same time. As a result, users may have the opportunity to gain more insight into large datasets.

Previous studies [5] suggest that vertically-mounted displays are more suited to parallel tasks within a group, due to reduced visual distraction and the possibility to share information through physical navigation like turning the head or walking. On tabletop displays, if users are not on the same side of the table, the shared view often needs to be reoriented.

This paper addresses the design gap between standard interaction techniques for large, multi-touch displays and advanced interaction techniques and visual feedback for collaborative scatterplot and scatterplot matrix analysis. Design concepts for such interaction techniques have been implemented as a proof of concept and are presented. The techniques include



Fig. 1. Two users collaboratively analyse a dataset on a large vertically-mounted multi-touch screen. User A on the left drags a Regression Lens, while user B on the right adapts the degree of the regression model using the floating toolbox. The display is an Eyevis 84-inch 4K/Ultra-HD 60Hz multi-touch LCD monitor with a resolution of  $3840 \times 2160$ .

scatterplot selection from scatterplot matrices, collaborative regression model analysis, and an extension of the Regression Lens [13] to include a floating toolbox. As a proof of concept, the techniques are developed on a large display.

The paper is structured as follows: Section II discusses related work. Several novel interaction designs for collaborative visual analysis of scatterplots on large displays are introduced in Section III. The use case and current implementation of the proposed interaction techniques are described in Section IV. Section VI introduces the concept of perception-based level of visual detail. The paper concludes with a discussion of open problems and future work in Section VII.

## II. RELATED WORK

At a high level, information visualisation systems consist of two components: visual representation and interaction. Visual representation concerns the mapping from data to display [14]. The interaction starts with a user's intent to perform a task, followed by a user action. The system then reacts and feedback is given to the user [15]. It is essential to consider both visual representation and interaction when designing an application for information visualisation.

### A. Visualisation on Large Displays

Researchers in various fields are increasingly confronted with the challenge of visualising and exploring high-dimensional datasets [13], [16]. Keim argues that although many traditional techniques exist to represent data, they are often not scalable to high-dimensional datasets without suitable analytical or interaction design [16].

With the current size and resolution of typical computer displays, it is challenging to represent entire datasets on one screen using techniques like scatterplot matrices or parallel coordinates. The user is often forced to resort to panning and zooming, leading to frustration and longer task completion times. Ruddle et al. [17] conducted an experiment in which participants searched maps on three different displays for

densely or sparsely distributed targets. They concluded that since the whole dataset fits on a larger display, sparse targets can be found faster.

Multiple linked views are often used to gain a better understanding of a high-dimensional dataset. Such views are usually connected by techniques such as brushing or combined navigation [18]. Every view occupies space on display. If more space is available, additional views can be shown simultaneously. Allowing the user to access multiple windows increases performance and satisfaction [19]. Isenberg et al. [20] present hybrid-image visualisation for data analysis, where two images are blended to achieve distance-dependent perception. This concept might be especially helpful for collaborative visual analysis tasks on vertically-mounted displays, where users observe data from various distances.

### B. Visual Data Analysis and Multi-Touch Interaction

Previous researchers proposed various interaction techniques for large displays and multi-dimensional dataset interaction on multi-touch displays. Ardito et al. [18] proposed a classification of large display interaction having five dimensions: visualisation technology, display setup, interaction modality, application purpose, and location. Khan presented a survey of interaction techniques and devices for large, high-resolution displays [6]. The survey categorises modalities of interaction into speech, tracking, gestures, mobile phones, haptic and other technologies such as gaze and facial expression.

Tsandilas et al. presented SketchSliders [21], a tool that provides a mobile sketching interface to create sliders which interact with multi-dimensional datasets on a wall display. In comparison, in this paper, interaction is performed directly on the display rather than using a secondary touch device. Zhai et al. [22] introduced gesture interaction for wall displays based on the distance of the user from the screen. The gestures can be performed in far or near mode. Unlike the techniques described in this paper, the proposed interaction gestures are not directly related to visual analytics tasks. Heilig et al. [23] developed multi-touch scatterplot visualisation on a tabletop display. Sadana and Stasko [24] proposed advanced techniques for scatterplot data selection on smaller touch-based devices, such as tablets and smartphones, whereas this paper focuses on large multi-touch displays.

MultiLens supports various gestures for fluid multi-touch exploration of graphs [25]. The Regression Lens [13] allows the user to interactively explore local areas of interest in scatterplots by showing the best fitting regression models inside the lens. The idea of visualising local regression models is also studied by Matković et al. [26]. Rzeszotarski et al. [27] introduced Kinetica, a tool for exploring multivariate data by physical interactions on multi-touch screens. Kister et al. [25] presented BodyLenses, a promising set of magic lenses for wall displays, which are mostly controlled by body interaction and therefore suitable for interacting with wall displays from a distance.




Fig. 2. On the left, a user is drags a Regression Lens with the right hand while adjusting the lens with the left hand. On the right, a user drags a scatterplot with the right hand while panning through the scatterplot matrix with the left hand.

In comparison to this work, the aforementioned studies either focus on a different type of interaction and medium or are not designed for collaborative visual analytics tasks.

### C. Collaborative Visualisation

Large displays are well-suited to collaboration [28], [29]. Jakobsen and Hornbæk [5] conducted an exploratory study to understand group work with high-resolution multi-touch wall displays. The study suggests that using this kind of display helps users to work more efficiently as a group and fluidly change between parallel and joint work. A large display benefits group working on a shared task, since users can operate on one common physical medium and share information on it.

Morris et al. [10] formalised the concept of cooperative gestures as a set of gestures performed by multiple users and interpreted as a single task by the system. Liu et al. developed CoReach [9], a set of gestures for collaboration between two users over large multi-touch displays. Comparing the use of a large vertically-mounted display against two ordinary desktop displays, Prouzeau et al. [30] concluded that groups obtain better results and communicate better on large, vertically-mounted displays.

An experiment by Pedersen and Hornbæk [31] showed that users prefer horizontal surfaces over vertically-mounted displays, but this result was limited to simple single-user tasks and not collaborative tasks with different dynamics. Vertically-mounted displays allow users to obtain an overview of their data by stepping back from the display and make it possible to interact from afar as well as up close. Badam et al. [32] proposed a system for collaborative analysis on large displays by controlling individual lenses through explicit mid-air gestures.

Although these studies are not directly related to collaborative scatterplot analysis on large multi-touch displays, they do provide valuable insights into the design process of such systems.

## III. PROPOSED INTERACTION TECHNIQUES

Current standard multi-touch interaction techniques are not designed for collaboration on vertically-mounted high-resolution displays [9]. Here, both single-user and collaborative interactions are proposed for the analysis of scat-




Fig. 3. On the left, two users collaboratively analyse a scatterplot. Both users create a regression model for a subset of selected data. The created models are displayed in their partner's respective lens as well, supporting comparison of local data models. On the right, one user analyses a scatterplot, while their partner selects interesting plots in the scatterplot matrix and passes them over by holding the background and swiping the right hand.

terplots and scatterplot matrices on such devices. Some of the interaction techniques are based on the concept of the Regression Lens [13], which supports real-time regression analysis of subsets of a scatterplot through lens selection and manipulation. With Regression Lens, a user can select a local area in a scatterplot and observe the regression model of selected points [13]. Shao et al. proposed operations to adjust and manipulate the regression model shown in the Regression Lens, such as changing the degree of the regression model or inverting its axes. Figure 1 illustrates some of the suggested collaborative gestures on an 84-inch 4K/ULTRA-HD@60HZ multi-touch LCD monitor produced by Eyevis [33]. The user on the left finds interesting scatterplots and passes them to the user on the right. The user on the right analyses the plots using the Regression Lens [13]. In the rest of this section, four interaction designs for both collaborative and single scatterplot analysis are introduced. Later in Section IV, an implementation of these techniques is demonstrated.

### A. Lens and Floating Toolbox

Magic lens techniques like DragMagics [34] and BodyLens [35] are used to explore local regions in a visualisation. An extended version of the basic lens concept provides for more fluid interaction with large multi-touch displays. For instance, as shown in Figure 2, after a region of interest has been selected in a scatterplot using the dominant hand (here the right hand), a toolbox appears next to the other side of the lens (near the non-dominant hand), where the user can use sliders and touch buttons to adjust the lens. For example, the user can change the degree of the regression model. The lens can be dragged with one hand, while being adjusted with the second hand, thus potentially speeding up performance.

### B. Two-Handed Interaction with Scatterplot Matrices

A scatterplot matrix consists of pairwise scatterplots arranged in a matrix, with dimensions typically labelled in the diagonal cells. Since the number of dimensions is usually high, panning and zooming within the scatterplot matrix is almost inevitable. With common multi-touch interactions, the scatterplot or dimension label is dragged to the corner of




Fig. 4. A user selects a scatterplot of interest from a scatterplot matrix by touching and holding the left hand on the scatterplot. Swiping with the right hand then passes the selected scatterplot to the right hand side of the display for more detailed analysis.

the scatterplot matrix for panning. It is not feasible to zoom into or out of a scatterplot matrix while dragging another object. Based on two-handed interaction on tablets [36], a two-handed technique is proposed whereby the dominant hand is responsible for dragging items, while the non-dominant hand performs common operations. As shown on the left side of Figure 2, the user drags a scatterplot around to reorder the plots in the scatterplot matrix. Panning is performed by the non-dominant hand. With this two-handed technique, the interactions needed to reorder scatterplots in a scatterplot matrix can be reduced.

### C. Collaboration using Gestures

On large vertically-mounted collaborative displays, it is not always desirable to move from one side of the screen to the other to perform a task. Instead, collaborative gestures can be used to pass objects. Based on the ideas of Liu et al. [9], collaborative gestures on scatterplots are proposed. In the right-hand side of Figure 3, the user on the left is analyses a scatterplot, while the user on the right selects another scatterplot of interest. By holding the background of the scatterplot matrix with one hand, and swiping with the other hand, the scatterplot is passed over to the partner. The partner can then decide whether or not to load the scatterplot for comparison. This technique can also be used for other tasks. For example, in Figure 4, the user selects a scatterplot of interest from a scatterplot matrix by touching and holding it with one hand (here, the left hand) and swipes the other hand in the direction of the analysis panel to load that scatterplot for more detailed analysis.

### D. Collaborative Lens

In collaborative analysis, visual feedback plays an essential role. When two analysts work on a vertically-mounted display without proper visual feedback, they need to communicate more and turn their heads more often. A collaborative lens can help ameliorate this issue. As illustrated on the left side




Fig. 5. A Regression Lens containing a cubic regression model is shown. At the left side of the Regression Lens, a floating toolbox with various options is visible.

of Figure 3, the user on the left side of the screen creates a regression lens and regression model in blue. Meanwhile, the user on the right side of the screen creates their regression lens and regression model in red. Both users can see the other user’s regression model reflected in their own regression lens.

## IV. IMPLEMENTATION

Proof-of-concept interaction techniques for single-user and collaborative analysis of scatterplots and scatterplot matrices have been implemented on a vertically-mounted Eyevis 84-inch multi-touch display with a resolution of  $3840 \times 2160$  pixels and a frame rate of 60 Hz. Figure 1 demonstrates a typical setup of the implemented application with two users working on the screen.

The prototype application is written in Java, using JavaFX for the user interface and the TUIO [37] and the TUIOFX library [38] for multi-touch interaction. To enable multiple users to work on the same screen with different widgets and user interface elements at the same time, a concept called focusArea from the TUIOFX library is used [39]. The application follows the widely-used Model-View-Controller (MVC) architecture.

## V. USE CASE

The use case for the prototype application is to improve interaction with the Regression Lens on multi-touch screens. The developed interaction techniques were tested with the well-known car dataset from the UCI Machine Learning Repository [40].

For the interaction technique shown in Figure 1, user A (on the left) and user B (on the right) select two different plots from the shared central area containing the scatterplot matrix. For this technique, the user holds and touches a scatterplot with one hand and swipes to the right or left with the other hand to maximise it. This technique is elaborated in detail in Section III-C. After that, users A and B select an area in the scatterplot separately and toggle the Collaborative Lens option in the Floating Toolbox. As described in Section III-D, each




Fig. 6. The left and right panels are scatterplots for User A (left) and B (right) respectively. The central area of the screen contains a shared scatterplot matrix. User A on the left draws an arbitrary rectangle and is interested in the quadratic regression model of the selected records, shown in red. User B on the right chooses to observe the cubic regression model of the selected area, shown in blue. User A can see the cubic regression model of the right panel in dashed blue and user B can see the left panel regression model in dashed red. Selected scatterplots are highlighted in green in the scatterplot matrix.

user is now able to observe the regression model of the other user in their regression lens. Figure 1 shows two users working side by side on a large vertically-mounted multi-touch display, after creating two separate Regression Lenses and toggling to the Double Lens option. The exact state of the screen is shown in Figure 6. A single Regression Lens with a floating toolbox is visible in Figure 5.

## VI. PERCEPTION-BASED LEVEL OF VISUAL DETAIL CONCEPTS FOR SCATTERPLOTS

Users of large vertically-mounted high-resolution displays may take up positions at varying distances from the display, and hence may perceive more or less detail in the display. At greater distances from a large high-resolution display, less detail is perceived. Here, *perceived pixel density* (PPD) is defined as the number of pixels mapped to a single cell on the retina of the user’s eye. PPD increases quadratically as distance to the screen increases. The human perceptual system tends to average out too large PPD w.r.t. colour, brightness, and contrast [41], for example a red pixel and a green pixel is perceived as brown.

The perceptual effect of *averaging* is well known, for instance in the perception of secondary colours as a mixture of two primary colours or in the phenomena of metamerism. More related effects include simultaneous contrast [42], after-images [43], and the Chubb effect [44]. Without delving too deeply into perception psychology, note that a sophisticated theory for averaging effects are already available and well described. For the purpose of this discussion with respect to large high-resolution displays, it is sufficient to state that the effect of averaging a set of pixels is already exploited in practice by techniques such as image mosaics [41] and halftone techniques [45], as illustrated in Figure 7.

Since PPD and related averaging effects are a function of distance from the display, screen distance can be seen as an interactive parameter which can be exploited for visual data

analysis. Three techniques are proposed to apply a perception-based level of detail to scatterplots on large vertically-mounted high-resolution displays.

Firstly, the concept of *superpixels* is similar to image mosaics. A superpixel consists of a set of pixels in a small rectangular area of the screen, for example a regular grid of say  $50 \times 50$  pixels. The average colour, brightness, and contrast properties of superpixels can be used to visualise data for users farther from the screen. At the same time, the individual colouring of pixels comprising a superpixel can be used to visualise more detailed information for users who are closer to the screen.

Secondly, the concept of a *Screen Progressive Visual Glyph* (SPVG) utilises the colour, brightness, and contrast values of a glyph to encode different secondary information for closer users. In Figure 8, the scatterplot on the left visually encodes two different classes (brown and cyan) in the data. This is easily perceivable by a distant user. On the right, a user who is closer can make out an additional level of detail: the dots of the scatterplot in fact contain an additional histogram representing the distribution of the related class in the data. In this case, the circles representing the mapped data points are SPVGs. The difference between SPVGs and superpixels is that SPVGs encode different visual details of the same data at different distances. In this way, they could be understood as a data filter concept as well. SPVGs can be placed on the screen on demand and are not restricted to a regular grid, providing greater flexibility.

Thirdly, *variational textures* are related to halftone techniques. Structural variations of an underlying texture can be used to visually encode fine data details for users who are very close to the screen, while these details will immediately disappear when the user goes further away.

These proposed approaches for level of visual detail align well with Shneiderman’s mantra for information visualisation [46]: “Overview first, zoom and filter, details on demand”. In this case, distance from the screen is an additional degree of




Fig. 7. On the left, a multi-image mosaic of the Mona Lisa [41]. On the right, an example of halftone dot sampling [45].

freedom, controlled by each user individually as they move closer to or further away from the display. The approaches are discussed as a concept and not implemented yet.

## VII. DISCUSSION AND FUTURE WORK

The concepts described in this paper are first designs of appropriate touch interaction for the visual interactive analysis of scatterplot data on large vertically-mounted high-resolution multi-touch displays. The interactions support small-group collaborative analysis, by exchanging patterns or settings from one user's view to the others. The interaction design is currently based on user selections, but is generalisable to other basic techniques. The interaction techniques have been implemented as a proof of concept. They still need to be evaluated with real users and real tasks as part of future work. Mapping out the design space for this combination of visualisation and display device may well yield further interesting interaction designs.

The idea of exploiting perception-based level of detail for the visualisation of scatterplots on large displays is new. Detailed information can be rendered inside the marks of the plot, becoming perceivable once users are closer to the screen. Again, this is a proof of concept and requires further development and evaluation.

While large high-resolution displays can improve the exploration of large scatterplot spaces, further data analysis support is needed to scale up with the number of data points and dimensions. Traditional techniques like cluster analysis and aggregation can help with scalability. Another relevant line of improvement is to adjust the view to the user's need and situation. In [47], the authors propose using eye tracking to infer user interest and using this information to recommend additional relevant but previously unseen views for exploration. While that work was developed as a desktop application, it might be interesting to incorporate eye-tracking




Fig. 8. Screen Progressive Visual Glyphs (SPVGs): On the left, dots on a scatterplot representing items belonging to two classes (brown and cyan) are seen by distant users as simple dots. On the right, users who are closer to the screen can perceive an additional histogram showing the distribution of items.

support to recommend views for small collaborative team work on a large display. Moreover, adding group activity recognition and therefore pro-active interaction, can support collaboration by preventing information overload [48].

## VIII. CONCLUDING REMARKS

This paper presented challenges and solutions for collaborative and single-task multi-touch interaction on large vertically-mounted high-resolution displays. The techniques presented are well-suited for collaborative analysis tasks with scatterplots and scatterplot matrices. They are potentially generalisable for other data exploration and visual analytics practices but require further implementation and evaluation. Also, perception-based visualisation of scatterplots is introduced as a possible direction for further research.

## REFERENCES

- [1] K. Reda, A. E. Johnson, M. E. Papka, and J. Leigh, "Effects of display size and resolution on user behavior and insight acquisition in visual exploration," in *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*. ACM, 2015, pp. 2759–2768.
- [2] R. A. Ruddle, W. Fateen, D. Treanor, P. Sondergeld, and P. Ouirke, "Leveraging wall-sized high-resolution displays for comparative genomics analyses of copy number variation," in *Biological Data Visualization (BioVis), 2013 IEEE Symposium on*. IEEE, 2013, pp. 89–96.
- [3] A. Prouzeau, A. Bezerianos, and O. Chapuis, "Evaluating multi-user selection for exploring graph topology on wall-displays," *IEEE Transactions on Visualization and Computer Graphics*, 2016.
- [4] C. Andrews, A. Endert, and C. North, "Space to think: large high-resolution displays for sensemaking," in *Proceedings of the SIGCHI conference on human factors in computing systems*. ACM, 2010, pp. 55–64.
- [5] M. R. Jakobsen and K. Hornbæk, "Up close and personal: Collaborative work on a high-resolution multitouch wall display," *ACM Transactions on Computer-Human Interaction (TOCHI)*, vol. 21, no. 2, p. 11, 2014.
- [6] T. K. Khan, "A survey of interaction techniques and devices for large high resolution displays," in *OASIS-OpenAccess Series in Informatics*, vol. 19. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik, 2011.
- [7] K. Vogt, L. Bradel, C. Andrews, C. North, A. Endert, and D. Hutchings, "Co-located collaborative sensemaking on a large high-resolution display with multiple input devices," *Human-Computer Interaction-INTERACT 2011*, pp. 589–604, 2011.

- [8] P. Isenberg, S. Carpendale, A. Bezerianos, N. Henry, and J.-D. Fekete, "Coconutrix: Collaborative retrofitting for information visualization," *IEEE Computer Graphics and Applications*, vol. 29, no. 5, pp. 44–57, 2009.
- [9] C. Liu, O. Chapuis, M. Beaudouin-Lafon, and E. Lecolinet, "Coreach: Cooperative gestures for data manipulation on wall-sized displays," in *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. ACM, 2017, pp. 6730–6741.
- [10] M. R. Morris, A. Huang, A. Paepcke, and T. Winograd, "Cooperative gestures: multi-user gestural interactions for co-located groupware," in *Proceedings of the SIGCHI conference on Human Factors in computing systems*. ACM, 2006, pp. 1201–1210.
- [11] A. Inselberg, "The plane with parallel coordinates," *The visual computer*, vol. 1, no. 2, pp. 69–91, 1985.
- [12] M. Ashdown, P. Tuddenham, and P. Robinson, "High-Resolution Interactive Displays," in *Tabletops - Horizontal Interactive Displays*, 2010, pp. 71–100.
- [13] L. Shao, A. Mahajan, T. Schreck, and D. J. Lehmann, "Interactive regression lens for exploring scatter plots," in *Computer Graphics Forum*, vol. 36, no. 3. Wiley Online Library, 2017, pp. 157–166.
- [14] J. S. Yi, Y. A. Kang, J. Stasko, and J. Jacko, "Toward a deeper understanding of the role of interaction in information visualization," *IEEE transactions on visualization and computer graphics*, vol. 13, no. 6, pp. 1224–31, 2007.
- [15] B. Lee, P. Isenberg, N. H. Riche, and S. Carpendale, "Beyond mouse and keyboard: Expanding design considerations for information visualization interactions," *IEEE Transactions on Visualization and Computer Graphics*, vol. 18, no. 12, pp. 2689–2698, 2012.
- [16] D. Keim, "Information visualization and visual data mining," *IEEE Transactions on Visualization and Computer Graphics*, vol. 8, no. 1, pp. 1–8, 2002.
- [17] R. A. Ruddle, R. G. Thomas, R. S. Randell, P. Quirke, and D. Treanor, "Performance and interaction behaviour during visual search on large, high-resolution displays," *Information Visualization*, vol. 14, no. 2, pp. 137–147, 2015.
- [18] J. C. Roberts, "Exploratory Visualization with Multiple Linked Views," in *Exploring Geovisualization*. Amsterdam: Elseviers, 2005, pp. 159–180.
- [19] M. Czerwinski, G. Smith, T. Regan, B. Meyers, G. G. Robertson, and G. Starkweather, "Toward characterizing the productivity benefits of very large displays," in *Interact*, vol. 3, 2003, pp. 9–16.
- [20] P. Isenberg, P. Dragicevic, W. Willett, A. Bezerianos, and J.-D. Fekete, "Hybrid-image visualization for large viewing environments," *IEEE transactions on visualization and computer graphics*, vol. 19, no. 12, pp. 2346–2355, 2013.
- [21] T. Tsandilas, A. Bezerianos, and T. Jacob, "Sketchsliders: Sketching widgets for visual exploration on wall displays," in *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*. ACM, 2015, pp. 3255–3264.
- [22] Y. Zhai, G. Zhao, T. Alatalo, J. Heikkilä, T. Ojala, and X. Huang, "Gesture interaction for wall-sized touchscreen display," in *Proceedings of the 2013 ACM conference on Pervasive and ubiquitous computing adjunct publication*. ACM, 2013, pp. 175–178.
- [23] M. Heilig, S. Huber, M. Demarmels, and H. Reiterer, "Scattertouch: a multi touch rubber sheet scatter plot visualization for co-located data exploration," in *ACM International Conference on Interactive Tabletops and Surfaces*. ACM, 2010, pp. 263–264.
- [24] R. Sadana and J. Stasko, "Expanding selection for information visualization systems on tablet devices," in *Proceedings of the 2016 ACM on Interactive Surfaces and Spaces*. ACM, 2016, pp. 149–158.
- [25] U. Kister, P. Reipschläger, and R. Dachsel, "Multilens: Fluent interaction with multi-functional multi-touch lenses for information visualization," in *Proceedings of the 2016 ACM on Interactive Surfaces and Spaces*. ACM, 2016, pp. 139–148.
- [26] K. Matković, H. Abraham, M. Jelović, and H. Hauser, "Quantitative externalization of visual data analysis results using local regression models," in *International Cross-Domain Conference for Machine Learning and Knowledge Extraction*. Springer, 2017, pp. 199–218.
- [27] J. M. Rzeszotarski and A. Kittur, "Kinetic: naturalistic multi-touch data visualization," in *Proceedings of the 32nd annual ACM conference on Human factors in computing systems*. ACM, 2014, pp. 897–906.
- [28] C. Andrews, A. Endert, B. Yost, and C. North, "Information visualization on large, high-resolution displays: Issues, challenges, and opportunities," *Information Visualization*, vol. 10, no. 4, pp. 341–355, 2011.
- [29] P. Isenberg, T. Isenberg, T. Hesselmann, B. Lee, U. Von Zadow, and A. Tang, "Data visualization on interactive surfaces: A research agenda," *IEEE Computer Graphics and Applications*, vol. 33, no. 2, pp. 16–24, 2013.
- [30] A. Prouzeau, A. Bezerianos, and O. Chapuis, "Trade-offs between a vertical shared display and two desktops in a collaborative path-finding task," in *Proceedings of Graphics Interface 2017*, 2017.
- [31] E. W. Pedersen and K. Hornbæk, "An experimental comparison of touch interaction on vertical and horizontal surfaces," in *Proceedings of the 7th Nordic Conference on Human-Computer Interaction: Making Sense Through Design*. ACM, 2012, pp. 370–379.
- [32] S. K. Badam, F. Amini, N. Elmqvist, and P. Irani, "Supporting visual exploration for multiple users in large display environments," in *Visual Analytics Science and Technology (VAST), 2016 IEEE Conference on*. IEEE, 2016, pp. 1–10.
- [33] "Eyevis display 84-inch," 2017. [Online]. Available: <http://www.eyevis.de/en/products/lcd-solutions/4k-ultra-hd-lcd-monitors/84-inch-4k-uhd-lcd.html>
- [34] A. Prouzeau, A. Bezerianos, and O. Chapuis, "Towards road traffic management with forecasting on wall displays," in *Proceedings of the 2016 ACM on Interactive Surfaces and Spaces*. ACM, 2016, pp. 119–128.
- [35] U. Kister, P. Reipschläger, F. Matulic, and R. Dachsel, "Bodylenses: Embodied magic lenses and personal territories for wall displays," in *Proceedings of the 2015 International Conference on Interactive Tabletops & Surfaces*. ACM, 2015, pp. 117–126.
- [36] K.-P. Yee, "Two-handed interaction on a tablet display," in *CHI'04 Extended Abstracts on Human Factors in Computing Systems*. ACM, 2004, pp. 1493–1496.
- [37] M. Kaltenbrunner, T. Bovermann, R. Bencina, and E. Costanza, "Tuio: A protocol for table-top tangible user interfaces," in *Proc. of the The 6th Intl Workshop on Gesture in Human-Computer Interaction and Simulation*, 2005, pp. 1–5.
- [38] M. Fetter and D. Bimamisa, "Tuiofxtoolkit support for the development of javafx applications for interactive tabletops," in *Human-Computer Interaction*. Springer, 2015, pp. 486–489.
- [39] M. Fetter, D. Bimamisa, and T. Gross, "Tuiofx: A javafx toolkit for shared interactive surfaces," *Proceedings of the ACM on Human-Computer Interaction*, vol. 1, no. 1, p. 10, 2017.
- [40] M. Lichman, "UCI machine learning repository," 2013. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [41] A. Finkelstein and M. Range, "Image Mosaics," Princeton University, Computer Science Department, Technical Report TR-574-98, Mar. 1998.
- [42] P. Burgh, "Peripheral viewing and simultaneous contrast," *The Quarterly Journal of Experimental Psychology* 16(3), pp. 257–263, 1964.
- [43] S. Anstis, B. Rogers, and J. Henry, "Interactions between simultaneous contrast and colored afterimages," *Vision Research*, pp. 899–911, 1978.
- [44] C. Chubb, G. Sperling, and J. Solomon, "Texture interactions determine perceived contrast," *Proc Natl Acad Sci*, 86, pp. 9631–9635, 1989.
- [45] R. Steinbrecher, "Bildverarbeitung in der praxis," *RST-Verlag. München-Wien-Oldenburg*, 2005.
- [46] B. Shneiderman, "The eyes have it: A task by data type taxonomy for information visualizations," in *IEEE Visual Languages*, 1996, pp. 336–343.
- [47] L. Shao, N. Silva, E. Eggeling, and T. Schreck, "Visual exploration of large scatter plot matrices by pattern recommendation based on eye tracking," in *Proceedings of the 2017 ACM Workshop on Exploratory Search and Interactive Data Analytics*. ACM, 2017, pp. 9–16.
- [48] D. Gordon, J.-H. Hanne, M. Berchtold, A. A. N. Shirehjini, and M. Beigl, "Towards collaborative group activity recognition using mobile devices," *Mobile Networks and Applications*, vol. 18, no. 3, pp. 326–340, 2013.