

Analyzing Business Process Changes Using Influence Analysis

Teemu Lehto^{1,2}, Markku Hinkka^{1,2}, and Jaakko Hollmén²

¹ QPR Software Plc, Finland

² Aalto University, School of Science, Department of Computer Science, Finland

Abstract. Real world business operations are continuously changing. Periodical business performance review sessions typically focus on monitoring changes in key performance indicator (KPI) measures. However, the detection and review of activity level changes in actual business processes is often based on subjective manual observations. This means that many changes are not detected in timely manner making the organization slower to adapt to changes. In this paper we present a systematic method for detecting business process changes for business review purposes based on transaction level data. Our method uses process mining principles and is based on our previously published influence analysis methodology. Unlike most process mining change detection algorithms which operate on case level our method analyzes changes in the individual event level. We show how case level data can be used to construct features to the event level. Our method detects changes in timely manner since there is no need to wait for the cases to be completed. We present two alternative ways, binary approach and continuous event-age approach, for dividing events into recent and old for business review purpose. We also demonstrate the method with data from a real-life case.

Keywords: process analysis, process improvement, change detection, concept drift, process mining, performance management, key performance indicator, root cause analysis, data mining, influence analysis, contribution

1 Introduction

The ability to detect changes is crucial for developing and improving agile business operations. Unwanted changes need to be mitigated quickly and desired changes need to be reinforced and shared as best practices. In this paper we present a systematic approach for analyzing business process data using process mining principles [18] and specifically our previously published influence analysis methodology [11], [12]. Our methodology is capable of detecting business process changes and describing for each change the important business relevant attributes of what changed, how big is the change, what may be the cause for the changes and what might be the effect and outcome of the change.

Our method is particularly useful for periodic business review situations which take place in most of the business organizations globally. During the business review, managers typically review the performance of business operations

using Key Performance Indicators (KPIs). One problem is that managers typically do not have an accurate fact-based understanding and analysis of what has changed during the review period. Instead they typically rely on subjective comments, views and suggestions biased by acute business challenges and crises. Using our method in this situation the managers easily see what has changed during the review period by comparing the new process mining data against data from previous business review periods. Our method will discover changes that take place very fast as well as more gradual changes that occur in the course of several years giving managers accurate data about changes and trends.

The rest of this paper is organized as follows: Section 2 introduces relevant background in process mining, concept drift and business process management. Section 3 presents our methodology for analyzing business process changes. Section 4 shows a real-life example of using the methodology on the loan application process followed by a section for Discussions and Summary.

2 Related work

This paper is based on our previously published influence analysis methodology which shows how the root causes can be identified for generic process related problems [11] and [12]. In this paper we discuss about the concept drift that occurs over the time and show how influence analysis can be used to discover changes. Data preparation for influence analysis is based on process mining methodologies [18] where data from ERP systems is transformed into event log format containing events with event attributes connected to cases with case attributes.

Handling concept drift in process mining has been discussed in detail in [2], [3] and [5]. These papers present that operational processes change and suggest three main problems to be studied: detection of change points, characterization of change and insight to the process evolution. This work is excellent for understanding how complete process executions have changed. However, during the business review situation the management is reviewing a fixed period of time and trying to identify as early signals as possible hinting how the processes might be changing at this very moment. In effect the change point is set to be the beginning of the review period and question is "show us the things that have changed after the start of review period as compared to the things that took place before the review period". As [2], [3] and [5] analyze complete cases they can be categorized as off-line analysis of changes. If cases take 6 months to complete the analysis results based on complete cases are at least 6 months old. In this paper we will present a method for on-line analysis of changes.

Concept drift in relation to machine learning has been studied a lot for example in [8], [15] and [19]. The objective of those studies is to increase the accuracy of predictions by utilizing machine learning algorithms that discover the changes in the process. Instead of making accurate predictions our method is tailored to discover and explain changes as part of the systematic periodical business review.

A novel Trace Clustering algorithm [10] presents an approach to analyze attribute data from events and cases in addition to the traditional business process data. The approach is based on Markov cluster (MCL) algorithm [7] for finding similar cases. Although the results look promising the challenge of this approach is that it uses complete cases and is thus more useful for off-line analysis than for periodical on-line analysis.

An approach more targeted for on-line business process drift detection is presented in [14]. It uses the concept of partial order runs to run statistical tests in order to find the exact point in time for the change. A somewhat similar method for concept-drift detection in event log streams has been studied in [1] which present a method for detecting actual concept-drift time and individual anomalies using histograms and clustering. However, these methods do not take into account the attribute data and are not aimed to provide insight to the business review question of what has changed during the current business review period in comparison to the operations before.

Since it is difficult to detect the changes by using only traditional statistical measures, an interesting set of visual analytics tools enabling interactive process analysis and process mining is presented in [4]. Plotting all events to a stacked area graph with absolute calendar time on horizontal axis this paper presents a visualization for detecting concept drift and changes in business process and case attribute data. Even though the presented visual analytics are useful they do not clearly provide a concrete answer to what has changed during the past review period. Presented visualization techniques also have challenges when the amount of case attributes is so large that all case attributes cannot be included in the visualizations at the same time.

Yet another approach to make business people aware of changes that require active intervention is presented in [17]. The method uses a sophisticated cost model for optimize the generation of alarms for business people. Challenge with this active intervention method is that it requires a lot of settings and detailed level knowledge about the importance of various process issues. These settings must be beforehand so that the algorithm can then suggest active intervention when needed. Our understanding from actual business operations is that this kind of settings and detailed information is not available or it is very difficult and expensive to maintain over the time. On the other, practically all organizations do have so kind of business reviews, so it is beneficial to present the discoveries as part of the business review meetings.

Summary of related work:

- Process mining and concept drift has been studied a lot.
- Most of the presented studies can be categorized as off-line analysis. They are related to detecting and analyzing changes based on completed cases.
- Limited tools exist for on-line analysis that could be used to compare fixed business period (like previous month, week, day, quarter or year) with past performance.

- Some methods are tailored for detecting process flow changes and some methods detect case attribute data changes, our approach can detect both changes and comparing them with a uniform scale for reporting purposes.
- Machine learning is mostly used for making predictions and not used so much for supporting business review analysis.

Our previously published influence analysis methodology shows how the root causes can be identified for generic process related problems [11]. In this paper we discuss about the concept drift that occurs over the time and show how influence analysis can be used to discover changes. As shown in [12] the influence analysis can be used as binary analysis or continuous analysis. In this paper we show the both approaches and discuss the benefits and challenges of each approach.

3 Analyzing Business Process Changes

Idea of this paper is to analyze the variance and deviations in business processes on individual transaction level in order to discover and explain changes that have taken place. Using the influence analysis methodology our objective is to find areas that have more variance compared to the average areas. Our method is based on the idea that if there is no changes in the operations then the data in ERP system for the review period is similar to the data for the previous periods. On the other hand, if there is changes, then the data will be different than in the past. In this chapter we refine and augment the previously presented influence analysis steps.

3.1 Identify the relevant business process and define the case

Our approach detects changes from one business process at a time. A large organization with multiple processes needs to run the analysis separately for each business process to detect the changes in all business operations. Typically, the business reviews are based on consolidated data, for example a dashboard report can contain several Key Performance Indicators (KPI). The ERP system in large organization can easily contain 1 billion new database level transactions (ie. database rows) per month. If the review is based on 10 KPIs with 100 consolidated drill-down measures each, then then we could say that we use 1 000 out of 1 billion, i.e. 0.0001% of the available data for making findings in business review. However, if we set-up 10 process mining models that contain an average of 1 million transaction level events per business review period of 1 month, then we use 10 000 000 out of 1 billion transaction, i.e. 1% of total data for supporting the business review. In this example we would use 10 000 times more data for supporting business review compared to the previous situation with only the KPI data. Based on these ideas we propose organizations to analyze as many processes as possible and include as many events as possible in order to get a wide view into the changes in business operations. We also suggest to the data to be prepared so that it covers as long as possible end-to-end processes in order to facilitate identifying root causes for the discovered process changes.

3.2 Collect event and case attribute information

In this paper we propose the idea of collecting and analyzing the data on event level. In practice this means that data is not consolidated from individual cases to the event level but rather the event level data is used as it is and case level data is copied to each event.

Since our goal is to create new insight for business people, we encourage to use all possible event and case attribute data that is available. Generation of suitable log files with extended attributes is well studied area [13]. There also exists methods for enriching and aggregating event logs to case logs [16]. We summarize a key method for constructing event and case logs for event level with following steps:

- Starting point is the event which is typically a result of one business transaction, for example the relational database table whose rows correspond to transactions E .
- Use the properties of each event e_i in E as event attributes.
- Identify for each event e_i a corresponding case c_i and copy all case attributes as event attributes.
- Form an event path for each event e_i by concatenating the event type names of events linked to the same case sorted from oldest to newest. Event path can be expressed in many ways, for example as single event attribute containing the full path or as several attributes containing single predecessor values.
- Identify for each event e_i in E , a set of objects O_i such that every object o_{ij} in O_i is linked to e_i . Use the properties of objects o_{ij} as additional event attributes for events e_i .
- Further augment every event e_i by adding external events that have occurred at the same time. Examples of external events include *machinebreak*, *week-end*, *strike*, *queuetoolong* and *badweather*. Adding external events makes it possible to use this same approach for detecting changes in external circumstances as well.

3.3 Create new categorization dimensions

In this paper we will present new categorization dimensions specifically useful for the event level analysis.

The purpose of this step is to create new categorization dimensions for the cases. All these dimensions will then be used for detecting the changes, so the more dimensions we have the larger the coverage of our analysis will be. Table 1 shows examples of dimensions that can be created for every event log based on the log itself.

Categorization Dimensions form the bases for our Influence Analysis when discovering the business process changes. Without any Categorization Dimensions we could only make a discovery that in the review period there is more, less or equal amount of transactions compared to the comparison period. Having the *Event types* dimension enables us to detect changes in the amounts of particular

Table 1. Categorization Dimension for analyzing business process changes

Dimension	Amount	Dimension Identified	Value
Event types	One	"EventType"	Event type name
Case attributes	One for each case attribute	"CA1:" + Case attribute name	Case attribute value
Case attributes by event type	One for each combination of event type and case attribute	"CA2:" + Event type name + Case attribute name	Case attribute value
Event attributes	One for each event attribute	"EA1:" + Event attribute name	Event attribute value
Event attributes by event type	One for each combination of event type and event attribute	"EA2:" + Event type name + Event attribute name	Event attribute value
Predecessor change	One	"Predecessor1"	Event type name + Predecessor event type name
Predecessor change by event type	One for each event type	"Predecessor2:" + Event type name	Predecessor event type name
Process path	One	"Path1"	Full event type path including the event itself
Process path by event type	One for each event type	"Path2:" + Event type name	Full predecessor event type path without the event itself

event types, for example we could find out that there was more *On-time Delivery* kind of events and less *Customer Complaint* kind of events during the review period as compared to the comparison period. The *Case attributes* dimension in Table 1 is even more interesting since it allows us to detect changes in the background data of active cases, for example in November there was more cases from *Region* with value *Finland* compared to previous 6 months. Case attribute changes may be analyzed as specific to certain event types using the event type name in the dimension identifier or as global case attributes without the event type name, or both. In the similar manner all the dimensions in Table 1 can be added to the analysis. Total amount of dimensions, ie. feature vectors for case analysis can easily grow large if all the dimensions are taken into use. For example with 30 event types, 50 case attributes and 10 event attributes the total amount of dimensions from Table 1 would be $1 + 50 + 1500 + 10 + 300 + 1 + 30 + 1 + 30 = 1923$. In order to handle this curse of dimensionality we suggest three solutions in real life business review cases. 1. Use Influence Analysis as described in this paper since it in effect only shows those dimensions where the changes are largest. 2. Select only those dimensions that seem to be important for review purposes. Benefit of this is that business people are not overloaded with data that they cannot understand. Problem is that some dimensions may at some point of time contain very useful information about process changes and in case that dimension is taken away then naturally it is not reported to business people, so the change may be left unnoticed. 3. Use advanced feature selection algorithms as presented in [9].

3.4 Define data for review and comparison periods

The original Influence Analysis that is presented in [11] uses a binary classification that specifies each case as either problematic or successful. In this paper we alter this classification in three ways. First, instead of analyzing cases we run the analysis on the transaction/event level. Second, instead of specifying cases as problematic or successful we specify events as belonging to the review period or as belonging to the reference period. Third, in addition to using only the Binary approach as presented in [11] we also use an additional Continuous approach as presented in [12].

Binary approach Figure 1 shows how the analysis data is divided into four different periods in order to identify process changes




Fig. 1. Business review periods using fixed periods

- **Review period (c).** All events occurring during this period are taken into consideration when discovering changes. If these events, their quantities and event attributes are similar to the comparison period events, then there is no big changes. In real life something is always changing so our target is to detect the most important changes. Example review period could be one month like November.
- **Comparison period (b).** All events occurring during this period are also taken into consideration when discovering changes. Typical setup would be to use the 6 months prior to the review period as comparison period so as an example the review period could be May to October. If a business is very seasonal then one option is to use year-to-year comparison period so that the Comparison period could be same month last year.
- **History period (a).** The events that occurred during the History period are not used as separate events for the review and/or comparison sets. However, these events will be used for constructing the business process path (trace) for each event in both review and comparison periods. For example: Review period and comparison periods both contain events *OnTimeDeliveryFailed*.

In order to understand the root causes for these failures we want to include a full process path for each *OntimeDeliveryFailed* event so that we would see the difference of how cases are ending up to the *OntimeDeliveryFailed* process step. For this reason we need to use the predecessor events also from the History period when constructing this path for review and comparison period events.

- **Most Recent Data period (d)**. All events occurring after the review period are excluded completely from the analysis. As an example, the typical business review for November is done in early December when the data from November is complete. We do not want to use the recent data from December as it becomes available because that data will be analyzed in next month business review. Naturally it is possible to set-up the review period as *last 30 days* so that all recent data from last 30 days is regarding as the review data and the Most Recent Data period would then be empty.

Benefit of using a binary approach is that it is typically easy to use for business people who have prior knowledge about the operations for both review period and comparison period. Since the history period has no weight in the analysis, they can fully ignore exceptional transactions, projects and cases that have been completed during history period. Binary approach also guarantees that all discovered changes indeed have taken place exactly during the well-defined review period.

Continuous approach Another approach for defining review period and comparison period is to use a continuous measure to determine which period any particular event belongs. Benefits of using Continuous approach include: 1. If the analysis is done by an analyst as part of a one-time process analysis then there is no continuous review process and it would be easier to just let the system divide event into review and comparison periods. 2. Continuous approach give the analyst more freedom for setting weights for individual events, for example events occurring during past 6 months may have a certain weights and events occurring 6-12 months ago could have even higher weight. One straightforward way to split events into Review and Comparison periods could be: Use half of the available data for History period. This ensures that most of the events have proper history and we should not discover changes that result from predecessor events not being included in the dataset. The other half could then again be used as 50% Comparison period and 50% Review period. This approach gives a nice 50% ratio so that for each dimension and analysis finding there should be an equal amount of that in both Comparison and Review data. If we want to specifically detect changes that have occurred over the time then we could consider giving the oldest and newest cases more weight than for the events that take place when Comparison period ends and Review period starts, since we are not really reviewing a specific calendar month in business review style. One way to achieve this is to calculate an *Age* attribute for each event. *Age* would be equal to the elapsed time between the actual time of the event and current time. We then use the *Age* attribute as the lead time measure for continuous

contribution formulas as defined in Table 8. in [12]. In practice the continuous approach using *Age* gives the largest weight for the events that take place in the beginning of the comparison period and in the end of the review period. Events that take place in the middle have very small weight so the analysis tells how changes have taken place during the whole period. This is particularly good approach for analyzing small gradual changes that occur over a longer period of time.

3.5 Detecting changes using Influence Analysis

The Influence Analysis has been presented in [11] and [12] for analyzing root causes for process mining cases. In this paper we use the same formulas with the exception that instead of using process mining cases we do the analysis on process mining event level. Another change is that the concept of comparing problematic cases with normal cases is replaced with the definition of comparing review period data with comparison period data in order to detect changes that have occurred in the time dimension. To reflect these changes the Influence Analysis definitions and equations are presented as follows:

Definition 1. Let $E = \{e_1, \dots, e_N\}$ be a set of events in the process analysis. Each event represents a single transaction that happened at a particular time and is related to single business process instance.

Definition 2. Let $E_a = \{e_{a_1}, \dots, e_{a_N}\}$ be a set of events sharing a same characteristics as defined in segment A. $E_a \subseteq E$. These characteristics are derived from different values for the Categorization Dimensions.

Definition 3. Let $E_p = \{e_{p_1}, \dots, e_{p_N}\}$ be a set of Review Period events. $E_p \subseteq E$ to be used in Binary Approach.

Definition 4. Let d_{e_j} be the age of the event e_j to be used in Continuous Approach.

Definition 5. Let pr be the problem size in the original situation before any business process improvement. According to the terminology in [12] for Binary Contribution (BiCo) the problem size is equal to the total number of events in review period, and for Continuous Contribution (CoCo) it is the sum of distance between Age and average Age for each event separately. The practical meaning of problem size is to define the number of events that belong to the review period.

Binary Change Window In Binary Change Window analysis each event is either included in the set of Review Period events or the set of Comparison period events. Note that events belonging to History period and Most Recent Data period have already been excluded from the analysis.

Converting the formulas from Table 8 in [12] from cases to events we get: Total problem size for BiCo is the number of problematic events $pr_{BinaryChange} =$

$|E_p| = \sum_{e_j \in E_p} 1$ as shown in equation 1. Average function for BiCo is the average problem density $\rho = \frac{|E_p|}{|E|} = \frac{\sum_{e_j \in E_p} 1}{\sum_{e_j \in E} 1}$ as shown in equation 2. Similarly the average problem density for BiCo of subset E_a is $\rho_a = \frac{|E_p \cap E_a|}{|E_a|} = \frac{\sum_{e_j \in (E_p \cap E_a)} 1}{\sum_{e_j \in E_a} 1}$ as shown in equation 3. Finally the *Contribution%* for BiCo of subset E_a is $con_{BiCo} = \frac{(\rho_a - \rho) \sum_{e_j \in E_a} 1}{pr_{BiCo}} = \frac{|E_p \cap E_a|}{|E_p|} - \frac{|E_a|}{|E|} = \frac{\sum_{e_j \in (E_p \cap E_a)} 1}{\sum_{e_j \in E_p} 1} - \frac{\sum_{e_j \in E_a} 1}{\sum_{e_j \in E} 1}$ as shown in equation 4 in Table 8. in [12]

Continuous Change Window For Continuous Change Window the formulas from Table 8 in [12] are written as: Total problem size for CoCo is the the sum of distance between *Age* and average *Age* for each event separately $pr_{ContinuousChange} = \frac{1}{2} \sum_{e_j \in E} |d_{e_j} - \bar{d}|$ as shown in equation 9. Average function

for CoCo is the average age $\rho = \bar{d} = \frac{\sum_{e_j \in E} d_{e_j}}{\sum_{e_j \in E} 1}$ as shown in equation 10. Simi-

larly the average problem density for CoCo of subset E_a is $\rho_a = \bar{d}_a = \frac{\sum_{e_j \in E_a} d_{e_j}}{\sum_{e_j \in E_a} 1}$

as shown in equation 11. Finally the *Contribution%* for CoCo of subset E_a is $con_{CoCo} = \frac{(d_a - \bar{d}) \sum_{e_j \in E_a} 1}{pr_{CoCo}}$ as shown in equation 12 in Table 8. in [12]

4 Case Study: BPI Challenge 2017 Dataset

In this section we show a real life example of using the presented methodology on the loan applications process data from a Dutch Financial Institute. The data is publicly available as BPI Challenge 2017 Dataset [6] and contains 31 509 cases and a total of 1 202 267 events. The original dataset has been prepared in a way that it contained full cases. Since the purpose of our analysis is to show business process changes within a continuous monitoring situation, we have taken the following steps in preparing a setup for business review analysis.

- November 2016 is selected as the business review month. The data contains 104 946 events whose time stamp belongs to November, so the Review period will consist of these events.
- All events occurring later than November belong to *Most Recent Data* period and are excluded from analysis, consisting of 120 568 events. These events would naturally be included in later business review periods.
- Comparison period has been chosen to include the 6 months before review period, ie. from May 2016 to October 2016. Comparison period contains 647 406 events.

- History period contains 329 347 events occurring before May 2016. These events are used for constructing the process path and predecessor dimensions for History and Review events, but they are not included in the analysis as actual events belonging to either Comparison or Review sets.
- Total amount of events in the analysis is 752 352 consisting of 104 946 events for Review period (13.95% of all events) and 647 406 events for Comparison period (86.05% of all events).

Total		752352	104946	647406	13.95%	
Dimension	Value	Events	Review	Comparison	Density %	Contribution %
org:resource	User_133	7995	3728	4267	46.63%	2.49%
org:resource	User_65	3015	2033	982	67.43%	1.54%
org:resource	User_67	5812	2326	3486	40.02%	1.44%
org:resource	User_131	4675	2149	2526	45.97%	1.43%
org:resource	User_100	12069	2787	9282	23.09%	1.05%
org:resource	User_66	2863	1481	1382	51.73%	1.03%
lifecycle:transition	ate_abort	54945	8686	46259	15.81%	0.97%
org:resource	User_78	4000	1556	2444	38.90%	0.95%
org:resource	User_3	15379	3133	12246	20.37%	0.94%
Action	Deleted	92748	13854	78894	14.94%	0.87%
org:resource	User_134	986	986	0	100.00%	0.81%
org:resource	User_69	941	941	0	100.00%	0.77%
lifecycle:transition	suspend	134262	17884	116278	13.39%	-0.71%
Event_Type	W_Call after offers - suspend	40235	4865	35370	12.09%	-0.71%
Predecessor	[W_Validate application - resume] - [W_Validate application - suspend]	18465	1780	16685	9.64%	-0.76%
Event_Type	W_Validate application - resume	18603	1792	16811	9.63%	-0.77%
org:resource	User_45	6104	0	6104	0.00%	-0.81%
Action	Obtained	158671	21243	137428	13.39%	-0.85%
org:resource	User_112	7610	76	7534	1.00%	-0.94%
lifecycle:transition	resume	77702	9700	68002	12.48%	-1.09%
org:resource	User_60	9144	0	9144	0.00%	-1.22%
org:resource	User_116	9506	0	9506	0.00%	-1.26%

Fig. 2. Changes for BPI Challenge 2017 Applications. Changes for November 2016 compared to previous 6 months

Results using Binary Change Window Figure 2. shows the top-10 most important changes in the business process and related data for the review period. We see that there is a lot of User changes in event attribute *org:resource* so it seems like employees are changing a lot. *User_133* has conducted 3 728 events during the review period and only 4 267 in the comparison period so 47% of his events have taken place during the review period, which makes him to be the biggest increase in volume taken into account the size of his total activity (7 995 events) and the difference 33% from average 13.95% of activities which should take place in review period.

Figure 3 shows the changes in only the event type dimension. The event types *W_Call incomplete files - suspend* and *W_Call after offers - ate_abort* occur more often during the Review period whereas the event types *W_Validate application - resume* and *W_Call after offers - suspend* occur less often during the Review period than in Comparison period.

Considering the business process related changes where the order of activities is changing we limit the analysis to only the predecessor changes where a certain event takes place immediately after another event as shown in Figure 4. During the review period the control flow transition from event *W_Call after offers -*

Total		752352	104946	647406	13.95%	
Dimension	Value	Events	Review	Comparison	Density %	Contribution %
Event Type	W_Call incomplete files - suspend	38342	5926	32416	15.46%	0.55%
Event Type	W_Call after offers - ate_abort	19842	3247	16595	16.36%	0.46%
Event Type	W_Call after offers - schedule	20422	3293	17129	16.12%	0.42%
Event Type	W_Call incomplete files - resume	24829	3761	21068	15.15%	0.28%
Event Type	W_Validate application - ate_abort	15269	2412	12857	15.80%	0.27%
Event Type	W_Call incomplete files - ate_abort	13102	2078	11024	15.86%	0.24%
Event Type	A_Incomplete - complete	14892	2325	12567	15.61%	0.24%
Event Type	W_Call incomplete files - schedule	14892	2325	12567	15.61%	0.24%
Event Type	W_Call incomplete files - start	14982	2333	12649	15.57%	0.23%
Event Type	W_Validate application - schedule	24774	3621	21153	14.62%	0.16%
Event Type	O_Created - complete	27165	3700	23465	13.62%	-0.09%
Event Type	A_Accepted - complete	19880	2683	17197	13.50%	-0.09%
Event Type	O_Sent (mail and online) - complete	25115	3407	21708	13.57%	-0.09%
Event Type	A_Concept - complete	19906	2678	17228	13.45%	-0.09%
Event Type	W_Complete application - schedule	19917	2679	17238	13.45%	-0.09%
Event Type	A_Create Application - complete	19906	2676	17230	13.44%	-0.10%
Event Type	W_Validate application - suspend	34439	4198	30241	12.19%	-0.58%
Event Type	W_Call after offers - resume	20035	2100	17935	10.48%	-0.66%
Event Type	W_Call after offers - suspend	40235	4865	35370	12.09%	-0.71%
Event Type	W_Validate application - resume	18603	1792	16811	9.63%	-0.77%

Fig. 3. Changes in Event Types for BPI Challenge 2017 Applications. Changes for November 2016 compared to previous 6 months

ate_abort to *W_Call after offers - schedule* occurs more often and the transition from event type *W_Validate application - suspend* to *W_Validate application - resume* less often than during the comparison period.

Results using Continuous Change Window Figure 5 shows the continuous approach versions of the same overall analysis as the previous binary approach Fig 2. The continuous analysis is configured to discover differences in events from mid-August to November with events from May to mid-August. The results of Continuous analysis are the result of giving each event a weight based on the *Age* of the event. The bigger the distance from average *Age* the bigger the weight of that particular event. In our example data the average *Age* of events is 103.97 days and the distance from average *Age* is then between +103.97 days and -103.97 days. An event taking place in either end (oldest and youngest) have about 100 times the weight compared to an event taking place 1 day after of before the average *Age*. Similarly an event that takes place exactly in the average *Age* has zero weight as it does not belong either to the old period or new period. Continuous analysis results are well in line with the binary approach results and differences are based on the different setup of Review and Comparison periods and a different weighting approach as described. For example *User_133* as the new value for *org:resource* is still the biggest change and both *org:resources User_67* and *User_65* are included in top-10 changes for both Binary and Continuous approaches as is visible in Figures 2 and 5.

5 Summary and Conclusions

In this paper we have presented a method for detecting business process changes. The method is based on our previously published Influence Analysis and it uses

Total		752352	104946	647406	13.95%	
Dimension	Value	Events	Review	Comparison	Density %	Contribution %
Predecessor	[W_Call after offers - schedule] - [W_Call after offers - ate_abort]	625	617	8	98.72%	0.58%
Predecessor	[W_Call after offers - ate_abort] - [W_Call after offers - suspend]	11302	1923	9379	17.01%	0.33%
Predecessor	[W_Call incomplete files - suspend] - [W_Call incomplete files - resume]	22739	3496	19243	15.37%	0.31%
Predecessor	[W_Call incomplete files - resume] - [W_Call incomplete files - suspend]	24457	3713	20744	15.18%	0.29%
Predecessor	[W_Call incomplete files - schedule] - [A_Incomplete - complete]	14811	2321	12490	15.67%	0.24%
Predecessor	[W_Call incomplete files - start] - [W_Call incomplete files - schedule]	14850	2323	12527	15.64%	0.24%
Predecessor	[A_Incomplete - complete] - [W_Validate application - suspend]	7815	1324	6491	16.94%	0.22%
Predecessor	[W_Validate application - ate_abort] - [W_Call incomplete files - start]	8009	1344	6665	16.78%	0.22%
Predecessor	[W_Call incomplete files - suspend] - [W_Validate application - ate_abort]	7886	1324	6562	16.79%	0.21%
Predecessor	[W_Validate application - start] - [W_Validate application - schedule]	24713	3617	21096	14.64%	0.16%
Predecessor	[O_Create Offer - complete] - [A_Accepted - complete]	19013	2572	16441	13.53%	-0.08%
Predecessor	[A_Create Application - complete] - START	12983	1728	11255	13.31%	-0.08%
Predecessor	[W_Call after offers - start] - [W_Call after offers - schedule]	19729	2668	17061	13.52%	-0.08%
Predecessor	[O_Created - complete] - [O_Create Offer - complete]	27165	3700	23465	13.62%	-0.09%
Predecessor	[O_Returned - complete] - [A_Validate - complete]	10736	1392	9344	12.97%	-0.10%
Predecessor	[A_Incomplete - complete] - [W_Validate application - resume]	3565	330	3235	9.26%	-0.16%
Predecessor	[W_Validate application - suspend] - [W_Validate application - resume]	12174	1167	11007	9.59%	-0.51%
Predecessor	[W_Call after offers - resume] - [W_Call after offers - suspend]	19010	1997	17013	10.50%	-0.62%
Predecessor	[W_Call after offers - suspend] - [W_Call after offers - resume]	19914	2094	17820	10.52%	-0.65%
Predecessor	[W_Validate application - resume] - [W_Validate application - suspend]	18465	1780	16685	9.64%	-0.76%

Fig. 4. Changes in Predecessors for BPI Challenge 2017 Applications. Changes for November 2016 compared to previous 6 months

the conformance measure to scale different types of changes in order to present various kind of changes sorted by their significance. One novel idea in this paper is to use Influence Analysis on the event level instead of business process case level. Operating on the event level makes it possible to use all available data from the review period for detecting changes instead of having to wait until a business process case is completed. Summary of our key experiences when using the analysis with real-life cases include:

- Changes in business operations can be analyzed by comparing Review period events to the Comparison period events using influence analysis.
- Business people quickly learn to read the influence analysis results on monthly bases. Detecting the top-10 or top-50 changes gives a very good starting point for a more detailed periodical analysis of business process changes.
- Detected changes may also be a result of incorrect data integration between process mining system and the actual ERP system(s). The method presented in this paper serves as an easy-to-use quality assurance tool for evaluating the correctness of periodical data loads and integrations. For example, after each monthly, weekly or daily data import the system can notify business analyst about the top-10 changes so that a potential technical integration problem is detected and corrected before other business users spend a lot of time in analyzing incorrect data.

Acknowledgements. We thank QPR Software Plc for the practical experiences from a wide variety of customer cases and for funding our research. The algorithms presented in this paper have been implemented in a commercial process mining tool QPR ProcessAnalyzer.

References

1. Barbon Junior, S., Tavares, G. M., da Costa, V. G. T., Ceravolo, P., & Damiani, E. (2018, April). A Framework for Human-in-the-loop Monitoring of Concept-drift

Total		752352	103.97	
Dimension	Value	Events	Avg Age	Contribution %
org:resource	User_133	7995	33.88	-2.89 %
org:resource	User_67	5812	36.44	-2.02 %
lifecycle:transition	ate_abort	54945	97.63	-1.80 %
org:resource	User_131	4675	34.41	-1.68 %
Action	statechange	226453	102.67	-1.51 %
org:resource	User_123	18244	87.92	-1.51 %
Action	Deleted	92748	100.90	-1.47 %
org:resource	User_65	3015	24.07	-1.24 %
EventOrigin	Application	151446	102.41	-1.22 %
org:resource	User_56	5578	64.83	-1.13 %
Action	Released	134262	106.38	1.67 %
lifecycle:transition	suspend	134262	106.38	1.67 %
org:resource	User_87	12652	130.91	1.76 %
org:resource	User_117	4251	184.97	1.78 %
Event Type	W_Validate application - suspend	34439	114.58	1.89 %
Action	Obtained	158671	106.69	2.22 %
org:resource	User_116	9506	151.05	2.31 %
Predecessor	[W_Validate application - resume] - [W_Validate application - suspend]	18465	130.28	2.51 %
Event Type	W_Validate application - resume	18603	130.25	2.52 %
lifecycle:transition	resume	77702	111.02	2.83 %

Fig. 5. Changes for BPI Challenge 2017 Applications. Changes for November 2016 compared to previous 6 months using continuous comparison approach

- Detection in Event Log Stream. The Web Conference 2018 (pp. 319-326).
- Bose, R. J. C., van der Aalst, W. M., Iobait, I., & Pechenizkiy, M. (2011, June). Handling concept drift in process mining. In International Conference on Advanced Information Systems Engineering (pp. 391-405). Springer, Berlin, Heidelberg.
 - Bose, R. J. C., Van Der Aalst, W. M., Zliobaite, I., & Pechenizkiy, M. (2014). Dealing with concept drifts in process mining. IEEE transactions on neural networks and learning systems, 25(1), 154-171.
 - Buijs, J. C. A. M., & van der Aalst, W. M. P. (2017). Enabling interactive process analysis with process mining and visual analytics. BIOSTEC 2017, 573.
 - Carmona, J., & Gavalda, R. (2012, October). Online techniques for dealing with concept drift in process mining. In International Symposium on Intelligent Data Analysis (pp. 90-102). Springer, Berlin, Heidelberg.
 - van Dongen, B.F. (Boudewijn) (2017) BPI Challenge 2017. Eindhoven University of Technology. Dataset. <https://doi.org/10.4121/uuid:5f3067df-f10b-45da-b98b-86ae4c7a310b>
 - Van Dongen, S. (2000). A Cluster Algorithm for Graphs. Technical report, National Research Institute for Mathematics and Computer Science in the Netherlands.
 - Žliobaite, I., Pechenizkiy, M., & Gama, J. (2016). An overview of concept drift applications. In Big data analysis: new algorithms for a new society (pp. 91-114). Springer, Cham.
 - Hinkka, M., Lehto, T., Heljanko, K., & Jung, A. (2017, September). Structural Feature Selection for Event Logs. In International Conference on Business Process Management (pp. 20-35). Springer, Cham.
 - Hompes, B., Buijs, J. C., van der Aalst, W. M., Dixit, P., & Buurman, H. (2015). Detecting Change in Processes Using Comparative Trace Clustering. In SIMPDA (pp. 95-108).
 - Lehto, T., Hinkka, M., & Hollmén, J. (2016). "Focusing Business Improvements Using Process Mining Based Influence Analysis." International Conference on Business Process Management. Springer International Publishing.

12. Lehto, T., Hinkka, M., & Hollmén, J. (2017). Focusing Business Process Lead Time Improvements Using Influence Analysis. In International Symposium on Data-Driven Process Discovery and Analysis. Rheinisch-Westfaelische Technische Hochschule Aachen.
13. De Leoni, Massimiliano, Wil MP van der Aalst, & Marcus Dees. (2015). "A general process mining framework for correlating, predicting and clustering dynamic behavior based on event logs." *Information Systems*, <http://dx.doi.org/10.1016/j.is.2015.07.003>
14. Maaradji, A., Dumas, M., La Rosa, M., & Ostovar, A. (2015, August). Fast and accurate business process drift detection. In International Conference on Business Process Management (pp. 406-422). Springer, Cham.
15. Maisenbacher, M., & Weidlich, M. (2017, June). Handling concept drift in predictive process monitoring. In Services Computing (SCC), 2017 IEEE International Conference on (pp. 1-8). IEEE.
16. Suriadi, Suriadi, Ouyang, Chun, van der Aalst, Wil M.P., & ter Hofstede, Arthur (2013) Root cause analysis with enriched process logs. *Lecture Notes in Business Information Processing [Business Process Management Workshops: BPM 2012 International Work-shops Revised Papers]*, 132, pp. 174-186.
17. Teinemaa, I., Tax, N., de Leoni, M., Dumas, M., & Maggi, F. M. (2018, September). Alarm-based prescriptive process monitoring. In International Conference on Business Process Management (pp. 91-107). Springer, Cham.
18. Van Der Aalst, Wil, et al. "Process mining manifesto." *Business process management workshops*. Springer Berlin Heidelberg, 2012.
19. Webb, G. I., Hyde, R., Cao, H., Nguyen, H. L., & Petitjean, F. (2016). Characterizing concept drift. *Data Mining and Knowledge Discovery*, 30(4), 964-994.