

Method of Determining the Importance Factor of IT Security Projects Investment Attractiveness in Critical Infrastructures

Stanislav Yarotskiy¹, Viktoriia Sydorenko¹, Anzhela Lelechenko¹, Olena Kolisnyk¹, and Artem Polozhentsev¹

¹ National Aviation University, 1, Liubomyra Huzara ave., Kyiv, 03058, Ukraine

Abstract

The consistent implementation of the policy of attracting direct foreign investments to the development of post-war Ukraine urgently requires the use of modern systems and IT for expert research of potential objects of these investments. The more indicators and characteristics are applied, the more objective the conclusion will be regarding the degree of investment attractiveness of a specific object of expertise. It is substantiated that the specified assessment of the investment attractiveness degree of the object of examination is obtained using the multiplicative function of aggregation, which takes into account the normalized Coefficients of Importance (CI) of both the relevant features of investment attractiveness and indicators of the degree of their expressiveness in a specific object. From the comparative analysis of these methods, it was determined that the mathematical method of setting priorities is more acceptable for research purposes. The paper presents a method for determining the CI of the investment attractiveness of IT-security projects in critical infrastructures, which, due to the synthesis of the method and procedures for calculating the total value of the value and comparing it with the established criterion of importance, makes it possible to determine the optimal iteration of the method and ensure both the nonlinearity of the obtained CI and acceptable accuracy of calculations. During its implementation, it was substantiated that the results of the second iteration are more acceptable, and the first ten (55.55%) in terms of the level of importance of features of the investment attractiveness of the examination objects provide a total contribution to the overall significance that exceeds the established criterion of 0.9.

Keywords

IT security, project, informatization, critical infrastructure, importance, coefficients of importance, investment attractiveness, examination, method of setting priorities.

1. Introduction

The attraction of foreign direct investments for the development of post-war Ukraine requires a comprehensive and systematic information analysis of the investment objects. Today the development of IT projects and IT-security projects aimed at the creation, development, integration, and support of information and communication systems, networks, resources,

and information and communication technologies, which are implemented within the framework of the National Informatization Program and provide for additional funding, is gaining in importance [1–3]. The greater the number of indicators and characteristics employed, the more objective the assessment of the Investment Attractiveness (IA) of a particular project or Object Of Expertise (OE) becomes, particularly in the realm of informatization. Therefore, the solution of a

CPITS-2023-II: Cybersecurity Providing in Information and Telecommunication Systems, October 26, 2023, Kyiv, Ukraine

EMAIL: sv@npp.nau.edu.ua (S. Yarotskiy); v.sydorenko@ukr.net (V. Sydorenko); lelechangel@ukr.net (A. Lelechenko);

olena.kolisnyk@npp.nau.edu.ua (O. Kolisnyk); artem.polozhencev@gmail.com (A. Polozhentsev)

ORCID: 0000-0003-3934-4647 (S. Yarotskiy); 0000-0002-5910-0837 (V. Sydorenko); 0000-0002-0850-3724 (A. Lelechenko); 0000-0003-2955-1319 (O. Kolisnyk); 0000-0003-0139-0752 (A. Polozhentsev)



© 2023 Copyright for this paper by its authors.
Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

CEUR Workshop Proceedings (CEUR-WS.org)

multi-criteria Decision Making (DM) problem is involved, for which appropriate methods of system analysis and DM theory should be applied [4–6], which, according to research [7], can be represented as follows:

$$\forall OE_k, k = \overline{1, K} : \quad \varphi_{CPI\Pi OE_{opt.}} = \max_k \left(\frac{\sqrt[q]{\prod_{i=1}^q \prod_{j=1}^L \varphi_k(PI\Pi_i, CB_{ijk})}}{\sqrt[n-q]{\prod_{i=q+1}^{n-q} \prod_{j=1}^L \varphi_k(PI\Pi_i, CB_{ijk})}} \right), \quad (1)$$

$$T^M(CB PIP) = \text{very high} + \text{high} + \text{medium (normal)} + \text{low} + \text{very low} = R_{CB PIP}^{vH} + R_{CB PIP}^H + R_{CB PIP}^C + R_{CB PIP}^L + R_{CB PIP}^{vL}, \quad (2)$$

where “+” is a symbol for the logical combination of individual terms (DS peculiarities of investment attractiveness

$$R_{CB PIP}^{vH} \text{ f } R_{CB PIP}^H \text{ f } R_{CB PIP}^C \text{ f } R_{CB PIP}^L \text{ f } R_{CB PIP}^{vL}. \quad (3)$$

It should also be noted that the numerator in (1) aggregates the PIP OE indicators, whose value should be increased, and the denominator, on the contrary, should be decreased. And if we assign normalized “weighting” factors to the CPIP and DS CPIP indicators (Fig. 1):

$$\begin{cases} PI\Pi_i \Rightarrow \alpha_i : 0 \leq \alpha_i \leq 1, \quad \sum_{i=1}^n \alpha_i = 1, \\ CB_{ij} \Rightarrow \alpha_{ij} : 0 \leq \alpha_{ij} \leq 1, \quad \sum_{i=1}^L \alpha_{ij} = 1, \end{cases} \quad (4)$$

then (1) turns into the following:

$$\forall OE_k, k = \overline{1, K} : \quad \varphi_{CPI\Pi OE_{opt.}} = \max_k \left(\frac{\sqrt[q]{\prod_{i=1}^q \prod_{j=1}^L \sqrt{\alpha_i \cdot \alpha_{ijk}}}}{\sqrt[n-q]{\prod_{i=q+1}^{n-q} \prod_{j=1}^L \sqrt{\alpha_i \cdot \alpha_{ijk}}}} \right), \quad (5)$$

where α_{ijk} is the normalized Coefficient of the Importance (CI) of the DS of the i^{th} CPIP in OE_k .

Characteristic features of OE investment attractiveness




Figure 1: General scheme of installation of normalized CI PIP OE

where $\varphi_k(PI\Pi_i, CB_{ijk})$ is the aggregate function of IA of the k^{th} studied OE (OE_k) according to the i^{th} characteristic feature of IA used in the process of evaluation (Table 1); DS_{ijk} is an indicator of the Degree of Severity (DS) of the i^{th} Characteristic Peculiarities of Investment Attractiveness (CPIP) in the k^{th} studied OE, determined by a special scale:

(PIP— PIP_i) linguistic assessments) into a scale, the priority of which is clear:

The introduction of the CI and the transition from (1) to (5) is important and relevant as, on the one hand, the knowledge of the normalizing factors is used in forecasting and planning, project analysis, operational management, risk assessment in ergonomic systems, product quality, etc. [4, 8–10].

2. Analysis of Modern Approaches and Problem Statement

The problems of CI (weight, significance, attractiveness) determination are the subject of many modern scientific studies [4, 8–12], the results of which are used:

- In the decision-making theory for dividing criteria into groups and building preference relations.
- To determine lexical and graphical ordering.
- In solving problems with homogeneous equivalent criteria by the method of generalized criterion and construction of decisive rules.
- In pattern recognition, for building classification algorithms, the so-called “voting” algorithms/calculation of scores, etc.

The main purpose of CI is to compare different values, qualities, criteria, properties, components, etc. in a single comprehensive measure of these

values, properties, criteria, etc. A strict definition of the weighting coefficients used in the CI theory is also given within the expected or cardinal theory of utility [11–13].

In the context of this study, it is necessary to

establish the weighting factors for PIP OE (Table 1) and DS CIP OE indicators (see (2)), which usually occur according to the scheme shown in Fig. 1.

Table 1

Characteristic of peculiarities of investment attractiveness of the OE

No.	PIP_i	The meaning of the feature	PIP_i	The meaning of the feature
1	PIP_1	Business co-owners	PIP_{10}	Payback period
2	PIP_2	Prospects for the OE	PIP_{11}	Legal security
3	PIP_3	Risks	PIP_{12}	Competitive environment
4	PIP_4	Plan for returning funds to the investor	PIP_{13}	Management, personnel
5	PIP_5	Social and economic effects	PIP_{14}	Marketing
6	PIP_6	Investment plan	PIP_{15}	Guarantees of return of funds to the investor
7	PIP_7	Cost of the offer	PIP_{16}	Life cycle
8	PIP_8	Consumer market	PIP_{17}	Contractual relations
9	PIP_9	The stage of implementation	PIP_{18}	Net profit

Based on the analysis of papers [4, 13], it can be noted that it is more convenient to find the desired weighting coefficients based on the systems of preferences of the specialists on the set of the CIP OE. At the same time, PS is understood as a reasonable order of these indicators and features: from more acceptable, important, and significant to less important. It should be noted that PS is trivial on the DS PIP OE indicators and is defined in (3).

By implementing a multi-stage technology for the detection and elimination of marginal opinions and eliminating the “systematic survivor error”, we obtained a statistically significant PS of specialists on the CIP OE set at a high level of significance $\alpha = 1\%$. Further optimization of this PS using the classical Savage decision criterion and the Kemeny median resulted in the following benchmark ranking:

$$PIP_{15} \underset{m_C}{\succ} PIP_5 \underset{m_C}{\succ} PIP_4 \underset{m_C}{\succ} PIP_{17} \underset{m_C}{\succ} PIP_3 \underset{m_C}{\succ} PIP_{18} \underset{m_C}{\succ} PIP_8 \underset{m_C}{\succ} PIP_2 \underset{m_C}{\succ} PIP_{11} \underset{m_C}{\succ} \underset{m_C}{\succ} PIP_7 \underset{m_C}{\succ} PIP_{10} \underset{m_C}{\succ} PIP_{13} \underset{m_C}{\succ} PIP_{14} \underset{m_C}{\succ} PIP_6 \underset{m_C}{\succ} PIP_{16} \underset{m_C}{\succ} PIP_1 \underset{m_C}{\succ} PIP_{12} \underset{m_C}{\succ} PIP_9, \quad (6)$$

where f is a mark of superiority of one PIP OE over another in the “reference” PS.

Thus, a “reference” Group PS (GPS) of experts on the set of characteristic PIP OEs is obtained, which is indicated in the ranking scale and only gives an idea of the comparative importance of the identified features. The quantitative assessment of the difference in importance is determined by the difference in the rankings they occupy in the GPS (6). However, given the peculiarities of measurements in ranking scales [4, 13–15], it is impossible to answer the question of how many times one PIP OE is more significant than another.

Thus, from the spectrum of methods for determining weighting factors, the ones that are based on PS, and accordingly on PIP ranks or their DS indicators, should be selected, for

which these factors should be set. Let us consider such methods in detail.

The ranking method [4, 13] proposes to first determine the value of each PIP under consideration:

$$C_{PIP_i} = 1 - \frac{r_{PIP_i} - 1}{n}, \quad (7)$$

where r_{PIP_i} is the rank of the i^{th} PIP OE in the “reference” PS, which is shown in (6); n is the number of ordered PIPs. In this case, $n = 18$.

Next, it is trivial to determine the total “value” of the PIPs that were studied:

$$C_{PIP} = \sum_{i=1}^n C_{PIP_i} = \sum_{i=1}^n \left(1 - \frac{r_{PIP_i} - 1}{n} \right), \quad (8)$$

and their normalized coefficients:

$$\left\{ \begin{aligned} \alpha_{PI\Pi_i} &= \frac{C_{PI\Pi_i}}{\sum_{i=1}^n C_{PI\Pi_i}} = \frac{1 - \frac{r_{PI\Pi_i} - 1}{n}}{\sum_{i=1}^n \left(1 - \frac{r_{PI\Pi_i} - 1}{n}\right)} = \\ &= \frac{(n+1) - r_{PI\Pi_i}}{(n^2 + 1) - \sum_{i=1}^n r_{PI\Pi_i}} = \frac{2((n+1) - r_{PI\Pi_i})}{n(n-1) + 2}, \quad (9) \\ \sum_{i=1}^n \alpha_{PI\Pi_i} &= 1, \quad 0 \leq \alpha_{PI\Pi_i} \leq 1. \end{aligned} \right.$$

The normalized coefficients $\alpha_{PI\Pi_i}$ obtained in the above way are reliable in the sense that not only the agreed, but even the “reference” GPS is used, which results in the more significant PIP OE having a higher rank, and therefore a higher “weight”, and consequently a higher value of the normalized coefficient. On the other hand, the estimates $C_{PI\Pi_i}$ and $\alpha_{PI\Pi_i}$ are “rough” because in (7) and hence (8) we assume their linear dependence on the rank of the corresponding $PI\Pi_i$ in the GPS, which is reflected in (6). It should also be noted that since the measurements of the importance of PIP OE are made on an ordered scale, the mathematical operations on the ranks provided in (8) and (9) are inadmissible. Therefore, methods of more subtle estimation of $C_{PI\Pi_i}$ and $\alpha_{PI\Pi_i}$ should be used.

The method of averaged ranks [9, 12]. If r_{ij} is the rank assigned by the j^{th} specialist to the i^{th} PIP OE in the Individual PS (IPS), which was aggregated to obtain the “reference” GPS and displayed in (6), then the average rank of the i^{th} PIP is determined as follows:

$$\bar{r}_{PI\Pi_i} = \frac{1}{m} \sum_{j=1}^m r_{ij}. \quad (10)$$

The sum of the ranks of the ordered set of PIPs defined by the “reference” GPS shown in (6) is equal:

$$r_{PI\Pi} = \sum_{i=1}^n r_{ij} = \frac{n(n+1)}{2}. \quad (11)$$

Given that $n=18$, let’s determine that $r_{PI\Pi} = 171$. Comparing (10) and (11), we can easily find the desired CI PIP:

$$\alpha_{PI\Pi_i} = 1 - \frac{\bar{r}_{PI\Pi_i}}{r_{PI\Pi}} = 1 - \frac{\sum_{j=1}^m r_{ij}}{m \sum_{i=1}^n r_{ij}} = 1 - \frac{2 \sum_{j=1}^m r_{ij}}{mn(n+1)}; \quad (12)$$

$$0 \leq \alpha_{PI\Pi_i} \leq 1, \quad \sum_{i=1}^n \alpha_{PI\Pi_i} = 1.$$

Analyzing (12), it is easy to see that the considered method of averaged ranks, like the previous approach, is simple and contributes to obtaining reliable estimates when a more significant PIP receives a smaller average rank in absolute value, and therefore a larger CI.

The disadvantages of the method are the following: first, the estimates of the desired CI of the PIP OE are rough, since the IPS of the specialists aggregated in the “reference” GPS (6) are generally statistically significant, so one cannot be sure of the non-linearity of the $\alpha_{PI\Pi_i}$ CI obtained; second, the mathematical operations on the ranks of the PIP OE, provided for in (10), (12), are not allowed in the ordering scale where they are measured.

The method of prioritization [4, 13], also known as the “leader problem,” is effective for solving practical problems, which in the context of this study are as follows:

- determining the more important PIP from the identified spectrum.
- organization of PIPs.
- determination of the quantitative indicator (CI PIP OE).

The mathematical formulation of the problem is as follows. Each $PI\Pi_i$, $i = \overline{1, n}$ is represented by the vertex of the graph (Fig. 2) corresponding to the results of their comparative pairwise analysis by importance.

If $PI\Pi_i$ has an advantage over $PI\Pi_j$ ($PI\Pi_i$ f $PI\Pi_j$) by the level of importance, then there is an arc $i \rightarrow j$ on the graph. On the other hand, if $PI\Pi_j$ f $PI\Pi_i$, then there is an arc $j \rightarrow i$ on the graph. The case when $PI\Pi_i$ and $PI\Pi_j$ are adequate in terms of importance: $PI\Pi_i \approx PI\Pi_j$, corresponds to the presence of an arc $i \leftrightarrow j$.




Figure 2: Hypothetical graph of prioritization of specialists on the CPIP OE spectrum

Having a statistically consistent and uniform “reference” GPS, it is necessary to proceed to its pairwise partitioning and apply this method of PS detection as part of the total value [4, 13]. Next, we construct a square adjacency matrix of dimension, which is shown in (13):

$$C = \begin{pmatrix} c_{11} & c_{12} & K & c_{1i} & K & c_{1n} \\ c_{21} & c_{22} & K & c_{2i} & K & c_{2n} \\ M & M & M & M & M & M \\ c_{i1} & c_{i2} & K & c_{ii} & K & c_{in} \\ M & M & M & M & M & M \\ c_{n1} & c_{n2} & K & c_{ni} & K & c_{nn} \end{pmatrix}, \quad (13)$$

and the concept of the iterated value of the k^{th} characteristic $PIII_i$ is introduced. Thus, the iterated value of the 1st order is denoted as and is equal to the sum of the points of this characteristic. The “weight” of the values of other PIPs is not taken into account.

$$C_{PIII_i}(1) = \sum_{j=1}^n c_{PIII_i,j}, \quad (14)$$

The distribution of points among the entire spectrum of n OEs is given by a vector:

$$C(1) = \begin{bmatrix} C_{PIII_1}(1), C_{PIII_2}(1), K, \\ C_{PIII_i}(1), K, C_{PIII_n}(1) \end{bmatrix}. \quad (15)$$

In the second iteration, the “weight” of the value of $PIII_i$ is its iterated “weight” of the first order. The iterated “weight” of the value of PIP of second order is calculated taking into account the values of the other PIPs:

$$C_i(2) = \sum_{j=1}^n c_{ij} C_j(1) \quad (16)$$

The iterated “weight” of PIP values of the second order is represented by the following vector:

$$C(2) = \begin{bmatrix} C_{PIII_1}(2), C_{PIII_2}(2), K, \\ C_{PIII_i}(2), K, C_{PIII_n}(2) \end{bmatrix}. \quad (17)$$

Subsequent iterations of the PIP OE “weight” are carried out in the same way:

$$C(k) = C \cdot C(k-1). \quad (18)$$

In this case:

$$P(0) = (1, 1, K, 1). \quad (19)$$

Thus, according to the priority method under consideration, the process of calculating the quantitative indicators (“weights”) of PIP OE consists of the sequential application of the transformation specified by the matrix C to the initial vector $P(0)$. Define $P_{PIII_i}^{i\text{th}}(k)$ by the normalized iterated “weight” of the k^{th} order of $PIII_i$:

$$\alpha_{PIII_i}^{i\text{th}}(k) = \frac{C_{PIII_i}(k)}{\sum_{i=1}^n C_{PIII_i}(k)}; \sum_{i=1}^n \alpha_{PIII_i}^{i\text{th}}(k) = 1. \quad (20)$$

In general, the process of calculating the normalized iterated “weight” of the PIP OE can be represented as [13]:

$$\alpha_{PIII_i}^{i\text{th}}(k) = \frac{1}{\lambda(k)} C \cdot \alpha_{PIII_i}^{i\text{th}}(k-1) \quad (21)$$

where $\lambda(k) = \sum_{j=1}^n \sum_{i=1}^n c_{PIII_i,j} \alpha_{PIII_i}^{i\text{th}}(k-1)$ is the sum of the vector components of $C \cdot P(k-1)$; $k = 1, 2, \dots$

At each subsequent iteration, the values $\alpha^{(i)}(k)$ are refined. If the matrix C is not decomposable, then according to the Perron-Frobenius theorem this leads to the limit to the maximum eigenvalue $\lambda = \lim_{k \rightarrow \infty} \lambda(k)$ of the matrix

C with the corresponding eigenvector [15]:

$$\alpha = \lim_{k \rightarrow \infty} \alpha(k) \quad (22)$$

Thus, the process of calculating the normalized iterated “weight” PIP OE is convergent. The calculation according to (20) and (21) differs from the simple summation of points in that it allows the indirect advantages of one PIP OE over another to be taken into account.

Defining the research task. It should be noted that in previous studies, the authors obtained a “reference” GPS, where the importance of a

Stage 3. Construction of a quadratic adjacency matrix for each iteration

Considering the hierarchy of PIP OEs in GPS (6) and applying the normative method to determine a portion of the total value for the PIP OEs being compared:

$$C_{ij} \begin{cases} 2, \text{ if fact of advantage } PIP_i \text{ f } PIP_j \\ 1, \text{ if fact of equivalence } PIP_i \text{ f } PIP_j \\ 0, \text{ if fact of advantage } PIP_j \text{ f } PIP_i \end{cases} \quad (23)$$

Let's make a square matrix of the adjacency of these features (Table 2).

Table 2 (part 1)

Quadratic adjacency matrix by the importance of PIP OE to the "reference" GPS

PIP_i	PIP_{15}	PIP_5	PIP_4	PIP_{17}	PIP_3	PIP_{18}	PIP_2	PIP_{11}	PIP_8	PIP_{10}	PIP_7	PIP_{14}	PIP_{13}	PIP_{16}	PIP_6	PIP_1	PIP_{12}	PIP_9
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
PIP_{15}	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PIP_5	0	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PIP_4	0	0	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PIP_{17}	0	0	0	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PIP_3	0	0	0	0	1	2	2	2	2	2	2	2	2	2	2	2	2	2
PIP_{18}	0	0	0	0	0	1	2	2	2	2	2	2	2	2	2	2	2	2
PIP_2	0	0	0	0	0	0	1	2	2	2	2	2	2	2	2	2	2	2
PIP_{11}	0	0	0	0	0	0	0	1	2	2	2	2	2	2	2	2	2	2
PIP_8	0	0	0	0	0	0	0	0	1	2	2	2	2	2	2	2	2	2
PIP_{10}	0	0	0	0	0	0	0	0	0	1	2	2	2	2	2	2	2	2
PIP_7	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	2	2	2
PIP_{14}	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	2	2
PIP_{13}	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	2
PIP_{16}	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2
PIP_6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2
PIP_1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
PIP_{12}	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
PIP_9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Table 2 (part 2)

Quadratic adjacency matrix by the importance of PIP OE to the "reference" GPS

PIP_i	I iteration		II iteration		III iteration	
	Σ	a_{PIP_i}	Σ	a_{PIP_i}	Σ	a_{PIP_i}
1	20	21	22	23	24	25
PIP_{15}	5	0.015	13	0.003	25	0.007
PIP_5	23	0.070	265	0.068	2047	0.058
PIP_4	27	0.083	365	0.093	3303	0.093
PIP_{17}	31	0.095	481	0.123	4991	0.141
PIP_3	33	0.101	545	0.140	6017	0.170
PIP_{18}	7	0.021	25	0.006	63	0.001
PIP_2	15	0.046	113	0.029	575	0.016
PIP_{11}	19	0.058	181	0.046	1159	0.032
PIP_8	1	0.003	1	0.003	1	0
PIP_{10}	17	0.052	145	0.037	833	0.023
PIP_7	21	0.064	221	0.056	1561	0.044
PIP_{14}	3	0.009	5	0.001	7	0.002
PIP_{13}	11	0.030	61	0.015	231	0.006
PIP_{16}	13	0.040	85	0.021	377	0.010
PIP_6	35	0.100	613	0.157	7175	0.203
PIP_1	9	0.027	41	0.010	129	0.003
PIP_{12}	29	0.089	421	0.108	4089	0.116
PIP_9	25	0.077	313	0.080	2625	0.074
Σ	324		1 3894		1 35208	1

Note that for the convenience of calculations, the sequence of PIP OEs in Table 2 is presented by their rank places determined by the “reference” GPS [9]. The calculation for the first iteration of the method is trivial and is presented in columns 20 and 21 of Table 2.

The calculation for the second iteration is as follows:

$$C_{PII_{15}}(2) = 1 \cdot 35 + 2 \cdot (33 + 31 + 29 + 27 + 25 + 23 + 21 + 19 + 17 + 15 + 13 + 11 + 9 + 7 + 5 + 3 + 1) = 631$$

$$C_{PII_5}(2) = 1 \cdot 33 + 2 \cdot (31 + 29 + 27 + 25 + 23 + 21 + 19 + 17 + 15 + 13 + 11 + 9 + 7 + 5 + 3 + 1) = 545$$

$$C_{PII_4}(2) = 1 \cdot 31 + 2 \cdot (29 + 27 + 25 + 23 + 21 + 19 + 17 + 15 + 13 + 11 + 9 + 7 + 5 + 3 + 1) = 481$$

M M M M M M M M M M M M M M M M M

$$C_{PII_1}(2) = 1 \cdot 5 + 2 \cdot (3 + 1) = 13$$

$$C_{PII_{12}}(2) = 1 \cdot 3 + 2 \cdot 1 = 5$$

$$C_{PII_9}(2) = 1 \cdot 1 = 1$$

$$C(2) = \sum_{i=1}^{n=18} C_{PII_i} = 631 + 545 + 481 + 421 + 365 + 313 + 265 + 221 + 181 + 145 + 113 + 85 + 61 + 41 + 25 + 13 + 5 + 1 = 3894$$

Then, according to (20) and (21), it is possible to obtain the following CI PIP OE (column 23 of Table 2):

$$\alpha_{PII_{15}}(2) = \frac{C_{PII_{15}}(2)}{C(2)} = \frac{631}{3894} = 0,1574;$$

$$\alpha_{PII_5}(2) = \frac{C_{PII_5}(2)}{C(2)} = \frac{545}{3894} = 0,1400;$$

$$\alpha_{PII_4}(2) = \frac{C_{PII_4}(2)}{C(2)} = \frac{481}{3894} = 0,1235;$$

M M M M M M M M M M M M M M M M M

$$\alpha_{PII_1}(2) = \frac{C_{PII_1}(2)}{C(2)} = \frac{13}{3894} = 0,0033;$$

$$\alpha_{PII_{12}}(2) = \frac{C_{PII_{12}}(2)}{C(2)} = \frac{5}{3894} = 0,0013;$$

$$\alpha_{PII_9}(2) = \frac{C_{PII_9}(2)}{C(2)} = \frac{1}{3894} = 0,0003.$$

By analogy, the results of the third iteration of the method are calculated and presented in columns 24 and 25 of the same table. It is inexpedient to make subsequent iterations, since with the accepted accuracy of calculations to the fourth decimal place, the coefficient of the less important PII_9 reaches the value

$\alpha_{PII_9}(3) = 0,0000$ starting from this iteration. This is generally unacceptable.

Fig. 5 gives a visual representation of the dynamics of differentiation of the values of the hazard ratios of the studied errors depending on the number of iterations of this method.




Figure 5: Dynamics of CI PIP OE values: No. I–III iteration of the prioritization method.

As can be seen in Fig. 5, in the first iteration of the prioritization method, the change in CI PIP OE from most significant to least significant is linear and therefore unacceptable. The inappropriateness of focusing on the results of the third and subsequent iterations of the method has already been demonstrated. Therefore, for further quantitative analysis of the importance of the CPIP OEs under study, we choose the results obtained in the second iteration. On the one hand, the change of these coefficients is non-linear, which generally corresponds to the idea of the importance of the influence of neighboring PIPs on their total value. On the other hand, the quantitative differentiation of the α_{PII_i} CIs is as acceptable as possible for the accepted accuracy of their calculations to the fourth decimal place. Fig. 6, like Fig. 5, also illustrates the importance of the PIP OEs studied.




Figure 6: Illustration of the importance of CPIP OE

Stage 4. Calculation of the Total Value at Each Iteration and Comparison with the Importance Criterion

Let’s find out the total contribution of the partial importance of individual PIPs to their total value. To do this, let’s introduce the following important criterion based on [16–19]:

$$\sum_{i=1}^{k < n} \alpha_{PI\Pi_i} \geq 0,9. \quad (24)$$

The implementation of criterion (24) led to the following results:

$$\begin{aligned} \sum_{i=1}^{k=17} \alpha_{PI\Pi_i} &= \alpha_{PI\Pi_{15}} + \alpha_{PI\Pi_5} + \alpha_{PI\Pi_4} + \alpha_{PI\Pi_{17}} + \alpha_{PI\Pi_3} + \\ &+ \alpha_{PI\Pi_{18}} + \alpha_{PI\Pi_2} + \alpha_{PI\Pi_{11}} + \alpha_{PI\Pi_8} + \alpha_{PI\Pi_{10}} + \alpha_{PI\Pi_7} + \\ &+ \alpha_{PI\Pi_{14}} + \alpha_{PI\Pi_{13}} + \alpha_{PI\Pi_{16}} + \alpha_{PI\Pi_6} + \alpha_{PI\Pi_1} + \alpha_{PI\Pi_{12}} = \\ &= 0,1574 + 0,1400 + 0,1235 + 0,1081 + 0,0937 + \\ &+ 0,0804 + 0,0681 + 0,0568 + 0,0465 + 0,0372 + \\ &+ 0,0290 + 0,0218 + 0,0157 + 0,0105 + 0,0064 + \\ &+ 0,0033 + 0,0013 = 0,9997 > 0,9 \end{aligned}$$

$$\begin{aligned} \sum_{i=1}^{k=16} \alpha_{PI\Pi_i} &= \alpha_{PI\Pi_{15}} + \alpha_{PI\Pi_5} + \alpha_{PI\Pi_4} + \alpha_{PI\Pi_{17}} + \alpha_{PI\Pi_3} + \\ &+ \alpha_{PI\Pi_{18}} + \alpha_{PI\Pi_2} + \alpha_{PI\Pi_{11}} + \alpha_{PI\Pi_8} + \alpha_{PI\Pi_{10}} + \alpha_{PI\Pi_7} + \\ &+ \alpha_{PI\Pi_{14}} + \alpha_{PI\Pi_{13}} + \alpha_{PI\Pi_{16}} + \alpha_{PI\Pi_6} + \alpha_{PI\Pi_1} = \\ &= 0,1574 + 0,1400 + 0,1235 + 0,1081 + 0,0937 + \\ &+ 0,0804 + 0,0681 + 0,0568 + 0,0465 + 0,0372 + \\ &+ 0,0290 + 0,0218 + 0,0157 + 0,0105 + 0,0064 + \\ &+ 0,0033 = 0,9984 > 0,9 \end{aligned}$$

$$\begin{aligned} \sum_{i=1}^{k=15} \alpha_{PI\Pi_i} &= \alpha_{PI\Pi_{15}} + \alpha_{PI\Pi_5} + \alpha_{PI\Pi_4} + \alpha_{PI\Pi_{17}} + \alpha_{PI\Pi_3} + \\ &+ \alpha_{PI\Pi_{18}} + \alpha_{PI\Pi_2} + \alpha_{PI\Pi_{11}} + \alpha_{PI\Pi_8} + \alpha_{PI\Pi_{10}} + \alpha_{PI\Pi_7} + \\ &+ \alpha_{PI\Pi_{14}} + \alpha_{PI\Pi_{13}} + \alpha_{PI\Pi_{16}} + \alpha_{PI\Pi_6} = 0,1574 + 0,1400 + \\ &+ 0,1235 + 0,1081 + 0,0937 + 0,0804 + 0,0681 + \\ &+ 0,0568 + 0,0465 + 0,0372 + 0,0290 + 0,0218 + \\ &+ 0,0157 + 0,0105 + 0,0064 = 0,9951 > 0,9 \end{aligned}$$

MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM

$$\begin{aligned} \sum_{i=1}^{k=11} \alpha_{PI\Pi_i} &= \alpha_{PI\Pi_{15}} + \alpha_{PI\Pi_5} + \alpha_{PI\Pi_4} + \alpha_{PI\Pi_{17}} + \alpha_{PI\Pi_3} + \\ &+ \alpha_{PI\Pi_{18}} + \alpha_{PI\Pi_2} + \alpha_{PI\Pi_{11}} + \alpha_{PI\Pi_8} + \alpha_{PI\Pi_{10}} + \alpha_{PI\Pi_7} = \\ &= 0,1574 + 0,1400 + 0,1235 + 0,1081 + 0,0937 + \\ &+ 0,0804 + 0,0681 + 0,0568 + 0,0465 + 0,0372 + \\ &+ 0,0290 = 0,9407 > 0,9 \end{aligned}$$

$$\begin{aligned} \sum_{i=1}^{k=10} \alpha_{PI\Pi_i} &= \alpha_{PI\Pi_{15}} + \alpha_{PI\Pi_5} + \alpha_{PI\Pi_4} + \alpha_{PI\Pi_{17}} + \alpha_{PI\Pi_3} + \\ &+ \alpha_{PI\Pi_{18}} + \alpha_{PI\Pi_2} + \alpha_{PI\Pi_{11}} + \alpha_{PI\Pi_8} + \alpha_{PI\Pi_{10}} = 0,1574 + \\ &+ 0,1400 + 0,1235 + 0,1081 + 0,0937 + 0,0804 + \\ &+ 0,0681 + 0,0568 + 0,0465 + 0,0372 = 0,9117 > 0,9 \end{aligned}$$

$$\begin{aligned} \sum_{i=1}^{k=9} \alpha_{PI\Pi_i} &= \alpha_{PI\Pi_{15}} + \alpha_{PI\Pi_5} + \alpha_{PI\Pi_4} + \alpha_{PI\Pi_{17}} + \alpha_{PI\Pi_3} + \\ &+ \alpha_{PI\Pi_{18}} + \alpha_{PI\Pi_2} + \alpha_{PI\Pi_{11}} + \alpha_{PI\Pi_8} = 0,1574 + 0,1400 + \\ &+ 0,1235 + 0,1081 + 0,0937 + 0,0804 + 0,0681 + \\ &+ 0,0568 + 0,0465 = 0,8745 < 0,9 \end{aligned}$$

It turned out that the top ten PIP OEs in terms of importance (55.55%), namely $PI\Pi_{15}$, $PI\Pi_5$, $PI\Pi_4$, $PI\Pi_{17}$, $PI\Pi_3$, $PI\Pi_{18}$, $PI\Pi_2$, $PI\Pi_{11}$, $PI\Pi_8$, $PI\Pi_{10}$,

make an absolute contribution to the total importance of the entire spectrum studied.

4. Conclusion

The paper analyzes the known methods of determining the CI and establishes that the method of prioritization is more acceptable for research purposes, which, depending on the iteration, allows to obtain the desired CI with any non-linearity.

A method for determining the CI of investment attractiveness of IT security projects in critical infrastructures has been developed, which, by synthesizing the method and procedures for calculating the total value and comparing it with the established importance criterion, allows to determine the optimal iteration and to ensure both the nonlinearity of the obtained CI PIP OE and acceptable calculation accuracy [20–21].

The obtained top ten PIP OEs in terms of importance (55.55%), namely $PI\Pi_{15}$, $PI\Pi_5$, $PI\Pi_4$, $PI\Pi_{17}$, $PI\Pi_3$, $PI\Pi_{18}$, $PI\Pi_2$, $PI\Pi_{11}$, $PI\Pi_8$, $PI\Pi_{10}$, provide an absolute contribution to the total importance of the entire studied spectrum that exceeds the established criterion of 0.9.

Thus, the research results obtained and presented in this paper contribute to expanding the boundaries of the analysis of the importance of CPIP OE and allow us to determine how much more important one of them is than the other when they occupy different ranks in the PS.

The prospect of further research will be the development of the method for determining CI in the following areas (without ranking)

- Application of the methodology [4, 13, 17–24] for DIA OE studies.
- Determination of indicators of the degree of indistinguishability of CPIP OE in IPS.
- Determination of the CI of DS PIP indicators and “trade-offs” in the requirements for such distinctiveness.

References

- [1] V. Buriachok, V. Sokolov, P. Skladannyi, Security Rating Metrics for Distributed Wireless Systems, in: 8th Int. Conf. on “Mathematics Inf. Technolog. Educ.” Modern Machine Learning Technol. and Data Sci. 2386 (2019) 222–233.

- [2] F. Kipchuk, et al., Assessing Approaches of IT Infrastructure Audit, in: IEEE 8th International Conference on Problems of Infocommunications, Science and Technology (2021). doi: 10.1109/picst54195.2021.9772181.
- [3] I. Kuzminykh, et al., Investigation of the IoT Device Lifetime with Secure Data Transmission, Internet of Things, Smart Spaces, and Next Generation Networks and Systems, vol. 11660 (2019) 16–27. doi: 10.1007/978-3-030-30859-9_2.
- [4] O. Reva, et al., Human Factor: Methodology of Proactive Qualimetry of Air Traffic Controllers Error Threats: Monograph, UkrINTEI (2020). doi: 10.35668/978-966-479-120-2.
- [5] I. Tvoroshenko, Decision-Making Technologies in Information Systems: a Textbook, Kharkiv (2021).
- [6] S. Us, L. Koryashkina, Models and Methods of Decision-Making: a Textbook, National Mining University, Dnipropetrovsk (2014).
- [7] O. Reva, et al., Theoretical Foundations of the Methodology of Integrative Assessment of the Degree of Investment Attractiveness of Intellectual Property, Sci. Technol. Innov. 1(17) (2021) 3–16. doi: 10.35668/2520-6524-2021-1-01.
- [8] Y. Gunko, A. Spirin, O. Kholodnyuk, Reliability of Systems and Justification of Engineering Solutions, Vinnytsia: VDAU (2006).
- [9] S. Budenko, Determination of the Importance of the Criteria of the Technical Level of Machines: Methodical Instructions for Students of Specialty 133 Branch Engineering, TSAU (2016).
- [10] O. Zorina, T. Neskuba, O. Mkrtichian, Forecasting of Transport Services: Lecture Notes, UkrDUZT (2021).
- [11] H. Hnatienko, V. Snitiuk, Expert Decision-Making Technologies, McLouth LLC (2008).
- [12] T. Boyko, Review of Methods for Determining the Weighting Coefficients of Indicators of Product Properties, Methods and Devices of Quality Control 1(24) (2010) 84–89.
- [13] V. Kamyshyn, O. Reva, Methods of System Analysis in the Qualimetry of the Educational Process: Monograph, Information Systems (2012).
- [14] V. Tsiutsiura, S. Tsiutsiura, Metrology and Basics of Measurements: a Textbook, Znannya-Press (2003).
- [15] A. Tikhomirov, et al., Network Society: Aggregate Topological Models, Inf. Technol. Math. Model. (2014) 415–421.
- [16] P. Stukhliak, et al., Information Theory (Information and Measurement Systems, Errors, Identification): Textbook, Ailant (2011).
- [17] M. Iavich, et al., The Novel System of Attacks Detection in 5G, Adv. Inf. Networking Appl. (2021) 580–591.
- [18] O. Reva, V. Kamyshyn, Method for Determining the Integrative Indicator of Expert Competence, Sci. Technol. Innov. 3 (2018) 27–38.
- [19] S. Gnatyuk, Critical Aviation Information Systems Cybersecurity, Meeting Security Challenges Through Data Analytics and Decision Support 47(3) (2016) 308–316. doi: 10.3233/978-1-61499-716-0-308.
- [20] V. Grechaninov, et al., Decentralized Access Demarcation System Construction in Situational Center Network, in: Workshop on Cybersecurity Providing in Information and Telecommunication Systems II, vol. 3188, no. 2 (2022) 197–206.
- [21] V. Grechaninov, et al., Formation of Dependability and Cyber Protection Model in Information Systems of Situational Center, in: Workshop on Emerging Technology Trends on the Smart Industry and the Internet of Things, vol. 3149 (2022) 107–117.
- [22] Y. Danik, R. Hryshuk, S. Gnatyuk, Synergistic Effects of Information and Cybernetic Interaction in Civil Aviation, Aviation 20(3) (2016) 137–144. doi: 10.3846/16487788.2016.1237787.
- [23] O. Reva, et al., Testing of the a-method of comparing preference systems (on the example of comparing air traffic controllers' preference systems on the dangers of characteristic errors), Intelligent Decision-Making Systems and Problems of Computational Intelligence (2021) 63–64.
- [24] J. Al-Azzeh, et al., Analysis of Self-Similar Traffic Models in Computer Networks, Int. Rev. Modelling Simul. 10(5) (2017) 328–336. doi: 10.15866/iremos.v10i5.12009.