

# Adding Standpoint Modalities to Non-Monotonic S4F: Preliminary Results

Piotr Gorczyca<sup>1,\*</sup>, Hannes Strass<sup>1,†</sup>

<sup>1</sup>Computational Logic Group, Institute of Artificial Intelligence, Faculty of Computer Science, TU Dresden, Germany

## Abstract

Standpoint logics allow to represent multiple heterogeneous viewpoints in a unifying framework based on modal logic. We propose to combine standpoint modalities with the single modality of the non-monotonic modal logic S4F, thus defining standpoint S4F. The resulting language allows to express semantic commitments based on default reasoning. We define syntax and semantics of the logic, study the computational complexity of reasoning problems in the fragment of *simple* theories, and showcase standpoint S4F by exemplifying two concrete instantiations of the general language – standpoint default logic and standpoint argumentation frameworks.

## Keywords

Standpoint Logic, Modal Logic S4F, Default Logic

## 1. Introduction

Standpoint logic is a modal logic-based formalism for representing multiple diverse (and potentially conflicting) viewpoints within a single framework. Its main appeal derives from its conceptual simplicity and its attractive properties: In the presence of conflicting information, standpoint logic sacrifices neither consistency nor logical conclusions about the shared understanding of common vocabulary [1]. The underlying idea is to start from a base logic (originally propositional logic [1]) and to enhance it with two modalities pertaining to what holds according to certain *standpoints*. There, a standpoint is a specific point of view that an agent or other entity may have, and that may have a bearing on how the entity understands and employs a given logical vocabulary (that may at the same time be used by other entities with a potentially different understanding). The two modalities are, respectively:

- $\Box_s\phi$ , expressing:  
“it is unequivocal [from the point of view  $s$ ] that  $\phi$ ”;
- $\Diamond_s\phi$ , expressing:  
“it is conceivable [from the point of view  $s$ ] that  $\phi$ ”.

Standpoint logic escapes global inconsistency by keeping conflicting pieces of knowledge separate, yet avoids duplication of vocabulary and in this way conveniently keeps portions of common understanding readily available. It has its history and roots within the philosophical theory of supervaluationism [2], stating that semantic variability “can be explained by the fact that natural language can be interpreted in many different yet equally acceptable ways, commonly referred to as *precisifications*” [1].

In our work, such semantic commitments can be made, as is often done, on the basis of incomplete knowledge using a form of default reasoning. Consequently, in our work each precisification embodies a consistent (but possibly partial) viewpoint on what can be known, potentially using non-monotonic reasoning (NMR) to arrive there. This entails

that the overall formalism becomes non-monotonic with respect to its logical conclusions.

Several non-monotonic formalisms that could be employed for default reasoning within standpoints come to mind, and obvious criteria for selection among the candidates are not immediate. We choose to employ the non-monotonic modal logic S4F [3, 4], which is a very general formalism that subsumes several other NMR languages, decidedly allowing the possibility for later specialisation via restricting to proper fragments. The usefulness of non-monotonic S4F for knowledge representation and especially non-monotonic reasoning has been aptly demonstrated by Schwarz and Truszczyński [4] (among others), but seems to be underappreciated in the literature to this day. In our case, employing S4F as base language for standpoint logic entails, as easy corollary, for example *standpoint default logic*, a standpoint variant of Reiter’s default logic [5], where defaults and definite knowledge can be annotated with standpoint modalities. In Example 1, the annotated defaults are of the standard form, namely  $\varphi : \psi_1, \dots, \psi_n / \psi$ , where (as usual) if the *prerequisite*  $\varphi$  is believed to be true and the *justifications*  $\psi_1, \dots, \psi_n$  are consistent with one’s current beliefs, the *consequence*  $\psi$  can be concluded.

**Example 1.** Coffee is consumed differently in different parts of the world – what is considered to be a “typical coffee” varies among countries. Usually (\*) it is consumed hot, however in Vietnam (🇻🇳) iced coffee is a more common choice. Apart from the temperature, in Italy (🇮🇹), one of the most popular coffee drinks – espresso – is much higher in caffeine than the typically filtered coffee popular in the US (🇺🇸). The above considerations could be formalised using standpoint defaults as follows:

$$\begin{aligned} & \Box_* [coffee : hot / hot], \quad \Box_{\text{🇻🇳}} [coffee : iced / iced], \\ & \Box_{\text{🇮🇹}} [coffee : espresso / espresso], \\ & \Box_{\text{🇺🇸}} [coffee : low\_caffeine / low\_caffeine] \quad \Diamond \end{aligned}$$

Several *monotonic* logics have been “standpointified” so far: Apart from propositional logic in the original work of Gómez Álvarez and Rudolph [1], also first-order logic and various fragments thereof [6] as well as the description logics *SROIQ* [6], *EL+* [7, 8], and *SHIQ* [9], and the temporal logic LTL [10]. We add the first non-monotonic logic to the realm of standpoint logics, that is, the first standpoint logic where the points of view embodied by standpoints can be obtained by reasoning in a non-monotonic fashion.

22nd International Workshop on Nonmonotonic Reasoning, November 2–4, 2024, Hanoi, Vietnam

\*Corresponding author.

†These authors contributed equally.

✉ piotr.gorczyca@tu-dresden.de (P. Gorczyca);

hannes.strass@tu-dresden.de (H. Strass)

ORCID 0000-0002-6613-6061 (P. Gorczyca); 0000-0001-6180-6452 (H. Strass)

© 2022 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

More specifically, in this paper, we introduce the syntax and semantics of standpoint S4F. We analyse the computational complexity of its associated reasoning problems and show that reasoning does not become harder (than in the base logic) through the addition of standpoint modalities. Finally, we demonstrate some of the more concrete standpoint formalisms we obtain as corollaries, more specifically standpoint default logic and standpoint argumentation frameworks. We conclude with a discussion of future work.

## 2. Background

All languages we henceforth consider build on propositional logic, denoted  $\mathcal{L}$ , and built from a set  $\mathcal{A}$  of atoms according to  $\varphi ::= p \mid \neg\varphi \mid \varphi \wedge \varphi$  where  $p \in \mathcal{A}$ . Its model-theoretic semantics is given by interpretations  $I \subseteq \mathcal{A}$  containing exactly the true atoms, and we denote satisfaction of a formula  $\varphi$  by an interpretation  $I$  by  $I \models \varphi$ , and entailment of a formula  $\varphi$  by a set  $T$  of formulas by  $T \models \varphi$ . The provability relation for propositional logic is denoted by  $\vdash$  (where  $T \vdash \varphi$  means that from  $T$ , we can derive  $\varphi$ ) and assumed to be given by some standard proof system that is sound and complete (that is, where  $T \vdash \varphi$  iff  $T \models \varphi$ ).

### 2.1. Standpoint Logic

Standpoint Logic was introduced by Gómez Álvarez and Rudolph [1] as a modal logic-based formalism for representing multiple (potentially contradictory) perspectives in a single framework. Building upon propositional logic, in addition to a set  $\mathcal{A}$  of propositional atoms, it uses a set  $\mathcal{S}$  of *standpoint names*, where a standpoint represents a point of view an agent or other entity can take, and  $* \in \mathcal{S}$  is a designated special standpoint, the *universal* standpoint. Formally, the syntax of propositional standpoint logic  $\mathcal{L}_{\mathcal{S}}$  is given by

$$\varphi ::= p \mid \neg\varphi \mid \varphi \wedge \varphi \mid \Box_s \varphi$$

where  $p \in \mathcal{A}$ , and  $s \in \mathcal{S}$  is a standpoint name. We allow the notational shorthands  $\varphi \vee \psi$ ,  $\varphi \rightarrow \psi$ , and  $\Diamond_s \varphi := \neg \Box_s \neg \varphi$ .

The semantics of standpoint logic is given by *standpoint structures*  $\mathcal{N} = (\Pi, \sigma, \gamma)$ , where  $\Pi$  is a non-empty set of *precisifications*,  $\sigma: \mathcal{S} \rightarrow 2^\Pi$  assigns a set of precisifications to each standpoint name (with  $\sigma(*) = \Pi$  fixed), and  $\gamma: \Pi \rightarrow 2^{\mathcal{A}}$  assigns a propositional interpretation to each precisification. The relation  $\mathcal{N}, \pi \models \varphi$ , indicating that the structure  $\mathcal{N} = (\Pi, \sigma, \gamma)$  satisfies formula  $\varphi$  (at point  $\pi$ ), is defined by induction:

$$\begin{aligned} \mathcal{N}, \pi \models p & \iff p \in \gamma(\pi) \\ \mathcal{N}, \pi \models \neg\varphi & \iff \mathcal{N}, \pi \not\models \varphi \\ \mathcal{N}, \pi \models \varphi_1 \wedge \varphi_2 & \iff \mathcal{N}, \pi \models \varphi_1 \text{ and } \mathcal{N}, \pi \models \varphi_2 \\ \mathcal{N}, \pi \models \Box_s \varphi & \iff \mathcal{N}, \pi' \models \varphi \text{ for all } \pi' \in \sigma(s) \end{aligned}$$

As usual, a standpoint structure  $(\Pi, \sigma, \gamma)$  is a *model* for a formula  $\varphi$  iff  $(\Pi, \sigma, \gamma) \models \varphi$ ; a formula  $\varphi \in \mathcal{L}_{\mathcal{S}}$  is *satisfiable* iff there exist  $(\Pi, \sigma, \gamma)$  and  $\pi \in \Pi$  with  $(\Pi, \sigma, \gamma), \pi \models \varphi$ .<sup>1</sup>

Standpoint structures can be regarded as a restricted form of ordinary (multi-modal) Kripke structures

$(W, \{R_s\}_{s \in \mathcal{S}}, v)$ , where the worlds  $W$  are given by the precisifications  $\Pi$ , the evaluation function  $v$  is given by  $\gamma$ , and the reachability relation among worlds for a standpoint name (i.e., modality)  $s \in \mathcal{S}$  is simply  $R_s = \Pi \times \sigma(s)$ .

### 2.2. Modal Logic S4F

S4F is a propositional modal logic with a single modality  $\mathbf{K}$ , read as “knows”. It was studied in depth by Segerberg [3]; we base our study on the works of Schwarz and Truszczyński [11, 12, 13, 4]. We again start from a propositional vocabulary  $\mathcal{A}$ .

The syntax of the modal logic S4F  $\mathcal{L}_{\mathbf{K}}$  is given by

$$\varphi ::= p \mid \neg\varphi \mid \varphi \wedge \varphi \mid \mathbf{K}\varphi$$

with  $p \in \mathcal{A}$ . For formulas  $\varphi \in \mathcal{L}_{\mathbf{K}}$  without occurrences of  $\mathbf{K}$ , we write  $\varphi \in \mathcal{L}$  and call them *objective* formulas.

Truszczyński [14] introduced a useful fragment of S4F, so-called *modal defaults*. There, the base case of formula induction is not a propositional atom as above, but of the form  $\mathbf{K}\psi$  for  $\psi \in \mathcal{L}$  a formula of propositional logic. More formally, a modal default is built via

$$\varphi ::= \mathbf{K}\psi \mid \neg\varphi \mid \varphi \wedge \varphi \mid \mathbf{K}\varphi$$

with  $\psi \in \mathcal{L}$ . The fragment of modal defaults is still expressive enough for our desired applications in knowledge representation and reasoning, so we will mostly restrict our attention to modal defaults later on.

The semantics of S4F is given by *S4F structures*, tuples  $\mathcal{M} = (V, W, \xi)$  where  $V$  and  $W$  are disjoint sets of *worlds* with  $W \neq \emptyset$ , and  $\xi: V \cup W \rightarrow 2^{\mathcal{A}}$  assigns to each world  $w$  a propositional interpretation  $\xi(w) \subseteq \mathcal{A}$ . The satisfaction relation  $\mathcal{M}, w \models \varphi$  for  $w \in V \cup W$  is defined by induction:

$$\begin{aligned} \mathcal{M}, w \models p & \iff p \in \xi(w) \\ \mathcal{M}, w \models \neg\varphi & \iff \mathcal{M}, w \not\models \varphi \\ \mathcal{M}, w \models \varphi_1 \wedge \varphi_2 & \iff \mathcal{M}, w \models \varphi_1 \text{ and } \mathcal{M}, w \models \varphi_2 \\ \mathcal{M}, w \models \mathbf{K}\varphi & \iff \end{aligned}$$

$$\begin{cases} \mathcal{M}, v \models \varphi \text{ for all } v \in V \cup W, & \text{if } w \in V, \\ \mathcal{M}, v \models \varphi \text{ for all } v \in W, & \text{otherwise.} \end{cases}$$

A pointed S4F structure  $\mathcal{M}, w$  is a *model* of a formula  $\varphi$  iff  $\mathcal{M}, w \models \varphi$ ;  $\mathcal{M}, w$  is a *model* of a theory  $T \subseteq \mathcal{L}_{\mathbf{K}}$  iff  $\mathcal{M}, w \models \varphi$  for all  $\varphi \in T$ . A formula  $\varphi \in \mathcal{L}_{\mathbf{K}}$  is *satisfiable* iff there exists an S4F structure  $\mathcal{M} = (V, W, \xi)$  and a world  $w \in V \cup W$  such that  $(V, W, \xi), w \models \varphi$  (likewise for theories  $T$ ). An S4F structure  $(V, W, \xi)$  is a *model* of a formula  $\varphi \in \mathcal{L}_{\mathbf{K}}$  (theory  $T \subseteq \mathcal{L}_{\mathbf{K}}$ ), written  $(V, W, \xi) \models \varphi$  ( $\mathcal{M} \models T$ ) iff for all  $w \in V \cup W$ , we have  $(V, W, \xi), w \models \varphi$  (for each  $\varphi \in T$ ). A formula  $\varphi \in \mathcal{L}_{\mathbf{K}}$  is *entailed* by a theory  $T$ , written  $T \models_{\text{S4F}} \varphi$ , iff every model of  $T$  is a model of  $\varphi$ .

S4F structures can also be seen as a restricted form of ordinary Kripke structures  $(V \cup W, R, \xi)$  with reachability relation  $R := (V \times V) \cup (V \times W) \cup (W \times W)$ . Intuitively, an S4F structure consists of two clusters of fully interconnected worlds, the *inner* worlds  $W$  and *outer* worlds  $V$ . The outer worlds  $V$  can reach all (inner and outer) worlds, while the inner worlds  $W$  can only reach all inner worlds.

The entailment relation  $\models_{\text{S4F}}$  has a proof-theoretic characterisation  $\vdash_{\text{S4F}}$  based on necessitation and axiom schemata  $\mathbf{K}$ ,  $\mathbf{T}$ ,  $\mathbf{4}$ , and  $\mathbf{F}$ ,<sup>2</sup> with  $F$  being  $(\varphi \wedge \mathbf{M}\mathbf{K}\psi) \rightarrow \mathbf{M}(\mathbf{K}\varphi \vee \psi)$ ,

<sup>2</sup>This also explains the name S4F, as S4 is characterised by  $\mathbf{K}$ ,  $\mathbf{T}$ , and  $\mathbf{4}$ .

<sup>1</sup>Original standpoint logic [1] also offered *sharpening statements*, expressions of the form  $s \preceq u$  indicating that every precisification subscribing to  $s$  must also subscribe to  $u$  as realised by their formal semantics  $\sigma(s) \subseteq \sigma(u)$ . We disregard sharpening statements in this work for clarity of exposition; they could be added without difficulty.

where  $\mathbf{M}\phi$  abbreviates  $\neg\mathbf{K}\neg\phi$ .

### 2.3. Non-Monotonic S4F

A non-monotonic logic can be obtained by restricting attention to models where what is known is minimal. As defined by Schwarz and Truszczyński [4, Definitions 3.2 and 3.3], an S4F structure  $\mathcal{M} = (V, W, \xi)$  is said to be *strictly preferred over* another S4F structure  $\mathcal{K} = (V', W', \xi')$  iff  $V' = \emptyset$ ,  $\xi' \supseteq \xi$ ,<sup>3</sup> and for some  $\psi \in \mathcal{L}$ , we have  $\mathcal{K} \Vdash \psi$  but  $\mathcal{M} \not\Vdash \psi$ . We say that  $\mathcal{K}$  is a *minimal model* of a theory  $T \subseteq \mathcal{L}_{\mathbf{K}}$  iff (1)  $\mathcal{K}$  is a model of  $T$ , and (2) there is no model  $\mathcal{M}$  of  $T$  that is strictly preferred over  $\mathcal{K}$ .

So if  $\mathcal{M}$  is strictly preferred over  $\mathcal{K}$ , then there is a propositional formula  $\psi \in \mathcal{L}$  such that (1)  $\mathcal{K}, w \Vdash \psi$  for all  $w \in W$ , and (2) there is a  $w' \in V$  such that  $\mathcal{M}, w' \not\Vdash \psi$ . For a minimal model of a theory  $T$ , all strictly preferred structures violate some formula of  $T$ .

Intuitively,  $\mathcal{K}$  having a strictly preferred alternative means that the knowledge of  $\mathcal{K}$  is not minimal. We note that a minimal model  $(V, W, \xi)$  has  $V = \emptyset$  by definition, and thus is an S5 structure, that is, a set of worlds with a universal accessibility relation.

### 2.4. Complexity of Non-Monotonic S4F

Schwarz and Truszczyński [13] provide complexity results for decision problems associated with non-monotonic S4F. The problems are defined w.r.t. a finite S4F theory  $A \subseteq \mathcal{L}_{\mathbf{K}}$  and a formula  $\varphi \in \mathcal{L}_{\mathbf{K}}$  and can be summarized as follows:

- $\text{EXISTENCE}_{\text{S4F}}$ : Does  $A$  have a minimal model?
- $\text{IN-SOME}_{\text{S4F}}$ : Is there a minimal model  $\mathcal{M}$  of  $A$ , such that  $\mathcal{M} \Vdash \varphi$ ?
- $\text{NOT-IN-ALL}_{\text{S4F}}$ :<sup>4</sup> Is there a minimal model  $\mathcal{M}$  of  $A$ , such that  $\mathcal{M} \not\Vdash \varphi$ ?
- $\text{IN-ALL}_{\text{S4F}}$ : Does  $\mathcal{M} \Vdash \varphi$  hold for every minimal model  $\mathcal{M}$  of  $A$ ?

The above reasoning tasks were found to reside on the second level of the polynomial hierarchy, with the first three being  $\Sigma_2^P$ -complete and the last one  $\Pi_2^P$ -complete. We recall the proof idea by Schwarz and Truszczyński [13] of  $\text{EXISTENCE}_{\text{S4F}}$  given an S4F theory  $A \subseteq \mathcal{L}_{\mathbf{K}}$  below.

Let  $A^{\mathbf{K}} = \{\varphi \mid \mathbf{K}\varphi \in \text{Sub}(A)\}$ , where  $\text{Sub}(A)$  denotes the set of all subformulas of formulas in  $A$ . Note that given any minimal S4F model  $\mathcal{M}$  of  $A$ , which necessarily is an S5 structure, and a formula  $\varphi \in \mathcal{L}_{\mathbf{K}}$ , due to the universal accessibility relation it is the case that either  $\mathcal{M} \Vdash \mathbf{K}\varphi$  or  $\mathcal{M} \Vdash \neg\mathbf{K}\varphi$ . Then, there has to be a subset  $\Psi \subseteq A^{\mathbf{K}}$ , such that  $\mathcal{M} \Vdash \mathbf{K}\psi$  and  $\mathcal{M} \Vdash \psi$  for all  $\psi \in \Psi$ . For the remaining elements of  $A^{\mathbf{K}}$ , namely  $\phi \in \Phi := A^{\mathbf{K}} \setminus \Psi$  then it has to hold that  $\mathcal{M} \Vdash \neg\mathbf{K}\phi$ . The minimal models of a theory  $A$  can therefore be compactly represented by partitionings  $(\Phi, \Psi)$  of  $A^{\mathbf{K}}$ . Such a sparse representation of a minimal model is necessary, as the actual minimal model cannot be

<sup>3</sup>We consider a function  $f: A \rightarrow B$  to be a relation  $f \subseteq A \times B$  that is functional, i.e., where for each  $a \in A$  there exists at most one  $b \in B$  with  $(a, b) \in f$ . Consequently, then  $g \supseteq f$  for functions  $g$  and  $f$  simply means that  $g$  assigns just as  $f$  does, while  $g$  may have a strictly larger domain.

<sup>4</sup>Note that for a general S4F formula  $\varphi$  (including objective formulas), this task is not reducible to  $\text{IN-SOME}_{\text{S4F}}$  in a straightforward way by simply asking whether  $\neg\varphi$  is satisfied in some minimal S4F model of  $A$ , as non-satisfaction does not imply satisfaction of the negation.

efficiently constructed due to potentially containing exponentially many worlds (w.r.t. the input theory). Towards minimisation of knowledge, note that the set  $\Phi$  needs to be maximal, so that the set of known formulas  $\Psi$  is restricted to only what is absolutely necessary.

The procedure for  $\text{EXISTENCE}_{\text{S4F}}$  work as follows: Given a theory  $A \subseteq \mathcal{L}_{\mathbf{K}}$ , we guess a partitioning of  $A^{\mathbf{K}}$  into  $(\Phi, \Psi)$ . Based on this pair, we define the set

$$\Theta = A \cup \{\neg\mathbf{K}\varphi \mid \varphi \in \Phi\} \cup \{\mathbf{K}\psi \mid \psi \in \Psi\} \cup \Psi$$

which is interpreted as a theory of *propositional* logic over an extended signature  $\mathcal{A} \cup \{\mathbf{K}\phi \mid \phi \in A^{\mathbf{K}}\}$ , that is, where subformulas of the form  $\mathbf{K}\phi$  are treated as propositional atoms. Then, we verify whether the guessed pair is *introspection consistent* [13], that is, whether:

- (C1)  $\Phi \cup \Psi = A^{\mathbf{K}}$  and  $\Phi \cap \Psi = \emptyset$ ;
- (C2)  $\Theta$  is propositionally consistent;
- (C3) for each  $\phi \in \Phi$ , we have  $\Theta \not\vdash \phi$  (where  $\vdash$  denotes the provability relation of propositional logic).

Afterwards we check whether the introspection consistent pair  $(\Phi, \Psi)$  corresponds to a *minimal* S4F model of  $A$  [13, condition (2)], by checking if for every  $\psi \in \Psi$ , we have

$$A \cup \{\neg\mathbf{K}\phi \mid \phi \in \Phi\} \vdash_{\text{S4F}} \psi.$$

The containment proof relies on the fact that S4F provability (Is a formula  $\varphi$  S4F-provable from a given finite set of premises  $A \subseteq \mathcal{L}_{\mathbf{K}}$ ?) is in NP [13]. Since the number of calls to an NP-oracle is polynomial,  $\text{EXISTENCE}_{\text{S4F}}$  is in  $\Sigma_2^P$ . A matching lower bound follows from the faithful embedding of default logic [5] into S4F, which will be covered in the next subsection.

### 2.5. S4F in Knowledge Representation

The logic S4F is immensely useful for knowledge representation purposes [13, 4], as it allows to naturally embed several non-monotonic logics. Among others, it subsumes the (bimodal) logic of GK by Lin and Shoham [15] as well as the (bimodal) logic of MKNF by Lifschitz [16], all while being unimodal and thus arguably having a simpler semantics. In the following subsections, we briefly sketch how several well-known knowledge representation formalisms can be recovered in S4F, and note especially that all of them stay within the fragment of modal defaults.

#### 2.5.1. Default Logic

Most importantly, the default logic of Reiter [5] can be faithfully and modularly embedded into S4F [11]: For a default  $\varphi: \psi_1, \dots, \psi_n / \psi$ , the corresponding S4F formula is given by  $(\mathbf{K}\varphi \wedge \mathbf{K}\neg\mathbf{K}\neg\psi_1 \wedge \dots \wedge \mathbf{K}\neg\mathbf{K}\neg\psi_n) \rightarrow \mathbf{K}\psi$ . Modularly here means that a default theory can be translated default by default, without looking at the whole theory, something that is not possible [17] when translating default logic into autoepistemic logic [18].<sup>5</sup> Faithfully means that the extensions of the default theory are in one-to-one correspondence with the minimal models of the resulting S4F translation. (A

<sup>5</sup>This is even more notable if we take into account that autoepistemic logic can be seen as non-monotonic KD45 [4] in the nomenclature of McDermott and Doyle [19], McDermott [20].

similar translation exists for disjunctive default logic [21]. Deciding whether a propositional default theory has an extension is  $\Sigma_2^0$ -complete [22], thus providing the matching lower bound to S4F minimal model existence.

### 2.5.2. Logic Programs

In a similar vein, normal logic programs can be translated modularly into S4F [11, 4]: A rule  $p_0 \leftarrow p_1, \dots, p_m, \sim p_{m+1}, \dots, \sim p_{m+n}$  becomes  $(\mathbf{K}p_1 \wedge \dots \wedge \mathbf{K}p_m \wedge \mathbf{K}\neg\mathbf{K}p_{m+1} \wedge \dots \wedge \mathbf{K}\neg\mathbf{K}p_{m+n}) \rightarrow \mathbf{K}p_0$ . The translation is faithful with respect to the stable model semantics. (This works similarly for extended/disjunctive logic programs [23, 4].)

### 2.5.3. Argumentation Frameworks

Last but not least, also argumentation frameworks [24] (under stable semantics) can be modularly and faithfully translated into S4F. Given that argumentation frameworks (AFs) can be modularly translated into normal logic programs (over an extended vocabulary) using Dung's translation [24, Section 5; 25], we have the following straightforward result:

**Proposition 1.** *Given a (finite) argumentation framework  $F = (A, R)$ , we define the following S4F theory:  $T_F := \{\mathbf{K}\neg\mathbf{K}\neg a \rightarrow \mathbf{K}a \mid a \in A\} \cup \{\mathbf{K}a \rightarrow \mathbf{K}\neg b \mid (a, b) \in R\}$ . The stable extensions of  $F$  and the minimal models of  $T_F$  are in one-to-one correspondence.*

*Proof.* Stable extension  $\rightsquigarrow$  minimal model: Let  $S \subseteq A$  be a stable extension of  $F$ . Define the S4F structure  $\mathcal{M}_S = (\emptyset, \{w\}, \xi)$  with  $\xi(w) = S$ . We will show that  $\mathcal{M}_S$  is a minimal model of  $T_F$ .

1.  $\mathcal{M}_S$  is a model of  $T_F$ :

- Consider  $\phi = \mathbf{K}\neg\mathbf{K}\neg a \rightarrow \mathbf{K}a \in T_F$ . If  $a \in S$ , then  $\mathcal{M}_S \Vdash \mathbf{K}a$  and  $\mathcal{M}_S \Vdash \phi$ . If  $a \notin S$ , then  $\mathcal{M}_S \Vdash \mathbf{K}\neg a$ , whence  $\mathcal{M}_S \nVdash \mathbf{K}\neg\mathbf{K}\neg a$  and  $\mathcal{M}_S \Vdash \phi$ .
  - Consider  $\phi = \mathbf{K}a \rightarrow \mathbf{K}\neg b \in T_F$ . Then  $(a, b) \in R$  and since  $S$  is stable,  $a \notin S$  or  $b \notin S$ . If  $a \notin S$ , then  $\mathcal{M}_S \nVdash \mathbf{K}a$  and  $\mathcal{M}_S \Vdash \phi$ . If  $b \notin S$ , then  $\mathcal{M}_S \Vdash \mathbf{K}\neg b$  and  $\mathcal{M}_S \Vdash \phi$ .
2.  $\mathcal{M}_S$  is minimal: Consider the S4F structure  $\mathcal{N} = (V, \{w\}, \xi')$  to be strictly preferred to  $\mathcal{M}_S$ . Then there exist  $v \in V$  and  $\psi \in \mathcal{L}$  such that  $\mathcal{M} \Vdash \psi$  and  $\mathcal{N}, v \nVdash \psi$ . In particular,  $\xi'(v) \neq \xi'(w) = \xi(w)$ , say,  $\xi'(v)(a) \neq \xi(w)(a)$  for  $a \in A$ .
- $a \in S$ . Then  $\xi(w) \Vdash a$  and  $\xi'(v) \Vdash \neg a$  and  $\mathcal{N}, v \nVdash \mathbf{K}a$ . On the other hand,  $\mathcal{N}, w \Vdash \mathbf{K}a$  whence  $\mathcal{N}, v \nVdash \mathbf{K}\neg a$  and  $\mathcal{N}, v \Vdash \mathbf{K}\neg\mathbf{K}\neg a$ . Therefore,  $\mathcal{N}, v \nVdash \mathbf{K}\neg\mathbf{K}\neg a \rightarrow \mathbf{K}a$  and thus  $\mathcal{N} \nVdash T_F$ .
  - $a \notin S$ . Then  $\xi(w) \Vdash \neg a$  and  $\xi'(v) \Vdash a$ . Since  $S$  is stable, there exists a  $c \in S$  with  $(c, a) \in R$ . Thus  $\mathbf{K}c \rightarrow \mathbf{K}\neg a \in T_F$ . It firstly holds that  $\mathcal{N}, v \nVdash \mathbf{K}\neg a$ .
    - $\xi'(v) \Vdash c$ . Then  $\mathcal{N}, v \Vdash \mathbf{K}c$  and  $\mathcal{N}, v \nVdash \mathbf{K}c \rightarrow \mathbf{K}\neg a$ , whence  $\mathcal{N} \nVdash T_F$ .
    - $\xi'(v) \Vdash \neg c$ . Then, since  $c \in S$ ,  $\mathcal{N} \nVdash T_F$  can be shown as in the case for  $a \in S$  above.

Minimal model  $\rightsquigarrow$  stable extension: Let  $\mathcal{M} = (\emptyset, W, \xi)$  be a minimal model of  $T_F$ . Define  $S_{\mathcal{M}} = \{a \in A \mid \mathcal{M} \Vdash \mathbf{K}a\}$ .

1.  $S_{\mathcal{M}}$  is conflict-free: Consider  $a \in S_{\mathcal{M}}$  with  $(a, b) \in R$ . By definition of  $S_{\mathcal{M}}$  we get  $\mathcal{M} \Vdash \mathbf{K}a$ . From  $\mathcal{M} \Vdash T_F$  we get  $\mathcal{M} \Vdash \mathbf{K}a \rightarrow \mathbf{K}\neg b$ . Thus,  $\mathcal{M} \Vdash \mathbf{K}\neg b$ , whence  $\mathcal{M} \nVdash \mathbf{K}b$ , whence  $b \notin S_{\mathcal{M}}$ .

2.  $S_{\mathcal{M}}$  attacks  $A \setminus S_{\mathcal{M}}$ : We first show a helpful intermediate result:

*Claim 1.* For all  $a \in A$ , we have  $\mathcal{M} \Vdash \mathbf{K}a$  or  $\mathcal{M} \Vdash \mathbf{K}\neg a$ .

*Proof of the claim.* Assume  $\mathcal{M} \nVdash \mathbf{K}\neg a$ . Then there exists a  $w \in W$  such that  $\mathcal{M}, w \Vdash \neg\mathbf{K}\neg a$ . Since  $\mathcal{M}$  is an S5 structure, we get  $\mathcal{M} \Vdash \mathbf{K}\neg\mathbf{K}\neg a$ . By definition,  $\mathbf{K}\neg\mathbf{K}\neg a \rightarrow \mathbf{K}a \in T_F$ , thus by  $\mathcal{M} \Vdash T_F$  we get  $\mathcal{M} \Vdash \mathbf{K}a$ .  $\diamond$

Let  $a \in A \setminus S_{\mathcal{M}}$ . Then  $\mathcal{M} \nVdash \mathbf{K}a$ , which by the claim means that  $\mathcal{M} \Vdash \mathbf{K}\neg a$ . Assume to the contrary of what we want to show that for all  $c \in A$  with  $(c, a) \in R$ , we have  $c \notin S_{\mathcal{M}}$ , and consider any such  $c \in A$ . Then, by definition of  $S_{\mathcal{M}}$  we get  $\mathcal{M} \nVdash \mathbf{K}c$ . We now construct  $\mathcal{N} = (V, W, \xi \cup \zeta)$  with  $V = \{v\}$  (w.l.o.g.  $v \notin W$ ) and  $\zeta(v) = S_{\mathcal{M}} \cup \{a\}$ .  $\mathcal{N}$  is strictly preferred to  $\mathcal{M}$  because  $\mathcal{N}, v \nVdash \neg a$  while  $\mathcal{M} \Vdash \neg a$ , therefore it remains to show  $\mathcal{N} \Vdash T_F$  to obtain the desired contradiction. To show this, we only need consider formulas involving  $a$ , for which there are three possibilities:

- a)  $\mathcal{N} \Vdash \mathbf{K}\neg\mathbf{K}\neg a \rightarrow \mathbf{K}a$ : We have  $\mathcal{N}, w \Vdash \mathbf{K}\neg a$  for any  $w \in W$ , whence  $\mathcal{N}, w \nVdash \neg\mathbf{K}\neg a$  for all  $w \in W$  and  $\mathcal{N}, x \nVdash \mathbf{K}\neg\mathbf{K}\neg a$  for all  $x \in V \cup W$ .
- b)  $\mathcal{N} \Vdash \mathbf{K}a \rightarrow \mathbf{K}\neg b$ : For any  $w \in W \neq \emptyset$ , due to  $\mathcal{N}, w \Vdash \neg a$  we have  $\mathcal{N}, w \nVdash \mathbf{K}a$ ; we thus also get  $\mathcal{N}, v \nVdash \mathbf{K}a$ .
- c)  $\mathcal{N} \Vdash \mathbf{K}c \rightarrow \mathbf{K}\neg a$ : For all  $w \in W$ , we have  $\mathcal{M}, w \nVdash \mathbf{K}c$  by assumption above, whence  $\mathcal{N}, w \nVdash \mathbf{K}c$  directly. By  $c \notin S_{\mathcal{M}}$ , we also get  $\mathcal{N}, v \nVdash \mathbf{K}c$ .  $\square$

Intuitively, the first part of the theory asserts that arguments are accepted unless they are defeated, and the second part expresses that an argument is defeated whenever one of its attackers is accepted.

## 3. Standpoint S4F

Standpoint S4F is the nesting of S4F into standpoint logic. More technically, in the nomenclature of many-dimensional modal logics [26], it is the *product* of the two logics above. This means that in each precisification, we have an “ordinary” S4F structure with two sets of worlds, which altogether come from a common pool of globally “available” possible worlds.

### 3.1. Syntax

As before, we start out from a set  $\mathcal{S}$  of standpoint names and a set  $\mathcal{A}$  of propositional atoms. We intend the language to be used to express what is known according to certain standpoints. This entails that nothing is known *about* the standpoints, but that they are an outer layer that is intuitively not accessible to the  $\mathbf{K}$  modality. Accordingly, we restrict the ways the modalities can be nested already in the syntax: while S4F modality  $\mathbf{K}$  can be used in the scope of a standpoint modality  $\square_s$ , we disallow the reverse.<sup>6</sup>

<sup>6</sup>While it would pose no technical obstacles to allow the reverse nesting in syntax and semantics, we choose this restriction to clarify the intended use of SS4F.



**Definition 1.** The language  $\mathcal{L}_{\mathbb{S}\mathbf{K}}$  of  $\mathbb{S}\mathbf{S}4\mathbf{F}$  is built via:

$$\varphi ::= \psi \mid \neg\varphi \mid \varphi \wedge \varphi \mid \Box_s\varphi$$

where  $\psi \in \mathcal{L}_{\mathbf{K}}$  is a *modal default*, that is,

$$\psi ::= \mathbf{K}\phi \mid \neg\psi \mid \psi \wedge \psi \mid \mathbf{K}\psi$$

with  $\phi \in \mathcal{L}$  being a formula of propositional logic.  $\diamond$

We sometimes call formulas from  $\mathcal{L}_{\mathbf{K}} \setminus \mathcal{L}$  *subjective* (because they depend on what is known), and those from  $\mathcal{L}$  *objective* formulas. For Boolean combinations, we allow the usual abbreviations  $\phi \vee \psi := \neg(\neg\phi \wedge \neg\psi)$  and  $\phi \rightarrow \psi := \neg\phi \vee \psi$ , and for the (standpoint and  $\mathbf{S}4\mathbf{F}$ ) modalities we sometimes use their duals  $\mathbf{M}\phi := \neg\mathbf{K}\neg\phi$  and  $\Diamond_s\phi := \neg\Box_s\neg\phi$ .

Given an  $\mathbb{S}\mathbf{S}4\mathbf{F}$  formula  $\varphi \in \mathcal{L}_{\mathbb{S}\mathbf{K}}$ , as before (for  $\mathbf{S}4\mathbf{F}$ ) we denote the set of its subformulas by  $Sub(\varphi)$ . The *size* of a formula  $\varphi$  is defined as the number of its subformulas, that is,  $\|\varphi\| := |Sub(\varphi)|$ . Both notions generalise in a straightforward way to theories  $T \subseteq \mathcal{L}_{\mathbb{S}\mathbf{K}}$ .

An  $\mathbb{S}\mathbf{S}4\mathbf{F}$  theory  $T \subseteq \mathcal{L}_{\mathbb{S}\mathbf{K}}$  is *simple* iff every formula  $\varphi \in T$  is of the form  $\Box_s\psi$  or  $\Diamond_s\psi$  for some  $\psi \in \mathcal{L}_{\mathbf{K}}$ .

### 3.2. Semantics

**Definition 2.** Consider a set  $\mathcal{A}$  of atoms and a set  $\mathcal{S}$  of standpoint names. A *standpoint  $\mathbf{S}4\mathbf{F}$  structure* is a tuple  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  where

- $\Pi$  is a non-empty set of *precisifications*,
- $\Omega$  is a non-empty set of *worlds*,
- $\sigma: \mathcal{S} \rightarrow 2^\Pi$  assigns to each standpoint name a set of precisifications,
- $\zeta: \Pi \rightarrow 2^\Omega \times 2^\Omega$  assigns to each precisification a pair of disjoint sets of worlds, where we denote  $\zeta(\pi) = (\zeta_o(\pi), \zeta_i(\pi))$  and require  $\zeta_i(\pi) \neq \emptyset$ ,
- $\gamma: \Omega \rightarrow 2^{\mathcal{A}}$  assigns to each world a propositional evaluation.  $\diamond$

The set  $\Pi$  of precisifications is as before in standpoint logic, in that each precisification represents one possible point of view an entity could have, and where each precisification can belong to one or more standpoints (via  $\sigma$ ). The function  $\zeta$  assigns an  $\mathbf{S}4\mathbf{F}$  structure  $(\zeta_o(\pi), \zeta_i(\pi), \gamma)$  to each precisification, with outer worlds  $\zeta_o(\pi)$  and inner worlds  $\zeta_i(\pi)$ , where worlds  $w \in \Omega$  can (but need not) be reused across precisifications. As usual, by a propositional evaluation  $\gamma(w) \subseteq \mathcal{A}$  we mean that all and only the elements of  $\gamma(w)$  are those atoms that are evaluated as true.

As is generally the case for Kripke structures, the evaluation of a formula in a structure might depend on the “point” in the structure at which we evaluate the formula. Since we now have a two-dimensional modal logic with  $\mathbf{S}4\mathbf{F}$  structures nested into standpoint structures, we use *doubly pointed* structures to clarify where in the nested structure we evaluate formulas.

**Definition 3.** Let  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  be an  $\mathbb{S}\mathbf{S}4\mathbf{F}$  structure,  $\pi \in \Pi$ , and  $w \in \Omega$ . The satisfaction relation  $\Vdash$  for pointed standpoint  $\mathbf{S}4\mathbf{F}$  structures is defined as follows:

$$\begin{aligned} \mathfrak{S}, \pi, w \Vdash p & \iff p \in \gamma(w) \\ \mathfrak{S}, \pi, w \Vdash \neg\varphi & \iff \mathfrak{S}, \pi, w \not\Vdash \varphi \end{aligned}$$

$$\begin{aligned} \mathfrak{S}, \pi, w \Vdash \varphi_1 \wedge \varphi_2 & \iff \mathfrak{S}, \pi, w \Vdash \varphi_1 \text{ and } \mathfrak{S}, \pi, w \Vdash \varphi_2 \\ \mathfrak{S}, \pi, w \Vdash \mathbf{K}\varphi & \iff \\ & \begin{cases} \mathfrak{S}, \pi, w' \Vdash \varphi \text{ for all } w' \in \zeta_o(\pi) \cup \zeta_i(\pi), & \text{if } w \in \zeta_o(\pi), \\ \mathfrak{S}, \pi, w' \Vdash \varphi \text{ for all } w' \in \zeta_i(\pi), & \text{otherwise.} \end{cases} \\ \mathfrak{S}, \pi, w \Vdash \Box_s\varphi & \iff \mathfrak{S}, \pi', w' \Vdash \varphi \text{ for all } \pi' \in \sigma(\mathfrak{s}) \\ & \text{and } w' \in \zeta_o(\pi') \cup \zeta_i(\pi') \quad \diamond \end{aligned}$$

So while objective formulas (those without any modalities) are evaluated in the world, subjective formulas are evaluated with respect to a specific precisification, where standpoint modalities are evaluated with respect to a set of precisifications according to the used standpoint symbol.

We say that:

- $\mathfrak{S}, \pi, w$  is a *model* for  $\varphi$  iff  $\mathfrak{S}, \pi, w \Vdash \varphi$ ,
- $\mathfrak{S}, \pi$  is a *model* for  $\varphi$ , written  $\mathfrak{S}, \pi \Vdash \varphi$ , iff  $(\Pi, \Omega, \sigma, \zeta, \gamma), \pi, w \Vdash \varphi$  for all  $w \in \zeta_o(\pi) \cup \zeta_i(\pi)$ ,
- $\mathfrak{S}$  is a *model* for  $\varphi$ , written  $\mathfrak{S} \Vdash \varphi$ , iff  $(\Pi, \Omega, \sigma, \zeta, \gamma), \pi \Vdash \varphi$  for all  $\pi \in \Pi$ .

As usual, a standpoint  $\mathbf{S}4\mathbf{F}$  structure  $(\Pi, \Omega, \sigma, \zeta, \gamma)$  is a *model* for a theory  $T$ , written  $(\Pi, \Omega, \sigma, \zeta, \gamma) \Vdash T$ , iff  $(\Pi, \Omega, \sigma, \zeta, \gamma) \Vdash \varphi$  for all  $\varphi \in T$ . Likewise, a theory  $T$  *entails* a formula  $\varphi$ , written  $T \models_{\mathbb{S}\mathbf{S}4\mathbf{F}} \varphi$ , iff every model of  $T$  is a model of  $\varphi$ . We say that a formula  $\varphi \in \mathcal{L}_{\mathbb{S}\mathbf{K}}$  is *satisfiable* iff there exists a standpoint  $\mathbf{S}4\mathbf{F}$  structure  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$ , a precisification  $\pi \in \Pi$ , and a world  $w \in \zeta_o(\pi) \cup \zeta_i(\pi)$  such that  $(\Pi, \Omega, \sigma, \zeta, \gamma), \pi, w \Vdash \varphi$ .

### 3.3. Non-Monotonic Semantics

As usual, a non-monotonic semantics can be obtained by restricting attention to models that are in some sense *minimal*. Here, we require what we call *local minimality*, where knowledge has to be minimal in each precisification (according to the requirements of minimal  $\mathbf{S}4\mathbf{F}$  models), but the overall structure of precisifications and extents of standpoint names is allowed to freely vary. Before the minimisation of knowledge at each precisification can be carried out, one first has to determine which of the (sub)formulas of the original theory are relevant at that precisification. The formal definitions follow.

**Definition 4 (Potentially relevant subformulas).**

Given a set  $\Pi$  of precisifications, a set  $\mathcal{S}$  of standpoint names, a standpoint assignment function  $\sigma: \mathcal{S} \rightarrow 2^\Pi$ , and a simple theory  $T$ , we define the set of *potentially relevant subformulas* for a particular precisification  $\pi \in \Pi$  as

$$T_\pi^\square = \{\varphi \in Sub(T) \mid \exists \mathfrak{s} \in \mathcal{S} : \pi \in \sigma(\mathfrak{s}) \text{ and } (\Box_s\varphi \in T \text{ or } \Diamond_s\varphi \in T)\} \quad \diamond$$

The potentially relevant formulas will then be used for determining the non-monotonic semantics of simple theories, in that they provide an upper bound on what can possibly be known in a precisification.

**Definition 5 (Locally minimal model).** For a simple standpoint  $\mathbf{S}4\mathbf{F}$  theory  $T$ , we say that  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  is a *locally minimal model* of  $T$  iff (1)  $\mathfrak{S} \Vdash T$  and (2) for each  $\pi \in \Pi$  there exists an  $\mathbf{S}4\mathbf{F}$  theory  $\Xi_\pi \subseteq T_\pi^\square$  such that  $(\zeta_o(\pi), \zeta_i(\pi), \gamma|_{\zeta(\pi)})$  is a minimal  $\mathbf{S}4\mathbf{F}$  model for  $\Xi_\pi$ .<sup>7</sup>  $\diamond$

<sup>7</sup>For a function  $f: A \rightarrow B$  and a subset  $C \subseteq A$ , we denote by  $f|_C$  the function resulting from restricting the domain of  $f$  to  $C$ .

Intuitively, for a precisification  $\pi \in \Pi$ , the theory  $\Xi_\pi$  contains all standpoint-free formulas that are relevant at  $\pi$ . Local (S4F) minimality then guarantees that in each precisification of the overall structure, there is no unjustified knowledge (w.r.t. the theory  $\Xi_\pi$ ). Accordingly, non-monotonic entailment can then be defined as usual, that is, with respect to locally minimal models only.

**Definition 6.** Given a standpoint S4F theory  $T \subseteq \mathcal{L}_{\mathbb{S}\mathbf{K}}$  that is simple, we say that a formula  $\varphi \in \mathcal{L}_{\mathbb{S}\mathbf{K}}$  is:

1. *sceptically entailed* by  $T$ , written  $T \approx_{\text{scep}} \varphi$ , iff  $\mathfrak{S} \Vdash \varphi$  for all locally minimal models  $\mathfrak{S}$  of  $T$ ;
2. *credulously entailed* by  $T$ , written  $T \approx_{\text{cred}} \varphi$ , iff  $\mathfrak{S} \Vdash \varphi$  for some locally minimal model  $\mathfrak{S}$  of  $T$ .  $\diamond$

Other, intermediate, notions of non-monotonic entailment are possible to define, but not our main interest here.

## 4. Complexity

In this section we will show that the  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  reasoning tasks we defined are not harder than their S4F counterparts. We start out with showing that standpoint S4F possesses, much like other standpoint logics [6], the small model property, where satisfiable theories are guaranteed to have models of linear size.

**Lemma 2 (Small model property).** *An  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  formula  $\varphi$  is satisfiable if and only if  $\varphi$  has a model with at most  $|Sub(\varphi) \cap \mathcal{L}_{\mathbb{S}\mathbf{K}}| \leq \|\varphi\|$  precisifications.*

*Proof.* The “if” direction holds trivially. For the “only if” direction, consider an arbitrary  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  structure  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  such that  $\mathfrak{S} \Vdash \varphi$ . We will show that it can be “pruned” to obtain a small model  $\mathfrak{S}' = (\Pi', \Omega', \sigma', \zeta', \gamma')$  with  $|\Pi'| \leq |Sub(\varphi) \cap \mathcal{L}_{\mathbb{S}\mathbf{K}}|$ .

We will consider a set of precisifications that will serve as witnesses for the satisfaction of subformulas preceded by a diamond modality (i.e. some  $\Box_s$  in negative polarity.)

To this end, let  $\Pi'$  be a subset of  $\Pi$  with the following property: for each subformula  $\Box_s \psi \in Sub(\varphi)$  not satisfied in  $\mathfrak{S}$ ,  $\Pi'$  contains one precisification  $\pi_\psi \in \Pi$ , for which  $\mathfrak{S}, \pi_\psi \not\Vdash \psi$  holds (note that the existence of such a  $\pi_\psi$  follows directly from the definition of  $\Vdash$ .) Otherwise, assuming all  $\Box_s \psi$  are satisfied in  $\mathfrak{S}$ , we set  $\Pi' = \{\pi\}$  for an arbitrary  $\pi \in \Pi$ . The definition of the remaining components of  $\mathfrak{S}'$  is restricted to  $\Pi'$ , i.e.,

- $\Omega' = \Omega \cap \bigcup_{\pi \in \Pi'} \zeta'(\pi)$ ,
- $\sigma'(s) = \sigma(s) \cap \Pi'$  for each  $s \in S$ ,
- $\zeta' = \zeta|_{\Pi'}$  and  $\gamma' = \gamma|_{\Omega'}$ .

To show that  $\mathfrak{S}' \Vdash \varphi$ , we fill first prove an intermediate result by induction on the structure of each subformula  $\psi \in Sub(\varphi)$ : for every  $\pi \in \Pi'$  it holds that  $\mathfrak{S}, \pi \Vdash \psi \iff \mathfrak{S}', \pi \Vdash \psi$ . The only interesting case is when  $\psi = \Box_s \psi'$ . Assuming that  $\mathfrak{S}, \pi \Vdash \Box_s \psi'$ , by the semantics we get that  $\mathfrak{S}, \pi' \Vdash \psi'$  for every  $\pi' \in \sigma(s)$ . Because  $\sigma'(s) \subseteq \sigma(s)$  and  $\sigma'(s) \subseteq \Pi'$  by induction hypothesis we get that  $\mathfrak{S}', \pi'' \Vdash \psi'$  for every  $\pi'' \in \sigma'(s)$  and consequently (by semantics)  $\mathfrak{S}' \Vdash \Box_s \psi'$ . Conversely, assume that  $\mathfrak{S}, \pi \not\Vdash \Box_s \psi'$ . Then there is  $\pi' \in \Pi$  such that  $\pi' \in \sigma(s)$  and  $\mathfrak{S}, \pi' \not\Vdash \psi'$ . Since by construction of  $\mathfrak{S}'$  we required that

for each formula of the form  $\Box_u \alpha$  not satisfied in  $\mathfrak{S}$  a “witness” precisification  $\pi_\alpha \in \sigma(u)$  such that  $\mathfrak{S}, \pi_\alpha \not\Vdash \alpha$  is contained in  $\Pi'$ , w.l.o.g. we can assume that  $\pi' = \pi_\alpha$  and therefore  $\pi' \in \Pi'$ . Then also  $\pi' \in \sigma'(s)$  and by induction hypothesis we have that  $\mathfrak{S}', \pi' \not\Vdash \psi'$  and consequently  $\mathfrak{S}' \not\Vdash \Box_s \psi'$ , which concludes the proof of the intermediate result.

Since  $\varphi \in Sub(\varphi)$  and  $\mathfrak{S} \Vdash \varphi$  we get  $\mathfrak{S}, \pi \Vdash \varphi$  for every  $\pi \in \Pi$ . Naturally, since  $\Pi' \subseteq \Pi$  also  $\mathfrak{S}, \pi' \Vdash \varphi$  for every  $\pi' \in \Pi'$ . Then by our intermediate result we get that  $\mathfrak{S}', \pi' \Vdash \varphi$  for every  $\pi' \in \Pi'$  and consequently  $\mathfrak{S}' \Vdash \varphi$ .  $\square$

### 4.1. Complexity of $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$ reasoning tasks

We extend the reasoning tasks for S4F to the  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  case in a straightforward manner, e.g.  $\text{EXISTENCE}_{\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}}$  decides whether a simple theory  $T \subseteq \mathcal{L}_{\mathbb{S}\mathbf{K}}$  has a locally minimal  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  model. (Since locally minimal models are only defined for simple theories, all subsequent results are necessarily restricted to this fragment; we will not always explicitly state the requirement that theories be strict.) In what follows we show that for locally minimal models, the complexities of  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  reasoning tasks match those of S4F.

We say that an  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  structure  $(\Pi, \Omega, \sigma, \zeta, \gamma)$  is *pointwise S5* iff for every  $\pi \in \Pi$ , we find  $\zeta_o(\pi) = \emptyset$ . Obviously, by definition of S4F minimal models, every locally minimal model (of some simple theory  $T$ ) is pointwise S5.

We start out with some preparatory observations on  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  structures. The first result looks trivial, it however is not, and crucially hinges on the fact that (1) modal defaults allow atoms only within the scope of  $\mathbf{K}$ ;<sup>8</sup> and (2) that we restrict attention to structures that are pointwise S5, and thus offer negative introspection.

**Lemma 3.** *Let  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  be an  $\mathbb{S}\mathbf{S}\mathbf{4}\mathbf{F}$  structure that is pointwise S5. Then for all  $\pi \in \Pi$  and all  $\varphi \in \mathcal{L}_{\mathbb{S}\mathbf{K}}$ :*

$$\mathfrak{S}, \pi \Vdash \varphi \quad \text{or} \quad \mathfrak{S}, \pi \Vdash \neg \varphi$$

*Proof.* We use induction on the structure of  $\varphi$ . Note that in any case, we have

$$\mathfrak{S}, \pi \Vdash \varphi \quad \text{or} \quad \mathfrak{S}, \pi \not\Vdash \varphi$$

so to show the claim it suffices to show that

$$\mathfrak{S}, \pi \not\Vdash \varphi \text{ implies } \mathfrak{S}, \pi \Vdash \neg \varphi$$

- $\varphi = \mathbf{K}\phi$ . (Note that this case covers the induction base with  $\phi \in \mathcal{L}$  as well as the case of  $\phi \in \mathcal{L}_{\mathbf{K}}$ .)

Assume  $\mathfrak{S}, \pi \not\Vdash \mathbf{K}\phi$ . Then there exists a  $w' \in \zeta_i(\pi)$  such that  $\mathfrak{S}, \pi, w' \not\Vdash \mathbf{K}\phi$ . Since  $(\emptyset, \zeta_i(\pi), \gamma|_{\zeta_i(\pi)})$  is an S5 structure with a universal accessibility relation, we get that for all  $w \in \zeta_i(\pi)$  we have  $\mathfrak{S}, \pi, w \not\Vdash \mathbf{K}\phi$ . That is, for all  $w \in \zeta_i(\pi)$ , we have  $\mathfrak{S}, \pi, w \Vdash \neg \mathbf{K}\phi$ . By definition, then,  $\mathfrak{S}, \pi \Vdash \neg \mathbf{K}\phi$ .

- $\varphi = \neg\phi$ . Let  $\mathfrak{S}, \pi \not\Vdash \neg\phi$ . By the induction hypothesis, we get that  $\mathfrak{S}, \pi \Vdash \phi$  or  $\mathfrak{S}, \pi \Vdash \neg\phi$ . The latter is impossible, whence  $\mathfrak{S}, \pi \Vdash \phi$  and thus  $\mathfrak{S}, \pi \Vdash \neg\neg\phi$ .

- $\varphi = \phi \wedge \psi$ . Let  $\mathfrak{S}, \pi \not\Vdash \phi \wedge \psi$ . By the induction hypothesis, we have (1)  $\mathfrak{S}, \pi \Vdash \phi$  or  $\mathfrak{S}, \pi \Vdash \neg\phi$ , and (2)  $\mathfrak{S}, \pi \Vdash \psi$  or  $\mathfrak{S}, \pi \Vdash \neg\psi$ . If  $\mathfrak{S}, \pi \Vdash \phi$  and  $\mathfrak{S}, \pi \Vdash \psi$ , then  $\mathfrak{S}, \pi \Vdash \phi \wedge \psi$ , which is impossible

<sup>8</sup>For example for the atomic formula  $p \in \mathcal{A}$ , it is the case that in a precisification  $\pi$  where nothing is known (i.e.  $\gamma(\zeta_i(\pi))$  covers  $2^{\mathcal{A}}$ ), we have both  $\mathfrak{S}, \pi \not\Vdash p$  and  $\mathfrak{S}, \pi \not\Vdash \neg p$ .

by assumption. Thus  $\mathfrak{S}, \pi \Vdash \neg\phi$  or  $\mathfrak{S}, \pi \Vdash \neg\psi$ . In either case, we get  $\mathfrak{S}, \pi \Vdash \neg(\phi \wedge \psi)$ .

- $\varphi = \Box_s\phi$ . Let  $\mathfrak{S}, \pi \not\Vdash \Box_s\phi$ . Then there exists a  $w \in \zeta_i(\pi)$  with  $\mathfrak{S}, \pi, w \not\Vdash \Box_s\phi$ . In turn, there exists a  $\pi' \in \sigma(\mathfrak{s})$  and a  $w' \in \zeta_i(\pi')$  such that  $\mathfrak{S}, \pi', w' \not\Vdash \phi$ . Since  $\pi'$  is independent of  $w$ , this  $\pi' \in \sigma(\mathfrak{s})$  exists for every  $w \in \zeta_i(\pi)$ , and we obtain that for all  $w \in \zeta_i(\pi)$ , we have  $\mathfrak{S}, \pi, w \not\Vdash \Box_s\phi$ . Thus for all  $w \in \zeta_i(\pi)$ , we get  $\mathfrak{S}, \pi, w \Vdash \neg\Box_s\phi$ , that is,  $\mathfrak{S}, \pi \Vdash \neg\Box_s\phi$ .  $\square$

The following variant is equivalent, but due to its form more useful in proofs.

**Corollary 4.** Let  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  be an SS4F structure that is pointwise S5. Then for all  $\pi \in \Pi$  and all  $\varphi \in \mathcal{L}_{\mathfrak{SK}}$ :

$$\mathfrak{S}, \pi \not\Vdash \varphi \quad \text{if and only if} \quad \mathfrak{S}, \pi \Vdash \neg\varphi$$

*Proof.* The “only if” direction is clear from the proof of Lemma 3. For the “if” direction, it suffices to note that  $\mathfrak{S}, \pi \Vdash \varphi$  implies  $\mathfrak{S}, \pi \not\Vdash \neg\varphi$ .  $\square$

**Theorem 5.**  $EXISTENCE_{\text{SS4F}}$  is in  $\Sigma_2^P$ .

*Proof.* Let  $T$  be an SS4F theory. By Lemma 2 on the small model property of SS4F, we can deterministically construct  $\Pi$  (by considering all subformulas of the form  $\Box_s\phi$  occurring in negative polarity) and  $\sigma$ .

Now, we guess a triple  $(\Phi_\pi, \Psi_\pi, \Xi_\pi)$  for each  $\pi \in \Pi$ , with  $\Xi_\pi \subseteq T_\pi^\square$  and  $\Phi_\pi, \Psi_\pi \subseteq (\text{Sub}(T) \cap \mathcal{L}_{\mathfrak{K}})^{\mathfrak{K}}$ . (We guess  $|\Pi|$  such triples without any oracle calls in between.) For each precisification  $\pi$ , we check whether their respective  $\Phi_\pi, \Psi_\pi$  are introspection consistent, i.e. the following (for brevity we use the abbreviation  $\Theta_\pi = \Xi_\pi \cup \{\neg\mathbf{K}\phi \mid \phi \in \Phi_\pi\} \cup \{\mathbf{K}\psi \mid \psi \in \Psi_\pi\} \cup \Psi_\pi$ ):

$$(C1) \quad \Phi_\pi \cup \Psi_\pi = (\text{Sub}(T) \cap \mathcal{L}_{\mathfrak{K}})^{\mathfrak{K}} \text{ and } \Phi_\pi \cap \Psi_\pi = \emptyset,$$

$$(C2) \quad \Theta_\pi \text{ is propositionally consistent,}$$

$$(C3) \quad \text{for each } \phi \in \Phi_\pi, \text{ we have } \Theta_\pi \not\Vdash \phi \text{ (where } \vdash \text{ denotes the provability relation of propositional logic).}$$

Afterwards, we check whether an introspection consistent pair  $(\Phi_\pi, \Psi_\pi)$  corresponds to a minimal S4F model of  $\Xi_\pi$ , by checking if for every  $\psi \in \Psi_\pi$ ,

$$\Xi_\pi \cup \{\neg\mathbf{K}\phi \mid \phi \in \Phi_\pi\} \vdash_{\text{S4F}} \psi$$

The above requires at most polynomially many calls to an NP oracle (the number of calls is polynomially bounded by the cardinality of the set  $\Psi_\pi$ ; the oracle decides  $\vdash$  and  $\vdash_{\text{S4F}}$ ).

At this step, it is proven that at each precisification  $\pi$ , the pair  $(\Phi_\pi, \Psi_\pi)$  represents a minimal S4F model for the relevant theory  $\Xi_\pi$ . What remains to be proven is whether the entire construction, namely  $(\Pi, \sigma, (\Phi, \Psi, \Xi)_{\pi \in \Pi})$ , is a model for the initial SS4F theory  $T$  (condition (1) of Definition 5).

It is clear that for all  $\pi \in \Pi$ , we have  $\text{Sub}(\Xi_\pi) \subseteq \text{Sub}(T)$  and the local theory  $\Xi_\pi$  is satisfied at  $\pi$ ; what remains to be detected is whether there is a modal default  $\varphi \in T_\pi^\square \setminus \Xi_\pi$  that has wrongly been excluded from being relevant at  $\pi$ .

This can be checked locally using the NP oracle again, making use of  $\Theta_\pi$  at each precisification  $\pi$ . The procedure will be given inductively on the structure of an SS4F formula  $\varphi$ .

To this end we define the following relations  $\Vdash^+$  and  $\Vdash^-$ , where we abbreviate  $\mathfrak{T}_\pi := (\Phi_\pi, \Psi_\pi, \Xi_\pi)$  for brevity.

$$\begin{aligned} \mathfrak{T}_\pi \Vdash^+ \Box_s\phi &: \iff \mathfrak{T}_{\pi'} \Vdash^+ \phi \text{ for every } \pi' \in \sigma(\mathfrak{s}) \\ \mathfrak{T}_\pi \Vdash^- \Box_s\phi &: \iff \mathfrak{T}_{\pi'} \Vdash^- \phi \text{ for some } \pi' \in \sigma(\mathfrak{s}) \\ \mathfrak{T}_\pi \Vdash^+ \mathbf{K}\phi &: \iff \Theta_\pi \vdash \phi \\ \mathfrak{T}_\pi \Vdash^- \mathbf{K}\phi &: \iff \Theta_\pi \not\vdash \phi \\ \mathfrak{T}_\pi \Vdash^+ \neg\phi &: \iff \mathfrak{T}_\pi \Vdash^- \phi \\ \mathfrak{T}_\pi \Vdash^- \neg\phi &: \iff \mathfrak{T}_\pi \Vdash^+ \phi \\ \mathfrak{T}_\pi \Vdash^+ \phi \wedge \psi &: \iff \mathfrak{T}_\pi \Vdash^+ \phi \text{ and } \mathfrak{T}_\pi \Vdash^+ \psi \\ \mathfrak{T}_\pi \Vdash^- \phi \wedge \psi &: \iff \mathfrak{T}_\pi \Vdash^- \phi \text{ or } \mathfrak{T}_\pi \Vdash^- \psi \end{aligned}$$

Our approach then is to verify that  $\mathfrak{T}_\pi \Vdash^+ \varphi$  for all  $\varphi \in T$  and  $\pi \in \Pi$  (which can be done in deterministic polynomial time with an NP oracle for deciding  $\vdash$  in the cases with  $\mathbf{K}\phi$ ), and we claim that this establishes overall modelhood of the guessed structure for  $T$ . To show this correspondence, we define (slightly abusing notation  $\mathfrak{S}$ ) the SS4F structure  $\mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}) = (\Pi, \Omega, \sigma, \zeta, \gamma)$  based on the partitions  $(\mathfrak{T}_\pi)_{\pi \in \Pi}$  as follows:

- $\Omega = \bigcup_{\pi \in \Pi} \Omega_\pi$  where for every  $\pi \in \Pi$ , we set

$$\Omega_\pi = \{(\pi, \nu) \mid \nu \subseteq \mathcal{A}^+ \text{ with } \nu \Vdash \Theta_\pi\}$$

denoting  $\mathcal{A}^+ = \mathcal{A} \cup \{\mathbf{K}\phi \mid \mathbf{K}\phi \in \text{Sub}(T)\}$ ;

- $\zeta_o(\pi) = \emptyset$  and  $\zeta_i(\pi) = \Omega_\pi$  for every  $\pi \in \Pi$ ;
- $\gamma((\pi, \nu)) = \nu$  for every  $(\pi, \nu) \in \Omega_\pi$ .

Note that we allow all formulas  $\mathbf{K}\phi \in \text{Sub}(T)$  to be evaluated as “virtual atoms” in every world in every precisification.

This leads us to our first technical observation: The definition of the S5 structures at each precisification  $\pi \in \Pi$  along with the conditions (C1)–(C3) verified earlier exactly provides the desired correspondence between the “propositional” reading (via the propositional theory  $\Theta_\pi$ ) and the “S4F” reading (via the S5 structure  $\Omega_\pi$ ) of S4F formulas:

**Claim 2.** For every precisification  $\pi \in \Pi$  and potentially relevant formula  $\psi \in \text{Sub}(T) \cap (\mathcal{L}_{\mathfrak{K}} \cup \mathcal{L})$ :

$$\begin{aligned} (\forall w \in \Omega_\pi : \gamma(w) \Vdash \psi) &\iff \\ (\forall w \in \Omega_\pi : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \psi) & \end{aligned}$$

*Proof of the claim.* We use induction on the structure of  $\psi$ ; since we also cover  $\mathcal{L}$ , the base case is for  $\psi = p \in \mathcal{A}$ . Most of the cases are trivial, the only interesting case is for  $\psi = \mathbf{K}\phi$ , which in turn covers all  $\phi \in \mathcal{L}_{\mathfrak{K}} \cup \mathcal{L}$ .

We first use  $\phi \in (\text{Sub}(T) \cap \mathcal{L}_{\mathfrak{K}})^{\mathfrak{K}} = \Psi_\pi \cup \Phi_\pi$  to show:

$$\Theta_\pi \models \mathbf{K}\phi \iff \Theta_\pi \models \phi \quad (\dagger)$$

If  $\Theta_\pi \models \mathbf{K}\phi$ , then, since  $\Theta_\pi$  is propositionally consistent – condition (C2) –, we have  $\Theta_\pi \not\models \neg\mathbf{K}\phi$ . Thus  $\neg\mathbf{K}\phi \notin \Theta_\pi$  and in particular,  $\phi \notin \Phi_\pi$ , whence by (C1) we get  $\phi \in \Psi_\pi$ . Then also  $\phi \in \Theta_\pi$  and  $\Theta_\pi \models \phi$ .

On the other hand, if  $\Theta_\pi \models \phi$ , then  $\Theta_\pi \vdash \phi$ , whence by (C3) we obtain  $\phi \notin \Phi_\pi$ . Thus, by (C1),  $\phi \in \Psi_\pi$ , which in turn means  $\mathbf{K}\phi \in \Theta_\pi$  and  $\Theta_\pi \models \mathbf{K}\phi$ .

We now obtain:

$$\begin{aligned}
& \forall w \in \Omega_\pi : \gamma(w) \Vdash \mathbf{K}\phi \\
& \iff \Theta_\pi \models \mathbf{K}\phi \\
& \stackrel{(†)}{\iff} \Theta_\pi \models \phi \\
& \iff \forall w \in \Omega_\pi : \gamma(w) \Vdash \phi \\
& \stackrel{(IH)}{\iff} \forall w \in \Omega_\pi : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \phi \\
& \iff \forall w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \phi \\
& \iff \forall w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \mathbf{K}\phi \\
& \iff \forall w \in \Omega_\pi : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \mathbf{K}\phi
\end{aligned}$$

This concludes the proof of Claim 2.  $\diamond$

To obtain the desired result, we will prove (making use of Claim 2 in the base case) that given the SS4F theory  $T$  and the guessed structure  $(\Pi, \sigma, (\Phi, \Psi, \Xi)_{\pi \in \Pi})$  of partitions, we can verify modelhood by checking  $\Vdash^+$  and  $\Vdash^-$ , more formally, for all precisifications  $\pi \in \Pi$  and for all  $\varphi \in \text{Sub}(T)$ :

$$\mathfrak{T}_\pi \Vdash^+ \varphi \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \varphi \quad (1)$$

$$\mathfrak{T}_\pi \Vdash^- \varphi \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\varphi \quad (2)$$

The proof works by structural induction on  $\varphi$ .

- $\varphi = \mathbf{K}\psi$ . Then  $\psi \in \text{Sub}(T) \cap (\mathcal{L}_{\mathbf{K}} \cup \mathcal{L})$ , and regarding (1) we obtain:

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^+ \mathbf{K}\psi \\
& \iff \Theta_\pi \vdash \psi \\
& \iff \Theta_\pi \models \psi \\
& \iff \forall w \in \Omega_\pi : \gamma(w) \Vdash \psi \\
& \stackrel{\text{(Claim 2)}}{\iff} \forall w \in \Omega_\pi : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \psi \\
& \iff \forall w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \psi \\
& \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \mathbf{K}\psi
\end{aligned}$$

Regarding (2) we get:

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^- \mathbf{K}\psi \\
& \iff \Theta_\pi \not\vdash \psi \\
& \iff \Theta_\pi \not\models \psi \\
& \iff \exists w \in \Omega_\pi : \gamma(w) \not\vdash \psi \\
& \stackrel{\text{(Claim 2)}}{\iff} \exists w \in \Omega_\pi : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \not\vdash \psi \\
& \iff \exists w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \not\vdash \psi \\
& \iff \exists w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \not\vdash \mathbf{K}\psi \\
& \stackrel{\text{(S5)}}{\iff} \forall w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \not\vdash \mathbf{K}\psi \\
& \iff \forall w \in \zeta_i(\pi) : \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi, w \Vdash \neg\mathbf{K}\psi \\
& \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\mathbf{K}\psi
\end{aligned}$$

- $\varphi = \neg\psi$ . We have, with regard to (1),

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^+ \neg\psi \iff \mathfrak{T}_\pi \Vdash^- \psi \\
& \stackrel{(IH)}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\psi
\end{aligned}$$

Similarly, for (2),

$$\mathfrak{T}_\pi \Vdash^- \neg\psi \iff \mathfrak{T}_\pi \Vdash^+ \psi$$

$$\begin{aligned}
& \stackrel{(IH)}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \psi \\
& \stackrel{\text{(Corollary 4)}}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\neg\psi
\end{aligned}$$

- $\varphi = \phi \wedge \psi$ . We have

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^+ \phi \wedge \psi \\
& \iff \mathfrak{T}_\pi \Vdash^+ \phi \text{ and } \mathfrak{T}_\pi \Vdash^+ \psi \\
& \stackrel{(IH)}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \phi \\
& \quad \text{and } \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \psi \\
& \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \phi \wedge \psi
\end{aligned}$$

and

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^- \phi \wedge \psi \\
& \iff \mathfrak{T}_\pi \Vdash^- \phi \text{ or } \mathfrak{T}_\pi \Vdash^- \psi \\
& \stackrel{(IH)}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\phi \\
& \quad \text{or } \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\psi \\
& \stackrel{\text{(Corollary 4)}}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \not\vdash \phi \\
& \quad \text{or } \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \not\vdash \psi \\
& \stackrel{\text{(Definition 3)}}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \not\vdash \phi \wedge \psi \\
& \stackrel{\text{(Corollary 4)}}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg(\phi \wedge \psi)
\end{aligned}$$

- $\varphi = \Box_s \psi$ . Then

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^+ \Box_s \psi \\
& \iff \mathfrak{T}_{\pi'} \Vdash^+ \psi \text{ for every } \pi' \in \sigma(\mathfrak{s}) \\
& \stackrel{(IH)}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi' \Vdash \psi \text{ for every } \pi' \in \sigma(\mathfrak{s}) \\
& \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \Box_s \psi
\end{aligned}$$

and likewise

$$\begin{aligned}
& \mathfrak{T}_\pi \Vdash^- \Box_s \psi \\
& \iff \mathfrak{T}_{\pi'} \Vdash^- \psi \text{ for some } \pi' \in \sigma(\mathfrak{s}) \\
& \stackrel{(IH)}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi' \Vdash \neg\psi \text{ for some } \pi' \in \sigma(\mathfrak{s}) \\
& \stackrel{\text{(Corollary 4)}}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi' \not\vdash \psi \text{ for some } \pi' \in \sigma(\mathfrak{s}) \\
& \iff \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \not\vdash \Box_s \psi \\
& \stackrel{\text{(Corollary 4)}}{\iff} \mathfrak{S}(\Pi, \sigma, (\mathfrak{T}_\pi)_{\pi \in \Pi}), \pi \Vdash \neg\Box_s \psi
\end{aligned}$$

Thus by verifying  $\mathfrak{T}_\pi \Vdash^+ \varphi$  for all  $\varphi \in T$  and  $\pi \in \Pi$ , we have checked that the structure  $(\Pi, \sigma, (\Phi, \Psi, \Xi)_{\pi \in \Pi})$  (which we do not explicitly construct) constitutes a model of  $T$ . Together with the checks done earlier, this establishes that  $\mathfrak{T}_\pi$  constitutes a locally minimal model of  $T$ .  $\square$

**Example 2.** Consider the following simple SS4F theory:

$$T = \{\Box_s \mathbf{K}p, \Box_s \mathbf{K}(p \rightarrow q), \Box_t \mathbf{K}q, \Box_t \mathbf{K}\neg p\}$$

A witnessing model representing the locally minimal SS4F model of  $T$  could be  $(\{\pi_1, \pi_2\}, \sigma, (\mathfrak{T}_{\pi_1}, \mathfrak{T}_{\pi_2}))$  with  $\sigma(\mathfrak{s}) = \{\pi_1\}$ ,  $\sigma(\mathfrak{t}) = \{\pi_2\}$  and:

$$\mathfrak{T}_{\pi_1} = (\{\neg p\}, \{p, p \rightarrow q, q\}, \{\mathbf{K}p, \mathbf{K}(p \rightarrow q)\})$$

$$\mathfrak{T}_{\pi_2} = (\{p, p \rightarrow q\}, \{q, \neg p\}, \{\mathbf{K}q, \mathbf{K}\neg p\}). \quad \diamond$$



The construction of a witnessing model can also be used for credulous reasoning, where we additionally verify that  $(\Phi_\pi, \Psi_\pi, \Xi_\pi) \Vdash^+ \varphi$  for all  $\pi \in \Pi$  to demonstrate that  $T \approx_{\text{cred}} \varphi$ . In a similar vein, for sceptical reasoning, we guess a locally minimal model for  $T$  and verify that  $(\Phi_\pi, \Psi_\pi, \Xi_\pi) \Vdash^- \varphi$  for some  $\pi \in \Pi$  to show that  $T \not\approx_{\text{scep}} \varphi$ .

**Proposition 6.** *IN-SOME<sub>SS4F</sub> and NOT-IN-ALL<sub>SS4F</sub> are  $\Sigma_2^P$ -complete, IN-ALL<sub>SS4F</sub> is  $\Pi_2^P$ -complete.*

## 5. Instantiations

Intuitively, each precisification of a locally minimal SS4F model encodes an S4F minimal model for the locally-relevant S4F theory. Given that S4F theories are capable of encoding multiple non-monotonic reasoning formalisms (as described in Section 2.5), we find that SS4F provides standpoint-enhanced variants of those formalisms. As such, each precisification of a locally minimal model encodes an extension of a default theory in case of *standpoint default logic*, stable extension in case of *standpoint argumentation framework* or an answer set in case of *standpoint logic program*. Below we provide examples of the first two SS4F instantiations.

### 5.1. Standpoint Default Logic

Utilising the S4F encoding of defaults we obtain *standpoint defaults* of the form

$$\Box_s[(\mathbf{K}\varphi \wedge \mathbf{K}\neg\mathbf{K}\neg\psi_1 \wedge \dots \wedge \mathbf{K}\neg\mathbf{K}\neg\psi_n) \rightarrow \mathbf{K}\psi]$$

which we conveniently denote as  $\Box_s[\varphi : \psi_1, \dots, \psi_n/\psi]$ . Below we assume the *standpoint default theory*  $T$  to be a set of standpoint defaults. To facilitate the reading of background knowledge, by formulas  $\Box_s\mathbf{K}\varphi$  we denote modal defaults of the form  $\Box_s[\top : /\varphi]$  (i.e. where  $n = 0$ ).

**Example 3 (Example 1 continued).** The following S4F formulas of a theory  $T_*$  express common knowledge, such as that we are indeed dealing with a coffee, that an espresso cannot be low in caffeine and that a drink cannot be hot and iced at the same time, i.e.

$$T_* = \{\mathbf{K}coffee, \mathbf{K}\neg(iced \wedge hot), \mathbf{K}\neg(espresso \wedge low\_caffeine)\}$$

We use  $T_{\Box_*}$  to denote the set  $T_{\Box_*} = \{\Box_*\varphi \mid \varphi \in T_*\}$ . Additionally, we provide the set of standpoint defaults  $T_D$  presented in the introduction, expressing that coffee is usually consumed hot, unless served in Vietnam, where iced variants are more common and that a typical coffee in Italy is a highly-caffeinated espresso, contrary to the typical, filtered coffee in the US.

$$T_D = \left\{ \begin{array}{l} \Box_*[coffee : hot/hot], \Box_{\text{Vietnam}}[coffee : iced/iced], \\ \Box_{\text{Italy}}[coffee : espresso/espresso], \\ \Box_{\text{US}}[coffee : low\_caffeine/low\_caffeine] \end{array} \right\}$$

We obtain the standpoint default theory  $T = T_D \cup T_{\Box_*} \diamond$

Since extensions of a default theory can be characterised by finite sets of defaults' consequences [5, 22], there is a locally

minimal SS4F model  $\mathfrak{S} = (\Pi, \Omega, \sigma, \zeta, \gamma)$  of the theory  $T$  from Example 3, in which  $\sigma(\text{Vietnam}) = \{\pi_1, \pi_2\}$ ,  $\sigma(\text{Italy}) = \{\pi_3\}$ ,  $\sigma(\text{US}) = \{\pi_4\}$  and in which the extensions at each precisification can be represented by the following sets of consequences:

$$\begin{array}{ll} \pi_1 : T_* \cup \{hot\} & \pi_2 : T_* \cup \{iced\} \\ \pi_3 : T_* \cup \{hot, espresso\} & \pi_4 : T_* \cup \{hot, low\_caffeine\}. \end{array}$$

Therefore, we get the following conclusions:

$$\begin{array}{ll} T \approx_{\text{cred}} \Box_{\text{Italy}}[\mathbf{K}espresso] & T \approx_{\text{cred}} \Box_*\mathbf{K}hot \\ T \approx_{\text{cred}} \Box_{\text{US}}[\mathbf{K}low\_caffeine] & T \approx_{\text{cred}} \Box_{\text{Vietnam}}[\mathbf{K}iced] \end{array}$$

To emphasise the non-monotonic nature of our framework, we note that the two bottom conclusions would be retracted if we added additional background knowledge to  $T$  stating e.g. that coffee is necessarily a hot, highly caffeinated drink:

$$\Box_*\mathbf{K}(coffee \rightarrow (hot \wedge \neg low\_caffeine)).$$


### 5.2. Standpoint (Abstract) Argumentation

Similarly, employing the S4F encodings of abstract argumentation frameworks with standpoint modalities gives rise to *standpoint argumentation frameworks*. A profile  $\mathcal{P} = (F_1, \dots, F_n)$  of  $n$  argumentation frameworks (with  $F_i = (A_i, R_i)$  for all  $1 \leq i \leq n$ ) can be encoded as a single SS4F theory  $T_F$  over  $\mathcal{S} = \{1, \dots, n, *\}$  as follows:

$$T_F := \bigcup_{i=1}^n \{ \Box_i[\mathbf{K}\neg\mathbf{K}\neg a \rightarrow \mathbf{K}a \mid a \in A_i] \cup \{ \Box_i[\mathbf{K}a \rightarrow \mathbf{K}\neg b \mid (a, b) \in R_i] \}$$

Example 4 presents individual frameworks in their usual graphical representation, i.e. with nodes denoting arguments and edges attacks between them. For such a representation being within the scope of a standpoint modality means that each node and attack is encoded for this standpoint using the formula above.

**Example 4 ([27]).** The following argumentation frameworks correspond to individual views  $AF_1$ ,  $AF_2$  and  $AF_3$ , provided by Baumeister et al. [27, Figure 4]. Arguments model discussion about public access to information and medical supplies in the context of a potential epidemic [27, Table 1.]. Generally, in each view arguments draw from a common pool of arguments, whereas attacks between them are up for individual judgement of a respective agent. Here, the entire theory  $T_F$  is defined as:



where standpoint argumentation frameworks are used to express each of the distinct viewpoints,  $V_1$ ,  $V_2$  and  $V_3$ .  $\diamond$


Viewpoints from Example 4 have the following stable extensions –  $V_1: \{c, e, g\}$ ,  $V_2: \{a, c, e, g\}$ ,  $V_3: \{a, c, e, g\}$  and  $\{a, d, f\}$ . Since in a locally minimal SS4F model of  $T_F$  each precisification must encode precisely one stable extension of a related framework, we find e.g.  $T_F \approx_{\text{cred}} \Box_{V_2} \mathbf{K}a$  or  $T_F \approx_{\text{cred}} \Box_* \mathbf{K}c$ , but  $T_F \not\approx_{\text{scep}} \Box_* \mathbf{K}c$ .

We consider how standpoint argumentation relates to approaches for collective acceptability in abstract argumentation discussed in the literature [28, 27]. In the so-called *argument-wise* approaches, acceptability of the individual views (frameworks) is determined using standard methods (argumentation semantics) followed by *semantic aggregation*, where arguments deemed acceptable individually are aggregated into a single set of jointly accepted arguments. Other techniques, referred to as *framework-wise*, first aggregate individual views into a collective representation, e.g. single argumentation framework and then employ standard (or dedicated) methods to obtain the joint set of accepted arguments from that representation.

Semantics of standpoint argumentation, in which precisifications encode single stable extensions and where moreover standpoint modalities are employed to aggregate the extensions, follows the argument-wise approach. Interestingly, general (i.e. *non-simple*) SS4F theories are capable of capturing the framework-wise techniques e.g. the *nomination rule* [27], in which an attack between a pair of arguments in the resulting framework is established if it occurs in *at least one* of the input frameworks. For a set of all arguments of a profile  $\mathcal{P}$ , defined as  $A_{\mathcal{P}} = A_1 \cup \dots \cup A_n$ , necessitation can be obtained by instantiating the below schema for every pair of arguments  $a, b \in A_{\mathcal{P}}$ :

$$\diamond_* [\mathbf{K}a \rightarrow \mathbf{K}\neg b] \rightarrow \Box_* [\mathbf{K}a' \rightarrow \mathbf{K}\neg b'].$$

In particular, instantiating the schema for  $T_F$  would effectively amount to supplying  $T_F$  with:



In a similar vein, also the *majority* (resp. the *unanimity*) rule [27] – adding the attack if it is present in the majority (resp. all) of the individual frameworks – could be captured in SS4F. However, as mentioned above, enabling framework-wise aggregation techniques requires non-simple SS4F theories, which is beyond the scope of this paper and is considered as future work.

## 6. Conclusion

In this paper we introduced standpoint S4F, a two-dimensional modal logic for describing heterogeneous viewpoints that can incorporate default reasoning to make semantic commitments. We defined syntax and semantics and analysed the complexity of the most pertinent reasoning problems associated to our logic. The pleasant result was that incorporating standpoint modalities comes at no additional computational cost, as the complexity of the underlying logic, non-monotonic S4F, is preserved. We exemplified the new formalism by showcasing two instantiations with concrete NMR formalisms, namely Reiter’s default logic [5] and Dung’s argumentation frameworks [24].

A drawback of our current preliminary results is that we

restricted our attention to *simple* theories, where standpoint modalities are essentially used only in an atomic form. The reason is that the definition of the set  $T_{\pi}^{\Box}$  is hard to generalise without enabling to potentially guess unjustified knowledge into the locally relevant theory. For example, with  $T = \{\Box_s \mathbf{K}p \vee \neg \Box_s \mathbf{K}p\}$  we expect, as the theory is tautological, a unique minimal model where nothing is known; alas, guessing  $\Xi_{\pi} = \{\mathbf{K}p\}$  is not straightforward to avoid and leads to knowing  $p$  without justification.

A potential fix via considering *globally minimal models* that do not require syntax-based guessing is the objective of current and future work. Furthermore, while we have mostly ignored sharpening statements  $s \preceq u$  herein, they could be easily added, but would increase the amount of constructs to treat in checks and proofs.

In further future work, we intend to come up with a (disjunctive) ASP encoding for relevant fragments of SS4F with the intent of providing a prototypical implementation. We also want to study strong equivalence for SS4F; the case of plain S4F has been studied by Truszczyński [14]. Finally, it is also worthwhile to develop a proof system for our new logic. S4F has a proof system via the axioms (K), (T), (4), and (F); propositional standpoint logic has proof systems as well [1, 29]. It will be challenging to combine these proof systems to obtain one for SS4F.

## Acknowledgments

We are indebted to Lucía Gómez Álvarez for helpful discussions on the subject matter.

We also acknowledge funding from BMBF within projects KIMEDS (grant no. GW0552B), MEDGE (grant no. 16ME0529), and SEMECO (grant no. 03ZU1210B).

## References

- [1] L. Gómez Álvarez, S. Rudolph, Standpoint logic: Multi-perspective knowledge representation, in: F. Neuhaus, B. Brodaric (Eds.), *Formal Ontology in Information Systems – Proceedings of the Twelfth International Conference, FOIS 2021, Bozen–Bolzano, Italy, September 11–18, 2021*, volume 344 of *Frontiers in Artificial Intelligence and Applications*, IOS Press, 2021, pp. 3–17. URL: <https://doi.org/10.3233/FAIA210367>.
- [2] B. Bennett, Standpoint semantics: a framework for formalising the variable meaning of vague terms, *Understanding Vagueness. Logical, Philosophical and Linguistic Perspectives* (2011) 261–278.
- [3] K. K. Segerberg, *An Essay in Classical Modal Logic*, Ph.D. thesis, Stanford University, Department of Philosophy, 1971.
- [4] G. Schwarz, M. Truszczyński, Minimal knowledge problem: A new approach, *Artif. Intell.* 67 (1994) 113–141. URL: [https://doi.org/10.1016/0004-3702\(94\)90013-2](https://doi.org/10.1016/0004-3702(94)90013-2).
- [5] R. Reiter, A logic for default reasoning, *Artif. Intell.* 13 (1980) 81–132. URL: [https://doi.org/10.1016/0004-3702\(80\)90014-4](https://doi.org/10.1016/0004-3702(80)90014-4).
- [6] L. Gómez Álvarez, S. Rudolph, H. Strass, How to Agree to Disagree – Managing Ontological Perspectives using Standpoint Logic, in: U. Sattler, A. Hogan, C. M. Keet, V. Presutti, J. P. A. Almeida, H. Takeda, P. Monnin, G. Pirrò, C. d’Amato (Eds.), *The Semantic Web –*

- ISWC 2022 – 21st International Semantic Web Conference, Virtual Event, October 23–27, 2022, Proceedings, volume 13489 of *Lecture Notes in Computer Science*, Springer, 2022, pp. 125–141. URL: [https://doi.org/10.1007/978-3-031-19433-7\\_8](https://doi.org/10.1007/978-3-031-19433-7_8).
- [7] L. Gómez Álvarez, S. Rudolph, H. Strass, Tractable diversity: Scalable multiperspective ontology management via standpoint EL, in: Proceedings of the Thirty-Second International Joint Conference on Artificial Intelligence, IJCAI 2023, 19th-25th August 2023, Macao, SAR, China, [ijcai.org](http://ijcai.org), 2023, pp. 3258–3267. URL: <https://doi.org/10.24963/ijcai.2023/363>.
- [8] L. Gómez Álvarez, S. Rudolph, H. Strass, Pushing the boundaries of tractable multiperspective reasoning: A deduction calculus for standpoint EL+, in: P. Marquis, T. C. Son, G. Kern-Isberner (Eds.), Proceedings of the 20th International Conference on Principles of Knowledge Representation and Reasoning, KR 2023, Rhodes, Greece, September 2-8, 2023, 2023, pp. 333–343. URL: <https://doi.org/10.24963/kr.2023/33>.
- [9] L. G. Álvarez, S. Rudolph, Reasoning in SHIQ with axiom- and concept-level standpoint modalities, in: Proceedings of KR 2024, 2024.
- [10] N. Gigante, L. Gómez Álvarez, T. S. Lyon, Standpoint linear temporal logic, in: P. Marquis, T. C. Son, G. Kern-Isberner (Eds.), Proceedings of the 20th International Conference on Principles of Knowledge Representation and Reasoning, KR 2023, Rhodes, Greece, September 2-8, 2023, 2023, pp. 311–321. URL: <https://doi.org/10.24963/kr.2023/31>.
- [11] M. Truszczyński, Modal interpretations of default logic, in: J. Mylopoulos, R. Reiter (Eds.), Proceedings of the 12th International Joint Conference on Artificial Intelligence. Sydney, Australia, August 24–30, 1991, Morgan Kaufmann, 1991, pp. 393–398. URL: <http://ijcai.org/Proceedings/91-1/Papers/061.pdf>.
- [12] G. Schwarz, Minimal model semantics for nonmonotonic modal logics, in: Proceedings of the Seventh Annual Symposium on Logic in Computer Science (LICS '92), Santa Cruz, California, USA, June 22-25, 1992, IEEE Computer Society, 1992, pp. 34–43. URL: <https://doi.org/10.1109/LICS.1992.185517>.
- [13] G. Schwarz, M. Truszczyński, Nonmonotonic reasoning is sometimes simpler, in: G. Gottlob, A. Leitsch, D. Mundici (Eds.), Computational Logic and Proof Theory, Springer Berlin Heidelberg, Berlin, Heidelberg, 1993, pp. 313–324.
- [14] M. Truszczyński, The modal logic S4F, the default logic, and the logic here-and-there, in: Proceedings of the Twenty-Second AAAI Conference on Artificial Intelligence, July 22–26, 2007, Vancouver, British Columbia, Canada, AAAI Press, 2007, pp. 508–514. URL: <http://www.aaai.org/Library/AAAI/2007/aaai07-080.php>.
- [15] F. Lin, Y. Shoham, A logic of knowledge and justified assumptions, *Artif. Intell.* 57 (1992) 271–289. URL: [https://doi.org/10.1016/0004-3702\(92\)90019-T](https://doi.org/10.1016/0004-3702(92)90019-T).
- [16] V. Lifschitz, Minimal belief and negation as failure, *Artif. Intell.* 70 (1994) 53–72. URL: [https://doi.org/10.1016/0004-3702\(94\)90103-1](https://doi.org/10.1016/0004-3702(94)90103-1).
- [17] G. Gottlob, Translating default logic into standard autoepistemic logic, *J. ACM* 42 (1995) 711–740. URL: <https://doi.org/10.1145/210332.210334>.
- [18] R. C. Moore, Semantical considerations on nonmonotonic logic, *Artif. Intell.* 25 (1985) 75–94. URL: [https://doi.org/10.1016/0004-3702\(85\)90042-6](https://doi.org/10.1016/0004-3702(85)90042-6).
- [19] D. V. McDermott, J. Doyle, Non-monotonic logic I, *Artif. Intell.* 13 (1980) 41–72. URL: [https://doi.org/10.1016/0004-3702\(80\)90012-0](https://doi.org/10.1016/0004-3702(80)90012-0).
- [20] D. V. McDermott, Nonmonotonic logic II: nonmonotonic modal theories, *J. ACM* 29 (1982) 33–57. URL: <https://doi.org/10.1145/322290.322293>.
- [21] M. Gelfond, H. Przymusinska, V. Lifschitz, M. Truszczyński, Disjunctive defaults, in: J. F. Allen, R. Fikes, E. Sandewall (Eds.), Proceedings of the 2nd International Conference on Principles of Knowledge Representation and Reasoning (KR'91). Cambridge, MA, USA, April 22-25, 1991, Morgan Kaufmann, 1991, pp. 230–237.
- [22] G. Gottlob, Complexity Results for Nonmonotonic Logics, *Journal of Logic and Computation* 2 (1992) 397–425. URL: <https://doi.org/10.1093/logcom/2.3.397>.
- [23] M. Gelfond, V. Lifschitz, Classical negation in logic programs and disjunctive databases, *New Gener. Comput.* 9 (1991) 365–386. URL: <https://doi.org/10.1007/BF03037169>.
- [24] P. M. Dung, On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and  $n$ -person games, *Artif. Intell.* 77 (1995) 321–358. URL: [https://doi.org/10.1016/0004-3702\(94\)00041-X](https://doi.org/10.1016/0004-3702(94)00041-X).
- [25] H. Strass, Approximating operators and semantics for abstract dialectical frameworks, *Artif. Intell.* 205 (2013) 39–70. URL: <https://doi.org/10.1016/j.artint.2013.09.004>.
- [26] A. Kurucz, F. Wolter, M. Zakharyashev, D. M. Gabbay, Many-dimensional modal logics: Theory and applications, Elsevier, 2003.
- [27] D. Baumeister, D. Neugebauer, J. Rothe, Collective Acceptability in Abstract Argumentation, *Journal of Applied Logics – IfCoLog Journal of Logics and Their Applications* 8 (2021) 1503–1542.
- [28] G. Bodanza, F. Tohmé, M. Auday, Collective argumentation: A survey of aggregation issues around argumentation frameworks, *Argument and Computation* 8 (2017) 1–34.
- [29] T. S. Lyon, L. Gómez Álvarez, Automating reasoning with standpoint logic via nested sequents, in: G. Kern-Isberner, G. Lakemeyer, T. Meyer (Eds.), Proceedings of the 19th International Conference on Principles of Knowledge Representation and Reasoning, KR 2022, Haifa, Israel, July 31 – August 5, 2022, 2022. URL: <https://proceedings.kr.org/2022/26/>.