

A modal reconstruction of Rational Closure

Laura Giordano¹, Valentina Gliozzi², Nicola Olivetti³, and Gian Luca Pozzato²

¹ Dipartimento di Informatica - Università del Piemonte Orientale “Amedeo Avogadro”,
Alessandria, Italy

`laura@mfn.unipmn.it`

² Dipartimento di Informatica - Università degli Studi di Torino, Italy

`{gliozzi,pozzato}@di.unito.it`

³ LSIS-UMR CNRS 6168, Université “Paul Cézanne” Aix-Marseille 3, France

`nicola.olivetti@univ-cezanne.fr`

Abstract. This paper provides a general semantic framework for nonmonotonic reasoning, based on a minimal models semantics on the top of KLM systems for nonmonotonic reasoning. This general framework can be instantiated in order to provide a semantic reconstruction within modal logic of the notion of rational closure, introduced by Lehmann and Magidor. We give two characterizations of rational closure: the first one in terms of minimal models where propositional interpretations associated to worlds are fixed along minimization, the second one where they are allowed to vary. In both cases a knowledge base must be expanded with a suitable set of consistency assumptions, represented by negated conditionals. The correspondence between rational closure and minimal model semantics suggests the possibility of defining variants of rational closure by changing either the underlying modal logic or the comparison relation on models.

1 Introduction

In a seminal work Kraus Lehmann and Magidor [7] (henceforth KLM) proposed an axiomatic approach to nonmonotonic reasoning. Plausible inferences are represented by nonmonotonic conditionals of the form $A \sim B$, to be read as “typically or normally A entails B ”: for instance *monday* \sim *go_work*, “normally on Monday I go to work”. The conditional is nonmonotonic since from $A \sim B$ one cannot derive $A \wedge C \sim B$, in our example, one cannot derive *monday* \wedge *ill* \sim *go_work*. KLM proposed a hierarchy of four systems, from the weakest to the strongest: cumulative logic **C**, loop-cumulative logic **CL**, preferential logic **P** and rational logic **R**. Each system is characterized by a set of postulates expressing natural properties of nonmonotonic inference. We present below an axiomatization of the two stronger logics **P** and **R** (**C** and **CL** being too weak to be taken as an axiomatic base for nonmonotonic reasoning). But before presenting the axiomatization, let us clarify one point: in the original presentation of KLM systems, [7] a conditional $A \sim B$ is considered as a consequence relation between a pair of formulas A and B , so that their systems provide a set of “postulates” (or closure conditions) that the intended consequence relations must satisfy. Alternatively, these postulates may be seen as *rules* to derive new conditionals from given ones. We take a slightly different viewpoint, shared among others by Halpern and Friedman [4] (see Section 8) and Boutilier [2] who proposed a modal interpretation of KLM systems **P**

and **R**: in our understanding these systems are ordinary logical systems in which a conditional $A \sim B$ is a propositional formula belonging to the object language. Whenever we restrict our consideration, as done by Kraus Lehmann and Magidor, to the entailment of a conditional from a set of conditionals, the two viewpoints *coincide*: a conditional is a logical consequence in logic **P/R** of a set of conditionals if and only if it belongs to all preferential/rational consequence relations extending that set of conditionals, or (in semantic terms), it is valid in all preferential/rational models (as defined by KLM) of that set.

Here is the axiomatization of logics **P** and **R**, in our presentation KLM postulates/rules are just *axioms*. We use \vdash_{PC} (resp. \models_{PC}) to denote provability (resp. validity) in the propositional calculus .

All axioms and rules of propositional logic

$A \sim A$	(REF)
if $\vdash_{PC} A \leftrightarrow B$ then $(A \sim C) \rightarrow (B \sim C)$,	(LLE)
if $\vdash_{PC} A \rightarrow B$ then $(C \sim A) \rightarrow (C \sim B)$	(RW)
$((A \sim B) \wedge (A \sim C)) \rightarrow (A \wedge B \sim C)$	(CM)
$((A \sim B) \wedge (A \sim C)) \rightarrow (A \sim B \wedge C)$	(AND)
$((A \sim C) \wedge (B \sim C)) \rightarrow (A \vee B \sim C)$	(OR)
$((A \sim B) \wedge \neg(A \sim \neg C)) \rightarrow (A \wedge C) \sim B$	(RM)

The axiom (CM) is called cumulative monotony and it is characteristic of all KLM logics, axiom (RM) is called rational monotony and it characterizes the logic of rational entailment **R**. The weaker logic of preferential entailment **P** contains all axioms, but (RM). **P** and **R** seem to capture the core properties of nonmonotonic reasoning, as shown in [4] they are quite ubiquitous being characterized by different semantics (all of them being instances of so-called plausibility structures).

Logics **P** and **R** enjoy a very simple modal semantics, actually it turns out that they are the flat fragment of some well-known conditional logics. For **P** the modal semantics is defined by considering a set of worlds W equipped by an accessibility (or preference) relation $<$ assumed to be transitive, irreflexive, and satisfying the so-called Smoothness Condition. For the stronger **R** $<$ is further assumed to be modular. Intuitively the meaning of $x < y$ is that x is more normal/less exceptional than y . We say that $A \sim B$ is true in a model if B holds in all most normal worlds where A is true, i.e. in all $<$ -minimal worlds satisfying A .

KLM systems formalize desired properties of nonmonotonic inference. However, they are too weak to perform useful nonmonotonic inferences. For instance KLM systems cannot handle irrelevant information in conditionals: from $monday \sim go_work$, there is no way of concluding $monday \wedge shines \sim go_work$ in any one of KLM systems. Partially motivated by the weakness of the axiomatic approach, Lehmann and Magidor have proposed a true nonmonotonic mechanism on the top of logic **R** called *rational closure*. Rational closure on the one hand preserves the properties of **R**, on the other hand allows one to perform some truthful nonmonotonic inferences, like the one

just mentioned ($monday \wedge shines \vdash go_work$).⁴ The authors has given a syntactic procedure to calculate the set of conditionals entailed by the rational closure as well as a quite complex semantic construction. It is worth noticing that a strongly related construction has been proposed by Pearl [9] with his notion of 1-entailment, motivated by a probabilistic interpretation of conditionals.

In this work we tackle the problem of giving a purely semantic characterization of rational closure, stemming directly from the modal semantics of logic \mathbf{R} . Notice that we restrict our attention to finite knowledge bases. More precisely, we try to answer to the following question: given the fact that logic \mathbf{R} is characterized by a specific class of Kripke models, how can we characterize the Kripke models of the rational closure of a set of positive conditionals?

The characterization we propose may be seen as an instance of a general recipe for defining nonmonotonic inference: (i) fix an underlying modal semantics for conditionals (such as the one of \mathbf{P} or \mathbf{R}), (ii) obtain nonmonotonic inference by restricting semantic consequence to a class of “minimal” models according to some preference relation on models. The preference relation in itself is defined independently from the *language* and from the *set of conditionals* (knowledge base) whose nonmonotonic consequences we want to determine. In this respect our approach is similar in spirit to “minimal models” approaches to nonmonotonic reasoning, such as circumscription.

The general recipe for defining nonmonotonic inference we have sketched may have a wider interest than that of capturing Lehmann and Magidor’s rational closure. First of all, we may think of studying variants of rational closure based on other modal logics and/or on other comparison relations on models. Secondly, being a purely semantic approach (the preference relation is independent from the language), our semantics can cope with a larger language than the one considered in KLM framework. To this regard, already in this paper, we consider a richer language allowing boolean combinations of conditionals⁵. In the future, we may think of applying our semantics to Nonmonotonic Description Logics, where an extension of rational closure has been recently considered [3].

In any case, the quest of a modal characterization of rational closure turns out to be harder than expected. Our semantic account is based on the minimization of the *height* of worlds in models, where the height of a world is defined in terms of length of the $<$ -chains starting from the world. Intuitively, the lower the height of a world, the more normal (or less exceptional) is the world and our minimization corresponds intuitively to the idea of minimizing less-normal or less-plausible worlds (or maximizing most plausible ones).

⁴ Actually the main motivation of Lehmann and Magidor leading to the definition of rational closure was *technical*: it turns out that the intersection of all rational consequence relations satisfying a set of conditionals coincides with the least *preferential* consequence relation satisfying that set, so that (i) the axiom/rule (RM) does not add anything and (ii) such relation in itself *fails* to satisfy (RM). Their notion of rational closure provides a solution to both problems and can be seen as the “minimal” (in some sense) rational consequence completing a set of conditionals.

⁵ An extension of rational closure to knowledge bases comprising both positive and negative conditionals has been proposed in [1].

We begin by considering the nonmonotonic inference relation determined by restricting considerations to models which minimize the *height of worlds*. In this first characterization we keep fixed the propositional interpretation associated to worlds. The consequence relation makes sense in its own, but as we show it is *strictly weaker* than rational closure. We can obtain nonetheless a first characterization of rational closure if we further restrict attention to minimal *canonical models* that is to say, to models that contain all propositional interpretations compatible with the knowledge base K (i.e. all propositional interpretations except those that satisfy some formulas inconsistent with the knowledge base K). Restricting attention to canonical models amounts to expanding K by all formulas $\neg(A \sim \perp)$ (read as “ A is possible”, as it encodes $S5 \diamond A$) for all formulas A such that $K \not\models_R A \sim \perp$. We thus obtain a very simple and neat characterization of rational closure, but at the price of an *exponential* increase of the K .

We then propose a second characterization that does not entail this exponential blow up. In analogy with circumscription, we consider a stronger form of minimization where we minimize the height of worlds, but *we allow to vary* the propositional interpretation associated to worlds. Again the resulting minimal consequence relation makes sense in its own, but as we show it still does not correspond to rational closure. In order to capture rational closure, we must basically add the assumption that there are “enough” worlds to satisfy all conditionals consistent with the knowledge base K . This amounts to adding a *small* set of consistency assumptions (represented by negative conditionals). In this way we capture exactly rational closure, without an exponential increase of the knowledge base.

2 General Semantics

In KLM framework the language of both logics \mathbf{P} and \mathbf{R} consists only of conditionals $A \sim B$. We consider here a richer language allowing boolean combinations of conditionals (and propositional formulas). Our language \mathcal{L} is defined from a set of propositional variables ATM . We use A, B, C, \dots to denote propositional formulas (not containing \sim), and F, G, \dots to denote arbitrary formulas. More precisely, the formulas of \mathcal{L} are defined as follows: if A is a propositional formula, $A \in \mathcal{L}$; if A and B are propositional formulas, $A \sim B \in \mathcal{L}$; if F is a boolean combination of formulas of \mathcal{L} , $F \in \mathcal{L}$. A knowledge base K is any set of formulas: as already mentioned in this work we restrict our attention to finite knowledge bases.

The semantics of \mathbf{P} and \mathbf{R} is defined respectively in terms of preferential and rational⁶ models, that are possible world structures equipped with a preference relation $<$, intuitively $x < y$ means that the world/individual x is *more normal/ more typical* than the world/individual y . The intuitive idea is that $A \sim B$ holds in a model if the most typical/normal worlds/individuals satisfying A satisfy also B . Preferential models presented in [7] characterize the system \mathbf{P} , whereas the more restricted class of rational models characterize the system \mathbf{R} [8].

⁶ We use the expression “rational model” rather than “ranked model” which is also used in the literature in order to avoid any confusion with the notion of rank used in rational closure.

Definition 1. A preferential model is a triple $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ where \mathcal{W} is a non-empty set of items, $<$ is an irreflexive, transitive relation on \mathcal{W} satisfying the Smoothness relation defined below. V is a function $V : \mathcal{W} \mapsto 2^{ATM}$, which assigns to every world w the set of atoms holding in that world. If F is a boolean combination of formulas, its truth conditions $(\mathcal{M}, w \models F)$ are defined as for propositional logic. Let A be a propositional formula; we define $Min_{<}^{\mathcal{M}}(A) = \{w \in \mathcal{W} \mid \mathcal{M}, w \models A \text{ and } \forall w', w' < w \text{ implies } \mathcal{M}, w' \not\models A\}$. We also define $\mathcal{M}, w \models A \sim B$ if for all w' , if $w' \in Min_{<}^{\mathcal{M}}(A)$ then $\mathcal{M}, w' \models B$. Last we define the Smoothness Condition: if $\mathcal{M}, w \models A$, then $w \in Min_{<}^{\mathcal{M}}(A)$ or there is $w' \in Min_{<}^{\mathcal{M}}(A)$ such that $w' < w$. Validity and satisfiability of a formula are defined as usual. Given a set of formulas K of \mathcal{L} and a model $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$, we say that \mathcal{M} is a model of K , written $\mathcal{M} \models K$, if, for every $F \in K$, and every $w \in \mathcal{W}$, we have that $\mathcal{M}, w \models F$. K preferentially entails a formula F , written $K \models_P F$ if F is valid in all preferential models of K .

Since we limit our attention to finite knowledge bases, we can restrict our attention to finite models, as the logic enjoys the finite model property (observe that in this case the smoothness condition is ensured trivially by the irreflexivity of the preference relation). From Definition 1, we have that the truth condition of $A \sim B$ is “global” in a model $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$: given a world w , we have that $\mathcal{M}, w \models A \sim B$ if, for all w' , if $w' \in Min_{<}^{\mathcal{M}}(A)$ then $\mathcal{M}, w' \models B$. It immediately follows that $A \sim B$ holds in w if and only if $A \sim B$ is valid in a model, i.e. it holds that $\mathcal{M}, w' \models A \sim B$ for all w' in \mathcal{W} ; for this reason we will often write $\mathcal{M} \models A \sim B$. Moreover, when the reference to the model \mathcal{M} is unambiguous, we will simply write $Min_{<}(A)$ instead of $Min_{<}^{\mathcal{M}}(A)$.

Definition 2. A rational model is a preferential model in which $<$ is further assumed to be modular: for all $x, y, z \in \mathcal{W}$, if $x < y$ then either $x < z$ or $z < y$. K rationally entails a formula F , written $K \models_R F$ if F is valid in all rational models of K .

When the logic is clear from the context we shall write $K \models F$ instead of $K \models_P F$ or $K \models_R F$. From now on, we restrict our attention to *rational models*.

Definition 3. The height $k_{\mathcal{M}}$ of a world w in \mathcal{M} is the length of any chain $w_0 < \dots < w$ from w to a w_0 such that for no w' it holds that $w' < w_0$ ⁷.

Notice that in a rational model $\langle \mathcal{W}, V, < \rangle$, $k_{\mathcal{M}}$ is uniquely determined. Moreover, finite Rational models can be equivalently defined by postulating the existence of a function $k : \mathcal{W} \rightarrow \mathbb{N}$, and then letting $x < y$ iff $k(x) < k(y)$.

Definition 4. The height $k_{\mathcal{M}}(F)$ of a formula F is $i = \min\{k_{\mathcal{M}}(w) : \mathcal{M}, w \models F\}$. If there is no $w \mid \mathcal{M}, w \models F$, F has no height.

Proposition 1. For any $\mathcal{M} = \langle \mathcal{W}, V, < \rangle$ and any $w \in \mathcal{W}$, we have $\mathcal{M} \models A \sim B$ iff $k_{\mathcal{M}}(A \wedge B) < k_{\mathcal{M}}(A \wedge \neg B)$.

⁷ In the literature the function $k_{\mathcal{M}}$ is usually called *ranking*, but we call it *height* in order to avoid any confusion with the different notion of *ranking* as defined by Lehmann and Magidor and used in this paper as well. Our notion of ranking is similar to the one originally introduced by Spohn [11] and to the one introduced by Pearl [9]. The definition of height can be adapted to preferential models by considering the *longest* chain rather than any chain in the definition.

As already mentioned, although the operator \sim_j is *nonmonotonic*, the notion of logical entailment just defined is itself *monotonic*: if $K \models_P F$ and $K \subseteq K'$ then also $K' \models_P F$ (the same holds for \models_R). In order to define a nonmonotonic entailment we introduce our second ingredient of minimal models. The underlying idea is to restrict attention to models that minimize *the height of worlds*. Informally, given two models of K , one in which a given x has height 2 (because for instance $z < y < x$), and another in which it has height 1 (because only $y < x$), we would prefer the latter, as in this model x is “more normal” than in the former.

In analogy with circumscription, there are mainly two ways of comparing models with the same domain: 1) by keeping the valuation function fixed (only comparing \mathcal{M} and \mathcal{M}' if V and V' in the two models respectively coincide); 2) by also comparing \mathcal{M} and \mathcal{M}' in case $V \neq V'$. We consider the two possible semantics resulting from these alternatives. The first semantics is a *fixed interpretations minimal semantics*, for short *FIMS*.

Definition 5 (FIMS). Given $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ and $\mathcal{M}' = \langle \mathcal{W}', <', V' \rangle$ we say that \mathcal{M} is preferred to \mathcal{M}' with respect to the fixed interpretations minimal semantics ($\mathcal{M} <_{FIMS} \mathcal{M}'$) if $\mathcal{W} = \mathcal{W}'$, $V = V'$, and for all x , $k_{\mathcal{M}}(x) \leq k_{\mathcal{M}'}(x)$ whereas there exists $x' : k_{\mathcal{M}}(x') < k_{\mathcal{M}'}(x')$. We say that \mathcal{M} is minimal w.r.t. $<_{FIMS}$ in case there is no \mathcal{M}' such that $\mathcal{M}' <_{FIMS} \mathcal{M}$. We say that K minimally entails a formula F w.r.t. FIMS, and we write $K \models_{FIMS} F$, if F is valid in all models of K which are minimal w.r.t. $<_{FIMS}$.

The following theorem shows that we can characterize minimal models with fixed interpretations in terms of conditionals that are falsified by a world. Intuitively minimal models are those where the worlds of height 0 satisfy all conditionals, and the height (> 0) of a world x is determined by the height $k_{\mathcal{M}}(C)$ of the antecedents C of conditionals falsified by x . Given a model $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ and $x \in \mathcal{W}$, we define $S_x = \{C \sim D \in K \mid \mathcal{M}, x \models C \wedge \neg D\}$.

Proposition 2. Let K be a knowledge base and \mathcal{M} a model, then $\mathcal{M} \models K$ if and only if \mathcal{M} satisfies the following, for every $x \in \mathcal{W}$:

1. if $k_{\mathcal{M}}(x) = 0$ then $S_x = \emptyset$
2. if $S_x \neq \emptyset$, then $k_{\mathcal{M}}(x) > k_{\mathcal{M}}(C)$ for every $C \sim D \in S_x$.

Observe that condition 1 is a consequence of condition 2, since by 2 if $S_x \neq \emptyset$ then trivially $k_{\mathcal{M}}(x) > 0$; we have explicitly mentioned it for clarity (see the subsequent proposition and theorem, whose proofs can be found in [6]).

Proposition 3. Let K be a knowledge base and let \mathcal{M} be a minimal model of K with respect to FIMS; then \mathcal{M} satisfies for every $x \in \mathcal{W}$:

1. if $S_x = \emptyset$ then $k_{\mathcal{M}}(x) = 0$.
2. if $S_x \neq \emptyset$, then $k_{\mathcal{M}}(x) = 1 + \max\{k_{\mathcal{M}}(C) \mid C \sim D \in S_x\}$.

Theorem 1. Let K be a knowledge base and let \mathcal{M} be any model, then \mathcal{M} is a FIMS minimal model of K if and only if \mathcal{M} satisfies for every $x \in \mathcal{W}$:

1. $S_x = \emptyset$ iff $k_{\mathcal{M}}(x) = 0$.
2. if $S_x \neq \emptyset$, then $k_{\mathcal{M}}(x) = 1 + \max\{k_{\mathcal{M}}(C) \mid C \vdash D \in S_x\}$.

In our second semantics, we let the interpretations vary. The semantics is called variable interpretations minimal semantics, for short *VIMS*.

Definition 6 (VIMS). Given $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ and $\mathcal{M}' = \langle \mathcal{W}', <', V' \rangle$ we say that \mathcal{M} is preferred to \mathcal{M}' with respect to the variable interpretations minimal semantics, and write $\mathcal{M} <_{VIMS} \mathcal{M}'$, if $\mathcal{W} = \mathcal{W}'$, and for all x , $k_{\mathcal{M}}(x) \leq k_{\mathcal{M}'}(x)$ whereas there exists $x' : k_{\mathcal{M}}(x') < k_{\mathcal{M}'}(x')$. We say that \mathcal{M} is minimal w.r.t. $<_{VIMS}$ in case there is no \mathcal{M}' such that $\mathcal{M}' <_{VIMS} \mathcal{M}$. We say that K minimally entails (with respect to *VIMS*) F , and write $K \models_{VIMS} F$, if F is valid in all models of K which are minimal w.r.t. $<_{VIMS}$.

It is easy to realize that the two semantics, *FIMS* and *VIMS*, define different sets of minimal models. This is illustrated by the following example.

Example 1. Let $K = \{\text{penguin} \vdash \text{bird}, \text{penguin} \vdash \neg \text{fly}, \text{bird} \vdash \text{fly}\}$. We derive that $K \not\models_{FIMS} \text{penguin} \wedge \text{black} \vdash \neg \text{fly}$. Indeed in *FIMS* there can be a model \mathcal{M} in which $\mathcal{W} = \{x, y, z\}$, $V(x) = \{\text{penguin}, \text{bird}, \text{fly}, \text{black}\}$, $V(y) = \{\text{penguin}, \text{bird}\}$, $V(z) = \{\text{bird}, \text{fly}\}$, and $z < y < x$. \mathcal{M} is a model of K , and it is minimal with respect to *FIMS* (indeed once fixed $V(x), V(y), V(z)$ as above, it is not possible to lower the height of x nor of y nor of z unless we falsify K). Furthermore, in \mathcal{M} x is a typical black penguin (since there is no other black penguin preferred to it) that flies. Therefore, $K \not\models_{FIMS} \text{penguin} \wedge \text{black} \vdash \neg \text{fly}$.

On the other hand, \mathcal{M} is not minimal w.r.t. *VIMS*. Indeed, consider the model $\mathcal{M}' = \langle \mathcal{W}, <', V' \rangle$ obtained from \mathcal{M} by letting $V'(x) = \{\text{penguin}, \text{bird}, \text{black}\}$, $V'(y) = V(y)$, $V'(z) = V(z)$ and by defining $<'$ as: $z <' y$ and $z <' x$. Clearly $\mathcal{M}' \models K$, and $\mathcal{M}' <_{VIMS} \mathcal{M}$, since $k_{\mathcal{M}'}(x) < k_{\mathcal{M}}(x)$, while $k_{\mathcal{M}'} = k_{\mathcal{M}}$ for all other worlds.

The example above shows that *FIMS* and *VIMS* lead to different sets of minimal models for a given K . Notice however that the model \mathcal{M}' we have used to illustrate this fact is not a minimal model for K in *VIMS*. A minimal model in *VIMS* for K that can be defined on the domain \mathcal{W} is given by $V(x) = V(y) = V(z) = \{\text{bird}, \text{fly}\}$, and the empty relation $<$. This is quite a degenerate model of K in which there are no penguins. This illustrates the strength of *VIMS*: in case of knowledge bases that only contain positive conditionals, logical entailment in *VIMS* collapses into classical logic entailment. This feature corresponds to a similar feature of the non-monotonic logic \mathbf{P}_{min} in [5], and can be proven in the same way.

Proposition 4. Let K be a set of positive conditionals. Let us replace all formulas of the form $A \vdash B$ in K with $A \rightarrow B$, and call K' the resulting set of formulas. We have that $K \models_{VIMS} A \vdash B$ if and only if $K' \models_{PC} A \rightarrow B$.

As for \mathbf{P}_{min} this strong feature of *VIMS* can be avoided when considering knowledge bases that include existence assertions: these are negated conditionals, in the example for instance we could add $\neg(\text{penguin} \vdash \perp)$ to force us to consider non trivial models in which penguins exist. In the next section, we will use *VIMS* in this kind of way, by always considering knowledge bases that include existence assertions (expressed by negated conditionals).

3 A Semantical Reconstruction of Rational Closure

We provide a semantic characterization of the well known rational closure, described in [8] within the two semantics described in the previous section. More precisely, we can give two semantic characterizations of rational closure, the first based on *FIMS*, the second based on *VIMS*. Since in rational closure no boolean combinations of conditionals are allowed, in the following, the knowledge base K is just a finite set of positive conditional assertions. We recall the notion rational closure, giving its syntactical definition in terms of *rank* of a formula.

Definition 7. *Let K be a knowledge base (i.e. a finite set of positive conditional assertions) and A a propositional formula. A is said to be exceptional for K iff $K \models_R \top \vdash \neg A$ ⁸.*

The set of conditional formulas which are exceptional for K will be denoted as $E(K)$. It is possible to define a non sequence of subsets of K $C_0 \supseteq C_1, \dots$ by letting $C_0 = K$ and, for $i > 0$, $C_i = E(C_{i-1})$. Observe that, being K finite, there is a $n \geq 0$ such that for all $m > n$, $C_m = C_n$ or $C_m = \emptyset$.

Definition 8. *A propositional formula A has rank i for K iff i is the least natural number for which A is not exceptional for C_i . If A is exceptional for all C_i then A has no rank.*

The notion of rank of a formula allows to define the rational closure of a knowledge base K .

Definition 9. *Let K be a conditional knowledge base. The rational closure \bar{K} of K is the set of all $A \vdash B$ such that either (1) the rank of A is strictly less than the rank of $A \wedge \neg B$ (this includes the case A has a rank and $A \wedge \neg B$ has none), or (2) A has no rank.*

The rational closure of a knowledge base K seemingly contains all conditional assertions that, in the analysis of nonmonotonic reasoning provided in [8], one rationally wants to derive from K . For a full discussion, see [8].

Can we capture rational closure within our semantics? A first conjecture might be that the *FIMS* of Definition 5 could capture rational closure. However, we are soon forced to recognize that this is not the case. For instance, Example 1 above illustrates that $\{penguin \vdash bird, penguin \vdash \neg fly, bird \vdash fly\} \not\models_{FIMS} penguin \wedge black \vdash \neg fly$. On the contrary, it can be easily verified that $penguin \wedge black \vdash \neg fly$ is in the rational closure of $\{penguin \vdash bird, penguin \vdash \neg fly, bird \vdash fly\}$. Therefore, *FIMS* as it is does not allow us to define a semantics corresponding to rational closure. Things change if we consider *FIMS* applied to models that contain all possible valuations compatible with a given knowledge base K . We call these models *canonical models*.

⁸ In [8], \models_P is used instead of \models_R . However when K contains only positive conditionals the two notions coincide (see footnote 1) and we prefer to use \models_R here since we consider rational models.

Example 2. Consider Example 1 above. If we restrict our attention to models that also contain a w with $V(w) = \{penguin, bird, black\}$ which is a black penguin that does not fly and can therefore be assumed to be a typical penguin, we are able to conclude that typically black penguins do not fly, as in rational closure. Indeed, in all minimal models of K that also contain w with $V(w) = \{penguin, bird, black\}$, it holds that $penguin \wedge black \sim \neg fly$.

We are led to the conjecture that *FIMS* restricted to canonical models could be the right semantics for rational closure. Fix a propositional language \mathcal{L}_{Prop} comprising a finite set of propositional variables ATM , a propositional interpretation $v : ATM \rightarrow \{true, false\}$ is compatible with K , if there is no formula $A \in \mathcal{L}_{Prop}$ such that $v(A) = true$ and $K \models_R A \sim \perp$.

Definition 10. A model $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ satisfying a knowledge base K is said to be canonical if it contains (at least) a world associated to each propositional interpretation compatible with K , that is to say: if v is compatible with K , then there exists a world w in \mathcal{W} , such that for all propositional formulas B $\mathcal{M}, w \models B$ iff $v(B) = true$.

It can be easily shown that:

Theorem 2. For a given domain \mathcal{W} , there exists a unique canonical model \mathcal{M} for K over \mathcal{W} such that, for all other canonical models \mathcal{M}' over \mathcal{W} , we have $\mathcal{M} <_{FIMS} \mathcal{M}'$.

In the following, we show that the canonical models that are minimal with respect to *FIMS* are an adequate semantic counterpart of rational closure.

To prove the correspondence between the rational closure of a knowledge base K and the fixed interpretation minimal model semantics of K , we need to prove some propositions. The next one is a restatement for rational models of Lemma 5.18 in [8], and it can be proved in a similar way. Note that, as a difference, point 2 in Lemma 5.18 is an “if and only if” rather than an “if” statement.

Proposition 5. Let $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ be a rational model of K . Let $\mathcal{M}_0 = \mathcal{M}$ and, for all i , let $\mathcal{M}_i = \langle \mathcal{W}_i, <, V_i \rangle$ be the rational model obtained from \mathcal{M} by removing all the worlds w with $k_{\mathcal{M}}(w) < i$, i.e., $\mathcal{W}_i = \{w \in \mathcal{W} \mid k_{\mathcal{M}}(w) \geq i\}$. For any propositional formula A , if $rank(A) \geq i$, then: (1) $k_{\mathcal{M}}(A) \geq i$; (2) If $A \sim B$ is preferentially entailed by C_i , then \mathcal{M}_i satisfies $A \sim B$.

Fact 1 If $\{A_1 \rightarrow B_1, \dots, A_n \rightarrow B_n\} \models_{PC} \neg C$ then $\{A_1 \sim B_1, \dots, A_n \sim B_n\} \vdash_R \top \sim \neg C$.

The following propositions hold (proofs can be found in [6]):

Proposition 6. Let $\mathcal{M} = \langle \mathcal{W}, <, V \rangle$ be a canonical model of K , minimal w.r.t. $<_{FIMS}$. For all $w \in \mathcal{W}$ it holds that: if $\mathcal{M}, w \models A \rightarrow B$ for all $A \sim B$ in C_i , then $k_{\mathcal{M}}(w) \leq i$.

Proposition 7. Let \mathcal{M} be a canonical model of K minimal w.r.t. $<_{FIMS}$. Then, $rank(A) = i$ iff $k_{\mathcal{M}}(A) = i$.

We can now prove the following theorem (the proof is in [6]):

Theorem 3. Let K be a knowledge base and \mathcal{M} be a canonical model of K minimal w.r.t. $<_{FIMS}$. We show that, for all conditionals $A \sim B$:

$$\mathcal{M} \models A \sim B \text{ if and only if } A \sim B \in \overline{K},$$

where \overline{K} is the rational closure of K .

In Theorem 3 we have shown a correspondence between rational closure and minimal models with fixed interpretations, *on the proviso that* we restrict our attention to minimal *canonical* models. We can obtain the same effect by extending K into K' by adding negated conditionals: $K' = K \cup \{\neg(C \sim \perp) \mid K \not\models_R (C \sim \perp)\}$. Indeed it can be easily verified that all models of K' are canonical, hence restricting *FIMS* to canonical models on the one hand and considering the extension of K as K' on the other hand amounts to the same effect. We can therefore restate Theorem 3 above as follows:

Theorem 4. $K' \models_{FIMS} A \sim B$ iff $A \sim B \in \overline{K}$.

Notice that the size of K' is exponential in that of K .

Can we lift the restriction to canonical models by adopting a semantics based on variable valuations? In the general case, the answer is negative. We have already mentioned that if we consider knowledge bases consisting only positive conditionals logical entailment in *VIMS* collapses into classical logic entailment. To avoid this collapse, we can require that, when we are checking for entailment of a conditional $A \sim B$ from a K , at least an $A \wedge B$ world and an $A \wedge \neg B$ world are present in K . This can be obtained by adding to K the conditionals $\neg(A \wedge B \sim \perp)$ and $\neg(A \wedge \neg B \sim \perp)$. Also in this case, however, we cannot give a positive answer to the above question. In fact, it is possible to build a model of K , minimal w.r.t. *VIMS*, which falsifies a conditional $A \sim B$ which on the contrary is satisfied in all the canonical minimal models of K under *FIMS*. This is shown by the following example:

Example 3. Let K be the following:

$$\begin{aligned} &\{T \sim S, \\ &S \sim \neg D, \\ &L \sim P, \\ &R \sim Q, \\ &E \sim F, \\ &H \sim G, \\ &D \sim \neg P \wedge \neg Q \wedge \neg F \wedge \neg G, \\ &S \sim \neg(L \wedge R), \\ &S \sim \neg(L \wedge E), \\ &S \sim \neg(L \wedge H), \\ &S \sim \neg(R \wedge E), \\ &S \sim \neg(R \wedge H), \\ &S \sim \neg(E \wedge H)\}. \end{aligned}$$

Let $A = D \wedge S \wedge R \wedge L \wedge E \wedge H$, $B = \neg Q \wedge \neg P \wedge \neg F \wedge \neg G$ and let $K' = K \cup \{\neg(A \wedge B \sim \perp), \neg(A \wedge \neg B \sim \perp)\}$.

We define a model $\mathcal{M} = (\mathcal{W}, <, V)$ of K' , which is minimal w.r.t. $VIMS$, as follows:

$\mathcal{W} = \{x, w, y_1, y_2, y_3\}$, where:

$$\begin{aligned} V(y_1) &= \{S, \neg D, \neg R, \neg L, \neg E, \neg H, P, Q, F, G\} \\ V(y_2) &= \{\neg S, \neg D, R, L, E, H, P, Q, F, G\} \\ V(y_3) &= \{\neg S, \neg D, R, L, E, H, P, Q, F, G\} \\ V(x) &= \{D, S, R, L, E, H, \neg Q, \neg P, \neg F, \neg G\} \\ V(w) &= \{D, S, R, L, E, H, Q, \neg P, \neg F, \neg G\} \end{aligned}$$

with $k_{\mathcal{M}}(y_1) = 0$, $k_{\mathcal{M}}(y_2) = 1$, $k_{\mathcal{M}}(y_3) = 1$, $k_{\mathcal{M}}(x) = 2$ and $k_{\mathcal{M}}(w) = 2$. Observe that: x is an $A \wedge B$ minimal world; w is an $A \wedge \neg B$ minimal world; y_1 is an S minimal world; y_2 is a minimal world for R, L, E and H ; and y_3 is a D minimal world.

\mathcal{M} is a model of K which is minimal w.r.t. $VIMS$. Also, $A \sim B$ is falsified in \mathcal{M} , while, on the contrary, $A \sim B$ holds in all the canonical models minimal w.r.t. $FIMS$. Indeed, in all such models the height of $k(A \wedge B) = 2$ while $k(A \wedge \neg B) = 3$. However, it is not possible to construct a model \mathcal{M}' with 5 worlds so that $\mathcal{M}' <_{VIMS} \mathcal{M}$. In particular, assigning to x or w height 1 would require the introduction of minimal worlds for R, L, E and H with height 0. But world y_2 cannot be given height 0, as it does not satisfy the conditionals with antecedent S . In canonical models there are distinct minimal R worlds, L worlds, E worlds and H worlds height 0 (which are also minimal S worlds).

As suggested by this example, in order to characterize rational closure in terms of $VIMS$, we should restrict our consideration to models which contain “enough” worlds. In the following, as in Theorem 4, we enrich K with negated conditionals but, as a difference with K' of Theorem 4, we only need to add to K a polynomial number of negated conditionals (instead of an exponential number). The purpose of the addition is that of restricting our attention to models minimal with respect to $<_{VIMS}$ that have a domain large enough to have, in principle, a distinct most-preferred world for each antecedent of conditional in K . For this reason, we add for each antecedent C of K a new corresponding atom ϕ_C . If the problem to be addressed is that of knowing whether $A \sim B$ is logically entailed by K , we also introduce $\phi_{A \wedge B}$ and $\phi_{A \wedge \neg B}$, and we define K' as follows.

Definition 11. *We define:*

- $A_{K, A \sim B} = \{C \mid \text{either for some } D, C \sim D \in K \text{ or } C = A \wedge B \text{ or } C = A \wedge \neg B, \text{ and } K \not\vdash_R C \sim \perp\}$;
- $K' = K \cup \{\neg(C \wedge \phi_C \sim \perp) \mid C \in A_{K, A \sim B}\} \cup \{(\phi_{C_i} \wedge \phi_{C_j} \sim \perp) \mid C_i, C_j \in A_{K, A \sim B}\}$.

We here establish a correspondence between $FIMS$ and $VIMS$. By virtue of Theorem 3, this allows us to establish a correspondence between rational closure and $VIMS$, as stated by Theorem 6.

Theorem 5. *Let \mathcal{M} be a canonical model of K , minimal with respect to $FIMS$, and let K' be the extension of K defined as in Definition 11. We have that:*

$$\mathcal{M} \models A \sim B \text{ iff } K' \models_{VIMS} A \sim B.$$

The proof can be found in [6].

From Theorem 3 and Theorem 5 just shown, it follows that:

Theorem 6. $A \sim B \in \bar{K}$ iff $K' \models_{VIMS} A \sim B$ for K' of Definition 11.

4 Relation with \mathbf{P}_{min} and Pearl's System \mathbf{Z}

In [5] an alternative nonmonotonic extension of preferential logic \mathbf{P} called \mathbf{P}_{min} is proposed. Similarly to the semantics presented in this work, \mathbf{P}_{min} is based on a minimal modal semantics. However the preference relation among models is defined in a different way. Intuitively, in \mathbf{P}_{min} the fact that a world x is a minimal A -world is expressed by the fact that x satisfies $A \wedge \Box \neg A$, where \Box is defined with respect to the inverse of the preference relation (i.e. w.r.t. the accessibility relation given by Ruv iff $v < u$). The idea is that preferred models are those that minimize the set of worlds where $\neg \Box \neg A$ holds, that is A -worlds which are not minimal. As a difference from the approach presented in this work, the semantics of \mathbf{P}_{min} is defined starting from preferential models of Definition 1, in which the relation $<$ is irreflexive and transitive (thus, no longer modular). \mathbf{P}_{min} is a nonmonotonic logic considering only \mathbf{P} models that, intuitively, minimize the non-typical worlds. More precisely, given a set of formulas K , a model $\mathcal{M} = \langle \mathcal{W}_{\mathcal{M}}, <_{\mathcal{M}}, V_{\mathcal{M}} \rangle$ of K and a model $\mathcal{N} = \langle \mathcal{W}_{\mathcal{N}}, <_{\mathcal{N}}, V_{\mathcal{N}} \rangle$ of K , we say that \mathcal{M} is preferred to \mathcal{N} if $\mathcal{W}_{\mathcal{M}} = \mathcal{W}_{\mathcal{N}}$, and the set of pairs $(w, \neg \Box \neg A)$ such that $\mathcal{M}, w \models \neg \Box \neg A$ is strictly included in the corresponding set for \mathcal{N} . A model \mathcal{M} is a *minimal model* for K if it is a model of K and there is no a model \mathcal{M}' of K which is preferred to \mathcal{M} . Entailment in \mathbf{P}_{min} is restricted to minimal models of a given set of formulas K . In Section 3 of [5] it is observed that the logic \mathbf{P}_{min} turns out to be quite strong. In general, if we only consider knowledge bases containing only positive conditionals, we get the same trivialization result (part of Proposition 1 in [5]) as the one contained in Proposition 4 for $VIMS$. This does not hold for rational closure. This is the reason why we have introduced the additional assumptions of Definition 11 in order to obtain an equivalence with rational closure. Similarly, in order to tackle this trivialization in \mathbf{P}_{min} , Section 3 in [5] is focused on the so called *well-behaved knowledge bases*, that explicitly include that A is possible ($\neg(A \sim \perp)$) for all conditional assertions $A \sim B$ in the knowledge base.

We can now wonder whether \mathbf{P}_{min} is equivalent to $VIMS$, which is the semantics to which it resembles the most. Or whether $VIMS$ is equivalent to a stronger version of \mathbf{P}_{min} obtained by replacing \mathbf{P} with \mathbf{R} as the underlying logic. We call \mathbf{R}_{min} this stronger version of \mathbf{P}_{min} .

Example 4. Let $K = \{PhD \sim \neg worker, PhD \sim adult, adult \sim worker, italian \sim house_owner, PhD \sim \neg house_owner\}$.

What do we derive in \mathbf{P}_{min} and \mathbf{R}_{min} , and what in $VIMS$? By what said above, since K only contains positive conditionals, both in \mathbf{P}_{min} and \mathbf{R}_{min} , on the one side, and in $VIMS$, on the other side, we derive that $italian \wedge PhD \sim \perp$. So let's add to K the constraint that people who are italian and have a PhD do exist by introducing in K a

conditional $\neg(\text{italian} \wedge \text{PhD} \vdash \perp)$, thus obtaining: $K' = \{\text{PhD} \vdash \neg\text{worker}, \text{PhD} \vdash \text{adult}, \text{adult} \vdash \text{worker}, \text{italian} \vdash \text{house_owner}, \text{PhD} \vdash \neg\text{house_owner}, \neg(\text{italian} \wedge \text{PhD} \vdash \perp)\}$.

Notice that since $\neg(\text{italian} \wedge \text{PhD} \vdash \perp)$ entails both that $\neg(\text{italian} \vdash \perp)$ and that $\neg(\text{PhD} \vdash \perp)$, and that this in turn entails $\neg(\text{adult} \vdash \perp)$, K' is also well-behaved.

It can be easily verified that the logical consequences of K' in \mathbf{P}_{min} , \mathbf{R}_{min} , and $VIMS$ differ. In both \mathbf{P}_{min} and \mathbf{R}_{min} , for instance, we derive neither that $\text{italian} \wedge \text{PhD} \vdash \text{house_owner}$ nor that $\text{italian} \wedge \text{PhD} \vdash \neg\text{house_owner}$: the two alternatives are equivalent. On the other hand, in $VIMS$ we derive that $\text{italian} \wedge \text{PhD} \vdash \neg\text{house_owner}$.

The previous example shows that in some cases $VIMS$ is stronger than both \mathbf{P}_{min} and \mathbf{R}_{min} . The following one shows that the two approaches are incomparable, since there are also logical consequences that hold for both \mathbf{P}_{min} and \mathbf{R}_{min} but not for $VIMS$.

Example 5. Let $K = \{\text{PhD} \vdash \text{adult}, \text{adult} \vdash \text{work}, \text{PhD} \vdash \neg\text{work}, \text{italian} \vdash \text{house_owner}\}$.

What do we derive about typical $\text{italian} \wedge \text{PhD} \wedge \text{work}$, for instance? Do they inherit the property of typical italians of being *house_owner*? Again, in order to prevent the entailment of $\text{italian} \wedge \text{PhD} \wedge \text{work} \vdash \perp$ from K both in $VIMS$ and in \mathbf{P}_{min} and \mathbf{R}_{min} , we add to K the constraint that italians with a PhD who work exist, henceforth they also have typical instances. Therefore we expand K into:

$$K' = \{\text{PhD} \vdash \text{adult}, \text{adult} \vdash \text{work}, \text{PhD} \vdash \neg\text{work}, \text{italian} \vdash \text{house_owner}, \neg(\text{italian} \wedge \text{PhD} \wedge \text{work} \vdash \perp)\}.$$

By reasoning as in Example 4 we can show that K' is a well-behaved knowledge base. Now it can be shown that

$$\text{italian} \wedge \text{PhD} \wedge \text{work} \vdash \text{house_owner}$$

is entailed in \mathbf{P}_{min} and \mathbf{R}_{min} , whereas nothing is entailed in $VIMS$. This difference can be explained intuitively as follows. The set of properties for which an individual is atypical matters in \mathbf{P}_{min} and \mathbf{R}_{min} where one has to minimize the set of distinct $\neg\Box\neg C$: even if an $\text{italian} \wedge \text{PhD} \wedge \text{work}$ is an atypical PhD, \mathbf{P}_{min} and \mathbf{R}_{min} still maximize its typicality as an italian, and therefore entail that it is a *house_owner*, as all typical italians. As a difference, in $VIMS$, what matters is *the set of individuals which are more typical* than a given x , rather than *the set of properties* by which they are more typical. As a consequence, since an x which is $\text{italian} \wedge \text{PhD} \wedge \text{work}$ is an atypical PhD, there is no need to maximize its typicality as an italian, as long as this does not increase the set of individuals more typical than x .

In [9] Pearl has introduced two notions of 0-entailment and 1-entailment to perform nonmonotonic reasoning. We recall here the semantic definition of both and then we remark upon their relation with our semantics and rational closure. A model \mathcal{M} for a finite knowledge base K has the form $\mathcal{M} = (\{true, false\}^{ATM}, k_{\mathcal{M}})$ where $\{true, false\}^{ATM}$ is the set of propositional interpretations for, say, a fixed finite propositional language,

and $k_{\mathcal{M}}$ is our height function mapping propositional interpretations to \mathcal{N} , the definition of height $k_{\mathcal{M}}(A)$ of a formula is the same as in our semantic. A conditional $A \sim B$ is true in a model \mathcal{M} if $k_{\mathcal{M}}(A \wedge B) < k_{\mathcal{M}}(A \wedge \neg B)$. Then the two entailments relations are defined as follows:

$$\begin{aligned} K \models_{0\text{-ent}} A \sim B & \text{ if } A \sim B \text{ is true in all models of } K \\ K \models_{1\text{-ent}} A \sim B & \text{ if } A \sim B \text{ is true in the (unique) model } \mathcal{M} \text{ of } K \text{ which is} \\ & \text{minimal w.r.t. } k_{\mathcal{M}}. \end{aligned}$$

(minimal w.r.t. $k_{\mathcal{M}}$ means that no other model \mathcal{M}' assigns a lower value $k_{\mathcal{M}'}$ to any propositional interpretation). First, observe that Pearl's semantics (both 0 and 1 entailment) cannot cope with conditionals having an inconsistent antecedent. This limitation is deliberate and is motivated by a probabilistic interpretation of conditionals: in asserting $A \sim B$, A must not be impossible, no matter how it is unlikely. For this reason, a knowledge base such as $K = \{A \sim P, A \sim \neg P, B \sim Q\}$ is out of the scope of Pearl's semantics, and nothing can be said about its consequences. As a difference with respect to Pearl's approach we are able to consider such K , we just derive that A is impossible, without concluding that K is inconsistent or trivial, in the sense that everything follows from it. Moreover both 0-entailment and 1-entailment fail to validate:

$$\emptyset \models_{0\text{-ent}/1\text{-ent}} A \sim \top \text{ whenever } \vdash_{PC} \neg A$$

which is valid in any KLM logic, whence in rational closure (as well as in our semantics). However two definitions should make apparent the relations with our semantics and rational closure. If we consider a K such that $\forall A \sim B \in K, K \not\models_R A \sim \perp$, we get an obvious correspondence between our *canonical* models (which will contain worlds for very possible propositional interpretation) and models of Pearl's semantics. The correspondence preserves *FIMS* minimality, so that we get immediately:

Proposition 8. $K \models_{1\text{-ent}} A \sim B$ iff $A \sim B$ holds in any *FIMS*-minimal canonical model of K .

By Theorem 3, we therefore obtain $K \models_{1\text{-ent}} A \sim B$ iff $A \sim B \in \bar{K}$. This is not a surprise, the correspondence between 1-entailment and rational closure was already observed by Pearl in [9, 10]. However, it only works for knowledge bases with the strong consistency assumption as above.

5 Conclusions and Future Works

We have provided a semantic reconstruction of the known rational closure within modal logic. We have provided two minimal model semantics, based on the idea that preferred rational models are those one in which the height of the worlds is minimized. We have then shown that adding suitable possibility assumptions to a knowledge base, these two minimal model semantics correspond to rational closure.

The correspondence between the proposed minimal model semantics and rational closure suggests the possibility of defining variants of rational closure by varying the three ingredients underlying our approach, namely: (i) the properties of the preference

relation $<$: for instance just preorder, or multi-linear [5], or weakly-connected (observe that \mathbf{P} is complete w.r.t. any of the three classes); (ii) the comparison relation on models: for instance based on the heights of the worlds or on the inclusion between the relations $<$, or on negated boxed formulas satisfied by a world, as in the logic \mathbf{P}_{min} ; (iii) the choice between fixed or variable interpretations. The systems obtained by various combinations of the three ingredients are largely unexplored and may give rise to useful nonmonotonic logics. We finally intend to extend our approach to richer languages, notably in the context of nonmonotonic description logics.

References

1. Booth, R., Paris, J.: A note on the rational closure of knowledge bases with both positive and negative knowledge. *Journal of Logic, Language and Information* 7, 165–190 (1998)
2. Boutilier, C.: Conditional logics of normality: a modal approach. *Artificial Intelligence* 68(1), 87–154 (1994)
3. Casini, G., Straccia, U.: Rational closure for defeasible Description Logics. In: Janhunen, T., Niemelä, I. (eds.) *Proceedings of JELIA 2010 (12th European Conference on Logics in Artificial Intelligence)*. LNAI, vol. 6341, pp. 77–90. Springer, Helsinki, Finland (September 2010)
4. Friedman, N., Halpern, J.Y.: Plausibility measures and default reasoning. *Journal of the ACM* 48(4), 648–685 (2001)
5. Giordano, L., Gliozzi, V., Olivetti, N., Pozzato, G.L.: A nonmonotonic extension of KLM preferential logic P. In: Fermüller, C.G., Voronkov, A. (eds.) *Proceedings of LPAR 2010 (17th Conference on Logic for Programming, Artificial Intelligence, and Reasoning)*. AR-CoSS LNCS, vol. 6397, pp. 317–332. Springer-Verlag, Yogyakarta, Indonesia (October 2010)
6. Giordano, L., Gliozzi, V., Olivetti, N., Pozzato, G.L.: A minimal model semantics for rational closure. In: Rosati, R., Woltran, S. (eds.) *Proceedings of NMR 2012 (14th International Workshop on Non-Monotonic Reasoning)*. to appear, Roma, Italy (June 8-10 2012)
7. Kraus, S., Lehmann, D., Magidor, M.: Nonmonotonic reasoning, preferential models and cumulative logics. *Artificial Intelligence* 44(1-2), 167–207 (1990)
8. Lehmann, D., Magidor, M.: What does a conditional knowledge base entail? *Artificial Intelligence* 55(1), 1–60 (1992)
9. Pearl, J.: System Z: A natural ordering of defaults with tractable applications to nonmonotonic reasoning. In: Parikh, R. (ed.) *Proceedings of TARK (3rd Conference on Theoretical Aspects of Reasoning about Knowledge)*. pp. 121–135. Morgan Kaufmann, Pacific Grove, CA, USA (March 1990)
10. Pearl, J., Goldszmidt, M.: On the relation between rational closure and System-Z. In: *Proceedings of NMR 1990 (3rd International Workshop on Non-Monotonic Reasoning)*. South Lake Tahoe, California, USA (1990)
11. Spohn, W.: Ordinal conditional functions: A dynamic theory of epistemic states. In: Harper, W., Skyrms, B. (eds.) *Causation in Decision, Belief Change, and Statistics*. pp. 105–134. Kluwer, Dordrecht (1988)