

Package ‘CruzPlot’

July 18, 2024

Title Plot Shipboard DAS Data

Version 1.4.9

Description A utility program oriented to create maps, plot data, and do basic data summaries of DAS data files.

These files are typically, but do not have to be

DAS <<https://swfsc-publications.fisheries.noaa.gov/publications/TM/SWFSC/NOAA-TM-NMFS-SWFSC-305.PDF>> data

produced by the Southwest Fisheries Science Center (SWFSC) program 'WinCruz'.

URL <https://github.com/swfsc/CruzPlot/>,

<https://swfsc.github.io/CruzPlot/>

BugReports <https://github.com/swfsc/CruzPlot/issues/>

Depends R (>= 4.0.0)

Imports dplyr, DT, geosphere, mapdata, marmap, maps, shiny, shinydashboard, shinyjs, stringr, swfscDAS (>= 0.3.0)

Suggests httr, testthat

License Apache License (== 2)

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Sam Woodman [aut, cre] (<<https://orcid.org/0000-0001-6071-8186>>),
Tim Gerrodette [aut]

Maintainer Sam Woodman <sam.woodman@noaa.gov>

Repository CRAN

Date/Publication 2024-07-18 10:40:03 UTC

Contents

CruzPlot-package	2
cruzplot_gui	2

Index	3
--------------	----------

CruzPlot-package *CruzPlot*

Description

Create maps of shipboard DAS data

Details

A utility program oriented to create maps, plot data, and do basic data summaries from data files in the "DAS" format, typically produced by WinCruz.

Author(s)

Sam Woodman <sam.woodman@noaa.gov>

See Also

<https://swfsc.github.io/CruzPlot/>

cruzplot_gui *Open CruzPlot*

Description

Open the CruzPlot utility program, an R Shiny application

Usage

```
cruzplot_gui(launch.browser = TRUE)
```

Arguments

`launch.browser` Logical with default of TRUE; passed to `launch.browser` argument of [runApp](#)

Examples

```
if (interactive()) cruzplot_gui(launch.browser = TRUE)
```

Index

[CruzPlot \(CruzPlot-package\), 2](#)
[cruzplot \(CruzPlot-package\), 2](#)
[CruzPlot-package, 2](#)
[cruzplot_gui, 2](#)

[runApp, 2](#)