

Package ‘MetAlyzer’

January 20, 2025

Type Package

Title Read and Analyze 'MetIDQ™' Software Output Files

Version 1.1.0

Maintainer Nils Mechtel <nils.mech@gmail.com>

Depends R (>= 4.0.0)

Imports SummarizedExperiment, openxlsx, stringr, dplyr, tidyr, tibble,
agricolae, ggplot2, ggrepel, utils, rlang, data.table,
S4Vectors, viridis, viridisLite, plotly, limma

Description The 'MetAlyzer' S4 object provides methods to read and reformat metabolomics data for convenient data handling, statistics and downstream analysis. The resulting format corresponds to input data of the Shiny app 'MetaboExtract' (<<https://www.metaboextract.shiny.dkfz.de/MetaboExtract/>>).

License GPL-3

Encoding UTF-8

Language en-US

RoxygenNote 7.3.2

Suggests rmarkdown, knitr

VignetteBuilder knitr

URL <https://github.com/nilsmechtel/MetAlyzer>

BugReports <https://github.com/nilsmechtel/MetAlyzer/issues>

NeedsCompilation no

Author Nils Mechtel [aut, cre] (<<https://orcid.org/0000-0002-1278-7125>>),
Luis Herfurth [aut] (<<https://orcid.org/0009-0000-9933-3056>>),
Carolin Andresen [aut] (<<https://orcid.org/0000-0002-8960-7719>>),
Daniel Huebschmann [aut] (<<https://orcid.org/0000-0002-6041-7049>>)

Repository CRAN

Date/Publication 2024-12-06 14:00:02 UTC

Contents

aggregatedData	2
calculate_anova	3
calculate_cv	4
calculate_log2FC	5
example_extraction_data	6
example_meta_data	7
example_mutation_data_xl	7
exportConcValues	8
filterMetabolites	8
filterMetaData	10
log2FC	10
metalyzer_colors	11
MetAlyzer_dataset	12
pathway	12
plotly_network	13
plotly_scatter	14
plotly_vulcano	15
plot_log2FC	16
plot_network	17
polarity	18
read_named_region	19
renameMetaData	19
summarizeConcValues	20
summarizeQuantData	20
updateMetaData	21
Index	22

aggregatedData	<i>Get Aggregated Data</i>
----------------	----------------------------

Description

This function returns the tibble "aggregated_data".

Usage

```
aggregatedData(metalyzer_se)
```

Arguments

metalyzer_se SummarizedExperiment

Examples

```
metalyzer_se <- Metalyzer_dataset(file_path = example_extraction_data())  
  
aggregatedData(metalyzer_se)
```

calculate_anova	<i>One-way ANOVA</i>
-----------------	----------------------

Description

This method performs a one-way ANOVA on the grouped aggregated_data (the categorical variable is removed from grouping first). The vector of the categorical variable needs to have at least two levels after removing NAs from the dependent variable vector. Otherwise a vector of NA is returned. A Tukey post-hoc test is then used to determine group names, starting with "A" followed by further letters. These group names are added to aggregated_data in the column ANOVA_Group. Thereby, metabolites can be identified which are significantly higher in one or more of the categorical variable compared to all other for each metabolite.

Usage

```
calculate_anova(  
  metalyzer_se,  
  categorical,  
  groups = NULL,  
  impute_perc_of_min = 0.2,  
  impute_NA = TRUE  
)
```

Arguments

metalyzer_se	A Metalyzer object
categorical	A column defining the categorical variable
groups	A vector of column names of aggregated_data to calculate the ANOVA group wise. If the column does not exists in aggregated_data it is automatically added from meta data. The default value is set to NULL, which uses the existing grouping of aggregated_data.
impute_perc_of_min	A numeric value below 1
impute_NA	Logical value whether to impute NA values

Value

A data frame containing the log2 fold change for each metabolite

Examples

```

metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Extraction_Method = "Sample Description"
)
# reduced to only 'Acylcarnitines' (first metabolic class) for simplicity
drop_vec = unique(metalyzer_se@elementMetadata$metabolic_classes)[2:24]
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = drop_vec
)
metalyzer_se <- filterMetaData(
  metalyzer_se,
  Tissue == "Drosophila"
)
metalyzer_se <- calculate_anova(
  metalyzer_se,
  categorical = "Extraction_Method",
  groups = c("Metabolite"),
  impute_perc_of_min = 0.2,
  impute_NA = TRUE
)

```

calculate_cv

Add mean, SD and CV

Description

This function calculates the mean, standard deviation (SD) and the coefficient of variation (CV) for each group and adds them to aggregated_data.

Usage

```

calculate_cv(
  metalyzer_se,
  groups = NULL,
  cv_thresholds = c(0.1, 0.2, 0.3),
  na.rm = TRUE
)

```

Arguments

metalyzer_se	A Metalyzer object
groups	A vector of column names of aggregated_data to calculate mean, SD and CV group wise. If the column does not exists in aggregated_data it is automatically added from meta data. The default value is set to NULL, which uses the existing grouping of aggregated_data.

`cv_thresholds` A numeric vector of upper thresholds ($CV \leq t$) between 0 and 1 for CV categorization.

`na.rm` a logical evaluating to TRUE or FALSE indicating whether NA values should be stripped before the computation proceeds.

Value

An updated `aggregated_data` tibble data frame

Examples

```
metalyzer_se <- Metalyzer_dataset(file_path = example_extraction_data())
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Extraction_Method = "Sample Description"
)
metalyzer_se <- filterMetaData(
  metalyzer_se,
  Tissue == "Drosophila"
)
metalyzer_se <- calculate_cv(
  metalyzer_se,
  groups = c("Tissue", "Extraction_Method", "Metabolite"),
  cv_thresholds = c(0.1, 0.2, 0.3),
  na.rm = TRUE
)
```

<code>calculate_log2FC</code>	<i>Calculate log2 fold change</i>
-------------------------------	-----------------------------------

Description

This function calculates $\log_2(\text{FC})$, p-values, and adjusted p-values of the data using limma.

Usage

```
calculate_log2FC(
  metalyzer_se,
  categorical,
  impute_perc_of_min = 0.2,
  impute_NA = FALSE
)
```

Arguments

`metalyzer_se` A Metalyzer object

`categorical` A column specifying the two groups

`impute_perc_of_min` A numeric value below 1

`impute_NA` Logical value whether to impute NA values

Value

A data frame containing the log2 fold change for each metabolite

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)

metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = FALSE
)
```

example_extraction_data

Get example extraction data

Description

This function returns the extraction_data_MxP_Quant_500.xlsx file path.

Usage

```
example_extraction_data()
```

Value

extraction_data_MxP_Quant_500.xlsx file path

Examples

```
fpath <- example_extraction_data()
```

example_meta_data *Get example meta data*

Description

This function returns the data frame loaded from example_meta_data.RDS.

Usage

```
example_meta_data()
```

Value

data frame loaded from example_meta_data.RDS

Examples

```
fpath <- example_meta_data()
```

example_mutation_data_xl
Get example mutation data

Description

This function returns the mutation_data_MxP_Quant_500_XL.xlsx file path.

Usage

```
example_mutation_data_xl()
```

Value

mutation_data_MxP_Quant_500_XL.xlsx file path

Examples

```
fpath <- example_mutation_data_xl()
```

exportConcValues *Export filtered raw data as csv*

Description

This function exports the filtered raw data in the CSV format.

Usage

```
exportConcValues(metalyzer_se, ..., file_path = "metabolomics_data.csv")
```

Arguments

metalyzer_se	SummarizedExperiment
...	Additional columns from meta_data
file_path	file path

Examples

```
metalyzer_se <- Metalyzer_dataset(file_path = example_extraction_data())

output_file <- file.path(tempdir(), "metabolomics_data.csv")
exportConcValues(
  metalyzer_se,
  `Sample Description`,
  Tissue,
  file_path = output_file
)
unlink(output_file)
```

filterMetabolites *Filter metabolites*

Description

This function filters out certain classes or metabolites of the metabolites vector. If aggregated_data is not empty, metabolites and class will also be filtered here.

Usage

```
filterMetabolites(
  metalyzer_se,
  drop_metabolites = c("Metabolism Indicators"),
  drop_NA_concentration = FALSE,
  drop_quant_status = NULL,
  min_percent_valid = NULL,
```



```

    valid_status = c("Valid", "LOQ"),
    per_group = NULL,
    inplace = FALSE
  )

```

Arguments

metalyzer_se	SummarizedExperiment
drop_metabolites	A character vector defining metabolite classes or individual metabolites to be removed
drop_NA_concentration	A boolean whether to drop metabolites which have any NAs in their concentration value
drop_quant_status	A character, vector of characters or list of characters specifying which quantification status to remove. Metabolites with at least one quantification status of this vector will be removed.
min_percent_valid	A numeric lower threshold between 0 and 1 (t less than or equal to x) to remove invalid metabolites that do not meet a given percentage of valid measurements per group (default per Metabolite).
valid_status	A character vector that defines which quantification status is considered valid.
per_group	A character vector of column names from meta_data that will be used to split each metabolite into groups. The threshold 'min_percent_valid' will be applied for each group. The selected columns from meta_data will be added to aggregated_data.
inplace	If FALSE, return a copy. Otherwise, do operation inplace and return None.

Value

An updated SummarizedExperiment

Examples

```

metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())

drop_metabolites <- c("C0", "C2", "C3", "Metabolism Indicators",
  inplace = TRUE
)
metalyzer_se <- filterMetabolites(metalyzer_se, drop_metabolites)
# or
filterMetabolites(metalyzer_se, drop_metabolites, inplace = TRUE)

```

filterMetaData	<i>Filter meta data</i>
----------------	-------------------------

Description

This function updates the "Filter" column in meta_data to filter out samples.

Usage

```
filterMetaData(metalyzer_se, ..., inplace = FALSE)
```

Arguments

metalyzer_se	SummarizedExperiment
...	Use 'col_name' and condition to filter selected variables.
inplace	If FALSE, return a copy. Otherwise, do operation inplace and return None.

Value

An updated SummarizedExperiment

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())  
  
metalyzer_se <- filterMetaData(metalyzer_se, !is.na(Tissue))  
metalyzer_se <- filterMetaData(metalyzer_se, `Sample Description` %in% 1:6)  
# or  
filterMetaData(metalyzer_se, !is.na(Tissue), inplace = TRUE)  
filterMetaData(metalyzer_se, `Sample Description` %in% 1:6, inplace = TRUE)
```

log2FC	<i>Get log2FC Data</i>
--------	------------------------

Description

This function returns the tibble "log2FC".

Usage

```
log2FC(metalyzer_se)
```

Arguments

metalyzer_se	SummarizedExperiment
--------------	----------------------

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)

metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = TRUE
)

log2FC(metalyzer_se)
```

metalyzer_colors	<i>Get MetAlyzer colors</i>
------------------	-----------------------------

Description

This function returns the vector loaded from metalyzer_colors.RDS.

Usage

```
metalyzer_colors()
```

Value

data frame loaded from metalyzer_colors.RDS

Examples

```
fpath <- metalyzer_colors()
```

MetAlyzer_dataset *Open file and read data*

Description

This function creates a SummarizedExperiment (SE) from the given 'MetIDQ' output Excel sheet: metabolites (rowData), meta data (colData), concentration data (assay), quantification status(assay) The column "Sample Type" and the row "Class" are used as anchor cells in the Excel sheet and are therefore a requirement.

Usage

```
MetAlyzer_dataset(
  file_path,
  sheet = 1,
  status_list = list(Valid = c("#B9DE83", "#00CD66"), LOQ = c("#B2D1DC", "#7FB2C5",
    "#87CEEB"), LOD = c("#A28BA3", "#6A5ACD"), `ISTD Out of Range` = c("#FFF099",
    "#FFF33"), Invalid = "#FFFCC", Incomplete = c("#CBD2D7", "#FFCCCC")),
  silent = FALSE
)
```

Arguments

file_path	A character specifying the file path to the Excel file.
sheet	A numeric index specifying which sheet of the Excel file to use.
status_list	A list of HEX color codes for each quantification status.
silent	If TRUE, mute any print command.

Value

A Summarized Experiment object

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())
```

pathway *Get pathway file path*

Description

This function returns the pathway.xlsx file path.

Usage

```
pathway()
```

Value

pathway.xlsx file path

Examples

```
fpath <- pathway()
```

plotly_network	<i>Plotly Log2FC Network Plot</i>
----------------	-----------------------------------

Description

This function returns a list with interactive networkplot based on log2 fold change data.

Usage

```
plotly_network(  
  metalyzer_se,  
  q_value = 0.05,  
  metabolite_node_size = 11,  
  connection_width = 1.25,  
  pathway_text_size = 20,  
  pathway_width = 10,  
  plot_height = 800  
)
```

Arguments

metalyzer_se	A MetAlyzer Object
q_value	A numeric value specifying the cutoff for q-value
metabolite_node_size	The text size of the metabolite Nodes
connection_width	The line width of connections between metabolites
pathway_text_size	The text size of pathway annotations
pathway_width	The line width of pathway-specific connection coloring
plot_height	The height of the Plot in pixel [px]

Value

plotly object

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)

metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = FALSE
)

p_network <- plotly_network(metalyzer_se, q_value = 0.05)
```

plotly_scatter

Plotly Log2FC Scatter Plot

Description

This function returns a list with an interactive scatterplot based on log2 fold change data and a comprehensive Legend.

Usage

```
plotly_scatter(
  metalyzer_se,
  signif_colors = c(`#5F5F5F` = 1, `#FEBF6E` = 0.1, `#EE5C42` = 0.05, `#8B1A1A` = 0.01),
  class_colors = metalyzer_colors()
)
```

Arguments

`metalyzer_se` A Metalyzer object
`signif_colors` signif_colors
`class_colors` A csv file containing class colors hexcodes

Value

plotly object

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)
metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = TRUE
)

p_scatter <- plotly_scatter(metalyzer_se)
```

plotly_vulcano

Plotly Log2FC Vulcano Plot

Description

This function returns a list with interactive vulcanoplot based on log2 fold change data.

Usage

```
plotly_vulcano(
  metalyzer_se,
  cutoff_y = 0.05,
  cutoff_x = 1.5,
  class_colors = metalyzer_colors()
)
```

Arguments

metalyzer_se	A Metalyzer object
cutoff_y	A numeric value specifying the cutoff for q-value
cutoff_x	A numeric value specifying the cutoff for log2 fold change
class_colors	A csv file containing class colors hexcodes

Value

plotly object

Examples

```

metalyzer_se <- MetAlyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)
metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = TRUE
)

p_vulcano <- plotly_vulcano(metalyzer_se,
  cutoff_y = 0.05,
  cutoff_x = 1.5)

```

plot_log2FC

Plot log2 fold change

Description

This method plots the log2 fold change for each metabolite.

Usage

```

plot_log2FC(
  metalyzer_se,
  signif_colors = c(`#5F5F5F` = 1, `#FEBF6E` = 0.1, `#EE5C42` = 0.05, `#8B1A1A` = 0.01),
  hide_labels_for = c(),
  class_colors = "MetAlyzer",
  polarity_file = "MxPQuant500",
  vulcano = FALSE
)

```

Arguments

metalyzer_se	A Metalyzer object
signif_colors	signif_colors
hide_labels_for	vector of Metabolites or Classes for which no labels are printed
class_colors	class_colors
polarity_file	polarity_file
vulcano	boolean value to plot a vulcano plot

Value

ggplot object

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)
metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = TRUE
)

# p_vulcano <- plot_log2FC(metalyzer_se, vulcano=TRUE)
# p_fc <- plot_log2FC(metalyzer_se, vulcano=FALSE)
```

plot_network

Plot Pathway Network

Description

This function plots the log₂ fold change for each metabolite and visualizes it, in a pathway network.

Usage

```
plot_network(
  metalyzer_se,
  q_value = 0.05,
  metabolite_text_size = 3,
  connection_width = 0.75,
  pathway_text_size = 6,
  pathway_width = 4,
  scale_colors = c("green", "black", "magenta")
)
```

Arguments

metalyzer_se A Metalyzer object
q_value The q-value threshold for significance

metabolite_text_size The text size of metabolite labels
connection_width The line width of connections between metabolites
pathway_text_size The text size of pathway annotations
pathway_width The line width of pathway-specific connection coloring
scale_colors A vector of length 3 with colors for low, mid and high of the gradient.

Value

ggplot object

Examples

```
metalyzer_se <- Metalyzer_dataset(file_path = example_mutation_data_xl())
metalyzer_se <- filterMetabolites(
  metalyzer_se,
  drop_metabolites = "Metabolism Indicators"
)
metalyzer_se <- renameMetaData(
  metalyzer_se,
  Mutant_Control = "Sample Description"
)

metalyzer_se <- calculate_log2FC(
  metalyzer_se,
  categorical = "Mutant_Control",
  impute_perc_of_min = 0.2,
  impute_NA = FALSE
)

network <- plot_network(metalyzer_se, q_value = 0.05)
```

polarity

Get polarity file path

Description

This function returns the polarity.csv file path.

Usage

```
polarity()
```

Value

polarity.csv file path

Examples

```
fpath <- polarity()
```

read_named_region	<i>Read Named Regions</i>
-------------------	---------------------------

Description

This function reads in the named regions of an excel file.

Usage

```
read_named_region(file_path, named_region)
```

Arguments

file_path	The file path of the file
named_region	The region name u want to read in

renameMetaData	<i>Rename meta data</i>
----------------	-------------------------

Description

This function renames a column of meta_data.

Usage

```
renameMetaData(metalyzer_se, ..., inplace = FALSE)
```

Arguments

metalyzer_se	SummarizedExperiment
...	Use new_name = old_name to rename selected variables
inplace	If FALSE, return a copy. Otherwise, do operation inplace and return None.

Value

An updated SummarizedExperiment

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())

metalyzer_se <- renameMetaData(
  metalyzer_se,
  Method = `Sample Description`
)
# or
renameMetaData(metalyzer_se, Model_Organism = Tissue, inplace = TRUE)
```

summarizeConcValues *Summarize concentration values*

Description

This function prints quantiles and NAs of raw data.

Usage

```
summarizeConcValues(metalyzer_se)
```

Arguments

metalyzer_se SummarizedExperiment

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())

summarizeConcValues(metalyzer_se)
```

summarizeQuantData *Summarize quantification status*

Description

This function lists the number of each quantification status and its percentage.

Usage

```
summarizeQuantData(metalyzer_se)
```

Arguments

metalyzer_se SummarizedExperiment

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())  
  
summarizeQuantData(metalyzer_se)
```

updateMetaData	<i>Update meta data</i>
----------------	-------------------------

Description

This function adds another column to filtered meta_data.

Usage

```
updateMetaData(metalyzer_se, ..., inplace = FALSE)
```

Arguments

metalyzer_se	SummarizedExperiment
...	Use 'new_col_name = new_column' to rename selected variables
inplace	If FALSE, return a copy. Otherwise, do operation inplace and return None.

Value

An updated SummarizedExperiment

Examples

```
metalyzer_se <- MetAlyzer_dataset(file_path = example_extraction_data())  
  
metalyzer_se <- updateMetaData(  
  metalyzer_se,  
  Date = Sys.Date(), Analyzed = TRUE  
)  
# or  
updateMetaData(  
  metalyzer_se,  
  Date = Sys.Date(), Analyzed = TRUE, inplace = TRUE  
)
```

Index

aggregatedData, [2](#)

calculate_anova, [3](#)
calculate_cv, [4](#)
calculate_log2FC, [5](#)

example_extraction_data, [6](#)
example_meta_data, [7](#)
example_mutation_data_xl, [7](#)
exportConcValues, [8](#)

filterMetabolites, [8](#)
filterMetaData, [10](#)

log2FC, [10](#)

metalyzer_colors, [11](#)
MetAlyzer_dataset, [12](#)

pathway, [12](#)
plot_log2FC, [16](#)
plot_network, [17](#)
plotly_network, [13](#)
plotly_scatter, [14](#)
plotly_vulcano, [15](#)
polarity, [18](#)

read_named_region, [19](#)
renameMetaData, [19](#)

summarizeConcValues, [20](#)
summarizeQuantData, [20](#)

updateMetaData, [21](#)