

Package ‘cms’

October 12, 2022

Type Package

Title Calculate Medicare Reimbursement

Version 0.1.0

Description

Uses the 'CMS' application programming interface <<https://dnav.cms.gov/api/healthdata>> to provide users databases containing yearly Medicare reimbursement rates in the United States. Data can be acquired for the entire United States or only for specific localities. Currently, support is only provided for the Medicare Physician Fee Schedule, but support will be expanded for other 'CMS' databases in future versions.

License GPL-3

Encoding UTF-8

LazyData true

Depends R (>= 2.10)

Imports assertthat (>= 0.2), dplyr (>= 0.8), magrittr (>= 1.5), readr (>= 1.3), rlang (>= 0.4), rvest (>= 0.3), utils (>= 3.6), xml2 (>= 1.3)

URL <https://github.com/subramv/cms>

BugReports <https://github.com/subramv/cms/issues>

RoxygenNote 7.1.0

Suggests knitr, rmarkdown, testthat

VignetteBuilder knitr

NeedsCompilation no

Author Vigneshwar Subramanian [aut, cre],
Raoul Wadhwa [aut],
Milind Desai [ctb]

Maintainer Vigneshwar Subramanian <vs347@cornell.edu>

Repository CRAN

Date/Publication 2020-09-10 09:20:09 UTC

R topics documented:

cms	2
get_mpfs	2
locality_dict	3
mpfs20_oh	4

Index	5
--------------	----------

cms	<i>cms: Tools for Calculating CMS Medicare Reimbursement</i>
-----	--

Description

Uses the CMS API to provide useRs databases containing yearly Medicare reimbursement rates in the United States. Data can be acquired for the entire United States or only for specific localities. Currently, support is only provided for the Medicare Physician Fee Schedule (MPFS), but support will be expanded for other CMS databases in future versions.

get_mpfs	<i>Access Medicare Physician Fee Schedule</i>
----------	---

Description

Use the CMS API to download the MPFS database for any year between 2014 and 2020, inclusive.

Usage

```
get_mpfs(year, storage_path, keep_downloads = TRUE, locality)
```

Arguments

year	integer (min = 14; max = 20) indicating MPFS database year
storage_path	path to storing downloaded files (temporarily if 'keep_downloads' equals 'FALSE')
keep_downloads	if 'TRUE', stores compressed CMS data to prevent re-downloading; if 'FALSE', deletes intermediate data after loading into R
locality	7-digit HCFS identification number; if not specified, will return entire MPFS database (all localities)

Value

MPFS database for respective year and localities (data frame)

Examples

```
## Not run:
# get entire MPFS database for 2020
mpfs20 <- get_mpfs(20, storage_path = 'storage', keep_downloads = TRUE)

# get 2019 MPFS database only for carrier 15202 and locality 00
mpfs19 <- get_mpfs(19, storage_path = 'storage', locality = '1520200')

## End(Not run)
```

locality_dict

Locality dictionary for 2020 Physician Fee Schedule

Description

Asterisk indicates that payment locality is serviced by two carriers.

Usage

locality_dict

Format

data frame with 113 rows and 5 columns:

Carrier Number character; 5-digit carrier ID

Locality character; 2-digit locality ID

State character; uppercase, full U.S. state name

Fee Schedule Area character; description of fee schedule area

Counties character; counties included in Fee Schedule Area

Source

[https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/PhysicianFeeSched/Localities](https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/PhysicianFeeSched/Locality)

mpfs20_oh

*2020 Physician Fee Schedule, Ohio***Description**

2020 Physician Fee Schedule, Ohio

Usage

mpfs20_oh

Format

data frame with 8994 rows and 15 columns:

Year numeric; 4-digit year**Carrier Number** character; 5-digit carrier ID**Locality** character; 2-digit locality ID**HCPCS Code** character; CPT or level 2 HCPCS code for procedure**Modifier** factor; payment schedule modifier**PCTC Indicator** character; Professional Component/Technical Component Indicator**Status Code** character; Medicare status code (e.g. A = Active code)**Multiple Surgery Indicator** character; indicator of payment adjustment rules for multiple procedures**50% Therapy Reduction Amount (non-institutional)** numeric; multiple procedure therapy reduction amount (non-institutional)**50% Therapy Reduction Amount (institutional)** numeric; multiple procedure therapy reduction amount (institutional)**OPPS Indicator** character; indicator as to whether Outpatient Prospective Payment System applies**Facility Fee** numeric; reimbursement for procedure performed in a facility setting**Non-Facility Fee** numeric; reimbursement for procedure performed in a non-facility setting**OPPS Facility Fee** numeric; reimbursement for procedure performed in a facility setting if OPPS applies**OPPS Non-Facility Fee** numeric; reimbursement for procedure performed in a non-facility setting if OPPS applies**Source**

<https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/PhysicianFeeSched/PFS-National-Payment-Amount-File>

Index

* datasets

locality_dict, 3

mpfs20_oh, 4

cms, 2

get_mpfs, 2

locality_dict, 3

mpfs20_oh, 4