MySQL Cluster Manager 8.4 Release Notes

Abstract

This document contains information about changes in MySQL Cluster Manager version 8.4.

For additional MySQL Cluster Manager 8.4 documentation, see https://dev.mysql.com/doc/mysql-clustermanager/8.4/en/.

Updates to these notes occur as new product features are added, so that everybody can follow the development process. If a recent version is listed here that you cannot find on the download page (https://dev.mysql.com/ downloads/), the version has not yet been released.

The documentation included in source and binary distributions may not be fully up to date with respect to release note entries because integration of the documentation occurs at release build time. For the most up-to-date release notes, please refer to the online documentation instead.

For legal information, see the Legal Notices.

For help with using MySQL, please visit the MySQL Forums, where you can discuss your issues with other MySQL users.

Document generated on: 2024-07-31 (revision: 28798)

Table of Contents

Preface and Legal Notices	1
Changes in MySQL Cluster Manager 8.4.2 (2024-07-23, Innovation Release)	3
Changes in MySQL Cluster Manager 8.4.1 (2024-07-02, LTS Release)	3
Changes in MySQL Cluster Manager 8.4.0 (2024-04-30, LTS Release)	3

Preface and Legal Notices

This document contains information about changes in MySQL Cluster Manager version 8.4.

Legal Notices

Copyright © 2009, 2024, Oracle and/or its affiliates.

License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Trademark Notice

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Use of This Documentation

This documentation is NOT distributed under a GPL license. Use of this documentation is subject to the following terms:

You may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way. You shall not publish or distribute this documentation in any form or on any media, except if you distribute the documentation in a manner similar to how Oracle disseminates it (that is, electronically for download on a Web site with the software) or on a CD-ROM or similar medium, provided however that the documentation is disseminated

together with the software on the same medium. Any other use, such as any dissemination of printed copies or use of this documentation, in whole or in part, in another publication, requires the prior written consent from an authorized representative of Oracle. Oracle and/or its affiliates reserve any and all rights to this documentation not expressly granted above.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Changes in MySQL Cluster Manager 8.4.2 (2024-07-23, Innovation Release)

Version 8.4.2 is the latest General Availability release of the 8.4 LTS series of MySQL Cluster Manager. It is suitable for use with MySQL NDB Cluster 8.4, 8.0, and 7.6.

This release contains no functional changes or bug fixes and is published to align the version number with the MySQL NDB Cluster 8.4.2 release.

Changes in MySQL Cluster Manager 8.4.1 (2024-07-02, LTS Release)

Version 8.4.1 is the latest General Availability release of the 8.4 LTS series of MySQL Cluster Manager. It is suitable for use with MySQL NDB Cluster 8.4, 8.0, and 7.6.

Bugs Fixed

- Agent: mcmd quit unexpectedly sometimes while trying to back up a large cluster. (Bug #36675015)
- Client: MySQL Cluster Manager did not handle correctly the version information for some cluster parameters' introduction or removal, so that it was sometimes confused with the availability of those parameters for a cluster. (Bug #36647522)
- **Client:** The format of the mysqld XML configuration file (*mcm-installation-dir/var/* mysqld.xml) has been updated to better organize the configuration information. (Bug #36298214)
- Certain restrictions for upgrading and downgrading on MySQL Cluster Manager have been removed. Please refer to Upgrading and Downgrading NDB Cluster for valid upgrade and downgrade paths for MySQL NDB Cluster and MySQL Cluster Manager. (Bug #36610348, Bug #36720575)
- Some Windows binaries for MySQL Cluster Manager had wrong or missing version or product name information under its Properties. (Bug #36510070)

Changes in MySQL Cluster Manager 8.4.0 (2024-04-30, LTS Release)

MySQL Cluster Manager 8.4.0 marks the start of a new series of LTS (Long Term Support) releases. MySQL Cluster Manager 8.4.0 is recommended for use on production systems.

The 8.4.X LTS releases will focus on security and bug fixes while the next Innovation series will include new features.

MySQL Cluster Manager 8.4.0 is suitable for use with MySQL NDB Cluster 8.4, 8.0, and 7.6.

Listed below are functionality changes and bug fixes for MySQL Cluster Manager 8.4.0, in comparison to release 8.3.0.

- Functionality Added or Changed
- Bugs Fixed

Functionality Added or Changed

 MySQL Cluster Manager now supports TLS Link Encryption for NDB Cluster. See Using TLS Connections for NDB Clusters for details. (Bug #35092990)

Bugs Fixed

- Agent: The default authentication plugin for the mysqld version is now used when mcmd makes a connection. This is done to avoid excessive deprecation warnings in the mysqld log in case mcmd attempts to use deprecated plugins. (Bug #36215227)
- Agent: The configuration for a mysqld node could not be loaded if the configuration file used !include to import another configuration file and the file path for the import contained any dashes (-) in it. (Bug #36029115)
- Agent: The --background option, deprecated in release 8.1.0, has now been removed. You can no longer use it with any mcm client commands. (Bug #25480576)
- Client: mcm did not issue a deprecation warning when the deprecated validate_password plugin was being used for mysqld connections. (Bug #36589037)
- Client: Some help texts of the mcm client commands contained artifacts, which have now been removed. (Bug #36398066, Bug #36210786)
- Client: Auto completion for client commands did not always work. It has been fixed, but is also disabled now by default. To enable the function, use the <u>--auto-rehash</u> variable to <u>TRUE</u> when you start the mcm client. (Bug #34968330)
- Client: The value of the mysqld system variable secure_file_priv could not be set to an empty string. (Bug #23665566)