



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2023 – 07:12 AM EDT

PDB ID : 4QV8
Title : yCP beta5-C52F mutant
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.
Deposited on : 2014-07-14
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 2% 98%
1	O	250	 2% 98%
2	B	258	 3% 90% 5%
2	P	258	 3% 90% 5%
3	C	254	 4% 87% 6% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	 7% 87% 7% 6%
4	D	260	 2% 86% 10% 2%
4	R	260	 2% 86% 10% 2%
5	E	234	 2% 95% 3% 2%
5	S	234	 2% 95% 3% 2%
6	F	288	 2% 82% 16% 2%
6	T	288	 2% 82% 16% 2%
7	G	252	 2% 89% 6% 2%
7	U	252	 2% 89% 7% 2%
8	H	232	 2% 94% 4% 2%
8	V	232	 2% 95% 3% 2%
9	I	205	 2% 96% 2% 2%
9	W	205	 2% 97% 1% 2%
10	J	198	 2% 92% 5% 2%
10	X	198	 2% 92% 5% 2%
11	K	212	 2% 93% 6% 2%
11	Y	212	 2% 93% 6% 2%
12	L	222	 2% 96% 2% 2%
12	Z	222	 2% 97% 1% 2%
13	M	246	 2% 92% 5% 2%
13	a	246	 2% 92% 5% 2%
14	N	196	 2% 96% 2% 2%
14	b	196	 2% 98% 1% 2%

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 49716 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0
5	S	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0
6	T	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0
7	U	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0
8	V	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0
9	W	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	Total 1561	C 992	N 264	O 299	S 6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1649	1051	280	312	6	0	0	0
11	Y	212	1649	1051	280	312	6	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	52	PHE	CYS	engineered mutation	UNP P30656
Y	52	PHE	CYS	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	H	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	K	2	Total Mg 2 2	0	0
15	N	1	Total Mg 1 1	0	0
15	V	1	Total Mg 1 1	0	0
15	Y	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	A	7	Total O 7 7	0	0
17	B	10	Total O 10 10	0	0
17	C	10	Total O 10 10	0	0
17	D	4	Total O 4 4	0	0
17	E	10	Total O 10 10	0	0
17	F	12	Total O 12 12	0	0
17	G	17	Total O 17 17	0	0
17	H	17	Total O 17 17	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	I	13	Total O 13 13	0	0
17	J	9	Total O 9 9	0	0
17	K	18	Total O 18 18	0	0
17	L	14	Total O 14 14	0	0
17	M	20	Total O 20 20	0	0
17	N	18	Total O 18 18	0	0
17	O	4	Total O 4 4	0	0
17	P	6	Total O 6 6	0	0
17	Q	9	Total O 9 9	0	0
17	R	2	Total O 2 2	0	0
17	S	6	Total O 6 6	0	0
17	T	11	Total O 11 11	0	0
17	U	13	Total O 13 13	0	0
17	V	9	Total O 9 9	0	0
17	W	10	Total O 10 10	0	0
17	X	11	Total O 11 11	0	0
17	Y	18	Total O 18 18	0	0
17	Z	16	Total O 16 16	0	0
17	a	14	Total O 14 14	0	0
17	b	21	Total O 21 21	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 2: Proteasome subunit alpha type-3



- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4




THR
ASP
GLN
GLU
GLY
ILE
HIS
LEU
GLU

- Molecule 7: Proteasome subunit alpha type-1



- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3





- Molecule 9: Proteasome subunit beta type-3








- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5





- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7



- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.18Å 300.70Å 144.40Å 90.00° 112.95° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 15.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	93.8 (15.00-2.90) 93.9 (15.00-2.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.23 (at 2.91Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.192 , 0.221 0.202 , 0.233	Depositor DCC
R_{free} test set	10894 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	52.0	Xtrriage
Anisotropy	0.204	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	49716	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.28	0/1934	0.48	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.49	0/2586
4	D	0.26	0/1837	0.46	0/2475
4	R	0.27	0/1837	0.46	0/2475
5	E	0.27	0/1800	0.46	0/2433
5	S	0.26	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.44	0/2609
7	G	0.27	0/1945	0.46	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.25	0/1750	0.46	0/2373
8	V	0.25	0/1750	0.46	0/2373
9	I	0.28	0/1611	0.48	0/2174
9	W	0.28	0/1611	0.48	0/2174
10	J	0.27	0/1589	0.49	0/2142
10	X	0.27	0/1589	0.49	0/2142
11	K	0.26	0/1687	0.48	0/2282
11	Y	0.27	0/1687	0.48	0/2282
12	L	0.27	0/1795	0.46	0/2420
12	Z	0.27	0/1795	0.46	0/2420
13	M	0.28	0/1855	0.50	0/2514
13	a	0.27	0/1855	0.50	0/2514
14	N	0.25	0/1541	0.47	0/2087
14	b	0.25	0/1541	0.47	0/2087
All	All	0.27	0/50276	0.47	0/67978

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	3	0
2	P	1904	0	1904	5	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	2	0
4	R	1813	0	1797	2	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	0	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	5	0
8	H	1719	0	1719	2	0
8	V	1719	0	1719	1	0
9	I	1581	0	1574	3	0
9	W	1581	0	1574	2	0
10	J	1561	0	1569	15	0
10	X	1561	0	1569	13	0
11	K	1649	0	1599	8	0
11	Y	1649	0	1599	8	0
12	L	1757	0	1711	4	0
12	Z	1757	0	1711	3	0
13	M	1824	0	1832	0	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	3	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0
15	I	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	K	2	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	A	7	0	0	0	0
17	B	10	0	0	0	0
17	C	10	0	0	0	0
17	D	4	0	0	0	0
17	E	10	0	0	0	0
17	F	12	0	0	0	0
17	G	17	0	0	0	0
17	H	17	0	0	0	0
17	I	13	0	0	0	0
17	J	9	0	0	2	0
17	K	18	0	0	0	0
17	L	14	0	0	0	0
17	M	20	0	0	0	0
17	N	18	0	0	1	0
17	O	4	0	0	0	0
17	P	6	0	0	0	0
17	Q	9	0	0	1	0
17	R	2	0	0	0	0
17	S	6	0	0	0	0
17	T	11	0	0	0	0
17	U	13	0	0	0	0
17	V	9	0	0	0	0
17	W	10	0	0	0	0
17	X	11	0	0	0	0
17	Y	18	0	0	0	0
17	Z	16	0	0	0	0
17	a	14	0	0	0	0
17	b	21	0	0	0	0
All	All	49716	0	49138	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:23:ARG:NH2	10:X:50:ALA:HB1	2.02	0.74
10:J:23:ARG:NH2	10:J:50:ALA:HB1	2.02	0.73
10:J:23:ARG:NH2	11:K:120:THR:OG1	2.22	0.72
10:J:23:ARG:HH12	11:K:120:THR:HG21	1.56	0.71
10:J:23:ARG:NH2	10:J:50:ALA:CB	2.58	0.65
10:X:23:ARG:HH12	11:Y:120:THR:HG21	1.62	0.65
10:X:23:ARG:NH2	11:Y:120:THR:OG1	2.25	0.65
10:X:23:ARG:NH2	10:X:50:ALA:CB	2.60	0.64
10:J:139:TYR:OH	10:X:25:ILE:O	2.20	0.58
11:K:35:ILE:HB	11:K:52:PHE:CZ	2.40	0.57
11:Y:35:ILE:HB	11:Y:52:PHE:CZ	2.40	0.56
10:J:25:ILE:O	10:X:139:TYR:OH	2.22	0.56
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.87	0.56
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.89	0.55
10:J:23:ARG:HH22	10:J:50:ALA:HB1	1.72	0.55
10:X:23:ARG:HH22	10:X:50:ALA:HB1	1.72	0.55
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.89	0.54
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.52
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.92	0.51
14:N:107:LYS:HE3	17:N:305:HOH:O	2.10	0.51
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.93	0.51
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.93	0.50
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.50
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.50
3:C:201:VAL:O	3:C:202:GLN:HB3	2.13	0.49
7:U:23:PHE:O	7:U:26:THR:HB	2.13	0.47
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.13	0.47
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.95	0.47
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.95	0.47
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.15	0.47
3:C:35:LYS:HG2	3:C:158:SER:O	2.15	0.47
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.96	0.47
10:X:23:ARG:HA	10:X:23:ARG:HD2	1.42	0.46
11:K:128:CYS:HB2	11:K:137:TYR:CE2	2.51	0.45
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.96	0.45
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.52	0.45
10:J:139:TYR:OH	10:X:25:ILE:HG12	2.16	0.45
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.51	0.45
11:Y:128:CYS:HB2	11:Y:137:TYR:CE2	2.52	0.44
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.44
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.52	0.44
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:13:LEU:HD11	12:L:150:LEU:HD21	2.00	0.43
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.49	0.43
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.49	0.43
8:V:104:ASP:HB2	8:V:105:PRO:HD2	2.00	0.43
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.00	0.43
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.53	0.42
10:J:23:ARG:CZ	17:J:202:HOH:O	2.67	0.42
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.84	0.42
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.49	0.42
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.02	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.42
8:H:104:ASP:HB2	8:H:105:PRO:HD2	2.00	0.42
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.85	0.42
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.01	0.42
11:Y:50:ALA:HB2	12:Z:130:SER:HB3	2.02	0.42
10:J:23:ARG:NH1	17:J:202:HOH:O	2.53	0.42
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.42
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.41
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.01	0.41
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.02	0.41
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.50	0.41
3:Q:52:LEU:N	17:Q:309:HOH:O	2.53	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.41
11:K:50:ALA:HB2	12:L:130:SER:HB3	2.03	0.41
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.03	0.41
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.03	0.41
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.93	0.41
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.01	0.41
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.41
10:J:23:ARG:HD2	10:J:23:ARG:HA	1.44	0.41
14:N:152:VAL:HA	14:N:175:MET:HE1	2.03	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.86	0.41
7:U:73:VAL:HG12	7:U:133:THR:HB	2.02	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.50	0.41
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.56	0.41
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	2.01	0.41
7:G:73:VAL:HG12	7:G:133:THR:HB	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.40
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.03	0.40
2:B:221:ASP:O	2:B:223:GLU:N	2.55	0.40
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.04	0.40
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34 66
1	O	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34 66
2	B	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	9 31
2	P	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	9 31
3	C	238/254 (94%)	232 (98%)	4 (2%)	2 (1%)	19 51
3	Q	238/254 (94%)	232 (98%)	4 (2%)	2 (1%)	19 51
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100 100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100 100
5	E	229/234 (98%)	220 (96%)	9 (4%)	0	100 100
5	S	229/234 (98%)	220 (96%)	9 (4%)	0	100 100
6	F	241/288 (84%)	236 (98%)	5 (2%)	0	100 100
6	T	241/288 (84%)	236 (98%)	5 (2%)	0	100 100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100 100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100 100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100 100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
10	X	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
11	K	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
11	Y	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
12	L	220/222 (99%)	211 (96%)	9 (4%)	0	100	100
12	Z	220/222 (99%)	210 (96%)	10 (4%)	0	100	100
13	M	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
13	a	231/246 (94%)	224 (97%)	7 (3%)	0	100	100
14	N	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6284/6614 (95%)	6110 (97%)	160 (2%)	14 (0%)	47	78

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
2	P	220	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	89
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	89
2	B	203/216 (94%)	200 (98%)	3 (2%)	65	87
2	P	203/216 (94%)	200 (98%)	3 (2%)	65	87
3	C	212/226 (94%)	202 (95%)	10 (5%)	26	59
3	Q	212/226 (94%)	202 (95%)	10 (5%)	26	59
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	64
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	64
5	E	190/193 (98%)	185 (97%)	5 (3%)	46	77
5	S	190/193 (98%)	185 (97%)	5 (3%)	46	77
6	F	201/239 (84%)	194 (96%)	7 (4%)	36	70
6	T	201/239 (84%)	194 (96%)	7 (4%)	36	70
7	G	206/210 (98%)	197 (96%)	9 (4%)	28	61
7	U	206/210 (98%)	198 (96%)	8 (4%)	32	66
8	H	185/190 (97%)	181 (98%)	4 (2%)	52	81
8	V	185/190 (97%)	181 (98%)	4 (2%)	52	81
9	I	172/173 (99%)	170 (99%)	2 (1%)	71	91
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	91
10	J	173/175 (99%)	168 (97%)	5 (3%)	42	76
10	X	173/175 (99%)	168 (97%)	5 (3%)	42	76
11	K	169/169 (100%)	163 (96%)	6 (4%)	35	69
11	Y	169/169 (100%)	163 (96%)	6 (4%)	35	69
12	L	185/185 (100%)	183 (99%)	2 (1%)	73	92
12	Z	185/185 (100%)	182 (98%)	3 (2%)	62	86
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	75
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	75
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	78
14	b	162/162 (100%)	158 (98%)	4 (2%)	47	78
All	All	5320/5540 (96%)	5172 (97%)	148 (3%)	43	76

All (148) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	171	GLU
6	F	181	GLU
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	154	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	208	GLU
7	G	235	ARG
8	H	22	GLN
8	H	30	ASN
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	23	ARG
10	J	25	ILE
10	J	78	GLN
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE
11	K	52	PHE
11	K	104	TYR
11	K	140	LEU
12	L	23	LEU
12	L	136	CYS
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	39	ASP
14	N	83	LYS
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	171	GLU
6	T	181	GLU
6	T	214	TRP
6	T	240	GLN
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	154	TYR
7	U	208	GLU
7	U	235	ARG
8	V	22	GLN
8	V	30	ASN
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	23	ARG
10	X	25	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	X	78	GLN
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	52	PHE
11	Y	104	TYR
11	Y	140	LEU
12	Z	23	LEU
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	39	ASP
14	b	83	LYS
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (74) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	225	ASN
5	E	68	HIS
5	E	99	ASN
5	E	116	GLN
5	E	120	GLN
5	E	184	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	66	HIS
10	J	55	GLN
11	K	85	ASN
11	K	176	ASN
12	L	3	ASN
13	M	48	ASN
13	M	102	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	91	HIS
4	R	100	ASN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	66	HIS
9	W	37	ASN
10	X	55	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	70	ASN
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 11 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.44	6 (2%) 59 56	33, 48, 86, 117	0
1	O	250/250 (100%)	-0.34	5 (2%) 65 63	38, 57, 103, 125	0
2	B	244/258 (94%)	-0.30	9 (3%) 41 37	34, 56, 101, 162	0
2	P	244/258 (94%)	-0.29	8 (3%) 46 41	41, 59, 100, 153	0
3	C	240/254 (94%)	-0.19	10 (4%) 36 32	35, 60, 119, 147	0
3	Q	240/254 (94%)	0.04	19 (7%) 12 10	44, 72, 147, 182	0
4	D	235/260 (90%)	-0.37	3 (1%) 77 77	40, 60, 90, 124	0
4	R	235/260 (90%)	-0.31	4 (1%) 70 69	42, 63, 101, 139	0
5	E	231/234 (98%)	-0.33	2 (0%) 84 84	40, 61, 97, 129	0
5	S	231/234 (98%)	-0.21	4 (1%) 70 69	43, 69, 109, 147	0
6	F	243/288 (84%)	-0.44	4 (1%) 72 71	35, 56, 102, 132	0
6	T	243/288 (84%)	-0.30	7 (2%) 51 47	40, 65, 118, 145	0
7	G	241/252 (95%)	-0.51	3 (1%) 79 79	34, 51, 85, 135	0
7	U	241/252 (95%)	-0.38	4 (1%) 70 69	39, 55, 87, 137	0
8	H	226/232 (97%)	-0.43	3 (1%) 77 77	30, 48, 81, 151	0
8	V	226/232 (97%)	-0.41	4 (1%) 68 67	32, 49, 79, 165	0
9	I	204/205 (99%)	-0.68	0 100 100	28, 44, 69, 97	0
9	W	204/205 (99%)	-0.65	2 (0%) 82 82	29, 46, 74, 101	0
10	J	195/198 (98%)	-0.50	2 (1%) 82 82	31, 49, 77, 116	0
10	X	195/198 (98%)	-0.48	2 (1%) 82 82	35, 50, 79, 136	0
11	K	212/212 (100%)	-0.48	0 100 100	30, 50, 74, 97	0
11	Y	212/212 (100%)	-0.52	1 (0%) 91 91	33, 50, 76, 95	0
12	L	222/222 (100%)	-0.57	2 (0%) 84 84	29, 48, 87, 131	0
12	Z	222/222 (100%)	-0.56	3 (1%) 75 75	26, 48, 86, 122	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.62	3 (1%) 77 77	27, 47, 70, 91	0
13	a	233/246 (94%)	-0.52	1 (0%) 92 93	30, 49, 71, 90	0
14	N	196/196 (100%)	-0.63	1 (0%) 91 91	31, 43, 69, 97	0
14	b	196/196 (100%)	-0.61	2 (1%) 82 82	33, 44, 73, 107	0
All	All	6344/6614 (95%)	-0.42	114 (1%) 68 67	26, 53, 98, 182	0

All (114) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	9.7
8	V	224	GLN	6.8
3	Q	50	LEU	6.3
2	B	221	ASP	5.6
8	V	226	GLU	5.5
2	P	220	ASN	5.2
2	P	51	VAL	5.1
3	Q	236	GLN	5.1
5	S	202	ASP	4.7
3	C	206	LYS	4.5
2	P	221	ASP	4.5
9	W	1	SER	4.4
4	R	241	ALA	4.4
10	X	1	MET	4.3
12	L	174	TYR	4.3
2	B	51	VAL	4.2
3	Q	239	GLN	4.1
3	Q	240	GLU	4.0
7	U	242	GLN	3.9
1	O	2	THR	3.9
1	A	2	THR	3.8
10	X	194	ASP	3.8
8	V	222	ASP	3.8
4	R	1	ASP	3.8
3	Q	238	LYS	3.7
3	Q	237	GLU	3.7
1	A	1	MET	3.7
6	F	244	ASN	3.6
2	B	220	ASN	3.5
13	a	1	THR	3.4
2	B	218	GLY	3.4
10	J	1	MET	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	218	GLY	3.3
3	Q	206	LYS	3.3
6	T	244	ASN	3.3
14	b	195	GLN	3.2
3	C	236	GLN	3.2
2	P	219	ALA	3.2
12	Z	174	TYR	3.2
8	H	226	GLU	3.2
3	Q	48	SER	3.2
3	C	49	THR	3.1
3	C	238	LYS	3.1
5	S	173	ARG	3.0
9	W	133	LYS	3.0
12	Z	173	LYS	2.9
3	Q	203	THR	2.9
7	G	242	GLN	2.9
4	D	1	ASP	2.9
4	R	125	LEU	2.9
13	M	47	ASP	2.8
5	E	202	ASP	2.8
6	F	205	GLU	2.8
3	Q	1	GLY	2.7
5	E	233	ILE	2.7
8	H	225	GLU	2.7
2	P	52	THR	2.7
1	A	248	GLU	2.7
3	Q	187	GLU	2.7
8	H	222	ASP	2.7
3	C	240	GLU	2.7
3	C	202	GLN	2.6
6	T	2	THR	2.6
2	P	59	ASP	2.6
3	C	205	ALA	2.6
3	Q	204	GLY	2.6
6	T	201	GLU	2.6
2	P	222	GLY	2.6
6	F	181	GLU	2.6
2	B	203	SER	2.6
1	O	50	LYS	2.5
5	S	165	GLN	2.5
7	U	2	GLY	2.5
2	B	244	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	G	240	ALA	2.5
3	Q	202	GLN	2.5
3	Q	223	SER	2.5
6	F	241	LYS	2.5
4	D	217	GLN	2.4
6	T	166	GLN	2.4
3	C	239	GLN	2.4
6	T	181	GLU	2.4
13	M	1	THR	2.4
2	B	217	LYS	2.3
14	N	105	LYS	2.3
3	C	1	GLY	2.3
2	B	182	ASP	2.3
6	T	178	HIS	2.3
7	U	188	GLU	2.3
3	Q	232	THR	2.3
10	J	194	ASP	2.3
14	b	107	LYS	2.2
5	S	180	LYS	2.2
3	Q	229	GLN	2.2
13	M	171	GLN	2.2
6	T	230	ASP	2.2
8	V	223	ILE	2.2
3	C	50	LEU	2.2
1	A	249	ALA	2.2
12	L	165	ASN	2.2
7	U	206	GLY	2.1
12	Z	165	ASN	2.1
4	R	226	GLU	2.1
4	D	241	ALA	2.1
7	G	51	PRO	2.1
1	O	229	THR	2.1
2	B	219	ALA	2.1
1	O	201	GLU	2.1
3	Q	225	GLU	2.1
1	A	229	THR	2.1
1	A	201	GLU	2.1
3	Q	205	ALA	2.0
11	Y	106	ARG	2.0
1	O	1	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	MG	H	301	1/1	0.73	0.29	52,52,52,52	0
15	MG	K	302	1/1	0.90	0.44	47,47,47,47	0
15	MG	N	201	1/1	0.91	0.12	34,34,34,34	0
15	MG	Z	301	1/1	0.92	0.15	44,44,44,44	0
15	MG	K	301	1/1	0.94	0.11	40,40,40,40	0
15	MG	G	301	1/1	0.97	0.09	48,48,48,48	0
15	MG	I	301	1/1	0.97	0.09	40,40,40,40	0
16	CL	U	301	1/1	0.97	0.20	45,45,45,45	0
15	MG	V	301	1/1	0.99	0.08	59,59,59,59	0
16	CL	G	302	1/1	0.99	0.11	36,36,36,36	0
15	MG	Y	301	1/1	0.99	0.12	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.