

IEEE TRANSACTIONS ON POWER ELECTRONICS

A PUBLICATION OF THE IEEE POWER ELECTRONICS SOCIETY



JULY 2022

VOLUME 37

NUMBER 7

ITPEE8

(ISSN 0885-8993)

LETTERS

An Algebraic Modulation Strategy for 3L-NPC Converters With Inherent Neutral-Point Voltage Balance Capability	W. Xiong, X. Zhu, J. Lin, S. Xie, Y. Sun, Y. Liu, and M. Su	7533
Dynamic Reduced-Order Modeling of Wireless Power Transfer Systems Via Polynomial Approximation	F. Chen, Z. Deng, H. Hu, and Y. Sun	7540
Submodule Fault-Tolerant Control of Modular Multilevel Matrix Converters With Adaptive Optimum Common-Mode Voltage Injection	C. Wang, Z. Zheng, K. Wang, and Y. Li	7548
An <i>RLL</i> Current Sharing Snubber for Multiple Parallel IGBTs in High Power Applications	Y. Wang, J. Wang, F. Liu, Q. Liu, and R. Zou	7555
Electronic MOV-Based Voltage Clamping Circuit for DC Solid-State Circuit Breaker Applications	L. Ravi, D. Zhang, D. Qin, Z. Zhang, Y. Xu, and D. Dong	7561
A Reference-Feedforward-Based Damping Method for Virtual Synchronous Generator Control	Y. Yu, S. K. Chaudhary, G. D. A. Tinajero, L. Xu, N. N. B. A. Bakar, J. C. Vasquez, and J. M. Guerrero	7566
Cascading Synchronization Instability in Multi-VSC Grid-Connected System	X. Fu, M. Huang, S. Pan, and X. Zha	7572

REGULAR PAPERS

Papers With Active Content

Three-Switch Common Ground Step-Down and Step-Up Single-Stage Grid-Connected PV Inverter	H. Heydari-doostabad, M. Pourmahdi, M. Jafarian, A. Keane, and T. O'Donnell	7577
<i>Control in Power Electronics</i>		
Bayesian Optimization of PCB-Integrated Field Grading for a High-Density 10 kV SiC Power Module Interface	M. Cairnie and C. DiMarino	7590
Hard-Switching Losses in Power FETs: The Role of Output Capacitance	N. Perera, A. Jafari, R. Soleimanzadeh, N. Bollier, S. G. Abeyratne, and E. Matioli	7604
Model Predictive Current Control of Six-Phase Induction Motor Drives Using Virtual Vectors and Space Vector Modulation	O. Gonzalez, M. Ayala, C. Romero, L. Delorme, J. Rodas, R. Gregor, I. Gonzalez-Prieto, and M. J. Durán	7617
A Simple Model Predictive Instantaneous Current Control for Single-Phase PWM Converters in Stationary Reference Frame	L. Peng, L. Ma, W. Song, and H. Liu	7629
MMC Stationary Operating Regimes in Case of Periodic Power Demand on the DC Side	H. Fehr and A. Gensior	7640
New Adaptive Broadband Full-Bridge Converter Impedance Matching Network for Giant Magnetostrictive Transducer	W. Tian, S. Liao, L. Wang, X. Zhou, and Q. Xu	7652

(Contents Continued on Page 7529)



Hybridized Space-Vector Pulsewidth Modulation for Multiphase Two-Level Voltage Source Inverter	7663
. <i>A. Lewicki, C. I. Odeh, D. Kondratenko, and M. Morawiec</i>	
Multi-Sampled Grid-Connected VSCs: A Path Toward Inherent Admittance Passivity	7675
. <i>I. Z. Petric, P. Mattavelli, and S. Buso</i>	
Static Analysis of a Digital Peak Current Mode Control DC–DC Converter Using Current–Frequency Conversion	7688
. <i>Y. Furukawa, Y. Shibata, H. Eto, I. Colak, and F. Kurokawa</i>	
A Model Predictive Controlled Bidirectional Four Quadrant Flying Capacitor DC/DC Converter Applied in Energy Storage System	7705
. <i>K. Bi, H. Lv, L. Chen, J. Li, Y. Zhu, W. Huang, and Q. Fan</i>	
An Analytical Discontinuous Space-Vector PWM for Three-Level Inverters With Unbalanced DC-Link Voltages	7718
. <i>Q. Yan, L. Xiao, H. Chen, X. Yuan, H. Xu, and R. Zhao</i>	
Finite Position Control of Interior Permanent Magnet Synchronous Motors at Low Speed	7729
. <i>X. Sun, F. Cai, Z. Yang, and X. Tian</i>	
Impact of Controller Saturation on Instability Behavior of Grid-Connected Inverters	7739
. <i>X. Wang, Y. He, K. Qin, H. Zhang, D. Pan, X. Ruan, Q. Zhou, and C. Yao</i>	
Fractional-Order Multiperiodic Odd-Harmonic Repetitive Control of Programmable AC Power Sources	7751
. <i>Y. Chen, K. Zhou, C. Tang, Y. Shu, and Y. Yang</i>	
Modeling and Stability Analysis of Single-Phase Microgrids Controlled in Stationary Frame	7759
. <i>N. A. Ashtiani, S. A. Khajehoddin, and M. Karimi-Ghartemani</i>	
SiC-Based Resonant Converters With ZVS Operated in MHz Range Driving Rapidly Variable Loads: Inductively Coupled Plasmas as a Case of Study	7775
. <i>S. E. Cabrera, T. Gehring, F. Denk, Q. Jin, J. Dycke, M. Renschler, M. Hiller, U. Lemmer, and R. Kling</i>	
Optimized Modulation Strategy of NH3L-DAB Converter to Minimize RMS Current for Wide Voltage Range Applications	7789
. <i>Z. Zhang, L. Hang, A. Tong, K. Chen, Z. Ou, Y. He, Z. He, P. Zeng, Q. Wu, and G. Li</i>	
Passivity-Based Design of a Fractional-Order Virtual Capacitor for Active Damping of Multiparalleled Grid-Connected Current-Source Inverters	7809
. <i>M. A. Azghandi, S. M. Barakati, and A. Yazdani</i>	
Direct Multivariable Control for Modular Multilevel Converters	7819
. <i>D. Dinkel, C. Hillermeier, and R. Marquardt</i>	
Robust Deadbeat Predictive Current Regulation for Permanent Magnet Synchronous Linear Motor Drivers With Parallel Parameter Disturbance and Load Observer	7834
. <i>L. Wang, J. Zhao, X. Yang, Z. Zheng, X. Zhang, and L. Wang</i>	
Improved Third-Harmonic Injection Two-Stage Matrix Converter Topology Based on Decomposition Control of Injection Current	7846
. <i>C. Lu, B. Zhou, Q. Chang, and J. Lei</i>	
Backstepping Supertwisting Control of Four-Phase Interleaved Boost Converter for PEM Fuel Cell	7858
. <i>X. Hao, I. Salhi, S. Laghrouche, Y. Ait-Amirat, and A. Djerdir</i>	
Performance Analysis and Improvement of PI-Type Current Controller in Digital Average Current Mode Controlled Three-Phase Six-Switch Boost PFC Rectifier	7871
. <i>X. Geng, J. Xu, L. Wang, Z. Chen, and R. Huang</i>	
Capacitor Voltage Ripple Optimization in Modular Multilevel Converter Using Synchronous Reference Frame Energy Ripple Controller	7883
. <i>D. Samajdar and T. Bhattacharya</i>	
Parallel Sphere Decoding Algorithm for Long-Prediction-Horizon FCS-MPC	7896
. <i>E. Zafra, S. Vazquez, C. Regalo, V. B. Lecuyer, A. M. Alcaide, J. I. Leon, and L. G. Franquelo</i>	
Inductor Current Envelope Tracking-Based Sensorless Control of Dual Active Bridge Converter	7907
. <i>G. Nayak and A. Dasgupta</i>	
Hybrid Position Estimation Strategy With a Smooth Transition for IPMSM Sensorless Drives in the Wide Speed Range	7916
. <i>X. Wu, T. Wu, S. Huang, W. Pan, M. Lyu, Y. He, and H. Cui</i>	
Development of Intelligent Controlled Microgrid for Power Sharing and Load Shedding	7928
. <i>F.-J. Lin, K.-H. Tan, C.-F. Chang, M.-Y. Li, and T.-Y. Tseng</i>	
<i>Discrete and Integrated Semiconductors</i>	
Switching Characteristic Analysis and Application Assessment of SiC MOSFET With Common Source Inductance and Kelvin Source Connection	7941
. <i>Y. Li, Y. Zhang, Y. Gao, S. Du, and J. Liu</i>	
Cu Clip-Bonding Method With Optimized Source Inductance for Current Balancing in Multichip SiC MOSFET Power Module	7952
. <i>L. Wang, T. Zhang, F. Yang, D. Ma, C. Zhao, Y. Pei, and Y. Gan</i>	
Circuit-Based Electrothermal Modeling of SiC Power Modules With Nonlinear Thermal Models	7965
. <i>S. Race, A. Philipp, M. Nagel, T. Ziemann, I. Kovacevic-Badstuebner, and U. Grossner</i>	
Nonlinear Capacitance Model of SiC MOSFET Considering Envelope of Switching Trajectory	7977
. <i>N. Wang and J. Zhang</i>	

<i>EMI/EMC</i>	
Fast-Processing Sigma–Delta Strategies for Three-Phase Wide-Bandgap Power Converters With Common-Mode Voltage Reduction	<i>D. Lumbreras, J. Zaragoza, N. Berbel, J. Mon, E. Gálvez, and A. Collado</i> 7989
<i>High-Power Converters</i>	
A Family of Interleaved High Step-Up DC–DC Converters by Integrating a Voltage Multiplier and an Active Clamp Circuits	<i>R. Beiranvand and S. H. Sangani</i> 8001
An Inductive-Filtering Strategy of Submodule Ripple-Power in Triple-Port MMC-Based SST Applied to Hybrid Medium and Low Voltage AC/DC Interface	<i>J. Teng, X. Sun, Y. Pan, X. Liu, Y. Zhang, W. Zhao, and X. Li</i> 8015
A Novel Medium-Voltage Hybrid-Cascaded DC–DC Converter With DC Fault-Blocking Capability and Reduced Switch Capacity	<i>H. Chen, J. Liu, S. Du, Z. Deng, and C. Li</i> 8033
A Nine-Level Split-Capacitor Active-Neutral-Point-Clamped Inverter and Its Optimal Modulation Technique	<i>I. Harbi, M. Ahmed, C. M. Hackl, R. Kennel, and M. Abdelrahem</i> 8045
PSO-Optimized SHE-PWM Technique in a Cascaded H-Bridge Multilevel Inverter for Variable Output Voltage Applications	<i>M. Sadoughi, A. Pourdashnia, M. Farhadi-Kangarlu, and S. Galvani</i> 8065
Systematic Analysis and Characterization of Extreme Failure for IGCT in MMC-HVdc System—Part I: Device Structure, Explosion Characteristics, and Optimization	<i>W. Zhou, B. Zhao, J. Liu, Z. Chen, X. Tang, Z. Yu, J. Wu, and R. Zeng</i> 8076
Generalized Low Switching Frequency Modulation for Neutral-Point-Clamped and Flying-Capacitor Four-Level Converters	<i>M. Wu, H. Tian, K. Wang, G. Konstantinou, and Y. W. Li</i> 8087
Hybrid Voltage Balancing Approach for Series-Connected SiC MOSFETs for DC–AC Medium-Voltage Power Conversion Applications	<i>X. Lin, L. Ravi, R. Burgos, and D. Dong</i> 8104
A Step-Up Reconfigurable Multimode <i>LLC</i> Converter Module With Extended High-Efficiency Range for Wide Voltage Gain Application in Medium Voltage DC Grid Systems	<i>M. Abbasi, R. Emamalipour, K. Kanathipan, M. A. M. Cheema, and J. Lam</i> 8118
Novel Control Scheme for Five-Level Hybrid Flying-Capacitor Inverters Without DC-Link Balancing Circuits	<i>J. Pribadi, D. D. Le, and D.-C. Lee</i> 8133
An IGBT Current Boosting Method by Using Ultrahigh Driving-Voltage in HVdc Circuit Breaker Applications	<i>J. Wang, G. Liang, X. Zhang, L. Qi, and L. Chen</i> 8146
High Voltage Pulse Generator Based on a Novel Magnetic Isolated Drive Circuit	<i>X. Zhou, Z. Zhang, S. Dong, L. Yu, J. Liu, X. Qiao, and C. Yao</i> 8157
A General Multilevel Polygonal Space Vector Generation Scheme With Reduced Switching for the Inverter and Harmonic Suppression Using a Switched-Capacitive Filter for the Full Modulation Range	<i>R. Dewani, K. Gopakumar, U. Loganathan, and S. Bhattacharya</i> 8167
Semi-Modular Solid-State Transformers With Reduced Count of Components Based on Single-Stage AC/DC Converters	<i>N. D. Dao, H. V. Nguyen, and D.-C. Lee</i> 8177
<i>Low-Power Converters</i>	
ZVS-Interleaved Synchronous Buck DC–DC Converter With a Coupled Inductor by Varying Switching Frequency and Deadtime	<i>D. Sha, Y. Zhao, and D. Zhang</i> 8190
Load-Independent Hybrid Resonant Converter for Automotive LED Driver Applications	<i>N. Molavi and H. Farzanehfard</i> 8199
A Nonisolated Three-Port DC–DC Converter With Two Bidirectional Ports and Fewer Components	<i>H. Aljarajreh, D. D.-C. Lu, Y. P. Siwakoti, and C. K. Tse</i> 8207
Performance Enhancement of ICN-Based Single-Stage AC–DC Converters Using Reconfigurable Inverters	<i>M. Khatua, A. Kumar, S. Pervaiz, S. Chakraborty, and K. K. Afridi</i> 8217
A High Efficiency and High Power Density DC Transformer Topology With Output Regulation Capability	<i>Z. Wu, Z. Wang, Y. Zhang, W. Xu, C. Chen, and Y. Kang</i> 8232
A Graph-Modeling Approach to Topology Simplification in Power Converters	<i>G. Zhang, Y. Liao, S. S. Yu, and Y. Zhang</i> 8248
A High-Power-Density High-Efficiency Soft-Switched Single-Phase Universal Input to 28-V Isolated AC–DC Converter Module Designed for Paralleled Operation	<i>D. Shahzad, M. Farooq, S. Pervaiz, and K. K. Afridi</i> 8262
<i>Passive Components and Materials</i>	
Rethinking Basic Assumptions for Modeling Parasitic Capacitance in Inductors	<i>H. Zhao, S. Luan, Z. Shen, A. J. Hanson, Y. Gao, D. N. Dalal, R. Wang, S. Zhou, and S. Munk-Nielsen</i> 8281

Improved Current Shunt Characterization Method for Core Loss Measurement	8290
. <i>A. Huang, X. Wang, H. Zhang, C. Hwang, D. Pommerenke, and J. Fan</i>	
Thermal Management Design of Transformers for Dual Active Bridge Power Converters	8301
. <i>G. Delette, U. Soupremanien, and S. Loudot</i>	
<i>Power Electronics in Drives</i>	
Improved Deadbeat Predictive Current Control of Dual Three-Phase Variable-Flux PMSM Drives With Composite Disturbance Observer	8310
. <i>K. Yu and Z. Wang</i>	
An Integrated Power Converter-Based Brushless DC Motor Drive System	8322
. <i>J. Cai, X. Zhang, W. Zhang, and Y. Zeng</i>	
A New Fault-Tolerant Multilevel Inverter Structure With Reduced Device Count and Low Total Standing Voltage	8333
. <i>S. Peddapati and V. S. Prasadarao K</i>	
Predictive Current Control of Six-Phase IM-Based Nonisolated Integrated On-Board Battery Charger Under Different Winding Configurations	8345
. <i>A. Habib, A. Shawier, M. S. Abdel-Majeed, A. S. Abdel-Khalik, M. S. Hamad, R. A. Hamdy, and S. Ahmed</i>	
Fast Discharging (N+1) Switch Converter With Regenerative Flyback Operation for N-Phase SRM Drives	8359
. <i>A. K. Rana and A. V. R. Teja</i>	
Predictive-Pulse-Injection-Based Dual-Inverter Complementary Sensorless Drive for 12/10 DC Vernier Reluctance Machine	8369
. <i>W. Wang, X. Zhao, and S. Niu</i>	
Three-Phase Reference Voltage Independent Control-Based Discontinuous Modulation Algorithm for Open-End Winding PMSM Fed by Dual Three-Level Inverters With Common DC Bus	8379
. <i>L. Zhong and S. Hu</i>	
<i>Power Quality and Utility Applications</i>	
A Simple 24-Pulse Rectifier Employing an Auxiliary Pulse-Doubling Circuit	8392
. <i>J. Wang, A. Chen, X. Yao, L. Li, Y. Lv, and Q. Chen</i>	
A Full-Feedforward Technique to Mitigate the Grid Distortion Effect on Parallel Grid-Tied Inverters	8404
. <i>K. G. Khajeh, F. Farajizadeh, D. Solatiolkaran, F. Zare, J. Yaghoobi, and N. Mithulananthan</i>	
Dynamic Model and Converter-Based Emulator of a Data Center Power Distribution System	8420
. <i>J. Sun, S. Wang, J. Wang, and L. M. Tolbert</i>	
Modified Droop Strategy for Wide Load Range Efficiency Improvement of Parallel Inverter Systems	8433
. <i>N. A. Ashtiani, A. Sheykhi, and S. A. Khajehoddin</i>	
A Sampling Optimized Method for Frequency Response Measurement in Power Electronics Systems	8447
. <i>Z. Liu, J. Liu, and Z. Liu</i>	
A Second Harmonic Current Suppressing Method Based on Negative-Order Capacitor	8465
. <i>Z. Lin, L. He, and H. Zhou</i>	
<i>Reliability and Diagnostics</i>	
An Embedded Fault-Tolerant Control Method for Single Open-Switch Faults in Standard PMSM Drives	8476
. <i>Z. Zhang, Y. Hu, G. Luo, C. Gong, X. Liu, and S. Chen</i>	
Cyber-Attacks in Modular Multilevel Converters	8488
. <i>C. Burgos-Mellado, F. Donoso, T. Dragičević, R. Cárdenas-Dobson, P. Wheeler, J. Clare, and A. Watson</i>	
Online Temperature Identification Strategy for Position Sensorless PMSM Drives With Position Error Adaptive Compensation	8502
. <i>S. Liu, Q. Wang, G. Zhang, G. Wang, and D. Xu</i>	
Battery Thermal Runaway Fault Prognosis in Electric Vehicles Based on Abnormal Heat Generation and Deep Learning Algorithms	8513
. <i>D. Li, P. Liu, Z. Zhang, L. Zhang, J. Deng, Z. Wang, D. G. Dorrell, W. Li, and D. U. Sauer</i>	
Power-Electronics-Based Mission Profile Emulation and Test for Electric Machine Drive System—Concepts, Features, and Challenges	8526
. <i>K. Ma, S. Xia, Y. Qi, X. Cai, Y. Song, and F. Blaabjerg</i>	
Junction-to-Case Thermal Resistance Measurement and Analysis of Press-Pack IGBTs Under Double-Side Cooling Condition	8543
. <i>J. Chen, E. Deng, Y. Zhang, and Y. Huang</i>	
Multiple Open-Circuit Fault Diagnosis Method in NPC Rectifiers Using Fault Injection Strategy	8554
. <i>M. Chen and Y. He</i>	
A Soft Short-Circuit Diagnosis Method for Lithium-Ion Battery Packs in Electric Vehicles	8572
. <i>Y. Xu, X. Ge, W. Shen, and R. Yang</i>	
<i>Renewable Energy</i>	
On the Use of Nonlinear Inductor to Enhance the Stability of DC Distribution Networks	8582
. <i>R. Shen and H. S.-H. Chung</i>	
A Linear Control Approach to Design Digital Speed Control System for PMSMs	8596
. <i>X. Yuan, J. Chen, W. Liu, and C. H. T. Lee</i>	

A Novel Islanding Detection Technique Based on Positive-Feedback Negative Sequence Current Injection	8611
..... <i>M. B. Shamseh, R. Inzunza, and T. Ambo</i>	
Direct Cell-to-Cell Equalizer for Series Battery String Using Switch-Matrix Single-Capacitor Equalizer and Optimal Pairing Algorithm	8625
..... <i>P.-H. La and S.-J. Choi</i>	
Triple-Active-Bridge Converter With Automatic Voltage Balancing for Bipolar DC Distribution	8640
..... <i>N. Naseem and H. Cha</i>	
High Gain, Load-Tolerant Self-Powered Series-Parallel Synchronized Switching Technique for Piezoelectric Energy Harvesting	8649
..... <i>M. Lallart</i>	
<i>Wireless Power Transfer</i>	
Magnetic Field Energy Harvesting in Railway	8659
..... <i>A. E. Espe, T. S. Haugan, and G. Mathisen</i>	
Multilevel Switched-Capacitor AC-DC Step-Down Rectifier for Wireless Charging With Reduced Conduction Loss and Harmonic Content	8669
..... <i>S. Cochran, C. Zhao, and D. Costinett</i>	
A Cost-Effective Segmented Dynamic Wireless Charging System With Stable Efficiency and Output Power	8682
..... <i>C. Cai, M. Saeedifard, J. Wang, P. Zhang, J. Zhao, and Y. Hong</i>	
Load Independent Constant Current and Constant Voltage Control of LCC-Series Compensated Wireless EV Charger	8701
..... <i>V. Yenil and S. Cetin</i>	
Reconfigurable Resonant Topology Linking Two-, Three-, and Four-Coil Modes for WPT With Large Coupling Range and Fixed Frequency	8713
..... <i>W. Zhong, S. Zhang, M. Chen, and M. D. Xu</i>	
Load-Independent Push-Pull Class E ² Topology With Coupled Inductors for MHz-WPT Applications	8726
..... <i>X. Huang, Z. Yu, Y. Dou, S. Lin, Z. Ouyang, and M. A. E. Andersen</i>	
A Power-Efficient Resonant Current Mode Receiver With Wide Input Range Over Breakdown Voltages Using Automated Maximum Efficiency Control	8738
..... <i>H.-S. Lee, J. Ahn, K. Eom, W. Jung, S.-J. Lee, Y.-W. Jung, S.-U. Shin, and H.-M. Lee</i>	
<hr/>	
CORRECTIONS	
Corrections to “Dual T-Type Four-Level Converter”	8751
..... <i>J. Chen and C. Wang</i>	
