

SUPPLEMENTARY MATERIAL

Table S1. List of compounds detected by LC/MS.

		PP	PE			PP	PE
1	Dichloroacetate	+	+	36	5-Hepten-3-yn-1-ol, 2,2- dimethyl-7-[methyl(1- naphthalenylmethyl)amino]-, (E)-	+	-
2	2-Amino-3-Hydroxyisovalerylcarnitine methyl- 1-butanol	+	+	37	Tymazoline	+	-
3	2-Bromomaleylacetate	+	+	38	GW1843	+	-
4	Methyl 1-propene-1- sulfenoselenoate	+	+	39	5''-(4-Hydroxy-(E)- cinnamoyl) alpha-Larabinofuranosyl-(1->3)- beta-D-xylopyranosyl-(1- >4)-D-xylopyranoside	+	
5	2,2-Dichloro-1,1- ethanediol	+	+	40	Leu Arg Th	+	-
6	Feruloylagmatine	-	+	41	Tetrabutylammonium	+	+
7	Nigrifactin	-	+	42	(R)-1-O-b-Dglucopyranosyl-1,3-octanediol	+	-
8	7-Hydroxy-2-methyl-4-oxo-4H-1-benzopyran-5-carboxylic acid 7-glucoside	-	+	43	Palmitic amide	+	-
9	Clusianose	-	+	44	Hexyl glucoside	+	-
10	Pantothenamide	-	+	45	3R-Hydroxybutan-2-one	+	-
11	D-Maltose	+	-	46	L-Tryptophanamide	+	-
12	Trimethylammonioacetate	+	-	47	2-Hexyl-6- pentylpiperidine	+	+
13	D-Gluconic Acid	+	-	48	Arg Gln Arg	+	-
14	2-Ethyl-5-methylpyridine	+	-	49	Isometheptene	+	-
15	Iodic Acid	+	-	50	Glucosyl (2E,6E,10x)-10,11-dihydroxy-2,6- farnesadienoate	+	-
16	2-Amino-3-methyl-1- butanol	+	-	51	C16 Sphinganine	+	+
17	D-Gluconic Acid	+	-	52	Toyocamycin	+	+
18	N-Methylcalystegine C1	+	-	53	Naltrindole	+	-
19	Melizame	+	-	54	Xestoaminol C	+	+
20	N'-Nitrososornicotine	+	-	55	6 (5-Heptyl-6-methyloctahydroindolizin -8-yl) methanol	+	-
21	Dambonitol	+	-	56	(8R)-9-((1S,Z)-1- Hydroxy-1-methylhexahydro-2Hquinolizin-3(4H)-ylidene)-5,8- dimethylnonane-3,4-diol	+	-
22	6-Acetyl-D-glucose	+	-	57	Prosopinine	+	+
23	Pirimicarb	+	-	58	6-Tridecene	+	+
24	2,3-Butanediol glucoside	+	-	59	Mebeverine	+	-

Table S1. Continuation.

25	O-hexanoyl-R-carnitine	+	-	60	Tetradecylamine	+	+
26	Flutriafol	+	-	61	Perilloside C	+	-
27	Ser Ser Arg	+	-	62	PE(16:0/18:2(9Z,12Z))	+	-
28	Istamycin AP	+	-	63	Dehydrophytosphingosin e	+	-
29	m-Chlorophenylbiguanide	+	-	64	(8R)-9-((1S,Z)-1- Hydroxy-1-methylhexahydro-2Hquinolizin-3(4H)-ylidene)-5,8- dimethylnonane-3,4-diol	+	+
30	Gln Leu Lys	+	-	65	S-Succinylglutathione	+	+
31	Asp Asn Lys	+	-	66	alpha-Butyl-omegahydroxypoly(oxyethylene) poly(oxypropylene)	+	+
32	1-epi-Fortimicin B	+	-	67	7 1-Palmitoyl-2-linoleoyl PE	+	-
33	N2'-Acetylgentamicin C1a	+	-	68	Eudesmin	+	+
34	Glutamyl-cysteine	+	-	69	TGX-221	+	+
35	Istamycin C1	+	-	70	6Z-Nonen-2-one	+	-
71	[4]-Gingerdiol 3,5- diacetate	+	-	116	Ala Arg Pro	+	-
72	Edrophonium	+	-	117	2- (Ethylamino)propioopheno ne	+	-
73	Thr Cys Arg	+	-	118	Mebeverine	+	-
74	3 Arg Gln Arg	+	-	119	Valdiate	+	-
75	Pro Lys Gln	+	-	120	Tyr Met Ile	+	-
76	N-(3S-hydroxydecanoyl)- L-serine	+	-	121	Dehydrophytosphingosin e	+	-
77	Ceanothine E	+	-	122	n-Pentadecylamine	+	+
78	gamma-L-Glutamyl-Lmethionine sulfoxide	+	-	123	1-Palmitoyl-2-linoleoyl PE	+	+
79	PE(18:4(6Z,9Z,12Z,15Z)/ 20:3(8Z,11Z,14Z))	+	-	124	Montecristin	+	-
80	Lys Cys Ser	+	-	125	1-Eicosene	+	+
81	PS(22:6(4Z,7Z,10Z,13Z,1 6Z,19Z)/19:0)	+	-	126	1-Hexadecylamine	+	+
82	Leu Ser Cys	+	-	127	(7R,8R,E)-6-((2R)-6- Hydroxy-2,5-dimethyloctylidene)-8-methyloctahydroindolizin e-7,8-diol	+	+
83	6'-O-Formylmarmin	+	-	128	(2R,6R,7S,8S)-7-Ethyl-2- propyl-1-azaspiro[5.5]undecan-8- ol	+	+
84	Chlorhexidine	+	-	129	PA(18:1(9Z)/18:2(9Z,12 Z))	+	-
85	Thiopurine	+	-	130	PE(18:0/18:3(9Z,12Z,15 Z))[U]	+	-
86	Panaxydol chlorohydrine	+	-	131	PE(16:1(9Z)/18:1(11Z))	+	-
87	(±)Fenfluramine	+	-	132	Hexyl 2E-hexenoate	+	-
88	1-Dodecene	+	-	133	Lauroyl diethanolamide	+	-
89	Hexadecan-3-one	+	+	134	2α-Fluoro-19-nor-22- oxa-1α,25-dihydroxyvitamin D3	+	-

Table S1. Continuation.

90	1,2,3-Tris(1- ethoxyethoxy)propane	+	-	135	N-(1-Deoxy-1-fructosyl)phenylalanine	-	+
91	2-(4-Methyl-5- thiazolyl)ethyl propionate	+	-	136	DL-Phenylalanine	-	+
92	Ile Val Arg	+	+	137	Sapidolide A	-	+
93	12,13-dihydroxy-11- methoxy-9-octadecenoic acid	+	+	138	Tranylcypromine glucuronide	-	+
94	5-(4-hydroxy-2,5-dimethylphenoxy)-2,2- dimethyl-Pentanoic acid (Gemfibrozil M1)	+	+	139	Succinoadenosine	-	+
95	PE(16:1(9Z)/18:1(11Z))	+	+	140	Eseridine	-	+
96	PE(18:0/18:3(9Z,12Z,15 Z))[U]	+	+	141	N(alpha)-Benzyloxycarbonyl-Lleucine	-	+
97	Santin	+	-	142	3-Hydroxyisovalerylcarbitine	-	+
98	9-Nonadecene	+	+	143	Ethyl 2-furanacrylate	-	+
99	PE(16:0/18:2(9Z,12Z))	+	+	144	Methitura	-	+
100	1- Naphthylacetylspermine	+	+	145	N-Histidyl-2-aminonaphthalene (βNA)	-	+
101	LY255283	+	+	146	4-(3,4-Methylenedioxyphenyl)-2-butanone	-	+
102	Diisobutyl phthalate	+	+	147	6,8a-Seco-6,8a-deoxy-5-oxoavermectin "2b" aglycone	-	+
103	Nonoxynol-9	+	+	148	D-Tyrosine t-butyl ester	-	+
104	Acetyl tributyl citrate	+	-	149	(S)-2,3-Dihydro-5-hydroxy-2-methyl-1,4-naphthoquinone	-	+
105	5S-HETE diendoperoxide	+	-	150	(Z)-3-Phenyl-2-propenal	-	+
106	6-hydroxy buspirone	+	-	151	Met Glu Gly	-	+
107	Montanol	+	-	152	tetranor-PGDM lactone	-	+
108	DG(24:1(15Z)/18:4(6Z,9 Z,12Z,15Z)/0:0)	+	-	153	Azidocillin	-	+
109	N-(3E-hexadecenoyl)- deoxysphing-4-enine-1- sulfonate	+	-	154	PI(20:2(11Z,14Z)/0:0)	-	+
110	Quercetin 3-(2"-phydroxybenzoyl-4"-pcoumarylrhamnoside)	+	-	155	11-Tetradecyonic acid	-	+
111	8-Acetylegelolide	+	+	156	L-Homoserine lactone	-	+
112	PG(15:0/12:0)	+	-	157	ethyl 6,7-dimethoxy-4-oxo-2,3-dihydro-1Hnaphthalene-2-carboxylate	-	+
113	Acetyl tyrosine ethyl ester	+	+	158	Bethanidine	-	+

Table S1. Continuation.

114	Ser Ser Arg	+	-	159	6''-O-Acetylholocalin	-	+
115	1,4-Cyclohexanedione	+	-	160	Atracic Acid	-	+
161	Spirolide E	+	-	205	Methyl 6-O-digalloyl-beta-D-glucopyranoside	-	+
162	Thermocryptoxanthin-13	+	-	206	Bz-Arg-OEt	-	+
163	3'-HydroxyIndinavir	+	-	207	His-Lys-OH	-	-
164	Harderoporphyrin	+	+	208	Hexadecanoic acid, 16-iodo-; omega-Iodo-hexadecanoic acid; 16-Iodo-hexadecanoic acid	-	+
165	2-Methylpyridine	+	-	209	Gamma-Glu-Leu	-	+
166	2,5-Dichloro-4-oxohex-2-enedioate	+	-	210	Glu Arg Pro	-	+
167	L-Valine	+	-	211	Levosimendan	-	+
168	2-Aminohexadecanoic acid	+	-	212	Pyridylnicotine	-	+
169	Methamidophos	+	+	213	1,8-Diazacyclotetradecane-2,9-dione	-	+
170	Neoglabrescin A	-	+	214	Donepezil	-	+
171	Methapyrilene	-	+	215	N-D-Glucosylarylamine	-	+
172	6,8a-Seco-6,8a-deoxy-5-oxoavermectin "2b" aglycone	-	+	216	Trandolaprilat glucuronide	-	+
173	Pendimethalin	-	+	217	Reduced coenzyme F420	-	+
174	Neolinustatin	-	+	218	Nitrendipine	-	+
175	4-(2-Hydroxy-3-isopropylaminopropoxy)-benzyloxy acetic acid	-	+	219	Austin	-	+
176	Chavicol O-beta-glucopyranoside	-	+	220	L-gamma-Glutamyl-beta-phenyl-beta-L-alanine	-	+
177	Dehydrofalcarinone	-	+	221	Pemetrexed	-	+
178	3-Pyrimidin-2-yl-2-pyrimidin-2-ylmethylpropionic Acid	-	+	222	PI-103	-	+
179	5-Hydroxysebacate	-	+	223	N-Acetylpyrrolidine	-	+
180	L-Tyrosine	-	+	224	Tryptophyl-Aspartate	-	+
181	Hypoxanthine	-	+	225	Anabsin	-	+
182	Nicotinic Acid	-	+	226	Avenanthramide A2	-	+
183	Isopropyl beta-D-Thiogalactopyranoside	-	+	227	4-Hydroxyoxprenolol glucuronide	-	+
184	Ethyl 2-furanacrylate	-	+	228	beta-D-Glucopyranosiduronic acid, 2-(1H-indol-4-yloxy)-1-[(1-methylethyl)amino]methyl]ethyl	-	+
185	Hypaphorine	-	+	229	Tifluadom	-	+
186	Tocopheronic Acid	-	+	230	Delphinidin 3-[6-(3-acetyl-rhamnosyl)glucoside]	-	+
187	URB937	-	+	231	Actinonin	-	+

Table S1. Continuation.

188	2,3,4,5,2',3',4',6'- Octamethoxychalcone	-	+	232	(25S)-5alpha-cholestan3beta,4beta,6alpha,8beta,15alpha,16beta,26-heptol	-	+
189	(±)- Desethylhydroxychloroquine	-	+	233	PG(18:3(9Z,12Z,15Z)/0:0)	-	+
190	1-(2H-1,3-Benzodioxol-5-yl)-2-[2,6-dimethoxy-4-(prop-2-en-1-yl)phenoxy]propyl benzoate	-	+	234	N-cis-octadec-9Z-enoyl-L-Homoserine lactone	-	+
191	Phenethylamine glucuronide	-	+	235	(E,E)-3,7,11-Trimethyl-2,6,10-dodecatrienyl butyrate	-	+
192	5-Hydroxy-7,4'- dimethoxy-6,8-dicprenylflavanone 5-Ogalactoside	-	+	236	PI(14:0/18:4(6Z,9Z,12Z, 15Z))	-	+
193	N-(1-Deoxy-1- fructosyl)phenylalanine	-	+	237	[10]-Paradol	-	+
194	Hordatine B	-	+	238	DG(22:6(4Z,7Z,10Z,13Z, 16Z,19Z)/22:2(13Z,16Z)/ 0:0)	-	+
195	Glycylserylprolylmethionylphenylalanylvalinamide	-	+	239	Annosquamosin B	-	+
196	Quinoline alkaloid	-	+	240	Polidocanol	-	+
197	Propranolol glucuronide	-	+	241	Aeglin	-	+
198	(2S,4S)-Monatin	-	+	242	17-phenyl trinor Prostaglandin F2α cyclopropyl amide	-	+
199	3-Hydroxymorphinan glucuronides	-	+	243	(8R,8'R)- Secoisolariciresinol 9-glucoside	-	+
200	5,6,7- Trimethoxycoumarin	-	+	244	Pro Cys Asn	-	+
201	Tyrosyl-Alanine	-	+	245	1-Oleoyl-2-acetyl-sn-glycerol	-	+
202	Thesinine 4'-O-glucoside	-	+	246	Phosphoramidon	-	+
203	Mycophenolate mofetil	-	+	247	DG(22:3(10Z,13Z,16Z)/2:5(7Z,10Z,13Z,16Z,19Z) /0:0)[iso2]	-	+
204	Gly Phe Phe	-	+	248	PA(10:0/10:0)	-	+
249	N-Lactoyl-phenylalanine	-	+	300	PG(21:0/0:0)	-	+
250	Nalbuphine-6- glucuronide	-	+	301	PG(15:0/12:0)	-	+
251	Pimethixene	-	+	302	DG(19:1(9Z)/18:0/0:0)[iso2]	-	+
252	xi-5-Hydroxydodecanoic acid	-	+	303	Bolegrevilol	-	+
253	Dictyoquinazol C	-	+	304	Pheophorbide a	-	+
254	Sorbitan laurate	-	+	305	Ginsenoside Rh4	-	+
255	Isoamyl p-anisate	-	+	306	2-(8-[3]-ladderaneoctanyl)-sn-glycero-3- phosphocholine	-	+
256	[7]-Paradol	-	+	307	3-((3- Cholamidopropyl)dimethylammonium)-1- propanesulfonate	-	+
257	3-Methylbutan-2-one	-	+	308	C-6 NBD-dihydroCeramide	-	+
258	11b,21-Dihydroxy-3,20- oxo-5b-pregnan-18-al	-	+	309	1-(O-alpha-Dglucopyranosyl)-3-keto-(1,25R)-hexacosanediol	-	+
259	Cyproterone acetate	-	+	310	22:1(5Z)(9Me,13Me,17Me,21Me)	-	+
260	Dictyoquinazol B	-	+	311	Melilotoside A	-	+

Table S1. Continuation.

261	Pro Pro Arg	-	+	312		-	+
262	Glu Tyr Pro	-	+	313	Hexacosanoic acid, 2- hydroxy-, (R)-; (R)- alphaHydroxyhexacosanoic acid; (R)-2- Hydroxycerotic acid	-	+
263	Leu Arg Thr	-	+	314	Enalkiren	-	+
264	1-(beta-DGlucopyranosyloxy)-3- octanone	-	+	315	Resiniferatoxin	-	+
265	Chivosazole D	-	+	316	PG(12:0/13:0)	-	+
266	3-(L-Menthoxy)-2- methylpropane-1,2- dio	-	+	317	PE(20:4(5Z,8Z,11Z,14Z)/ 15:1(9Z))	-	+
267	Arnatio	-	+	318	Arachidonic Acid-biotin	-	+
268	Lomustine	-	+	319	PA(18:4(6Z,9Z,12Z,15Z)/ 18:4(6Z,9Z,12Z,15Z))	-	+
269	Apigenin	-	+	320	Pyropheophorbide a	-	+
270	9S,10S,11R-trihydroxy12Z-octadecenoic acid	-	+	321	MGDG(18:3(9Z,12Z,15Z) /16:3(7Z,10Z,13Z))	-	+
271	2,5-Dibutylpyrrolidine	-	+	322	Hexadecyl ferulate	-	+
272	Dihydroartemisinin	-	+	323	Diisononyl phthalate	-	+
273	Khivorin	-	+	324	7Z,13Z,16Z,19ZDocosatetraenyl isobutyrate	-	+
274	4-[(2,4- Dihydroxyphenyl)azo]be nzenesulfonic acid	-	+	325	13E-Docosamide	-	+
275	(9R,10S,12Z)-9,10- Dihydroxy-8-oxo-12- octadecenoic acid	-	+	326	1,2-Di-(9Z,12Z,15Zoctadecatrienoyl)-3- (Galactosyl-alpha-1-6- Galactosyl- beta-1)- glycerol	-	+
276	Avenanthramide G	-	+	327	Rhodopinal glucoside	-	+
277	Cappariloside A	-	+	328	20-Deoxynarasin	-	+
278	9-methoxypentadecanoic acid	-	+	329	Methenamine	-	+
279	Fumonisin A1	-	+	330	Linezolid	-	+
280	Dibenzo[h,rst]pentaphen e	-	+	331	1,2-Di(2-pyridyl)ethylene	-	+
281	Alizapride	-	+	332	Protionamide sulfoxide	-	+
282	9-Hydroxy-7- megastigmen-3-one glucoside	-	+	333	Bisthiosemi	-	+
283	Atrazine	-	+	334	N4-Acetylsulfadimidine	-	+
284	17-hydroxyheptadecanoic acid	-	+	335	Pyriftalid	-	+
285	14,17-Octadecadiynoic acid	-	+	336	S-(4- Nitrobenzyl)glutathione	-	+
286	8-HpODE	-	+	337	S-(4,5-Dihydro-2-methyl3-furanyl) ethanethioate	-	+
287	Arborinine	-	+	338	Borax	-	+
288	6-HpOME(7E)	-	+	339	2-Chlorobiphenyl	-	+
289	9Z,12E,15EOctadecatrienoic acid	-	+	340	Bis(2-chloro-1- methylethyl)ether	-	+
290	Corchoroside E	-	+	341	PtdIns-(5)-P1 (1,2- dihexanoyl)	-	+

Table S1. Continuation.

291	13R-hydroxyoctadecanoic acid	-	+	342	Tetramethylquercetin 3- rutinoside	-	+
292	Sphingosine	-	+	343	Uniconazole P	-	+
293	Oleamide	-	+	344	1,1-Dichloroethane	-	+
294	Tetranor-PGD1	-	+	345	Clemastine	-	+
295	(1 <i>xi</i> ,3 <i>S</i>)-1,2,3,4- Tetrahydro-1-methylbeta-carboline-1,3- dicarboxylic acid	-	+	346	Buthidazole	-	+
296	Methyl (3 <i>b</i> ,11 <i>x</i>)-3- Hydroxy-8-oxo-6-eremophilin-12-oate	-	+	347	Descarboethoxyloradine	-	+
297	Vialinin A	-	+	348	Asn Asn Asn	-	+
298	13-Hydroxy-9-methoxy10-oxo-11-octadecenoic acid	-	+	349	Kanokoside A	-	+
299	Heptadecanoyl carnitine	-	+	350	Propyl 1- (propylsulfinyl)propyl disulfide	-	+
351	Rhizonin A	-	+	397	Thiodiglycol	-	+
352	Palmitoyl Serinol	-	+	398	Kurilensoside G	-	+
353	Gingerglycolipid B	-	+	399	Triacanthine	-	+
354	gamma-Eudesmol rhamnoside	-	+	400	Nelarabine	-	+
355	7,8-Dihydro-14- hydroxynormorphine	-	+	401	Pranlukast	+	+
356	Corchorosol A	-	+	402	Trp Tyr His	+	+
357				403	Burimamide	-	+
358	Arg Phe Ile	-	+	404	Decarbamoylsaxitoxin	-	+
359	3,4-Dimethyl-5-pentyl-2-furanheptanoic acid	-	+	405	N-Succinyl-2-amino-6- oxopimelate	-	+
360	Dodecylphosphocholine	-	+	406	D-Glycerate 3-phosphate	-	+
361	all-trans-heptaprenyl diphosphate	-	+	407	(-)-Tortuosamine	+	+
362	Tetrahydropersin	-	+	408	Erythronolide B	+	+
363	Granisetron	-	+	409	6-(Pentylthio)purine	-	+
364	(2 <i>S</i>)-11alpha,20,26-trihydroxyecdysone	-	+	410	14,19- Dihydroaspidospermatine	+	+
365	Avocadyne 4-acetate	-	+	411	Talinumoside I	-	+
366	(<i>R</i>)-2-Hydroxysterulic acid	-	+	412	Schidigerasaponin B1	-	+
367	5,8,11,13- Eicosatetraenoic acid, 15-hydroxy-, (E,Z,Z,Z)-; 15-HETE; 15-Hydroxy5(Z),8(Z),11(Z),13(E)-eicosatetraenoic acid; 15-Hydroxyeicosa5,8,11,13-tetraenoic acid; 15- Hydroxyeicosatetraenoic acid	-	+	413	Fenpiclonil	+	+
368	Delphinidin-3-O-(6-Oferuloyl)-5-diglucoside	-	+	414	Spongipregnoside D	-	+
369	Kaempferol 3-[2''- glucosyl-6''-acetyl]galactoside] 7-glucoside	-	+	415	Chinenoside III	-	+

Table S1. Continuation.

370	27-nor-24-methylcholestan-3 β ,4 β ,5 α ,6 α ,7 β ,8 β ,14 α ,15 α ,24-nonol	-	+	416	Triclofos	+	+
371	Farnesyl acetone	-	+	417	Diospolysaponin A	-	+
372	Methyl acetyl ricinoleate	-	+	418	O-Ethyl-O-(5-methyl-4-nitrophenyl)(1-methylpropyl)phosphoramide	-	+
373	3',4'- (Methylenedioxy)acetophenone	-	+	419	Trp Trp Lys	-	+
374	α -kamlolenic acid	-	+	420	GW 7647	-	+
375	2-Stearyl citrate	-	+	421	Sulfentrazone	-	+
376	Scytonemin monomer	-	+	422	Lys Lys Arg	-	+
377	(\pm)10-Gingerol	-	+	423	N-Adenylylanthranilate	-	+
378	7-F2-dihomo-IsoP	-	+	424	Xanthosine	+	+
379	MG(16:0/0:0/0:0)[rac]	-	+	425	tianeptine	-	+
380	2-deoxy-20-hydroxy-5 α -ecdysone-3-acetate	-	+	426	8-Hydroxyluteolin 7-[6'''-acethylallosyl-(1 \rightarrow 2)-3''-acetylglucoside]	+	+
381	2-Oxo-4-phosphonobutanoate	+	+	427	PS(O18:0/20:3(8Z,11Z,14Z))	-	+
382	Lauryl hydrogen sulfate	+	+	428	Gly Met Lys	-	+
383	4-Dodecylbenzenesulfonic acid	+	+	429	Arg Trp Trp	-	+
384	N-Undecylbenzenesulfonic acid	+	+	430	3,5-Dichloro-4-hydroxy-2-methoxy-6-methylbenzoic acid	-	+
385	PI(P-16:0/0:0)	-	+	431	Octafluorocyclobutane	+	+
386	2,2',5-Trichloro-4-hydroxybiphenyl	+	-	432	6-Bromo-2-naphthol	+	+
387	Asp-Ile-OH	+	-	433	2-(m-Chlorophenyl)-2-(p-chlorophenyl)-1,1-dichloroethane	+	+
388	Cinnavalinate	+	-	434	D-Glycerate 2-phosphate	+	-
389	Sulfur mustard	+	-	435	Praziquantel	+	-
390	Fortimicin KL1	+	-	436	Sulfaphenazole	+	-
391	7-Epi-12-hydroxyjasmonic acid glucoside	+	-	437	Inosine-5'-carboxylate	+	-
392	Levobunolol glucuronide	+	-	438	7-Aminoflunitrazepam	+	-
393	N-Desethylquinagolide glucuronide	+	-	439	Felodipine	+	-
394	10S,11R-epoxy-punaglandin 3	+	-	440	Epoxiconazole	+	-
395	Stearic acid(d3)	+	-	441	Rubroskyrin	+	-
396	PE-Cer(d16:1(4E)/24:0)	+	-				