

## Datasheet for ABIN7275337

## KLRK1 Protein (AA 78-216) (Fc-DYKDDDDK Tag)





### Overview

Quantity:	100 μg
Target:	KLRK1
Protein Characteristics:	AA 78-216
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KLRK1 protein is labelled with Fc-DYKDDDDK Tag.

#### **Product Details**

Purpose:	Human NKG2D/CD314 Protein
Sequence:	Phe78-Val216
Characteristics:	Recombinant Human NKG2D/CD314 Protein is expressed from HEK293 with hFc tag and Flag tag at the N-Terminus.It contains Phe78-Val216.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human MICA, His Tag at 1µg/ml (100µl/Well) on the plate. Dose response curve
	for Human NKG2D, hFc Tag with the EC50 of 0.28µg/ml determined by ELISA. See testing
	image for detail.

## **Target Details**

Target:	KLRK1
Alternative Name:	NKG2D (KLRK1 Products)
Background:	NKG2D is a type II transmembrane glycoprotein having an extracellular lectin-like domain. This domain lacks the recognizable calcium-binding sites found in true C-type lectins and binds protein rather than carbohydrate ligands. Human NKG2D is expressed on CD8 alpha beta T cells, gamma $\delta$ T cells, NK cells and NKT cells.
Molecular Weight:	43.4 kDa. Due to glycosylation, the protein migrates to 50-70 kDa based on Tris-Bis PAGE result.
UniProt:	P26718
Pathways:	Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process


## **Application Details**

Restrictions:

Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

For Research Use only

# Human ULBP-2, His Tag ELISA 0.2μg Human ULBP-2, His Tag Per Well




#### **ELISA**

**Image 1.** Immobilized Human ULBP-2, His Tag at  $2 \mu g/mL$  (100  $\mu L/Well$ ) on the plate. Dose response curve for Human NKG2D, hFc Tag with the EC50 of 2.8  $\mu g/mL$  determined by ELISA.


#### **SDS-PAGE**

**Image 2.** Human NKG2D on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.



# Size-exclusion chromatography-High Pressure Liquid Chromatography

 $\label{eq:mage 3.} \textbf{Image 3.} \ \textbf{The purity of Human NKG2D is greater than 95 \%} \\ \textbf{as determined by SEC-HPLC.}$ 



Please check the product details page for more images. Overall 6 images are available for ABIN7275337.