

Matrix Depot: an extensible test matrix collection for Julia

Weijian Zhang and Nicholas J. Higham

School of Mathematics, University of Manchester, Manchester, UK

ABSTRACT

Matrix Depot is a Julia software package that provides easy access to a large and diverse collection of test matrices. Its novelty is threefold. First, it is extensible by the user, and so can be adapted to include the user's own test problems. In doing so, it facilitates experimentation and makes it easier to carry out reproducible research. Second, it amalgamates in a single framework two different types of existing matrix collections, comprising parametrized test matrices (including Hansen's set of regularization test problems and Higham's Test Matrix Toolbox) and real-life sparse matrix data (giving access to the University of Florida sparse matrix collection). Third, it fully exploits the Julia language. It uses multiple dispatch to help provide a simple interface and, in particular, to allow matrices to be generated in any of the numeric data types supported by the language.

Subjects Algorithms and Analysis of Algorithms, Data Science, Scientific Computing and Simulation

Keywords Julia, Software package, Test matrices, Matrix algorithm., Test problems

INTRODUCTION

In 1969, Gregory and Karney published a book of test matrices (*Gregory & Karney, 1969*). They stated that “In order to test the accuracy of computer programs for solving numerical problems, one needs numerical examples with known solutions. The aim of this monograph is to provide the reader with suitable examples for testing algorithms for finding the inverses, eigenvalues, and eigenvectors of matrix.” At that time it was common for journal papers to be devoted to introducing and analyzing a particular test matrix or class of matrices, examples being the papers of *Clement (1959)* (in the first issue of *SIAM Review*), *Pei (1962)* (occupying just a quarter of a page), and *Gear (1969)*.

Today, test matrices remain of great interest, but not for the same reasons as fifty years ago. Testing accuracy using problems with known solutions is less common because a reference solution correct to machine precision can usually be computed at higher precision without difficulty. The main uses of test matrices nowadays are for exploring the behavior of mathematical quantities (such as eigenvalue bounds) and for measuring the performance of one or more algorithms with respect to accuracy, stability, convergence rate, speed, or robustness.

Various collections of matrices have been made available in software. As well as giving easy access to matrices these collections have the advantage of facilitating reproducibility of experiments (*Donoho & Stodden, 2015*), whether by the same researcher months later or by different researchers.

Submitted 21 December 2015

Accepted 18 March 2016

Published 6 April 2016

Corresponding author
Nicholas J. Higham,
nick.higham@manchester.ac.uk

Academic editor
Ciro Cattuto

Additional Information and
Declarations can be found on
page 23

DOI 10.7717/peerj-cs.58

© Copyright
2016 Zhang and Higham

Distributed under
Creative Commons CC-BY 4.0

OPEN ACCESS

¹The University of Florida Sparse Matrix Collection is to be renamed as The SuiteSparse Matrix Collection.

An early collection of parametrizable matrices was given by [Higham \(1991\)](#) and made available in MATLAB form. The collection was later extended and distributed as a MATLAB toolbox ([Higham, 1995](#)). Many of the matrices in the toolbox were subsequently incorporated into the MATLAB `gallery` function. Marques, Vömel, Demmel, and Parlett ([Marques et al., 2008](#)) present test matrices for tridiagonal eigenvalue problems (already recognized as important by Gregory and Karney, who devoted the last chapter of their book to such matrices). The Harwell–Boeing collection of sparse matrices ([Duff, Grimes & Lewis, 1989](#)) has been widely used, and is incorporated in the University of Florida Sparse Matrix Collection¹ ([Davis & Hu, 2011](#)), which contains over 2700 matrices from practical applications, including standard and generalized eigenvalue problems from [Bai et al. \(1997\)](#). Among other MATLAB toolboxes we mention the CONTEST toolbox ([Taylor & Higham, 2009](#)), which produces adjacency matrices describing random networks, and the NLEVP collection of nonlinear eigenvalue problems ([Betcke et al., 2013](#)).

The purpose of this work is to provide a test matrix collection for Julia ([Bezanson et al., 2014](#); [Bezanson et al., 2012](#)), a new dynamic programming language for technical computing. The collection, called Matrix Depot, exploits Julia’s multiple dispatch features to enable all matrices to be accessed by one simple interface. Moreover, Matrix Depot is extensible. Users can add matrices from the University of Florida Sparse Matrix Collection and Matrix Market; they can code new matrix generators and incorporate them into Matrix Depot; and they can define new groups of matrices that give easy access to subsets of matrices. The parametrized matrices can be generated in any appropriate numeric data type, such as

- floating-point types `Float16` (half precision: 16 bits), `Float32` (single precision: 32 bits), and `Float64` (double precision: 64 bits);
- integer types `Int32` (signed 32-bit integers), `UInt32` (unsigned 32-bit integers), `Int64` (signed 64-bit integers), and `UInt64` (unsigned 64-bit integers);
- `Complex`, where the real and imaginary parts are of any `Real` type (the same for both);
- `Rational` (ratio of integers); and
- arbitrary precision type `BigFloat` (with default precision 256 bits), which uses the GNU MPFR Library ([Fousse et al., 2007](#)).

This paper is organized as follows. We start by giving a brief demonstration of Matrix Depot in ‘A Taste of Matrix Depot.’ Then we explain the design and implementation of Matrix Depot in ‘Package Design and Implementation,’ giving details on how multiple dispatch is exploited; how the collection is stored, accessed, and documented; and how it can be extended. In ‘The Matrices’ we describe the two classes of matrices in Matrix Depot: parametrized test matrices and real-life sparse matrix data. Concluding remarks are given in the final section.

A TASTE OF MATRIX DEPOT

To download Matrix Depot, in a Julia REPL (read-eval-print loop) run the command

```
> Pkg.add("MatrixDepot")
```

Then import Matrix Depot into the local scope.

```
> using MatrixDepot
```

Now the package is ready to be used. First, we find out what matrices are in Matrix Depot.

```
> matrixdepot()

Matrices:
 1) baart          2) binomial      3) blur          4) cauchy
 5) chebspec      6) chow         7) circul       8) clement
 9) companion    10) deriv2     11) dingdong    12) fiedler
13) forsythe     14) foxgood    15) frank       16) golub
17) gravity     18) grcar      19) hadamard    20) hankel
21) heat        22) hilb       23) invhilb     24) invol
25) kahan       26) kms        27) lehmer      28) lotkin
29) magic       30) minij      31) moler       32) neumann
33) oscillate   34) parallax   35) parter      36) pascal
37) pei         38) phillips   39) poisson     40) prolate
41) randcorr    42) rando      43) randsvd     44) rohess
45) rosser     46) sampling   47) shaw        48) spikes
49) toeplitz   50) tridiag    51) triw        52) ursell
53) vand       54) wathen     55) wilkinson   56) wing

Groups:
all          data          eigen         ill-cond
inverse     pos-def      random        regprob
sparse      symmetric
```

All the matrices and groups in the collection are shown. It is also possible to obtain just the list of matrix names.

```
> matrixdepot("all")
56-element Array{ASCIIString,1}:
"baart"
"binomial"
"blur"
"cauchy"
"chebspec"
"chow"
"circul"
"clement"
"companion"
"deriv2"
...
"spikes"
"toeplitz"
"tridiag"
"triw"
"ursell"
"vand"
"wathen"
```

```
"wilkinson"
"wing"
```

Here, “ . . . ” denotes that we have omitted some of the output in order to save space. Next, we check the input options of the Hilbert matrix `hilb`.

```
> matrixdepot("hilb")
  Hilbert matrix
  =====

The Hilbert matrix has (i,j) element 1/(i+j-1). It is notorious
for being ill conditioned. It is symmetric positive definite
and totally positive.

Input options:

* [type,] dim: the dimension of the matrix.

* [type,] row_dim, col_dim: the row and column dimensions.

Groups: ["inverse", "ill-cond", "symmetric", "pos-def"]

References:

M. D. Choi, Tricks or treats with the Hilbert matrix, Amer. Math.
Monthly, 90 (1983), pp. 301-312.

N. J. Higham, Accuracy and Stability of Numerical Algorithms,
second edition, Society for Industrial and Applied Mathematics,
Philadelphia, PA, USA, 2002; sec. 28.1.
```

Note that an optional first argument `type` can be given; it defaults to `Float64`. The string of equals signs on the third line in the output above is Markdown notation for a header. Julia interprets Markdown within documentation, though as we are using typewriter font for code examples here, we display the uninterpreted source. We generate a 4×6 Hilbert matrix with elements in the default double precision type and then in `Rational` type.

```
> matrixdepot("hilb", 4, 6)
4x6 Array{Float64,2}:
 1.0      0.5      0.333333  0.25      0.2      0.166667
 0.5      0.333333  0.25      0.2      0.166667  0.142857
 0.333333  0.25      0.2      0.166667  0.142857  0.125
 0.25      0.2      0.166667  0.142857  0.125     0.111111

> matrixdepot("hilb", Rational, 4, 6)
4x6 Array{Rational{T<:Integer},2}:
 1//1 1//2 1//3 1//4 1//5 1//6
 1//2 1//3 1//4 1//5 1//6 1//7
 1//3 1//4 1//5 1//6 1//7 1//8
 1//4 1//5 1//6 1//7 1//8 1//9
```

A list of all the symmetric matrices in the collection is readily obtained.

```
> matrixdepot("symmetric")
21-element Array{ASCIIString,1}:
"cauchy"
```

```

"circul"
"clement"
"dingdong"
"fiedler"
"hankel"
"hilb"
"invhilb"
"kms"
"lehmer"
"minij"
"moler"
"oscillate"
"pascal"
"pei"
"poisson"
"prolate"
"randcorr"
"tridiag"
"wathen"
"wilkinson"

```

Here, `symmetric` is one of several predefined groups, and multiple groups can be intersected. For example, the `for` loop below prints the smallest and largest eigenvalues of all the 4×4 matrices in Matrix Depot that are symmetric positive definite and (potentially) ill conditioned.

```

> for name in matrixdepot("symmetric", "pos-def", "ill-cond")
  A = full(matrixdepot(name, 4))
  @printf "
    name eigmin(A) eigmax(A)
  end

  cauchy: smallest eigval = 2.131e-05, largest eigval = 9.776e-01
  hilb: smallest eigval = 9.670e-05, largest eigval = 1.500e+00
  invhilb: smallest eigval = 6.666e-01, largest eigval = 1.034e+04
  kms: smallest eigval = 3.750e-01, largest eigval = 2.086e+00
  moler: smallest eigval = 3.336e-02, largest eigval = 5.122e+00
  oscillate: smallest eigval = 1.490e-08, largest eigval = 1.000e+00
  pascal: smallest eigval = 3.802e-02, largest eigval = 2.630e+01
  pei: smallest eigval = 1.000e+00, largest eigval = 5.000e+00
  tridiag: smallest eigval = 3.820e-01, largest eigval = 3.618e+00

```

Matrices can also be accessed by number within the alphabetical list of matrix names.

```

> matrixdepot(2)
"binomial"

> matrixdepot(2:5)
4-element Array{AbstractString,1}:
"binomial"
"blur"
"cauchy"
"chebspec"

> matrixdepot(15:20, 5, 6, 1:3)
11-element Array{AbstractString,1}:
"frank"
"golub"
"gravity"
"grcar"

```

```
"hadamard"
"hankel"
"chebspec"
"chow"
"baart"
"binomial"
"blur"
```

Access by number provides a convenient way to run a test on subsets of matrices in the collection. However, the number assigned to a matrix may change if we include new matrices in the collection. In order to run tests in a way that is repeatable in the future it is best to group matrices into subsets using the macro `@addgroup`, which stores them by name. For example, the following command will group test matrices `frank`, `golub`, `gravity`, `grcar`, `hadamard`, `hankel`, `chebspec`, `chow`, `baart`, `binomial`, and `blur` into `test1`.

```
> @addgroup test1 = matrixdepot(15:20, 5, 6, 1:3)
```

After reloading the package, we can run tests on these matrices using `group test1`. Here we compute the 2-norms. Since `blur` (an image deblurring test problem) generates a sparse matrix and the matrix 2-norm is currently not implemented for sparse matrices in Julia, we use `full` to convert the matrix to dense format.

```
> for name in matrixdepot("test1")
    A = full(matrixdepot(name, 4))
    @printf "%9s has 2-norm %0.3e \n" name norm(A)
end

    baart has 2-norm 3.192e+00
    binomial has 2-norm 4.576e+00
    blur has 2-norm 8.298e-01
    chebspec has 2-norm 6.474e+00
    chow has 2-norm 3.414e+00
    frank has 2-norm 7.624e+00
    golub has 2-norm 2.050e+02
    gravity has 2-norm 6.656e+00
    grcar has 2-norm 2.562e+00
    hadamard has 2-norm 2.000e+00
    hankel has 2-norm 1.160e+01
```

To download the test matrix `SNAP/web-Google` from the University of Florida Sparse Matrix Collection (see ‘Matrix Data from External Sources’ for more details), we first download the data with

```
> matrixdepot("SNAP/web-Google", :get)
```

and then generate the matrix with

```
> matrixdepot("SNAP/web-Google", :r)
916428x916428 sparse matrix with 5105039 Float64 entries:
 [11343 , 1] = 1.0
 [11928 , 1] = 1.0
 [15902 , 1] = 1.0
 [29547 , 1] = 1.0
```

```
[30282 ,      1] = 1.0
[31301 ,      1] = 1.0
[38717 ,      1] = 1.0
...
[720325, 916427] = 1.0
[772226, 916427] = 1.0
[785097, 916427] = 1.0
[788476, 916427] = 1.0
[822938, 916427] = 1.0
[833616, 916427] = 1.0
[417498, 916428] = 1.0
[843845, 916428] = 1.0
```

Note that the omission marked “...” was in this case automatically done by Julia based on the height of the terminal window. Matrices loaded in this way are inserted into the list of available matrices, and assigned a number. After downloading further matrices HB/1138_bus, HB/494_bus, and Bova/rma10 the list of matrices is as follows.

```
julia> matrixdepot()

Matrices:
 1) baart          2) binomial      3) blur          4) cauchy
 5) chebspec      6) chow          7) circul        8) clement
 9) companion    10) deriv2       11) dingdong     12) fiedler
13) forsythe     14) foxgood      15) frank        16) golub
17) gravity      18) grcar        19) hadamard     20) hankel
21) heat         22) hilb         23) invhilb      24) invol
25) kahan        26) kms          27) lehmer       28) lotkin
29) magic        30) minij        31) moler        32) neumann
33) oscillate    34) parallax     35) parter       36) pascal
37) pei          38) phillips     39) poisson      40) prolate
41) randcorr     42) rando        43) randsvd      44) rohess
45) rosser      46) sampling     47) shaw         48) spikes
49) toeplitz    50) tridiag      51) triw         52) ursell
53) vand        54) wathen       55) wilkinson    56) wing
57) Bova/rma10 58) HB/1138_bus 59) HB/494_bus   60) SNAP/web-Google

Groups:
  all              data              eigen              ill-cond
 inverse          pos-def           random             regprob
 sparse          symmetric         test1
```

PACKAGE DESIGN AND IMPLEMENTATION

In this section we describe the design and implementation of Matrix Depot, focusing particularly on the novel aspects of exploitation of multiple dispatch, extensibility of the collection, and user-definable grouping of matrices.

Exploiting multiple dispatch

Matrix Depot makes use of multiple dispatch in Julia, an object-oriented paradigm in which the selection of a function implementation is based on the types of each argument of the function. The generic function `matrixdepot` has eight different methods, where each method itself is a function that handles a specific case. This is neater and more convenient than writing eight “case” statements, as is necessary in many other languages.

```

> methods(matrixdepot)
# 8 methods for generic function "matrixdepot":
matrixdepot() ...
matrixdepot(name::AbstractString) ...
matrixdepot(name::AbstractString, method::Symbol) ...
matrixdepot(props::AbstractString...) ...
matrixdepot(name::AbstractString, args...) ...
matrixdepot(num::Integer) ...
matrixdepot(ur::UnitRange{T<:Real}) ...
matrixdepot(vs::Union{Integer,UnitRange{T<:Real}}...) ...

```

For example, the following two functions are used for accessing matrices by number and range respectively, where `matrix_name_list()` returns a list of matrix names. The second function calls the first function in the inner loop.

```

function matrixdepot(num::Integer)
    matrixstrings = matrix_name_list()
    n = length(matrixstrings)
    if num > n
        error("There are $(n) parameterized matrices,
              but you asked for the $(num)-th.")
    end
    return matrixstrings[num]
end

function matrixdepot(ur::UnitRange)
    matrixnamelist = AbstractString[]
    for i in ur
        push!(matrixnamelist, matrixdepot(i))
    end
    return matrixnamelist
end

```

As a result, `matrixdepot` is a versatile function that can be used for a variety of purposes, including returning matrix information and generating matrices from various input parameters.

In the following example we see how multiple dispatch handles different numbers and types of arguments for the Cauchy matrix.

```

> matrixdepot("cauchy")
Cauchy matrix
=====

Given two vectors x and y, the (i,j) entry of the Cauchy matrix
is 1/(x[i]+y[j]).

Input options:

* [type,] x, y: two vectors.

* [type,] x: a vector. y defaults to x.

* [type,] dim: the dimension of the matrix. x and y default to
[1:dim;].

Groups: ["inverse", "ill-cond", "symmetric", "pos-def"]

```


References:

N. J. Higham, *Accuracy and Stability of Numerical Algorithms*, second edition, Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, 2002; sec. 28.1

```
> matrixdepot("cauchy", [1, 2, 3], [4, 5, 6])
3x3 Array{Float64,2}:
 0.2      0.166667  0.142857
 0.166667  0.142857  0.125
 0.142857  0.125    0.111111

> matrixdepot("cauchy", [0.2, 0.3, 0.4])
3x3 Array{Float64,2}:
 2.5      2.0      1.66667
 2.0      1.66667  1.42857
 1.66667  1.42857  1.25

> matrixdepot("cauchy", 3)
3x3 Array{Float64,2}:
 0.5      0.333333  0.25
 0.333333  0.25     0.2
 0.25     0.2     0.166667

> matrixdepot("cauchy", Float32, 3)
3x3 Array{Float32,2}:
 0.5      0.333333  0.25
 0.333333  0.25     0.2
 0.25     0.2     0.166667
```

Multiple dispatch is also exploited in programming the matrices. For example, the Hilbert matrix is implemented as

```
function hilb{T}(::Type{T}, m::Integer, n::Integer)
    H = zeros{T}(m, n)
    for j = 1:n, i = 1:m
        @inbounds H[i,j] = one{T} / (i + j - one{T})
    end
    return H
end
hilb{T}(::Type{T}, n::Integer) = hilb{T}(T, n, n)
hilb(args...) = hilb{Float64}(args...)
```

The function `hilb` has three methods, which enable one to request, for example, `hilb(4, 2)` for a 4×2 Hilbert matrix of type `Float64`, or simply (thanks to the final two lines) `hilb(4)` for a 4×4 Hilbert matrix of type `Float64`. The keyword `@inbounds` tells Julia to turn off bounds checking in the following expression, in order to speed up execution. Note that in Julia it is not necessary to vectorize code to achieve good performance ([Bezanson et al., 2014](#)).

All the matrices in Matrix Depot can be generated using the function call

```
matrixdepot("matrix_name", p1, p2, ...),
```

where `matrix_name` is the name of the test matrix, and `p1, p2, ...`, are input arguments depending on `matrix_name`. The help comments for each matrix can be viewed by

calling function `matrixdepot("matrix_name")`. We can access the list of matrix names by number, range, or a mixture of numbers and range.

1. `matrixdepot(i)` returns the name of the i th matrix;
2. `matrixdepot(i:j)` returns the names of the i th to j th matrices, where $i < j$;
3. `matrixdepot(i:j, k, m)` returns the names of the i th, $(i+1)$ st, ..., j th, k th, and m th matrices.

Matrix representation

Matrix names in Matrix Depot are represented by Julia strings. For example, the Cauchy matrix is represented by `"cauchy"`. Matrix names and matrix groups are stored as hash tables (`Dict`). In particular, there is a hash table `matrixdict` that maps each matrix name to its underlying function and a hash table `matrixclass` that maps each group to its members.

The majority of parametrized matrices are dense matrices of type `Array{T, 2}`, where T is the element type of the matrix. Variables of the `Array` type are stored in column-major order. A few matrices are stored as sparse matrices (see also `matrixdepot("sparse")`), in the Compressed Sparse Column (CSC) format; these include `neumann` (a singular matrix from the discrete Neumann problem) and `poisson` (a block tridiagonal matrix from Poisson's equation). Tridiagonal matrices are stored in the built-in Julia type `Tridiagonal`, which is defined as follows.

```
immutable Tridiagonal{T} <: AbstractMatrix{T}
    dl::Vector{T} # sub-diagonal
    d::Vector{T} # diagonal
    du::Vector{T} # sup-diagonal
    du2::Vector{T} # supsup-diagonal for pivoting
end
```

Matrix groups

A group is a subset of matrices in Matrix Depot. There are ten predefined groups, described in [Table 1](#), most of which identify matrices with particular properties. Each group is represented by a string. For example, the group of random matrices is represented by `"random"`. Matrices can be accessed by group names, as was illustrated in 'A Taste of Matrix Depot.'

The macro `@addgroup` is used to add a new group of matrices to Matrix Depot and the macro `@rmgroup` removes an added group. All the predefined matrix groups are stored in the hash table `matrixclass`. The macro `addgroup` essentially adds a new key-value combination to the hash table `usermatrixclass`. Using a separate hash table prevents the user from contaminating the predefined matrix groups.

Being able to create groups is a useful feature for reproducible research ([Donoho & Stodden, 2015](#)). For example, if we have implemented algorithm `alg01` and we used `circul`, `minij`, and `grcar` as test matrices for `alg01`, we could type

```
> @addgroup alg01_group = ["circul", "minij", "grcar"]
```

Table 1 Predefined groups.

| Group | Description |
|-----------|--|
| all | All the matrices in the collection. |
| data | The matrix has been downloaded from the University of Florida Sparse Collection or the Matrix Market Collection. |
| eigen | Part of the eigensystem of the matrix is explicitly known. |
| ill-cond | The matrix is ill-conditioned for some parameter values. |
| inverse | The inverse of the matrix is known explicitly. |
| pos-def | The matrix is positive definite for some parameter values. |
| random | The matrix has random entries. |
| regprob | The output is a test problem for regularization methods. |
| sparse | The matrix is sparse. |
| symmetric | The matrix is symmetric for some parameter values. |

This adds a new group to Matrix Depot (we need to reload the package to see the changes).

```
julia> matrixdepot()

Matrices:
  1) baart          2) binomial      3) blur          4) cauchy
  5) chebspec      6) chow          7) circul        8) clement
  9) companion     10) deriv2       11) dingdong     12) fiedler
 13) forsythe     14) foxgood      15) frank        16) golub
 17) gravity      18) grcar        19) hadamard     20) hankel
 21) heat         22) hilb         23) invhilb      24) invol
 25) kahan        26) kms          27) lehmer       28) lotkin
 29) magic        30) minij        31) moler        32) neumann
 33) oscillate    34) parallax     35) parter       36) pascal
 37) pei          38) phillips     39) poisson      40) prolate
 41) randcorr     42) rando        43) randsvd      44) rohess
 45) rosser       46) sampling     47) shaw         48) spikes
 49) toeplitz    50) tridiag      51) triw         52) ursell
 53) vand         54) wathen       55) wilkinson    56) wing

Groups:
  all              data              eigen              ill-cond
  inverse          pos-def           random             regprob
  sparse           symmetric         alg01_group
```

We can then run `alg01` on the test matrices by

```
> for name in matrixdepot(alg01_group)
    A = matrixdepot(name, n) # n is the dimension of the matrix.
    @printf "Test result for
end
```

Adding new matrix generators

Generators are Julia functions that generate test matrices. When Matrix Depot is first loaded, a directory `myMatrixDepot` is created. It contains two files, `group.jl` and `generator.jl`, where `group.jl` is used for storing all the user-defined groups (see ‘Matrix Group’) and `generator.jl` is used for storing generator declarations.

²Git is a free and open source distributed version control system.

Julia packages are simply Git repositories.² The directory `myMatrixDepot` is untracked by Git, so any local changes to files in `myMatrixDepot` do not make the `MatrixDepot` package “dirty.” In particular, all the newly defined groups or matrix generators will not be affected when we upgrade to a new version of Matrix Depot. Matrix Depot automatically loads all Julia files in `myMatrixDepot`. This feature allows a user to simply drop generator files into `myMatrixDepot` without worrying about how to link them to Matrix Depot.

A new generator is declared using the syntax `include_generator(FunctionName, "fname", f)`. This adds the new mapping `"fname" → f` to the hash table `matrixdict`, which we recall maps each matrix name to its underlying function. Matrix Depot will refer to function `f` using string `"fname"` so that we can call function `f` by `matrixdepot("fname" . . .)`. The user is free to define new data types and return values of those types. Moreover, as with any Julia function, multiple values can be returned by listing them after the `return` statement.

For example, suppose we have the following Julia file `rand.jl`, which contains two generators `randsym` and `randorth` and we want to use them from Matrix Depot. The triple quotes in the file delimit the documentation for the functions.

```

"""
random symmetric matrix
=====

Input options:

* n: the dimension of the matrix
"""
function randsym(n)
    A = zeros(n, n)
    for j = 1:n
        for i = 1:j
            A[i,j] = randn()
            if i != j; A[j,i] = A[i,j] end
        end
    end
    return A
end

"""
random orthogonal matrix
=====

Input options:

* n: the dimension of the matrix
"""
randorth(n) = qr(randn(n,n))[1]

```

We can copy the file `rand.jl` to the directory `myMatrixDepot` and add the following two lines to `generator.jl`.

```

include_generator(FunctionName, "randsym", randsym)
include_generator(FunctionName, "randorth", randorth)

```

This includes the functions `randsym` and `randorth` in Matrix Depot, as we can see by looking at the matrix list (the new entries are numbered 43 and 45).

```
julia> matrixdepot()

Matrices:
  1) baart      2) binomial    3) blur        4) cauchy
  5) chebspec   6) chow        7) circul      8) clement
  9) companion 10) deriv2     11) dingdong   12) fiedler
 13) forsythe  14) foxgood    15) frank      16) golub
 17) gravity   18) grcar      19) hadamard   20) hankel
 21) heat      22) hilb       23) invhilb    24) invol
 25) kahan     26) kms        27) lehmer     28) lotkin
 29) magic     30) minij      31) moler      32) neumann
 33) oscillate 34) parallax   35) parter     36) pascal
 37) pei       38) phillips   39) poisson    40) prolate
 41) randcorr  42) rando      43) randorth   44) randsvd
 45) randsym   46) rohess     47) rosser     48) sampling
 49) shaw      50) spikes     51) toeplitz   52) tridiag
 53) triw      54) ursell     55) vand       56) wathen
 57) wilkinson 58) wing

Groups:
all      data      eigen     ill-cond
inverse  pos-def   random    regprob
sparse   symmetric
```

The new generators can be used just like the built-in ones.

```
> matrixdepot("randsym")
random symmetric matrix
=====

Input options:

* n: the dimension of the matrix

> matrixdepot("randsym", 4)
4x4 Array{Float64,2}:
-0.00992523  0.174531  -1.73322  -0.765096
 0.174531   1.69308   0.269062  0.594058
-1.73322    0.269062  -0.824277 -0.541458
-0.765096   0.594058  -0.541458 -0.480428

> matrixdepot("randorth")
random orthogonal matrix
=====

Input options:

* n: the dimension of the matrix

> A = matrixdepot("randorth", 4)
4x4 Array{Float64,2}:
-0.233943  0.179893  0.563926  -0.771295
-0.769649 -0.141938 -0.5807    -0.224235
 0.247165  0.832118  -0.449941 -0.20986
-0.540204  0.505046  0.377263  0.557477

> A' * A - eye(4,4)
4x4 Array{Float64,2}:
-2.22045e-16  1.66533e-16 -2.77556e-17 -1.66533e-16
```

```

1.66533e-16 -1.11022e-16 -3.05311e-16 1.66533e-16
-2.77556e-17 -3.05311e-16 -1.11022e-16 1.94289e-16
-1.66533e-16 1.66533e-16 1.94289e-16 0.0

```

We can also add group information with the function `include_generator`. The following lines are put in `generator.jl`.

```

include_generator(Group, "random", randsym)
include_generator(Group, "random", randorth)

```

This adds the functions `randsym` and `randorth` to the group `random`, as we can see with the following query (after reloading the package).

```

> matrixdepot("random")
10-element Array{ASCIIString,1}:
 "golub"
 "oscillate"
 "randcorr"
 "rando"
 "randorth"
 "randsvd"
 "randsym"
 "rohess"
 "rosser"
 "wathen"

```

Documentation

The Matrix Depot documentation is created using the documentation generator Sphinx (<http://sphinx-doc.org/>) and is hosted at Read the Docs (<http://matrixdepotjl.readthedocs.org>). Its primary goals are to provide examples of usage of Matrix Depot and to give a brief summary of each matrix in the collection. Matrices are listed alphabetically with hyperlinks to the documentation for each matrix. Most parametrized matrices are presented with heat map plots, which are produced using the Winston package (<https://github.com/nolta/Winston.jl>), with the color range determined by the smallest and largest entries of the matrix. For example, Fig. 1 shows how the Wathen matrix is documented in Matrix Depot.

THE MATRICES

We now describe the matrices that are provided with, or can be downloaded into, Matrix Depot.


Parametrized matrices

In Matrix Depot v0.5.5, there are 58 parametrized matrices (including the regularization problems described in the next section), most of which originate from the Test Matrix Toolbox (*Higham, 1995*). All these matrices can be generated as `matrixdepot("matrix_name", n)`, where `n` is the dimension of the matrix.

Many matrices can have more than one input parameter, and multiple dispatch provides a convenient mechanism for taking different actions for different argument types. For

wathen

The Wathen matrix is a sparse, symmetric positive, random matrix arising from the finite element method [wath87]. It is the consistent mass matrix for a regular n_x -by- n_y grid of 8-node elements.



[wath87] A.J. Wathen, Realistic eigenvalue bounds for the Galerkin mass matrix, IMA J. Numer. Anal., 7 (1987), pp. 449-457.

Figure 1 Documentation for the Wathen matrix.

example, the `tridiag` function generates a tridiagonal matrix from vector arguments giving the subdiagonal, diagonal, and superdiagonal vectors, but a tridiagonal Toeplitz matrix can be obtained by supplying scalar arguments that specify the dimension of the matrix, the subdiagonal, the diagonal, and the superdiagonal. If a single, scalar argument n is supplied then an n -by- n tridiagonal Toeplitz matrix with subdiagonal and superdiagonal -1 and diagonal 2 is constructed. This matrix arises in applying central differences to a second derivative operator, and the inverse and the condition number are known explicitly (Higham, 2002, sec. 28.5).

Here is an example of the different usages of `tridiag`.

```
> matrixdepot("tridiag")
  Tridiagonal Matrix
  =====
  Construct a tridiagonal matrix of type Tridiagonal.
```

Input options:

* [type,] v1, v2, v3: v1 and v3 are vectors of subdiagonal and superdiagonal elements, respectively, and v2 is a vector of diagonal elements.

* [type,] dim, x, y, z: dim is the dimension of the matrix, x, y, z are scalars. x and z are the subdiagonal and superdiagonal elements, respectively, and y is the diagonal elements.

* [type,] dim: x = -1, y = 2, z = -1. This matrix is also known as the second difference matrix.

Groups: ["inverse", "ill-cond", "pos-def", "eigen"]

References:

J. Todd, *Basic Numerical Mathematics, Vol. 2: Numerical Algebra*, Birkhauser, Basel, and Academic Press, New York, 1977, p. 155.

```
> matrixdepot("tridiag", [2,5,6;], ones(4), [3,4,1;])
```

```
4x4 Tridiagonal{Float64}:
```

```
1.0  3.0  0.0  0.0
2.0  1.0  4.0  0.0
0.0  5.0  1.0  1.0
0.0  0.0  6.0  1.0
```

```
> matrixdepot("tridiag", 4, 5, 3, 1)
```

```
4x4 Tridiagonal{Float64}:
```

```
3.0  1.0  0.0  0.0
5.0  3.0  1.0  0.0
0.0  5.0  3.0  1.0
0.0  0.0  5.0  3.0
```

```
> matrixdepot("tridiag", Int, 4)
```

```
4x4 Tridiagonal{Int64}:
```

```
 2  -1  0  0
-1  2  -1  0
 0  -1  2  -1
 0  0  -1  2
```

Test problems for regularization methods

A mathematical problem is ill-posed if the solution is not unique or if an arbitrarily small perturbation of the data can cause an arbitrarily large change in the solution. Regularization methods are an important class of methods for dealing with such problems ([Hansen, 1998](#); [Hansen, 2010](#)). One means of generating test problems for regularization methods is to discretize a given ill-posed problem.

Matrix Depot contains a group of regularization test problems derived from Hansen's MATLAB Regularization Tools ([Hansen, 1994](#); [Hansen, 2007](#); [Hansen, 2008](#)) that are mostly discretizations of Fredholm integral equations of the first kind:

$$\int_0^1 K(s,t)f(t)dt = g(s), \quad 0 \leq s \leq 1.$$

The regularization test problems form the group `regprob`.

```
> matrixdepot("regprob")
12-element Array{ASCIIString,1}:
 "baart"
 "blur"
 "deriv2"
 "foxgood"
 "gravity"
 "heat"
 "parallax"
 "phillips"
 "shaw"
 "spikes"
 "ursell"
 "wing"
```

Each problem is a linear system $Ax = b$ where the matrix A and vectors x and b are obtained by discretization (using quadrature or the Galerkin method) of K , f , and g . By default, we generate only A , which is an ill-conditioned matrix. The whole test problem will be generated if the parameter `matrixonly` is set to `false`, and in this case the output has type `RegProb`, which is defined as

```
immutable RegProb{T}
  A::AbstractMatrix{T} # matrix of interest
  b::AbstractVector{T} # right-hand side
  x::AbstractVector{T} # the solution to Ax = b
end
```

If `r` is a generated test problem, then `r.A`, `r.b`, and `r.x` are the matrix A and vectors x and b respectively. If the solution is not provided by the problem, the output is stored as type `RegProbNoSolution`, which is defined as

```
immutable RegProbNoSolution{T}
  A::AbstractMatrix{T} # matrix of interest
  b::AbstractVector{T} # right-hand side
end
```

For example, the test problem `wing` can be generated as follows.

```
> matrixdepot("wing")
  A Problem with a Discontinuous Solution
  =====

Input options:

 * [type,] dim, t1, t2, [matrixonly]: the dimension of matrix
   is dim. t1 and t2 are two real scalars such that 0 < t1 < t2
   < 1. If matrixonly = false, the matrix A and vectors b and x
   in the linear system Ax = b will be generated(matrixonly =
   true by default).

 * [type,] n, [matrixonly]: t1 = 1/3 and t2 = 2/3.

Groups: ["regprob"]
```

References:

G. M. Wing, A Primer on Integral Equations of the First Kind, Society for Industrial and Applied Mathematics, 1991, p. 109.

```
> A = matrixdepot("wing", 4)
4x4 Array{Float64,2}:
 0.031189  0.0921165  0.148804  0.198786
 0.0310674 0.0889342  0.134959  0.164156
 0.0309463 0.085862   0.122403  0.13556
 0.0308257 0.0828958  0.111014  0.111945

> r = matrixdepot("wing", 4, false)
Test problems for Regularization Methods
A:
4x4 Array{Float64,2}:
 0.031189  0.0921165  0.148804  0.198786
 0.0310674 0.0889342  0.134959  0.164156
 0.0309463 0.085862   0.122403  0.13556
 0.0308257 0.0828958  0.111014  0.111945
b:
4-element Array{Float64,1}:
 0.0804953
 0.0751385
 0.0701787
 0.0655842
x:
4-element Array{Float64,1}:
 0.0
 0.5
 0.5
 0.0

> r.x
4-element Array{Float64,1}:
 0.0
 0.5
 0.5
 0.0
```

Matrix data from external sources

Matrix Depot provides access to matrices from Matrix Market ([Boisvert et al., 1997](#)) and the University of Florida Sparse Matrix Collection ([Davis & Hu, 2011](#)), both of which contain many matrices taken from applications. In particular, these sources contain many large, sparse matrices.

Matrix Market and the University of Florida Sparse Matrix Collection both categorize matrices by application domain and the problem source and both provide matrices in Matrix Market Format ([Boisvert, Pozo & Remington, 1996](#)). These similarities allow us to design a generic interface for both collections. The symbol `:get` (or `:g`) is used for downloading matrices from both collections and the symbol `:read` (or `:r`) is used for reading in matrices already downloaded. Downloaded matrix data is stored on disk in the Matrix Market format and when read into Julia is stored in the type `SparseMatrixCSC`.

`MatrixDepot.update()` downloads the matrix name data files from the two web servers.

```
> MatrixDepot.update()
\% Total  \% Received \% Xferd Average Speed  Time  Time  Time Current
          Dload Upload  Total  Spent  Left  Speed
100 1887k  0 1887k  0      0  97337    0 --:--:-- 0:00:19 --:--:-- 472k
\% Total  \% Received \% Xferd Average Speed  Time  Time  Time Current
          Dload Upload  Total  Spent  Left  Speed
100 41552  0 41552  0      0   4421    0 --:--:-- 0:00:09 --:--:-- 41018
```

The University of Florida Sparse Matrix Collection is divided into matrix groups and the group of a matrix forms part of the full name of the matrix (*Davis & Hu, 2011*). For example, the full name of the matrix `1138_bus` in the Harwell-Boeing Collection is `HB/1138_bus`.

```
> matrixdepot("HB/1138_bus", :get)
\% Total  \% Received \% Xferd Average Speed  Time  Time  Time Current
          Dload Upload  Total  Spent  Left  Speed
100 19829  100 19829  0      0  2320    0 0:00:08 0:00:08 --:--:-- 49572

> matrixdepot("HB/1138_bus", :read)
1138x1138 Symmetric(Float64,SparseMatrixCSC{Float64,Int64}):
1474.78    0.0    0.0    ...    0.0    0.0    0.0    0.0
 0.0    9.13665  0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    69.6147  0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
-9.01713  0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    ...    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    -3.40599  0.0    0.0    0.0    0.0    0.0    0.0
 ...
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    ...    0.0    -24.3902  0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    0.0    0.0    0.0    0.0    0.0
 0.0    0.0    0.0    26.5639  0.0    0.0    0.0    0.0
 0.0    0.0    0.0    ...    0.0    46.1767  0.0    0.0
 0.0    0.0    0.0    0.0    0.0    10000.0  0.0
 0.0    0.0    0.0    0.0    0.0    0.0    117.647
```

Matrices from the University of Florida Sparse Matrix Collection are stored in `MatrixDepot/data/uf` and they are stored by group (to avoid duplicate names), i.e., one directory per group. Similarly, matrices from Matrix Market are stored in `MatrixDepot/data/mm`. Both directories are untracked by Git. Many matrices in the University of Florida Sparse Matrix Collection contain problem-specific metadata, all of which is downloaded. The metadata is accessed by setting the keyword argument `meta` to `true`. Then instead of returning the matrix, Matrix Depot will return the metadata (including the matrix) as a dictionary. For example, the IMDB movie database

Pa jek/IMDB has metadata related to actors and movies. The following command stores all the metadata of Pa jek/IMDB in a variable r , where $r["IMDB"]$ is the matrix.

```
> r = matrixdepot("Pajek/IMDB", :r, meta = true)
Dict{AbstractString,Any} with 8 entries:
  "IMDB_colname" => "'La Tata' Castro, Maria Tereza\n'La Veneno'..."
  "IMDB_MovieBacon" => 428440x1 Array{Float64,2}
  "IMDB_code" => "Drama\nShort\nDocumentary\nComedy\nWestern\nFamily..."
  "IMDB_KEVINBacon" => 1x1 Array{Float64,2}
  "IMDB_ActorBacon" => 896308x1 Array{Float64,2}
  "IMDB_category" => 428440x1 Array{Float64,2}
  "IMDB" => 428440x896308 sparse matrix with 3782463 Float64 entries
  "IMDB_year" => 428440x1 Array{Float64,2}
```

We can download a whole group of matrices from the University of Florida sparse matrix collection using the command `matrixdepot("group name/*", :get)`. The next example downloads all 67 matrices in the Gset group of matrices from random graphs (contributed by Y. Ye) then displays all the matrices in Matrix Depot, including the newly downloaded matrices.

```
> matrixdepot("Gset/*", :get)

Downloading all matrices in group Gset...

  \% Total   \% Received \% Xferd Average Speed  Time   Time   Time Current
                Dload Upload Total Spent   Left Speed
100 48083 100 48083 0 0 95388 0 ---:---:---:---:---:--- 96166
download:/home/weijian/.julia/v0.4/MatrixDepot/src/./data/uf/Gset/G1.tar.gz
G1/G1.mtx

  \% Total   \% Received \% Xferd Average Speed  Time   Time   Time Current
                Dload Upload Total Spent   Left Speed
100 55180 100 55180 0 0 75318 0 ---:---:---:---:---:--- 75692
download:/home/weijian/.julia/v0.4/MatrixDepot/src/./data/uf/Gset/G10.tar.gz
G10/G10.mtx

  \% Total   \% Received \% Xferd Average Speed  Time   Time   Time Current
                Dload Upload Total Spent   Left Speed
100 5926 100 5926 0 0 23126 0 ---:---:---:---:---:--- 23515
download:/home/weijian/.julia/v0.4/MatrixDepot/src/./data/uf/Gset/G11.tar.gz
G11/G11.mtx

  \% Total   \% Received \% Xferd Average Speed  Time   Time   Time Current
                Dload Upload Total Spent   Left Speed
100 6349 100 6349 0 0 24223 0 ---:---:---:---:---:--- 24608
...

> matrixdepot()

Matrices:
 1) baart      2) binomial    3) blur       4) cauchy
 5) chebspec  6) chow       7) circul    8) clement
 9) companion 10) deriv2    11) dingdong 12) fiedler
13) forsythe 14) foxgood   15) frank    16) golub
17) gravity  18) grcar     19) hadamard 20) hankel
21) heat     22) hilb     23) invhilb  24) invol
25) kahan    26) kms      27) lehmer   28) lotkin
29) magic    30) minij    31) moler    32) neumann
33) oscillate 34) parallax 35) parter   36) pascal
```

```

37) pei          38) phillips    39) poisson    40) prolate
41) randcorr    42) rando      43) randsvd    44) rohess
45) rosser     46) sampling   47) shaw       48) spikes
49) toeplitz   50) tridiag    51) triw       52) ursell
53) vand       54) wathen     55) wilkinson  56) wing
57) Gset/G1    58) Gset/G10   59) Gset/G11   60) Gset/G12
61) Gset/G13   62) Gset/G14   63) Gset/G15   64) Gset/G16
65) Gset/G17   66) Gset/G18   67) Gset/G19   68) Gset/G2
69) Gset/G20   70) Gset/G21   71) Gset/G22   72) Gset/G23
73) Gset/G24   74) Gset/G25   75) Gset/G26   76) Gset/G27
77) Gset/G28   78) Gset/G29   79) Gset/G3    80) Gset/G30
81) Gset/G31   82) Gset/G32   83) Gset/G33   84) Gset/G34
85) Gset/G35   86) Gset/G36   87) Gset/G37   88) Gset/G38
89) Gset/G39   90) Gset/G4    91) Gset/G40   92) Gset/G41
93) Gset/G42   94) Gset/G43   95) Gset/G44   96) Gset/G45
97) Gset/G46   98) Gset/G47   99) Gset/G48   100) Gset/G49
101) Gset/G5   102) Gset/G50  103) Gset/G51  104) Gset/G52
105) Gset/G53  106) Gset/G54  107) Gset/G55  108) Gset/G56
109) Gset/G57  110) Gset/G58  111) Gset/G59  112) Gset/G6
113) Gset/G60  114) Gset/G61  115) Gset/G62  116) Gset/G63
117) Gset/G64  118) Gset/G65  119) Gset/G66  120) Gset/G67
121) Gset/G7   122) Gset/G8   123) Gset/G9

Groups:
all          data          eigen         ill-cond
inverse     pos-def      random        regprob
sparse      symmetric

```

The full name of a matrix in Matrix Market comprises three parts: the collection name, the set name, and the matrix name. For example, the full name of the matrix BCSSTK14 in the set BCSSTRUC2 from the Harwell-Boeing Collection is Harwell-Boeing/bcsstruc2/bcsstk14. Note that both set name and matrix name are in lower case.

```

> matrixdepot("Harwell-Boeing/bcsstruc2/bcsstk14", :get)
  \% Total   \% Received \% Xferd Average Speed  Time   Time   Time Current
                                Dload Upload Total Spent Left Speed
100 292k 100 292k 0 0 22635 0 0:00:13 0:00:13 --:--:-- 61144
download:/home/weijian/.julia/v0.4/MatrixDepot/data/mm/Harwell-Boeing/bcsstruc2
/bcsstk14.mtx.gz

> matrixdepot("Harwell-Boeing/bcsstruc2/bcsstk14", :read)
1806x1806 Symmetric{Float64,SparseMatrixCSC{Float64,Int64}}:
 1.93161e6 0.0 -1.02166e5 ... 0.0 0.0
 0.0 1.0 0.0 0.0 0.0 0.0
 -1.02166e5 0.0 1.93147e6 0.0 0.0 0.0
 -35568.9 0.0 1.65787e5 0.0 0.0 0.0
 -1.06959e5 0.0 -1.06959e5 0.0 0.0 0.0
 -1.65835e5 0.0 35568.9 ... 0.0 0.0
 -717.845 0.0 0.0 0.0 0.0 0.0
 0.0 0.0 88998.5 0.0 0.0 0.0
 0.0 0.0 -1.82865e6 0.0 0.0 0.0
 0.0 0.0 1.24988e5 0.0 0.0 0.0
 ...
 0.0 0.0 0.0 0.0 0.0 0.0
 0.0 0.0 0.0 1.06103e7 -5.25151e5
 0.0 0.0 0.0 -5.25151e5 -53434.0

```

| | | | | | |
|-----|-----|-----|-----|-----------|------------|
| 0.0 | 0.0 | 0.0 | ... | 1.06959e5 | -1.65835e5 |
| 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | | 1.06959e5 | 35568.9 |
| 0.0 | 0.0 | 0.0 | | -816518.0 | 1.21311e7 |
| 0.0 | 0.0 | 0.0 | | 4.55624e7 | 8.15266e5 |
| 0.0 | 0.0 | 0.0 | ... | 8.15266e5 | 5.27942e8 |

We recommend downloading matrices from the University of Florida Sparse Matrix Collection when there is a choice, because almost every matrix from Matrix Market is included in it.

CONCLUDING REMARKS

Matrix Depot follows in the footsteps of earlier collections of matrices. Its novelty is threefold. First, it is extensible by the user, and so can be adapted to the user's needs. In doing so it facilitates experimentation, and in particular makes it easier to do reproducible research. Second, it combines several existing test matrix collections, namely Higham's Test Matrix Toolbox, Hansen's regularization problems, and the University of Florida Sparse Matrix Collection, in order to provide both parametrized test matrices and real-life sparse matrix data in a single framework. Third, it fully exploits the Julia language. It uses multiple dispatch to help provide a simple interface and, in particular, to allow matrices to be generated in any of the numeric data types supported by the language. Matrix Depot therefore anticipates the development of intrinsic support in Julia for computations with `BigFloat` and other data types.

Matrix Depot has been in development since 2014. It is an open source project (<https://github.com/weijianzhang/MatrixDepot.jl>) hosted on GitHub and is available under the MIT License. A first release was announced in December 2014. Matrix Depot v0.5.5 is the latest official release and consists of around 3,000 lines of source code, with test coverage of 98.91% according to Codecov (<https://codecov.io/>). From GitHub traffic analytics, we learn that Matrix Depot has 40–70 unique downloads (unique cloners) every month. Matrix Depot also benefits the development of other Julia packages. `LightGraphs` (<https://github.com/JuliaGraphs/LightGraphs.jl>), an optimized graph package for Julia, for example, has embedded Matrix Depot as its database.

We built Matrix Depot to facilitate the development and testing of matrix (and other) algorithms in Julia, and we will continue to develop Matrix Depot by introducing new test matrices and integrating other test collections.

ACKNOWLEDGEMENTS

The authors are grateful to Jiahao Chen (MIT), Stefan Güttel (The University of Manchester), and Tim Davis (Texas A & M University) for suggestions, and to Per Christian Hansen for allowing us to incorporate problems from Regularization Tools.

ADDITIONAL INFORMATION AND DECLARATIONS

Funding

The work of Higham was supported by European Research Council Advanced Grant MATFUN (267526) and Engineering and Physical Sciences Research Council grant EP/I01912X/1. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Grant Disclosures

The following grant information was disclosed by the authors:

European Research Council Advanced Grant MATFUN: 267526.

Engineering and Physical Sciences Research Council grant: EP/I01912X/1.

Competing Interests

Nicholas J. Higham is an Academic Editor for PeerJ Computer Science.

Author Contributions

- Weijian Zhang conceived and designed the experiments, performed the experiments, analyzed the data, contributed reagents/materials/analysis tools, wrote the paper, prepared figures and/or tables, performed the computation work, reviewed drafts of the paper.
- Nicholas J. Higham conceived and designed the experiments, analyzed the data, contributed reagents/materials/analysis tools, wrote the paper, performed the computation work, reviewed drafts of the paper.

Data Availability

The following information was supplied regarding data availability:

Matrix Depot: <https://github.com/weijianzhang/MatrixDepot.jl>.

REFERENCES

- Bai Z, Day D, Demmel J, Dongarra J. 1997.** A test matrix collection for non-Hermitian eigenvalue problems (release 1.0). Technical Report CS-97-355, Department of Computer Science. Knoxville: University of Tennessee, Knoxville. LAPACK Working Note 123, pp. 45.
- Betcke T, Higham NJ, Mehrmann V, Schröder C, Tisseur F. 2013.** NLEVP: a collection of nonlinear eigenvalue problems. *ACM Transactions on Mathematical Software* 39(2): 7:1–7:28.
- Bezanson J, Edelman A, Karpinski S, Shah VB. 2014.** Julia: a fresh approach to numerical computing. ArXiv preprint. [arXiv:1411.1607](https://arxiv.org/abs/1411.1607).
- Bezanson J, Karpinski S, Shah VB, Edelman A. 2012.** Julia: a fast dynamic language for technical computing. ArXiv preprint. [arXiv:1209.5145](https://arxiv.org/abs/1209.5145).
- Boisvert RF, Pozo R, Remington K, Barrett RF, Dongarra JJ. 1997.** Matrix Market: a Web resource for test matrix collections. In: Boisvert RF, ed. *Quality of numerical software: assessment and enhancement*. London: Chapman and Hall, 125–136.

- Boisvert RF, Pozo R, Remington KA. 1996.** The Matrix Market exchange formats: Initial design. Technical Report NISTIR 5935. Gaithersburg: National Institute of Standards and Technology, pp. 14.
- Clement PA. 1959.** A class of triple-diagonal matrices for test purposes. *SIAM Review* 1(1):50–52 DOI 10.1137/1001006.
- Davis TA, Hu Y. 2011.** The University of Florida Sparse Matrix Collection. *ACM Transactions on Mathematical Software* 38(1): 1:1–1:25. Available at <http://www.cise.ufl.edu/research/sparse/matrices>.
- Donoho DL, Stodden V. 2015.** Reproducible research in the mathematical sciences. In: Higham NJ, Dennis MR, Glendinning P, Martin PA, Santosa F, Tanner J, eds. *The Princeton companion to applied mathematics*. Princeton: Princeton University Press, 916–925.
- Duff IS, Grimes RG, Lewis JG. 1989.** Sparse matrix test problems. *ACM Transactions on Mathematical Software* 15(1):1–14 DOI 10.1145/62038.62043.
- Fousse L, Hanrot G, Lefèvre V, Pélissier P, Zimmermann P. 2007.** MPFR: a multiple-precision binary floating-point library with correct rounding. *ACM Transactions on Mathematical Software* 33(2): 13:1–13:15.
- Gear CW. 1969.** A simple set of test matrices for eigenvalue programs. *Math. Comp.* 23(105):119–125 DOI 10.1090/S0025-5718-1969-0238477-8.
- Gregory RT, Karney DL. 1969.** *A collection of matrices for testing computational algorithms*. New York: Wiley. Reprinted with corrections by Robert E. Krieger, Huntington, New York, 1978.
- Hansen PC. 1994.** Regularization Tools: a Matlab package for analysis and solution of discrete ill-posed problems. *Numerical Algorithms* 6(1):1–35 DOI 10.1007/BF02149761.
- Hansen PC. 1998.** *Rank-deficient and discrete ill-posed problems: numerical aspects of linear inversion*. Philadelphia: Society for Industrial and Applied Mathematics, xvi+247 pp.
- Hansen PC. 2007.** Regularization Tools version 4.0 for Matlab 7.3. *Numer. Algorithms* 46(2):189–194 DOI 10.1007/s11075-007-9136-9.
- Hansen PC. 2008.** Regularization tools. A Matlab package for analysis and solution of discrete ill-posed problems. Version 4.1 for Matlab 7.3. Report, Information and Mathematics Modelling. Technical University of Denmark, DK-2800 Lyngby, Denmark.
- Hansen PC. 2010.** *Discrete inverse problems: insight and algorithms*. Philadelphia: Society for Industrial and Applied Mathematics, xii+213 pp.
- Higham NJ. 1991.** Algorithm 694: a collection of test matrices in MATLAB. *ACM Transactions on Mathematical Software* 17(3):289–305 DOI 10.1145/114697.116805.
- Higham NJ. 1995.** The Test Matrix Toolbox for MATLAB (version 3.0). Numerical Analysis Report No. 276, Manchester Centre for Computational Mathematics, Manchester, England.
- Higham NJ. 2002.** *Accuracy and stability of numerical algorithms*. second edition. Philadelphia: Society for Industrial and Applied Mathematics, xxx+680 pp.

Marques OA, Vömel C, Demmel JW, Parlett BN. 2008. Algorithm 880: a testing infrastructure for symmetric tridiagonal eigensolvers. *ACM Transactions on Mathematical Software* **35(1)**: 8:1–8:13.

Pei ML. 1962. A test matrix for inversion procedures. *Communications of the ACM* **5(10)**:508 DOI [10.1145/1462173.1462175](https://doi.org/10.1145/1462173.1462175).

Taylor A, Higham DJ. 2009. CONTEST: a controllable test matrix toolbox for MATLAB. *ACM Transactions on Mathematical Software* **35(4)**: 26:1–26:17.