

CORRECTION

Open Access



Correction: Three-dimensional dipole orientation mapping with high temporal-spatial resolution using polarization modulation

Suyi Zhong^{1,2}, Liang Qiao³, Xichuan Ge³, Xinzhu Xu^{1,2}, Yunzhe Fu^{1,2}, Shu Gao⁴, Karl Zhanghao¹, Huiwen Hao⁵, Wenyi Wang^{1,2}, Meiqi Li^{6*} and Peng Xi^{1,2*}

The original article can be found online at <https://doi.org/10.1186/s43074-024-00127-6>.

*Correspondence: limeiqi@pku.edu.cn; xipeng@pku.edu.cn

¹ Department of Biomedical Engineering, College of Future Technology, Peking University, Beijing 100871, China

² National Biomedical Imaging Center, Peking University, Beijing 100871, China

³ Airy Technologies Co., Ltd., Beijing, China

⁴ Institute of Molecular Medicine, National Biomedical Imaging Center, College of Future Technology, Peking University, Beijing 100871, China

⁵ Standard Imaging Company, Beijing, China

⁶ School of Life Sciences, Peking University, Beijing 100871, China

Correction: *PhotoniX* 5, 12 (2024)

<https://doi.org/10.1186/s43074-024-00127-6>

Following publication of the original article [1], the authors reported 3 errors. 1. The author name Yuzhe Fu has been corrected to Yunzhe Fu. 2. In the Fig. 3 legend, the sentence “e. 3DOM imaging of the simulated cross-line sample” has been updated to “e. 3DOM imaging of the simulated curve sample”. 3. The term “3D-OM” on line 28 page.8 (PDF) has been updated to “3DOM”.

The original article [1] has been updated.

Published online: 20 May 2024

Reference

1. Zhong S, Qiao L, Ge X, et al. Three-dimensional dipole orientation mapping with high temporal-spatial resolution using polarization modulation. *PhotoniX*. 2024;5:12. <https://doi.org/10.1186/s43074-024-00127-6>.